2021 Prior Authorization Criteria

Last Updated: 10/20/2021

HPMS Approved Formulary File Submission 00021564 Version Number 21

Actimmune

Products Affected

ACTIMMUNE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis, Bone biopsy if osteopetrosis, Antibiotic failure if chronic granulomatous disease
Age Restrictions	Ages approved in FDA labeling/compendia
Prescriber Restrictions	Infectious Disease/Hematology- oncology/Orthopedist/rheumatologist
Coverage Duration	12 months
Other Criteria	Sulfamethoxazole/Trimethoprim and/or itraconazole failure for infections secondary to chronic granulomatous disease. Osteopetrosis must be severe malignant
Indications	All FDA-approved Indications.
Off Label Uses	

Adcirca Tabs

Products Affected

• tadalafil (pah)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right Heart catheterization, vasoreactivity test.
Age Restrictions	
Prescriber Restrictions	Pulmonology, Cardiology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Adempas

Products Affected

• ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist/cardiologist
Coverage Duration	12 months
Other Criteria	For PAH must have tried and failed ambrisentan and tadalafil, CTPH requires failure of bosentan (based on compendial support)
Indications	All FDA-approved Indications.
Off Label Uses	

Afinitor

Products Affected

- AFINITOR DISPERZ
- AFINITOR ORAL TABLET 10 MG
- everolimus oral tablet 2.5 mg, 5 mg, 7.5 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/neurology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Aimovig

Products Affected

• AIMOVIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Pain Management, Headache Specialist
Coverage Duration	12 months
Other Criteria	Recent failure (in the past 6 months) of two medications FDA indicated for chronic or episodic migraine prophylaxis
Indications	All FDA-approved Indications.
Off Label Uses	

Alecensa

Products Affected

• ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for ALK+ Non Small Cell Lung Cancer
Indications	All FDA-approved Indications.
Off Label Uses	

alitretinoin (Panretin)

Products Affected

PANRETIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Dermatology/Infectious Disease
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Alunbrig

Products Affected

• ALUNBRIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Ambrisentan

Products Affected

• ambrisentan

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, including right heart catheterization, 6 Minute Walk time
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist or cardiologist
Coverage Duration	12 months
Other Criteria	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests.
Indications	All FDA-approved Indications.
Off Label Uses	

Ampyra

Products Affected

• dalfampridine er

PA Criteria	Criteria Details
Exclusion Criteria	History of seizure. Moderate or severe renal impairment (creatinine clearance less than or equal to 50 mL/minute).
Required Medical Information	Diagnosis of multiple sclerosis AND patient is ambulatory (able to walk at least 25 feet) AND patient has walking impairment
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Initial - 3 months. Renewal - 12 months
Other Criteria	For renewal, walking speed has improved from baseline.
Indications	All FDA-approved Indications.
Off Label Uses	

Apokyn

Products Affected

• APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history.
Age Restrictions	Ages approved in FDA labeling/compendia
Prescriber Restrictions	Neurologist
Coverage Duration	12 months
Other Criteria	Patient must have poorly controlled off time episodes and failed dopamine agonist and COMT inhibitor
Indications	All FDA-approved Indications.
Off Label Uses	

Aptiom

Products Affected

APTIOM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of carbamazepine and Oxcarbazepine
Indications	All FDA-approved Indications.
Off Label Uses	

Arcalyst

Products Affected

ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Coverage will be based on a Diagnosis of CAPS, failure of 1 other treatment used for this condition such as cancakinumab, nsaids
Age Restrictions	
Prescriber Restrictions	Immunologist,dermatologist,rheumatologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Armodafinil/Modafinil

Products Affected

- armodafinil
- modafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Aubagio

Products Affected

• AUBAGIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of Glatopa and Gilenya
Indications	All FDA-approved Indications.
Off Label Uses	

Avonex

Products Affected

- AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT
- AVONEX PREFILLED INTRAMUSCULAR PREFILLED

SYRINGE KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	

Ayvakit

Products Affected

 AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology, Allergy/Immunology
Coverage Duration	12 months
Other Criteria	Failure of imatinib AND one other tyrosine kinase inhibitor for unresectable or metastatic GIST with a mutation in PDGFRA exon 18 or failure of imatinib and harboring a PDGFRA D842V mutation. Diagnosis of advanced systemic mastocytosis.
Indications	All FDA-approved Indications.
Off Label Uses	

aztreonam (Cayston)

Products Affected

• CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Balversa

Products Affected

• BALVERSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Urology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Banzel

Products Affected

- BANZEL ORAL SUSPENSION
- rufinamide

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Benlysta

Products Affected

• BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	Member receiving other biologic therapy or intravenous cyclophosphamide.
Required Medical Information	Diagnosis of active, autoantibody-positive, systemic lupus erythematosus (SLE), and member currently receiving one or more of the following standard SLE therapies: Corticosteroids, Antimalarials, Non-steroidal anti-inflammatory drugs (NSAIDs), Immunosuppressants
Age Restrictions	Greater or equal to 18 years of age
Prescriber Restrictions	Rheumatologist or nephrologist
Coverage Duration	Lifetime
Other Criteria	None
Indications	All FDA-approved Indications.
Off Label Uses	

Berinert

Products Affected

• BERINERT

PA Criteria	Criteria Details
Exclusion Criteria	Must not be taking medications that can exacerbate thefrequency and/or severity of hereditary angioedema (HAE)attacks including estrogens and ACE inhibitors.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Betaseron

Products Affected

• BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	

Bosulif

Products Affected

• BOSULIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months or until disease progression
Other Criteria	Requires failure of imatinib for low risk CML based on Sokal or Hasford scores. Can be used first line for Ph+CML with an intermediate to high risk Sokal or Hasford score
Indications	All FDA-approved Indications.
Off Label Uses	

Braftovi

Products Affected

• BRAFTOVI ORAL CAPSULE 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of BRAF mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progresison
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Briviact

Products Affected

• BRIVIACT ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	failed trial or contraindication or intolerance of Levetiracetam
Indications	All FDA-approved Indications.
Off Label Uses	

Brukinsa

Products Affected

• BRUKINSA

PA Criteria	Criteria Details
Exclusion Criteria	Disease progression on a covalent BTK inhibitor
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	Intolerance to Imbruvica in overlapping indication.
Indications	All FDA-approved Indications.
Off Label Uses	

Cabometyx

Products Affected

CABOMETYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Covered until disease progression.
Indications	All FDA-approved Indications.
Off Label Uses	

Calquence

Products Affected

• CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or clinical progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Caplyta

Products Affected

• CAPLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	written by neurology/psychiatry
Coverage Duration	12 months
Other Criteria	failure of aripiprazole and risperidone
Indications	All FDA-approved Indications.
Off Label Uses	

Caprelsa

Products Affected

CAPRELSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Carbaglu

Products Affected

• CARBAGLU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

cialis

Products Affected

• tadalafil oral tablet 2.5 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	excluded from part D coverage when prescribed for treatment of erectile dysfunction
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approved for treatment of benign prostatic hyperplasia.
Indications	Some FDA-approved Indications Only.
Off Label Uses	

Cinryze

Products Affected

• CINRYZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Cometriq

Products Affected

- ORAL KIT 80 & 20 MG
- COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG
- COMETRIQ (100 MG DAILY DOSE) COMETRIQ (60 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	combination use with other tyrosine Kinase inhibitors.
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	oncology/hematology
Coverage Duration	6 months or until disease progression
Other Criteria	Covered for Metastatic Thyroid Medullary Cancer
Indications	All FDA-approved Indications.
Off Label Uses	

Copiktra

Products Affected

COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Corlanor

- CORLANOR ORAL SOLUTION
- CORLANOR ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of the following: 1. Diagnosis of chronic heart failure with left ventricular ejection fraction less than or equal to 35% AND 2. Patient is in sinus rhythm with resting heart rate greater than or equal to 70 beats per minute AND 3. Patient is on maximally tolerated doses of beta-blockers or has a contraindication to beta-blocker use AND 4. Patient is receiving an ACE inhibitor or ARB or has a contraindication to these agents. Approved for the treatment of stable symptomatic heart failure due to dilated cardiomyopathy (with a left ventricular ejection fraction less than or equal to 45%) in pediatric patients ages 6 months and older.
Age Restrictions	
Prescriber Restrictions	Cardiologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Cotellic

Products Affected

• COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Covered for BRAF+ metastatic melanoma for combination use in with Zelboraf
Indications	All FDA-approved Indications.
Off Label Uses	

Cuprimine

Products Affected

• penicillamine oral capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	serum ceruloplasmin if used for wilson's disease
Age Restrictions	
Prescriber Restrictions	rheumatology/hepatology/neurology/urology/nephrology
Coverage Duration	12 months
Other Criteria	Coverage for RA requires failure of a TNF-Agent and JAK inhibitor or abatacept.
Indications	All FDA-approved Indications.
Off Label Uses	

Cyclobenzaprine

Products Affected

• cyclobenzaprine hcl oral tablet 10 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Authorization is required for patients over 64 years of age
Prescriber Restrictions	
Coverage Duration	3 weeks for skeletal muscle spasm, 12 months for fibromyalgia
Other Criteria	For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.
Indications	All Medically-accepted Indications.
Off Label Uses	

Daliresp

Products Affected

• DALIRESP

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure or intolerance of combination inhaled corticosteroid/Long Acting Beta Agonist and long acting muscarinic antagonist.
Indications	All FDA-approved Indications.
Off Label Uses	

Daurismo

Products Affected

• DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Diacomit

Products Affected

• DIACOMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Diagnosis of Dravet syndrome used in combination with clobazam.
Indications	All FDA-approved Indications.
Off Label Uses	

Dronabinol

Products Affected

dronabinol

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous Treatment History
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Infectious disease/oncologist/gastroenterologist
Coverage Duration	12 months
Other Criteria	For HIV/Cancer related cachexia patient must fail megestrol, For Chemotherapy induced nausea, patient must fail Emend and Ondansetron.
Indications	All FDA-approved Indications.
Off Label Uses	

Emend

- APREPITANT ORAL CAPSULE
- EMEND ORAL SUSPENSION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist/Surgeon
Coverage Duration	12 months
Other Criteria	Patient must fail treatment with ondansetron (PA not applicable for PONV)
Indications	All FDA-approved Indications.
Off Label Uses	

Emgality

- EMGALITY
- EMGALITY (300 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Headache specialist, Pain management
Coverage Duration	12 months
Other Criteria	Recent Failure (past 6 months) of two formulary medications with different mechanism of action FDA approved for migraine prophylaxis
Indications	All FDA-approved Indications.
Off Label Uses	

Emsam

Products Affected

• EMSAM

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, current assessment and plan, prior medication failures
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Patient must fail 6 week trial with two formulary anti- depressants
Indications	All FDA-approved Indications.
Off Label Uses	

Enbrel

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED
- ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

DA 6 :: :	
PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications combination with other biologic
Required Medical Information	Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Rheumatology/Dermatology or Specialist trained in management of prescribed condition
Coverage Duration	12 months
Other Criteria	For RA Patient must fail adequate trial of MTX in combination with a DMARD If MTX contraindicated, must try combination of 2-nonbiologic DMARDS. For Ankylosing Spondylitis PT must fail 2 NSAIDS within past 6 months. For Plaque Psoriasis patient must fail MTX or Soriatane and Topical Therapy(ie. high potency steroids Vit D analogs). for Psoriatic Arthritis Patient must fail adequate trial of MTX or LEF in past 6 months.
Indications	All FDA-approved Indications.
Off Label Uses	

entrectinib (Rozlytrek)

Products Affected

ROZLYTREK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Rozyltrek is a kinase inhibitor indicated for solid tumorswith NTRK-Fusions and ROS-1 mutated Non-Small Celllung cancer. Medical history, studies, and appropriateconfirmatory tests are reviewed in Referrals and ifapproved will notify pharmacy and the physician.
Indications	All FDA-approved Indications.
Off Label Uses	

Entresto

Products Affected

• ENTRESTO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of chronic heart failure (NYHA Class II-IV) and reduced ejection fraction (less than or equal to 40%).
Age Restrictions	
Prescriber Restrictions	Cardiologist
Coverage Duration	12 months
Other Criteria	Entresto will be used in place of an ACE inhibitor or other ARB.
Indications	All FDA-approved Indications.
Off Label Uses	

Epidiolex

Products Affected

• EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of both Valproate and Clobazam as combination treatment
Indications	All FDA-approved Indications.
Off Label Uses	

Erivedge

Products Affected

• ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist/Oncologist
Coverage Duration	12 months or until progression
Other Criteria	Diagnosis of metastatic basal cell carcinoma OR Diagnosis of locally advanced basal cell carcinoma that has recurred following surgery or when the patient is not a candidate for surgery and radiation
Indications	All FDA-approved Indications.
Off Label Uses	

Erleada

Products Affected

• ERLEADA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urologist, Oncologist
Coverage Duration	12 months or until PSA progression
Other Criteria	Failure of LHRH agonist and bicalutamide for non- metastatic disease. Failure of abiraterone for metastatic disease.
Indications	All FDA-approved Indications.
Off Label Uses	

Esbriet

Products Affected

ESBRIET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%
Indications	All FDA-approved Indications.
Off Label Uses	

Exelon

Products Affected

• RIVASTIGMINE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of memantine and donepezil for Alzheimer's disease. no prequisite medications for dementia due to parkinson's disease
Indications	All FDA-approved Indications.
Off Label Uses	

Exjade

Products Affected

• deferasirox oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	previous treatment history, iron indices
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Fanapt

- FANAPT
- FANAPT TITRATION PACK

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Farydak

Products Affected

FARYDAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Fentanyl Lozenge

Products Affected

• FENTANYL CITRATE BUCCAL LOZENGE ON A HANDLE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pain management physician/oncologist
Coverage Duration	12 months
Other Criteria	Covered for breakthrough pain in patients receiving long acting opioid treatment and are opioid tolerant. Patient must fail two immediate release C-II opioid such as hydromorphone, morphine, oxycodone.
Indications	All FDA-approved Indications.
Off Label Uses	

Fentanyl Patch

Products Affected

• fentanyl transdermal patch 72 hour 100 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr 12 mcg/hr

• fentanyl transdermal patch 72 hour

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pain management physician/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Ferriprox

- deferiprone FERRIPROX ORAL TABLET 1000 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	oncologist/hematologist
Coverage Duration	12 months
Other Criteria	Failure of Exjade and Desferal
Indications	All FDA-approved Indications.
Off Label Uses	

Fetzima

- FETZIMA
- FETZIMA TITRATION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Must fail two generically available anti-depressants in past12 months
Indications	All FDA-approved Indications.
Off Label Uses	

Fintepla

Products Affected

• FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of epidiolex
Indications	All FDA-approved Indications.
Off Label Uses	

Firazyr

Products Affected

• icatibant acetate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Fotivda

Products Affected

• FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Fycompa

- FYCOMPA ORAL SUSPENSION
- FYCOMPA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Gattex

Products Affected

• GATTEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterologist
Coverage Duration	6 months initially
Other Criteria	Diagnosis of Short Bowel Syndrome Dependent on Parenteral Support Baseline Records of parenteral hydration After 6 month trial of Gattex, patient must demonstrate clinical improvement and or reduction in weekly parenteral fluid volume for continuation.
Indications	All FDA-approved Indications.
Off Label Uses	

Gavreto

Products Affected

• GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Gilenya

Products Affected

• GILENYA ORAL CAPSULE 0.5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Gilotrif

Products Affected

• GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Glyburide

- glyburide micronized glyburide oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	failure or contraindication to preferred glipizide and glimeperide
Age Restrictions	Prior authorization required for members 65 years or older. Automatic approval for members less than 65 years of age.
Prescriber Restrictions	
Coverage Duration	Through benefit year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Hetlioz

Products Affected

• HETLIOZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of non-24 hour sleep-Wake disorder Sleep study to rule out Sleep/apnea or other contributory sleep disorders Patient must be totally Blind
Indications	All FDA-approved Indications.
Off Label Uses	

Humira

- HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML
- HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT
 HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 1
- HUMIRA PEN-CD/UC/HS STARTER
- HUMIRA PEN-PEDIATRIC UC START
- HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML
- HUMIRA PEN-PSOR/UVEIT STARTER
- HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications combination with other biologic
Required Medical Information	Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Dermatologist/rheumatologist/ Gastroenterologist/Ophthalmologist
Coverage Duration	12 months
Other Criteria	For RA or psoriatic arthritis patient must fail infliximab and a preferred Part D specialty agent either Enbrel, Simponi, r Xeljanz. For Ankylosing spondylitis Patient must fail infiximab and Enbrel or Simponi. For ulcerative colitis patient must fail infliximab and Simponi or Xeljanz. For Crohn's disease patient must fail infliximab and 6-mp. For plaque psoriasis patients must fail infliximab and Enbrel
Indications	All FDA-approved Indications.
Off Label Uses	

Ibrance

Products Affected

• IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Iclusig

Products Affected

• ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Idhifa

Products Affected

• IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of IDH-1 mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Imbruvica

- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL TABLET 420 MG, 560 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/ transplant specialist
Coverage Duration	12 months
Other Criteria	Off Label and combination use must be supported by NCCN guidelines with evidence rating of 2a or 1
Indications	All Medically-accepted Indications.
Off Label Uses	

Increlex

Products Affected

• INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Inlyta

Products Affected

• INLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Inqovi

Products Affected

• INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	up to 12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Inrebic

Products Affected

• INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	Failure of Jakafi
Indications	All FDA-approved Indications.
Off Label Uses	

Iressa

Products Affected

• IRESSA

PA Criteria	Criteria Details
Exclusion Criteria	Iressa is contraindicated in patients with severe hypersensitivity to gefitinib or other components.
Required Medical Information	Diagnosis
Age Restrictions	Patient must be at least 18 years old or older.
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for Non Small Cell Lung Cancer with Egfr exon 19 deletion or Exon 21 substitution.
Indications	All FDA-approved Indications.
Off Label Uses	

Isotretinoin

Products Affected

• isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	5 months
Other Criteria	For cystic, nodular or scarring acne, must be refractory to oral antibiotics and topical retinoids. Trial of combination oral teracycline and topical retinoid most have been tried in most recent 6 months.
Indications	All FDA-approved Indications.
Off Label Uses	

Itraconazole

- itraconazole oral capsuleITRACONAZOLE ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history, fungal culture and sensitivity
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	minimum of 12 week up to 12 months
Other Criteria	Failure of terbinafine for onychomycosis
Indications	All FDA-approved Indications.
Off Label Uses	

IVIG

- GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML
- GAMUNEX-C INJECTION SOLUTION 1 GM/10ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis, immunoglobulin studies
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For ITP Must fail corticosteroids and Anti-D immunoglobulin (if indicated).
Indications	All FDA-approved Indications.
Off Label Uses	

Jakafi

Products Affected

JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications, Low risk Disease
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology-oncology
Coverage Duration	12 months
Other Criteria	Not covered when used in combination with antiproliferative drugs (i.e lenalidomide), or other JAK or tyrosine kinase inhibitors.
Indications	All FDA-approved Indications.
Off Label Uses	

Januvia

Products Affected

• JANUVIA

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications, Non FDA approved combinations
Required Medical Information	HA1c, previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Onglyza
Indications	All FDA-approved Indications.
Off Label Uses	

Juxtapid

Products Affected

• JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months initially, 12 months for continuation
Other Criteria	Clinical confirmation that patient has HoFH and failure of Statin and PCSK-9 therapy. Continuation of Juxtapid after 3 month trial based on LDL reduction while on therapy. If statin intolerant must fail a PCSK-9 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Kalydeco

- KALYDECO ORAL PACKET 25 MG
- KALYDECO ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Genotyping supportive of mutation status in the FDA label
Indications	All FDA-approved Indications.
Off Label Uses	

Kevzara

Products Affected

KEVZARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Coverage is limited to Rheumatoid arthritis. Must fail a preferred specialty agent (Enbrel, Xeljanz, Simponi). Must have clear documentation of moderate to severe rheumatoid arthritis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Kevzara is a injectible II-6 antagonist indicated for rheumatoid arthritis. Medical history and studies are reviewed in Referrals and if approved will notify pharmacy and the physician
Indications	All FDA-approved Indications.
Off Label Uses	

Kineret

Products Affected

• KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications combination with other biologic
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For RA failure of Enbrel and Humira
Indications	All FDA-approved Indications.
Off Label Uses	

Kisqali

- KISQALI (200 MG DOSE)
- KISQALI (400 MG DOSE)
- KISQALI (600 MG DOSE)
- KISQALI FEMARA (400 MG DOSE)
- KISQALI FEMARA (600 MG DOSE)
- KISQALI FEMARA(200 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Korlym

Products Affected

KORLYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	endocrinologist
Coverage Duration	12 months
Other Criteria	Diagnosis of Cushings syndrome , Type 2 diabetes mellitus , Failed surgery OR not a candidate for surgery , Failure of ketoconazole
Indications	All FDA-approved Indications.
Off Label Uses	

Koselugo

Products Affected

KOSELUGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	neurology/hematology/oncology
Coverage Duration	12 months
Other Criteria	Diagnosis of Type 1 neurofibromatosis with symptomatic or inoperable plexiform neurofibromas
Indications	All FDA-approved Indications.
Off Label Uses	

Kuvan

- sapropterin dihydrochloride oral packet
- sapropterin dihydrochloride oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to dietary changes, current assessment and plan, serum phenylalanine.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Medical Geneticist, neurologist, hepatologist, Metabolic specialist
Coverage Duration	12 months
Other Criteria	Coverage will be based on medical history/status, response to previous treatments, and the consideration of other therapeutic options
Indications	All FDA-approved Indications.
Off Label Uses	

Latuda

Products Affected

 LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Lenvima

- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)
- LENVIMA (18 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)
- LENVIMA (4 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Lidoderm

Products Affected

• lidocaine external patch 5 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

liraglutide (Victoza)

Products Affected

 VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Bydureon for patients without established Cardiovascular disease or multiple cardiovascular risk factors. Covered for multiple cardiovascular risk factors or established cardiovascular disease. Not covered in combination with a DPP-IV inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Lobrena

Products Affected

• LORBRENA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of ALK+ mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Lokelma

Products Affected

• LOKELMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 month
Other Criteria	Two elevated serum potassium levels in absence of potassium sparing medications.
Indications	All FDA-approved Indications.
Off Label Uses	

Long Acting Anti-Psychotics Injections

- ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE
- GEODON INTRAMUSCULAR
- INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION
- PREFILLED SYRINGE
- RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER
- ziprasidone mesylate

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurology Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of two generic anti-psychotics in the past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	

Lonsurf

Products Affected

• LONSURF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Lotronex

Products Affected

alosetron hcl

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Gastroenterologist
Coverage Duration	12 months
Other Criteria	Failure of loperimide and a tricyclic antidepressant. Approved initially for 3 months continuation to 12 months if patient has improvement in symptoms.
Indications	All FDA-approved Indications.
Off Label Uses	

Lubiprostone

Products Affected

• lubiprostone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterology or Pain Management
Coverage Duration	12 months
Other Criteria	Failure of lactulose or Miralax
Indications	All FDA-approved Indications.
Off Label Uses	

Lumakras

Products Affected

• LUMAKRAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	Submission of molecular profile of tumor supporting KRAS G12C mutation
Indications	All FDA-approved Indications.
Off Label Uses	

Lynparza

Products Affected

• LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Mavyret

Products Affected

• MAVYRET ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterology, infectious disease, Hepatology
Coverage Duration	8 weeks to 16 weeks
Other Criteria	Information supporting diagnosis,genotype,and Metavir score.
Indications	All FDA-approved Indications.
Off Label Uses	

Mekinist

Products Affected

• MEKINIST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other antineoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.
Indications	All FDA-approved Indications.
Off Label Uses	

Mektovi

Products Affected

MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of BRAF mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Menest

Products Affected

 MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG

PA Criteria	Criteria Details
Exclusion Criteria	FDA contraindications
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Covered for palliative treatment of breast cancer. Coverage for Hormone replacement therapy would required failure of formulary estrogens which do not have utilization management (ie. premarin, estradiol, estropipate)
Indications	All FDA-approved Indications.
Off Label Uses	

Movantik

Products Affected

MOVANTIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12months
Other Criteria	Failure of Lactulose and polyethylele glycol 3350 (Miralax)
Indications	All FDA-approved Indications.
Off Label Uses	

Multaq

Products Affected

• MULTAQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of sotalol and amiodarone
Indications	All FDA-approved Indications.
Off Label Uses	

Myrbetriq

Products Affected

 MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Toviaz and Oxybutynin
Indications	All FDA-approved Indications.
Off Label Uses	

Natpara

Products Affected

NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	iPTH, Calcium
Age Restrictions	
Prescriber Restrictions	endocrinologist
Coverage Duration	12 months
Other Criteria	Hypocalcemia despite using maximal doses of calcitriol
Indications	All FDA-approved Indications.
Off Label Uses	

Nerlynx

Products Affected

• NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist/Oncologist
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Neupro

Products Affected

• NEUPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Ropinirole and Pramipexole
Indications	All FDA-approved Indications.
Off Label Uses	

Nexavar

Products Affected

NEXAVAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Ninlaro

Products Affected

• NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Failure of Velcade and Revlimid required for coverage
Indications	All FDA-approved Indications.
Off Label Uses	

Northera

Products Affected

• droxidopa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Documented orthostatic hypotension, failure of midodrine or Fludrocortisone. No perquisite drugs required for Dopamine-Beta-Hydroxylase deficiency
Indications	All FDA-approved Indications.
Off Label Uses	

Noxafil

Products Affected

- NOXAFIL ORAL SUSPENSION
- posaconazole

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	Failure, resistance or contraindication to itraconazole, voriconazole
Indications	All FDA-approved Indications.
Off Label Uses	

Nubeqa

Products Affected

• NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has failed Xtandi for premetastatic castrate resistant prostate cancer.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until Disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Nucala

Products Affected

• NUCALA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following criteria must be met for coverage for severe eosinophilic asthma: Prescriber must be a pulmonologist or allergist. Patient must fail 3 months of therapy on maximal indicated doses of ICS (inhaled corticosteroid) + LABA (long acting beta agonist) and a LAMA (long acting muscarinic agonist). Patient must have failed leukotriene receptor antagonist
Age Restrictions	
Prescriber Restrictions	Pulmonologist, Allergist, or Rheumatologist
Coverage Duration	12 months
Other Criteria	Nucala is an interleukin 5 antagonist indicated for eosinophillic asthma and eosophilic granulomatosis with polyangiitis. Medical history and studies are reviewed in Referrals and if approved will notify pharmacy and the physician.
Indications	All FDA-approved Indications.
Off Label Uses	

Nuedexta

Products Affected

• NUEDEXTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Nuplazid

Products Affected

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology Psychiatry
Coverage Duration	12 months
Other Criteria	Notes supporting dementia with hallucinations or delusions secondary to parkinsons dementia.
Indications	All FDA-approved Indications.
Off Label Uses	

Odomzo

Products Affected

• ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	3 - 12 months
Other Criteria	Approval will initially be for three months, if patient has a response to therapy will be renewed for 12 months
Indications	All FDA-approved Indications.
Off Label Uses	

Ofev

Products Affected

• OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%. Confirmed Diagnosis of systemic sclerosis associated interstitial lung disease. Confirmed diagnosis chronic fibrosis interstitial lung diseases and discontinuation of medications which can cause pulmonary fibrosis if risk outweighs benefit.
Indications	All FDA-approved Indications.
Off Label Uses	

Omnitrope

Products Affected

- OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE
- OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	studies establishing diagnosis of indication.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Onfi

Products Affected

• clobazam

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	FDA approved Ages
Prescriber Restrictions	Restricted to Neurology
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Onureg

Products Affected

• ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Opsumit

Products Affected

• OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist/cardiologist
Coverage Duration	12 months
Other Criteria	Failure of Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	

Orenitram

Products Affected

• ORENITRAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right Heart catheterization to confirm the diagnosis
Age Restrictions	
Prescriber Restrictions	Pulmonologist or Cardiologist
Coverage Duration	12 months
Other Criteria	Failure of combination Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	

orgovyx

Products Affected

ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	Failure or intolerance of degaralix and leuprolide
Indications	All FDA-approved Indications.
Off Label Uses	

Orilissa

Products Affected

• ORILISSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	OB/GYN
Coverage Duration	6 months
Other Criteria	Covered for endometriosis, failure of NSAID and combinedestrogen-progestin contraceptive or progestin.
Indications	All FDA-approved Indications.
Off Label Uses	

Orkambi

Products Affected

• ORKAMBI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CFTR mutation analysis, spirometry
Age Restrictions	Ages approved in FDA label
Prescriber Restrictions	pulmonologist
Coverage Duration	12 months
Other Criteria	CFTR mutation must be supported by FDA approved label such as homozygous F508-deletion
Indications	All FDA-approved Indications.
Off Label Uses	

Otezla

Products Affected

OTEZLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of active psoriatic arthritis or moderate-to- severe plaque psoriasis or Bechet's disease.
Age Restrictions	
Prescriber Restrictions	Rheumatologist, Dermatologist
Coverage Duration	12 months
Other Criteria	For Plaque Psoriasis patient must Enbrel and Simponi) or have a contraindication to TNF inhibitors and failed MTX and acitretin. For Psoriatic Arthritis patient must fail a preferred TNF inhibitor (simponi/xeljanz) and Xeljanz or have a contraindication to TNF inhibitors or Xeljanz and failed MTX and Leflunomide.
Indications	All FDA-approved Indications.
Off Label Uses	

Oxandrolone

Products Affected

• oxandrolone oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Pemazyre

Products Affected

PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Phenoxybenzamine

Products Affected

• phenoxybenzamine hcl oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Piqray

Products Affected

- PIQRAY (200 MG DAILY DOSE)
- PIQRAY (250 MG DAILY DOSE)
- PIQRAY (300 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until progression,
Other Criteria	HR+ ER- with PIK3CA mutation advanced/metastatic breast cancer and failure of a CDK 4/6 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Pomalyst

Products Affected

• POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	FDA contraindications
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approve for patients with multiple myeloma who have received at least two prior therapies including lenalidomide and bortezomib and have demonstrated disease progression on or within 60 days of completion of the last therapy. Covered for patients with Kaposi sarcoma.
Indications	All FDA-approved Indications.
Off Label Uses	

Prevymis

Products Affected

PREVYMIS ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Up to 100 days post transplantation
Other Criteria	Patient had an allogeneic hematopoetic stemcell transplant within the last 28 days
Indications	All FDA-approved Indications.
Off Label Uses	

Prolastin-C

Products Affected

 PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 Year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Prolia

Products Affected

 PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Intolerance or contraindication to injectable bisphosphonate required for coverage of prolia
Indications	All FDA-approved Indications.
Off Label Uses	

Promacta

Products Affected

- PROMACTA ORAL PACKET 12.5 MG
- PROMACTA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC ,Platelet count less than 50,000/ml for ITP, Platelet count of less than 75,000/ml for HCV
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist, Hepatologist/gastroenterologist, Infectious Disease
Coverage Duration	12 months
Other Criteria	Chronic ITP Refractory to IVIG, corticosteroids or splenectomy as per FDA approval studies not applicable to HCV related thrombocytopenia
Indications	All FDA-approved Indications.
Off Label Uses	

Pulmozyme

Products Affected

 PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, Spirometry
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist
Coverage Duration	12 months
Other Criteria	For Patients with Cystic Fibrosis who have had recurrent pulmonary infections
Indications	All FDA-approved Indications.
Off Label Uses	

pyrimethamine (Daraprim)

Products Affected

• pyrimethamine oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Qinlock

Products Affected

• QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Quinine

Products Affected

• quinine sulfate oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Notes supporting diagnosis of malaria
Indications	All FDA-approved Indications.
Off Label Uses	

Ravicti

Products Affected

• RAVICTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hepatologist or metabolic specialist such as a endocrinologist or geneticist
Coverage Duration	12 months
Other Criteria	Clinical Failure of Buphenyl
Indications	All FDA-approved Indications.
Off Label Uses	

Rebif

Products Affected

- REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	

Repatha

Products Affected

- REPATHA
- REPATHA PUSHTRONEX SYSTEM
- REPATHA SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For patients with HoFH, HeFH, or with established atherosclerotic cardiovascular disease and Primary hyperlipidemia who require additional LDL lowering: Failure of rosuvastatin 40mg or Atorvastatin 80 combined with ezetimibe 10mg. Diagnosis of must be HeFH supported by Dutch Lipid Clinic Network criteria. Diagnosis of HOFH must be confirmed by genetic testing. Patients who are intolerant to rosuvastatin/ atorvastatin can use an alternative statin + Ezetimibe 10mg.For statin intolerant patients who required additional LDL lowering and have established cardiovascular disease, HoFH, or HeFH: History of statin intolerance to a hydrophillic statin such as fluvastatin, pravastatin, rosuvastatin in the absence of fibrates or other combinations which can increase risk of myopathy or myalgia when used in combination with a statin.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	

Retacrit

Products Affected

 RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Scr, HGB, T-sat, Ferritin
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	6 months
Other Criteria	Hemoglobin must be within FDA approved ranges for initiation and maintenance. Patient must have adequate iron stores to initiate and continue treatment. ESRD will be covered under Medicare Part B
Indications	All FDA-approved Indications.
Off Label Uses	

Retevmo

Products Affected

• RETEVMO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or disease progression
Other Criteria	Diagnosis of metastatic non-small cell lung cancer or metastatic or advanced medullary thyroid carcinoma with RET alterations
Indications	All FDA-approved Indications.
Off Label Uses	

Revatio

Products Affected

• sildenafil citrate oral tablet 20 mg

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, 6 min walk, diffusion studies,Rt Heart Cath
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist/Cardiologist
Coverage Duration	12 months
Other Criteria	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests.
Indications	All FDA-approved Indications.
Off Label Uses	

Revlimid

Products Affected

• REVLIMID

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC, Bone Marrow Biopsy, Karyotype
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Rexulti

Products Affected

• REXULTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12months
Other Criteria	Failure of aripiprazole and risperidone for schizophrenia or failure of combination SSRI and aripiprazole for major depressive disorder.
Indications	All FDA-approved Indications.
Off Label Uses	

Rezurock

Products Affected

• REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/Transplant
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Rilutek

Products Affected

• riluzole

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurologist
Coverage Duration	12 months
Other Criteria	Diagnosis is definite or probable ALS by Neurology, symptoms present for less than 5 years, Vital Capacity is 60% or more of predicted, patient does not have a tracheotomy
Indications	All FDA-approved Indications.
Off Label Uses	

Rubraca

Products Affected

• RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Rydapt

Products Affected

• RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	Labs supporting FLT3 mutation if being used for AML, not required for systemic mastocytosis
Indications	All FDA-approved Indications.
Off Label Uses	

Sabril

Products Affected

• vigabatrin

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurologist
Coverage Duration	12 months
Other Criteria	Patient must fail treat with adjunctive treatment combination (applies to Refractory Partial Complex only)
Indications	All FDA-approved Indications.
Off Label Uses	

Saphris

Products Affected

• SAPHRIS

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Psychiatry/ Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Secuado

Products Affected

• SECUADO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of two generic formulary medications for the same indication.
Indications	All FDA-approved Indications.
Off Label Uses	

Sensipar

Products Affected

• cinacalcet hcl

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history, associated studies iPTH, calcium, phosphate
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Nephrologist/endocrinologist/oncologist
Coverage Duration	12 months
Other Criteria	For secondary hyperparathyroidism related to CKD, patient must fail active vit-D therapy/phosphate binders. ESRD use is excluded from medicare Part D and this authorization will include a determination of Part D vs Part B coverage based indication
Indications	All FDA-approved Indications.
Off Label Uses	

Signifor

Products Affected

• SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	For Cushings Disease failed or poor surgical candidate for pituitary resection
Indications	All FDA-approved Indications.
Off Label Uses	

Simponi

Products Affected

- SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50

MG/0.5ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For RA Patient must fail 3 month trial of MTX in combination with a DMARD in past 6 months. If MTX contraindicated, must try combination of 2-nonbiologic DMARDS. For Ankylosing Spondylitis PT must fail 2 NSAIDS within past 6 months. For Psoriatic Arthritis Patient must fail adequate trial of MTX or LEF in past 6 months. For ulcerative colitis patient must fail Azathioprine/6MP in combination with a 5-ASA compound.
Indications	All FDA-approved Indications.
Off Label Uses	

Solaraze

Products Affected

• diclofenac sodium external gel 3 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Dermatologist, oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Somavert

Products Affected

• SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Sprycel

Products Affected

• SPRYCEL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Requires failure of imatinib for low risk CML based on Sokal or Hasford scores.
Indications	All FDA-approved Indications.
Off Label Uses	

Stelara

Products Affected

- STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML
- STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	gastroenterologist/rheumatologist/dermatologist
Coverage Duration	12 months
Other Criteria	For Crohns, patient must fail Entyvio and Renflexis. For plaque psoriasis, patient must fail Enbrel and Renflexis. For psoriatic arthritis, patient must fail a preferred TNF (enbrel, simponi, renflexis) and Xeljanz.
Indications	All FDA-approved Indications.
Off Label Uses	

Stivarga

Products Affected

• STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Sutent

Products Affected

- sunitinib malate
- SUTENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Symlin

Products Affected

- SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, HA1c BG
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist, Internist
Coverage Duration	12 months
Other Criteria	Patient BG must be non-controlled on optimal doses of insulin
Indications	All FDA-approved Indications.
Off Label Uses	

Sympazan

Products Affected

• SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Synarel

Products Affected

• SYNAREL

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis, Notes, Previous treatment history
Age Restrictions	Ages approved in FDA Label
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Covered after patient fails treatment with Lupron for endometriosis or precocious puberty
Indications	All FDA-approved Indications.
Off Label Uses	

Tabrecta

Products Affected

• TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Tafinlar

Products Affected

• TAFINLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other antineoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.
Indications	All FDA-approved Indications.
Off Label Uses	

Tagrisso

Products Affected

• TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Coverage requires Diagnosis of Non Small Cell Lung cancer EGFR mutations including T790m, exon 19 deletions. For first line use in patients with exon 21 (L858R) EGFR mutation erlotinib failure may be required if NCCN guidelines support use of either drug based on results of Flaura trial.
Indications	All FDA-approved Indications.
Off Label Uses	

Taltz

Products Affected

• TALTZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Notes supporting diagnostic evidence and previous treatment history.
Age Restrictions	
Prescriber Restrictions	Rheumatology, Dermatology
Coverage Duration	12 months
Other Criteria	For Plaque Psoriasis must fail a preferred formulary subcutaneous TNF inhibitor(Enbrel) and IV TNF inhibitor (Renflexis). For Psoriatic Arthritis must fail a preferred TNF agent(Enbrel/Simponi/Renflexis) and JAK inhibitor(Xeljanz).For Ankylosing Spondylitis must fail a preferred formulary subcutaneous TNF inhibitor(Enbrel)and IV TNF inhibitor (Renflexis). For non-radiographic axial spondylarthritis failure of a TNF inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	

Talzenna

Products Affected

TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of germline BRCA mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Tarceva

Products Affected

erlotinib hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Targretin

- bexarotene
- TARGRETIN EXTERNAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	Must have failed one prior systemic therapy
Indications	All FDA-approved Indications.
Off Label Uses	

Tasigna

Products Affected

• TASIGNA

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	Covered for failure or relapse of CML when previously treated with imatinib. Covered for newly diagnosed CML patients who are Philadelphia chromosome +. Will also be covered for intolerance or adverse reaction to imatinib. Combination therapy with other tyrosine kinase inhibitors or MTOR inhibitors for CML is not supported.
Indications	All FDA-approved Indications.
Off Label Uses	

Tazorac

- tazarotene external cream
- TAZORAC EXTERNAL CREAM 0.05 %
- TAZORAC EXTERNAL GEL

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For Psoriasis patient must have failed medium to high potency topical corticosteroid, For acne patient must have failed Tretinoin and oral antibiotic
Indications	All FDA-approved Indications.
Off Label Uses	

tazverik

Products Affected

TAZVERIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Tecfidara

- dimethyl fumarate oral dimethyl fumarate starter pack TECFIDERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of Gilenya
Indications	All FDA-approved Indications.
Off Label Uses	

Tepmetko

Products Affected

• TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	Molecular profile to support MET exon 14 skipping mutation
Indications	All FDA-approved Indications.
Off Label Uses	

Tetrabenazine

Products Affected

• tetrabenazine

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology or Psychiatry
Coverage Duration	12 months
Other Criteria	For tardive dyskinesia causative drug must be discontinued or tried at a lower dose
Indications	All FDA-approved Indications.
Off Label Uses	

Thalomid

Products Affected

• THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist/infectious disease
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Tibsovo

Products Affected

• TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of IDH-1 Mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Tobi Podhaler

Products Affected

• TOBI PODHALER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical notes describing indication for the management of cystic fibrosis patients with Pseudomonas aeruginosa and with forced expiratory volume in 1 second (FEV1) greater than 25% or less than 80%.
Age Restrictions	6 years and older
Prescriber Restrictions	
Coverage Duration	Through benefit year
Other Criteria	Safety and efficacy have not been demonstrated in patients with forced expiratory volume in 1 second (FEV1) less than 25% or greater than 80%, or patients colonized with Burkholderia cepacia
Indications	All FDA-approved Indications.
Off Label Uses	

Tracleer

Products Affected

• bosentan

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, right heart catheterization, 6 Minute Walk time
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist or cardiologist
Coverage Duration	12 months
Other Criteria	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests, failure of sildenafil. Sildenafil failure does not apply to pediatric patients with congental or ideopathic PAH
Indications	All FDA-approved Indications.
Off Label Uses	

Tretinoin Topical

- tretinoin external cream
- tretinoin external gel 0.01 %, 0.025 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications, treatment of photoaging, wrinkles
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Trintellix

Products Affected

• TRINTELLIX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of two generically available anti-depressants within past 6 months
Indications	All FDA-approved Indications.
Off Label Uses	

TRUSELTIQ

- TRUSELTIQ (100MG DAILY DOSE)
- TRUSELTIQ (125MG DAILY DOSE)
- TRUSELTIQ (50MG DAILY DOSE)
- TRUSELTIQ (75MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months unless disease progression
Other Criteria	Clinical notes and pathology supporting indication and FGFR2 fusion or rearrangement.
Indications	All FDA-approved Indications.
Off Label Uses	

Tukysa

Products Affected

• TUKYSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Turalio

Products Affected

• TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/hematology
Coverage Duration	12 months or until disease progression
Other Criteria	Patient is not a surgical candidate and has a Tenosynovial giant cell tumor.
Indications	All FDA-approved Indications.
Off Label Uses	

Tykerb

Products Affected

• lapatinib ditosylate

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan associated studies
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncologist/hematologist
Coverage Duration	12 months
Other Criteria	Patient is using in combination with capecitabine for HER/NEU + Metastatic breast CA, having failed an anthracycline, Herceptin and a taxane, or Patient must be using in combination with an aromatase inhibitor and have HER/NEU+ HR+ metastatic breast CA
Indications	All Medically-accepted Indications.
Off Label Uses	

Tymlos

Products Affected

• TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications/ cumulative tx more than 24month
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, BMD, PTH, VITD
Age Restrictions	Late adolescents and Adults only
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Patient must fail or have contraindication to bisphosphonates, Vitamin D (25,OH), PTH must be WNL
Indications	All FDA-approved Indications.
Off Label Uses	

Uceris

- budesonide er oral tablet extended release 24 hour
- UCERIS ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterologist
Coverage Duration	8 weeks
Other Criteria	approved for 8 weeks in patients with active mild- moderate ulcerative colitis who are intolerant or have failed 1-1.5 mg/kg of oral prednisone and mesalamine
Indications	All FDA-approved Indications.
Off Label Uses	

Udenyca

Products Affected

• UDENYCA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Ukoniq

Products Affected

• UKONIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Uptravi

Products Affected

• UPTRAVI ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right heart catheterization supporting diagnosis of PAH
Age Restrictions	
Prescriber Restrictions	Pulmonology or Cardiology
Coverage Duration	12 months
Other Criteria	diagnosis of WHO group 1 PAH, failure of Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	

Valchor

Products Affected

• VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Valtoco

- VALTOCO 10 MG DOSE
- VALTOCO 15 MG DOSE
- VALTOCO 20 MG DOSE
- VALTOCO 5 MG DOSE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of diazepam rectal gel and history of cluster seizures or acute repetitive seizures.
Indications	All FDA-approved Indications.
Off Label Uses	

Vascepa

- icosapent ethyl VASCEPA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approved for patients on a statin with high cardiovascular risk and elevated triglycerides between 150-499mg/dl. Approved for hypertriglyceridemia after failure of fibrate and omega-3-acid ethyl esters. Approved for statin intolerant patients with high cardiovascular risk and elevated triglycerides between 150-499mg/dl.
Indications	All FDA-approved Indications.
Off Label Uses	

Venclexta

- VENCLEXTA
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Verzenio

Products Affected

VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or clinical progresion
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Vimpat

Products Affected

VIMPAT ORAL

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Vitrakvi

Products Affected

VITRAKVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of a NTRK fusion
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Vizimpro

Products Affected

VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of EGFR mutated non-small cell lung cancer
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until Disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Voriconazole

- voriconazole intravenous
- voriconazole oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	Covered when two of the following medications have been tried, unless resistance or contraindication precludes use, Itraconazole, fluconazole, ketoconazole. Exclusions to prerequisite medications are Invasive pulmonary aspergillosis, Scedosporium apiospermum, Fusarium
Indications	All FDA-approved Indications.
Off Label Uses	

Votrient

Products Affected

VOTRIENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Vraylar

- VRAYLAR ORAL CAPSULE
- VRAYLAR ORAL CAPSULE THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry or Neurology
Coverage Duration	12 months
Other Criteria	Requires failure of aripiprazole and risperidone.
Indications	All FDA-approved Indications.
Off Label Uses	

Welireg

Products Affected

• WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months unless disease progression
Other Criteria	Clinical information and labs supporting diagnosis
Indications	All FDA-approved Indications.
Off Label Uses	

Xalkori

Products Affected

• XALKORI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis, documentation support ALK+ NSLC or ROS1 Positive
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology-oncology
Coverage Duration	6 months
Other Criteria	Continuation will be based on lack of disease progression
Indications	All FDA-approved Indications.
Off Label Uses	

Xcopri

Products Affected

XCOPRI

- XCOPRI (350 MG DAILY DOSE)
- XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medication history
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Recent failure (past 6 months) of two generically available medications used to treat partial onset seizures.
Indications	All FDA-approved Indications.
Off Label Uses	

Xeljanz

- XELJANZ
- XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Rheumatology/Gastroenterologist
Coverage Duration	12 months
Other Criteria	For Rheumatoid arthritis- 3 month trial of Combination DMARD therapy in past 6 months, For Psoriatic Arthritis Patient must fail adequate trial of MTX or LEF in past 6 months. For ulcerative colitis patient must fail Azathioprine/6MP in combination with a 5-ASA compound.
Indications	All FDA-approved Indications.
Off Label Uses	

Xgeva

Products Affected

• XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	oncology/endocrinology
Coverage Duration	12 months
Other Criteria	Failure or contraindication to bisphosphonate for osteolytic cancer indications other than giant cell tumor of the bone.
Indications	All FDA-approved Indications.
Off Label Uses	

Xifaxin

Products Affected

• XIFAXAN ORAL TABLET 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Notes to substantiate diagnosis of Hepatic Encephalopathy or Irritable Bowel Syndrome with Diarrhea
Age Restrictions	
Prescriber Restrictions	Gastroenterology/Hepatology
Coverage Duration	12 months for Hepatic Encephalopathy or Three 14 day courses for IBS-D
Other Criteria	Approve for IBS-D if patient has failed a tricyclic antidepressant and loperamide, approval will be limited to three 14 day treatments. Approval for hepatic encephalopathy is based on failure or intolerance of therapeutic doses of lactulose (30-45ml two to four times daily).
Indications	All FDA-approved Indications.
Off Label Uses	

Xolair

Products Affected

• XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan. For asthma please submit RAST, aeroallergens results, IgE values
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist, allergist, Dermatologist
Coverage Duration	12 months
Other Criteria	For Asthma patient Must Fail Combination LABA/ICS. For chronic ideopathic urticaria failure of hydroxyzine and H-2 antagonist.
Indications	All FDA-approved Indications.
Off Label Uses	

Xospata

Products Affected

• XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Xpovio

- XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG
- XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (80 MG TWICE WEEKLY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Xtandi

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months
Other Criteria	Failure of Abiraterone for metastatic prostate cancer
Indications	All FDA-approved Indications.
Off Label Uses	

Xyrem

Products Affected

• XYREM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Physician Board certified in Sleep Medicine or neurologist
Coverage Duration	12 months
Other Criteria	Failure of Modafanil/Armodafinil and amphetamine/dextroamphetamine or failure of fluoxetine for narcolepsy with cataplexy
Indications	All FDA-approved Indications.
Off Label Uses	

Zavesca

Products Affected

• miglustat

PA Criteria	Criteria Details	
Exclusion Criteria	FDA labeled contraindications	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan	
Age Restrictions	Ages approved in FDA labeling	
Prescriber Restrictions	Oncologist/Hematologist, Neurologist, Medical Geneticist, Metabolic Specialist.	
Coverage Duration	12 months	
Other Criteria		
Indications	All FDA-approved Indications.	
Off Label Uses		

Zejula

Products Affected

• ZEJULA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Zelboraf

Products Affected

• ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncology
Coverage Duration	3 months
Other Criteria	Authorization for continuation past 90 days will be based on absence of disease progression.
Indications	All FDA-approved Indications.
Off Label Uses	

Zemplar

Products Affected

paricalcitol oral

PA Criteria	Criteria Details	
Exclusion Criteria	FDA labeled contraindications	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CA PO4, iPTH	
Age Restrictions	Ages approved in FDA labeling	
Prescriber Restrictions	Nephrologist/endocrinologist	
Coverage Duration	12 months	
Other Criteria	Patient must fail or have contraindication to Calcitriol or phosphate binder if appropriate	
Indications	All FDA-approved Indications.	
Off Label Uses		

Zepatier

Products Affected

ZEPATIER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Gentotype, Viral Load, Fibroscan/Fibrosure or liver biopsy, RAV NS5A panel
Age Restrictions	
Prescriber Restrictions	Infectious disease, Gastroenterology/Hepatology
Coverage Duration	12 or 16 weeks depending on RAV profile as supported by current AASLD guidelines
Other Criteria	Contraindication to GLECAPREVIR/PIBRENTASVIR
Indications	All FDA-approved Indications.
Off Label Uses	

zileuton (Zyflo)

Products Affected

• zileuton er

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Pulmonology
Coverage Duration	12 months
Other Criteria	Uncontrolled Asthma while on maximal doses of long acting bronchodilators and inhaled corticosteroids AND montelukast.
Indications	All FDA-approved Indications.
Off Label Uses	

Zolinza

Products Affected

• ZOLINZA

PA Criteria	Criteria Details	
Exclusion Criteria	FDA labeled contraindications	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan	
Age Restrictions	Ages approved in FDA labeling	
Prescriber Restrictions	Oncologist/hematologist/dermatologist	
Coverage Duration	12 months	
Other Criteria	Failed minimum of two systemic treatments, one of which must be Targretin, unless contraindicated	
Indications	All FDA-approved Indications.	
Off Label Uses		

Zydelig

Products Affected

• ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Zykadia

Products Affected

• ZYKADIA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	Restricted to use in ALK+ Non Small Cell Lung Cancer
Indications	All FDA-approved Indications.
Off Label Uses	

Zyprexa Injection

- olanzapine intramuscular
- ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of two generic anti-psychotics in the past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	

Zytiga

Products Affected

• abiraterone acetate oral tablet 250 mg

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncology/urology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

Index	
ABILIFY MAINTENA	CAPLYTA30
INTRAMUSCULAR PREFILLED	CAPRELSA31
SYRINGE102	CARBAGLU32
abiraterone acetate oral tablet	CAYSTON18
<i>250 mg</i> 238	cinacalcet hcl166
ACTIMMUNE1	CINRYZE34
ADEMPAS 3	clobazam129
AFINITOR DISPERZ4	COMETRIQ (100 MG DAILY
AFINITOR ORAL TABLET 10 MG 4	DOSE) ORAL KIT 80 & 20 MG 35
AIMOVIG5	COMETRIQ (140 MG DAILY
ALECENSA	DOSE) ORAL KIT 3 X 20 MG & 80
alosetron hcl104	MG35
ALUNBRIG8	COMETRIQ (60 MG DAILY DOSE). 35
ambrisentan9	COPIKTRA
APOKYN SUBCUTANEOUS	CORLANOR ORAL SOLUTION 37
SOLUTION CARTRIDGE11	CORLANOR ORAL TABLET37
APREPITANT ORAL CAPSULE45	COTELLIC
APTIOM12	cyclobenzaprine hcl oral tablet 10
ARCALYST13	<i>mg, 5 mg</i> 40
armodafinil	dalfampridine er10
AUBAGIO	DALIRESP41
AVONEX PEN INTRAMUSCULAR	DAURISMO ORAL TABLET 100
AUTO-INJECTOR KIT 16	MG, 25 MG42
AVONEX PREFILLED	deferasirox oral tablet soluble 56
INTRAMUSCULAR PREFILLED	
SYRINGE KIT16	deferiprone 61 DIACOMIT 43
AYVAKIT ORAL TABLET 100 MG,	
•	diclofenac sodium external gel 3 % 169
200 MG, 25 MG, 300 MG, 50 MG 17	
BALVERSA	dimethyl fumarate oral188
BANZEL ORAL SUSPENSION 20	dimethyl fumarate starter pack 188
BENLYSTA SUBCUTANEOUS21	dronabinol
BERINERT22	droxidopa120
BETASERON SUBCUTANEOUS KIT 23	EMEND ORAL SUSPENSION
bexarotene184	RECONSTITUTED45
bosentan194	EMGALITY
BOSULIF	EMGALITY (300 MG DOSE)46
BRAFTOVI ORAL CAPSULE 75 MG. 25	EMSAM
BRIVIACT ORAL26	ENBREL MINI
BRUKINSA 27	ENBREL SUBCUTANEOUS
budesonide er oral tablet	SOLUTION 25 MG/0.5ML
extended release 24 hour202	ENBREL SUBCUTANEOUS
CABOMETYX28	SOLUTION PREFILLED SYRINGE 48
CALQUENCE29	

ENBREL SUBCUTANEOUS	HUMIRA PEDIATRIC CROHNS
SOLUTION RECONSTITUTED48	START SUBCUTANEOUS
ENBREL SURECLICK	PREFILLED SYRINGE KIT 80
SUBCUTANEOUS SOLUTION	MG/0.8ML, 80 MG/0.8ML &
AUTO-INJECTOR48	40MG/0.4ML
ENTRESTO 50	HUMIRA PEN SUBCUTANEOUS
EPIDIOLEX51	PEN-INJECTOR KIT73
ERIVEDGE52	HUMIRA PEN-CD/UC/HS
ERLEADA 53	STARTER 73
erlotinib hcl183	HUMIRA PEN-PEDIATRIC UC
ESBRIET54	START73
everolimus oral tablet 2.5 mg, 5	HUMIRA PEN-PS/UV/ADOL HS
<i>mg, 7.5 mg</i> 4	START SUBCUTANEOUS PEN-
FANAPT 57	INJECTOR KIT 40 MG/0.8ML73
FANAPT TITRATION PACK57	HUMIRA PEN-PSOR/UVEIT
FARYDAK58	STARTER 73
FENTANYL CITRATE BUCCAL	HUMIRA SUBCUTANEOUS
LOZENGE ON A HANDLE 59	PREFILLED SYRINGE KIT 10
fentanyl transdermal patch 72	MG/0.1ML, 20 MG/0.2ML, 40
hour 100 mcg/hr, 25 mcg/hr, 50	MG/0.4ML, 40 MG/0.8ML
<i>mcg/hr, 75 mcg/hr</i> 60	IBRANCE 74
fentanyl transdermal patch 72	icatibant acetate64
hour 12 mcg/hr 60	ICLUSIG 75
FERRIPROX ORAL TABLET 1000	icosapent ethyl208
MG61	IDHIFA76
FETZIMA62	IMBRUVICA ORAL CAPSULE77
FETZIMA TITRATION 62	IMBRUVICA ORAL TABLET 420
FINTEPLA63	MG, 560 MG77
FOTIVDA65	INCRELEX78
FYCOMPA ORAL SUSPENSION66	INLYTA79
FYCOMPA ORAL TABLET66	INQOVI 80
GAMMAGARD INJECTION	INREBIC 81
SOLUTION 2.5 GM/25ML85	INVEGA SUSTENNA
GAMUNEX-C INJECTION	INTRAMUSCULAR SUSPENSION
SOLUTION 1 GM/10ML85	PREFILLED SYRINGE102
GATTEX 67	IRESSA82
GAVRETO68	isotretinoin oral capsule 10 mg,
GEODON INTRAMUSCULAR102	20 mg, 30 mg, 40 mg83
GILENYA ORAL CAPSULE 0.5 MG 69	itraconazole oral capsule84
GILOTRIF70	ITRACONAZOLE ORAL SOLUTION. 84
glyburide micronized71	JAKAFI 86
glyburide oral71	JANUVIA87
HETLIOZ72	JUXTAPID ORAL CAPSULE 10 MG,
	20 MG, 30 MG, 5 MG 88

KALYDECO ORAL PACKET 25 MG 89	NEUPRO117
KALYDECO ORAL TABLET 89	NEXAVAR118
KEVZARA90	NINLARO 119
KINERET SUBCUTANEOUS	NOXAFIL ORAL SUSPENSION 121
SOLUTION PREFILLED SYRINGE91	NUBEQA 122
KISQALI (200 MG DOSE) 92	NUCALA123
KISQALI (400 MG DOSE) 92	NUEDEXTA124
KISQALI (600 MG DOSE) 92	NUPLAZID ORAL CAPSULE 125
KISQALI FEMARA (400 MG DOSE) 92	NUPLAZID ORAL TABLET 10 MG. 125
KISQALI FEMARA (600 MG DOSE) 92	ODOMZO 126
KISQALI FEMARA(200 MG DOSE). 92	OFEV127
KORLYM93	olanzapine intramuscular237
KOSELUGO 94	OMNITROPE SUBCUTANEOUS
lapatinib ditosylate200	SOLUTION CARTRIDGE128
LATUDA ORAL TABLET 120 MG,	OMNITROPE SUBCUTANEOUS
20 MG, 40 MG, 60 MG, 80 MG 96	SOLUTION RECONSTITUTED 128
LENVIMA (10 MG DAILY DOSE)97	ONUREG 130
LENVIMA (12 MG DAILY DOSE)97	OPSUMIT 131
LENVIMA (14 MG DAILY DOSE)97	ORENITRAM 132
LENVIMA (18 MG DAILY DOSE)97	ORGOVYX 133
LENVIMA (20 MG DAILY DOSE)97	ORILISSA134
LENVIMA (24 MG DAILY DOSE)97	ORKAMBI135
LENVIMA (4 MG DAILY DOSE)97	OTEZLA 136
LENVIMA (8 MG DAILY DOSE)97	oxandrolone oral137
lidocaine external patch 5 % 98	PANRETIN7
LOKELMA101	paricalcitol oral231
LONSURF 103	PEMAZYRE 138
LORBRENA 100	penicillamine oral capsule 39
lubiprostone105	phenoxybenzamine hcl oral 139
LUMAKRAS106	PIQRAY (200 MG DAILY DOSE) 140
LYNPARZA ORAL TABLET107	PIQRAY (250 MG DAILY DOSE) 140
MAVYRET ORAL TABLET 108	PIQRAY (300 MG DAILY DOSE) 140
MEKINIST 109	POMALYST 141
MEKTOVI110	posaconazole121
MENEST ORAL TABLET 0.3 MG,	PREVYMIS ORAL142
0.625 MG, 1.25 MG 111	PROLASTIN-C INTRAVENOUS
<i>miglustat</i> 228	SOLUTION RECONSTITUTED143
modafinil14	PROLIA SUBCUTANEOUS
MOVANTIK112	SOLUTION PREFILLED SYRINGE. 144
MULTAQ113	PROMACTA ORAL PACKET 12.5
MYRBETRIQ ORAL TABLET	MG145
EXTENDED RELEASE 24 HOUR 114	PROMACTA ORAL TABLET145
NATPARA 115	PULMOZYME INHALATION
NERLYNX116	SOLUTION 2.5 MG/2.5ML 146

pyrimethamine oral147	sildenafil citrate oral tablet 20 mg
QINLOCK 148	
quinine sulfate oral149	SIMPONI SUBCUTANEOUS
RAVICTI150	SOLUTION AUTO-INJECTOR168
REBIF REBIDOSE	SIMPONI SUBCUTANEOUS
SUBCUTANEOUS SOLUTION	SOLUTION PREFILLED SYRINGE
AUTO-INJECTOR151	50 MG/0.5ML168
REBIF REBIDOSE TITRATION	SOMAVERT170
PACK SUBCUTANEOUS	SPRYCEL171
SOLUTION AUTO-INJECTOR151	STELARA SUBCUTANEOUS
REBIF SUBCUTANEOUS	SOLUTION 45 MG/0.5ML 172
SOLUTION PREFILLED SYRINGE. 151	STELARA SUBCUTANEOUS
REBIF TITRATION PACK	SOLUTION PREFILLED SYRINGE. 172
SUBCUTANEOUS SOLUTION	STIVARGA173
PREFILLED SYRINGE151	sunitinib malate174
REPATHA 152	SUTENT174
REPATHA PUSHTRONEX SYSTEM 152	SYMLINPEN 120 SUBCUTANEOUS
REPATHA SURECLICK 152	SOLUTION PEN-INJECTOR 175
RETACRIT INJECTION SOLUTION	SYMLINPEN 60 SUBCUTANEOUS
10000 UNIT/ML, 10000	SOLUTION PEN-INJECTOR 175
UNIT/ML(1ML), 2000 UNIT/ML,	SYMPAZAN176
20000 UNIT/ML, 3000 UNIT/ML,	SYNAREL177
4000 UNIT/ML, 40000 UNIT/ML154	TABRECTA178
RETEVMO155	tadalafil (pah)2
REVLIMID 157	tadalafil oral tablet 2.5 mg, 5 mg. 33
REXULTI 158	TAFINLAR179
REZUROCK159	TAGRISSO180
<i>riluzole</i> 160	TALTZ181
RISPERDAL CONSTA	TALZENNA182
INTRAMUSCULAR SUSPENSION	TARGRETIN EXTERNAL184
RECONSTITUTED ER102	TASIGNA185
RIVASTIGMINE55	tazarotene external cream186
ROZLYTREK49	TAZORAC EXTERNAL CREAM 0.05
RUBRACA161	% 186
rufinamide20	TAZORAC EXTERNAL GEL 186
RYDAPT162	TAZVERIK 187
SAPHRIS164	TECFIDERA188
sapropterin dihydrochloride oral	TEPMETKO 189
packet95	tetrabenazine190
sapropterin dihydrochloride oral	THALOMID191
<i>tablet</i> 95	TIBSOVO 192
SECUADO165	TOBI PODHALER 193
SIGNIFOR 167	tretinoin external cream195

tretinoin external gel 0.01 %,	XELJANZ220
<i>0.025</i> % 195	XELJANZ XR ORAL TABLET
TRINTELLIX196	EXTENDED RELEASE 24 HOUR 11
TRUSELTIQ (100MG DAILY	MG, 22 MG220
DOSE)197	XGEVA221
TRUSELTIQ (125MG DAILY	XIFAXAN ORAL TABLET 550 MG. 222
DOSE)197	XOLAIR SUBCUTANEOUS
TRUSELTIQ (50MG DAILY DOSE) 197	SOLUTION RECONSTITUTED223
TRUSELTIQ (75MG DAILY DOSE) 197	XOSPATA224
TUKYSA	XPOVIO (100 MG ONCE WEEKLY)
TURALIO199	ORAL TABLET THERAPY PACK 50
TYMLOS201	MG225
UCERIS ORAL 202	XPOVIO (40 MG ONCE WEEKLY)
UDENYCA203	ORAL TABLET THERAPY PACK 40
UKONIQ204	MG225
UPTRAVI ORAL205	XPOVIO (40 MG TWICE WEEKLY)
VALCHLOR	ORAL TABLET THERAPY PACK 40
VALTOCO 10 MG DOSE 207	MG225
VALTOCO 15 MG DOSE 207	XPOVIO (60 MG ONCE WEEKLY)
VALTOCO 20 MG DOSE 207	ORAL TABLET THERAPY PACK 60
VALTOCO 5 MG DOSE207	MG225
VASCEPA 208	XPOVIO (60 MG TWICE WEEKLY) 225
VENCLEXTA209	XPOVIO (80 MG ONCE WEEKLY)
VENCLEXTA STARTING PACK 209	ORAL TABLET THERAPY PACK 40
VERZENIO210	MG225
VICTOZA SUBCUTANEOUS	XPOVIO (80 MG TWICE WEEKLY) 225
SOLUTION PEN-INJECTOR99	XTANDI ORAL CAPSULE 226
<i>vigabatrin</i>	XTANDI ORAL TABLET 40 MG, 80
VIMPAT ORAL 211	MG226
VITRAKVI212	XYREM227
VIZIMPRO213	ZEJULA229
voriconazole intravenous214	ZELBORAF230
voriconazole oral214	ZEPATIER232
VOTRIENT215	<i>zileuton er</i> 233
VRAYLAR ORAL CAPSULE216	ziprasidone mesylate102
VRAYLAR ORAL CAPSULE	ZOLINZA234
THERAPY PACK 216	ZYDELIG235
WELIREG	ZYKADIA ORAL TABLET236
XALKORI218	ZYPREXA RELPREVV
XCOPRI219	INTRAMUSCULAR SUSPENSION
XCOPRI (250 MG DAILY DOSE)	RECONSTITUTED 210 MG237
ORAL TABLET THERAPY PACK	
100 & 150 MG 219	
XCOPRI (350 MG DAILY DOSE) 219	



Section 1557 Notification: Discrimination is Against the Law

FHCP Medicare complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. FHCP Medicare does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

FHCP Medicare:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified Interpreters
 - Information written in other languages

If you need these services, contact:

• FHCP Medicare: 1-833-866-6559

If you believe that FHCP Medicare has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

FHCP Medicare Civil Rights Coordinator PO Box 9910 Daytona Beach, FL 32120-0910

> TTY: 1-800-955-8770 Fax: 386-676-7149 Email: rights@fhcp.com

> Phone: 1-844-219-6137

You can file grievance in person or by mail, fax, or email. If you need help filing a grievance, the Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at www.hhs.gov/ocr/office/file/index.html.



ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call **1-833-866-6559.** (TTY: 1-800-955-8770)

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al **1-833-866-6559** (TTY: **1-800-955-8770**).

ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-833-866-6559 (TTY: 1-800-955-8770).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-833-866-6559 (TTY: 1-800-955-8770).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 1-833-866-6559 (TTY: 1-800-955-8770).

注意:如果您使用繁體中文,您可以免費獲得語言援助服務。請致電 1-833-866-6559 (TTY:1-800-955-8770)

ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-833-866-6559 (ATS : 1-800-955-8770).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-833-866-6559 (TTY: 1-800-955-8770).

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-833-866-6559 (телетайп: 1-800-955-8770).

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1-6559-866-833 (رقم هاتف الصم والبكم: 1-870-6559-860).

ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 1-833-866-6559 (TTY: 1-800-955-8770).

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-833-866-6559 (TTY: 1-800-955-8770).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-833-866-6559 (TTY: 1-800-955-8770)번으로 전화해 주십시오.

UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 1-833-866-6559 (TTY: 1-800-955-8770).

સુચના: જો તમે ગુજરાતી બોલતા હો, તો નિ:શુલ્ક ભાષા સહ્યય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ફોન કરો 1-833-866-6559 (TTY: 1-800-955-8770).

เรียน: ถ้าคุณพูดภาษาไทยคุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-833-866-6559 (TTY: 1-800-955-8770).