# 2023

# **Prior Authorization Criteria**

Last Updated: 11/21/2023 HPMS Approved Formulary File Submission 00023576 Version Number 20

### Actimmune

#### **Products Affected**

• ACTIMMUNE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> Information	Diagnosis, supporting imaging for osteopetrosis. Antibiotic failure if chronic granulomatous disease
Age Restrictions	Ages approved in FDA labeling/compendia
Prescriber Restrictions	Infectious Disease/Hematology-oncology/Orthopedist/rheumatologist
Coverage Duration	12 months
Other Criteria	Sulfamethoxazole/Trimethoprim and/or itraconazole failure for infections secondary to chronic granulomatous disease. Osteopetrosis must be severe malignant
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Adalimumab

#### **Products Affected**

- HADLIMA
- HADLIMA PUSHTOUCH

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For RA Patient must fail adequate Combination DMARD. For Ankylosing Spondylitis PT must fail Methotrexate or an NSAID. For Plaque Psoriasis patient must fail 3 month trial of MTX or Soriatane. For Psoriatic Arthritis Patient must fail adequate trial (3 months in past 6 months) of MTX or LEF in past 6 months. For inflammatory bowel disease must fail 3 month trial of Renflexis or conventional immunomodulator.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

### **Adcirca Tabs**

#### **Products Affected**

• tadalafil (pah)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right Heart catheterization, vasoreactivity test.
Age Restrictions	
Prescriber Restrictions	Pulmonology, Cardiology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Adempas

**Products Affected** 

• ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist/cardiologist
Coverage Duration	12 months
Other Criteria	For PAH must have tried and failed ambrisentan and tadalafil, CTPH requires failure of bosentan (based on compendial support)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Afinitor

#### **Products Affected**

- everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg
- everolimus oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/neurology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Aimovig

**Products Affected** 

• AIMOVIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Pain Management, Headache Specialist
Coverage Duration	12 months
Other Criteria	Recent failure (in the past 6 months) of two medications FDA indicated for chronic or episodic migraine prophylaxis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Alecensa

#### **Products Affected**

• ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for ALK+ Non Small Cell Lung Cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# alitretinoin (Panretin)

#### **Products Affected**

• PANRETIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Alunbrig

**Products Affected** 

• ALUNBRIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Ambrisentan

#### **Products Affected**

• ambrisentan

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, including right heart catheterization, 6 Minute Walk time
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist or cardiologist
Coverage Duration	12 months
Other Criteria	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Ampyra

#### **Products Affected**

• dalfampridine er

PA Criteria	Criteria Details
Exclusion Criteria	History of seizure. Moderate or severe renal impairment (creatinine clearance less than or equal to 50 mL/minute).
Required Medical Information	Diagnosis of multiple sclerosis AND patient is ambulatory (able to walk at least 25 feet) AND patient has walking impairment
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Initial - 3 months. Renewal - 12 months
Other Criteria	For renewal, walking speed has improved from baseline.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Apokyn

#### **Products Affected**

• apomorphine hcl subcutaneous

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history.
Age Restrictions	Ages approved in FDA labeling/compendia
Prescriber Restrictions	Neurologist
Coverage Duration	12 months
Other Criteria	Patient must have poorly controlled off time episodes and failed dopamine agonist and COMT inhibitor
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Aptiom

**Products Affected** 

• APTIOM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of carbamazepine and Oxcarbazepine
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Arcalyst

#### **Products Affected**

• ARCALYST

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Coverage will be based on a Diagnosis of CAPS, failure of 1 other treatment used for this condition such as cancakinumab, nsaids. Will also be covered for recurrent pericarditis and deficiency of interluekin- 1 receptor antagonist.
Age Restrictions	
Prescriber Restrictions	Immunologist,dermatologist,rheumatologist,cardiologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Armodafinil/Modafinil

#### **Products Affected**

- armodafinil modafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Aubagio

#### **Products Affected**

• teriflunomide

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of Glatopa and Gilenya
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Auvelity

#### **Products Affected**

• AUVELITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry and Neurology
Coverage Duration	12 months
Other Criteria	Failure of bupropion and failure of aripiprazole in combination with any antidepressant.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Avonex

#### **Products Affected**

 AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT SYRINGE KIT

AVONEX PREFILLED
 INTRAMUSCULAR PREFILLED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Ayvakit

#### **Products Affected**

• AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology/immunology/allergy
Coverage Duration	12 months or until progression
Other Criteria	Failure of imatinib AND one other tyrosine kinase inhibitor for unresectable or metastatic GIST with a mutation in PDGFRA exon 18 or failure of imatinib and harboring a PDGFRA D842V mutation. Diagnosis of advanced systemic mastocytosis.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# aztreonam (Cayston)

#### **Products Affected**

• CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Balversa

#### **Products Affected**

• BALVERSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Urology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Banzel

#### **Products Affected**

• rufinamide

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Benlysta

**Products Affected** 

• BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	Member receiving other biologic therapy or intravenous cyclophosphamide.
Required Medical Information	FOR SLE Diagnosis of active, autoantibody-positive, systemic lupus erythematosus (SLE), and member currently receiving one or more of the following standard SLE therapies: Corticosteroids, Antimalarials, Non-steroidal anti-inflammatory drugs (NSAIDs), Immunosuppressants. For lupus nephritis must fail tacrolimus and mycophenolate.
Age Restrictions	Greater or equal to 18 years of age
Prescriber Restrictions	Rheumatologist or nephrologist
Coverage Duration	Lifetime
Other Criteria	None
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Berinert

#### **Products Affected**

• BERINERT

PA Criteria	Criteria Details
Exclusion Criteria	Must not be taking medications that can exacerbate thefrequency and/or severity of hereditary angioedema (HAE)attacks including estrogens and ACE inhibitors.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Besremi

**Products Affected** 

• BESREMI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Betaseron

**Products Affected** 

• BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Bosulif

**Products Affected** 

• BOSULIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months or until disease progression
Other Criteria	Requires failure of imatinib for low risk CML based on Sokal or Hasford scores. Can be used first line for Ph+ CML with an intermediate to high risk Sokal or Hasford score
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Braftovi

**Products Affected** 

• BRAFTOVI ORAL CAPSULE 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of BRAF mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progresison
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### **Briviact**

**Products Affected** 

• BRIVIACT ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	failed trial or contraindication or intolerance of Levetiracetam
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Brukinsa

#### **Products Affected**

• BRUKINSA

PA Criteria	Criteria Details
Exclusion Criteria	Disease progression on a covalent BTK inhibitor
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	Intolerance to Imbruvica in overlapping indication.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Cabometyx

#### **Products Affected**

• CABOMETYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Covered until disease progression.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Calquence

#### **Products Affected**

• CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or clinical progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Caplyta

**Products Affected** 

• CAPLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	written by neurology/psychiatry
Coverage Duration	12 months
Other Criteria	failure of aripiprazole and risperidone for schizophrenia.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Caprelsa

#### **Products Affected**

• CAPRELSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Carbaglu

#### **Products Affected**

• carglumic acid oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### cialis

### **Products Affected**

• tadalafil oral tablet 2.5 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	excluded from part D coverage when prescribed for treatment of erectile dysfunction
<b>Required Medical</b> <b>Information</b>	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approved for treatment of benign prostatic hyperplasia.
Indications	Some FDA-approved Indications Only.
Off Label Uses	
Part B Prerequisite	No

## Cinryze

**Products Affected** 

• CINRYZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Cometriq

#### **Products Affected**

• COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG • COMETRIQ (60 MG DAILY DOSE)

• COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	combination use with other tyrosine Kinase inhibitors.
<b>Required Medical</b> <b>Information</b>	Diagnosis
Age Restrictions	
Prescriber Restrictions	oncology/hematology
Coverage Duration	6 months or until disease progression
Other Criteria	Covered for Metastatic Thyroid Medullary Cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Copiktra

#### **Products Affected**

• COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Corlanor

- CORLANOR ORAL SOLUTION
- CORLANOR ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of the following: 1. Diagnosis of chronic heart failure with left ventricular ejection fraction less than or equal to 35% AND 2. Patient is in sinus rhythm with resting heart rate greater than or equal to 70 beats per minute AND 3. Patient is on maximally tolerated doses of beta-blockers or has a contraindication to beta- blocker use AND 4. Patient is receiving an ACE inhibitor or ARB or has a contraindication to these agents. Approved for the treatment of stable symptomatic heart failure due to dilated cardiomyopathy (with a left ventricular ejection fraction less than or equal to 45%) in pediatric patients ages 6 months and older.
Age Restrictions	
Prescriber Restrictions	Cardiologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Cotellic

**Products Affected** 

• COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Covered for BRAF+ metastatic melanoma for combination use in with Zelboraf
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Cuprimine

### **Products Affected**

• penicillamine oral capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	serum ceruloplasmin if used for wilson's disease
Age Restrictions	
Prescriber Restrictions	rheumatology/hepatology/neurology/urology/nephrology
Coverage Duration	12 months
Other Criteria	Coverage for RA requires failure of a TNF-Agent and JAK inhibitor or abatacept.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Cyclobenzaprine

#### **Products Affected**

• cyclobenzaprine hcl oral tablet 10 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Authorization is required for patients over 64 years of age
Prescriber Restrictions	
Coverage Duration	3 weeks for skeletal muscle spasm, 12 months for fibromyalgia
Other Criteria	For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

### Daurismo

**Products Affected** 

 DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Diacomit

**Products Affected** 

• DIACOMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Diagnosis of Dravet syndrome used in combination with clobazam.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Dificid

**Products Affected** 

• DIFICID ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	10 days
Other Criteria	Failure of an adequate treatment of vancomycin and recurrence within 6 months.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Dronabinol

#### **Products Affected**

• dronabinol

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous Treatment History
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Infectious disease/oncologist/gastroenterologist
Coverage Duration	12 months
Other Criteria	For HIV/Cancer related cachexia patient must fail megestrol, For Chemotherapy induced nausea, patient must fail Emend and Ondansetron.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Emend

- APREPITANT ORAL CAPSULE
- EMEND ORAL SUSPENSION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist/Surgeon
Coverage Duration	12 months
Other Criteria	Patient must fail treatment with ondansetron (PA not applicable for PONV)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Emgality

- EMGALITY
- EMGALITY (300 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Recent Failure (past 6 months) of two formulary medications with different mechanism of action FDA approved for migraine prophylaxis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Emsam

**Products Affected** 

• EMSAM

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, current assessment and plan, prior medication failures
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Patient must fail 6 week trial with two formulary anti-depressants
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Enbrel

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS
- SOLUTION PREFILLED SYRINGE
  ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications combination with other biologic
Required Medical Information	Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Rheumatology/Dermatology or Specialist trained in management of prescribed condition
Coverage Duration	12 months
Other Criteria	For RA Patient must fail adequate trial(3 month trial in past 6 months) of MTX in combination with a DMARD If MTX contraindicated, must try combination of 2-nonbiologic DMARDS. For Ankylosing Spondylitis PT must fail 2 NSAIDS within past 6 months. For Plaque Psoriasis patient must fail MTX or Soriatane and Topical Therapy(ie. high potency steroids Vit D analogs). For Psoriatic Arthritis Patient must fail adequate trial (3 months in past 6 months) of MTX or LEF in past 6 months.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## entrectinib (Rozlytrek)

#### **Products Affected**

• ROZLYTREK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Rozyltrek is a kinase inhibitor indicated for solid tumorswith NTRK- Fusions and ROS-1 mutated Non-Small Celllung cancer. Medical history, studies, and appropriateconfirmatory tests are reviewed in Referrals and ifapproved will notify pharmacy and the physician.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Epidiolex

#### **Products Affected**

• EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of both Valproate and Clobazam as combination treatment
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Erivedge

### **Products Affected**

• ERIVEDGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist/Oncologist
Coverage Duration	12 months or until progression
Other Criteria	Diagnosis of metastatic basal cell carcinoma OR Diagnosis of locally advanced basal cell carcinoma that has recurred following surgery or when the patient is not a candidate for surgery and radiation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Erleada

**Products Affected** 

• ERLEADA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urologist, Oncologist
Coverage Duration	12 months or until PSA progression
Other Criteria	Failure of LHRH agonist and bicalutamide for non-metastatic disease. Failure of abiraterone for metastatic disease.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### **Esbriet**

#### **Products Affected**

• pirfenidone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Exjade

#### **Products Affected**

• deferasirox oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> <b>Information</b>	previous treatment history, iron indices
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Exkivity

### **Products Affected**

• EXKIVITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	oncology hematology
Coverage Duration	12 months unless disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Fanapt

- FANAPT
- FANAPT TITRATION PACK

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Fentanyl Lozenge

#### **Products Affected**

• FENTANYL CITRATE BUCCAL LOZENGE ON A HANDLE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pain management physician/oncologist
Coverage Duration	12 months
Other Criteria	Covered for breakthrough pain in patients receiving long acting opioid treatment and are opioid tolerant. Patient must fail two immediate release C-II opioid such as hydromorphone, morphine, oxycodone.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## **Fentanyl Patch**

- fentanyl transdermal patch 72 hour 100 mcg/hr, 25 mcg/hr
- fentanyl transdermal patch 72 hour 12 mcg/hr, 50 mcg/hr, 75 mcg/hr

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pain management physician/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Fetzima

- FETZIMA
- FETZIMA TITRATION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Must fail two generically available anti-depressants in past12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Fintepla

### **Products Affected**

• FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of epidiolex
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Firazyr

### **Products Affected**

• *icatibant acetate subcutaneous solution prefilled syringe* 

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Fotivda

**Products Affected** 

• FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Fycompa

- FYCOMPA ORAL SUSPENSION
- FYCOMPA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Gattex

**Products Affected** 

• GATTEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterologist
Coverage Duration	6 months initially
Other Criteria	Diagnosis of Short Bowel Syndrome Dependent on Parenteral Support Baseline Records of parenteral hydration After 6 month trial of Gattex, patient must demonstrate clinical improvement and or reduction in weekly parenteral fluid volume for continuation.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Gavreto

**Products Affected** 

• GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Gilenya

### **Products Affected**

• fingolimod hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Gilotrif

**Products Affected** 

• GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Gleostine

#### **Products Affected**

• GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Glyburide

- glyburide micronized glyburide oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	failure or contraindication to preferred glipizide and glimeperide
Age Restrictions	Prior authorization required for members 65 years or older. Automatic approval for members less than 65 years of age.
Prescriber Restrictions	
Coverage Duration	Through benefit year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Hetlioz

- HETLIOZ
- tasimelteon

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of non-24 hour sleep-Wake disorder Sleep study to rule out Sleep/apnea or other contributory sleep disorders Patient must be totally blind. Covered for microdeletion syndrome Smith- Magenis syndrome.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Humira

- HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML
- HUMIRA PEN SUBCUTANEOUS
   PEN-INJECTOR KIT
- HUMIRA PEN-CD/UC/HS STARTER
- HUMIRA PEN-PEDIATRIC UC
  START
- HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML
- HUMIRA PEN-PSOR/UVEIT STARTER
- HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications combination with other biologic
Required Medical Information	Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Dermatologist/rheumatologist/ Gastroenterologist/Ophthalmologist
Coverage Duration	12 months
Other Criteria	For RA or psoriatic arthritis patient must fail infliximab and a preferred Part D specialty agent either Enbrel, Simponi, r Xeljanz. For Ankylosing spondylitis Patient must fail infiximab and Enbrel or Simponi. For ulcerative colitis patient must fail infliximab and Simponi or Xeljanz. For Crohn's disease patient must fail infliximab and 6-mp. For plaque psoriasis patients must fail infliximab and Enbrel. Part B before Part D Step Therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

### Ibrance

**Products Affected** 

• IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Iclusig

**Products Affected** 

• ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Idhifa

**Products Affected** 

• IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of IDH-1 mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Imbruvica

- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL TABLET 420 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/ transplant specialist
Coverage Duration	12 months
Other Criteria	Off Label and combination use must be supported by NCCN guidelines with evidence rating of 2a or 1
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

## Imbruvica Sln

#### **Products Affected**

• IMBRUVICA ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/ transplant specialist
Coverage Duration	12 months
Other Criteria	Unable to swallow or use a tablet or capsule
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Increlex

### **Products Affected**

• INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Inlyta

**Products Affected** 

• INLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Inqovi

**Products Affected** 

• INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months unless patient has disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Inrebic

**Products Affected** 

• INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	Failure of Jakafi
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Invega Sustenna

#### **Products Affected**

• INVEGA HAFYERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry or Neurology
Coverage Duration	12 months
Other Criteria	Failure of quetiapine and risperidone
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Iressa

#### **Products Affected**

• gefitinib

PA Criteria	Criteria Details
Exclusion Criteria	contraindicated in patients with severe hypersensitivity to gefitinib or other components.
Required Medical Information	Diagnosis
Age Restrictions	Patient must be at least 18 years old or older.
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for Non Small Cell Lung Cancer with Egfr exon 19 deletion or Exon 21 substitution.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Isotretinoin

### **Products Affected**

• *isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg* 

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	5 months
Other Criteria	For cystic, nodular or scarring acne, must be refractory to oral antibiotics and topical retinoids. Trial of combination oral teracycline and topical retinoid most have been tried in most recent 6 months.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# IVIG

- GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML
- GAMUNEX-C INJECTION SOLUTION 1 GM/10ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis, immunoglobulin studies
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For ITP must fail corticosteroids and Anti-D immunoglobulin (if indicated). For other indications must meet current LCD criteria for immunoglobulin therapy. Part B before Part D Step Therapy
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	Yes

## Jakafi

**Products Affected** 

• JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications, Low risk Disease
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology, oncology, transplant specialist
Coverage Duration	12 months
Other Criteria	Not covered when used in combination with antiproliferative drugs (i.e lenalidomide), or other JAK or tyrosine kinase inhibitors.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Jaypirca

**Products Affected** 

 JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Indicated for third line treatment of mantle cell lymphoma after failure of a BTK inhibiting treatment.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Juxtapid

### **Products Affected**

• JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months initially, 12 months for continuation
Other Criteria	Clinical confirmation that patient has HoFH and failure of Statin and PCSK-9 therapy. Continuation of Juxtapid after 3 month trial based on LDL reduction while on therapy. If statin intolerant must fail a PCSK-9 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Kalydeco

- KALYDECO ORAL PACKET 13.4 MG, 25 MG, 50 MG, 75 MG
- KALYDECO ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Genotyping supportive of mutation status in the FDA label
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Kerendia

### **Products Affected**

• KERENDIA

PA Criteria	Criteria Details
Exclusion Criteria	Combination use with eplerenone or spironolactone
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Patient has CKD with proteinuria and is on maximal doses of an ACE Inhibitor or maximal dose of an ARB if ACE intolerant AND unable to use an SGLT-2 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Kevzara

#### **Products Affected**

• KEVZARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Coverage is limited to Rheumatoid arthritis. Must fail a preferred specialty agent (Enbrel, Xeljanz, Simponi). Must have clear documentation of moderate to severe rheumatoid arthritis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Kevzara is a injectible II-6 antagonist indicated for rheumatoid arthritis. Medical history and studies are reviewed in Referrals and if approved will notify pharmacy and the physician
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Kineret

#### **Products Affected**

 KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications combination with other biologic
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For RA failure of Enbrel and Humira
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Kisqali

- KISQALI (200 MG DOSE)
- KISQALI (400 MG DOSE)
- KISQALI (600 MG DOSE)
- KISQALI FEMARA (200 MG DOSE)
- **PA** Criteria **Criteria Details Exclusion** Criteria **Required Medical** Information Age Restrictions Hematology/Oncology Prescriber Restrictions Coverage 12 months or until progression Duration **Other Criteria** Indications All FDA-approved Indications. **Off Label Uses** Part B No Prerequisite
- KISQALI FEMARA (400 MG DOSE)
- KISQALI FEMARA (600 MG DOSE)

## Korlym

**Products Affected** 

• KORLYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	endocrinologist
Coverage Duration	12 months
Other Criteria	Diagnosis of Cushings syndrome, Type 2 diabetes mellitus, Failed surgery OR not a candidate for surgery, Failure of ketoconazole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Koselugo

**Products Affected** 

• KOSELUGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	neurology/hematology/oncology
Coverage Duration	12 months
Other Criteria	Diagnosis of Type 1 neurofibromatosis with symptomatic or inoperable plexiform neurofibromas
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Krazati

### **Products Affected**

• KRAZATI

PA Criteria	Criteria Details
Exclusion Criteria	Progression on another KRAS inhibitor such as sotorasib
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months
Other Criteria	Presence of G12C mutation with metastatic or locally advanced Non- Small Cell Lung Cancer. Patient must not have progressive disease on treatment for continuation of coverage
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Kuvan

- sapropterin dihydrochloride oral packet
  sapropterin dihydrochloride oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to dietary changes, current assessment and plan, serum phenylalanine.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Medical Geneticist, neurologist, hepatologist, Metabolic specialist
Coverage Duration	12 months
Other Criteria	Coverage will be based on medical history/status, response to previous treatments, and the consideration of other therapeutic options
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Lenvima

- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)
- LENVIMA (18 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)
- LENVIMA (4 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Lidoderm

#### **Products Affected**

• lidocaine external patch 5 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# liraglutide (Victoza)

#### **Products Affected**

 VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Bydureon for patients without established Cardiovascular disease or multiple cardiovascular risk factors. Covered for multiple cardiovascular risk factors or established cardiovascular disease. Not covered in combination with a DPP-IV inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Lobrena

**Products Affected** 

• LORBRENA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of ALK+ mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Lokelma

**Products Affected** 

• LOKELMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 month
Other Criteria	Two elevated serum potassium levels in absence of potassium sparing medications.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### **Long Acting Anti-Psychotics Injections**

#### **Products Affected**

- ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE
- INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION

#### PREFILLED SYRINGE

 RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurology Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of two generic anti-psychotics in the past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Lonsurf

### **Products Affected**

• LONSURF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Lotronex

### **Products Affected**

• alosetron hcl

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> <b>Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Gastroenterologist
Coverage Duration	12 months
Other Criteria	Failure of loperimide and a tricyclic antidepressant. Approved initially for 3 months continuation to 12 months if patient has improvement in symptoms.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Lumakras

**Products Affected** 

• LUMAKRAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	Submission of molecular profile of tumor supporting KRAS G12C mutation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Lybalvi

**Products Affected** 

• LYBALVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of Olanzapine and Quetiapine
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Lynparza

**Products Affected** 

• LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Lytgobi

#### **Products Affected**

- LYTGOBI (12 MG DAILY DOSE)
- LYTGOBI (16 MG DAILY DOSE)
- LYTGOBI (20 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Mavyret

### **Products Affected**

• MAVYRET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterology, infectious disease, Hepatology
Coverage Duration	8 weeks to 16 weeks
Other Criteria	Information supporting diagnosis, genotype, and Metavir score.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Mekinist

#### **Products Affected**

• MEKINIST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other anti-neoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Mektovi

#### **Products Affected**

• MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of BRAF mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Metaxalone

#### **Products Affected**

• metaxalone oral tablet 800 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	4 weeks
Other Criteria	For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

### Movantik

### **Products Affected**

• MOVANTIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12months
Other Criteria	Failure of Lactulose and polyethylele glycol 3350 (Miralax)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Myrbetriq

#### **Products Affected**

• MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Trospium, solifenacin, or Toviaz
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Natpara

### **Products Affected**

• NATPARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	iPTH, Calcium
Age Restrictions	
Prescriber Restrictions	endocrinologist
Coverage Duration	12 months
Other Criteria	Hypocalcemia despite using maximal doses of calcitriol
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Nerlynx

#### **Products Affected**

• NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist/Oncologist
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Neupro

**Products Affected** 

• NEUPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Ropinirole and Pramipexole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Nexavar

### **Products Affected**

• sorafenib tosylate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Ninlaro

#### **Products Affected**

• NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Failure of Velcade and Revlimid required for coverage
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Northera

#### **Products Affected**

• droxidopa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Documented orthostatic hypotension, failure of midodrine or Fludrocortisone. No perquisite drugs required for Dopamine-Beta- Hydroxylase deficiency
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Noxafil

#### **Products Affected**

• posaconazole oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	Failure, resistance or contraindication to itraconazole, voriconazole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Nubeqa

**Products Affected** 

• NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient has failed Xtandi for premetastatic castrate resistant prostate cancer.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until Disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Nucala

#### **Products Affected**

• NUCALA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following criteria must be met for coverage for severe eosinophilic asthma: Prescriber must be a pulmonologist or allergist, and patient must fail trial of LABA+ICS combination and a leukotriene receptor antagonist. For Hypereosinophilic syndrome failure of corticosteroids or imatinib and hydroxyurea. For nasal polyps failure of intranasal corticosteroid.
Age Restrictions	
Prescriber Restrictions	Pulmonologist, Allergist, Otolaryngolist, hematologist, or Rheumatologist
Coverage Duration	12 months
Other Criteria	Nucala is an interleukin 5 antagonist covered for indications of eosinophillic asthma and eosophilic granulomatosis with polyangiitis. Medical history and studies are reviewed in Referrals and if approved will notify pharmacy and the physician.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Nuedexta

### **Products Affected**

• NUEDEXTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Nuplazid

#### **Products Affected**

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology Psychiatry
Coverage Duration	12 months
Other Criteria	Notes supporting dementia with hallucinations or delusions secondary to parkinsons dementia.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Nurtec

#### **Products Affected**

• NURTEC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Pain management, headache specialist
Coverage Duration	12 months
Other Criteria	Failure of eletriptan and sumatriptan for abortive treatment, failure of topiramate and Aimovig for migraine prophylaxis.
Indications	Some FDA-approved Indications Only.
Off Label Uses	
Part B Prerequisite	No

### Odomzo

**Products Affected** 

• ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approval will initially be for three months, if patient has a response to therapy will be renewed for 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Ofev

**Products Affected** 

• OFEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%. Confirmed Diagnosis of systemic sclerosis associated interstitial lung disease. Confirmed diagnosis chronic fibrosis interstitial lung diseases and discontinuation of medications which can cause pulmonary fibrosis if risk outweighs benefit.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Ojjara

**Products Affected** 

• OJJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Omnitrope

### **Products Affected**

- OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE
- OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> Information	studies establishing diagnosis of indication.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Onfi

#### **Products Affected**

• clobazam

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	FDA approved Ages
Prescriber Restrictions	Restricted to Neurology
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Onureg

**Products Affected** 

• ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Opsumit

**Products Affected** 

• OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist/cardiologist
Coverage Duration	12 months
Other Criteria	Failure of Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Orenitram

**Products Affected** 

• ORENITRAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right Heart catheterization to confirm the diagnosis
Age Restrictions	
Prescriber Restrictions	Pulmonologist or Cardiologist
Coverage Duration	12 months
Other Criteria	Failure of combination Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### orgovyx

#### **Products Affected**

• ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	Failure or intolerance of degaralix and leuprolide
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Orilissa

**Products Affected** 

• ORILISSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	OB/GYN
Coverage Duration	6 months
Other Criteria	Covered for endometriosis, failure of NSAID and combinedestrogen- progestin contraceptive or progestin.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Orkambi

**Products Affected** 

- ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG
- ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CFTR mutation analysis, spirometry
Age Restrictions	Ages approved in FDA label
Prescriber Restrictions	pulmonologist
Coverage Duration	12 months
Other Criteria	CFTR mutation must be supported by FDA approved label such as homozygous F508-deletion
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Orserdu

**Products Affected** 

 ORSERDU ORAL TABLET 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for ESR-1 mutated ER+ HER2- advanced or metastatic breast cancer which has progressed on a CDK 4/6 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Otezla

**Products Affected** 

• OTEZLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of active psoriatic arthritis or moderate-to-severe plaque psoriasis or Bechet's disease.
Age Restrictions	
Prescriber Restrictions	Rheumatologist, Dermatologist
Coverage Duration	12 months
Other Criteria	For Plaque Psoriasis patient must Fail Enbrel and Infliximab if there is a contraindication to TNF inhibitors then must fail MTX and acitretin. For Psoriatic Arthritis patient must fail a preferred TNF inhibitor (Enbrel/Simponi/Infliximab) and Xeljanz if contraindication to TNF or Xeljanz, must fail MTX and Leflunomide. Part B before Part D Step Therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

# Pemazyre

**Products Affected** 

• PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Phenoxybenzamine

#### **Products Affected**

• phenoxybenzamine hcl oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Piqray

- PIQRAY (200 MG DAILY DOSE)
- PIQRAY (250 MG DAILY DOSE)
- PIQRAY (300 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until progression,
Other Criteria	HR+ ER- with PIK3CA mutation advanced/metastatic breast cancer and failure of endocrine therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Pomalyst

### **Products Affected**

• POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	FDA contraindications
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approve for patients with multiple myeloma who have received at least two prior therapies including lenalidomide and bortezomib and have demonstrated disease progression on or within 60 days of completion of the last therapy. Covered for patients with Kaposi sarcoma.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Prevymis

**Products Affected** 

• PREVYMIS ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	100 days post transplantation
Other Criteria	Patient had an allogeneic hematopoetic stemcell transplant within the last 28 days
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# **Prolastin-C**

#### **Products Affected**

 PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 Year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Prolia

#### **Products Affected**

 PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Intolerance or contraindication to injectable bisphosphonate required for coverage of prolia. Part B before Part D Step Therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

## Promacta

- PROMACTA ORAL PACKET 12.5 MG
- PROMACTA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC ,Platelet count less than 50,000/ml for ITP, Platelet count of less than 75,000/ml for HCV
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist, Hepatologist/gastroenterologist, Infectious Disease
Coverage Duration	12 months
Other Criteria	Chronic ITP Refractory to IVIG, corticosteroids or splenectomy as per FDA approval studies not applicable to HCV related thrombocytopenia
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Pulmozyme

#### **Products Affected**

 PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> <b>Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, Spirometry
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist
Coverage Duration	12 months
Other Criteria	For Patients with Cystic Fibrosis who have had recurrent pulmonary infections
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# pyrimethamine (Daraprim)

#### **Products Affected**

• pyrimethamine oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Qinlock

**Products Affected** 

• QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Ravicti

**Products Affected** 

• RAVICTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hepatologist or metabolic specialist such as a endocrinologist or geneticist
Coverage Duration	12 months
Other Criteria	Clinical Failure of Buphenyl
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

- **REBIF REBIDOSE SUBCUTANEOUS** • SOLUTION AUTO-INJECTOR
- REBIF REBIDOSE TITRATION PACK REBIF TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-**INJECTOR**
- REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
  - SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Repatha

- REPATHA
- REPATHA PUSHTRONEX SYSTEM
- REPATHA SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For patients with HoFH, HeFH, or with established atherosclerotic cardiovascular disease and Primary hyperlipidemia who require additional LDL lowering: Failure of rosuvastatin 40mg or Atorvastatin 80 combined with ezetimibe 10mg. Diagnosis of must be HeFH supported by Dutch Lipid Clinic Network criteria. Diagnosis of HOFH must be confirmed by genetic testing. Patients who are intolerant to rosuvastatin/ atorvastatin can use an alternative statin + Ezetimibe 10mg.For statin intolerant patients who required additional LDL lowering and have established cardiovascular disease, HoFH, or HeFH: History of statin intolerance to a hydrophillic statin such as fluvastatin, pravastatin, rosuvastatin in the absence of fibrates or other combinations which can increase risk of myopathy or myalgia when used in combination with a statin.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Retacrit

**Products Affected** 

 RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> <b>Information</b>	Scr, HGB, T-sat, Ferritin
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	6 months
Other Criteria	Hemoglobin must be within FDA approved ranges for initiation and maintenance. Patient must have adequate iron stores to initiate and continue treatment. ESRD will be covered under Medicare Part B
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Retevmo

**Products Affected** 

• RETEVMO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or disease progression
Other Criteria	Diagnosis of metastatic non-small cell lung cancer or metastatic or advanced medullary thyroid carcinoma with RET alterations
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Revatio

### **Products Affected**

• sildenafil citrate oral tablet 20 mg

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, 6 min walk, diffusion studies,Rt Heart Cath
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist/Cardiologist
Coverage Duration	12 months
Other Criteria	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Revlimid

- lenalidomide
- REVLIMID ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC, Bone Marrow Biopsy, Karyotype
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Rexulti

**Products Affected** 

• REXULTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12months
Other Criteria	Failure of aripiprazole and risperidone for schizophrenia or failure of combination SSRI and aripiprazole for major depressive disorder.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Rezlidhia

**Products Affected** 

• REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Presences of an IDH-1 mutation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Rezurock

**Products Affected** 

• REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/Transplant
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Rubraca

**Products Affected** 

• RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Rydapt

**Products Affected** 

• RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	Labs supporting FLT3 mutation if being used for AML, not required for systemic mastocytosis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Sabril

#### **Products Affected**

• vigabatrin

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurologist
Coverage Duration	12 months
Other Criteria	Patient must fail treat with adjunctive treatment combination (applies to Refractory Partial Complex only)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Scemblix

#### **Products Affected**

• SCEMBLIX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology Hematology
Coverage Duration	12 months unless disease progression
Other Criteria	Failure of ponatinib if T315I mutation present.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Secuado

**Products Affected** 

• SECUADO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of olanzapine and risperidone
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Sensipar

#### **Products Affected**

• cinacalcet hcl

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history, associated studies iPTH, calcium, phosphate
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Nephrologist/endocrinologist/oncologist
Coverage Duration	12 months
Other Criteria	For secondary hyperparathyroidism related to CKD, patient must fail active vit-D therapy/phosphate binders. ESRD use is excluded from medicare Part D and this authorization will include a determination of Part D vs Part B coverage based indication
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Signifor

#### **Products Affected**

• SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	For Cushings Disease failed or poor surgical candidate for pituitary resection
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Simponi

- SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- SIMPONI SUBCUTANEOUS
   SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For RA Patient must fail 3 month trial of MTX in combination with a DMARD in past 6 months. If MTX contraindicated, must try combination of 2-nonbiologic DMARDS. For Ankylosing Spondylitis PT must fail 2 NSAIDS within past 6 months. For Psoriatic Arthritis Patient must fail 3 trial of MTX or LEF in past 6 months. For ulcerative colitis patient must fail Azathioprine/6MP in combination with a 5-ASA compound.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Solaraze

### **Products Affected**

• diclofenac sodium external gel 3 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> <b>Information</b>	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Dermatologist, oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Somavert

#### **Products Affected**

• SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Sprycel

#### **Products Affected**

• SPRYCEL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Requires failure of imatinib for low risk CML based on Sokal or Hasford scores.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Stelara

- STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML
- STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	gastroenterologist/rheumatologist/dermatologist
Coverage Duration	12 months
Other Criteria	For Crohns, patient must fail Entyvio and Renflexis. For plaque psoriasis, patient must fail Enbrel and Renflexis. For psoriatic arthritis, patient must fail a preferred TNF (enbrel, simponi, renflexis) and Xeljanz. Part B before Part D Step Therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

# Stivarga

### **Products Affected**

• STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Sutent

#### **Products Affected**

• *sunitinib malate* 

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Symlin

- SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, HA1c BG
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist, Internist
Coverage Duration	12 months
Other Criteria	Patient BG must be non-controlled on optimal doses of insulin
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Sympazan

### **Products Affected**

• SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Synarel

### **Products Affected**

• SYNAREL

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
<b>Required Medical</b> <b>Information</b>	Diagnosis, Notes, Previous treatment history
Age Restrictions	Ages approved in FDA Label
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Covered after patient fails treatment with Lupron for endometriosis or precocious puberty
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Tabrecta

**Products Affected** 

• TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Tafinlar

### **Products Affected**

• TAFINLAR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other anti-neoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tagrisso

### **Products Affected**

• TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Coverage requires Diagnosis of Non Small Cell Lung cancer EGFR mutations including T790m, exon 19 deletions. For first line use in patients with exon 21 (L858R) EGFR mutation erlotinib failure may be required if NCCN guidelines support use of either drug based on results of Flaura trial.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Taltz

**Products Affected** 

• TALTZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Notes supporting diagnostic evidence and previous treatment history.
Age Restrictions	
Prescriber Restrictions	Rheumatology, Dermatology
Coverage Duration	12 months
Other Criteria	For Plaque Psoriasis must fail a preferred formulary subcutaneous TNF inhibitor(Enbrel) and IV TNF inhibitor (Renflexis). For Psoriatic Arthritis must fail a preferred TNF agent(Enbrel/Simponi/Renflexis) and JAK inhibitor(Xeljanz).For Ankylosing Spondylitis must fail a preferred formulary subcutaneous TNF inhibitor(Enbrel)and IV TNF inhibitor (Renflexis). For non- radiographic axial spondylarthritis failure of a TNF inhibitor. Part B before Part D Step Therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes

## Talzenna

#### **Products Affected**

 TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of germline BRCA mutation, or HRR (homologous recombination repair) mutation for metastatic castrate resistant prostate cancer.
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Tarceva

### **Products Affected**

• erlotinib hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Targretin

### **Products Affected**

- bexarotene external
- bexarotene oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology, dermatology
Coverage Duration	12 months or until disease progression
Other Criteria	Must have failed one prior systemic therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tasigna

### **Products Affected**

• TASIGNA

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	Covered for failure or relapse of CML when previously treated with imatinib. Covered for newly diagnosed CML patients who are Philadelphia chromosome +. Will also be covered for intolerance or adverse reaction to imatinib. Combination therapy with other tyrosine kinase inhibitors or MTOR inhibitors for CML is not supported.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tazorac

#### **Products Affected**

- tazarotene external cream
- tazarotene external gel
- TAZORAC EXTERNAL CREAM 0.05 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Previous treatment history
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For Psoriasis patient must have failed medium to high potency topical corticosteroid, For acne patient must have failed Tretinoin and oral antibiotic
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### tazverik

### **Products Affected**

• TAZVERIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tecfidara

### **Products Affected**

- dimethyl fumarate oral
- dimethyl fumarate starter pack oral capsule delayed release therapy pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of Gilenya
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tepmetko

### **Products Affected**

• TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	Molecular profile to support MET exon 14 skipping mutation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tetrabenazine

#### **Products Affected**

• *tetrabenazine* 

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology or Psychiatry
Coverage Duration	12 months
Other Criteria	For tardive dyskinesia causative drug must be discontinued or tried at a lower dose
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Thalomid

**Products Affected** 

• THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist/infectious disease
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Tibsovo

**Products Affected** 

• TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
<b>Required Medical</b> Information	Evidence of IDH-1 Mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## **Tobi Podhaler**

#### **Products Affected**

• TOBI PODHALER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical notes describing indication for the management of cystic fibrosis patients with Pseudomonas aeruginosa and with forced expiratory volume in 1 second (FEV1) greater than 25% or less than 80%.
Age Restrictions	6 years and older
Prescriber Restrictions	
Coverage Duration	Through benefit year
Other Criteria	Safety and efficacy have not been demonstrated in patients with forced expiratory volume in 1 second (FEV1) less than 25% or greater than 80%, or patients colonized with Burkholderia cepacia
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Tracleer

#### **Products Affected**

• bosentan

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, right heart catheterization, 6 Minute Walk time
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist or cardiologist
Coverage Duration	12 months
Other Criteria	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests, failure of sildenafil. Sildenafil failure does not apply to pediatric patients with congental or ideopathic PAH
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# **Tretinoin Topical**

#### **Products Affected**

- tretinoin external cream
- tretinoin external gel 0.01 %, 0.025 %

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications, treatment of photoaging, wrinkles
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Trintellix

#### **Products Affected**

• TRINTELLIX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of two generically available anti-depressants within past 6 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tukysa

**Products Affected** 

• TUKYSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Turalio

**Products Affected** 

• TURALIO ORAL CAPSULE 125 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/hematology
Coverage Duration	12 months or until disease progression
Other Criteria	Patient is not a surgical candidate and has a Tenosynovial giant cell tumor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Tykerb

### **Products Affected**

• *lapatinib ditosylate* 

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan associated studies
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncologist/hematologist
Coverage Duration	12 months
Other Criteria	Patient is using in combination with capecitabine for HER/NEU + Metastatic breast CA, having failed an anthracycline, Herceptin and a taxane, or Patient must be using in combination with an aromatase inhibitor and have HER/NEU+ HR+ metastatic breast CA
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

# Tymlos

**Products Affected** 

• TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications/ cumulative tx more than 24month
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, BMD, PTH, VITD
Age Restrictions	Late adolescents and Adults only
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Patient must fail or have contraindication to bisphosphonates, Vitamin D (25,OH), PTH must be WNL
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Ubrelvy

**Products Affected** 

• UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurologist, Headache Specialist, Pain specialist
Coverage Duration	12 months
Other Criteria	Failure of eletriptan and sumatriptan.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Uceris

#### **Products Affected**

• budesonide er oral tablet extended release 24 hour

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterologist
Coverage Duration	8 weeks
Other Criteria	approved for 8 weeks in patients with active mild-moderate ulcerative colitis who are intolerant or have failed 1-1.5 mg/kg of oral prednisone and mesalamine
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Udenyca

### **Products Affected**

• UDENYCA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Uptravi

### **Products Affected**

• UPTRAVIORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right heart catheterization supporting diagnosis of PAH
Age Restrictions	
Prescriber Restrictions	Pulmonology or Cardiology
Coverage Duration	12 months
Other Criteria	diagnosis of WHO group 1 PAH, failure of Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Valchor

**Products Affected** 

• VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Valtoco

#### **Products Affected**

- VALTOCO 10 MG DOSE
- VALTOCO 15 MG DOSE
- VALTOCO 20 MG DOSE
- VALTOCO 5 MG DOSE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	History of cluster seizures or acute repetitive seizures.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Vanflyta

**Products Affected** 

• VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Vascepa

### **Products Affected**

• *icosapent ethyl* 

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approved for patients on a statin with high cardiovascular risk and elevated triglycerides between 150-499mg/dl. Approved for hypertriglyceridemia after failure of fibrate and omega-3-acid ethyl esters. Approved for statin intolerant patients with high cardiovascular risk and elevated triglycerides between 150-499mg/dl.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Venclexta

#### **Products Affected**

- VENCLEXTA
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Verzenio

#### **Products Affected**

• VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or clinical progresion
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Vitrakvi

### **Products Affected**

• VITRAKVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of a NTRK fusion
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Vizimpro

**Products Affected** 

• VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of EGFR mutated non-small cell lung cancer
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until Disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Vonjo

### **Products Affected**

• VONJO

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology, Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Voriconazole

- voriconazole intravenous
- voriconazole oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	Covered when two of the following medications have been tried, unless resistance or contraindication precludes use, Itraconazole, fluconazole, ketoconazole. Exclusions to prerequisite medications are Invasive pulmonary aspergillosis, Scedosporium apiospermum, Fusarium
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Votrient

### **Products Affected**

• VOTRIENT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Vraylar

- VRAYLAR ORAL CAPSULE
- VRAYLAR ORAL CAPSULE THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry or Neurology
Coverage Duration	12 months
Other Criteria	Requires failure of aripiprazole and risperidone.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Welireg

**Products Affected** 

• WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months unless disease progression
Other Criteria	Clinical information and labs supporting diagnosis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Xalkori

### **Products Affected**

• XALKORI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis, documentation support ALK+ NSLC or ROS1 Positive for NSCLC indication.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology-oncology
Coverage Duration	6 months
Other Criteria	Continuation will be based on lack of disease progression
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Xcopri

#### **Products Affected**

- XCOPRI
- XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG

• XCOPRI (350 MG DAILY DOSE)

**PA** Criteria **Criteria Details** Exclusion Criteria Medication history **Required Medical** Information Age Restrictions Prescriber Neurology Restrictions Coverage 12 months Duration Recent failure (past 6 months) of two generically available **Other Criteria** medications used to treat partial onset seizures. All FDA-approved Indications. Indications **Off Label Uses** Part B No Prerequisite

# Xeljanz

- XELJANZ
- XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Rheumatology/Gastroenterologist
Coverage Duration	12 months
Other Criteria	For Rheumatoid arthritis- 3 month trial of Combination DMARD therapy in past 6 months, For Psoriatic Arthritis Patient must fail 3 month trial of MTX or LEF in past 6 months. For ulcerative colitis patient must fail azathioprine/6MP in combination with a 5-ASA compound.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Xermelo

**Products Affected** 

• XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist, Oncologist
Coverage Duration	12 months
Other Criteria	Failure of Sandostatin LAR
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Xgeva

### **Products Affected**

• XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	oncology/endocrinology
Coverage Duration	12 months
Other Criteria	Failure or contraindication to bisphosphonate for osteolytic cancer indications other than giant cell tumor of the bone.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Xifaxin

**Products Affected** 

• XIFAXAN ORAL TABLET 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Notes to substantiate diagnosis of Hepatic Encephalopathy or Irritable Bowel Syndrome with Diarrhea
Age Restrictions	
Prescriber Restrictions	Gastroenterology/Hepatology
Coverage Duration	12 months for Hepatic Encephalopathy or Three 14 day courses for IBS-D
Other Criteria	Approve for IBS-D if patient has failed a tricyclic antidepressant and loperamide, approval will be limited to three 14 day treatments. Approval for hepatic encephalopathy is based on failure or intolerance of therapeutic doses of lactulose (30-45ml two to four times daily).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Xolair

### **Products Affected**

• XOLAIR

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan. For asthma please submit RAST, aeroallergens results, IgE values
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Pulmonologist, allergist, dermatologist, otolaryngologist
Coverage Duration	12 months
Other Criteria	For Asthma patient Must Fail Combination LABA/ICS. For chronic ideopathic urticaria failure of hydroxyzine and H-2 antagonist.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Xospata

### **Products Affected**

• XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Xpovio

- XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG
- XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (80 MG TWICE WEEKLY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Xtandi

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80
  - MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months or until disease progression
Other Criteria	Failure of Abiraterone for metastatic prostate cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Xyrem

- sodium oxybate XYREM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Physician Board certified in Sleep Medicine or neurologist
Coverage Duration	12 months
Other Criteria	Failure of Modafanil/Armodafinil and amphetamine/dextroamphetamine or failure of fluoxetine for narcolepsy with cataplexy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Zavesca

### **Products Affected**

• miglustat

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncologist/Hematologist, Neurologist, Medical Geneticist, Metabolic Specialist.
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Zejula

- ZEJULA ORAL CAPSULE
- ZEJULA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Zelboraf

**Products Affected** 

• ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncology
Coverage Duration	3 months
Other Criteria	Authorization for continuation past 90 days will be based on absence of disease progression.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Zepatier

### **Products Affected**

• ZEPATIER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Gentotype, Viral Load, Fibroscan/Fibrosure or liver biopsy, RAV NS5A panel
Age Restrictions	
Prescriber Restrictions	Infectious disease, Gastroenterology/Hepatology
Coverage Duration	12 or 16 weeks depending on RAV profile as supported by current AASLD guidelines
Other Criteria	Contraindication to GLECAPREVIR/PIBRENTASVIR
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# zileuton (Zyflo)

### **Products Affected**

• zileuton er

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Pulmonology
Coverage Duration	12 months
Other Criteria	Uncontrolled Asthma while on maximal doses of long acting bronchodilators and inhaled corticosteroids AND montelukast.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

## Zolinza

### **Products Affected**

• ZOLINZA

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncologist/hematologist/dermatologist
Coverage Duration	12 months
Other Criteria	Failed minimum of two systemic treatments, one of which must be Targretin, unless contraindicated
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Ztalmy

**Products Affected** 

• ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Diagnosis of CDK15 deficiency disorder
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Zydelig

**Products Affected** 

• ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Zykadia

**Products Affected** 

• ZYKADIA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	Restricted to use in ALK+ Non Small Cell Lung Cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# **Zyprexa Injection**

- olanzapine intramuscular
- ZYPREXA RELPREVV
   INTRAMUSCULAR SUSPENSION
   RECONSTITUTED 210 MG

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of two generic anti-psychotics in the past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# Zytiga

### **Products Affected**

• abiraterone acetate oral tablet 250 mg

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncology/urology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

### Index

Index
ABILIFY MAINTENA
INTRAMUSCULAR PREFILLED
SYRINGE105
abiraterone acetate oral tablet 250 mg242
ACTIMMUNE
ADEMPAS
AIMOVIG
ALECENSA
alosetron hcl
ALUNBRIG
ambrisentan10
apomorphine hcl subcutaneous
APREPITANT ORAL CAPSULE
APTIOM
ARCALYST14
armodafinil15
AUVELITY
AVONEX PEN INTRAMUSCULAR
AUTO-INJECTOR KIT
AVONEX PREFILLED
INTRAMUSCULAR PREFILLED
SYRINGE KIT
AYVAKIT ORAL TABLET 100 MG,
200 MG, 25 MG, 300 MG, 50 MG
BALVERSA
BENLYSTA SUBCUTANEOUS
BERINERT
BESREMI
BETASERON SUBCUTANEOUS KIT 26
bexarotene external
bexarotene oral
bosentan
BOSULIF
BRAFTOVI ORAL CAPSULE 75 MG28
BRIVIACT ORAL
BRUKINSA
budesonide er oral tablet extended release
24 hour
CABOMETYX
CABOMETTA
CALQUENCE
CAPLYTA
carglumic acid oral tablet soluble
CAYSTON
CA1510N

cinacalcet hcl	
CINRYZE	
clobazam	134
COMETRIQ (100 MG DAILY DOSE)	
ORAL KIT 80 & 20 MG	
COMETRIQ (140 MG DAILY DOSE)	
ORAL KIT 3 X 20 MG & 80 MG	
COMETRIQ (60 MG DAILY DOSE)	38
COPIKTRA	
CORLANOR ORAL SOLUTION	
CORLANOR ORAL TABLET	40
COTELLIC	41
cyclobenzaprine hcl oral tablet 10 mg, 5	
<i>mg</i>	43
dalfampridine er	. 11
DAURISMO ORAL TABLET 100	
MG, 25 MG	44
deferasirox oral tablet soluble	57
DIACOMIT	45
diclofenac sodium external gel 3 %	
DIFICID ORAL TABLET	
dimethyl fumarate oral	191
dimethyl fumarate starter pack oral	
capsule delayed release therapy pack	191
dronabinol	47
droxidopa	123
EMEND ORAL SUSPENSION	
RECONSTITUTED	48
EMGALITY	
EMGALITY (300 MG DOSE)	49
EMSAM	50
ENBREL MINI	51
ENBREL SUBCUTANEOUS	
SOLUTION 25 MG/0.5ML	51
ENBREL SUBCUTANEOUS	
SOLUTION PREFILLED SYRINGE.	51
ENBREL SURECLICK	
SUBCUTANEOUS SOLUTION	
AUTO-INJECTOR	51
EPIDIOLEX	53
ERIVEDGE	54
ERLEADA	55
erlotinib hcl	.186

everolimus oral tablet 10 mg, 2.5 mg, 5	
<i>mg</i> , 7.5 <i>mg</i>	
everolimus oral tablet soluble	
EXKIVITY	
FANAPT	
FANAPT TITRATION PACK	59
FENTANYL CITRATE BUCCAL	
LOZENGE ON A HANDLE	60
fentanyl transdermal patch 72 hour 100	
mcg/hr, 25 mcg/hr	61
fentanyl transdermal patch 72 hour 12	
mcg/hr, 50 mcg/hr, 75 mcg/hr	
FETZIMA	62
FETZIMA TITRATION	62
fingolimod hcl	
FINTEPLA	63
FOTIVDA	65
FYCOMPA ORAL SUSPENSION	66
FYCOMPA ORAL TABLET	66
GAMMAGARD INJECTION	
SOLUTION 2.5 GM/25ML	87
GAMUNEX-C INJECTION	
SOLUTION 1 GM/10ML	87
GATTEX	67
GAVRETO	68
gefitinib	85
GILOTRIF	
GLEOSTINE ORAL CAPSULE 10	
MG, 100 MG, 40 MG	71
glyburide micronized	72
glyburide oral	72
HADLIMA	
HADLIMA PUSHTOUCH	2
HETLIOZ	73
HUMIRA PEDIATRIC CROHNS	
START SUBCUTANEOUS	
PREFILLED SYRINGE KIT 80	
MG/0.8ML, 80 MG/0.8ML &	
40MG/0.4ML	74
HUMIRA PEN SUBCUTANEOUS	
PEN-INJECTOR KIT	
HUMIRA PEN-CD/UC/HS STARTE	R 74
HUMIRA PEN-PEDIATRIC UC	
START	74

HUMIRA PEN-PS/UV/ADOL HS	
START SUBCUTANEOUS PEN-	
INJECTOR KIT 40 MG/0.8ML	74
HUMIRA PEN-PSOR/UVEIT	
STARTER	.74
HUMIRA SUBCUTANEOUS	
PREFILLED SYRINGE KIT 10	
MG/0.1ML, 20 MG/0.2ML, 40	
MG/0.4ML, 40 MG/0.8ML	74
IBRANCE.	
icatibant acetate subcutaneous solution	
prefilled syringe	64
ICLUSIG	
icosapent ethyl	
IDHIFA	
IMBRUVICA ORAL CAPSULE	
IMBRUVICA ORAL SUSPENSION	
IMBRUVICA ORAL TABLET 420	
MG	78
INCRELEX	
INLYTA	
INQOVI	
INREBIC	
INVEGA HAFYERA	
INVEGA SUSTENNA	
INTRAMUSCULAR SUSPENSION	
PREFILLED SYRINGE	05
isotretinoin oral capsule 10 mg, 20 mg, 30	
mg, 40 mg	86
JAKAFI	
JAYPIRCA ORAL TABLET 100 MG,	00
	89
JUXTAPID ORAL CAPSULE 10 MG,	0,5
20 MG, 30 MG, 5 MG	90
KALYDECO ORAL PACKET 13.4	
MG, 25 MG, 50 MG, 75 MG	91
KALYDECO ORAL TABLET	
KERENDIA	
KEVZARA	
KINERET SUBCUTANEOUS	15
SOLUTION PREFILLED SYRINGE	94
KISQALI (200 MG DOSE)	
KISQALI (400 MG DOSE)	
KISQALI (600 MG DOSE)	
KISQALI FEMARA (200 MG DOSE)	

KISQALI FEMARA (400 MG DOSE)95	OFEV
KISQALI FEMARA (600 MG DOSE)95	OJJAARA
KORLYM	olanzapine intramus
KOSELUGO	OMNITROPE SU
KRAZATI	SOLUTION CAR
lapatinib ditosylate202	OMNITROPE SU
lenalidomide	SOLUTION RECO
LENVIMA (10 MG DAILY DOSE)100	ONUREG
LENVIMA (10 MG DAILT DOSE)100 LENVIMA (12 MG DAILY DOSE)100	OPSUMIT
LENVIMA (12 MG DAILT DOSE)100 LENVIMA (14 MG DAILY DOSE)100	ORENITRAM
LENVIMA (14 MG DAIL 1 DOSE)100 LENVIMA (18 MG DAILY DOSE)100	ORGOVYX
LENVIMA (20 MG DAILY DOSE)100	ORILISSA
LENVIMA (24 MG DAILY DOSE)100	ORKAMBI ORAL
LENVIMA (4 MG DAILY DOSE)100	MG, 150-188 MG.
LENVIMA (8 MG DAILY DOSE)100	ORKAMBI ORAL
lidocaine external patch 5 %101	ORSERDU ORAL
LOKELMA104	86 MG
LONSURF106	OTEZLA
LORBRENA103	PANRETIN
LUMAKRAS108	PEMAZYRE
LYBALVI109	penicillamine oral co
LYNPARZA ORAL TABLET 110	phenoxybenzamine
LYTGOBI (12 MG DAILY DOSE)111	PIQRAY (200 MG
LYTGOBI (16 MG DAILY DOSE)111	PIQRAY (250 MG
LYTGOBI (20 MG DAILY DOSE)111	PIQRAY (300 MG
MAVYRET112	pirfenidone
MEKINIST113	POMALYST
MEKTOVI114	posaconazole oral
metaxalone oral tablet 800 mg115	PREVYMIS ORA
<i>miglustat</i>	PROLASTIN-C IN
modafinil	SOLUTION RECO
MOVANTIK116	PROLIA SUBCUT
MYRBETRIQ ORAL TABLET	SOLUTION PREF
EXTENDED RELEASE 24 HOUR 117	PROMACTA ORA
NATPARA	MG
NERLYNX	PROMACTA ORA
NEUPRO	PULMOZYME IN
NINLARO	SOLUTION 2.5 M
NUBEQA	pyrimethamine oral
NUCALA	QINLOCK
NUEDEXTA127	RAVICTI
NUPLAZID ORAL CAPSULE	REBIF REBIDOS
NUPLAZID ORAL CAPSULE	SUBCUTANEOU
	AUTO-INJECTO
NURTEC	AUTO-INJECTUI
ODOMZO130	

OFEV	131
OJJAARA	132
olanzapine intramuscular	241
OMNITROPE SUBCUTANEOUS	
SOLUTION CARTRIDGE	. 133
OMNITROPE SUBCUTANEOUS	
SOLUTION RECONSTITUTED	133
ONUREG	.135
OPSUMIT	. 136
ORENITRAM	137
ORGOVYX	.138
ORILISSA	.139
ORKAMBI ORAL PACKET 100-125	
MG, 150-188 MG	140
ORKAMBI ORAL TABLET	.140
ORSERDU ORAL TABLET 345 MG,	
86 MG	141
OTEZLA	142
PANRETIN	
PEMAZYRE	. 143
penicillamine oral capsule	42
phenoxybenzamine hcl oral	
PIQRAY (200 MG DAILY DOSE)	145
PIQRAY (250 MG DAILY DOSE)	
PIQRAY (300 MG DAILY DOSE)	
pirfenidone	
POMALYST	
posaconazole oral	.124
PREVYMIS ORAL	
PROLASTIN-C INTRAVENOUS	
SOLUTION RECONSTITUTED	148
PROLIA SUBCUTANEOUS	
SOLUTION PREFILLED SYRINGE.	149
PROMACTA ORAL PACKET 12.5	
MG	. 150
PROMACTA ORAL TABLET	
PULMOZYME INHALATION	
SOLUTION 2.5 MG/2.5ML	.151
oyrimethamine oral	
QINLOCK	
RAVICTI	
REBIF REBIDOSE	
SUBCUTANEOUS SOLUTION	
AUTO-INJECTOR	. 155

REBIF REBIDOSE TITRATION	
PACK SUBCUTANEOUS	
SOLUTION AUTO-INJECTOR	155
REBIF SUBCUTANEOUS	
SOLUTION PREFILLED SYRINGE.	155
<b>REBIF TITRATION PACK</b>	
SUBCUTANEOUS SOLUTION	
PREFILLED SYRINGE	155
REPATHA	156
REPATHA PUSHTRONEX SYSTEM	156
REPATHA SURECLICK	156
<b>RETACRIT INJECTION SOLUTION</b>	
10000 UNIT/ML, 10000	
UNIT/ML(1ML), 2000 UNIT/ML,	
20000 UNIT/ML, 3000 UNIT/ML, 4000	
UNIT/ML, 40000 UNIT/ML	
RETEVMO	
<b>REVLIMID ORAL CAPSULE 10 MG</b> ,	
15 MG, 25 MG, 5 MG	160
REXULTI	161
REZLIDHIA	162
REZUROCK	163
RISPERDAL CONSTA	
INTRAMUSCULAR SUSPENSION	
RECONSTITUTED ER	
ROZLYTREK	
RUBRACA	
rufinamide	
RYDAPT	
sapropterin dihydrochloride oral packet	
sapropterin dihydrochloride oral tablet	
SCEMBLIX	
SECUADO	
SIGNIFOR	
SIGNIFORsildenafil citrate oral tablet 20 mg	
SIGNIFOR sildenafil citrate oral tablet 20 mg SIMPONI SUBCUTANEOUS	159
SIGNIFOR sildenafil citrate oral tablet 20 mg SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR	159
SIGNIFOR sildenafil citrate oral tablet 20 mg SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS	159 171
SIGNIFOR sildenafil citrate oral tablet 20 mg SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.	159 171 171
SIGNIFOR sildenafil citrate oral tablet 20 mgsildenafil citrate oral tablet 20 mg SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE. sodium oxybate	159 171 171 231
SIGNIFOR sildenafil citrate oral tablet 20 mg SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE. sodium oxybate SOMAVERT	159 171 171 231 173
SIGNIFOR sildenafil citrate oral tablet 20 mgs SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE. sodium oxybate SOMAVERT sorafenib tosylate	159 171 171 231 173 121
SIGNIFOR sildenafil citrate oral tablet 20 mgs SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE. sodium oxybate SOMAVERT Sorafenib tosylate SPRYCEL.	159 171 171 231 173 121
SIGNIFOR sildenafil citrate oral tablet 20 mgs SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE. sodium oxybate SOMAVERT sorafenib tosylate	159 171 171 231 173 121 174

SOLUTION PREFILLED SYRINGE. 1 STIVARGA	75
<i>sunitinib malate</i>	
SYMLINPEN 120 SUBCUTANEOUS	76
	77
SOLUTION PEN-INJECTOR1	78
SYMLINPEN 60 SUBCUTANEOUS	
SOLUTION PEN-INJECTOR 1	78
SYMPAZAN1	79
SYNAREL1	
TABRECTA1	81
tadalafil (pah)	
tadalafil oral tablet 2.5 mg, 5 mg	
TAFINLAR	
TAGRISSO1	
TALTZ1	
TALZENNA ORAL CAPSULE 0.1	
MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75	
MG, 1 MG1	85
TASIGNA1	
tasimelteon	
tazarotene external cream1	
tazarotene external gel1	
TAZORAC EXTERNAL CREAM 0.05	
TAZORAC EXTERNAL CREAM 0.05 %1	89
%	90
%1	90 92
%	90 92 16
%	90 92 16 93
%	90 92 16 93 94
%1TAZVERIK1TEPMETKO1teriflunomide1tetrabenazine1THALOMID1	90 92 16 93 94 95
%	90 92 16 93 94 95 96
%	90 92 16 93 94 95 96 98
%	90 92 16 93 94 95 96 98 98
%	90 92 16 93 94 95 96 98 98 98 99
%	90 92 16 93 94 95 96 98 98 98 99
%	90 92 16 93 94 95 96 98 98 98 99 200 201
%	90 92 16 93 94 95 96 98 98 99 200 201 203
%	90 92 16 93 94 95 96 98 98 98 99 200 201 203 204
%	90 92 16 93 94 95 96 98 98 98 99 200 201 203 204 203
%	90 92 16 93 94 95 96 98 98 99 200 201 203 204 204 206 207
%	90 92 16 93 94 95 96 98 98 98 98 99 200 201 203 204 206 207 208
%1TAZVERIK1TEPMETKO1teriflunomide1tetrabenazine1THALOMID1TIBSOVO1TOBI PODHALER1tretinoin external cream1tretinoin external gel 0.01 %, 0.025 %1TRINTELLIX1TUKYSA2TURALIO ORAL CAPSULE 125 MG 2TYMLOS2UBRELVY2UDENYCA2VALCHLOR2	90 92 16 93 94 95 96 98 98 99 200 201 203 204 203 204 206 207 208 209

VALTOCO 5 MG DOSE 209
VANFLYTA ORAL TABLET 17.7
MG, 26.5 MG
VENCLEXTA
VENCLEXTA STARTING PACK 212
VERZENIO213
VICTOZA SUBCUTANEOUS
SOLUTION PEN-INJECTOR 102
vigabatrin166
VITRAKVI
VIZIMPRO215
VONJO
voriconazole intravenous
voriconazole oral217
VOTRIENT218
VRAYLAR ORAL CAPSULE219
VRAYLAR ORAL CAPSULE
THERAPY PACK
WELIREG 220
XALKORI
XCOPRI
XCOPRI (250 MG DAILY DOSE)
ORAL TABLET THERAPY PACK
100 & 150 MG 222
XCOPRI (350 MG DAILY DOSE)222
XELJANZ
XELJANZ XR ORAL TABLET
EXTENDED RELEASE 24 HOUR 11
MG, 22 MG
XERMELO
XGEVA
XIFAXAN ORAL TABLET 550 MG. 226
XOLAIR
XOSPATA
XPOVIO (100 MG ONCE WEEKLY)
ORAL TABLET THERAPY PACK 50
MG
XPOVIO (40 MG ONCE WEEKLY)
ORAL TABLET THERAPY PACK 40
MG
XPOVIO (40 MG TWICE WEEKLY)
ORAL TABLET THERAPY PACK 40
MG

XPOVIO (60 MG ONCE WEEKLY)	
ORAL TABLET THERAPY PACK 60	)
MG	
XPOVIO (60 MG TWICE WEEKLY).	.229
XPOVIO (80 MG ONCE WEEKLY)	
ORAL TABLET THERAPY PACK 40	)
MG	
XPOVIO (80 MG TWICE WEEKLY).	.229
XTANDI ORAL CAPSULE	.230
XTANDI ORAL TABLET 40 MG, 80	
MG	
XYREM	
ZEJULA ORAL CAPSULE	233
ZEJULA ORAL TABLET	.233
ZELBORAF	.234
ZEPATIER	.235
zileuton er	.236
ZOLINZA	237
ZTALMY	238
ZYDELIG	239
ZYKADIA ORAL TABLET	240
ZYPREXA RELPREVV	
INTRAMUSCULAR SUSPENSION	
RECONSTITUTED 210 MG	241