



# Blue Shield Medicare Enhanced Plan (PDP)

# 2017 Formulary

## (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID 00017335, Version 22

This formulary was updated on **10/24/2017**. For more recent information or other questions, please contact Blue Shield Medicare Enhanced Plan Member Services, at (888) 239-6469 or, for TTY users, 711, 8 a.m. to 8 p.m., seven days a week, from October 1 through February 14, and 8 a.m. to 8 p.m., weekdays, from February 15 through September 30, or visit [blueshieldca.com/med\\_formulary](http://blueshieldca.com/med_formulary).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Blue Shield of California. When it refers to “plan” or “our plan,” it means Blue Shield Medicare Enhanced Plan.

This document includes a list of the drugs (formulary) for our plan which is current as of **10/24/2017**. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2018, and from time to time during the year.

S2468\_16\_301M\_004 Accepted 08262016

## **What is the Blue Shield Medicare Enhanced Plan Formulary?**

A formulary is a list of covered drugs selected by Blue Shield Medicare Enhanced Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Blue Shield Medicare Enhanced Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

### **Can the Formulary (drug list) change?**

Generally, if you are taking a drug on our 2017 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2017 coverage year except when a new, less expensive generic drug becomes available or when new adverse information about the safety or effectiveness of a drug is released. Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. We feel it is important that you have continued access for the remainder of the coverage year to the formulary drugs that were available when you chose our plan, except for cases in which you can save additional money or we can ensure your safety.

If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 60 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 60-day supply of the drug. If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

The enclosed formulary is current as of **10/24/2017**. To get updated information about the drugs covered by Blue Shield Medicare Enhanced Plan, please contact us. Our contact information appears on the front and back cover pages. If we make any other negative formulary changes during the year, you will receive 60 days notice via mail and the changes will be posted on our website at [blueshieldca.com/med\\_formulary](http://blueshieldca.com/med_formulary).

### **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

#### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents". If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

#### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on **page 70**. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Blue Shield Medicare Enhanced Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Blue Shield Medicare Enhanced Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, Blue Shield Medicare Enhanced Plan limits the amount of the drug that our plan will cover. For example, our plan provides 18 tablets per 30-day prescription for *sumatriptan* (generic for IMITREX). This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Blue Shield Medicare Enhanced Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Blue Shield Medicare Enhanced Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Blue Shield Medicare Enhanced Plan's formulary?" on page iii for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Blue Shield Medicare Enhanced Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask Blue Shield Medicare Enhanced Plan to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Blue Shield Medicare Enhanced Plan's Formulary?**

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Blue Shield Medicare Enhanced Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Blue Shield Medicare Enhanced Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply (unless you have a prescription written for fewer days) when you go to a network pharmacy. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, we will allow you to refill your prescription until we have provided you with up to a 98-day transition supply, consistent with dispensing increment, (unless you have a prescription written for fewer days). We will cover more than one refill of these drugs for the first 90 days you are a member of our plan. If you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

Our transition policy applies to members who are stabilized on:

- Part D drugs not on the Blue Shield Medicare Enhanced Plan formulary, or
- Part D drugs previously covered by exception upon expiration of the exception, or
- Part D drugs on the Blue Shield Medicare Enhanced Plan formulary with a prior authorization, step therapy or a quantity limit requirement, or
- Part D drugs as listed above, where a distinction cannot be made at point of service whether it is a new or ongoing prescription drug

And are members in any of the following scenarios:

- new members at the beginning of a plan year,
- newly eligible members transitioning from other coverage at the beginning of a plan year,
- transitioning individuals who switch from one Blue Shield plan to another after the beginning of a plan year,
- members residing in long-term care (LTC) facilities, or
- in some cases, current members affected by formulary changes from one plan year to the next.

Members continuing coverage into a new plan year and experiencing negative formulary changes will have coverage continued for selected drugs in the new plan year, as determined by Blue Shield Medicare Enhanced Plan and in accordance with the Centers for Medicare and Medicaid Services (CMS) guidance for Part D drugs. Plan members on drugs that were not selected for automatic continued coverage; will be provided a transition process consistent with the transition process required for new members beginning in the new contract year. The transition policy will be extended across contract years if a member enrolls in a plan with an effective enrollment date of either November 1 or December 1 and needs access to a transition supply.

During the transitional stage, members may talk to their prescribers to decide whether they should switch to a different drug that we cover or request a formulary exception in order to get coverage for the drug, if it is not on our formulary or has restrictions such as step therapy or prior authorization. Members may contact Blue Shield Medicare Enhanced Plan Member Services for assistance in initiating a prior authorization or exception request. Prior authorization or exception request forms are available on our website at [blueshieldca.com/med\\_formulary](http://blueshieldca.com/med_formulary) (select “prior authorization forms”), and are also provided upon request to members and prescribers, via mail, email or fax.

Per our transition policy in conjunction with network pharmacies, a temporary supply of non-formulary Part D drugs or formulary drugs with coverage restrictions will be provided in order to prevent interruptions in continuing therapy. This temporary supply also provides sufficient time for members to work with their prescribers to switch to a therapeutically equivalent formulary medication, or to complete a formulary exception request based on medical necessity. Requests for prior authorization of formulary drugs are reviewed against the CMS approved coverage criteria and formulary exception requests are reviewed for medical necessity by Blue Shield pharmacy technicians, pharmacists and/or physicians. If a formulary exception request is denied, we will provide the prescriber a list of appropriate therapeutic alternatives. A letter will also be sent to you providing instructions on how to appeal the decision.

The transitional supply is a one-time, 30-day temporary supply (unless the prescription is written for fewer days in which case we will cover multiple fills to provide up to a total of 30 days of medication) of the non-formulary drug at a retail pharmacy during the first 90 days of new membership beginning on your effective date of coverage in Blue Shield Medicare Enhanced Plan. Refills may be provided for transition prescriptions

dispensed for less than the written amount, due to a plan quantity limit edit for safety or drug utilization edits that are based on approved product labeling, and for up to a total of a 30-day supply. If you are affected by a negative formulary change from one year to the next, we will provide up to a 30-day temporary supply of the non-formulary drug, if you need a refill for the drug during the first 90 days of the new plan year.

Retail and LTC pharmacies have the ability to provide a point-of-sale override for coverage of a transition supply of a drug that is non-formulary, requires prior authorization or step therapy unless the drug is subject to review for Part B vs. Part D determination, limits to prevent coverage of non-Part D drugs or limits that promote safe utilization of a Part D drug. We will cover a 30-day supply (unless the prescription is written for fewer days in which case we will cover multiple fills to provide up to a total of 30 days of medication). The cost-sharing for low-income subsidy (LIS) eligible members for a temporary supply of drugs provided under the transition process, will not exceed the statutory maximum co-payment amounts for LIS eligible members. For all other members (non-LIS members), we will apply the same cost sharing for non-formulary Part D drugs provided during the transition that would apply for non-formulary drugs approved through a formulary exception and the same cost sharing for formulary drugs subject to utilization management edits provided during the transition that would apply once the utilization management criteria are met. Members will not be required to pay additional cost-sharing associated with multiple fills of lesser quantities of Part D drugs based upon quantity limits for safety once the originally prescribed doses of Part D drugs have been determined to be medically necessary after an exception process has been completed.

After we cover the temporary 30-day supply, we generally will not pay for these drugs as part of our transition policy again. We will send written notice within 3 business days of the transitional fill after we cover the temporary supply. This notice will contain an explanation of the temporary nature of the transition supply received, instructions for working with us and the prescriber to identify appropriate therapeutic alternatives that are on our formulary, an explanation of your right to request a formulary exception, and a description of the procedures for requesting a formulary exception. If a transition supply has been provided once and you are currently in the process of receiving a coverage determination, the transition supply may be extended by one additional 30-day prescription fill beyond the initial 30-day supply, unless you present with a prescription written for less than 30 days. The extension of the transition period is on a case-by-case basis, to the extent that your exception request or appeal has not been processed by the end of the minimum day transition period and until such time as a transition has been made (either through a switch to an appropriate formulary drug or a decision on an exception request).

Please note that our transition policy applies only to those drugs that are "Part D drugs" and bought at a network pharmacy. The transition policy can't be used to buy a non-Part D drug or a drug out of network, unless you qualify for out-of-network access.

## **For more information**

For more detailed information about your Blue Shield Medicare Enhanced Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Blue Shield Medicare Enhanced Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit [www.medicare.gov](http://www.medicare.gov).

## Blue Shield Medicare Enhanced Plan's Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page index **page number 70**.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., AUGMENTIN) and generic drugs are listed in lower-case italics (e.g., *amoxicillin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

### Key to Formulary Abbreviations

| Tier                               | Supply   | Cost Share  |
|------------------------------------|--|-------------|
| 1<br>Preferred<br>Generic<br>Drugs | Preferred retail cost-sharing (in-network) (30-day supply)   | \$4 Copay   |
|                                    | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (90-day supply) | \$8 Copay   |
|                                    | Standard retail cost-sharing (in-network) (30-day supply)  | \$13 Copay  |
|                                    | Standard retail cost-sharing (in-network) (90-day supply)  | \$39 Copay  |
| 2<br>Generic<br>Drugs              | Preferred retail cost-sharing (in-network) (30-day supply)   | \$10 Copay  |
|                                    | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (90-day supply) | \$20 Copay  |
|                                    | Standard retail cost-sharing (in-network) (30-day supply)  | \$17 Copay  |
|                                    | Standard retail cost-sharing (in-network) (90-day supply)  | \$51 Copay  |
| 3<br>Preferred<br>Brand<br>Drugs   | Preferred retail cost-sharing (in-network) (30-day supply)   | \$40 Copay  |
|                                    | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (90-day supply) | \$80 Copay  |
|                                    | Standard retail cost-sharing (in-network) (30-day supply)  | \$47 Copay  |
|                                    | Standard retail cost-sharing (in-network) (90-day supply)  | \$141 Copay |

| Tier  | Supply   | Cost Share   |
|---|--|--|
| <b>4<br/>Non-<br/>Preferred<br/>Brand<br/>Drugs</b> | Preferred retail cost-sharing (in-network) (30-day supply)   | 27% coinsurance  |
|   | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (90-day supply)   |  |
|   | Standard retail cost-sharing (in-network) (30-day supply)  | 29% coinsurance  |
|   | Standard retail cost-sharing (in-network) (90-day supply)  |  |
| <b>5<br/>Injectable<br/>Drugs</b>                   | Preferred retail cost-sharing (in-network) (30-day supply)   | 25% coinsurance  |
|   | Preferred retail cost-sharing (in-network) or the plan's mail service cost-sharing (90-day supply)   |  |
|   | Standard retail cost-sharing (in-network) (30-day supply)  |  |
|   | Standard retail cost-sharing (in-network) (90-day supply)  |  |
| <b>6<br/>Specialty<br/>Drugs</b>                    | Preferred retail cost-sharing (in-network), standard retail cost-sharing (in-network), or the plan's mail service cost-sharing (30-day supply) | 33% coinsurance  |
|   | Preferred retail cost-sharing (in-network) or standard retail cost-sharing (in-network) (90-day supply)  | A long-term supply is not available for drugs in Tier 6. |

- Cost-sharing for drugs obtained from out-of-network pharmacies (30-day supply) is the same as the in-network standard retail cost-sharing (30-day supply).
- Cost-sharing for drugs on Tiers 1 through 6 obtained from network long-term care pharmacies (31-day supply) is the same as the in-network standard retail cost-sharing (30-day supply).

## **Requirements/Limit Codes**

| <b><i>Code</i></b> | <b><i>Definition</i></b>   |
|--------------------|--|
| AG                 | This prescription drug has coverage limits based on age groups. The limits may be based upon how the U.S. Food and Drug Administration (FDA) approved the drug for use or special cautions for use by people in certain age groups. For new prescriptions, discuss alternatives with your physician. Your pharmacy or physician may call Blue Shield for assistance with coverage for ongoing use. |
| B/D                | This prescription drug requires prior authorization review to determine whether coverage is under Part B or Part D of the Medicare benefit, based on Medicare coverage rules. Call Blue Shield to provide the necessary information to determine coverage.   |
| LA                 | This prescription may be available only at certain pharmacies. For more information, consult your Pharmacy Directory or call our Member Services number at (888) 239-6469 [TTY 711], 8 a.m. to 8 p.m., seven days a week, from October 1 through February 14, and 8 a.m. to 8 p.m., weekdays, from February 15 through September 30..  |
| QL                 | This medication has a dosing or prescription quantity limit. Maximum daily dose limits are defined by the FDA and listed in the drug package insert. Other quantity limits encourage consolidated dosing when possible.  |
| PA                 | Coverage for this prescription requires prior authorization from Blue Shield. Call Blue Shield to provide the necessary information to determine coverage.   |
| ST                 | Coverage for this prescription is provided when other first-line or preferred drug therapies have been tried (step therapy).   |
| †                  | Medication is NOT available for long-term supply.  |

## **Drug Form Codes**

| <b><i>Abbreviation</i></b> | <b><i>Definition</i></b> |
|----------------------------|--------------------------|
| EA                         | Each                     |
| SOLN                       | Solution                 |
|                            |                          |

| Drug Name  | Drug Tier | Requirement /Limits         | Drug Name   | Drug Tier | Requirement /Limits        |  |  |  |
|--|-----------|-----------------------------|---|-----------|----------------------------|--|--|--|
| <b>Analgesics</b>  |           |                             |   |           |                            |  |  |  |
| <i>Analgesics</i>  |           |                             |   |           |                            |  |  |  |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>        | 2         | QL (2700 ML per 30 days); † | <i>hydrocodone-acetaminophen oral tablet 5-300 mg, 7.5-300 mg</i> | 4         | QL (360 EA per 30 days); † |  |  |  |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>    | 2         | QL (360 EA per 30 days); †  | <i>hydrocodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg</i> | 2         | QL (360 EA per 30 days); † |  |  |  |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>               | 2         | QL (180 EA per 30 days); †  | <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>               | 4         | QL (150 EA per 30 days); † |  |  |  |
| <i>butilbital-acetaminophen-cod oral capsule 50-325-40-30 mg</i> | 2         | QL (180 EA per 30 days); †  | <i>oxycodone-acetaminophen oral solution</i>                      | 3         | †                          |  |  |  |
| <i>butilbital-acetaminophen oral tablet 50-325 mg</i>            | 2         | QL (180 EA per 30 days)     | <i>oxycodone-acetaminophen oral tablet 10-325 mg</i>              | 2         | QL (180 EA per 30 days); † |  |  |  |
| <i>butilbital-acetaminophen-caff oral capsule 50-325-40 mg</i>   | 2         |                             | <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>   | 2         | QL (360 EA per 30 days); † |  |  |  |
| <i>butilbital-acetaminophen-caff oral tablet 50-325-40 mg</i>    | 2         | QL (180 EA per 30 days)     | <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>             | 2         | QL (240 EA per 30 days); † |  |  |  |
| <i>butilbital-aspirin-caffeine oral capsule</i>                  | 2         | QL (180 EA per 30 days)     | <i>oxycodone-aspirin</i>  | 3         | QL (360 EA per 30 days); † |  |  |  |
| <i>ENDOCET ORAL TABLET 10-325 MG</i>                             | 2         | QL (180 EA per 30 days); †  | <i>tramadol-acetaminophen</i>                                     | 2         | QL (240 EA per 30 days); † |  |  |  |
| <i>ENDOCET ORAL TABLET 5-325 MG</i>                              | 2         | QL (360 EA per 30 days); †  | <b>Nonsteroidal Anti-Inflammatory Drugs</b>                       |           |                            |  |  |  |
| <i>ENDOCET ORAL TABLET 7.5-325 MG</i>                            | 2         | QL (240 EA per 30 days); †  | <i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i>               | 2         | QL (60 EA per 30 days)     |  |  |  |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>  | 4         | QL (5400 ML per 30 days); † | <i>celecoxib oral capsule 400 mg</i>                              | 2         | QL (30 EA per 30 days)     |  |  |  |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg</i>           | 4         | QL (270 EA per 30 days); †  | <i>diclofenac potassium</i>                                       | 2         |                            |  |  |  |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg</i>           | 2         | QL (270 EA per 30 days); †  | <i>diclofenac sodium oral</i>                                     | 2         |                            |  |  |  |
|  |           |                             | <i>diclofenac sodium topical gel 3 %</i>                          | 6         |                            |  |  |  |
|  |           |                             | <i>diclofenac-misoprostol</i>                                     | 4         |                            |  |  |  |
|  |           |                             | <i>diflunisal</i>   | 2         |                            |  |  |  |
|  |           |                             | <i>etodolac</i>   | 2         |                            |  |  |  |
|  |           |                             | <i>fenoprofen oral tablet</i>                                     | 2         |                            |  |  |  |
|  |           |                             | <i>flurbiprofen</i>   | 2         |                            |  |  |  |

| Drug Name  | Drug Tier | Requirement /Limits              | Drug Name  | Drug Tier | Requirement /Limits                         |
|--|-----------|----------------------------------|--|-----------|---|
| <i>ibuprofen oral suspension</i>                     | 2         |                                  | DURAMORPH (PF) INJECTION SOLUTION 1 MG/ML  | 5         | B/D; QL (2700 ML per 30 days); †            |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>  | 1         |                                  | <i>fentanyl citrate</i>  | 6         | PA; QL (120 EA per 30 days)                 |
| INDOCIN ORAL   | 4         |                                  | <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 3         | PA; QL (10 EA per 30 days); †               |
| <i>indomethacin oral capsule</i>                     | 2         |                                  | <i>fentanyl transdermal patch 72 hour 37.5 mcg/hour, 62.5 mcg/hour</i>                           | 4         | PA; QL (10 EA per 30 days); †               |
| <i>indomethacin oral capsule, extended release</i>   | 4         |                                  | <i>fentanyl transdermal patch 72 hour 87.5 mcg/hour</i>  | 6         | PA; QL (10 EA per 30 days)                  |
| <i>ketoprofen oral capsule</i>                       | 2         |                                  | LAZANDA NASAL SPRAY, NON-AEROSOL 300 MCG/SPRAY   | 6         | PA; QL (30 EA per 30 days)                  |
| <i>meclofenamate</i>                                 | 4         |                                  | <i>levorphanol tartrate</i>  | 3         | QL (120 EA per 30 days); †                  |
| <i>mefenamic acid</i>                                | 4         |                                  | <i>methadone injection solution</i>  | 5         | B/D; QL (90 ML per 30 days); †              |
| <i>meloxicam oral tablet</i>                         | 2         |                                  | <i>methadone oral solution 10 mg/5 ml</i>  | 3         | QL (450 ML per 30 days); †                  |
| <i>nabumetone</i>                                    | 2         |                                  | <i>methadone oral solution 5 mg/5 ml</i>   | 3         | QL (900 ML per 30 days); †                  |
| <i>naproxen oral suspension</i>                      | 2         |                                  | <i>methadone oral tablet 10 mg</i>   | 2         | QL (90 EA per 30 days); †                   |
| <i>naproxen oral tablet</i>                          | 1         |                                  | <i>methadone oral tablet 5 mg</i>  | 2         | QL (180 EA per 30 days); †                  |
| <i>naproxen oral tablet, delayed release (dr/ec)</i> | 2         |                                  | <i>morphine concentrate oral solution</i>  | 3         | (generic MSIR); QL (150 ML per 30 days); †  |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>    | 2         |                                  | <i>morphine oral capsule, er multiphase 24 hr</i>  | 4         | (generic Avinza); QL (30 EA per 30 days); † |
| <i>oxaprozin</i>                                     | 2         |                                  |  |           |   |
| <i>piroxicam</i>                                     | 3         |                                  |  |           |   |
| <i>sulindac</i>                                      | 2         |                                  |  |           |   |
| <i>tolmetin oral capsule</i>                         | 4         |                                  |  |           |   |
| <i>tolmetin oral tablet 600 mg</i>                   | 4         |                                  |  |           |   |
| <b>Opioid Analgesics, Long-Acting</b>                |           |                                  |  |           |   |
| <i>buprenorphine</i>                                 | 4         | PA; QL (4 EA per 28 days)        |  |           |   |
| <i>buprenorphine hcl sublingual tablet 2 mg</i>      | 3         | PA; QL (480 EA per 30 days)      |  |           |   |
| <i>buprenorphine hcl sublingual tablet 8 mg</i>      | 3         | PA; QL (120 EA per 30 days)      |  |           |   |
| DURAMORPH (PF) INJECTION SOLUTION 0.5 MG/ML          | 5         | B/D; QL (5400 ML per 30 days); † |  |           |   |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                         | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                      |  |
|--|------------------|--|--|------------------|---|--|
| <i>morphine oral capsule, extend.release pellets 10 mg, 100 mg, 30 mg, 50 mg, 60 mg, 80 mg</i> | 4                | (generic Kadian); QL (60 EA per 30 days); †        | <i>tramadol oral tablet, er multiphase 24 hr 300 mg</i>  | 4                | PA; (generic Ryzolt); QL (30 EA per 30 days); † |  |
| <i>morphine oral capsule, extend.release pellets 20 mg</i>                                     | 4                | (generic Kadian); QL (120 EA per 30 days); †       | <b>Opioid Analgesics, Short-Acting</b>   |                  |   |  |
| <i>morphine oral solution 10 mg/5 ml</i>   | 3                | (generic MSIR); QL (1350 ML per 30 days); †        | <i>butorphanol tartrate injection</i>  | 5                | B/D; †  |  |
| <i>morphine oral tablet 15 mg</i>  | 2                | (generic MSIR); QL (180 EA per 30 days); †         | <i>butorphanol tartrate nasal</i>  | 3                | QL (10 ML per 30 days); †                       |  |
| <i>morphine oral tablet 30 mg</i>  | 2                | (generic MSIR); QL (90 EA per 30 days); †          | <i>codeine sulfate oral tablet 15 mg</i>   | 3                | QL (720 EA per 30 days); †                      |  |
| <i>morphine oral tablet extended release 100 mg, 200 mg, 30 mg, 60 mg</i>                      | 3                | (generic MS Contin); QL (60 EA per 30 days); †     | <i>codeine sulfate oral tablet 30 mg</i>   | 3                | QL (360 EA per 30 days); †                      |  |
| <i>morphine oral tablet extended release 15 mg</i>   | 3                | (generic MS Contin); QL (180 EA per 30 days); †    | <i>codeine sulfate oral tablet 60 mg</i>   | 3                | QL (180 EA per 30 days); †                      |  |
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>         | 4                | PA; QL (60 EA per 30 days); †                      | <i>fentanyl citrate</i>  | 6                | PA; QL (120 EA per 30 days)                     |  |
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 15 mg, 30 mg</i>                              | 4                | PA; QL (180 EA per 30 days); †                     | <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 3                | PA; QL (10 EA per 30 days); †                   |  |
| <i>tramadol oral tablet extended release 24 hr 100 mg</i>                                      | 4                | PA; (generic Ultram ER); QL (90 EA per 30 days); † | <i>hydromorphone oral liquid</i>   | 2                | QL (675 ML per 30 days)                         |  |
| <i>tramadol oral tablet extended release 24 hr 200 mg</i>                                      | 4                | PA; (generic Ultram ER); QL (30 EA per 30 days); † | <i>hydromorphone oral tablet 2 mg</i>  | 2                | QL (330 EA per 30 days); †                      |  |
|  |                  |  | <i>hydromorphone oral tablet 4 mg</i>  | 2                | QL (180 EA per 30 days); †                      |  |
|  |                  |  | <i>hydromorphone oral tablet 8 mg</i>  | 2                | QL (90 EA per 30 days); †                       |  |
|  |                  |  | <i>LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 400 MCG/SPRAY</i>                             | 6                | PA; QL (30 EA per 30 days)                      |  |
|  |                  |  | <i>morphine concentrate oral solution</i>  | 3                | (generic MSIR); QL (150 ML per 30 days); †      |  |
|  |                  |  | <i>morphine intravenous syringe 10 mg/ml</i>   | 5                | B/D; QL (270 ML per 30 days); †                 |  |
|  |                  |  | <i>morphine intravenous syringe 2 mg/ml</i>  | 5                | B/D; QL (1350 ML per 30 days); †                |  |

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                   | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>  |
|--|------------------|--|--|------------------|-----------------------------|
| <i>morphine intravenous syringe 4 mg/ml</i>        | 5                | B/D; QL (690 ML per 30 days); †              | <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 5 mg/ml (0.5 %)</i> | 5                |                             |
| <i>morphine intravenous syringe 8 mg/ml</i>        | 5                | B/D; QL (330 ML per 30 days); †              | <i>lidocaine hcl injection solution 20 mg/ml (2 %)</i>                   | 5                |                             |
| <i>morphine oral solution 10 mg/5 ml</i>           | 3                | (generic MSIR); QL (1350 ML per 30 days); †  | <i>lidocaine hcl mucous membrane jelly</i>                               | 2                |                             |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> | 3                | (generic MSIR); QL (700 ML per 30 days); †   | <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>             | 2                |                             |
| <i>morphine oral tablet 15 mg</i>                  | 2                | (generic MSIR); QL (180 EA per 30 days); †   | <i>lidocaine hcl urethral</i>  | 2                |                             |
| <i>morphine oral tablet 30 mg</i>                  | 2                | (generic MSIR); QL (90 EA per 30 days); †    | <i>lidocaine topical adhesive patch,medicated</i>                        | 4                | PA; QL (90 EA per 30 days)  |
| <i>oxycodone oral capsule</i>                      | 4                | QL (360 EA per 30 days); †                   | <i>lidocaine topical ointment</i>  | 3                |                             |
| <i>oxycodone oral concentrate</i>                  | 4                | QL (120 ML per 30 days); †                   | <i>lidocaine viscous</i>   | 2                |                             |
| <i>oxycodone oral solution</i>                     | 3                | QL (1800 ML per 30 days); †                  | <i>lidocaine-prilocaine topical cream</i>                                | 2                |                             |
| <i>oxycodone oral tablet 10 mg</i>                 | 2                | QL (180 EA per 30 days); †                   | <b>Anti-Addiction/ Substance Abuse Treatment Agents</b>                  |                  |                             |
| <i>oxycodone oral tablet 15 mg, 20 mg</i>          | 2                | QL (120 EA per 30 days); †                   | <i>buprenorphine hcl sublingual tablet 2 mg</i>                          | 3                | PA; QL (480 EA per 30 days) |
| <i>oxycodone oral tablet 30 mg</i>                 | 2                | QL (60 EA per 30 days); †                    | <i>buprenorphine hcl sublingual tablet 8 mg</i>                          | 3                | PA; QL (120 EA per 30 days) |
| <i>oxycodone oral tablet 5 mg</i>                  | 2                | QL (360 EA per 30 days); †                   | <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>                 | 3                | PA; QL (480 EA per 30 days) |
| <i>oxymorphone oral tablet 10 mg</i>               | 4                | QL (120 EA per 30 days); †                   | <i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>                   | 3                | PA; QL (120 EA per 30 days) |
| <i>oxymorphone oral tablet 5 mg</i>                | 4                | QL (180 EA per 30 days); †                   | <i>naltrexone</i>  | 2                |                             |
| <i>tramadol oral tablet</i>                        | 2                | (generic Ultram); QL (240 EA per 30 days); † | <i>SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG</i>                          | 4                | QL (60 EA per 30 days)      |
| <b>Anesthetics</b>                                 |                  |  | <i>SUBOXONE SUBLINGUAL FILM 2-0.5 MG</i>                                 | 4                | QL (180 EA per 30 days)     |
| <b>Local Anesthetics</b>                           |                  |  | <i>SUBOXONE SUBLINGUAL FILM 4-1 MG</i>                                   | 4                | QL (90 EA per 30 days)      |

| Drug Name  | Drug Tier | Requirement /Limits         | Drug Name   | Drug Tier | Requirement /Limits         |
|--|-----------|-----------------------------|---|-----------|-----------------------------|
| ZUBSOLV SUBLINGUAL TABLET 1.4-0.36 MG, 5.7-1.4 MG  | 4         | PA; QL (90 EA per 30 days)  | <i>gentak ophthalmic (eye) ointment</i>                   | 2         |                             |
| ZUBSOLV SUBLINGUAL TABLET 11.4-2.9 MG, 2.9-0.71 MG | 4         | PA; QL (30 EA per 30 days)  | <i>gentamicin injection solution 40 mg/ml</i>             | 5         | B/D                         |
| ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG               | 4         | PA; QL (60 EA per 30 days)  | <i>gentamicin ophthalmic (eye) drops</i>                  | 1         |                             |
| <b>Alcohol Deterrents/ Anti-Craving</b>            |           |                             | GENTAMICIN SULFATE (PF) INTRAVENOUS SOLUTION 100 MG/10 ML | 5         | B/D                         |
| <i>acamprosate</i>                                 | 4         |                             | <i>gentamicin topical</i>                                 | 2         |                             |
| <i>disulfiram</i>                                  | 3         |                             | <i>neomycin</i>   | 2         |                             |
| <i>naltrexone</i>                                  | 2         |                             | <i>paromomycin</i>  | 3         |                             |
| <b>Opioid Reversal Agents</b>                      |           |                             | <i>streptomycin</i>                                       | 5         | B/D                         |
| <i>naloxone injection solution</i>                 | 5         | QL (2 ML per 30 days)       | TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE     | 6         | PA; QL (224 EA per 28 days) |
| <i>naloxone injection syringe 1 mg/ml</i>          | 2         |                             | TOBRADEX OPHTHALMIC (EYE) OINTMENT                        | 3         |                             |
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION     | 4         | QL (2 EA per 30 days)       | <i>tobramycin</i>   | 2         |                             |
| <b>Smoking Cessation Agents</b>                    |           |                             | <i>tobramycin in 0.225 % nacl</i>                         | 6         | PA; QL (280 ML per 28 days) |
| <i>bupropion hcl (smoking deter)</i>               | 2         |                             | <i>tobramycin sulfate injection solution</i>              | 5         |                             |
| CHANTIX  | 4         | QL (60 EA per 30 days)      | TOBREX OPHTHALMIC (EYE) OINTMENT                          | 3         |                             |
| CHANTIX CONTINUING MONTH BOX                       | 4         | QL (56 EA per 28 days)      | ZANOSAR   | 5         |                             |
| CHANTIX STARTING MONTH BOX                         | 4         | QL (60 EA per 30 days)      | <b>Antibacterials, Other</b>                              |           |                             |
| NICOTROL NS  | 4         |                             | <i>acetic acid otic (ear)</i>                             | 2         |                             |
| <b>Antibacterials</b>                              |           |                             | <i>alcohol pads</i>                                       | 2         |                             |
| <b>Aminoglycosides</b>                             |           |                             | <i>bacitracin ophthalmic (eye)</i>                        | 2         |                             |
| <i>amikacin injection solution 500 mg/2 ml</i>     | 5         |                             | BACTROBAN NASAL   | 4         |                             |
| BETHKIS  | 6         | PA; QL (224 ML per 28 days) | <i>chloramphenicol sod succinate</i>                      | 5         | B/D                         |

| Drug Name                                     | Drug Tier | Requirement /Limits | Drug Name  | Drug Tier | Requirement /Limits        |
|---|-----------|---------------------|--|-----------|----------------------------|
| CLEOCIN VAGINAL SUPPOSITORY                   | 3         |                     | <i>nitrofurantoin monohyd/m-cryst</i>  | 2         | PA                         |
| <i>clindamycin hcl</i>                        | 2         |                     | ORBACTIV   | 6         | PA; QL (9 EA per 30 days)  |
| <i>clindamycin in 5 % dextrose</i>            | 5         |                     | <i>polymyxin b sulfate</i>   | 5         |                            |
| <i>clindamycin pediatric</i>                  | 2         |                     | SIVEXTRO   | 6         | PA                         |
| <i>clindamycin phosphate topical foam</i>     | 4         |                     | INTRAVENOUS  |           |                            |
| <i>clindamycin phosphate topical gel</i>      | 2         |                     | SIVEXTRO ORAL  | 6         | PA; QL (6 EA per 30 days)  |
| <i>clindamycin phosphate topical lotion</i>   | 2         |                     | SULFAMYLYON  | 4         |                            |
| <i>clindamycin phosphate topical solution</i> | 2         |                     | TOPICAL CREAM  |           |                            |
| <i>clindamycin phosphate topical swab</i>     | 2         |                     | <i>tigecycline</i>   | 6         |                            |
| <i>clindamycin phosphate vaginal</i>          | 2         |                     | <i>tinidazole</i>  | 3         |                            |
| DALVANCE                                      | 6         | PA                  | <i>trimethoprim</i>  | 2         |                            |
| <i>daptomycin</i>                             | 6         |                     | TYGACIL  | 6         |                            |
| <i>lincomycin</i>                             | 5         |                     | <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 500 mg</i>                       |           | 5                          |
| <i>linezolid</i>                              | 6         | PA                  | <i>vancomycin oral capsule</i>   |           | 4                          |
| <i>methenamine hippurate</i>                  | 3         |                     | VANDAZOLE  | 2         |                            |
| <i>metronidazole in nacl (iso-os)</i>         | 5         |                     | XIFAXAN ORAL TABLET 200 MG   | 6         | PA; QL (9 EA per 30 days)  |
| <i>metronidazole oral</i>                     | 2         |                     | XIFAXAN ORAL TABLET 550 MG   | 6         | PA; QL (90 EA per 30 days) |
| <i>metronidazole topical cream</i>            | 3         |                     | <b>Antibacterials</b>  |           |                            |
| <i>metronidazole topical gel 0.75 %</i>       | 2         |                     | <i>colistin (colistimethate na)</i>  | 5         | B/D                        |
| <i>metronidazole topical gel 1 %</i>          | 3         |                     | SYNERCID   | 6         |                            |
| <i>metronidazole topical lotion</i>           | 3         |                     | <b>Beta-Lactam, Cephalosporins</b>   |           |                            |
| <i>metronidazole vaginal</i>                  | 2         |                     | <i>cefaclor oral capsule</i>   | 2         |                            |
| MONUROL                                       | 4         |                     | <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2         |                            |
| <i>mupirocin</i>                              | 2         |                     | <i>cefaclor oral tablet extended release 12 hr</i>                                       | 2         |                            |
| <i>mupirocin calcium</i>                      | 4         |                     | <i>cefadroxil oral capsule</i>   | 2         |                            |
| <i>nitrofurantoin</i>                         | 3         | PA                  |  |           |                            |
| <i>nitrofurantoin macrocrystal</i>            | 2         | PA                  |  |           |                            |

| Drug Name   | Drug Tier | Requirement /Limits | Drug Name   | Drug Tier | Requirement /Limits        |
|---|-----------|---------------------|---|-----------|----------------------------|
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2         |                     | TEFLARO   | 5         |                            |
| <i>cefadroxil oral tablet</i>   | 2         |                     | INTRAVENOUS RECON SOLN 400 MG   |           |                            |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>                 | 5         |                     | TEFLARO   | 6         |                            |
| <i>cefdinir</i>   | 2         |                     | INTRAVENOUS RECON SOLN 600 MG   |           |                            |
| <i>cefepime</i>   | 5         |                     | <b>Beta-Lactam, Other</b>   |           |                            |
| <i>cefixime</i>   | 4         |                     | <i>aztreonam injection recon soln 1 gram</i>                          | 5         |                            |
| <i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i>                 | 5         |                     | CAYSTON   | 6         | PA; QL (84 ML per 28 days) |
| <i>cefoxitin</i>  | 5         |                     | <i>imipenem-cilastatin</i>  | 5         |                            |
| <i>cefpodoxime</i>  | 2         |                     | INVANZ INJECTION  | 5         |                            |
| <i>cefprozil</i>  | 2         |                     | <i>meropenem intravenous recon soln 500 mg</i>                        | 5         |                            |
| <i>ceftriaxone injection recon soln 10 gram, 250 mg, 500 mg</i>               | 5         |                     | <b>Beta-Lactam, Penicillins</b>                                       |           |                            |
| <i>ceftriaxone intravenous</i>  | 5         |                     | <i>amoxicillin oral capsule</i>                                       | 1         |                            |
| <i>cefuroxime axetil oral tablet</i>  | 2         |                     | <i>amoxicillin oral suspension for reconstitution</i>                 | 1         |                            |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                          | 5         |                     | <i>amoxicillin oral tablet</i>  | 1         |                            |
| <i>cefuroxime sodium intravenous</i>  | 5         |                     | <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>               | 1         |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                 | 1         |                     | <i>amoxicillin-pot clavulanate</i>                                    | 2         |                            |
| <i>cephalexin oral suspension for reconstitution</i>                          | 2         |                     | <i>ampicillin oral capsule</i>  | 2         |                            |
| SUPRAX ORAL CAPSULE   | 4         |                     | <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i> | 5         |                            |
| SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML                         | 4         |                     | <i>ampicillin-sulbactam injection</i>                                 | 5         |                            |
| SUPRAX ORAL TABLET,CHEWABLE   | 4         |                     | AUGMENTIN ORAL SUSPENSION FOR RECONSTITUTION 125-31.25 MG/5 ML        | 3         |                            |
|   |           |                     | BICILLIN C-R  | 5         |                            |
|   |           |                     | BICILLIN L-A  | 5         |                            |

| Drug Name   | Drug Tier | Requirement /Limits  | Drug Name  | Drug Tier | Requirement /Limits    |
|---|-----------|----------------------|--|-----------|------------------------|
| dicloxacillin   | 2         |                      | azithromycin oral tablet 600 mg                                | 2         | QL (8 EA per 30 days)  |
| nafcillin injection   | 5         |                      | clarithromycin oral suspension for reconstitution              | 2         |                        |
| recon soln 1 gram   |           |                      | clarithromycin oral tablet                                     | 2         | QL (42 EA per 14 days) |
| nafcillin injection   | 6         |                      | clarithromycin oral tablet extended release 24 hr              | 2         | QL (42 EA per 14 days) |
| recon soln 10 gram  |           |                      | ery pads   | 2         |                        |
| oxacillin in dextrose(iso-osm)                                    | 5         |                      | ERYPED 400   | 4         |                        |
| intravenous piggyback 1 gram/50 ml                                |           |                      | ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG                       | 5         |                        |
| oxacillin in dextrose(iso-osm)                                    | 6         |                      | erythromycin ethylsuccinate oral suspension for reconstitution | 4         |                        |
| intravenous piggyback 2 gram/50 ml                                |           |                      | erythromycin ethylsuccinate oral tablet                        | 4         |                        |
| oxacillin injection recon soln 10 gram                            | 6         |                      | erythromycin ophthalmic (eye)                                  | 2         |                        |
| penicillin g potassium injection recon soln 5 million unit        | 5         |                      | erythromycin oral tablet                                       | 4         |                        |
| penicillin g procaine intramuscular syringe 1.2 million unit/2 ml | 5         |                      | erythromycin with ethanol topical gel                          | 2         |                        |
| penicillin g sodium   | 5         |                      | erythromycin with ethanol topical solution                     | 2         |                        |
| penicillin v potassium  | 1         |                      | ZMAX   | 4         | QL (60 EA per 30 days) |
| piperacillin-tazobactam   | 5         |                      | <b>Quinolones</b>  |           |                        |
| intravenous recon soln 3.375 gram, 4.5 gram, 40.5 gram            |           |                      | CILOXAN OPHTHALMIC (EYE) OINTMENT                              | 4         |                        |
| <b>Macrolides</b>   |           |                      | ciprofloxacin  | 3         |                        |
| AZASITE   | 4         |                      | ciprofloxacin (mixture) oral tablet, er                        | 2         | QL (14 EA per 14 days) |
| azithromycin intravenous  | 5         |                      | multiphase 24 hr 1,000 mg                                      |           |                        |
| azithromycin oral packet  | 2         |                      |  |           |                        |
| azithromycin oral suspension for reconstitution                   | 2         |                      |  |           |                        |
| azithromycin oral tablet 250 mg                                   | 2         | QL (6 EA per 5 days) |  |           |                        |
| azithromycin oral tablet 250 mg (6 pack)                          | 2         |                      |  |           |                        |
| azithromycin oral tablet 500 mg, 500 mg (3 pack)                  | 2         | QL (3 EA per 3 days) |  |           |                        |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|---|------------------|----------------------------|---|------------------|----------------------------|
| <i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 500 mg</i>        | 2                | QL (3 EA per 3 days)       | <i>sulfacetamide sodium ophthalmic (eye)</i>                      | 2                |                            |
| <i>ciprofloxacin hcl ophthalmic (eye)</i>                                     | 1                |                            | <i>sulfadiazine</i>   | 2                |                            |
| <i>ciprofloxacin hcl oral</i>   | 1                |                            | <i>sulfamethoxazole-trimethoprim intravenous</i>                  | 5                |                            |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>      | 5                |                            | <i>sulfamethoxazole-trimethoprim oral suspension</i>              | 2                |                            |
| <i>ciprofloxacin lactate intravenous solution 400 mg/40 ml</i>                | 5                |                            | <i>sulfamethoxazole-trimethoprim oral tablet</i>                  | 1                |                            |
| <i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i> | 5                |                            | <b>Tetracyclines</b>  |                  |                            |
| <i>levofloxacin intravenous</i>   | 5                |                            | <i>demeclacycline</i>   | 4                |                            |
| <i>levofloxacin ophthalmic (eye)</i>  | 2                |                            | <i>doxy-100</i>   | 5                |                            |
| <i>levofloxacin oral solution</i>   | 3                |                            | <i>doxycycline hyclate oral capsule</i>                           | 2                |                            |
| <i>levofloxacin oral tablet</i>   | 1                | QL (10 EA per 10 days)     | <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>              | 2                |                            |
| <b>MOXEZA</b>   | 3                |                            | <i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i>  | 2                |                            |
| <i>moxifloxacin ophthalmic (eye)</i>  | 2                |                            | <i>doxycycline monohydrate oral capsule 150 mg</i>                | 4                |                            |
| <i>moxifloxacin oral</i>  | 3                | QL (10 EA per 10 days)     | <i>doxycycline monohydrate oral suspension for reconstitution</i> | 2                |                            |
| <i>ofloxacin ophthalmic (eye)</i>   | 2                |                            | <i>doxycycline monohydrate oral tablet</i>                        | 2                |                            |
| <i>ofloxacin oral tablet 400 mg</i>   | 2                |                            | <i>minocycline oral capsule</i>                                   | 2                |                            |
| <i>ofloxacin otic (ear)</i>   | 2                |                            | <i>minocycline oral tablet</i>                                    | 3                |                            |
| <b>VIGAMOX</b>  | 3                |                            | <i>tetracycline</i>   | 4                |                            |
| <b>Sulfonamides</b>   |                  |                            | <b>VIBRAMYCIN ORAL SYRUP</b>                                      | 4                |                            |
| <i>silvadene</i>  | 2                |                            | <b>Anticonvulsants</b>  |                  |                            |
| <i>silver sulfadiazine</i>  | 2                |                            | <i>Anticonvulsants, Other</i>                                     |                  |                            |
| <i>ssd</i>  | 2                |                            |   |                  |                            |
| <i>sulfacetamide sodium (acne)</i>  | 2                |                            |   |                  |                            |

| Drug Name  | Drug Tier | Requirement /Limits         | Drug Name   | Drug Tier | Requirement /Limits         |  |
|--|-----------|-----------------------------|---|-----------|-----------------------------|--|
| BRIVIACT INTRAVENOUS   | 5         | PA                          | SPRITAM ORAL TABLET FOR SUSPENSION 750 MG                       | 4         | PA; QL (120 EA per 30 days) |  |
| BRIVIACT ORAL SOLUTION   | 6         | PA; QL (600 ML per 30 days) | <b>Calcium Channel Modifying Agents</b>                         |           |                             |  |
| BRIVIACT ORAL TABLET   | 6         | PA; QL (60 EA per 30 days)  | CELONTIN ORAL CAPSULE 300 MG                                    | 3         |                             |  |
| DIASTAT  | 4         | QL (5 EA per 30 days)       | <i>ethosuximide</i>   | 2         |                             |  |
| DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG                  | 4         | QL (40 EA per 30 days)      | LYRICA ORAL CAPSULE 100 MG, 150 MG, 25 MG, 50 MG, 75 MG         | 3         | QL (90 EA per 30 days)      |  |
| DIASTAT ACUDIAL RECTAL KIT 5-7.5-10 MG                         | 4         | QL (20 EA per 30 days)      | LYRICA ORAL CAPSULE 200 MG, 225 MG, 300 MG                      | 3         | QL (60 EA per 30 days)      |  |
| <i>diazepam rectal kit 2.5 mg</i>                              | 4         | QL (5 EA per 30 days)       | LYRICA ORAL SOLUTION  | 3         | QL (900 ML per 30 days)     |  |
| <i>diazepam rectal kit 5-7.5-10 mg</i>                         | 4         | QL (20 EA per 30 days)      | <i>zonisamide</i>   | 2         |                             |  |
| <i>levetiracetam in nacl (iso-os)</i>                          | 5         |                             | <b>Gamma-Aminobutyric Acid (Gaba) Augmenting Agents</b>         |           |                             |  |
| <i>levetiracetam intravenous</i>                               | 5         |                             | clonazepam oral tablet 0.5 mg                                   | 2         | QL (1200 EA per 30 days)    |  |
| <i>levetiracetam oral solution 100 mg/ml</i>                   | 2         |                             | clonazepam oral tablet 1 mg                                     | 2         | QL (600 EA per 30 days)     |  |
| <i>levetiracetam oral tablet</i>                               | 2         |                             | clonazepam oral tablet 2 mg                                     | 2         | QL (300 EA per 30 days)     |  |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg</i> | 2         | QL (180 EA per 30 days)     | clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg | 2         | QL (1200 EA per 30 days)    |  |
| <i>levetiracetam oral tablet extended release 24 hr 750 mg</i> | 2         | QL (120 EA per 30 days)     | clonazepam oral tablet,disintegrating 1 mg                      | 2         | QL (600 EA per 30 days)     |  |
| <i>roweepra</i>  | 2         |                             | clonazepam oral tablet,disintegrating 2 mg                      | 2         | QL (300 EA per 30 days)     |  |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG                    | 4         | PA; QL (90 EA per 30 days)  | <i>clorazepate dipotassium oral tablet</i> 15 mg                | 2         | QL (180 EA per 30 days)     |  |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG              | 4         | PA; QL (60 EA per 30 days)  | <i>clorazepate dipotassium oral tablet</i> 3.75 mg              | 2         | QL (720 EA per 30 days)     |  |

| <b>Drug Name</b>                                  | <b>Drug Tier</b> | <b>Requirement /Limits</b>  | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>  |  |
|---|------------------|-----------------------------|---|------------------|-----------------------------|--|
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 2                | QL (360 EA per 30 days)     | <i>phenobarbital</i>  | 2                |                             |  |
| <i>diazepam intensol</i>                          | 2                | QL (360 ML per 30 days)     | <i>primidone</i>  | 2                |                             |  |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 3                | QL (1800 ML per 30 days)    | <b>SABRIL</b>   | 6                | PA; QL (180 EA per 30 days) |  |
| <i>diazepam oral tablet 10 mg</i>                 | 2                | QL (180 EA per 30 days)     | <i>tiagabine</i>  | 3                | PA                          |  |
| <i>diazepam oral tablet 2 mg</i>                  | 2                | QL (900 EA per 30 days)     | <i>valproate sodium</i>   | 5                |                             |  |
| <i>diazepam oral tablet 5 mg</i>                  | 2                | QL (360 EA per 30 days)     | <i>valproic acid</i>  | 2                |                             |  |
| <i>diazepam rectal kit 2.5 mg</i>                 | 4                | QL (5 EA per 30 days)       | <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>             | 2                |                             |  |
| <i>diazepam rectal kit 5-7.5-10 mg</i>            | 4                | QL (20 EA per 30 days)      | <i>vigabatrin</i>   | 6                | PA; QL (180 EA per 30 days) |  |
| <i>divalproex</i>                                 | 2                |                             | <b>Glutamate Reducing Agents</b>  |                  |                             |  |
| <i> gabapentin oral capsule</i>                   | 2                |                             | <i>felbamate</i>  | 2                |                             |  |
| <i> gabapentin oral solution 250 mg/5 ml</i>      | 3                |                             | <b>FYCOMPA ORAL SUSPENSION</b>  | 4                | PA; QL (720 ML per 30 days) |  |
| <i> gabapentin oral tablet 600 mg, 800 mg</i>     | 2                |                             | <b>FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG</b>                   | 4                | PA; QL (30 EA per 30 days)  |  |
| <b>GABITRIL ORAL TABLET 12 MG, 16 MG</b>          | 4                | PA                          | <b>FYCOMPA ORAL TABLET 2 MG</b>   | 4                | PA; QL (90 EA per 30 days)  |  |
| <i> lamotrigine oral tablet,disintegrating</i>    | 4                |                             | <i>lamotrigine oral tablet</i>  | 2                |                             |  |
| <i> lorazepam intensol</i>                        | 2                | QL (150 ML per 30 days)     | <i>lamotrigine oral tablet extended release 24hr 100 mg, 25 mg, 50 mg</i>   | 4                | ST; QL (30 EA per 30 days)  |  |
| <i> lorazepam oral tablet 0.5 mg</i>              | 2                | QL (600 EA per 30 days)     | <i>lamotrigine oral tablet extended release 24hr 200 mg, 250 mg, 300 mg</i> | 4                | ST                          |  |
| <i> lorazepam oral tablet 1 mg</i>                | 2                | QL (300 EA per 30 days)     | <i>lamotrigine oral tablet, chewable dispersible</i>                        | 2                |                             |  |
| <i> lorazepam oral tablet 2 mg</i>                | 2                | QL (150 EA per 30 days)     | <i>topiramate oral capsule, sprinkle</i>                                    | 2                | PA                          |  |
| <b>ONFI ORAL SUSPENSION</b>                       | 3                | ST; QL (480 ML per 30 days) | <i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 25 mg, 50 mg</i>        | 3                | PA; QL (30 EA per 30 days)  |  |
| <b>ONFI ORAL TABLET 10 MG, 20 MG</b>              | 3                | ST; QL (60 EA per 30 days)  | <i>topiramate oral capsule,sprinkle,er 24hr 150 mg, 200 mg</i>              | 3                | PA; QL (60 EA per 30 days)  |  |

| Drug Name   | Drug Tier | Requirement /Limits          | Drug Name  | Drug Tier | Requirement /Limits          |
|---|-----------|------------------------------|--|-----------|------------------------------|
| <i>topiramate oral tablet</i>                                 | 2         | PA                           | <i>fosphenytoin injection solution 100 mg pe/2 ml</i>                | 5         |                              |
| TROKENDI XR ORAL CAPSULE,EXTENDE D RELEASE 24HR 100 MG, 25 MG | 4         | PA; QL (90 EA per 30 days)   | <i>oxcarbazepine oral suspension</i>                                 | 4         | PA                           |
| TROKENDI XR ORAL CAPSULE,EXTENDE D RELEASE 24HR 200 MG        | 6         | PA; QL (60 EA per 30 days)   | <i>oxcarbazepine oral tablet 150 mg, 300 mg</i>                      | 2         | PA; QL (60 EA per 30 days)   |
| TROKENDI XR ORAL CAPSULE,EXTENDE D RELEASE 24HR 50 MG         | 4         | PA; QL (210 EA per 30 days)  | <i>oxcarbazepine oral tablet 600 mg</i>                              | 2         | PA                           |
| <b>Sodium Channel Agents</b>                                  |           |                              | <i>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG</i> | 4         | PA; QL (30 EA per 30 days)   |
| APTIOM ORAL TABLET 200 MG, 400 MG, 800 MG                     | 4         | PA; QL (30 EA per 30 days)   | <i>OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG</i>         | 4         | PA; QL (120 EA per 30 days)  |
| APTIOM ORAL TABLET 600 MG                                     | 4         | PA; QL (60 EA per 30 days)   | <i>PEGANONE</i>  | 4         |                              |
| BANZEL ORAL SUSPENSION  | 4         | ST; QL (2400 ML per 30 days) | <i>phenytek</i>  | 2         |                              |
| BANZEL ORAL TABLET 200 MG                                     | 4         | ST; QL (60 EA per 30 days)   | <i>phenytoin oral suspension 125 mg/5 ml</i>                         | 2         |                              |
| BANZEL ORAL TABLET 400 MG                                     | 4         | ST; QL (240 EA per 30 days)  | <i>phenytoin oral tablet, chewable</i>                               | 2         |                              |
| <i>carbamazepine oral suspension 100 mg/5 ml</i>              | 3         |                              | <i>phenytoin sodium extended</i>                                     | 2         |                              |
| <i>carbamazepine oral tablet</i>                              | 2         |                              | <i>VIMPAT INTRAVENOUS</i>  | 5         | PA                           |
| <i>carbamazepine oral tablet extended release 12 hr</i>       | 3         |                              | <i>VIMPAT ORAL SOLUTION</i>  | 4         | PA; QL (1200 ML per 30 days) |
| <i>carbamazepine oral tablet, chewable</i>                    | 2         |                              | <i>VIMPAT ORAL TABLET</i>  | 4         | PA; QL (60 EA per 30 days)   |
| DILANTIN  | 4         |                              | <b>Antidementia Agents</b>   |           |                              |
| DILANTIN EXTENDED   | 4         |                              | <b>Antidementia Agents, Other</b>                                    |           |                              |
| <i>epitol</i>   | 2         |                              | <i>ergoloid</i>  | 4         | PA                           |
| EQUETRO   | 4         |                              | <b>Cholinesterase Inhibitors</b>                                     |           |                              |
|   |           |                              | <i>donepezil oral tablet 10 mg, 5 mg</i>                             | 1         |                              |
|   |           |                              | <i>donepezil oral tablet 23 mg</i>                                   | 3         | ST; QL (30 EA per 30 days)   |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|--|------------------|----------------------------|
| <i>donepezil oral tablet,disintegrating</i>                                | 2                |                            | <i>aripiprazole oral tablet 2 mg</i>                           | 4                | QL (120 EA per 30 days)    |
| <i>galantamine oral capsule,ext rel. pellets 24 hr</i>                     | 3                | QL (30 EA per 30 days)     | <i>aripiprazole oral tablet 5 mg</i>                           | 4                | QL (60 EA per 30 days)     |
| <i>galantamine oral solution</i>   | 3                |                            | <i>aripiprazole oral tablet,disintegrating</i>                 | 6                | QL (60 EA per 30 days)     |
| <i>galantamine oral tablet</i>   | 3                |                            | <i>bupropion hcl oral tablet 100 mg</i>                        | 2                | QL (120 EA per 30 days)    |
| <i>rivastigmine</i>  | 3                | QL (30 EA per 30 days)     | <i>bupropion hcl oral tablet 75 mg</i>                         | 2                | QL (180 EA per 30 days)    |
| <i>rivastigmine tartrate</i>   | 3                |                            | <i>bupropion hcl oral tablet extended release 12 hr 100 mg</i> | 2                | QL (120 EA per 30 days)    |
| <b><i>N-Methyl-D-Aspartate (Nmda) Receptor Antagonist</i></b>              |                  |                            |  |                  |                            |
| <i>memantine oral solution</i>   | 3                | QL (360 ML per 30 days)    | <i>bupropion hcl oral tablet extended release 12 hr 150 mg</i> | 2                | QL (90 EA per 30 days)     |
| <i>memantine oral tablet</i>   | 2                | QL (60 EA per 30 days)     | <i>bupropion hcl oral tablet extended release 12 hr 200 mg</i> | 2                | QL (60 EA per 30 days)     |
| <i>memantine oral tablets,dose pack</i>                                    | 3                |                            | <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i> | 2                | QL (90 EA per 30 days)     |
| <b>NAMENDA XR</b>  | 3                | QL (30 EA per 30 days)     | <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i> | 2                | QL (30 EA per 30 days)     |
| <b>NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK</b>                        | 4                | QL (28 EA per 28 days)     | <b>FORFIVO XL</b>  | 4                | ST; QL (30 EA per 30 days) |
| <b>NAMZARIC ORAL CAPSULE,SPRINKL E,ER 24HR</b>                             | 4                | QL (30 EA per 30 days)     | <i>maprotiline</i>   | 2                |                            |
| <b>Antidepressants</b>   |                  |                            | <i>mirtazapine</i>   | 2                |                            |
| <b><i>Antidepressants, Other</i></b>                                       |                  |                            | <i>nefazodone</i>  | 2                |                            |
| <b>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG</b> | 6                | PA                         | <i>quetiapine oral tablet</i>                                  | 2                |                            |
| <b>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING</b>       | 6                | PA                         | <i>quetiapine oral tablet extended release 24 hr</i>           | 3                |                            |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>                 | 4                | QL (30 EA per 30 days)     | <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>             | 2                |                            |
|  |                  |                            | <i>trazodone oral tablet 300 mg</i>                            | 3                |                            |
| <b><i>Antidepressants</i></b>  |                  |                            |  |                  |                            |
|  |                  |                            | <i>olanzapine-fluoxetine</i>                                   | 4                |                            |
|  |                  |                            | <i>perphenazine-amitriptyline</i>                              | 3                |                            |
| <b><i>Monoamine Oxidase Inhibitors</i></b>                                 |                  |                            |  |                  |                            |

| Drug Name   | Drug Tier | Requirement /Limits                            | Drug Name   | Drug Tier | Requirement /Limits                          |
|---|-----------|--|---|-----------|--|
| EMSAM   | 6         | PA   | <i>fluvoxamine oral capsule,extended release 24hr 150 mg</i>                | 4         | ST; QL (60 EA per 30 days)                   |
| MARPLAN   | 3         |  | <i>fluvoxamine oral tablet</i>  | 2         |  |
| <i>phenelzine</i>   | 2         |  | KHEDEZLA  | 4         | ST; QL (30 EA per 30 days)                   |
| <i>tranylcypromine</i>  | 4         |  | <i>paroxetine hcl oral tablet</i>   | 1         |  |
| <i>Ssris/ Snris</i>   |           |  | <i>paroxetine hcl oral tablet extended release 24 hr</i>                    | 2         |  |
| <i>citalopram oral solution</i>   | 2         |  | PAXIL ORAL SUSPENSION   | 4         | QL (900 ML per 30 days)                      |
| <i>citalopram oral tablet</i>   | 1         |  | PRISTIQ ORAL TABLET EXTENDED  | 4         | QL (120 EA per 30 days)                      |
| <i>desvenlafaxine oral tablet extended release 24 hr</i>                        | 4         | ST; QL (30 EA per 30 days)                     | RELEASE 24 HR 100 MG  |           |  |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg</i>       | 3         | ST; (generic Pristiq); QL (120 EA per 30 days) | PRISTIQ ORAL TABLET EXTENDED  | 4         | QL (30 EA per 30 days)                       |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 25 mg, 50 mg</i> | 3         | ST; (generic Pristiq); QL (30 EA per 30 days)  | RELEASE 24 HR 25 MG, 50 MG  |           |  |
| <i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg</i>              | 2         | (generic Cymbalta); QL (90 EA per 30 days)     | sertraline oral concentrate   | 2         |  |
| <i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i>                     | 2         | (generic Irenka); QL (60 EA per 30 days)       | sertraline oral tablet  | 1         |  |
| <i>duloxetine oral capsule,delayed release(dr/ec) 60 mg</i>                     | 2         | (generic Cymbalta); QL (60 EA per 30 days)     | TRINTELLIX  | 4         | ST; QL (30 EA per 30 days)                   |
| <i>escitalopram oxalate</i>   | 2         |  | <i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>       | 2         | (generic Effexor XR); QL (60 EA per 30 days) |
| FETZIMA   | 4         | PA; QL (30 EA per 30 days)                     | <i>venlafaxine oral capsule,extended release 24hr 75 mg</i>                 | 2         | (generic Effexor XR); QL (90 EA per 30 days) |
| <i>fluoxetine oral capsule</i>  | 2         |  | <i>venlafaxine oral tablet</i>  | 2         | (generic Effexor)                            |
| <i>fluoxetine oral capsule,delayed release(dr/ec)</i>                           | 4         | QL (4 EA per 28 days)                          | <i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg</i> | 4         | QL (30 EA per 30 days)                       |
| <i>fluoxetine oral solution</i>   | 2         |  |   |           |  |
| <i>fluoxetine oral tablet 10 mg, 20 mg</i>                                      | 2         |  |   |           |  |
| <i>fluvoxamine oral capsule,extended release 24hr 100 mg</i>                    | 4         | ST; QL (90 EA per 30 days)                     |   |           |  |

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>  |
|--|------------------|----------------------------|---|------------------|-----------------------------|
| VENLAFAXINE ORAL TABLET EXTENDED RELEASE 24HR 225 MG   | 4                | QL (30 EA per 30 days)     | <i>metoclopramide hcl oral tablet</i>                                     | 1                |                             |
| VIIBRYD ORAL TABLET                                    | 4                | ST; QL (30 EA per 30 days) | <i>perphenazine</i>   | 2                |                             |
| VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)   | 4                | ST; QL (30 EA per 30 days) | <i>prochlorperazine</i>   | 2                |                             |
| <b>Tricyclics</b>                                      |                  |                            | <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 5                | B/D                         |
| <i>amitriptyline</i>                                   | 2                |                            | <i>prochlorperazine maleate</i>   | 2                |                             |
| <i>amoxapine</i>                                       | 2                |                            | <i>promethazine oral tablet</i>   | 2                | PA                          |
| <i>clomipramine</i>                                    | 4                |                            | <b>TIGAN</b>  | 5                | B/D                         |
| <i>desipramine</i>                                     | 2                |                            | <b>INTRAMUSCULAR</b>  |                  |                             |
| <i>doxepin oral</i>                                    | 2                |                            | <b>TRANSDERM-SCOP</b>   | 4                |                             |
| <i>imipramine hcl</i>                                  | 2                |                            | <b>Emetogenic Therapy Adjuncts</b>  |                  |                             |
| <i>imipramine pamoate</i>                              | 4                |                            | <i>aprepitant oral capsule 125 mg, 80 mg</i>                              | 4                | PA                          |
| <i>nortriptyline</i>                                   | 2                |                            | <i>aprepitant oral capsule 40 mg</i>                                      | 4                | PA; QL (1 EA per 30 days)   |
| <i>protriptyline</i>                                   | 4                |                            | <i>aprepitant oral capsule,dose pack</i>                                  | 4                | PA                          |
| SILENOR  | 4                | QL (30 EA per 30 days)     | <i>dronabinol oral capsule 10 mg</i>                                      | 6                | PA; QL (180 EA per 30 days) |
| <i>trimipramine</i>                                    | 4                |                            | <i>dronabinol oral capsule 2.5 mg, 5 mg</i>                               | 4                | PA; QL (180 EA per 30 days) |
| <b>Antiemetics</b>                                     |                  |                            | <b>EMEND</b>  | 5                | B/D                         |
| <b>Antiemetics, Other</b>                              |                  |                            | <b>INTRAVENOUS</b>  |                  |                             |
| <i>chlorpromazine injection</i>                        | 5                |                            | <b>EMEND ORAL SUSPENSION FOR RECONSTITUTION</b>                           | 4                | PA; QL (3 EA per 7 days)    |
| <i>chlorpromazine oral compro</i>                      | 2                |                            | <i>granisetron (pf) intravenous solution 100 mcg/ml</i>                   | 5                | PA                          |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 5                |                            | <i>granisetron hcl intravenous</i>  | 5                | PA                          |
| <i>hydroxyzine hcl oral tablet</i>                     | 2                | PA                         | <i>granisetron hcl oral</i>   | 3                | PA; QL (60 EA per 30 days)  |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i>            | 2                |                            | <i>ondansetron</i>  | 2                | B/D; QL (90 EA per 30 days) |
| <i>metoclopramide hcl injection solution</i>           | 5                |                            | <i>ondansetron hcl (pf)</i>   | 5                | B/D                         |
| <i>metoclopramide hcl oral solution</i>                | 1                |                            |   |                  |                             |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>   | <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|---|------------------|------------------------------|--|------------------|----------------------------|
| <i>ondansetron hcl oral solution</i>  | 2                | B/D; QL (450 ML per 30 days) | <i>griseofulvin microsize oral tablet</i>              | 3                |                            |
| <i>ondansetron hcl oral tablet 24 mg</i>  | 2                | B/D; QL (15 EA per 30 days)  | <i>griseofulvin ultramicrosize</i>                     | 3                |                            |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>   | 2                | B/D; QL (90 EA per 30 days)  | <i>itraconazole</i>                                    | 4                | PA                         |
| <b>Antifungals</b>  |                  |                              | <i>ketoconazole oral</i>                               | 2                |                            |
| <b>Antifungals</b>  |                  |                              | <i>ketoconazole topical cream</i>                      | 2                |                            |
| <i>ABELCET</i>  | 6                | B/D                          | <i>ketoconazole topical shampoo</i>                    | 2                |                            |
| <i>AMBISOME</i>   | 6                | B/D                          | <i>miconazole-3 vaginal suppository</i>                | 2                |                            |
| <i>amphotericin b</i>   | 5                | B/D                          | <i>MYCAMINE</i>  | 6                |                            |
| <i>CANCIDAS</i>   | 6                | PA                           | <i>naftifine topical cream 1 %</i>                     | 4                |                            |
| <i>caspofungin</i>  | 6                | PA                           | <i>NATACYN</i>   | 3                |                            |
| <i>ciclopirox topical cream</i>   | 2                |                              | <i>NOXAFIL ORAL SUSPENSION</i>                         | 6                | PA                         |
| <i>ciclopirox topical gel</i>   | 4                |                              | <i>NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC)</i>     | 6                | PA; QL (90 EA per 30 days) |
| <i>ciclopirox topical shampoo</i>   | 4                |                              | <i>nyamyc</i>  | 2                |                            |
| <i>ciclopirox topical solution</i>  | 2                |                              | <i>nystatin oral suspension</i>                        | 2                |                            |
| <i>ciclopirox topical suspension</i>  | 2                |                              | <i>nystatin oral tablet</i>                            | 2                |                            |
| <i>clotrimazole mucous membrane</i>   | 2                |                              | <i>nystatin topical</i>                                | 2                |                            |
| <i>clotrimazole topical</i>   | 2                |                              | <i>nystop</i>  | 2                |                            |
| <i>CRESEMBIA</i>  | 6                | PA                           | <i>EXISTAT TOPICAL LOTION</i>                          | 4                |                            |
| <i>econazole</i>  | 2                |                              | <i>SPORANOX ORAL SOLUTION</i>                          | 6                | PA                         |
| <i>ERAXIS(WATER DILUENT)</i>  | 5                | B/D                          | <i>terbinafine hcl oral</i>                            | 2                | QL (30 EA per 30 days)     |
| <i>INTRAVENOUS RECON SOLN 50 MG</i>   |                  |                              | <i>terconazole</i>                                     | 2                |                            |
| <i>fluconazole</i>  | 2                |                              | <i>voriconazole intravenous</i>                        | 5                |                            |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 5                |                              | <i>voriconazole oral suspension for reconstitution</i> | 6                | PA                         |
| <i>flucytosine</i>  | 6                |                              | <i>voriconazole oral tablet 200 mg</i>                 | 6                | PA                         |
| <i>griseofulvin microsize oral suspension</i>   | 2                |                              |  |                  |                            |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>  | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|-----------------------------|---|------------------|----------------------------|
| <i>voriconazole oral tablet 50 mg</i>                    | 4                | PA                          | MEDROL ORAL TABLET 2 MG   | 3                |                            |
| ZOLINZA  | 6                | PA; QL (120 EA per 30 days) | <i>methylprednisolone acetate</i>   | 5                |                            |
| <b>Antigout Agents</b>                                   |                  |                             |   |                  |                            |
| <i>Antigout Agents</i>                                   |                  |                             |   |                  |                            |
| <i>allopurinol</i>                                       | 1                |                             | <i>methylprednisolone oral tablet</i>   | 2                |                            |
| <i>colchicine oral capsule</i>                           | 3                | QL (60 EA per 30 days)      | <i>methylprednisolone sodium succ injection recon soln 40 mg</i>  | 5                |                            |
| <i>colchicine oral tablet</i>                            | 3                | QL (120 EA per 30 days)     | <i>methylprednisolone sodium succ intravenous</i>   | 5                |                            |
| <i>probencid</i>   | 2                |                             | PRED MILD   | 4                |                            |
| <i>probencid-colchicine</i>                              | 2                |                             | <i>prednisolone acetate</i>   | 2                |                            |
| ULORIC   | 3                | ST; QL (30 EA per 30 days)  | <i>prednisolone sodium phosphate ophthalmic (eye)</i>   | 2                |                            |
| <b>Anti-Inflammatory Agents</b>                          |                  |                             |   |                  |                            |
| <i>Glucocorticoids</i>                                   |                  |                             |   |                  |                            |
| <i>betamethasone dipropionate</i>                        | 2                |                             | <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2                |                            |
| <i>betamethasone valerate topical cream</i>              | 2                |                             | <i>prednisone intensol</i>  | 2                |                            |
| <i>betamethasone valerate topical lotion</i>             | 2                |                             | <i>prednisone oral solution</i>   | 2                |                            |
| <i>betamethasone valerate topical ointment</i>           | 2                |                             | <i>prednisone oral tablet</i>   | 1                |                            |
| <i>betamethasone, augmented</i>                          | 2                |                             | <i>sulfacetamide-prednisolone</i>   | 2                |                            |
| BLEPHAMIDE S.O.P.  | 3                |                             | <b>Nonsteroidal Anti-Inflammatory Drugs</b>   |                  |                            |
| <i>cortisone</i>   | 2                |                             | <i>celecoxib oral capsule</i>   | 2                | QL (60 EA per 30 days)     |
| <i>dexamethasone intensol</i>                            | 4                |                             | <i>celecoxib oral capsule</i>   | 2                | QL (30 EA per 30 days)     |
| <i>dexamethasone oral elixir</i>                         | 2                |                             | <i>diclofenac potassium</i>   | 2                |                            |
| <i>dexamethasone oral tablet</i>                         | 2                |                             | <i>diclofenac sodium oral</i>   | 2                |                            |
| <i>dexamethasone sodium phosphate injection solution</i> | 5                |                             | <i>diflunisal</i>   | 2                |                            |
| <i>hydrocortisone oral tablet 20 mg, 5 mg</i>            | 2                |                             | <i>etodolac oral capsule 200 mg</i>   | 2                |                            |
|  |                  |                             | <i>etodolac oral tablet</i>   | 2                |                            |
|  |                  |                             | <i>etodolac oral tablet extended release 24 hr</i>  | 2                |                            |

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>             |
|---|------------------|----------------------------|---|------------------|--|
| <i>fenoprofen oral tablet</i>                       | 2                |                            | <i>migergot</i>   | 3                | QL (5 EA per 7 days)                   |
| <i>flurbiprofen</i>                                 | 2                |                            | <b><i>Prophylactic</i></b>                                      |                  |  |
| <i>ibuprofen oral suspension</i>                    | 2                |                            | <i>divalproex</i>   | 2                |  |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1                |                            | <i>timolol maleate oral</i>                                     | 2                |  |
| <b>INDOCIN ORAL</b>                                 | 4                |                            | <i>topiramate oral capsule, sprinkle</i>                        | 2                | PA                                     |
| <i>indomethacin oral capsule</i>                    | 2                |                            | <i>topiramate oral tablet</i>                                   | 2                | PA                                     |
| <i>indomethacin oral capsule, extended release</i>  | 4                |                            | <i>valproic acid</i>  | 2                |  |
| <i>ketoprofen oral capsule</i>                      | 2                |                            | <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2                |  |
| <i>meclofenamate</i>                                | 4                |                            | <b><i>Serotonin (5-HT) 1B/1D Receptor Agonists</i></b>          |                  |  |
| <i>mefenamic acid</i>                               | 4                |                            | <i>naratriptan</i>  | 2                | QL (18 EA per 30 days)                 |
| <i>meloxicam oral tablet</i>                        | 2                |                            | <i>rizatriptan</i>  | 2                | QL (24 EA per 30 days)                 |
| <i>nabumetone</i>                                   | 2                |                            | <i>sumatriptan</i>  | 4                | nasal solution; QL (18 EA per 30 days) |
| <i>naproxen oral suspension</i>                     | 2                |                            | <i>sumatriptan succinate oral</i>                               | 2                | QL (18 EA per 30 days)                 |
| <i>naproxen oral tablet</i>                         | 1                |                            | <i>sumatriptan succinate subcutaneous cartridge</i>             | 5                | QL (8 ML per 30 days)                  |
| <i>naproxen oral tablet,delayed release (dr/ec)</i> | 2                |                            | <i>sumatriptan succinate subcutaneous pen injector</i>          | 5                | QL (8 ML per 30 days)                  |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>   | 2                |                            | <i>sumatriptan succinate subcutaneous solution</i>              | 5                | QL (8 ML per 30 days)                  |
| <i>oxaprozin</i>                                    | 2                |                            | <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>   | 5                | QL (8 ML per 30 days)                  |
| <i>piroxicam</i>                                    | 3                |                            | <i>zolmitriptan</i>   | 4                | QL (18 EA per 30 days)                 |
| <i>sulindac</i>                                     | 2                |                            |   |                  |  |
| <i>tolmetin oral capsule</i>                        | 4                |                            |   |                  |  |
| <i>tolmetin oral tablet 600 mg</i>                  | 4                |                            |   |                  |  |
| <b>Antimigraine Agents</b>                          |                  |                            | <b>Antimyasthenic Agents</b>                                    |                  |  |
| <b>Ergot Alkaloids</b>                              |                  |                            | <b>Parasympathomimetics</b>                                     |                  |  |
| <i>dihydroergotamine injection</i>                  | 5                |                            | <i>guanidine</i>  | 2                |  |
| <i>dihydroergotamine nasal</i>                      | 6                | PA; QL (8 ML per 30 days)  | <b>MESTINON ORAL SYRUP</b>                                      | 4                |  |
| <i>ergotamine-caffeine</i>                          | 4                | QL (40 EA per 28 days)     | <i>pyridostigmine bromide oral tablet</i>                       | 2                |  |

| Drug Name   | Drug Tier | Requirement /Limits            | Drug Name                                       | Drug Tier | Requirement /Limits            |
|---|-----------|--------------------------------|---|-----------|--------------------------------|
| <i>pyridostigmine bromide oral tablet extended release</i>    | 4         |                                | YEROVY  | 6         | PA                             |
| <b>Antimycobacterials</b>                                     |           |                                | INTRAVENOUS SOLUTION 50 MG/10 ML (5 MG/ML)      |           |                                |
| <i>Antimycobacterials, Other</i>                              |           |                                | ZALTRAP   | 6         | PA                             |
| <i>dapsone</i>  | 2         |                                | INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)     |           |                                |
| PRIFTIN   | 3         |                                |   |           |                                |
| <i>rifabutin</i>  | 4         |                                |   |           |                                |
| <b>Antituberculars</b>  |           |                                | <b>Alkylating Agents</b>                        |           |                                |
| CAPASTAT  | 5         |                                | <i>busulfan</i>                                 | 5         | B/D                            |
| <i>ethambutol</i>   | 2         |                                | <i>cyclophosphamide oral capsule</i>            | 4         | B/D                            |
| <i>isoniazid injection</i>                                    | 5         |                                | HEXALEN   | 6         |                                |
| <i>isoniazid oral solution</i>                                | 2         |                                | LEUKERAN  | 3         |                                |
| <i>isoniazid oral tablet</i>                                  | 1         |                                | MATULANE  | 6         |                                |
| PASER   | 4         |                                | <i>melphalan hcl</i>                            | 5         | B/D                            |
| <i>pyrazinamide</i>   | 2         |                                | <i>thiotepa</i>                                 | 5         | B/D                            |
| <i>rifampin intravenous</i>                                   | 5         |                                | VALCHLOR  | 6         | PA; QL (60 GM per 30 days)     |
| <i>rifampin oral</i>  | 2         |                                | <b>Antiandrogens</b>                            |           |                                |
| RIFATER   | 4         |                                | <i>bicalutamide</i>                             | 2         |                                |
| SIRTURO   | 6         | PA; QL (24 EA per 28 days)     | <i>flutamide</i>                                | 3         |                                |
| TRECATOR  | 4         |                                | <i>nilutamide</i>                               | 6         | QL (30 EA per 30 days)         |
| <b>Antineoplastics</b>  |           |                                | XTANDI  | 6         | PA; QL (120 EA per 30 days)    |
| ABRAXANE  | 6         | B/D                            | ZYTIGA ORAL TABLET 250 MG                       | 6         | PA; QL (120 EA per 30 days)    |
| <i>fludarabine intravenous recon soln</i>                     | 5         | B/D                            | ZYTIGA ORAL TABLET 500 MG                       | 6         | PA; QL (60 EA per 30 days)     |
| FUSILEV   | 5         | B/D                            | <b>Antiangiogenic Agents</b>                    |           |                                |
| <i>leucovorin calcium injection recon soln 100 mg, 350 mg</i> | 5         | B/D                            | POMALYST  | 6         | PA; QL (30 EA per 30 days)     |
| <i>leucovorin calcium oral</i>                                | 2         |                                | REVLIMID ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG | 6         | PA; LA; QL (30 EA per 30 days) |
| mitoxantrone  | 3         | B/D                            | THALOMID ORAL CAPSULE 100 MG, 50 MG             | 6         | PA; QL (30 EA per 30 days)     |
| REVLIMID ORAL CAPSULE 2.5 MG, 20 MG                           | 6         | PA; LA; QL (30 EA per 30 days) |   |           |                                |
| SYLATRON  | 6         | PA                             |   |           |                                |
| SYNRIBO   | 6         | B/D                            |   |           |                                |

| <b>Drug Name</b>                                 | <b>Drug Tier</b> | <b>Requirement /Limits</b>  | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|-----------------------------|--|------------------|----------------------------|
| THALOMID ORAL CAPSULE 150 MG, 200 MG             | 6                | PA; QL (60 EA per 30 days)  | <i>cytarabine (pf) injection solution 2 gram/20 ml (100 mg/ml)</i>                 | 5                | B/D                        |
| <b><i>Antiestrogens/Modifiers</i></b>            |                  |                             | <i>dacarbazine intravenous recon soln 200 mg</i>                                   | 5                | B/D                        |
| EMCYT  | 4                |                             | <i>daunorubicin intravenous solution</i>   | 5                | B/D                        |
| FARESTON   | 6                |                             | <i>decitabine</i>  | 6                | PA                         |
| SOLTAMOX   | 4                |                             | <i>dexrazoxane hcl intravenous recon soln 250 mg</i>                               | 5                | B/D                        |
| <i>tamoxifen</i>                                 | 2                |                             | <i>docetaxel intravenous solution 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | 5                | B/D                        |
| <b><i>Antimetabolites</i></b>                    |                  |                             | <i>doxorubicin intravenous solution 50 mg/25 ml</i>                                | 5                | B/D                        |
| DROXIA   | 4                |                             | <i>doxorubicin, peg-liposomal</i>  | 5                | B/D                        |
| <i>gemcitabine intravenous recon soln 1 gram</i> | 6                | B/D                         | <b>ELITEK</b>  | 6                |                            |
| <i>hydroxyurea</i>                               | 2                |                             | <i>epirubicin intravenous solution 200 mg/100 ml</i>                               | 5                | B/D                        |
| LONSURF ORAL TABLET 15-6.14 MG                   | 6                | PA; QL (100 EA per 28 days) | <b>ERBITUX</b>   | 6                | B/D                        |
| LONSURF ORAL TABLET 20-8.19 MG                   | 6                | PA; QL (80 EA per 28 days)  | <b>INTRAVENOUS SOLUTION 100 MG/50 ML</b>   |                  |                            |
| PURIXAN  | 6                | PA                          | <b>ERWINAZE</b>  | 6                | B/D                        |
| TABLOID  | 3                |                             | <b>FASLODEX</b>  | 6                |                            |
| <b><i>Antineoplastics</i></b>                    |                  |                             | <b>GLEOSTINE</b>   | 4                |                            |
| ALIMTA INTRAVENOUS RECON SOLN 500 MG             | 6                | B/D                         | <b>HALAVEN</b>   | 6                | B/D                        |
| ARRANON  | 6                | B/D                         | <b>HERCEPTIN</b>   | 6                | B/D                        |
| AVASTIN  | 6                | B/D                         | <b>INTRAVENOUS RECON SOLN 440 MG</b>   |                  |                            |
| <i>azacitidine</i>                               | 6                | B/D                         | <b>idarubicin</b>  | 5                | B/D                        |
| BELEODAQ   | 6                | PA                          | <b>ifosfamide intravenous recon soln 1 gram</b>                                    | 5                | B/D                        |
| BICNU  | 5                | B/D                         | <b>irinotecan intravenous solution 100 mg/5 ml</b>                                 | 5                | B/D                        |
| <i>bleomycin injection recon soln 30 unit</i>    | 5                | B/D                         | <b>ISTODAX</b>   | 6                | B/D                        |
| <i>carboplatin intravenous solution</i>          | 5                | B/D                         |  |                  |                            |
| <i>cisplatin</i>                                 | 5                | B/D                         |  |                  |                            |
| <i>cladribine</i>                                | 6                | B/D                         |  |                  |                            |
| <i>clofarabine</i>                               | 5                | B/D                         |  |                  |                            |
| CLOLAR   | 5                | B/D                         |  |                  |                            |
| COSMEGEN   | 6                | B/D                         |  |                  |                            |
| <i>cytarabine</i>                                | 5                | B/D                         |  |                  |                            |

| Drug Name  | Drug Tier | Requirement /Limits             | Drug Name  | Drug Tier | Requirement /Limits            |  |
|--|-----------|---------------------------------|--|-----------|--------------------------------|--|
| JEVTANA  | 6         | B/D                             | VENCLEXTA ORAL TABLET 50 MG                                      | 4         | PA; QL (30 EA per 30 days)     |  |
| KADCYLA  | 6         | PA                              | VENCLEXTA STARTING PACK  | 6         | PA; QL (84 EA per 365 days)    |  |
| INTRAVENOUS RECON SOLN 100 MG                        |           |                                 | <i>vinblastine intravenous solution</i>                          | 5         | B/D                            |  |
| <i>levoleucovorin intravenous recon soln 50 mg</i>   | 5         | B/D                             | <i>vincasar pfs intravenous solution 1 mg/ml</i>                 | 5         | B/D                            |  |
| LYNPARZA ORAL CAPSULE                                | 6         | PA; QL (480 EA per 30 days)     | <i>vincristine intravenous solution 1 mg/ml</i>                  | 5         | B/D                            |  |
| LYNPARZA ORAL TABLET                                 | 6         | PA; LA; QL (120 EA per 30 days) | <i>vinorelbine intravenous solution 50 mg/5 ml</i>               | 5         | B/D                            |  |
| <i>mesna</i>   | 5         |                                 | VYXEOS   | 6         | PA                             |  |
| MESNEX ORAL  | 6         |                                 | YONDELIS   | 5         | PA                             |  |
| <i>mitomycin</i>                                     | 5         | B/D                             | ZEJULA   | 6         | PA; LA; QL (90 EA per 30 days) |  |
| MUSTARGEN  | 6         | B/D                             | <b>Aromatase Inhibitors, 3Rd Generation</b>                      |           |                                |  |
| NINLARO  | 6         | PA; QL (3 EA per 28 days)       | <i>anastrozole</i>   | 2         |                                |  |
| NIPENT   | 5         | B/D                             | <i>exemestane</i>  | 4         |                                |  |
| <i>oxaliplatin intravenous solution 100 mg/20 ml</i> | 5         | B/D                             | <i>letrozole</i>   | 2         |                                |  |
| paclitaxel   | 5         | B/D                             | <b>Enzyme Inhibitors</b>   |           |                                |  |
| PROLEUKIN  | 6         | B/D                             | ETOPOPHOS  | 5         | B/D                            |  |
| RUBRACA ORAL TABLET 200 MG, 300 MG                   | 6         | PA; QL (120 EA per 30 days)     | <i>etoposide intravenous</i>                                     | 3         | B/D                            |  |
| TREANDA INTRAVENOUS RECON SOLN 100 MG                | 6         | B/D                             | FARYDAK  | 6         | PA; QL (6 EA per 21 days)      |  |
| TRISENOX   | 5         | B/D                             | IBRANCE  | 6         | PA; QL (21 EA per 28 days)     |  |
| VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML) | 6         | B/D                             | IDHIFA   | 6         | PA; LA; QL (30 EA per 30 days) |  |
| VELCADE  | 6         | B/D                             | KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 6         | PA; QL (49 EA per 28 days)     |  |
| VENCLEXTA ORAL TABLET 10 MG                          | 4         | PA; QL (60 EA per 30 days)      | KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 6         | PA; QL (70 EA per 28 days)     |  |
| VENCLEXTA ORAL TABLET 100 MG                         | 6         | PA; QL (120 EA per 30 days)     |  |           |                                |  |

| Drug Name  | Drug Tier | Requirement /Limits         | Drug Name   | Drug Tier | Requirement /Limits            |
|--|-----------|-----------------------------|---|-----------|--------------------------------|
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 6         | PA; QL (91 EA per 28 days)  | COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 6         | PA; QL (56 EA per 28 days)     |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)                      | 6         | PA; QL (21 EA per 28 days)  | COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 6         | PA; QL (112 EA per 28 days)    |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)                      | 6         | PA; QL (42 EA per 28 days)  | COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)     | 6         | PA; QL (84 EA per 28 days)     |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)                      | 6         | PA; QL (63 EA per 28 days)  | COTELLIC  | 6         | PA; LA; QL (63 EA per 28 days) |
| <i>topotecan intravenous recon soln</i>                          | 5         | B/D                         | ERIVEDGE  | 6         | PA; QL (30 EA per 30 days)     |
| ZOLINZA  | 6         | PA; QL (120 EA per 30 days) | GILOTRIF  | 6         | PA; QL (30 EA per 30 days)     |
| ZYDELIG  | 6         | PA; QL (60 EA per 30 days)  | ICLUSIG ORAL TABLET 15 MG                           | 6         | PA; QL (60 EA per 30 days)     |
| <b>Molecular Target Inhibitors</b>                               |           |                             | ICLUSIG ORAL TABLET 45 MG                           | 6         | PA; QL (30 EA per 30 days)     |
| AFINITOR ORAL TABLET 10 MG, 7.5 MG                               | 6         | PA; QL (60 EA per 30 days)  | <i>imatinib oral tablet 100 mg</i>                  | 6         | PA; QL (240 EA per 30 days)    |
| AFINITOR ORAL TABLET 2.5 MG, 5 MG                                | 6         | PA; QL (30 EA per 30 days)  | <i>imatinib oral tablet 400 mg</i>                  | 6         | PA; QL (60 EA per 30 days)     |
| ALECensa   | 6         | PA; QL (240 EA per 30 days) | IMBRUVICA   | 6         | PA; QL (120 EA per 30 days)    |
| ALUNBRIG   | 6         | PA; QL (180 EA per 30 days) | INLYTA ORAL TABLET 1 MG                             | 6         | PA; QL (180 EA per 30 days)    |
| BOSULIF ORAL TABLET 100 MG                                       | 6         | PA; QL (120 EA per 30 days) | INLYTA ORAL TABLET 5 MG                             | 6         | PA; QL (120 EA per 30 days)    |
| BOSULIF ORAL TABLET 500 MG                                       | 6         | PA; QL (30 EA per 30 days)  | IRESSA  | 6         | PA; LA; QL (60 EA per 30 days) |
| CABOMETYX  | 6         | PA; QL (30 EA per 30 days)  | JAKAFI  | 6         | PA; QL (60 EA per 30 days)     |
| CAPRELSA ORAL TABLET 100 MG                                      | 6         | PA; QL (60 EA per 30 days)  | KYPROLIS  | 6         | PA                             |
| CAPRELSA ORAL TABLET 300 MG                                      | 6         | PA; QL (30 EA per 30 days)  | LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY)      | 6         | PA; LA; QL (30 EA per 30 days) |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>      | <b>Drug Name</b>                   | <b>Drug Tier</b> | <b>Requirement /Limits</b>     |
|--|------------------|---------------------------------|------------------------------------|------------------|--------------------------------|
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 6                | PA; LA; QL (60 EA per 30 days)  | SUTENT ORAL CAPSULE 37.5 MG, 50 MG | 6                | PA; QL (30 EA per 30 days)     |
| LENVIMA ORAL CAPSULE 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)              | 6                | PA; LA; QL (90 EA per 30 days)  | TAFINLAR                           | 6                | PA; QL (120 EA per 30 days)    |
| MEKINIST ORAL TABLET 0.5 MG  | 6                | PA; QL (90 EA per 30 days)      | TAGRISSO                           | 6                | PA; LA; QL (30 EA per 30 days) |
| MEKINIST ORAL TABLET 2 MG  | 6                | PA; QL (30 EA per 30 days)      | TARCEVA ORAL TABLET 100 MG, 150 MG | 6                | PA; QL (90 EA per 30 days)     |
| NERLYNX  | 6                | PA; LA; QL (180 EA per 30 days) | TARCEVA ORAL TABLET 25 MG          | 6                | PA; QL (180 EA per 30 days)    |
| NEXAVAR  | 6                | PA; LA; QL (120 EA per 30 days) | TASIGNA                            | 6                | PA; QL (120 EA per 30 days)    |
| ODOMZO   | 6                | PA; LA; QL (30 EA per 30 days)  | TYKERB                             | 6                | PA; QL (660 EA per 30 days)    |
| OFEV   | 6                | PA; QL (60 EA per 30 days)      | VOTRIENT                           | 6                | PA; QL (120 EA per 30 days)    |
| RYDAPT   | 6                | PA; QL (224 EA per 28 days)     | XALKORI                            | 6                | PA; QL (60 EA per 30 days)     |
| SPRYCEL ORAL TABLET 100 MG, 140 MG   | 6                | PA; QL (30 EA per 30 days)      | ZELBORAF                           | 6                | PA; QL (240 EA per 30 days)    |
| SPRYCEL ORAL TABLET 20 MG  | 6                | PA; QL (180 EA per 30 days)     | ZYKADIA                            | 6                | PA; QL (150 EA per 30 days)    |
| SPRYCEL ORAL TABLET 50 MG  | 6                | PA; QL (90 EA per 30 days)      | <b>Monoclonal Antibodies</b>       |                  |                                |
| SPRYCEL ORAL TABLET 70 MG, 80 MG   | 6                | PA; QL (60 EA per 30 days)      | BAVENCIO                           | 6                | PA                             |
| STIVARGA   | 6                | PA; QL (120 EA per 30 days)     | CYRAMZA                            | 6                | PA                             |
| SUTENT ORAL CAPSULE 12.5 MG  | 6                | PA; QL (210 EA per 30 days)     | DARZALEX                           | 6                | PA; LA                         |
| SUTENT ORAL CAPSULE 25 MG  | 6                | PA; QL (90 EA per 30 days)      | EMPLICITI                          | 6                | PA                             |
|  |                  |                                 | IMFINZI                            | 6                | PA                             |
|  |                  |                                 | KEYTRUDA                           | 6                | PA                             |
|  |                  |                                 | LARTRUVO                           | 6                | PA                             |
|  |                  |                                 | OPDIVO                             | 6                | PA                             |
|  |                  |                                 | INTRAVENOUS SOLUTION 40 MG/4 ML    |                  |                                |
|  |                  |                                 | RITUXAN                            | 6                | PA                             |
|  |                  |                                 | SYLVANT                            | 6                | PA                             |
|  |                  |                                 | INTRAVENOUS RECON SOLN 100 MG      |                  |                                |
|  |                  |                                 | TECENTRIQ                          | 6                | PA                             |
|  |                  |                                 | <b>Retinoids</b>                   |                  |                                |

| Drug Name                                 | Drug Tier | Requirement /Limits         | Drug Name  | Drug Tier | Requirement /Limits     |
|---|-----------|-----------------------------|--|-----------|-------------------------|
| bexarotene                                | 6         | PA; QL (300 EA per 30 days) | <b>Antiparkinson Agents</b>                                    |           |                         |
| PANRETIN                                  | 6         | PA                          | <b>Anticholinergics</b>  |           |                         |
| TARGRETIN                                 | 6         | PA; QL (60 GM per 30 days)  | benztropine oral   | 2         |                         |
| TOPICAL                                   |           |                             | diphenhydramine hcl injection solution 50 mg/ml                | 5         |                         |
| tretinoin<br>(chemotherapy)               | 6         |                             | trihexyphenidyl  | 2         |                         |
| tretinoin topical cream                   | 2         | PA                          | <b>Antiparkinson Agents, Other</b>                             |           |                         |
| tretinoin topical gel<br>0.01 %, 0.025 %  | 2         | PA                          | amantadine hcl   | 2         |                         |
| <b>Antiparasitics</b>                     |           |                             | entacapone   | 4         | QL (240 EA per 30 days) |
| <i><b>Anthelmintics</b></i>               |           |                             | tolcapone  | 6         | QL (180 EA per 30 days) |
| ALBENZA                                   | 4         |                             | <b>Antiparkinson Agents</b>                                    |           |                         |
| BILTRICIDE                                | 3         |                             | carbidopa  | 4         |                         |
| ivermectin                                | 2         |                             | carbidopa-levodopa-entacapone                                  | 4         |                         |
| <i><b>Antiprotozoals</b></i>              |           |                             | <b>Dopamine Agonists</b>                                       |           |                         |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION | 4         | QL (180 ML per 3 days)      | APOKYN   | 6         | PA                      |
| ALINIA ORAL TABLET                        | 4         | QL (6 EA per 3 days)        | bromocriptine  | 3         |                         |
| atovaquone                                | 6         | PA                          | NEUPRO   | 4         | QL (30 EA per 30 days)  |
| atovaquone-proguanil                      | 3         |                             | pramipexole oral tablet  | 2         |                         |
| chloroquine phosphate                     | 2         |                             | pramipexole oral tablet extended release                       | 4         | QL (30 EA per 30 days)  |
| COARTEM                                   | 4         | QL (24 EA per 2 days)       | 24 hr 0.375 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg                 |           |                         |
| DARAPRIM                                  | 4         |                             | pramipexole oral tablet extended release                       | 4         | QL (180 EA per 30 days) |
| hydroxychloroquine                        | 2         |                             | 24 hr 0.75 mg  |           |                         |
| mefloquine                                | 2         |                             | pramipexole oral tablet extended release                       | 4         | QL (90 EA per 30 days)  |
| NEBUPENT                                  | 4         | B/D                         | 24 hr 1.5 mg   |           |                         |
| PENTAM                                    | 5         | B/D                         | ropinirole oral tablet   | 2         |                         |
| primaquine                                | 2         |                             | ropinirole oral tablet extended release                        | 4         | QL (60 EA per 30 days)  |
| quinine sulfate                           | 3         | PA; QL (180 EA per 30 days) | 24 hr 12 mg  |           |                         |
| <i><b>Pediculicides/ Scabicides</b></i>   |           |                             | ropinirole oral tablet extended release 24 hr 2 mg, 4 mg, 6 mg | 4         | QL (30 EA per 30 days)  |
| EURAX                                     | 4         |                             |  |           |                         |
| lindane topical shampoo                   | 2         |                             |  |           |                         |
| malathion                                 | 3         |                             |  |           |                         |
| permethrin topical cream                  | 2         |                             |  |           |                         |

| Drug Name   | Drug Tier | Requirement /Limits    | Drug Name  | Drug Tier | Requirement /Limits     |
|---|-----------|------------------------|--|-----------|-------------------------|
| <i>ropinirole oral tablet extended release 24 hr 8 mg</i>                 | 4         | QL (90 EA per 30 days) | ABILIFY  | 6         | PA                      |
| <b>Dopamine Precursors/ L-Amino Acid Decarboxylase Inhibitors</b>         |           |                        | MAINTENA   |           |                         |
| <i>carbidopa-levodopa</i>   | 2         |                        | INTRAMUSCULAR SUSPENSION,EXTE NDDED REL RECON 300 MG           |           |                         |
| <b>Monoamine Oxidase B (Mao-B) Inhibitors</b>                             |           |                        | ABILIFY  | 6         | PA                      |
| <i>rasagiline</i>   | 3         | QL (30 EA per 30 days) | MAINTENA   |           |                         |
| <i>selegiline hcl oral capsule</i>  | 3         |                        | INTRAMUSCULAR SUSPENSION,EXTE NDDED REL SYRING                 |           |                         |
| <i>selegiline hcl oral tablet</i>   | 2         |                        | aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg            | 4         | QL (30 EA per 30 days)  |
| <b>Antipsychotics</b>   |           |                        | aripiprazole oral tablet 2 mg                                  | 4         | QL (120 EA per 30 days) |
| <b>1St Generation/ Typical</b>  |           |                        | aripiprazole oral tablet 5 mg                                  | 4         | QL (60 EA per 30 days)  |
| <i>chlorpromazine injection</i>   | 5         |                        | aripiprazole oral tablet,disintegrating                        | 6         | QL (60 EA per 30 days)  |
| <i>chlorpromazine oral</i>  | 2         |                        | ARISTADA   | 6         | PA                      |
| <i>fluphenazine decanoate</i>   | 5         |                        | FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG                            | 4         | QL (60 EA per 30 days)  |
| <i>fluphenazine hcl injection</i>   | 5         |                        | FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG                    | 6         | QL (60 EA per 30 days)  |
| <i>fluphenazine hcl oral</i>  | 2         |                        | FANAPT ORAL TABLETS,DOSE PACK                                  | 4         | QL (8 EA per 30 days)   |
| <i>haloperidol</i>  | 2         |                        | GEODON   | 5         |                         |
| <i>haloperidol decanoate</i>  | 5         |                        | INTRAMUSCULAR INVEGA SUSTENNA                                  | 6         | PA                      |
| <i>haloperidol lactate injection</i>                                      | 5         |                        | INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML |           |                         |
| <i>haloperidol lactate oral</i>   | 2         |                        | INVEGA SUSTENNA  | 5         | PA                      |
| <i>loxapine succinate</i>   | 2         |                        | INTRAMUSCULAR SYRINGE 39 MG/0.25 ML, 78 MG/0.5 ML              |           |                         |
| <i>perphenazine</i>   | 2         |                        | INVEGA TRINZA  | 6         | PA                      |
| <i>pimozide</i>   | 3         |                        |  |           |                         |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 5         | B/D                    |  |           |                         |
| <i>prochlorperazine maleate</i>   | 2         |                        |  |           |                         |
| <i>thioridazine</i>   | 2         |                        |  |           |                         |
| <i>thiothixene</i>  | 2         |                        |  |           |                         |
| <i>trifluoperazine</i>  | 2         |                        |  |           |                         |
| <b>2Nd Generation/ Atypical</b>   |           |                        |  |           |                         |

| Drug Name  | Drug Tier | Requirement /Limits            | Drug Name   | Drug Tier | Requirement /Limits        |
|--|-----------|--------------------------------|---|-----------|----------------------------|
| LATUDA ORAL TABLET 120 MG  | 6         | PA; QL (60 EA per 30 days)     | <i>risperidone oral tablet,disintegrating</i>               | 4         |                            |
| LATUDA ORAL TABLET 20 MG, 40 MG, 60 MG                                   | 4         | PA; QL (30 EA per 30 days)     | SAPHRIS (BLACK CHERRY)                                      | 4         | QL (60 EA per 30 days)     |
| LATUDA ORAL TABLET 80 MG   | 4         | PA; QL (60 EA per 30 days)     | VRAYLAR ORAL CAPSULE  | 6         | PA; QL (30 EA per 30 days) |
| NUPLAZID   | 6         | PA; LA; QL (60 EA per 30 days) | VRAYLAR ORAL CAPSULE,DOSE PACK                              | 4         | PA; QL (7 EA per 30 days)  |
| <i>olanzapine intramuscular</i>  | 5         |                                | <i>ziprasidone hcl</i>                                      | 4         |                            |
| <i>olanzapine oral tablet</i>  | 2         |                                | ZYPREXA   | 5         |                            |
| <i>olanzapine oral tablet,disintegrating</i>                             | 4         |                                | RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG |           |                            |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | 6         | PA; QL (30 EA per 30 days)     | <b>Treatment-Resistant clozapine oral tablet</b>            | 2         |                            |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i>               | 6         | PA; QL (60 EA per 30 days)     | <i>clozapine oral tablet,disintegrating</i>                 | 4         |                            |
| <i>quetiapine oral tablet</i>  | 2         |                                | VERSACLOZ   | 6         | QL (540 ML per 30 days)    |
| <i>quetiapine oral tablet extended release 24 hr</i>                     | 3         |                                | <b>Antispasticity Agents</b>                                |           |                            |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG                                      | 4         | PA; QL (30 EA per 30 days)     | <b>Antispasticity Agents</b>                                |           |                            |
| REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG                               | 6         | PA; QL (30 EA per 30 days)     | <i>baclofen</i>   | 2         |                            |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML          | 5         |                                | <i>dantrolene</i>   | 3         |                            |
| RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML          | 6         |                                | <i>tizanidine oral capsule</i>                              | 4         |                            |
| <i>risperidone oral solution</i>   | 3         |                                | <i>tizanidine oral tablet</i>                               | 2         |                            |
| <i>risperidone oral tablet</i>   | 2         |                                | <b>Antivirals</b>   |           |                            |
| <b>Anti-Cytomegalovirus (Cmv) Agents</b>                                 |           |                                | <b>Anti-Cytomegalovirus (Cmv) Agents</b>                    |           |                            |
|  |           |                                | <i>cidofovir</i>  | 5         |                            |
|  |           |                                | <i>ganciclovir sodium</i>                                   | 2         | B/D                        |
|  |           |                                | <i>valganciclovir</i>                                       | 6         |                            |
|  |           |                                | ZIRGAN  | 4         | QL (5 GM per 30 days)      |
| <b>Anti-Hepatitis B (Hbv) Agents</b>                                     |           |                                | <b>Anti-Hepatitis B (Hbv) Agents</b>                        |           |                            |
|  |           |                                | <i>adefovir</i>   | 6         | QL (30 EA per 30 days)     |
|  |           |                                | BARACLUDÉ ORAL SOLUTION                                     | 4         | QL (630 ML per 30 days)    |
|  |           |                                | <i>entecavir</i>  | 6         | QL (30 EA per 30 days)     |

| Drug Name  | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits        |
|--|-----------|----------------------------|---|-----------|----------------------------|
| EPIVIR HBV ORAL SOLUTION                             | 3         |                            | <i>moderiba</i>   | 2         |                            |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML) | 6         | PA                         | PEGASYS PROCLICK  | 6         | PA; QL (2 ML per 30 days)  |
| INTRON A INJECTION SOLUTION                          | 6         | PA                         | PEGASYS SUBCUTANEOUS SOLUTION                               | 6         | PA; QL (4 ML per 30 days)  |
| <i>lamivudine oral solution</i>                      | 3         | QL (900 ML per 30 days)    | PEGASYS SUBCUTANEOUS SYRINGE                                | 6         | PA; QL (2 ML per 30 days)  |
| <i>lamivudine oral tablet 100 mg</i>                 | 3         |                            | PEGINTRON REDIPEN   | 6         | PA                         |
| <i>lamivudine oral tablet 150 mg</i>                 | 3         | QL (60 EA per 30 days)     | SUBCUTANEOUS PEN INJECTOR KIT 120 MCG/0.5 ML                |           |                            |
| <i>lamivudine oral tablet 300 mg</i>                 | 3         | QL (30 EA per 30 days)     | PEGINTRON   | 6         | PA                         |
| <i>ribasphere</i>                                    | 2         |                            | SUBCUTANEOUS KIT 50 MCG/0.5 ML                              |           |                            |
| <i>ribavirin oral capsule</i>                        | 2         |                            | <i>ribasphere</i>   | 2         |                            |
| <i>ribavirin oral tablet 200 mg</i>                  | 2         |                            | <i>ribavirin oral capsule</i>                               | 2         |                            |
| VIREAD ORAL POWDER                                   | 4         | QL (225 GM per 30 days)    | <i>ribavirin oral tablet 200 mg</i>                         | 2         |                            |
| VIREAD ORAL TABLET 150 MG                            | 4         | QL (60 EA per 30 days)     | SOVALDI   | 6         | PA; QL (30 EA per 30 days) |
| VIREAD ORAL TABLET 200 MG, 250 MG                    | 4         | QL (30 EA per 30 days)     | SYLATRON  | 6         | PA                         |
| VIREAD ORAL TABLET 300 MG                            | 6         | QL (30 EA per 30 days)     | <b><i>Antiherpetic Agents</i></b>                           |           |                            |
| <b><i>Anti-Hepatitis C (Hcv) Agents</i></b>          |           |                            | <i>acyclovir oral capsule</i>                               | 2         |                            |
| DAKLINZA   | 6         | PA; QL (30 EA per 30 days) | <i>acyclovir oral</i>                                       | 2         |                            |
| EPCLUSA  | 6         | PA; QL (30 EA per 30 days) | <i>suspension 200 mg/5 ml</i>                               |           |                            |
| HARVONI  | 6         | PA; QL (30 EA per 30 days) | <i>acyclovir oral tablet</i>                                | 2         |                            |
| INTRON A INJECTION RECON SOLN                        | 6         | PA                         | <i>acyclovir sodium intravenous solution</i>                | 5         | B/D                        |
| INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML        | 6         | PA                         | <i>acyclovir topical</i>                                    | 4         | PA; QL (30 GM per 30 days) |
|  |           |                            | DENAVIR   | 6         | PA; QL (5 GM per 30 days)  |
|  |           |                            | <i>famciclovir</i>  | 2         |                            |
|  |           |                            | <i>trifluridine</i>   | 3         |                            |
|  |           |                            | <i>valacyclovir</i>   | 2         |                            |
|  |           |                            | <b><i>Anti-Hiv Agents, Integrase Inhibitors (Insti)</i></b> |           |                            |
|  |           |                            | GENVOYA   | 6         | QL (30 EA per 30 days)     |

| Drug Name  | Drug Tier | Requirement /Limits      | Drug Name  | Drug Tier | Requirement /Limits     |
|--|-----------|--------------------------|--|-----------|-------------------------|
| ISENTRESS HD   | 6         | QL (60 EA per 30 days)   | RESCRIPTOR ORAL TABLET, DISPERSIBLE  | 4         | QL (360 EA per 30 days) |
| ISENTRESS ORAL POWDER IN PACKET  | 3         | QL (60 EA per 30 days)   | SUSTIVA ORAL CAPSULE 200 MG  | 3         | QL (90 EA per 30 days)  |
| ISENTRESS ORAL TABLET  | 6         | QL (120 EA per 30 days)  | SUSTIVA ORAL CAPSULE 50 MG   | 3         | QL (180 EA per 30 days) |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG  | 6         | QL (180 EA per 30 days)  | SUSTIVA ORAL TABLET  | 3         | QL (30 EA per 30 days)  |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG   | 3         | QL (180 EA per 30 days)  | <b><i>Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti)</i></b> |           |                         |
| STRIBILD   | 6         | QL (30 EA per 30 days)   | <i>abacavir oral tablet</i>  | 4         | QL (60 EA per 30 days)  |
| TIVICAY ORAL TABLET 10 MG  | 4         | QL (60 EA per 30 days)   | <i>abacavir-lamivudine</i>   | 6         | QL (30 EA per 30 days)  |
| TIVICAY ORAL TABLET 25 MG, 50 MG   | 6         | QL (60 EA per 30 days)   | <i>abacavir-lamivudine-zidovudine</i>  | 6         | QL (60 EA per 30 days)  |
| <b><i>Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti)</i></b> |           |                          | ATRIPLA  | 6         | QL (30 EA per 30 days)  |
| COMPLERA   | 6         | QL (30 EA per 30 days)   | DESCOVY  | 6         | QL (30 EA per 30 days)  |
| EDURANT  | 6         | QL (60 EA per 30 days)   | <i>didanosine</i>  | 3         | QL (30 EA per 30 days)  |
| INTELENCE ORAL TABLET 100 MG   | 6         | QL (120 EA per 30 days)  | EMTRIVA ORAL CAPSULE   | 4         | QL (30 EA per 30 days)  |
| INTELENCE ORAL TABLET 200 MG   | 6         | QL (60 EA per 30 days)   | EMTRIVA ORAL SOLUTION  | 4         | QL (720 ML per 30 days) |
| INTELENCE ORAL TABLET 25 MG  | 4         | QL (360 EA per 30 days)  | <i>lamivudine oral solution</i>  | 3         | QL (900 ML per 30 days) |
| <i>nevirapine oral suspension</i>  | 3         | QL (1200 ML per 30 days) | <i>lamivudine oral tablet 100 mg</i>   | 3         |                         |
| <i>nevirapine oral tablet</i>  | 3         | QL (60 EA per 30 days)   | <i>lamivudine oral tablet 150 mg</i>   | 3         | QL (60 EA per 30 days)  |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i>                            | 4         | QL (90 EA per 30 days)   | <i>lamivudine oral tablet 300 mg</i>   | 3         | QL (30 EA per 30 days)  |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i>                            | 4         | QL (30 EA per 30 days)   | <i>lamivudine-zidovudine</i>   | 4         | QL (60 EA per 30 days)  |
| RESCRIPTOR ORAL TABLET   | 4         | QL (180 EA per 30 days)  | ODEFSEY  | 6         | QL (30 EA per 30 days)  |
|  |           |                          | RETROVIR INTRAVENOUS   | 5         |                         |
|  |           |                          | <i>stavudine oral capsule</i>  | 2         | QL (60 EA per 30 days)  |

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>              | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|-------------------------------|------------------|----------------------------|
| <i>stavudine oral recon soln</i>                   | 2                | QL (2400 ML per 30 days)   | APTIVUS ORAL CAPSULE          | 6                | QL (120 EA per 30 days)    |
| TRUVADA  | 6                | QL (30 EA per 30 days)     | APTIVUS ORAL SOLUTION         | 6                | QL (300 ML per 30 days)    |
| VIDEX 2 GRAM PEDIATRIC                             | 3                |                            | CRIXIVAN ORAL CAPSULE 200 MG  | 3                | QL (270 EA per 30 days)    |
| VIREAD ORAL POWDER                                 | 4                | QL (225 GM per 30 days)    | CRIXIVAN ORAL CAPSULE 400 MG  | 3                | QL (180 EA per 30 days)    |
| VIREAD ORAL TABLET 150 MG                          | 4                | QL (60 EA per 30 days)     | EVOTAZ                        | 6                | QL (30 EA per 30 days)     |
| VIREAD ORAL TABLET 200 MG, 250 MG                  | 4                | QL (30 EA per 30 days)     | INVIRASE ORAL CAPSULE         | 6                | QL (300 EA per 30 days)    |
| VIREAD ORAL TABLET 300 MG                          | 6                | QL (30 EA per 30 days)     | INVIRASE ORAL TABLET          | 6                | QL (120 EA per 30 days)    |
| ZERIT ORAL RECON SOLN                              | 2                | QL (2400 ML per 30 days)   | KALETRA ORAL TABLET 100-25 MG | 4                | QL (120 EA per 30 days)    |
| ZIAGEN ORAL SOLUTION                               | 4                | QL (900 ML per 30 days)    | KALETRA ORAL TABLET 200-50 MG | 6                | QL (120 EA per 30 days)    |
| <i>zidovudine oral capsule</i>                     | 2                | QL (180 EA per 30 days)    | LEXIVA ORAL SUSPENSION        | 4                | QL (1680 ML per 30 days)   |
| <i>zidovudine oral syrup</i>                       | 2                | QL (1800 ML per 30 days)   | LEXIVA ORAL TABLET            | 6                | QL (120 EA per 30 days)    |
| <i>zidovudine oral tablet</i>                      | 2                | QL (60 EA per 30 days)     | <i>lopinavir-ritonavir</i>    | 6                | QL (390 ML per 30 days)    |
| <b><i>Anti-Hiv Agents, Other</i></b>               |                  |                            | NORVIR ORAL CAPSULE           | 4                | QL (360 EA per 30 days)    |
| FUZEON SUBCUTANEOUS RECON SOLN                     | 6                | QL (60 EA per 30 days)     | NORVIR ORAL SOLUTION          | 4                | QL (450 ML per 30 days)    |
| SELZENTRY ORAL TABLET 150 MG                       | 6                | QL (60 EA per 30 days)     | NORVIR ORAL TABLET            | 4                | QL (360 EA per 30 days)    |
| SELZENTRY ORAL TABLET 25 MG                        | 4                | QL (240 EA per 30 days)    | PREZCOBIX                     | 6                | QL (30 EA per 30 days)     |
| SELZENTRY ORAL TABLET 300 MG                       | 6                | QL (120 EA per 30 days)    | PREZISTA ORAL SUSPENSION      | 6                | QL (360 ML per 30 days)    |
| SELZENTRY ORAL TABLET 75 MG                        | 4                | QL (60 EA per 30 days)     | PREZISTA ORAL TABLET 150 MG   | 4                | QL (120 EA per 30 days)    |
| TRIUMEQ  | 6                | QL (30 EA per 30 days)     | PREZISTA ORAL TABLET 600 MG   | 6                | QL (60 EA per 30 days)     |
| TYBOST   | 3                | QL (30 EA per 30 days)     | PREZISTA ORAL TABLET 75 MG    | 4                |                            |
| <b><i>Anti-Hiv Agents, Protease Inhibitors</i></b> |                  |                            | PREZISTA ORAL TABLET 800 MG   | 6                | QL (30 EA per 30 days)     |

| <b>Drug Name</b>                           | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|--|------------------|----------------------------|
| REYATAZ ORAL CAPSULE 150 MG, 200 MG        | 6                | QL (60 EA per 30 days)     | <i>triazolam oral tablet 0.25 mg</i>                                   | 2                | QL (60 EA per 30 days)     |
| REYATAZ ORAL CAPSULE 300 MG                | 6                | QL (30 EA per 30 days)     | <b>Benzodiazepines</b>   |                  |                            |
| REYATAZ ORAL POWDER IN PACKET              | 6                | QL (240 EA per 30 days)    | <i>alprazolam oral tablet 0.25 mg</i>                                  | 2                | QL (1200 EA per 30 days)   |
| VIRACEPT ORAL TABLET 250 MG                | 6                | QL (270 EA per 30 days)    | <i>alprazolam oral tablet 0.5 mg</i>                                   | 2                | QL (600 EA per 30 days)    |
| VIRACEPT ORAL TABLET 625 MG                | 6                | QL (120 EA per 30 days)    | <i>alprazolam oral tablet 1 mg</i>                                     | 2                | QL (300 EA per 30 days)    |
| <b>Anti-Influenza Agents</b>               |                  |                            | <i>alprazolam oral tablet 2 mg</i>                                     | 2                | QL (150 EA per 30 days)    |
| <i>amantadine hcl</i>                      | 2                |                            | <i>clonazepam oral tablet 0.5 mg</i>                                   | 2                | QL (1200 EA per 30 days)   |
| <i>oseltamivir oral capsule 30 mg</i>      | 3                | QL (56 EA per 180 days)    | <i>clonazepam oral tablet 1 mg</i>                                     | 2                | QL (600 EA per 30 days)    |
| <i>oseltamivir oral capsule 45 mg</i>      | 3                | QL (42 EA per 180 days)    | <i>clonazepam oral tablet 2 mg</i>                                     | 2                | QL (300 EA per 30 days)    |
| <i>oseltamivir oral capsule 75 mg</i>      | 3                | QL (28 EA per 180 days)    | <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg</i> | 2                | QL (1200 EA per 30 days)   |
| RELENZA DISKHALER                          | 3                | QL (60 EA per 180 days)    | <i>clonazepam oral tablet,disintegrating 1 mg</i>                      | 2                | QL (600 EA per 30 days)    |
| <i>rimantadine</i>                         | 2                |                            | <i>clonazepam oral tablet,disintegrating 2 mg</i>                      | 2                | QL (300 EA per 30 days)    |
| TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION | 3                | QL (1080 ML per 365 days)  | <i>clorazepate dipotassium oral tablet 15 mg</i>                       | 2                | QL (180 EA per 30 days)    |
| <b>Anxiolytics</b>                         |                  |                            | <i>clorazepate dipotassium oral tablet 3.75 mg</i>                     | 2                | QL (720 EA per 30 days)    |
| <b>Anxiolytics, Other</b>                  |                  |                            | <i>clorazepate dipotassium oral tablet 7.5 mg</i>                      | 2                | QL (360 EA per 30 days)    |
| <i>buspirone</i>                           | 2                |                            | <i>diazepam intensol</i>   | 2                | QL (360 ML per 30 days)    |
| <i>doxepin oral</i>                        | 2                |                            | <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                      | 3                | QL (1800 ML per 30 days)   |
| <i>hydroxyzine hcl oral tablet</i>         | 2                | PA                         | <i>diazepam oral tablet 10 mg</i>                                      | 2                | QL (180 EA per 30 days)    |
| <i>oxazepam oral capsule 10 mg</i>         | 4                | QL (360 EA per 30 days)    | <i>diazepam oral tablet 2 mg</i>                                       | 2                | QL (900 EA per 30 days)    |
| <i>oxazepam oral capsule 15 mg</i>         | 4                | QL (240 EA per 30 days)    |  |                  |                            |
| <i>oxazepam oral capsule 30 mg</i>         | 4                | QL (120 EA per 30 days)    |  |                  |                            |
| SILENOR                                    | 4                | QL (30 EA per 30 days)     |  |                  |                            |
| <i>triazolam oral tablet 0.125 mg</i>      | 2                | QL (120 EA per 30 days)    |  |                  |                            |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                   | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |  |
|--|------------------|--|--|------------------|----------------------------|--|
| diazepam oral tablet 5 mg                                      | 2                | QL (360 EA per 30 days)                      | venlafaxine oral tablet  | 2                | (generic Effexor)          |  |
| diazepam rectal kit 2.5 mg                                     | 4                | QL (5 EA per 30 days)                        | venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg | 4                | QL (30 EA per 30 days)     |  |
| diazepam rectal kit 5-7.5-10 mg                                | 4                | QL (20 EA per 30 days)                       | VENLAFAKINE ORAL TABLET EXTENDED RELEASE 24HR 225 MG                 | 4                | QL (30 EA per 30 days)     |  |
| lorazepam intensol   | 2                | QL (150 ML per 30 days)                      | <b>Bipolar Agents</b>  |                  |                            |  |
| lorazepam oral tablet 0.5 mg                                   | 2                | QL (600 EA per 30 days)                      | <b>Bipolar Agents, Other</b>   |                  |                            |  |
| lorazepam oral tablet 1 mg                                     | 2                | QL (300 EA per 30 days)                      | GEODON INTRAMUSCULAR   | 5                |                            |  |
| lorazepam oral tablet 2 mg                                     | 2                | QL (150 EA per 30 days)                      | olanzapine intramuscular   | 5                |                            |  |
| <b>Ssrts/ Snris</b>  |                  |  |  |                  |                            |  |
| duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg    | 2                | (generic Cymbalta); QL (90 EA per 30 days)   | olanzapine oral tablet   | 2                |                            |  |
| duloxetine oral capsule,delayed release(dr/ec) 40 mg           | 2                | (generic Irenka); QL (60 EA per 30 days)     | olanzapine oral tablet,disintegrating                                | 4                |                            |  |
| duloxetine oral capsule,delayed release(dr/ec) 60 mg           | 2                | (generic Cymbalta); QL (60 EA per 30 days)   | quetiapine oral tablet   | 2                |                            |  |
| escitalopram oxalate   | 2                |  | quetiapine oral tablet extended release 24 hr                        | 3                |                            |  |
| paroxetine hcl oral tablet                                     | 1                |  | RISPERDAL CONSTA INTRAMUSCULAR                                       | 5                |                            |  |
| paroxetine hcl oral tablet extended release 24 hr              | 2                |  | SYRINGE 12.5 MG/2 ML, 25 MG/2 ML                                     |                  |                            |  |
| PAXIL ORAL SUSPENSION  | 4                | QL (900 ML per 30 days)                      | RISPERDAL CONSTA INTRAMUSCULAR                                       | 6                |                            |  |
| sertraline oral concentrate                                    | 2                |  | SYRINGE 37.5 MG/2 ML, 50 MG/2 ML                                     |                  |                            |  |
| sertraline oral tablet   | 1                |  | risperidone oral solution  | 3                |                            |  |
| venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg | 2                | (generic Effexor XR); QL (60 EA per 30 days) | risperidone oral tablet  | 2                |                            |  |
| venlafaxine oral capsule,extended release 24hr 75 mg           | 2                | (generic Effexor XR); QL (90 EA per 30 days) | risperidone oral tablet,disintegrating                               | 4                |                            |  |
|  |                  |  | SAPHRIS (BLACK CHERRY)   | 4                | QL (60 EA per 30 days)     |  |
|  |                  |  | VRAYLAR ORAL CAPSULE   | 6                | PA; QL (30 EA per 30 days) |  |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits         |
|---|-----------|----------------------------|---|-----------|-----------------------------|
| VRAYLAR ORAL CAPSULE,DOSE PACK                                      | 4         | PA; QL (7 EA per 30 days)  | <b>Blood Glucose Regulators</b>                                 |           |                             |
| <i>ziprasidone hcl</i>  | 4         |                            | <b>Antidiabetic Agents</b>                                      |           |                             |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 5         |                            | <i>acarbose</i>   | 2         |                             |
| <b>Mood Stabilizers</b>   |           |                            | AVANDIA ORAL TABLET 2 MG, 4 MG                                  | 4         | PA                          |
| <i>carbamazepine oral capsule, er multiphase 12 hr</i>              | 3         |                            | BYDUREON  | 4         | ST; QL (4 EA per 30 days)   |
| <i>carbamazepine oral suspension 100 mg/5 ml</i>                    | 3         |                            | BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML | 4         | ST; QL (2.4 ML per 30 days) |
| <i>carbamazepine oral tablet</i>                                    | 2         |                            | BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML | 4         | ST; QL (1.2 ML per 30 days) |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg</i>      | 3         |                            | CYCLOSET  | 4         | ST; QL (180 EA per 30 days) |
| <i>carbamazepine oral tablet, chewable</i>                          | 2         |                            | <i>glimepiride</i>  | 1         |                             |
| <i>divalproex</i>   | 2         |                            | <i>glipizide oral tablet</i>                                    | 1         |                             |
| <i>epitol</i>   | 2         |                            | <i>glipizide oral tablet extended release 24hr</i>              | 2         |                             |
| EQUETRO   | 4         |                            | <i>glyburide</i>  | 2         | PA                          |
| <i>lamotrigine oral tablet</i>                                      | 2         |                            | <i>glyburide micronized</i>                                     | 2         | PA                          |
| <i>lamotrigine oral tablet extended release 24hr 50 mg</i>          | 4         | ST; QL (30 EA per 30 days) | GLYXAMBI  | 3         | QL (30 EA per 30 days)      |
| <i>lamotrigine oral tablet, chewable dispersible</i>                | 2         |                            | INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG     | 3         | QL (60 EA per 30 days)      |
| <i>lamotrigine oral tablet,disintegrating</i>                       | 4         |                            | INVOKAMET ORAL TABLET 50-500 MG                                 | 3         | QL (120 EA per 30 days)     |
| <i>lithium carbonate</i>  | 2         |                            | INVOKAMET XR  | 3         | QL (60 EA per 30 days)      |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                     | 2         |                            | INVOKANA ORAL TABLET 100 MG                                     | 3         | QL (60 EA per 30 days)      |
| <i>valproic acid</i>  | 2         |                            | INVOKANA ORAL TABLET 300 MG                                     | 3         | QL (30 EA per 30 days)      |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>     | 2         |                            | JANUVIA   | 3         | QL (30 EA per 30 days)      |
|   |           |                            | JARDIANCE   | 3         | QL (30 EA per 30 days)      |

| <b>Drug Name</b>                                    | <b>Drug Tier</b> | <b>Requirement /Limits</b>   | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>  |
|---|------------------|------------------------------|---|------------------|-----------------------------|
| JENTADUETO  | 3                | QL (60 EA per 30 days)       | JANUMET XR ORAL TABLET, ER                                    | 3                | QL (30 EA per 30 days)      |
| <i>metformin oral tablet</i>                        | 1                | (generic Glucophage)         | MULTIPHASE 24 HR 100-1,000 MG, 50-500 MG                      |                  |                             |
| <i>metformin oral tablet extended release 24 hr</i> | 1                | (generic Glucophage XR)      | JANUMET XR ORAL TABLET, ER                                    | 3                | QL (60 EA per 30 days)      |
| <i>miglitol</i>                                     | 3                | QL (90 EA per 30 days)       | MULTIPHASE 24 HR 50-1,000 MG                                  |                  |                             |
| <i>nateglinide oral tablet 120 mg</i>               | 2                | QL (90 EA per 30 days)       | JENTADUETO XR ORAL TABLET, IR -ER, BIPHASIC 24HR 2.5-1,000 MG | 3                | QL (60 EA per 30 days)      |
| <i>nateglinide oral tablet 60 mg</i>                | 2                | QL (180 EA per 30 days)      | JENTADUETO XR ORAL TABLET, IR -ER, BIPHASIC 24HR 5-1,000 MG   | 3                | QL (30 EA per 300 days)     |
| <i>pioglitazone</i>                                 | 2                |                              | <i>pioglitazone-</i><br><i>glimepiride</i>                    | 4                | ST; QL (30 EA per 30 days)  |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>         | 2                | QL (120 EA per 30 days)      | <i>pioglitazone-</i><br><i>metformin</i>                      | 3                | ST                          |
| <i>repaglinide oral tablet 2 mg</i>                 | 2                | QL (240 EA per 30 days)      | <b>Glycemic Agents</b>  |                  |                             |
| RIOMET  | 4                |                              | GLUCAGEN  | 3                | QL (2 EA per 2 days)        |
| SYMLINPEN 120                                       | 5                | PA; QL (10.8 ML per 30 days) | HYPOKIT   |                  |                             |
| SYMLINPEN 60  | 5                | PA; QL (12 ML per 30 days)   | GLUCAGON  | 3                | QL (2 EA per 2 days)        |
| SYNJARDY  | 3                | QL (60 EA per 30 days)       | EMERGENCY KIT (HUMAN)   |                  |                             |
| TANZEUM   | 3                | ST; QL (4 EA per 30 days)    | KORLYM  | 6                | PA; QL (120 EA per 30 days) |
| <i>tolazamide</i>                                   | 2                |                              | PROGLYCEM   | 4                |                             |
| <i>tolbutamide</i>                                  | 2                |                              | <b>Insulins</b>   |                  |                             |
| TRADJENTA   | 3                | QL (30 EA per 30 days)       | <i>assure id insulin safety syringe 1 ml 29 gauge x 1/2"</i>  | 3                |                             |
| TRULICITY   | 3                | ST; QL (2 ML per 30 days)    | <i>gauze pad topical bandage 2 x 2 "</i>                      | 2                |                             |
| WELCHOL   | 3                |                              | HUMALOG   | 3                |                             |
| <b>Blood Glucose Regulators</b>                     |                  |                              | HUMALOG   | 3                |                             |
| <i>glipizide-metformin</i>                          | 2                |                              | KWIKPEN   |                  |                             |
| <i>glyburide-metformin</i>                          | 2                | PA                           | HUMALOG MIX 50-50   | 3                |                             |
| JANUMET   | 3                | QL (60 EA per 30 days)       | HUMALOG MIX 50-50 KWIKPEN                                     | 3                |                             |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|--|------------------|----------------------------|
| HUMALOG MIX 75-25  | 3                |                            | <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>                                      | 5                | QL (24 ML per 30 days)     |
| HUMALOG MIX 75-25 KWIKPEN  | 3                |                            | <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>                                      | 5                | QL (36 ML per 30 days)     |
| HUMULIN 70/30  | 3                |                            | <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>                                    | 6                | QL (24 ML per 30 days)     |
| HUMULIN N  | 3                |                            | <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>                                   | 5                | QL (15 ML per 30 days)     |
| HUMULIN R U-100  | 3                |                            | <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>                                     | 6                | QL (12 ML per 30 days)     |
| HUMULIN R U-500 (CONCENTRATED)   | 3                |                            | <b>Fragmin Subcutaneous Solution</b>   | 6                | QL (7.6 ML per 60 days)    |
| <i>insulin syringe-needle u-100 syringe 0.3 ml 29 gauge, 1 ml 29 gauge x 1/2", 1/2 ml 28 gauge</i> | 3                |                            | <b>Fragmin Subcutaneous Syringe 10,000 Anti-XA Unit/mL, 12,500 Anti-XA Unit/0.5 mL</b>   | 6                | QL (14 ML per 60 days)     |
| LANTUS   | 3                | QL (40 ML per 30 days)     | <b>Fragmin Subcutaneous Syringe 15,000 Anti-XA Unit/0.6 mL</b>                           | 6                | QL (16.8 ML per 60 days)   |
| LANTUS SOLOSTAR  | 3                | QL (45 ML per 30 days)     | <b>Fragmin Subcutaneous Syringe 18,000 Anti-XA Unit/0.72 mL</b>                          | 6                | QL (20.16 ML per 60 days)  |
| <i>pen needle, diabetic needle 29 gauge x 1/2"</i>   | 3                |                            | <b>Fragmin Subcutaneous Syringe 2,500 Anti-XA Unit/0.2 mL, 5,000 Anti-XA Unit/0.2 mL</b> | 5                | QL (5.6 ML per 60 days)    |
| TOUJEO SOLOSTAR  | 3                | QL (15 ML per 30 days)     |  |                  |                            |

### Blood Products/ Modifiers/ Volume Expanders

#### Anticoagulants

|  |   |                         |  |   |                           |
|--|---|-------------------------|--|---|---------------------------|
| COUMADIN ORAL  | 4 |                         | <b>Fragmin Subcutaneous Syringe 10,000 Anti-XA Unit/mL, 12,500 Anti-XA Unit/0.5 mL</b>   | 6 | QL (16.8 ML per 60 days)  |
| ELIQUIS ORAL TABLET 2.5 MG   | 3 | QL (70 EA per 180 days) | <b>Fragmin Subcutaneous Syringe 15,000 Anti-XA Unit/0.6 mL</b>                           | 6 | QL (20.16 ML per 60 days) |
| ELIQUIS ORAL TABLET 5 MG   | 3 | QL (60 EA per 30 days)  | <b>Fragmin Subcutaneous Syringe 18,000 Anti-XA Unit/0.72 mL</b>                          | 6 | QL (20.16 ML per 60 days) |
| <i>enoxaparin subcutaneous solution</i>                            | 5 | QL (60 ML per 30 days)  | <b>Fragmin Subcutaneous Syringe 2,500 Anti-XA Unit/0.2 mL, 5,000 Anti-XA Unit/0.2 mL</b> | 5 | QL (5.6 ML per 60 days)   |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>        | 5 | QL (60 ML per 30 days)  |  |   |                           |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 5 | QL (48 ML per 30 days)  |  |   |                           |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>                | 5 | QL (18 ML per 30 days)  |  |   |                           |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>  | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>   |
|--|------------------|-----------------------------|--|------------------|------------------------------|
| FRAGMIN SUBCUTANEOUS SYRINGE 7,500 ANTI-XA UNIT/0.3 ML                         | 6                | QL (8.4 ML per 60 days)     | ARANESP (IN POLYSORBATE) INJECTION SYRINGE 150 MCG/0.3 ML, 60 MCG/0.3 ML               | 6                | PA; QL (1.2 ML per 28 days)  |
| <i>heparin (porcine) injection solution</i>                                    | 5                |                             | ARANESP (IN POLYSORBATE) INJECTION SYRINGE 200 MCG/0.4 ML                              | 6                | PA; QL (1.6 ML per 28 days)  |
| jantoven   | 1                |                             | ARANESP (IN POLYSORBATE) INJECTION SYRINGE 25 MCG/0.42 ML                              | 5                | PA; QL (1.68 ML per 28 days) |
| PRADAXA  | 4                | PA; QL (60 EA per 30 days)  | ARANESP (IN POLYSORBATE) INJECTION SYRINGE 300 MCG/0.6 ML                              | 6                | PA; QL (2.4 ML per 28 days)  |
| <i>warfarin</i>  | 1                |                             | ARANESP (IN POLYSORBATE) INJECTION SYRINGE 500 MCG/ML                                  | 6                | PA; QL (4 ML per 28 days)    |
| XARELTO ORAL TABLET  | 3                | QL (30 EA per 30 days)      | GRANIX   | 6                | PA                           |
| XARELTO ORAL TABLETS,DOSE PACK   | 3                | QL (102 EA per 365 days)    | LEUKINE INJECTION RECON SOLN   | 6                | PA                           |
| <b><i>Blood Formation Modifiers</i></b>  |                  |                             | MIRCERA INJECTION SYRINGE 100 MCG/0.3 ML, 200 MCG/0.3 ML, 50 MCG/0.3 ML, 75 MCG/0.3 ML | 5                | PA; QL (0.6 ML per 28 days)  |
| <i>anagrelide</i>  | 2                |                             | MOZOBIL  | 6                | PA                           |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 300 MCG/ML | 6                | PA; QL (4 ML per 28 days)   | NEULASTA SUBCUTANEOUS SYRINGE  | 6                | PA                           |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 25 MCG/ML, 40 MCG/ML, 60 MCG/ML    | 5                | PA; QL (4 ML per 28 days)   | NEUPOGEN   | 6                | PA                           |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 40 MCG/0.4 ML        | 5                | PA; QL (1.6 ML per 28 days) |  |                  |                              |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 100 MCG/0.5 ML                      | 6                | PA; QL (2 ML per 28 days)   |  |                  |                              |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits         |  |  |  |
|---|-----------|----------------------------|---|-----------|-----------------------------|--|--|--|
| PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 5         | PA                         | <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg</i> | 2         | QL (60 EA per 30 days)      |  |  |  |
| PROCIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML                              | 6         | PA                         | <i>irbesartan-hydrochlorothiazide oral tablet 300-12.5 mg</i> | 2         | QL (30 EA per 30 days)      |  |  |  |
| PROMACTA ORAL TABLET 12.5 MG, 50 MG, 75 MG  | 6         | PA; QL (30 EA per 30 days) | <i>methyclothiazide</i>                                       | 2         |                             |  |  |  |
| PROMACTA ORAL TABLET 25 MG  | 6         | PA; QL (90 EA per 30 days) | <i>metolazone</i>   | 2         |                             |  |  |  |
| <b>Coagulants</b>   |           |                            |   |           |                             |  |  |  |
| <i>tranexamic acid intravenous</i>  | 5         |                            | <i>Alpha-Adrenergic Agonists</i>                              |           |                             |  |  |  |
| <i>tranexamic acid oral</i>   | 3         | PA; QL (30 EA per 30 days) | <i>clonidine</i>  | 3         |                             |  |  |  |
| <b>Platelet Modifying Agents</b>  |           |                            | <i>clonidine hcl oral tablet</i>                              | 1         |                             |  |  |  |
| aspirin-dipyridamole  | 4         |                            | <i>guanfacine oral tablet</i>                                 | 2         |                             |  |  |  |
| BRILINTA  | 3         | QL (60 EA per 30 days)     | <i>methyldopa</i>   | 2         |                             |  |  |  |
| <i>cilostazol</i>   | 2         |                            | <i>midodrine</i>  | 3         |                             |  |  |  |
| <i>clopidogrel oral tablet 75 mg</i>  | 2         | QL (30 EA per 30 days)     | <i>NORTHERA ORAL CAPSULE 100 MG</i>                           | 6         | PA; QL (252 EA per 90 days) |  |  |  |
| EFFIENT   | 3         | QL (30 EA per 30 days)     | <i>NORTHERA ORAL CAPSULE 200 MG</i>                           | 6         | PA; QL (126 EA per 90 days) |  |  |  |
| <i>prasugrel</i>  | 3         | QL (30 EA per 30 days)     | <i>NORTHERA ORAL CAPSULE 300 MG</i>                           | 6         | PA; QL (84 EA per 90 days)  |  |  |  |
| ZONTIVITY   | 4         | PA; QL (30 EA per 30 days) | <b>Alpha-Adrenergic Blocking Agents</b>                       |           |                             |  |  |  |
| <b>Cardiovascular Agents</b>  |           |                            | <i>doxazosin</i>  | 2         |                             |  |  |  |
| <i>chlorothiazide</i>   | 2         |                            | <i>prazosin</i>   | 2         |                             |  |  |  |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>  | 2         |                            | <i>terazosin</i>  | 1         |                             |  |  |  |
| DIURIL  | 4         |                            | <b>Angiotensin II Receptor Antagonists</b>                    |           |                             |  |  |  |
| <i>hydrochlorothiazide</i>  | 1         |                            | <i>candesartan oral tablet 16 mg</i>                          | 3         | ST; QL (60 EA per 30 days)  |  |  |  |
| <i>indapamide</i>   | 1         |                            | <i>candesartan oral tablet 32 mg</i>                          | 3         | ST; QL (30 EA per 30 days)  |  |  |  |
|   |           |                            | <i>candesartan oral tablet 4 mg</i>                           | 3         | ST; QL (240 EA per 30 days) |  |  |  |
|   |           |                            | <i>candesartan oral tablet 8 mg</i>                           | 3         | ST; QL (120 EA per 30 days) |  |  |  |
|   |           |                            | <i>EDARBI</i>   | 3         | ST; QL (30 EA per 30 days)  |  |  |  |
|   |           |                            | <i>eprosartan</i>   | 2         | ST; QL (30 EA per 30 days)  |  |  |  |
|   |           |                            | <i>irbesartan</i>   | 2         | QL (30 EA per 30 days)      |  |  |  |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits    |  |
|---|-----------|----------------------------|---|-----------|------------------------|--|
| <i>losartan</i>                                       | 1         | QL (30 EA per 30 days)     | <i>amiodarone intravenous solution</i>                      | 5         |                        |  |
| <i>olmesartan</i>                                     | 4         | PA                         | <i>amiodarone oral</i>                                      | 2         |                        |  |
| <i>olmesartan-hydrochlorothiazide</i>                 | 4         | PA                         | <i>disopyramide phosphate oral capsule</i>                  | 2         |                        |  |
| <i>telmisartan oral tablet 20 mg, 40 mg</i>           | 4         | ST; QL (30 EA per 30 days) | <i>dofetilide</i>   | 4         |                        |  |
| <i>telmisartan oral tablet 80 mg</i>                  | 4         | ST; QL (60 EA per 30 days) | <i>flecainide</i>   | 2         |                        |  |
| <i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i>     | 2         | QL (60 EA per 30 days)     | <i>mexiletine</i>   | 2         |                        |  |
| <i>valsartan oral tablet 320 mg</i>                   | 2         | QL (30 EA per 30 days)     | <i>MULTAQ</i>   | 3         | QL (60 EA per 30 days) |  |
| <b>Angiotensin-Converting Enzyme (Ace) Inhibitors</b> |           |                            |   |           |                        |  |
| <i>benazepril oral tablet 10 mg, 20 mg, 5 mg</i>      | 1         | QL (30 EA per 30 days)     | <i>propafenone oral capsule, extended release 12 hr</i>     | 4         |                        |  |
| <i>benazepril oral tablet 40 mg</i>                   | 1         | QL (60 EA per 30 days)     | <i>propafenone oral tablet</i>                              | 2         |                        |  |
| <i>captopril</i>                                      | 1         |                            | <i>quinidine gluconate oral</i>                             | 4         |                        |  |
| <i>enalapril maleate</i>                              | 1         |                            | <i>quinidine sulfate oral tablet</i>                        | 2         |                        |  |
| <i>fosinopril oral tablet 10 mg</i>                   | 1         | QL (240 EA per 30 days)    | <i>sorine</i>   | 2         |                        |  |
| <i>fosinopril oral tablet 20 mg</i>                   | 1         | QL (120 EA per 30 days)    | <i>sotalol af oral tablet 120 mg</i>                        | 2         |                        |  |
| <i>fosinopril oral tablet 40 mg</i>                   | 1         | QL (60 EA per 30 days)     | <i>sotalol oral tablet 160 mg, 240 mg, 80 mg</i>            | 2         |                        |  |
| <i>lisinopril</i>                                     | 1         |                            | <b>Beta-Adrenergic Blocking Agents</b>                      |           |                        |  |
| <i>moexipril</i>                                      | 2         |                            | <i>acebutolol</i>   | 2         |                        |  |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg</i>    | 2         | QL (30 EA per 30 days)     | <i>atenolol</i>   | 1         |                        |  |
| <i>perindopril erbumine oral tablet 8 mg</i>          | 2         | QL (60 EA per 30 days)     | <i>betaxolol oral</i>                                       | 2         |                        |  |
| <i>quinapril</i>                                      | 1         | QL (60 EA per 30 days)     | <i>bisoprolol fumarate</i>                                  | 2         |                        |  |
| <i>ramipril</i>                                       | 1         |                            | <i>BYSTOLIC</i>   | 3         |                        |  |
| <i>trandolapril oral tablet 1 mg, 2 mg</i>            | 2         | QL (30 EA per 30 days)     | <i>carvedilol</i>   | 1         |                        |  |
| <i>trandolapril oral tablet 4 mg</i>                  | 2         | QL (60 EA per 30 days)     | <i>COREG CR</i>   | 4         | ST                     |  |
| <b>Antiarrhythmics</b>                                |           |                            |   |           |                        |  |
|   |           |                            | <i>INNOPRAN XL</i>  | 4         |                        |  |
|   |           |                            | <i>labetalol oral</i>                                       | 2         |                        |  |
|   |           |                            | <i>metoprolol succinate</i>                                 | 2         |                        |  |
|   |           |                            | <i>metoprolol tartrate intravenous</i>                      | 5         |                        |  |
|   |           |                            | <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i> | 1         |                        |  |
|   |           |                            | <i>nadolol</i>  | 2         |                        |  |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>       | <b>Drug Name</b>                              | <b>Drug Tier</b> | <b>Requirement /Limits</b>   |
|---|------------------|----------------------------------|---|------------------|------------------------------|
| pindolol  | 2                |                                  | nifedipine oral tablet extended release       | 2                |                              |
| propranolol   | 5                |                                  | nifedipine oral tablet extended release 24hr  | 2                |                              |
| intravenous   |                  |                                  | nimodipine                                    | 4                |                              |
| propranolol oral capsule,extended release 24 hr                         | 2                |                                  | taztia xt                                     | 2                |                              |
| propranolol oral solution   | 2                |                                  | verapamil intravenous solution                | 5                |                              |
| propranolol oral tablet   | 1                |                                  | verapamil oral capsule, 24 hr er pellet ct    | 2                |                              |
| timolol maleate oral  | 2                |                                  | verapamil oral capsule,ext rel. pellets 24 hr | 2                |                              |
| TOPROL XL   | 4                |                                  | verapamil oral tablet                         | 1                |                              |
| <b>Calcium Channel Blocking Agents</b>                                  |                  |                                  | verapamil oral tablet extended release        | 2                |                              |
| adalat cc   | 2                |                                  | <b>Cardiovascular Agents, Other</b>           |                  |                              |
| afeditab cr   | 2                |                                  | digitek                                       | 2                | PA                           |
| amlodipine  | 1                |                                  | digoxin oral solution 50 mcg/ml               | 2                | PA                           |
| cartia xt   | 2                |                                  | digoxin oral tablet                           | 2                | PA                           |
| diltiazem hcl intravenous recon soln                                    | 5                |                                  | LANOXIN ORAL TABLET 125 MCG, 250 MCG          | 4                | PA                           |
| diltiazem hcl oral capsule,extended release 12 hr 120 mg                | 2                | (generic Cardizem SR)            | LANOXIN ORAL TABLET 187.5 MCG                 | 4                | PA; QL (30 EA per 30 days)   |
| diltiazem hcl oral capsule,extended release 12 hr 60 mg, 90 mg          | 2                |                                  | LANOXIN ORAL TABLET 62.5 MCG                  | 4                | PA; QL (60 EA per 30 days)   |
| diltiazem hcl oral capsule,extended release 24 hr 180 mg, 360 mg        | 2                | (generic Taztia XT, Tiazac)      | pentoxifylline                                | 2                |                              |
| diltiazem hcl oral capsule,extended release 24 hr 420 mg                | 2                |                                  | RANEXA  | 4                | ST; QL (60 EA per 30 days)   |
| diltiazem hcl oral capsule,extended release 24hr 120 mg, 240 mg, 300 mg | 2                | (generic Cardizem CD, Cartia XT) | UPTRAVI ORAL TABLET                           | 6                | PA; QL (60 EA per 30 days)   |
| diltiazem hcl oral tablet   | 2                |                                  | UPTRAVI ORAL TABLETS,DOSE PACK                | 6                | PA; QL (200 EA per 180 days) |
| dilt-xr   | 2                |                                  | <b>Cardiovascular Agents</b>                  |                  |                              |
| felodipine  | 2                |                                  | ALDACTAZIDE ORAL TABLET 50-50 MG              | 4                |                              |
| isradipine  | 2                |                                  | amiloride-hydrochlorothiazide                 | 1                |                              |
| matzim la   | 2                |                                  |   |                  |                              |
| nicardipine oral  | 2                |                                  |   |                  |                              |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|---|------------------|----------------------------|--|------------------|----------------------------|
| <i>amlodipine-atorvastatin</i>  | 4                | QL (30 EA per 30 days)     | <i>losartan-hydrochlorothiazide</i>  | 1                | QL (30 EA per 30 days)     |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg</i>          | 2                | QL (30 EA per 30 days)     | <i>methyldopa-hydrochlorothiazide</i>  | 3                |                            |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-10 mg, 5-20 mg</i> | 2                |                            | <i>metoprolol tar-hydrochlorothiazide</i>  | 2                |                            |
| <i>amlodipine-benazepril oral capsule 5-40 mg</i>                     | 2                | QL (60 EA per 30 days)     | <i>moexipril-hydrochlorothiazide</i>   | 2                |                            |
| <i>amlodipine-valsartan</i>   | 4                | ST; QL (30 EA per 30 days) | <i>nadolol-bendroflumethiazide</i>   | 2                |                            |
| <i>amlodipine-valsartan-hcthiazid</i>                                 | 4                | ST; QL (30 EA per 30 days) | <i>olmesartan-hydrochlorothiazide</i>  | 4                | PA                         |
| <i>atenolol-chlorthalidone</i>  | 1                |                            | <i>propranolol-hydrochlorothiazide</i>   | 2                |                            |
| <i>benazepril-hydrochlorothiazide</i>                                 | 1                |                            | <i>quinapril-hydrochlorothiazide</i>   | 2                | QL (30 EA per 30 days)     |
| <i>bisoprolol-hydrochlorothiazide</i>                                 | 2                |                            | <i>spironolacton-hydrochlorothiazide</i>   | 2                |                            |
| <i>candesartan-hydrochlorothiazid</i>                                 | 3                | ST; QL (30 EA per 30 days) | <i>telmisartan-amlodipine</i>  | 4                | ST; QL (30 EA per 30 days) |
| <i>captopril-hydrochlorothiazide</i>                                  | 2                |                            | <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg</i>                                   | 4                | ST; QL (90 EA per 30 days) |
| <i>clorpres</i>   | 3                |                            | <i>telmisartan-hydrochlorothiazid oral tablet 80-12.5 mg, 80-25 mg</i>                         | 4                | ST; QL (60 EA per 30 days) |
| <b>DEM SER</b>  | 4                |                            | <i>trandolapril-verapamil</i>  | 4                |                            |
| <b>EDARBYCLOR</b>   | 3                | ST; QL (30 EA per 30 days) | <i>triamterene-hydrochlorothiazid oral capsule</i>   | 2                |                            |
| <i>enalapril-hydrochlorothiazide</i>                                  | 1                |                            | <i>triamterene-hydrochlorothiazid oral tablet</i>  | 1                |                            |
| <i>ezetimibe-simvastatin</i>  | 4                | QL (30 EA per 30 days)     | <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg</i>                                   | 2                | QL (60 EA per 30 days)     |
| <i>fosinopril-hydrochlorothiazide</i>                                 | 2                | QL (120 EA per 30 days)    | <i>valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | 2                | QL (30 EA per 30 days)     |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg</i>         | 2                | QL (60 EA per 30 days)     | <b><i>Diuretics, Carbonic Anhydrase Inhibitors</i></b>   |                  |                            |
| <i>irbesartan-hydrochlorothiazide oral tablet 300-12.5 mg</i>         | 2                | QL (30 EA per 30 days)     |  |                  |                            |
| <i>lisinopril-hydrochlorothiazide</i>                                 | 1                |                            |  |                  |                            |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                   | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>                 |  |
|--|------------------|--|---|------------------|--|--|
| <i>acetazolamide oral capsule, extended release</i>              | 3                |  | <i>fenofibrate oral tablet 54 mg</i>                              | 2                | (generic Lofibra); QL (60 EA per 30 days)  |  |
| <i>acetazolamide oral tablet</i>                                 | 2                |  | <i>fenofibric acid</i>  | 2                | QL (30 EA per 30 days)                     |  |
| <i>methazolamide</i>   | 3                |  | <i>fenofibric acid (choline)</i>                                  | 3                | QL (30 EA per 30 days)                     |  |
| <b>Diuretics, Loop</b>   |                  |  | <i>gemfibrozil</i>  | 2                | QL (75 EA per 30 days)                     |  |
| <i>bumetanide injection</i>                                      | 5                |  | <b>Dyslipidemics, Hmg Coa Reductase Inhibitors</b>                |                  |  |  |
| <i>bumetanide oral</i>   | 1                |  | <i>atorvastatin</i>   | 1                | QL (30 EA per 30 days)                     |  |
| <i>furosemide injection solution</i>                             | 5                |  | <i>fluvastatin oral capsule</i>                                   | 3                | QL (60 EA per 30 days)                     |  |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>   | 2                |  | <i>fluvastatin oral tablet extended release 24 hr</i>             | 4                | QL (30 EA per 30 days)                     |  |
| <i>furosemide oral tablet</i>                                    | 1                |  | <i>lovastatin oral tablet</i>                                     | 1                | QL (30 EA per 10 mg, 20 mg 30 days)        |  |
| <i>torsemide oral</i>  | 2                |  | <i>lovastatin oral tablet</i>                                     | 1                | QL (60 EA per 40 mg 30 days)               |  |
| <b>Diuretics, Potassium-Sparing</b>                              |                  |  | <i>pravastatin oral tablet</i>                                    | 2                | QL (60 EA per 10 mg, 20 mg, 40 mg 30 days) |  |
| <i>amiloride</i>   | 2                |  | <i>pravastatin oral tablet</i>                                    | 2                | QL (30 EA per 80 mg 30 days)               |  |
| <i>eplerenone</i>  | 3                |  | <i>rosuvastatin</i>   | 2                | QL (30 EA per 30 days)                     |  |
| <i>spironolactone</i>  | 2                |  | <i>simvastatin</i>  | 1                | QL (30 EA per 30 days)                     |  |
| <b>Dyslipidemics, Fibric Acid Derivatives</b>                    |                  |  | <b>Dyslipidemics, Other</b>                                       |                  |  |  |
| <i>fenofibrate micronized oral capsule 130 mg</i>                | 3                | ST; (generic Antara); QL (30 EA per 30 days) | <i>cholestyramine light</i>                                       | 2                |  |  |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i> | 2                | (generic Lofibra); QL (30 EA per 30 days)    | <i>colestipol oral granules</i>                                   | 3                |  |  |
| <i>fenofibrate micronized oral capsule 43 mg</i>                 | 3                | ST; (generic Antara); QL (60 EA per 30 days) | <i>colestipol oral tablet</i>                                     | 2                |  |  |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i>           | 2                | (generic Tricor); QL (30 EA per 30 days)     | <i>ezetimibe</i>  | 4                | QL (30 EA per 30 days)                     |  |
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i>            | 2                | (generic Tricor); QL (90 EA per 30 days)     | <i>JUXTAPID</i>   | 6                | PA; QL (30 EA per 30 days)                 |  |
| <i>fenofibrate oral tablet 160 mg</i>                            | 2                | (generic Lofibra); QL (30 EA per 30 days)    | <i>KYNAMRO</i>  | 6                | PA; QL (4 ML per 28 days)                  |  |
|  |                  |  | <i>niacin oral tablet extended release 24 hr 1,000 mg, 750 mg</i> | 3                | QL (60 EA per 30 days)                     |  |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                 | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                 |  |
|--|------------------|--|--|------------------|--|--|
| <i>niacin oral tablet extended release 24 hr 500 mg</i>            | 3                | QL (120 EA per 30 days)                    | <i>duloxetine oral capsule,delayed release(dr/ec) 60 mg</i>                  | 2                | (generic Cymbalta); QL (60 EA per 30 days) |  |
| <i>niacor</i>  | 2                |  | <b>LYRICA ORAL CAPSULE 100 MG, 150 MG, 25 MG, 50 MG, 75 MG</b>               | 3                | QL (90 EA per 30 days)                     |  |
| <i>omega-3 acid ethyl esters</i>                                   | 4                | QL (120 EA per 30 days)                    | <b>LYRICA ORAL CAPSULE 200 MG, 225 MG, 300 MG</b>                            | 3                | QL (60 EA per 30 days)                     |  |
| <b>PRALUENT PEN</b>  | 6                | PA; QL (2 ML per 28 days)                  | <b>LYRICA ORAL SOLUTION</b>  | 3                | QL (900 ML per 30 days)                    |  |
| <i>prevalite oral powder</i>                                       | 2                |  | <b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>         |                  |  |  |
| <b>WELCHOL</b>   | 3                |  | <i>dextroamphetamine oral tablet</i>   | 4                |  |  |
| <b>Vasodilators, Direct-Acting Arterial/ Venous</b>                |                  |  | <i>dextroamphetamine- amphetamine oral capsule,extended release 24hr</i>     | 4                | QL (60 EA per 30 days)                     |  |
| <b>ISORDIL</b>   | 4                |  | <i>dextroamphetamine- amphetamine oral tablet 10 mg, 15 mg, 5 mg, 7.5 mg</i> | 2                | QL (120 EA per 30 days)                    |  |
| <i>isosorbide dinitrate oral</i>                                   | 2                |  | <i>dextroamphetamine- amphetamine oral tablet 12.5 mg</i>                    | 2                | QL (150 EA per 30 days)                    |  |
| <i>isosorbide mononitrate</i>                                      | 2                |  | <i>dextroamphetamine- amphetamine oral tablet 20 mg</i>                      | 2                | QL (90 EA per 30 days)                     |  |
| <i>minitran</i>  | 2                |  | <i>dextroamphetamine- amphetamine oral tablet 30 mg</i>                      | 2                | QL (60 EA per 30 days)                     |  |
| <b>NITRO-BID</b>   | 3                |  | <b>VYVANSE</b>   | 4                | QL (30 EA per 30 days)                     |  |
| <i>nitroglycerin intravenous</i>                                   | 5                |  | <b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b>     |                  |  |  |
| <i>nitroglycerin sublingual</i>                                    | 3                |  | <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg</i>                          | 3                | QL (120 EA per 30 days)                    |  |
| <i>nitroglycerin transdermal patch 24 hour</i>                     | 2                |  | <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                         | 3                | QL (30 EA per 30 days)                     |  |
| <i>nitroglycerin translingual spray,non-aerosol</i>                | 4                |  |  |                  |  |  |
| <b>Vasodilators, Direct-Acting Arterial</b>                        |                  |  |  |                  |  |  |
| <b>BIDIL</b>   | 4                | PA; QL (180 EA per 30 days)                |  |                  |  |  |
| <i>hydralazine injection</i>                                       | 5                |  |  |                  |  |  |
| <i>hydralazine oral</i>  | 2                |  |  |                  |  |  |
| <i>minoxidil oral</i>  | 2                |  |  |                  |  |  |
| <b>Central Nervous System Agents</b>                               |                  |  |  |                  |  |  |
| <i>duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg</i> | 2                | (generic Cymbalta); QL (90 EA per 30 days) |  |                  |  |  |
| <i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i>        | 2                | (generic Irenka); QL (60 EA per 30 days)   |  |                  |  |  |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b>                     | <b>Drug Name</b>                            | <b>Drug Tier</b> | <b>Requirement /Limits</b>      |
|--|------------------|--|---|------------------|---------------------------------|
| <i>atomoxetine oral capsule 40 mg</i>  | 3                | QL (60 EA per 30 days)                         | STRATTERA ORAL CAPSULE 10 MG, 18 MG, 25 MG  | 3                | QL (120 EA per 30 days)         |
| <i>dexmethylphenidate oral capsule,er biphasic 50-50</i>                         | 4                | QL (30 EA per 30 days)                         | STRATTERA ORAL CAPSULE 100 MG, 60 MG, 80 MG | 3                | QL (30 EA per 30 days)          |
| <i>dexmethylphenidate oral tablet</i>  | 2                | QL (60 EA per 30 days)                         | STRATTERA ORAL CAPSULE 40 MG                | 3                | QL (60 EA per 30 days)          |
| <i>guanfacine oral tablet extended release 24 hr</i>                             | 4                | QL (30 EA per 30 days)                         | <b><i>Central Nervous System, Other</i></b> |                  |                                 |
| METADATE ER  | 3                | QL (90 EA per 30 days)                         | AUSTEDO                                     | 6                | PA; LA; QL (120 EA per 30 days) |
| <i>methylphenidate hcl oral solution 10 mg/5 ml</i>                              | 4                | (generic Methylin); QL (900 ML per 30 days)    | <i>estazolam oral tablet 1 mg</i>           | 2                | QL (60 EA per 30 days)          |
| <i>methylphenidate hcl oral solution 5 mg/5 ml</i>                               | 4                | (generic Methylin); QL (1800 ML per 30 days)   | <i>estazolam oral tablet 2 mg</i>           | 2                | QL (30 EA per 30 days)          |
| <i>methylphenidate hcl oral tablet 10 mg</i>                                     | 2                | QL (180 EA per 30 days)                        | NUEDEXTA                                    | 3                | QL (60 EA per 30 days)          |
| <i>methylphenidate hcl oral tablet 20 mg</i>                                     | 2                | QL (90 EA per 30 days)                         | <i>riluzole</i>                             | 4                |                                 |
| <i>methylphenidate hcl oral tablet 5 mg</i>                                      | 2                | QL (360 EA per 30 days)                        | <i>tetrabenazine oral tablet 12.5 mg</i>    | 6                | PA; QL (240 EA per 30 days)     |
| <i>methylphenidate hcl oral tablet extended release 10 mg</i>                    | 3                | (generic Metadate ER); QL (180 EA per 30 days) | <i>tetrabenazine oral tablet 25 mg</i>      | 6                | PA; QL (120 EA per 30 days)     |
| <i>methylphenidate hcl oral tablet extended release 20 mg</i>                    | 3                | (generic Metadate ER); QL (90 EA per 30 days)  | <b><i>Multiple Sclerosis Agents</i></b>     |                  |                                 |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> | 4                | (generic Concerta); QL (30 EA per 30 days)     | AMPYRA                                      | 6                | PA; QL (60 EA per 30 days)      |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>               | 4                | (generic Concerta); QL (60 EA per 30 days)     | AUBAGIO                                     | 6                | PA; QL (30 EA per 30 days)      |
| <i>methylphenidate hcl oral tablet, chewable</i>                                 | 4                | (generic Methylin); QL (180 EA per 30 days)    | AVONEX (WITH ALBUMIN)                       | 6                | PA; QL (4 EA per 28 days)       |
|  |                  |  | AVONEX INTRAMUSCULAR PEN INJECTOR KIT       | 6                | PA; QL (4 EA per 28 days)       |
|  |                  |  | AVONEX INTRAMUSCULAR SYRINGE KIT            | 6                | PA; QL (4 EA per 28 days)       |
|  |                  |  | COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML      | 6                | PA; QL (30 ML per 30 days)      |
|  |                  |  | COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML      | 6                | PA; QL (12 ML per 28 days)      |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|
| EXTAVIA SUBCUTANEOUS KIT   | 6                | PA; QL (15 EA per 30 days) |
| GILENYA  | 6                | PA; QL (30 EA per 30 days) |
| <i>mitoxantrone</i>  | 3                | B/D                        |
| REBIF (WITH ALBUMIN)   | 6                | PA; QL (6 ML per 28 days)  |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML  | 6                | PA; QL (6 ML per 28 days)  |
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 6                | PA; QL (4 ML per 28 days)  |
| REBIF TITRATION PACK   | 6                | PA; QL (4 ML per 28 days)  |
| TECFIDERA  | 6                | PA; QL (60 EA per 30 days) |
| TYSABRI  | 6                | PA; LA                     |

### Dental And Oral Agents

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|
| <i>cevimeline</i>  | 3                |                            |
| <i>chlorhexidine gluconate mucous membrane</i>           | 2                |                            |
| <i>doxycycline hyclate oral capsule</i>                  | 2                |                            |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>     | 2                |                            |
| <i>doxycycline monohydrate oral tablet 150 mg, 75 mg</i> | 2                |                            |
| KEPIVANCE  | 6                | B/D                        |
| <i>minocycline oral capsule</i>                          | 2                |                            |
| <i>minocycline oral tablet</i>                           | 3                |                            |
| <i>periogard</i>   | 2                |                            |
| <i>pilocarpine hcl oral</i>                              | 3                |                            |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|
| <i>triamcinolone acetonide dental</i>                                | 3                |                            |
| VIBRAMYCIN ORAL SYRUP  | 4                |                            |
| <b>Dermatological Agents</b>   |                  |                            |
| <i>Dermatological Agents</i>   |                  |                            |
| <i>acitretin</i>   | 6                |                            |
| <i>adapalene topical cream</i>                                       | 3                | PA                         |
| <i>adapalene topical gel 0.1 %</i>                                   | 3                | PA                         |
| <i>ammonium lactate</i>  | 2                |                            |
| AZELEX   | 4                |                            |
| <i>betamethasone dipropionate topical lotion</i>                     | 2                |                            |
| <i>calcipotriene</i>   | 4                |                            |
| <i>calcitriol topical</i>  | 4                |                            |
| <i>claravais</i>   | 4                |                            |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> | 3                |                            |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                | 4                |                            |
| <i>clotrimazole- betamethasone topical cream</i>                     | 2                |                            |
| <i>clotrimazole- betamethasone topical lotion</i>                    | 4                |                            |
| CONDYLOX TOPICAL GEL   | 4                |                            |
| CORTISPORIN TOPICAL  | 4                |                            |
| COSENTYX   | 6                | PA                         |
| COSENTYX PEN   | 6                | PA                         |
| <i>diclofenac sodium topical gel 1 %</i>                             | 3                |                            |
| <i>diclofenac sodium topical gel 3 %</i>                             | 6                |                            |
| <i>doxycycline hyclate oral capsule 50 mg</i>                        | 2                |                            |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>  | <b>Drug Name</b>                                | <b>Drug Tier</b> | <b>Requirement /Limits</b>  |  |
|---|------------------|-----------------------------|---|------------------|-----------------------------|--|
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 2                |                             | <i>tacrolimus topical</i>                       | 4                | ST; QL (100 GM per 30 days) |  |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg</i>  | 2                |                             | <i>tazarotene</i>                               | 4                | PA                          |  |
| <b>ELIDEL</b>   | 4                | ST; QL (100 GM per 30 days) | <b>TAZORAC TOPICAL CREAM 0.05 %</b>             | 4                | PA                          |  |
| <i>erythromycin-benzoyl peroxide</i>                      | 2                |                             | <b>TAZORAC TOPICAL GEL</b>                      | 4                | PA                          |  |
| <b>FINACEA</b>  | 4                |                             | <b>TOLAK</b>                                    | 3                |                             |  |
| <i>fluorouracil intravenous solution 2.5 gram/50 ml</i>   | 5                | B/D                         | <i>tretinoin topical cream</i>                  | 2                | PA                          |  |
| <i>fluorouracil topical cream</i>                         | 3                |                             | <i>tretinoin topical gel 0.01 %, 0.025 %</i>    | 2                | PA                          |  |
| <i>fluorouracil topical solution</i>                      | 2                |                             | <b>VALCHLOR</b>                                 | 6                | PA; QL (60 GM per 30 days)  |  |
| <i>fluticasone topical cream</i>                          | 2                |                             | <i>zenatane</i>                                 | 4                |                             |  |
| <i>fluticasone topical ointment</i>                       | 2                |                             | <b>Enzyme Replacement/ Modifiers</b>            |                  |                             |  |
| <i>imiquimod</i>  | 2                | QL (24 EA per 30 days)      | <b>Enzyme Replacement/ Modifiers</b>            |                  |                             |  |
| <i>methoxsalen</i>  | 6                |                             | <b>ADAGEN</b>                                   | 5                |                             |  |
| <i>myorisan</i>   | 4                |                             | <b>ALDURAZYME</b>                               | 6                |                             |  |
| <i>nystatin-triamcinolone</i>                             | 4                |                             | <b>BUPHENYL ORAL TABLET</b>                     | 6                | PA                          |  |
| <i>PICATO TOPICAL GEL 0.015 %</i>                         | 3                | QL (3 EA per 30 days)       | <b>CERDELGA</b>                                 | 6                | PA; QL (60 EA per 30 days)  |  |
| <i>PICATO TOPICAL GEL 0.05 %</i>                          | 3                | QL (2 EA per 30 days)       | <b>CEREZYME INTRAVENOUS RECON SOLN 400 UNIT</b> | 6                | PA                          |  |
| <i>podofilox</i>  | 2                |                             | <b>CREON</b>                                    | 3                |                             |  |
| <i>prednicarbate topical cream</i>                        | 3                |                             | <b>CYSTADANE</b>                                | 6                |                             |  |
| <b>REGRANEX</b>   | 6                | PA; QL (15 GM per 2 days)   | <b>CYSTAGON</b>                                 | 4                | PA                          |  |
| <b>SANTYL</b>   | 3                | QL (180 GM per 30 days)     | <b>ELAPRASE</b>                                 | 6                | B/D                         |  |
| <i>selenium sulfide topical lotion</i>                    | 2                |                             | <b>FABRAZYME INTRAVENOUS RECON SOLN 35 MG</b>   | 6                | B/D                         |  |
|   |                  |                             | <b>KUVAN</b>                                    | 6                | PA                          |  |
|   |                  |                             | <b>NAGLAZYME</b>                                | 6                | B/D                         |  |
|   |                  |                             | <b>ORFADIN</b>                                  | 6                | PA                          |  |
|   |                  |                             | <b>PROCYSBI</b>                                 | 6                | PA                          |  |
|   |                  |                             | <b>RAVICTI</b>                                  | 6                | PA; QL (525 ML per 30 days) |  |

| Drug Name                                    | Drug Tier | Requirement /Limits              | Drug Name  | Drug Tier | Requirement /Limits        |
|--|-----------|----------------------------------|--|-----------|----------------------------|
| STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML     | 6         | PA; LA; QL (38.4 ML per 28 days) | <i>metoclopramide hcl oral tablet</i>                          | 1         |                            |
| STRENSIQ SUBCUTANEOUS SOLUTION 40 MG/ML      | 6         | PA; LA                           | OCALIVA  | 6         | PA; QL (30 EA per 30 days) |
| SUCRAID                                      | 6         |                                  | <i>proctozone-hc</i>   | 2         |                            |
| VPRIV  | 6         |                                  | RELISTOR ORAL  | 6         | PA; QL (90 EA per 30 days) |
| ZAVESCA                                      | 6         | PA; QL (90 EA per 30 days)       | RELISTOR SUBCUTANEOUS SOLUTION                                 | 5         | PA                         |
| ZENPEP                                       | 4         |                                  | RELISTOR SUBCUTANEOUS SYRINGE                                  | 6         | PA                         |
| <b>Gastrointestinal Agents</b>               |           |                                  |  |           |                            |
| <i>Antispasmodics, Gastrointestinal</i>      |           |                                  |  |           |                            |
| <i>atropine injection syringe 0.05 mg/ml</i> | 5         |                                  | <i>ursodiol oral capsule</i>                                   | 2         |                            |
| <i>dicyclomine oral capsule</i>              | 2         |                                  | <i>ursodiol oral tablet</i>                                    | 3         |                            |
| <i>dicyclomine oral solution</i>             | 2         |                                  | XIFAXAN ORAL TABLET 200 MG                                     | 6         | PA; QL (9 EA per 30 days)  |
| <i>dicyclomine oral tablet</i>               | 2         |                                  | <b>Histamine2 (H2) Receptor Antagonists</b>                    |           |                            |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 2         |                                  | <i>cimetidine</i>  | 2         |                            |
| <i>methscopolamine</i>                       | 4         |                                  | <i>cimetidine hcl oral</i>                                     | 2         |                            |
| <i>propantheline</i>                         | 2         |                                  | <i>famotidine (pf)</i>   | 5         |                            |
| TRANSDERM-SCOP                               | 4         |                                  | <i>famotidine oral tablet 20 mg, 40 mg</i>                     | 1         |                            |
| <i>Gastrointestinal Agents, Other</i>        |           |                                  | <i>nizatidine</i>  | 2         |                            |
| CHOLBAM ORAL CAPSULE 250 MG                  | 6         | PA; QL (150 EA per 30 days)      | <i>ranitidine hcl injection solution 50 mg/2 ml (25 mg/ml)</i> | 5         |                            |
| CHOLBAM ORAL CAPSULE 50 MG                   | 6         | PA; QL (120 EA per 30 days)      | <i>ranitidine hcl oral capsule</i>                             | 2         |                            |
| <i>diphenoxylate-atropine</i>                | 2         |                                  | <i>ranitidine hcl oral syrup</i>                               | 2         |                            |
| GATTEX ONE-VIAL                              | 6         | PA; QL (30 EA per 30 days)       | <i>ranitidine hcl oral tablet 150 mg, 300 mg</i>               | 1         |                            |
| <i>loperamide oral capsule</i>               | 1         |                                  | <b>Irritable Bowel Syndrome Agents</b>                         |           |                            |
| <i>metoclopramide hcl injection solution</i> | 5         |                                  | <i>alosetron</i>   | 6         | PA                         |
| <i>metoclopramide hcl oral solution</i>      | 1         |                                  | AMITIZA  | 3         | QL (60 EA per 30 days)     |
| <b>Laxatives</b>                             |           |                                  | <i>budesonide oral</i>   | 6         | PA; QL (90 EA per 30 days) |
| <i>constulose</i>                            |           |                                  | <b>Constipation Agents</b>                                     |           |                            |
| <i>enulose</i>                               |           |                                  | <i>linaclotide</i>   | 2         |                            |

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|--|------------------|----------------------------|--|------------------|----------------------------|
| <i>gavilyte-c</i>  | 2                |                            | <i>oxybutynin chloride oral syrup</i>                              | 2                |                            |
| <i>gavilyte-g</i>  | 2                |                            | <i>oxybutynin chloride oral tablet</i>                             | 2                |                            |
| <i>gavilyte-n</i>  | 2                |                            | <i>oxybutynin chloride oral tablet extended release 24hr 10 mg</i> | 2                | QL (90 EA per 30 days)     |
| <i>generlac</i>  | 2                |                            | <i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i> | 2                | QL (60 EA per 30 days)     |
| <i>golytely</i>  | 2                |                            | <i>oxybutynin chloride oral tablet extended release 24hr 5 mg</i>  | 2                | QL (180 EA per 30 days)    |
| <b>KRISTALOSE</b>  | 4                |                            | <i>tolterodine oral capsule,extended release 24hr</i>              | 3                | ST; QL (30 EA per 30 days) |
| <i>lactulose oral solution 10 gram/15 ml</i>                           | 2                |                            | <i>tolterodine oral tablet</i>                                     | 3                | ST; QL (60 EA per 30 days) |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> | 2                |                            | <i>trospium oral capsule,extended release 24hr</i>                 | 3                | QL (30 EA per 30 days)     |
| <i>peg-electrolyte soln</i>  | 2                |                            | <i>trospium oral tablet</i>  | 3                | QL (60 EA per 30 days)     |
| <i>polyethylene glycol 3350 oral powder</i>                            | 2                |                            | <b>VESICARE ORAL TABLET 10 MG</b>                                  | 3                | ST; QL (30 EA per 30 days) |
| <i>trilyte with flavor packets</i>                                     | 2                |                            | <b>VESICARE ORAL TABLET 5 MG</b>                                   | 3                | ST; QL (60 EA per 30 days) |
| <b>Protectants</b>   |                  |                            | <b>Benign Prostatic Hypertrophy Agents</b>                         |                  |                            |
| <i>misoprostol</i>   | 2                |                            | <i>alfuzosin</i>   | 2                | QL (30 EA per 30 days)     |
| <i>sucralfate oral tablet</i>  | 2                |                            | <i>doxazosin</i>   | 2                |                            |
| <b>Proton Pump Inhibitors</b>  |                  |                            | <i>dutasteride</i>   | 3                | QL (30 EA per 30 days)     |
| <b>DEXILANT</b>  | 3                | ST; QL (30 EA per 30 days) | <i>finasteride oral tablet 5 mg</i>                                | 2                |                            |
| <i>esomeprazole magnesium</i>  | 4                |                            | <i>prazosin</i>  | 2                |                            |
| <i>esomeprazole sodium</i>   | 5                |                            | <b>RAPAFLO</b>   | 4                | ST; QL (30 EA per 30 days) |
| <i>lansoprazole oral capsule,delayed release(dr/ec)</i>                | 2                |                            | <i>tamsulosin</i>  | 2                |                            |
| <i>omeprazole oral capsule,delayed release(dr/ec)</i>                  | 2                |                            | <i>terazosin</i>   | 1                |                            |
| <i>pantoprazole intravenous</i>  | 5                |                            | <b>Genitourinary Agents, Other</b>                                 |                  |                            |
| <i>pantoprazole oral</i>   | 1                |                            | <i>bethanechol chloride</i>  | 2                |                            |
| <i>rabeprazole</i>   | 2                |                            | <i>DEPEN TITRATABS</i>   | 6                | PA                         |
| <b>Genitourinary Agents</b>  |                  |                            |  |                  |                            |
| <b>Antispasmodics, Urinary</b>   |                  |                            |  |                  |                            |
| <i>flavoxate</i>   | 2                |                            |  |                  |                            |
| <b>MYRBETRIQ</b>   | 3                | ST; QL (30 EA per 30 days) |  |                  |                            |

| Drug Name   | Drug Tier | Requirement /Limits | Drug Name  | Drug Tier | Requirement /Limits |
|---|-----------|---------------------|--|-----------|---------------------|
| ELMIRON   | 3         |                     | <i>clobetasol topical ointment</i>                       | 3         |                     |
| <i>potassium citrate</i>  | 3         |                     | <i>clobetasol-emollient topical cream</i>                | 3         |                     |
| <i>sodium phenylbutyrate oral powder</i>                            | 6         | PA                  | <i>cortisone</i>   | 2         |                     |
| THIOLA  | 6         | PA                  | <i>desonide topical cream</i>                            | 4         | ST                  |
| <b>Phosphate Binders</b>  |           |                     | <i>desonide topical ointment</i>                         | 4         | ST                  |
| <i>calcium acetate oral capsule</i>                                 | 3         |                     | <i>desoximetasone topical cream 0.25 %</i>               | 4         |                     |
| <i>calcium acetate oral tablet 667 mg</i>                           | 3         |                     | <i>desoximetasone topical gel</i>                        | 4         |                     |
| <i>eliphos</i>  | 2         |                     | <i>dexamethasone intensol</i>                            | 4         |                     |
| FOSRENOL  | 6         |                     | <i>dexamethasone oral elixir</i>                         | 2         |                     |
| RENELA  | 3         |                     | <i>dexamethasone oral tablet</i>                         | 2         |                     |
| <i>sevelamer carbonate</i>  | 3         |                     | <i>dexamethasone sodium phosphate injection solution</i> | 5         |                     |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b> |           |                     | <i>fludrocortisone</i>                                   | 2         |                     |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b> |           |                     | <i>fluocinolone acetonide oil</i>                        | 4         |                     |
| ACTHAR H.P.   | 6         | PA                  | <i>fluocinolone topical cream</i>                        | 3         |                     |
| ALA-CORT  | 2         |                     | <i>fluocinolone topical ointment</i>                     | 3         |                     |
| TOPICAL CREAM 1 %   |           |                     | <i>fluocinolone topical solution</i>                     | 3         |                     |
| <i>ala-cort topical cream 2.5 %</i>                                 | 2         |                     | <i>fluocinonide topical cream 0.05 %</i>                 | 2         |                     |
| <i>alclometasone</i>  | 3         |                     | <i>fluocinonide topical gel</i>                          | 2         |                     |
| <i>betamethasone dipropionate topical cream</i>                     | 2         |                     | <i>fluocinonide topical ointment</i>                     | 2         |                     |
| <i>betamethasone dipropionate topical ointment</i>                  | 2         |                     | <i>fluocinonide topical solution</i>                     | 2         |                     |
| <i>betamethasone valerate topical cream</i>                         | 2         |                     | <i>fluocinonide-e</i>                                    | 2         |                     |
| <i>betamethasone valerate topical lotion</i>                        | 2         |                     | <i>fluticasone topical cream</i>                         | 2         |                     |
| <i>betamethasone valerate topical ointment</i>                      | 2         |                     | <i>fluticasone topical ointment</i>                      | 2         |                     |
| <i>betamethasone, augmented</i>                                     | 2         |                     |  |           |                     |
| <i>clobetasol scalp</i>   | 2         |                     |  |           |                     |
| <i>clobetasol topical gel</i>                                       | 2         |                     |  |           |                     |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|---|------------------|----------------------------|---|------------------|----------------------------|
| <i>halobetasol propionate</i>   | 3                |                            | <i>prednisone oral solution</i>                                       | 2                |                            |
| <i>hydrocortisone</i>   | 3                | ST                         | <i>prednisone oral tablet</i>   | 1                |                            |
| <i>butyrate topical ointment</i>  |                  |                            | <i>procto-pak</i>   | 2                |                            |
| <i>hydrocortisone butyrate topical solution</i>   | 3                | ST                         | <i>proctozone-hc</i>  | 2                |                            |
| <i>hydrocortisone oral</i>  | 2                |                            | <i>triamcinolone acetonide topical cream</i>                          | 2                |                            |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i>  | 2                |                            | <i>triamcinolone acetonide topical lotion</i>                         | 2                |                            |
| <i>hydrocortisone topical lotion 2.5 %</i>  | 2                |                            | <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2                |                            |
| <i>hydrocortisone topical ointment 1 %, 2.5 %</i>   | 2                |                            | <i>triderm topical cream 0.1 %</i>                                    | 2                |                            |
| <i>hydrocortisone valerate</i>  | 3                | ST                         | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</b> |                  |                            |
| <b>MEDROL ORAL TABLET 2 MG</b>  | 3                |                            | <i>chorionic gonadotropin, human</i>                                  | 5                | B/D                        |
| <i>methylprednisolone</i>   | 2                |                            | <i>desmopressin injection</i>   | 5                |                            |
| <i>methylprednisolone acetate</i>   | 5                |                            | <i>desmopressin nasal solution</i>                                    | 4                |                            |
| <i>methylprednisolone sodium succ injection recon soln 40 mg</i>  | 5                |                            | <i>desmopressin nasal spray, non-aerosol</i>                          | 4                |                            |
| <i>methylprednisolone sodium succ intravenous</i>   | 5                |                            | <i>desmopressin oral</i>  | 3                |                            |
| <i>micort-hc topical cream with perineal applicator 2.5 %</i>   | 2                |                            | <b>EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG</b>                           | 6                | PA; QL (60 EA per 30 days) |
| <i>mometasone topical</i>   | 2                |                            | <b>GENOTROPIN</b>   | 6                | PA                         |
| <b>PANDEL</b>   | 4                |                            | <b>GENOTROPIN</b>   | 5                | PA                         |
| <i>prednicarbate topical ointment</i>   | 3                |                            | <b>MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML</b>                  |                  |                            |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2                |                            |   |                  |                            |
| <i>prednisolone sodium phosphate oral tablet, disintegrating prednisone intensol</i>  | 4                |                            |   |                  |                            |
|   | 2                |                            |   |                  |                            |

| Drug Name  | Drug Tier | Requirement /Limits            | Drug Name  | Drug Tier | Requirement /Limits          |  |
|--|-----------|--------------------------------|--|-----------|------------------------------|--|
| GENOTROPIN<br>MINIQUICK<br>SUBCUTANEOUS<br>SYRINGE 0.4<br>MG/0.25 ML, 0.6<br>MG/0.25 ML, 0.8<br>MG/0.25 ML, 1<br>MG/0.25 ML, 1.2<br>MG/0.25 ML, 1.4<br>MG/0.25 ML, 1.6<br>MG/0.25 ML, 1.8<br>MG/0.25 ML, 2<br>MG/0.25 ML | 6         | PA                             | ANDROGEL<br>TRANSDERMAL<br>GEL IN METERED-DOSE PUMP 20.25<br>MG/1.25 GRAM (1.62 %) | 3         | PA; QL (150 GM per 30 days)  |  |
| INCRELEX   | 6         | PA; LA                         | ANDROGEL<br>TRANSDERMAL<br>GEL IN PACKET<br>1.62 % (20.25 MG/1.25 GRAM)            | 3         | PA; QL (37.5 GM per 30 days) |  |
| MYALEPT  | 6         | PA; LA; QL (60 EA per 30 days) | ANDROGEL<br>TRANSDERMAL<br>GEL IN PACKET<br>1.62 % (40.5 MG/2.5 GRAM)              | 3         | PA; QL (150 GM per 30 days)  |  |
| SEROSTIM<br>SUBCUTANEOUS<br>RECON SOLN 4 MG,<br>5 MG, 6 MG   | 6         | PA                             | <i>danazol</i>   | 4         |                              |  |
| STIMATE  | 4         |                                | <i>testosterone cypionate</i>  | 5         | B/D                          |  |
| ZOMACTON<br>SUBCUTANEOUS<br>RECON SOLN 10<br>MG  | 6         | PA                             | <i>testosterone enanthate</i>  | 5         | B/D; QL (5 ML per 30 days)   |  |
| ZOMACTON<br>SUBCUTANEOUS<br>RECON SOLN 5 MG  | 5         | PA                             | <b><i>Estrogens</i></b>  |           |                              |  |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b>   |           |                                | ALORA  | 4         | PA; QL (16 EA per 28 days)   |  |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b>   |           |                                | DEPO-ESTRADIOL   | 5         | B/D                          |  |
| misoprostol oral tablet<br>200 mcg   | 2         |                                | ESTRACE VAGINAL  | 3         |                              |  |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b>  |           |                                | <i>estradiol oral</i>  | 2         | PA                           |  |
| <b>Anabolic Steroids</b>   |           |                                | <i>estradiol transdermal patch semiweekly</i>                                      | 2         | PA; QL (16 EA per 28 days)   |  |
| ANADROL-50   | 6         |                                | <i>estradiol transdermal patch weekly</i>  | 2         | PA; QL (8 EA per 28 days)    |  |
| <i>oxandrolone oral tablet 10 mg</i>   | 6         | PA                             | <i>estradiol valerate intramuscular oil 20 mg/ml</i>                               | 5         |                              |  |
| <i>oxandrolone oral tablet 2.5 mg</i>  | 3         | PA                             | ESTRING  | 3         | QL (1 EA per 84 days)        |  |
| <b>Androgens</b>   |           |                                | <i>estropipate</i>   | 2         | PA                           |  |
|  |           |                                | FEMRING  | 4         | QL (1 EA per 84 days)        |  |
|  |           |                                | MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG                                       | 4         | PA                           |  |
|  |           |                                | MENOSTAR   | 4         | PA; QL (4 EA per 28 days)    |  |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits |
|---|-----------|----------------------------|---|-----------|---------------------|
| PREMARIN VAGINAL  | 3         |                            | <i>estradiol-norethindrone acet</i>   | 2         | PA                  |
| <i>yuvafem</i>  | 2         |                            | <i>ethynodiol diac-eth</i>  | 2         |                     |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b> |           |                            |   |           |                     |
| <i>alyacen 1/35 (28)</i>  | 2         |                            | <i>estradiol oral tablet 1-50 mg-mcg</i>  |           |                     |
| <i>amabelz</i>  | 2         | PA                         | <i>falmina (28)</i>   | 2         |                     |
| <i>amethia</i>  | 2         |                            | <i>femynor</i>  | 2         |                     |
| <i>apri</i>   | 2         |                            | <i>fyavolv</i>  | 2         | PA                  |
| <i>aranelle (28)</i>  | 2         |                            | <i>gianvi (28)</i>  | 2         |                     |
| <i>aubra</i>  | 2         |                            | <i>gildagia</i>   | 2         |                     |
| <i>aviane</i>   | 2         |                            | <i>introvale</i>  | 2         |                     |
| <i>balziva (28)</i>   | 2         |                            | <i>isibloom</i>   | 2         |                     |
| <i>bekyree (28)</i>   | 2         |                            | <i>jinteli</i>  | 2         | PA                  |
| <i>blisovi fe 1.5/30 (28)</i>   | 2         |                            | <i>juleber</i>  | 2         |                     |
| <i>brielllyn</i>  | 2         |                            | <i>junel 1.5/30 (21)</i>  | 2         |                     |
| <i>budesonide oral</i>  | 6         | PA; QL (90 EA per 30 days) | <i>junel 1/20 (21)</i>  | 2         |                     |
| <i>caziant (28)</i>   | 2         |                            | <i>junel fe 1.5/30 (28)</i>   | 2         |                     |
| <b>CLIMARA PRO</b>  | 3         | PA; QL (4 EA per 28 days)  | <i>junel fe 1/20 (28)</i>   | 2         |                     |
| <b>COMBIPATCH</b>   | 4         | PA; QL (8 EA per 28 days)  | <i>junel fe 24</i>  | 2         |                     |
| <i>cryselle (28)</i>  | 2         |                            | <i>kariva (28)</i>  | 2         |                     |
| <i>cyclafem 1/35 (28)</i>   | 2         |                            | <i>kelnor 1/35 (28)</i>   | 2         |                     |
| <i>cyclafem 7/7/7 (28)</i>  | 2         |                            | <i>kimidess (28)</i>  | 2         |                     |
| <i>deblitane</i>  | 2         |                            | <i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2         |                     |
| <i>delyla (28)</i>  | 2         |                            | <i>larin 1.5/30 (21)</i>  | 2         |                     |
| <i>desog-e.estradiol/e.estradiol</i>  | 2         |                            | <i>larin 1/20 (21)</i>  | 2         |                     |
| <i>desogestrel-ethinyl estradiol</i>  | 2         |                            | <i>larin fe 1.5/30 (28)</i>   | 2         |                     |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>                         | 2         |                            | <i>larin fe 1/20 (28)</i>   | 2         |                     |
| <i>emoquette</i>  | 2         |                            | <i>larissia</i>   | 2         |                     |
| <i>enpresse</i>   | 2         |                            | <i>leena 28</i>   | 2         |                     |
| <i>estradiol valerate intramuscular oil 40 mg/ml</i>                                | 5         |                            | <i>lessina</i>  | 2         |                     |
|   |           |                            | <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 90-20 mcg</i>                           | 2         |                     |
|   |           |                            | <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month</i>                                 | 2         |                     |

| Drug Name  | Drug Tier | Requirement /Limits | Drug Name                               | Drug Tier | Requirement /Limits        |
|--|-----------|---------------------|---|-----------|----------------------------|
| <i>levora-28</i>   | 2         |                     | <i>nortrel 1/35 (28)</i>                | 2         |                            |
| <i>lomedia 24 fe</i>   | 2         |                     | <i>nortrel 7/7/7 (28)</i>               | 2         |                            |
| <i>low-ogestrel (28)</i>   | 2         |                     | <b>NUVARING</b>                         | 3         | QL (1 EA per 28 days)      |
| <i>lutera (28)</i>   | 2         |                     | <i>ocella</i>                           | 2         |                            |
| <i>microgestin 1.5/30 (21)</i>   | 2         |                     | <i>ogestrel (28)</i>                    | 2         |                            |
| <i>microgestin 1/20 (21)</i>   | 2         |                     | <i>orsythia</i>                         | 2         |                            |
| <i>microgestin fe 1.5/30 (28)</i>  | 2         |                     | <i>pimtrea (28)</i>                     | 2         |                            |
| <i>microgestin fe 1/20 (28)</i>  | 2         |                     | <i>pirmella oral tablet 1-35 mg-mcg</i> | 2         |                            |
| <i>mimvey</i>  | 2         | PA                  | <i>portia</i>                           | 2         |                            |
| <i>mimvey lo</i>   | 2         | PA                  | <b>PREFEST</b>                          | 4         | PA; QL (30 EA per 30 days) |
| <i>mononessa (28)</i>  | 2         |                     | <i>previfem</i>                         | 2         |                            |
| <i>necon 0.5/35 (28)</i>   | 2         |                     | <i>quasense</i>                         | 2         |                            |
| <i>necon 1/50 (28)</i>   | 2         |                     | <i>reclipsen (28)</i>                   | 2         |                            |
| <i>necon 7/7/7 (28)</i>  | 2         |                     | <i>setlakin</i>                         | 2         |                            |
| <i>nikki (28)</i>  | 2         |                     | <i>sharobel</i>                         | 2         |                            |
| <i>nora-be</i>   | 2         |                     | <i>sprintec (28)</i>                    | 2         |                            |
| <i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>         | 2         |                     | <i>tarina fe 1/20 (28)</i>              | 2         |                            |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>                     | 2         | PA                  | <i>tri-legest fe</i>                    | 2         |                            |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>                                    | 2         |                     | <i>trinessa (28)</i>                    | 2         |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                     | 2         |                     | <i>tri-previfem (28)</i>                | 2         |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i> | 2         |                     | <i>tri-sprintec (28)</i>                | 2         |                            |
| <i>norlyroc</i>  | 2         |                     | <i>trivora (28)</i>                     | 2         |                            |
| <i>nortrel 0.5/35 (28)</i>   | 2         |                     | <i>velivet triphasic regimen (28)</i>   | 2         |                            |
| <i>nortrel 1/35 (21)</i>   | 2         |                     | <i>vestura (28)</i>                     | 2         |                            |
| <b>Progestins</b>  |           |                     |   |           |                            |
|  |           |                     | <i>vienna</i>                           | 2         |                            |
|  |           |                     | <i>vyfemla (28)</i>                     | 2         |                            |
|  |           |                     | <i>wymzya fe</i>                        | 2         |                            |
|  |           |                     | <i>xulane</i>                           | 2         |                            |
|  |           |                     | <i>zenchent (28)</i>                    | 2         |                            |
|  |           |                     | <i>zenchent fe</i>                      | 2         |                            |
|  |           |                     | <i>zovia 1/35e (28)</i>                 | 2         |                            |
|  |           |                     | <i>zovia 1/50e (28)</i>                 | 2         |                            |
|  |           |                     | <b>CRINONE</b>                          | 4         | PA                         |

| Drug Name   | Drug Tier | Requirement /Limits       | Drug Name   | Drug Tier | Requirement /Limits    |
|---|-----------|---------------------------|---|-----------|------------------------|
| DEPO-PROVERA INTRAMUSCULAR SOLUTION   | 5         | B/D                       | <i>liothyronine oral</i>  | 2         |                        |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION   | 5         |                           | SYNTHROID   | 3         |                        |
| <i>errin</i>  | 2         |                           | UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 2         |                        |
| <i>hydroxyprogesterone caproate</i>   | 6         | PA; QL (5 ML per 30 days) | <b>Hormonal Agents, Suppressant (Adrenal)</b>   |           |                        |
| <i>jolivette</i>  | 2         |                           | <b>Hormonal Agents, Suppressant (Adrenal)</b>   |           |                        |
| <i>medroxyprogesterone intramuscular suspension</i>   | 5         | B/D                       | LYSODREN  | 3         |                        |
| <i>medroxyprogesterone oral</i>   | 1         |                           | <b>Hormonal Agents, Suppressant (Parathyroid)</b>   |           |                        |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>  | 2         | PA                        | <b>Hormonal Agents, Suppressant (Parathyroid)</b>   |           |                        |
| <i>megestrol oral suspension 625 mg/5 ml</i>  | 4         | PA                        | SENSIPAR ORAL TABLET 30 MG  | 3         |                        |
| <i>megestrol oral tablet</i>  | 2         | PA                        | SENSIPAR ORAL TABLET 60 MG, 90 MG   | 6         |                        |
| <i>norethindrone (contraceptive)</i>  | 2         |                           | <b>Hormonal Agents, Suppressant (Pituitary)</b>   |           |                        |
| <i>norethindrone acetate</i>  | 2         |                           | <b>Hormonal Agents, Suppressant (Pituitary)</b>   |           |                        |
| <i>progesterone micronized</i>  | 2         |                           | <i>bromocriptine</i>  | 3         |                        |
| PROVERA   | 4         |                           | <i>cabergoline</i>  | 3         | QL (16 EA per 30 days) |
| <b>Selective Estrogen Receptor Modifying Agents</b>   |           |                           |   |           |                        |
| <i>raloxifene</i>   | 3         | QL (30 EA per 30 days)    | FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG   | 6         | B/D                    |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b>   |           |                           |   |           |                        |
| <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b>   |           |                           |   |           |                        |
| <i>levothyroxine oral</i>   | 1         |                           | FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG  | 5         | B/D                    |
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | 2         |                           | <i>leuprolide subcutaneous kit</i>  | 5         |                        |
|   |           |                           | LUPRON DEPOT  | 6         | B/D                    |
|   |           |                           | LUPRON DEPOT (3 MONTH)  | 6         | B/D                    |
|   |           |                           | LUPRON DEPOT (4 MONTH)  | 6         | B/D                    |

| Drug Name  | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits         |
|--|-----------|----------------------------|---|-----------|-----------------------------|
| LUPRON DEPOT (6 MONTH)   | 6         | B/D                        | RUCONEST  | 6         | PA                          |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG                 | 6         | B/D                        | <i>Immune Suppressants</i>  |           |                             |
| <i>octreotide acetate injection solution 1,000 mcg/ml</i>          | 6         | PA; (vial)                 | ACTEMRA   | 6         | PA; QL (40 ML per 28 days)  |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> | 5         | PA; (ampul)                | INTRAVENOUS SOLUTION 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) |           |                             |
| <i>octreotide acetate injection solution 200 mcg/ml</i>            | 5         | PA; (vial)                 | AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG                    | 6         | PA; QL (60 EA per 30 days)  |
| <i>octreotide acetate injection solution 500 mcg/ml</i>            | 6         | PA; (ampul)                | AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 3 MG                    | 6         | PA; QL (120 EA per 30 days) |
| SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON  | 6         | PA                         | AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 5 MG                    | 6         | PA; QL (30 EA per 30 days)  |
| SIGNIFOR   | 6         | PA; QL (60 ML per 30 days) | AFINITOR ORAL TABLET 2.5 MG   | 6         | PA; QL (30 EA per 30 days)  |
| SOMATULINE DEPOT   | 6         | PA                         | azathioprine  | 2         | B/D                         |
| SOMAVERT   | 6         | PA; QL (30 EA per 30 days) | azathioprine sodium   | 5         | B/D                         |
| SYNAREL  | 6         |                            | BENLYSTA INTRAVENOUS  | 6         | PA                          |
| <b>Hormonal Agents, Suppressant (Thyroid)</b>                      |           |                            |   |           |                             |
| <i>Antithyroid Agents</i>  |           |                            |   |           |                             |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                         | 2         |                            | BENLYSTA SUBCUTANEOUS   | 6         | PA; QL (4 ML per 28 days)   |
| <i>propylthiouracil</i>  | 2         |                            | cyclosporine  | 5         | B/D                         |
| <i>Immunological Agents</i>  |           |                            |   |           |                             |
| <i>Angioedema (Hae) Agents</i>                                     |           |                            |   |           |                             |
| BERINERT INTRAVENOUS KIT   | 6         | PA                         | intravenous   |           |                             |
| CINRYZE  | 6         | B/D                        | cyclosporine modified   | 3         | B/D                         |
| FIRAZYR  | 6         | PA; QL (36 ML per 60 days) | cyclosporine oral capsule   | 3         | B/D                         |
|  |           |                            | DEPEN TITRATABS   | 6         | PA                          |
|  |           |                            | ELIDEL  | 4         | ST; QL (100 GM per 30 days) |
|  |           |                            | ENBREL  | 6         | PA                          |
|  |           |                            | ENBREL SURECLICK  | 6         | PA                          |
|  |           |                            | ENVARSUS XR   | 4         | B/D; ST                     |
|  |           |                            | <i>gengraf oral capsule 100 mg, 25 mg</i>                           | 3         | B/D                         |
|  |           |                            | GENGRAF ORAL CAPSULE 50 MG  | 3         | B/D                         |
|  |           |                            | <i>gengraf oral solution</i>  | 3         | B/D                         |

| Drug Name  | Drug Tier | Requirement /Limits           | Drug Name   | Drug Tier | Requirement /Limits               |
|--|-----------|-------------------------------|---|-----------|-----------------------------------|
| HUMIRA<br>PEDIATRIC<br>CROHN'S START   | 6         | PA                            | OTREXUP (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 10  | 5         | PA; QL (1.6<br>ML per 28<br>days) |
| HUMIRA PEN   | 6         | PA                            | MG/0.4 ML, 12.5                                   |           |                                   |
| HUMIRA PEN<br>CROHN'S-UC-HS<br>START   | 6         | PA                            | MG/0.4 ML, 15                                     |           |                                   |
| HUMIRA PEN<br>PSORIASIS-UVEITIS  | 6         | PA                            | MG/0.4 ML, 17.5                                   |           |                                   |
| HUMIRA<br>SUBCUTANEOUS<br>SYRINGE KIT 10<br>MG/0.2 ML                            | 6         | PA; QL (2 EA<br>per 30 days)  | MG/0.4 ML, 20                                     |           |                                   |
| HUMIRA<br>SUBCUTANEOUS<br>SYRINGE KIT 20<br>MG/0.4 ML, 40<br>MG/0.8 ML           | 6         | PA                            | MG/0.4 ML, 22.5                                   |           |                                   |
| <i>mercaptopurine</i>  | 2         |                               | MG/0.4 ML   |           |                                   |
| <i>methotrexate sodium<br/>(pf)</i>  | 5         | B/D                           | PROGRAF<br>INTRAVENOUS                            | 5         | B/D                               |
| <i>methotrexate sodium<br/>injection</i>   | 5         | B/D                           | RAPAMUNE ORAL<br>SOLUTION                         | 6         | PA                                |
| <i>methotrexate sodium<br/>oral</i>  | 2         |                               | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 10   | 5         | PA; QL (0.8<br>ML per 30<br>days) |
| <i>mycophenolate mofetil<br/>hcl</i>   | 5         | PA                            | MG/0.2 ML   |           |                                   |
| <i>mycophenolate mofetil<br/>oral capsule</i>                                    | 2         | PA                            | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 12.5 | 5         | PA; QL (1 ML<br>per 30 days)      |
| <i>mycophenolate mofetil<br/>oral suspension for<br/>reconstitution</i>          | 3         | PA                            | MG/0.25 ML  |           |                                   |
| <i>mycophenolate mofetil<br/>oral tablet</i>                                     | 2         | PA                            | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 15   | 5         | PA; QL (1.2<br>ML per 30<br>days) |
| <i>mycophenolate sodium</i>  | 4         | PA                            | MG/0.3 ML   |           |                                   |
| NULOJIX  | 6         | B/D                           | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 17.5 | 5         | PA; QL (1.4<br>ML per 30<br>days) |
| OTEZLA   | 6         | PA; QL (60 EA<br>per 30 days) | MG/0.35 ML  |           |                                   |
| OTEZLA STARTER<br>ORAL<br>TABLETS,DOSE<br>PACK 10 MG (4)-20<br>MG (4)-30 MG (47) | 6         | PA; QL (55 EA<br>per 28 days) | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 20   | 5         | PA; QL (1.6<br>ML per 30<br>days) |
|  |           |                               | MG/0.4 ML   |           |                                   |
|  |           |                               | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 22.5 | 5         | PA; QL (1.8<br>ML per 30<br>days) |
|  |           |                               | MG/0.45 ML  |           |                                   |
|  |           |                               | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 25   | 5         | PA; QL (2 ML<br>per 30 days)      |
|  |           |                               | MG/0.5 ML   |           |                                   |
|  |           |                               | RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 30   | 5         | PA; QL (2.4<br>ML per 30<br>days) |
|  |           |                               | MG/0.6 ML   |           |                                   |

| Drug Name  | Drug Tier | Requirement /Limits               | Drug Name  | Drug Tier | Requirement /Limits           |
|--|-----------|-----------------------------------|--|-----------|-------------------------------|
| RASUVO (PF)<br>SUBCUTANEOUS<br>AUTO-INJECTOR 7.5<br>MG/0.15 ML                       | 5         | PA; QL (0.6<br>ML per 30<br>days) | GAMMAKED<br>INJECTION<br>SOLUTION 1<br>GRAM/10 ML (10 %)                                   | 6         | PA                            |
| REMICADE   | 6         | PA                                | GAMMAPLEX  | 6         | PA                            |
| SANDIMMUNE<br>ORAL SOLUTION  | 4         | B/D                               | GAMMAPLEX<br>(WITH SORBITOL)   | 6         | PA                            |
| <i>sirolimus oral tablet</i><br>0.5 mg   | 3         | PA                                | GAMUNEX-C<br>INJECTION<br>SOLUTION 1<br>GRAM/10 ML (10 %)                                  | 6         | PA                            |
| <i>sirolimus oral tablet 1</i><br>mg   | 4         | PA                                | HYPERRAB S/D (PF)  | 5         | B/D                           |
| <i>sirolimus oral tablet 2</i><br>mg   | 6         | PA                                | IMOGRAB RABIES-<br>HT (PF)   | 5         | B/D                           |
| <i>tacrolimus oral</i>   | 3         | B/D                               | OCTAGAM  | 6         | PA                            |
| TORISEL  | 6         | B/D                               | <i>privigen</i>  | 6         | PA                            |
| TREXALL  | 4         |                                   | SYNAGIS<br>INTRAMUSCULAR<br>SOLUTION 50<br>MG/0.5 ML                                       | 6         | PA                            |
| XATMEP   | 6         | PA; QL (120<br>ML per 30<br>days) | THYMOGLOBULIN  | 6         | PA                            |
| XELJANZ  | 6         | PA; QL (60 EA<br>per 30 days)     | <b><i>Immunological Agents</i></b>   |           |                               |
| XELJANZ XR   | 6         | PA; QL (30 EA<br>per 30 days)     | <i>leflunomide</i>   | 2         |                               |
| ZORTRESS ORAL<br>TABLET 0.25 MG  | 4         | B/D; QL (60<br>EA per 30 days)    | SYNAGIS<br>INTRAMUSCULAR<br>SOLUTION 50<br>MG/0.5 ML                                       | 6         | PA                            |
| ZORTRESS ORAL<br>TABLET 0.5 MG   | 6         | B/D; QL (120<br>EA per 30 days)   | <b><i>Immunomodulators</i></b>   |           |                               |
| ZORTRESS ORAL<br>TABLET 0.75 MG  | 6         | B/D; QL (60<br>EA per 30 days)    | ACTEMRA<br>INTRAVENOUS<br>SOLUTION 400<br>MG/20 ML (20<br>MG/ML), 80 MG/4<br>ML (20 MG/ML) | 6         | PA; QL (40 ML<br>per 28 days) |
| <b><i>Immunizing Agents, Passive</i></b>   |           |                                   | ACTIMMUNE  | 6         | PA                            |
| BIVIGAM  | 6         | PA                                | ARCALYST   | 6         | PA                            |
| <i>carimune nf</i><br><i>nanofiltered</i><br><i>intravenous recon soln</i><br>6 gram | 6         | PA                                | ILARIS (PF)<br>SUBCUTANEOUS<br>RECON SOLN  | 6         | PA                            |
| FLEBOGAMMA DIF<br>INTRAVENOUS<br>SOLUTION 10 %                                       | 6         | PA                                | KEYTRUDA   | 6         | PA                            |
| GAMASTAN S/D   | 5         | PA                                | <i>leflunomide</i>   | 2         |                               |
| <i>gammagard liquid</i>  | 6         | PA                                | RIDAURA  | 6         |                               |
| GAMMAGARD S-D<br>(IGA < 1 MCG/ML)  | 6         | PA                                |  |           |                               |

| Drug Name  | Drug Tier | Requirement /Limits | Drug Name                                     | Drug Tier | Requirement /Limits |
|--|-----------|---------------------|---|-----------|---------------------|
| SYLVANT INTRAVENOUS RECON SOLN 100 MG                    | 6         | PA                  | KINRIX (PF) INTRAMUSCULAR SYRINGE             | 5         | B/D                 |
| TYSABRI  | 6         | PA; LA              | MENACTRA (PF) INTRAMUSCULAR SOLUTION          | 5         |                     |
| <i>Vaccines</i>  |           |                     | MENVEO A-C-Y-W-135-DIP (PF)                   | 5         |                     |
| ACTHIB (PF)  | 5         |                     | M-M-R II (PF)                                 | 5         |                     |
| ADACEL(TDAP ADOLESN/ADULT)(PF)                           | 5         |                     | PEDIARIX (PF)                                 | 5         | B/D                 |
| INTRAMUSCULAR SUSPENSION                                 |           |                     | PEDVAX HIB (PF)                               | 5         |                     |
| BCG VACCINE, LIVE (PF)                                   | 5         |                     | PROQUAD (PF)                                  | 5         |                     |
| BEXSERO  | 5         |                     | QUADRACEL (PF)                                | 5         |                     |
| BOOSTRIX TDAP  | 5         |                     | RABAVERT (PF)                                 | 5         |                     |
| DAPTACEL (DTAP PEDIATRIC) (PF)                           | 5         |                     | RECOMBIVAX HB (PF)                            | 5         | B/D                 |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE                     | 5         | B/D                 | INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML |           |                     |
| ENGERIX-B PEDIATRIC (PF)                                 | 5         | B/D                 | RECOMBIVAX HB (PF)                            | 5         | B/D                 |
| GARDASIL 9 (PF)  | 5         |                     | INTRAMUSCULAR SYRINGE                         |           |                     |
| HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML | 5         |                     | ROTARIX                                       | 4         |                     |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML  | 5         |                     | ROTATEQ                                       | 3         |                     |
| HIBERIX (PF)   | 5         |                     | VACCINE                                       |           |                     |
| IMOVAX RABIES VACCINE (PF)                               | 5         |                     | TENIVAC (PF)                                  | 5         |                     |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION            | 5         |                     | INTRAMUSCULAR SYRINGE                         |           |                     |
| IPOL   | 5         |                     | <i>tetanus,diphtheria tox ped(pf)</i>         | 5         |                     |
| IXIARO (PF)  | 5         |                     | <i>tetanus-diphtheria toxoids-td</i>          | 5         |                     |
| KINRIX (PF) INTRAMUSCULAR SUSPENSION                     | 5         |                     | TRUMENBA                                      | 5         |                     |
|  |           |                     | TWINRIX (PF) INTRAMUSCULAR SUSPENSION         | 5         |                     |
|  |           |                     | TYPHIM VI                                     | 5         |                     |
|  |           |                     | VAQTA (PF) INTRAMUSCULAR SYRINGE              | 5         |                     |
|  |           |                     | VARIVAX (PF)                                  | 5         |                     |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits       |
|---|-----------|----------------------------|---|-----------|---------------------------|
| VARIZIG   | 5         |                            | <i>prednisolone sodium phosphate oral tablet,disintegrating</i> | 4         |                           |
| INTRAMUSCULAR SOLUTION  |           |                            | <i>prednisone intensol</i>                                      | 2         |                           |
| YF-VAX (PF)   | 5         |                            | <i>prednisone oral solution</i>                                 | 2         |                           |
| ZOSTAVAX (PF)   | 5         | QL (1 EA per 365 days)     | <i>prednisone oral tablet</i>                                   | 1         |                           |
| <b>Inflammatory Bowel Disease Agents</b>  |           |                            | <i>procto-med hc</i>  | 2         |                           |
| <i>Aminosalicylates</i>   |           |                            | <i>proctosol hc topical</i>                                     | 2         |                           |
| APRISO  | 3         | QL (120 EA per 30 days)    | <b>Sulfonamides</b>   |           |                           |
| <i>balsalazide</i>  | 2         |                            | <i>sulfasalazine</i>  | 1         |                           |
| CANASA  | 6         |                            | <b>Metabolic Bone Disease Agents</b>                            |           |                           |
| DIPENTUM  | 6         | ST                         | <b>Metabolic Bone Disease Agents</b>                            |           |                           |
| LIALDA  | 3         | QL (120 EA per 30 days)    | <i>alendronate oral solution</i>                                | 2         | QL (300 ML per 28 days)   |
| <i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i>  | 3         | QL (120 EA per 30 days)    | <i>alendronate oral tablet</i>                                  | 1         | QL (30 EA per 30 days)    |
| <b>Glucocorticoids</b>  |           |                            | <i>alendronate oral tablet</i>                                  | 1         | QL (4 EA per 28 days)     |
| <i>budesonide oral</i>  | 6         | PA; QL (90 EA per 30 days) | <i>alendronate oral tablet</i>                                  | 2         | QL (30 EA per 30 days)    |
| <i>colocort</i>   | 3         |                            | <i>calcitonin (salmon)</i>                                      | 2         | QL (3.7 ML per 30 days)   |
| <i>cortisone</i>  | 2         |                            | <i>calcitriol intravenous solution 1 mcg/ml</i>                 | 5         | B/D                       |
| <i>dexamethasone intensol</i>   | 4         |                            | <i>calcitriol oral capsule</i>                                  | 2         | B/D                       |
| <i>dexamethasone oral elixir</i>  | 2         |                            | <i>calcitriol oral solution</i>                                 | 3         | B/D                       |
| <i>dexamethasone oral tablet</i>  | 2         |                            | <i>doxercalciferol intravenous</i>                              | 5         | B/D                       |
| <i>hydrocortisone oral</i>  | 2         |                            | <i>doxercalciferol oral capsule 0.5 mcg</i>                     | 3         | B/D                       |
| <i>hydrocortisone rectal</i>  | 3         |                            | <i>doxercalciferol oral capsule 1 mcg, 2.5 mcg</i>              | 6         | B/D                       |
| <i>methylprednisolone</i>   | 2         |                            | <i>etidronate disodium</i>                                      | 3         |                           |
| <i>methylprednisolone acetate</i>   | 5         |                            | <i>FORTEO</i>   | 6         | PA                        |
| <i>prednisolone acetate</i>   | 2         |                            | <i>ibandronate intravenous solution</i>                         | 5         | PA                        |
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2         |                            | <i>ibandronate oral</i>   | 2         | ST; QL (1 EA per 30 days) |
|   |           |                            | <b>MIACALCIN INJECTION</b>                                      | 5         |                           |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>   | <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|---|------------------|------------------------------|---|------------------|----------------------------|
| NATPARA   | 6                | PA; QL (2 EA per 28 days)    | ARANESP (IN POLYSORBATE) INJECTION SOLUTION 150 MCG/0.75 ML                             | 6                | PA; QL (3 ML per 28 days)  |
| <i>paricalcitol intravenous</i>                                     | 5                | B/D                          | <i>aripiprazole oral solution</i>   | 6                | QL (750 ML per 30 days)    |
| <i>paricalcitol oral</i>  | 4                |                              | <i>aspirin-caffeine-dihydrocodein</i>   | 2                | QL (360 EA per 30 days)    |
| PROLIA  | 5                | PA                           | <i>atropine injection syringe 0.1 mg/ml</i>   | 5                |                            |
| <i>risedronate oral tablet 30 mg</i>                                | 3                |                              | BENDEKA   | 6                | PA                         |
| TYMLOS  | 6                | PA; QL (1.56 ML per 30 days) | BESPONSA  | 6                | PA                         |
| XGEVA   | 6                | PA; QL (1.7 ML per 28 days)  | <i>butalbital-aspirin-caffeine oral tablet</i>  | 2                | QL (180 EA per 30 days)    |
| ZEMPLAR INTRAVENOUS   | 5                | B/D                          | CAMPATH   | 6                | B/D                        |
| <i>zoledronic acid intravenous solution</i>                         | 5                | PA                           | CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM                                 | 6                | PA                         |
| <i>zoledronic acid-mannitol-water</i>                               | 5                | PA                           | <i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/100 ml, 2 gram/50 ml</i> | 5                |                            |
| <b>Non-Frf</b>  |                  |                              |   |                  |                            |
| <b>Non-Frf</b>  |                  |                              |   |                  |                            |
| <i>abacavir oral solution</i>                                       | 4                | QL (900 ML per 30 days)      | <i>clindamycin in 0.9 % sod chlor</i>   | 5                |                            |
| ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 400 MG | 6                | PA                           | <i>clocortolone pivalate</i>  | 4                |                            |
| <i>adapalene topical lotion</i>                                     | 4                | PA                           | COSENTYX (2 SYRINGES)   | 6                | PA                         |
| ADCETRIS  | 6                | PA; QL (2 EA per 2 days)     | COSENTYX PEN (2 PENS)   | 6                | PA                         |
| ALIMTA INTRAVENOUS RECON SOLN 100 MG                                | 6                | B/D                          | <i>cyred</i>  | 2                |                            |
| <i>amethyst</i>   | 2                |                              | <i>desvenlafaxine fumarate</i>  | 4                | ST; QL (30 EA per 30 days) |
| AMINOSYN II 7 %   | 5                | B/D                          | <i>diazepam rectal kit 12.5-15-17.5-20 mg</i>   | 4                | QL (40 EA per 30 days)     |
|   |                  |                              | <i>diphenhydramine hcl injection syringe</i>  | 5                | B/D                        |
|   |                  |                              | <i>docetaxel intravenous solution 20 mg/ml</i>  | 5                | B/D                        |
|   |                  |                              | <i>doxorubicin intravenous recon soln 50 mg</i>   | 5                | B/D                        |

| Drug Name  | Drug Tier | Requirement /Limits         | Drug Name  | Drug Tier | Requirement /Limits    |
|--|-----------|-----------------------------|--|-----------|------------------------|
| <i>elite-ob</i>  | 2         |                             | <i>gentamicin ophthalmic (eye) ointment</i>                | 2         |                        |
| ELIXOPHYLLIN ORAL ELIXIR 80 MG/15 ML   | 4         |                             | HAEGARDA   | 6         | PA; LA                 |
| EXTAVIA SUBCUTANEOUS RECON SOLN  | 6         | PA; QL (15 EA per 30 days)  | HAVRIX (PF) INTRAMUSCULAR SUSPENSION 720 ELISA UNIT/0.5 ML | 5         |                        |
| <i>fentanyl citrate (pf) intravenous syringe 100 mcg/2 ml (50 mcg/ml)</i>                    | 5         | B/D; QL (14 ML per 30 days) | HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML      | 5         |                        |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 %  | 6         | PA                          | <i>heparin (porcine) injection syringe 5,000 unit/ml</i>   | 5         |                        |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml</i>                      | 5         |                             | HERCEPTIN INTRAVENOUS RECON SOLN 150 MG                    | 6         | B/D                    |
| <i>fluoride (sodium) dental</i>  | 1         |                             | HIZENTRA SUBCUTANEOUS SOLUTION 10 GRAM/50 ML (20 %)        | 6         | PA                     |
| <i>fluoride (sodium) oral drops</i>  | 1         |                             | HUMALOG JUNIOR KWIKPEN                                     | 3         |                        |
| <i>fluoridex daily defense dental paste</i>  | 1         |                             | <i>ibandronate intravenous syringe</i>                     | 5         | PA                     |
| <i>fluoritab oral tablet, chewable 0.5 mg (1.1 mg sodium fluorid)</i>                        | 1         |                             | ILARIS (PF) SUBCUTANEOUS SOLUTION                          | 6         | PA                     |
| <i>fosamprenavir</i>   | 6         | QL (120 EA per 30 days)     | IPRIVASK   | 6         | QL (24 EA per 68 days) |
| <i>fosphenytoin injection solution 500 mg pe/10 ml</i>                                       | 5         |                             | KADCYLA INTRAVENOUS RECON SOLN 160 MG                      | 6         | PA                     |
| GAMUNEX-C INJECTION SOLUTION 40 GRAM/400 ML (10 %)   | 6         | PA                          | KRYSTEXXA  | 6         | PA                     |
| GAZYVA   | 6         | PA                          | <i>lanthanum</i>   | 6         |                        |
| <i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 5         | B/D                         | <i>levoleucovorin intravenous recon soln 175 mg</i>        | 5         | B/D                    |
|  |           |                             | <i>lidocaine-prilocaine topical kit</i>                    | 2         |                        |

| Drug Name  | Drug Tier | Requirement /Limits           | Drug Name   | Drug Tier | Requirement /Limits         |
|--|-----------|-------------------------------|---|-----------|-----------------------------|
| <i>ludent fluoride oral tablet, chewable 0.25 mg(0.55 mg sod. fluoride), 1 mg (2.2 mg sod. fluoride)</i> | 1         |                               | <i>morphine intravenous cartridge 8 mg/ml</i>                                   | 5         | B/D; QL (77 ML per 30 days) |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG   | 6         | B/D                           | <i>morphine rectal suppository 10 mg</i>  | 2         | QL (270 EA per 30 days)     |
| MARQIBO  | 6         | PA                            | <i>morphine rectal suppository 20 mg</i>  | 2         | QL (150 EA per 30 days)     |
| <i>megestrol oral suspension 800 mg/20 ml (20 ml)</i>  | 2         | PA                            | <i>morphine rectal suppository 30 mg</i>  | 2         | QL (90 EA per 30 days)      |
| MENHIBRIX (PF)   | 5         |                               | <i>morphine rectal suppository 5 mg</i>   | 2         | QL (360 EA per 30 days)     |
| MENOMUNE - A/C/Y/W-135 (PF)  | 5         |                               | <i>multi-vit with fluoride-iron</i>   | 2         |                             |
| <i>mesalamine rectal metoprolol tartrate oral tablet 37.5 mg, 75 mg</i>                                  | 4         |                               | <i>multi-vitamin with fluoride oral drops</i>                                   | 1         |                             |
| MIRCERA INJECTION SYRINGE 150 MCG/0.3 ML, 30 MCG/0.3 ML  | 5         | PA; QL (0.6 ML per 28 days)   | <i>multivitamins with fluoride</i>  | 1         |                             |
| <i>morphine (pf) injection solution 0.5 mg/ml</i>  | 5         | B/D; QL (1260 ML per 30 days) | MYLOTARG  | 6         | PA                          |
| <i>morphine in 0.9 % nacl intravenous syringe 10 mg/10 ml (1 mg/ml)</i>                                  | 5         | B/D; QL (2700 ML per 30 days) | <i>naloxone injection syringe 0.4 mg/ml</i>                                     | 5         | QL (2 ML per 30 days)       |
| <i>morphine injection syringe 2 mg/ml</i>  | 5         | B/D                           | NEULASTA SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR                             | 6         | PA                          |
| <i>morphine intravenous cartridge 10 mg/ml</i>   | 5         | B/D; QL (63 ML per 30 days)   | <i>norethindrone-e.estradol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>     | 2         |                             |
| <i>morphine intravenous cartridge 2 mg/ml</i>  | 5         | B/D; QL (1350 ML per 30 days) | NOVAREL INTRAMUSCULAR RECON SOLN 5,000 UNIT                                     | 5         | B/D                         |
| <i>morphine intravenous cartridge 4 mg/ml</i>  | 5         | B/D; QL (690 ML per 30 days)  | NOXAFIL INTRAVENOUS   | 6         | PA                          |
|  |           |                               | NYMALIZE ORAL SOLUTION 60 MG/20 ML  | 6         | QL (2520 ML per 180 days)   |
|  |           |                               | <i>obstetrix one</i>  | 2         |                             |
|  |           |                               | <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i> | 5         | PA                          |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name   | Drug Tier | Requirement /Limits         |
|---|-----------|----------------------------|---|-----------|-----------------------------|
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>       | 6         | PA                         | RITUXAN HYCELA  | 6         | PA                          |
| ONIVYDE   | 6         | PA                         | RUBRACA ORAL TABLET 250 MG  | 6         | PA; QL (120 EA per 30 days) |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML                            | 6         | PA                         | <i>scopolamine base</i>   | 4         |                             |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19) | 6         | PA; QL (27 EA per 14 days) | SELZENTRY ORAL SOLUTION   | 4         | QL (1800 ML per 30 days)    |
| <i>oxacillin intravenous recon soln 2 gram</i>                      | 5         |                            | <i>sf 5000 plus</i>   | 1         |                             |
| PENTACEL ACTHIB COMPONENT (PF)                                      | 5         |                            | SMOFLIPID   | 5         | B/D                         |
| PENTACEL DTAP- IPV COMPNT (PF)                                      | 5         |                            | <i>sodium bicarbonate intravenous syringe 10 meq/10 ml (8.4 %)</i>                    | 5         | B/D                         |
| <i>piperacillin-tazobactam intravenous recon soln 13.5 gram</i>     | 5         |                            | <i>sodium chlor 0.9% bacteriostat</i>   | 5         |                             |
| <i>pnv cmb#95-ferrous fumarate-fa</i>                               | 1         |                            | <i>sodium phenylbutyrate oral tablet</i>  | 6         | PA                          |
| <i>polyethylene glycol 3350 oral powder in packet</i>               | 2         |                            | <i>stavudine oral recon soln</i>  | 2         | QL (2400 ML per 30 days)    |
| PORTRAZZA   | 6         | PA                         | SYLVANT INTRAVENOUS RECON SOLN 400 MG   | 6         | PA                          |
| <i>prenatal 19 (with docusate)</i>                                  | 1         |                            | SYNJARDY XR ORAL TABLET, IR -ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 5-1,000 MG | 3         | QL (60 EA per 30 days)      |
| <i>prenatal low iron</i>  | 2         |                            | SYNJARDY XR ORAL TABLET, IR -ER, BIPHASIC 24HR 25-1,000 MG                            | 3         | QL (30 EA per 30 days)      |
| <i>prenatal plus</i>  | 1         |                            | <i>teniposide</i>   | 5         | B/D                         |
| <i>prenatal plus (calcium carb)</i>                                 | 2         |                            | <i>tobramycin with nebulizer</i>  | 6         | PA; QL (280 ML per 56 days) |
| <i>prenatal-u</i>   | 2         |                            | <i>tolmetin oral tablet 200 mg</i>  | 4         |                             |
| <i>prevident dental gel</i>   | 1         | (prevident 1.1% gel only)  | <i>tri-vitamin with fluoride</i>  | 1         |                             |
| <i>ranitidine hcl injection solution 25 mg/ml</i>                   | 5         |                            | UNITUXIN  | 6         | PA                          |
| RESTASIS MULTIDOSE  | 3         | QL (5.5 ML per 30 days)    | <i>vancomycin in 0.9% sodium cl intravenous piggyback virt-advance</i>                | 5         |                             |
| <i>ribavirin inhalation</i>   | 6         | B/D                        |   | 1         |                             |

| Drug Name   | Drug Tier | Requirement /Limits        | Drug Name  | Drug Tier | Requirement /Limits       |  |  |  |
|---|-----------|----------------------------|--|-----------|---------------------------|--|--|--|
| <i>virt-nate</i>                                      | 2         |                            | <i>sulfacetamide sodium ophthalmic (eye) ointment</i>      | 2         |                           |  |  |  |
| ZALTRAP INTRAVENOUS SOLUTION 200 MG/8 ML (25 MG/ML)   | 6         | PA                         | <i>sulfacetamide-prednisolone tobramycin-dexamethasone</i> | 2         |                           |  |  |  |
| <i>zoledronic acid intravenous recon soln</i>         | 5         | PA                         | ZYLET  | 3         |                           |  |  |  |
| ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG                 | 4         | PA; QL (90 EA per 30 days) | <b>Ophthalmic Anti-Allergy Agents</b>                      |           |                           |  |  |  |
| <b>Ophthalmic Agents</b>                              |           |                            |  |           |                           |  |  |  |
| <b>Ophthalmic Agents, Other</b>                       |           |                            |  |           |                           |  |  |  |
| <i>atropine ophthalmic (eye) drops</i>                | 2         |                            | <i>azelastine ophthalmic (eye)</i>                         | 2         |                           |  |  |  |
| CYSTARAN  | 6         | PA; QL (60 ML per 28 days) | BEPREVE  | 4         |                           |  |  |  |
| LACRISERT   | 4         |                            | <i>cromolyn ophthalmic (eye)</i>                           | 2         |                           |  |  |  |
| RESTASIS  | 3         | QL (64 EA per 30 days)     | EMADINE  | 4         | ST                        |  |  |  |
| <i>sulfacetamide sodium ophthalmic (eye) ointment</i> | 2         |                            | <i>epinastine</i>  | 2         |                           |  |  |  |
| <b>Ophthalmic Agents</b>                              |           |                            | LASTACAFT  | 4         |                           |  |  |  |
| <i>bacitracin-polymyxin b ophthalmic (eye)</i>        | 2         |                            | <i>olopatadine ophthalmic (eye) drops 0.1 %</i>            | 2         | QL (10 ML per 30 days)    |  |  |  |
| BLEPHAMIDE S.O.P.                                     | 3         |                            | <i>olopatadine ophthalmic (eye) drops 0.2 %</i>            | 3         | QL (3 ML per 30 days)     |  |  |  |
| <i>neomycin-bacitracin-poly-hc</i>                    | 1         |                            | PATADAY  | 3         | QL (3 ML per 30 days)     |  |  |  |
| <i>neomycin-bacitracin-polymyxin</i>                  | 2         |                            | PAZEO  | 3         | QL (2.5 ML per 30 days)   |  |  |  |
| <i>neomycin-polymyxin b-dexameth</i>                  | 2         |                            | <b>Ophthalmic Antiglaucoma Agents</b>                      |           |                           |  |  |  |
| <i>neomycin-polymyxin-gramicidin</i>                  | 2         |                            | <i>acetazolamide oral tablet</i>                           | 2         |                           |  |  |  |
| <i>neomycin-polymyxin-hc ophthalmic (eye)</i>         | 2         |                            | ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %                    | 3         |                           |  |  |  |
| <i>polymyxin b sulf-trimethoprim</i>                  | 2         |                            | <i>apraclonidine</i>                                       | 2         |                           |  |  |  |
| PRED-G  | 4         |                            | AZOPT  | 3         |                           |  |  |  |
| PRED-G S.O.P.   | 4         |                            | <i>betaxolol ophthalmic (eye)</i>                          | 2         |                           |  |  |  |
|   |           |                            | BETIMOL  | 3         |                           |  |  |  |
|   |           |                            | BETOPTIC S   | 4         |                           |  |  |  |
|   |           |                            | <i>bimatoprost ophthalmic (eye)</i>                        | 3         | ST; QL (5 ML per 30 days) |  |  |  |

| Drug Name  | Drug Tier | Requirement /Limits     | Drug Name  | Drug Tier | Requirement /Limits       |  |
|--|-----------|-------------------------|--|-----------|---------------------------|--|
| <i>brimonidine</i>   | 2         |                         | LOTEMAX  | 3         |                           |  |
| <i>carteolol</i>   | 2         |                         | OPHTHALMIC<br>(EYE) DROPS,GEL                          |           |                           |  |
| COSOPT (PF)  | 3         | QL (60 EA per 30 days)  | LOTEMAX  | 3         |                           |  |
| <i>dorzolamide</i>   | 2         |                         | OPHTHALMIC<br>(EYE)                                    |           |                           |  |
| <i>dorzolamide-timolol</i>                                   | 2         |                         | DROPS,SUSPENSIO N                                      |           |                           |  |
| <i>levobunolol</i>   | 2         |                         | MAXIDEX  | 4         |                           |  |
| <i>ophthalmic (eye) drops 0.5 %</i>                          |           |                         | NEVANAC  | 4         |                           |  |
| <i>methazolamide</i>   | 3         |                         | PRED MILD  | 4         |                           |  |
| <i>metipranolol</i>  | 2         |                         | <i>prednisolone acetate</i>                            | 2         |                           |  |
| PHOSPHOLINE IODIDE   | 4         |                         | <i>prednisolone sodium phosphate ophthalmic (eye)</i>  | 2         |                           |  |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>  | 2         |                         | <b>Ophthalmic Prostaglandin And Prostamide Analogs</b> |           |                           |  |
| SIMBRINZA  | 3         |                         | <i>bimatoprost ophthalmic (eye)</i>                    | 3         | ST; QL (5 ML per 30 days) |  |
| <i>timolol maleate ophthalmic (eye) drops</i>                | 1         |                         | <i>latanoprost</i>                                     | 2         |                           |  |
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> | 2         |                         | LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %                  | 3         | ST; QL (5 ML per 30 days) |  |
| <b>Ophthalmic Anti-Inflammatories</b>                        |           |                         | TRAVATAN Z   | 3         | ST; QL (5 ML per 30 days) |  |
| ALREX  | 3         |                         | <b>Otic Agents</b>                                     |           |                           |  |
| <i>bromfenac</i>   | 2         |                         | <b>Otic Agents</b>                                     |           |                           |  |
| <i>dexamethasone sodium phosphate ophthalmic (eye)</i>       | 2         |                         | CIPRO HC   | 4         |                           |  |
| <i>diclofenac sodium ophthalmic (eye)</i>                    | 2         |                         | CIPRODEX   | 4         |                           |  |
| DUREZOL  | 4         |                         | COLY-MYCIN S   | 3         |                           |  |
| FLAREX   | 4         |                         | <i>hydrocortisone-acetic acid</i>                      | 3         |                           |  |
| <i>fluorometholone</i>                                       | 2         |                         | <i>neomycin-polymyxin-hc otic (ear)</i>                | 2         |                           |  |
| <i>flurbiprofen sodium</i>                                   | 2         |                         | <i>ofloxacin oral tablet 300 mg</i>                    | 2         |                           |  |
| FML FORTE  | 4         |                         | <b>Respiratory Tract/ Pulmonary Agents</b>             |           |                           |  |
| FML S.O.P.   | 4         |                         | <b>Antihistamines</b>                                  |           |                           |  |
| ILEVRO   | 4         | QL (1.7 ML per 30 days) | <i>azelastine nasal aerosol,spray</i>                  | 2         | QL (30 ML per 30 days)    |  |
| <i>ketorolac ophthalmic (eye)</i>                            | 2         |                         | <i>azelastine nasal spray,non-aerosol</i>              | 2         | QL (30 ML per 25 days)    |  |

| Drug Name  | Drug Tier | Requirement /Limits          | Drug Name   | Drug Tier | Requirement /Limits          |
|--|-----------|------------------------------|---|-----------|------------------------------|
| <i>carbinoxamine maleate</i>   | 2         |                              | FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION | 3         | QL (24 GM per 30 days)       |
| <i>clemastine oral tablet 2.68 mg</i>  | 2         |                              | FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION                     | 3         | QL (22 GM per 30 days)       |
| <i>cyproheptadine oral tablet</i>  | 2         | PA                           | <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>                     | 2         | ST; QL (50 ML per 30 days)   |
| <i>desloratadine oral tablet</i>   | 2         | ST; QL (30 EA per 30 days)   | <i>fluticasone nasal</i>  | 2         | QL (16 GM per 30 days)       |
| <i>desloratadine oral tablet,disintegrating</i>                                    | 4         | ST                           | PULMICORT FLEXHALER   | 3         | QL (2 EA per 30 days)        |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i>                             | 5         |                              | QVAR INHALATION AEROSOL 40 MCG/ACTUATION  | 3         | QL (36.5 GM per 30 days)     |
| <i>hydroxyzine hcl oral tablet</i>   | 2         | PA                           | QVAR INHALATION AEROSOL 80 MCG/ACTUATION  | 3         | QL (21.9 GM per 30 days)     |
| <i>levocetirizine oral solution</i>  | 4         |                              | <b>Antileukotrienes</b>   |           |                              |
| <i>levocetirizine oral tablet</i>  | 2         |                              | <i>montelukast</i>  | 2         | QL (30 EA per 30 days)       |
| <i>promethazine oral tablet</i>  | 2         | PA                           | <i>zafirlukast</i>  | 2         |                              |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>                                |           |                              | <i>zileuton</i>   | 6         |                              |
| ADVAIR DISKUS  | 3         | QL (60 EA per 30 days)       | <b>Bronchodilators, Anticholinergic</b>   |           |                              |
| ADVAIR HFA   | 3         | QL (12 GM per 30 days)       | ATROVENT HFA  | 4         | QL (52 GM per 30 days)       |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | 3         | B/D; QL (120 ML per 30 days) | INCRUSE ELLIPTA   | 3         | QL (30 EA per 30 days)       |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>                 | 3         | B/D; QL (60 ML per 30 days)  | <i>ipratropium bromide inhalation</i>   | 2         | B/D; QL (360 ML per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION  | 3         | QL (60 EA per 30 days)       | <i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>                       | 2         | QL (30 ML per 28 days)       |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION                    | 3         | QL (240 EA per 30 days)      | <i>ipratropium bromide nasal spray,non-aerosol 0.06 %</i>                       | 2         | QL (45 ML per 28 days)       |

| Drug Name   | Drug Tier | Requirement /Limits          | Drug Name   | Drug Tier | Requirement /Limits          |
|---|-----------|------------------------------|---|-----------|------------------------------|
| SPIRIVA RESPIMAT  | 3         | QL (4 GM per 30 days)        | <i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> | 4         | PA; QL (90 EA per 30 days)   |
| SPIRIVA WITH HAN迪HALER  | 3         | QL (30 EA per 30 days)       | <i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/3 ml</i>   | 4         | PA; QL (90 ML per 30 days)   |
| TUDORZA PRESSAIR  | 3         | QL (1 EA per 30 days)        | <i>levalbuterol tartrate</i>  | 2         | QL (30 GM per 30 days)       |
| <b>Bronchodilators, Sympathomimetic</b>   |           |                              |   |           |                              |
| ADVAIR DISKUS   | 3         | QL (60 EA per 30 days)       | SEREVENT DISKUS   | 3         | QL (60 EA per 30 days)       |
| ADVAIR HFA  | 3         | QL (12 GM per 30 days)       | <i>terbutaline oral</i>   | 2         |                              |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml</i>              | 2         | B/D; QL (375 ML per 30 days) | <i>terbutaline subcutaneous</i>   | 5         |                              |
| <i>albuterol sulfate inhalation solution for nebulization 1.25 mg/3 ml</i>              | 2         | B/D; QL (180 ML per 30 days) | VENTOLIN HFA  | 3         | QL (36 GM per 30 days)       |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg /3 ml (0.083 %)</i>    | 2         | B/D; QL (360 ML per 30 days) | <b>Cystic Fibrosis Agents</b>   |           |                              |
| <i>albuterol sulfate inhalation solution for nebulization 5 mg/ml</i>                   | 2         | B/D; QL (40 ML per 30 days)  | CAYSTON   | 6         | PA; QL (84 ML per 28 days)   |
| <i>albuterol sulfate oral tablet</i>  | 2         |                              | KALYDECO  | 6         | PA; QL (60 EA per 30 days)   |
| BREO ELLIPTA  | 3         | QL (60 EA per 30 days)       | ORKAMBI   | 6         | PA; QL (120 EA per 30 days)  |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i>               | 3         | QL (4 EA per 2 days)         | PULMOZYME   | 6         | B/D; QL (150 ML per 30 days) |
| EPIPEN 2-PAK  | 3         | QL (4 EA per 2 days)         | TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE                       | 6         | PA; QL (224 EA per 28 days)  |
| EPIPEN JR 2-PAK   | 3         | QL (4 EA per 2 days)         | <b>Mast Cell Stabilizers</b>  |           |                              |
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml</i> | 4         | PA; QL (288 ML per 30 days)  | <i>cromolyn inhalation</i>  | 2         | B/D; QL (240 ML per 30 days) |
|   |           |                              | <i>cromolyn oral</i>  | 4         |                              |
| <b>Phosphodiesterase Inhibitors, Airways Disease</b>                                    |           |                              |   |           |                              |
|   |           |                              | <i>aminophylline intravenous solution 250 mg/10 ml</i>                      | 5         |                              |
|   |           |                              | DALIRESP  | 4         | PA; QL (30 EA per 30 days)   |
|   |           |                              | THEO-24   | 4         |                              |

| Drug Name   | Drug Tier | Requirement /Limits             | Drug Name  | Drug Tier | Requirement /Limits           |
|---|-----------|---------------------------------|--|-----------|-------------------------------|
| theophylline oral tablet extended release 12 hr         | 2         |                                 | PROLASTIN-C  | 6         | B/D                           |
| theophylline oral tablet extended release 24 hr         | 2         |                                 | ZEMAIRA  | 6         | B/D                           |
| <b>Pulmonary Antihypertensives</b>                      |           |                                 |  |           |                               |
| ADCIRCA   | 6         | PA; QL (60 EA per 30 days)      | ADVAIR DISKUS  | 3         | QL (60 EA per 30 days)        |
| ADEMPAS   | 6         | PA; QL (90 EA per 30 days)      | ADVAIR HFA   | 3         | QL (12 GM per 30 days)        |
| LETAIRIS ORAL TABLET 10 MG                              | 6         | PA; QL (30 EA per 30 days)      | COMBIVENT  | 4         | QL (4 GM per 30 days)         |
| LETAIRIS ORAL TABLET 5 MG                               | 6         | PA; QL (60 EA per 30 days)      | RESPIMAT   |           |                               |
| OPSUMIT   | 6         | PA; QL (30 EA per 30 days)      | ESBRIET ORAL CAPSULE   | 6         | PA; QL (270 EA per 30 days)   |
| REVATIO ORAL SUSPENSION FOR RECONSTITUTION              | 6         | PA; QL (180 ML per 30 days)     | ESBRIET ORAL TABLET 267 MG                                     | 6         | PA; QL (270 EA per 30 days)   |
| sildenafil oral   | 3         | PA; QL (90 EA per 30 days)      | ESBRIET ORAL TABLET 801 MG                                     | 6         | PA; QL (90 EA per 30 days)    |
| TRACLEER ORAL TABLET 125 MG                             | 6         | PA; LA; QL (60 EA per 30 days)  | ipratropium-albuterol  | 2         | B/D; QL (540 ML per 30 days)  |
| TRACLEER ORAL TABLET 62.5 MG                            | 6         | PA; LA; QL (120 EA per 30 days) | NUCALA   | 6         | PA; LA; QL (1 EA per 28 days) |
| VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML | 6         | B/D; QL (540 ML per 30 days)    | OFEV   | 6         | PA; QL (60 EA per 30 days)    |
| <b>Respiratory Tract Agents, Other</b>                  |           |                                 |  |           |                               |
| acetylcysteine  | 2         | B/D                             | PULMOZYME  | 6         | B/D; QL (150 ML per 30 days)  |
| ANORO ELLIPTA   | 3         | QL (60 EA per 30 days)          | SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION | 3         | QL (10.2 GM per 30 days)      |
| ARALAST NP INTRAVENOUS RECON SOLN 500 MG                | 6         | B/D                             | SYMBICORT INHALATION HFA AEROSOL INHALER 80-4.5 MCG/ACTUATION  | 3         | QL (6.9 GM per 30 days)       |
| GLASSIA   | 6         | B/D                             | XOLAIR   | 6         | PA                            |
| INCRUSE ELLIPTA   | 3         | QL (30 EA per 30 days)          | <b>Skeletal Muscle Relaxants</b>                               |           |                               |
| LUMIZYME  | 6         | B/D                             | <b>Skeletal Muscle Relaxants</b>                               |           |                               |
|   |           |                                 | carisoprodol oral tablet 250 mg                                | 4         | PA; QL (120 EA per 30 days)   |
|   |           |                                 | carisoprodol oral tablet 350 mg                                | 3         | PA; QL (120 EA per 30 days)   |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b>                      | <b>Drug Name</b>                                     | <b>Drug Tier</b> | <b>Requirement /Limits</b>      |
|---|------------------|---|--|------------------|---------------------------------|
| cyclobenzaprine oral tablet 10 mg, 5 mg                 | 2                | PA  | doxepin oral concentrate                             | 2                |                                 |
| cyclobenzaprine oral tablet 7.5 mg                      | 2                | PA; QL (90 EA per 30 days)                      | HETLIOZ  | 6                | PA; QL (30 EA per 30 days)      |
| methocarbamol oral                                      | 4                | PA  | modafinil oral tablet 100 mg                         | 4                | PA; QL (90 EA per 30 days)      |
| tizanidine oral capsule                                 | 4                |   | modafinil oral tablet 200 mg                         | 4                | PA; QL (60 EA per 30 days)      |
| <b>Sleep Disorder Agents</b>                            |                  |   | ROZEREM  | 3                | QL (30 EA per 30 days)          |
| <b>Gaba Receptor Modulators</b>                         |                  |   | XYREM  | 6                | PA; LA; QL (540 ML per 30 days) |
| eszopiclone   | 2                | PA; QL (30 EA per 30 days)                      | <b>Therapeutic Nutrients/ Minerals/ Electrolytes</b> |                  |                                 |
| temazepam oral capsule 15 mg                            | 2                | QL (60 EA per 30 days)                          | <b>Electrolyte/ Mineral Modifiers</b>                |                  |                                 |
| temazepam oral capsule 30 mg                            | 2                | QL (30 EA per 30 days)                          | amino acids 15 %                                     | 5                | B/D                             |
| zaleplon oral capsule 10 mg                             | 2                | PA; QL (60 EA per 30 days)                      | AMINOSYN 7 % WITH ELECTROLYTES                       | 5                | B/D                             |
| zaleplon oral capsule 5 mg                              | 2                | PA; QL (120 EA per 30 days)                     | AMINOSYN-RF 5.2 %                                    | 5                | B/D                             |
| zolpidem oral tablet 10 mg                              | 2                | PA; (generic Ambien); QL (30 EA per 30 days)    | CHEMET   | 4                |                                 |
| zolpidem oral tablet 5 mg                               | 2                | PA; (generic Ambien); QL (60 EA per 30 days)    | DEPEN TITRATABS                                      | 6                | PA                              |
| zolpidem oral tablet,ext release multiphase 12.5 mg     | 2                | PA; (generic Ambien CR); QL (30 EA per 30 days) | EXJADE   | 6                | LA                              |
| zolpidem oral tablet,ext release multiphase 6.25 mg     | 2                | PA; (generic Ambien CR); QL (60 EA per 30 days) | FERRIPROX  | 6                | PA                              |
| <b>Sleep Disorders, Other</b>                           |                  |   | JADENU   | 6                |                                 |
| armodafinil oral tablet 150 mg, 200 mg, 250 mg          | 4                | PA; QL (30 EA per 30 days)                      | JADENU SPRINKLE                                      | 6                |                                 |
| armodafinil oral tablet 50 mg                           | 4                | PA; QL (60 EA per 30 days)                      | kionex   | 3                |                                 |
| doxepin oral capsule 10 mg, 100 mg, 25 mg, 50 mg, 75 mg | 2                |   | sodium polystyrene (sorb free)                       | 2                |                                 |
|   |                  |   | SYPRINE  | 6                | PA                              |
|   |                  |   | <b>Electrolyte/ Mineral Replacement</b>              |                  |                                 |
|   |                  |   | CARBAGLU   | 6                | PA                              |
|   |                  |   | fluoride (sodium) oral tablet                        | 1                |                                 |
|   |                  |   | KLOR-CON 10  | 2                |                                 |
|   |                  |   | KLOR-CON 8   | 2                |                                 |
|   |                  |   | klor-con m10   | 2                |                                 |
|   |                  |   | KLOR-CON M15   | 2                |                                 |
|   |                  |   | klor-con m20   | 2                |                                 |

| Drug Name   | Drug Tier | Requirement /Limits | Drug Name   | Drug Tier | Requirement /Limits |
|---|-----------|---------------------|---|-----------|---------------------|
| magnesium sulfate injection solution                                  | 5         |                     | <i>Therapeutic Nutrients/ Minerals/ Electrolytes</i>        |           |                     |
| PHYSIOLYTE  | 2         |                     | amino acids 15 %  | 5         | B/D                 |
| PHYSIOSOL IRRIGATION  | 2         |                     | AMINOSYN 8.5 %- ELECTROLYTES                                | 5         | B/D                 |
| potassium chloride intravenous piggyback 10 meq/100 ml                | 5         |                     | AMINOSYN II 10 %  | 5         | B/D                 |
| potassium chloride intravenous piggyback 20 meq/100 ml, 40 meq/100 ml | 5         | B/D                 | AMINOSYN II 15 %  | 5         | B/D                 |
| potassium chloride intravenous solution                               | 5         |                     | AMINOSYN II 8.5 %   | 5         | B/D                 |
| potassium chloride oral capsule, extended release                     | 2         |                     | AMINOSYN II 8.5 %- ELECTROLYTES                             | 5         | B/D                 |
| potassium chloride oral liquid  | 2         |                     | AMINOSYN-HBC 7%   | 5         | B/D                 |
| potassium chloride oral tablet extended release 10 meq, 20 meq        | 2         |                     | AMINOSYN-PF 10 %  | 5         | B/D                 |
| potassium chloride oral tablet extended release 8 meq                 | 1         |                     | AMINOSYN-PF 7 % (SULFITE-FREE)                              | 5         | B/D                 |
| potassium chloride oral tablet,er particles/crystals                  | 2         |                     | clinisol sf 15 %  | 5         | B/D                 |
| sodium chloride 0.45 % intravenous parenteral solution                | 5         |                     | d10 %-0.45 % sodium chloride                                | 5         |                     |
| sodium chloride 0.9 % intravenous parenteral solution                 | 5         |                     | d2.5 %-0.45 % sodium chloride                               | 5         |                     |
| sodium chloride 3 %   | 5         |                     | d5 % and 0.9 % sodium chloride                              | 5         |                     |
| sodium chloride 5 %   | 5         |                     | d5 %-0.45 % sodium chloride                                 | 5         |                     |
| sodium chloride intravenous parenteral solution 2.5 meq/ml            | 5         |                     | dextrose 10 % and 0.2 % nacl                                | 5         |                     |
| sodium chloride irrigation  | 2         |                     | dextrose 10 % in water (d10w)                               | 5         |                     |
| SUPREP BOWEL PREP KIT   | 3         |                     | dextrose 5 % in water (d5w) intravenous parenteral solution | 5         |                     |
|   |           |                     | dextrose 5 %-lactated ringers                               | 5         |                     |
|   |           |                     | dextrose 5%-0.2 % sod chloride                              | 5         |                     |
|   |           |                     | dextrose 5%-0.3 % sod.chloride                              | 5         |                     |
|   |           |                     | HEPATAMINE 8%   | 5         | B/D                 |
|   |           |                     | INTRALIPID  | 5         | B/D                 |
|   |           |                     | INTRAVENOUS EMULSION 30 %                                   |           |                     |
|   |           |                     | <i>lactated ringers intravenous</i>                         | 5         |                     |

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirement /Limits</b> |
|---|------------------|----------------------------|
| <i>lactated ringers irrigation</i>  | 2                |                            |
| <i>levocarnitine oral tablet</i>  | 2                |                            |
| NORMOSOL-M IN 5 % DEXTROSE  | 5                |                            |
| NUTRILIPID  | 5                | B/D                        |
| <i>potassium chlorid-d5- 0.45%nacl intravenous parenteral solution 20 meq/l</i> | 5                |                            |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>     | 5                |                            |
| <i>potassium chloride-d5- 0.9%nacl intravenous parenteral solution 40 meq/l</i> | 5                |                            |
| PREMASOL 10 %   | 5                | B/D                        |
| PREMASOL 6 %  | 5                | B/D                        |
| <i>prenatal vitamin plus low iron</i>   | 2                |                            |
| <i>ringer's intravenous ringer's irrigation</i>                                 | 5                |                            |
| TPN ELECTROLYTES  | 5                | B/D                        |
| <i>water for irrigation, sterile</i>  | 2                |                            |
| <b>Vitamins</b>   |                  |                            |
| <i>doxercalciferol intravenous</i>  | 5                | B/D                        |
| <i>doxercalciferol oral capsule 0.5 mcg</i>                                     | 3                | B/D                        |
| <i>doxercalciferol oral capsule 1 mcg, 2.5 mcg</i>                              | 6                | B/D                        |

# Index

| Drug Name                               | Page #     | Drug Name                               | Page # |
|---|------------|---|--------|
| <i>1St Generation/ Typical</i>          | 25         | ALINIA                                  | 24     |
| <i>2Nd Generation/ Atypical</i>         | 25, 26     | <i>Alkylating Agents</i>                | 19     |
| abacavir                                | 28, 58     | allopurinol                             | 17     |
| abacavir-lamivudine                     | 28         | ALOCRIL                                 | 62     |
| abacavir-lamivudine-zidovudine          | 28         | ALORA                                   | 49     |
| ABELCET                                 | 16         | alosetron                               | 45     |
| ABILIFY MAINTENA                        | 13, 25, 58 | <i>Alpha-Adrenergic Agonists</i>        | 36     |
| ABRAXANE                                | 19         | <i>Alpha-Adrenergic Blocking Agents</i> | 36     |
| acamprosate                             | 5          | ALPHAGAN P                              | 62     |
| acarbose                                | 32         | alprazolam                              | 30     |
| acebutolol                              | 37         | ALREX                                   | 63     |
| acetaminophen-codeine                   | 1          | ALUNBRIG                                | 22     |
| acetazolamide                           | 40, 62     | alyacen 1/35 (28)                       | 50     |
| acetic acid                             | 5          | amabelz                                 | 50     |
| acetylcysteine                          | 66         | amantadine hcl                          | 24, 30 |
| acitretin                               | 43         | AMBISOME                                | 16     |
| ACTEMRA                                 | 53, 55     | amethia                                 | 50     |
| ACTHAR H.P.                             | 47         | amethyst                                | 58     |
| ACTHIB (PF)                             | 56         | amikacin                                | 5      |
| ACTIMMUNE                               | 55         | amiloride                               | 40     |
| acyclovir                               | 27         | amiloride-hydrochlorothiazide           | 38     |
| acyclovir sodium                        | 27         | amino acids 15 %                        | 67, 68 |
| ADACEL(TDAP ADOLESN/ADULT)(PF)          | 56         | <i>Aminoglycosides</i>                  | 5      |
| ADAGEN                                  | 44         | aminophylline                           | 65     |
| adalat cc                               | 38         | <i>Aminosalicylates</i>                 | 57     |
| adapalene                               | 43, 58     | AMINOSYN 7 % WITH ELECTROLYTES          | 67     |
| ADCETRIS                                | 58         | AMINOSYN 8.5 %-ELECTROLYTES             | 68     |
| ADCIRCA                                 | 66         | AMINOSYN II 10 %                        | 68     |
| adefovir                                | 26         | AMINOSYN II 15 %                        | 68     |
| ADEMPAS                                 | 66         | AMINOSYN II 7 %                         | 58     |
| ADVAIR DISKUS                           | 64, 65, 66 | AMINOSYN II 8.5 %                       | 68     |
| ADVAIR HFA                              | 64, 65, 66 | AMINOSYN II 8.5 %-ELECTROLYTES          | 68     |
| afeditab cr                             | 38         | AMINOSYN-HBC 7%                         | 68     |
| AFINITOR                                | 22, 53     | AMINOSYN-PF 10 %                        | 68     |
| AFINITOR DISPERZ                        | 53         | AMINOSYN-PF 7 % (SULFITE-FREE)          | 68     |
| ALA-CORT                                | 47         | AMINOSYN-RF 5.2 %                       | 67     |
| ala-cort                                | 47         | amiodarone                              | 37     |
| ALBENZA                                 | 24         | AMITIZA                                 | 45     |
| albuterol sulfate                       | 65         | amitriptyline                           | 15     |
| alclometasone                           | 47         | amlodipine                              | 38     |
| <i>Alcohol Deterrents/ Anti-Craving</i> | 5          | amlodipine-atorvastatin                 | 39     |
| alcohol pads                            | 5          | amlodipine-benazepril                   | 39     |
| ALDACTAZIDE                             | 38         | amlodipine-valsartan                    | 39     |
| ALDURAZYME                              | 44         | amlodipine-valsartan-hcthiazid          | 39     |
| ALECENSA                                | 22         | ammonium lactate                        | 43     |
| alendronate                             | 57         | amoxapine                               | 15     |
| alfuzosin                               | 46         | amoxicillin                             | 7      |
| ALIMTA                                  | 20, 58     | amoxicillin-pot clavulanate             | 7      |

| Drug Name  | Page #        | Drug Name  | Page #                 |
|--|---------------|--|------------------------|
| amphotericin b .....                                   | 16            | Antihistamines .....   | 63, 64                 |
| ampicillin .....                                       | 7             | Anti-Hiv Agents, Integrase Inhibitors (Insti) .....                                      | 27, 28                 |
| ampicillin sodium .....                                | 7             | Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti) .....           | 28                     |
| ampicillin-sulbactam .....                             | 7             | Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti) ..... | 28, 29                 |
| AMPYRA .....   | 42            | Anti-Hiv Agents, Other .....   | 29                     |
| Anabolic Steroids .....                                | 49            | Anti-Hiv Agents, Protease Inhibitors .....   | 29, 30                 |
| ANADROL-50 .....                                       | 49            | Anti-Inflammatories, Inhaled Corticosteroids .....                                       | 64                     |
| anagrelide .....                                       | 35            | Anti-Inflammatory Agents .....   | 17, 18                 |
| Analgesics .....                                       | 1, 2, 3, 4    | Anti-Influenza Agents .....  | 30                     |
| Analgesics .....                                       | 1             | Antileukotrienes .....   | 64                     |
| anastrozole .....                                      | 21            | Antimetabolites .....  | 20                     |
| ANDROGEL .....   | 49            | Antimigraine Agents .....  | 18                     |
| Androgens .....  | 49            | Antimyasthenic Agents .....  | 18, 19                 |
| Anesthetics .....                                      | 4             | Antimycobacterials .....   | 19                     |
| Angioedema (Hae) Agents .....                          | 53            | Antimycobacterials, Other .....  | 19                     |
| Angiotensin II Receptor Antagonists .....              | 36, 37        | Antineoplastics .....  | 19, 20, 21, 22, 23, 24 |
| Angiotensin-Converting Enzyme (Ace) Inhibitors .....   | 37            | Antineoplastics .....  | 20, 21                 |
| ANORO ELLIPTA .....                                    | 66            | Antiparasitics .....   | 24                     |
| Anthelmintics .....                                    | 24            | Antiparkinson Agents .....   | 24, 25                 |
| Anti-Addiction/ Substance Abuse Treatment Agents ..... | 4, 5          | Antiparkinson Agents .....   | 24                     |
| Antiandrogens .....                                    | 19            | Antiparkinson Agents, Other .....  | 24                     |
| Antiangiogenic Agents .....                            | 19, 20        | Antiprotozoals .....   | 24                     |
| Antiarrhythmics .....                                  | 37            | Antipsychotics .....   | 25, 26                 |
| Antibacterials .....                                   | 5, 6, 7, 8, 9 | Antispasmodics, Gastrointestinal .....   | 45                     |
| Antibacterials .....                                   | 6             | Antispasmodics, Urinary .....  | 46                     |
| Antibacterials, Other .....                            | 5, 6          | Antispasticity Agents .....  | 26                     |
| Anticholinergics .....                                 | 24            | Antithyroid Agents .....   | 53                     |
| Anticoagulants .....                                   | 34, 35        | Antituberculars .....  | 19                     |
| Anticonvulsants .....                                  | 10, 11, 12    | Antivirals .....   | 26, 27, 28, 29, 30     |
| Anticonvulsants, Other .....                           | 10            | Anxiolytics .....  | 30, 31                 |
| Anti-Cytomegalovirus (Cmv) Agents .....                | 26            | Anxiolytics, Other .....   | 30                     |
| Antidementia Agents .....                              | 12, 13        | APOKYN .....   | 24                     |
| Antidementia Agents, Other .....                       | 12            | apraclonidine .....  | 62                     |
| Antidepressants .....                                  | 13, 14, 15    | aprepitant .....   | 15                     |
| Antidepressants .....                                  | 13            | apri .....   | 50                     |
| Antidepressants, Other .....                           | 13            | APRISO .....   | 57                     |
| Antidiabetic Agents .....                              | 32, 33        | APTIOM .....   | 12                     |
| Antiemetics .....                                      | 15, 16        | APTIVUS .....  | 29                     |
| Antiemetics, Other .....                               | 15            | ARALAST NP .....   | 66                     |
| Antiestrogens/Modifiers .....                          | 20            | aranelle (28) .....  | 50                     |
| Antifungals .....                                      | 16, 17        | ARANESP (IN POLYSORBATE) .....   | 35, 58                 |
| Antifungals .....                                      | 16, 17        | ARCALYST .....   | 55                     |
| Antigout Agents .....                                  | 17            | aripiprazole .....   | 13, 25, 58             |
| Antigout Agents .....                                  | 17            | ARISTADA .....   | 25                     |
| Anti-Hepatitis B (Hbv) Agents .....                    | 26, 27        |  |                        |
| Anti-Hepatitis C (Hcv) Agents .....                    | 27            |  |                        |
| Antiherpetic Agents .....                              | 27            |  |                        |

| <b>Drug Name</b>   | <b>Page #</b> | <b>Drug Name</b>   | <b>Page #</b> |
|--|---------------|--|---------------|
| armodafinil .....  | 67            | benazepril .....   | 37            |
| <b>Aromatase Inhibitors, 3Rd Generation</b> .....                              | 21            | benazepril-hydrochlorothiazide .....                     | 39            |
| ARRANON .....  | 20            | BENDEKA .....  | 58            |
| aspirin-caffeine-dihydrocodein .....   | 58            | <b>Benign Prostatic Hypertrophy Agents</b> .....         | 46            |
| aspirin-dipyridamole .....   | 36            | BENLYSTA .....   | 53            |
| assure id insulin safety .....   | 33            | <b>Benzodiazepines</b> .....                             | 30, 31        |
| atenolol .....   | 37            | benztropine .....  | 24            |
| atenolol-chlorthalidone .....  | 39            | BEPREVE .....  | 62            |
| atomoxetine .....  | 41, 42        | BERINERT .....   | 53            |
| atorvastatin .....   | 40            | BESPONSA .....   | 58            |
| atovaquone .....   | 24            | <b>Beta-Adrenergic Blocking Agents</b> .....             | 37, 38        |
| atovaquone-proguanil .....   | 24            | <b>Beta-Lactam, Cephalosporins</b> .....                 | 6, 7          |
| ATRIPLA .....  | 28            | <b>Beta-Lactam, Other</b> .....                          | 7             |
| atropine .....   | 45, 58, 62    | <b>Beta-Lactam, Penicillins</b> .....                    | 7, 8          |
| ATROVENT HFA .....   | 64            | betamethasone dipropionate .....                         | 17, 43, 47    |
| <b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b> .....     | 41            | betamethasone valerate .....                             | 17, 47        |
| <b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b> ..... | 41, 42        | betamethasone, augmented .....                           | 17, 47        |
| AUBAGIO .....  | 42            | betaxolol .....  | 37, 62        |
| aubra .....  | 50            | bethanechol chloride .....                               | 46            |
| AUGMENTIN .....  | 7             | BETHKIS .....  | 5             |
| AUSTEDO .....  | 42            | BETIMOL .....  | 62            |
| AVANDIA .....  | 32            | BETOPTIC S .....   | 62            |
| AVASTIN .....  | 20            | bexarotene .....   | 24            |
| aviane .....   | 50            | BEXSERO .....  | 56            |
| AVONEX .....   | 42            | bicalutamide .....                                       | 19            |
| AVONEX (WITH ALBUMIN) .....  | 42            | BICILLIN C-R .....                                       | 7             |
| azacitidine .....  | 20            | BICILLIN L-A .....                                       | 7             |
| AZASITE .....  | 8             | BICNU .....  | 20            |
| azathioprine .....   | 53            | BIDIL .....  | 41            |
| azathioprine sodium .....  | 53            | BILTRICIDE .....   | 24            |
| azelastine .....   | 62, 63        | bimatoprost .....  | 62, 63        |
| AZELEX .....   | 43            | <b>Bipolar Agents</b> .....                              | 31, 32        |
| azithromycin .....   | 8             | <b>Bipolar Agents, Other</b> .....                       | 31, 32        |
| AZOPT .....  | 62            | bisoprolol fumarate .....                                | 37            |
| aztreonam .....  | 7             | bisoprolol-hydrochlorothiazide .....                     | 39            |
| bacitracin .....   | 5             | BIVIGAM .....  | 55            |
| bacitracin-polymyxin b .....   | 62            | bleomycin .....  | 20            |
| baclofen .....   | 26            | BLEPHAMIDE S.O.P. ....                                   | 17, 62        |
| BACTROBAN NASAL .....  | 5             | blisovi fe 1.5/30 (28) .....                             | 50            |
| balsalazide .....  | 57            | <b>Blood Formation Modifiers</b> .....                   | 35, 36        |
| balziva (28) .....   | 50            | <b>Blood Glucose Regulators</b> .....                    | 32, 33, 34    |
| BANZEL .....   | 12            | <b>Blood Glucose Regulators</b> .....                    | 33            |
| BARACLUDE .....  | 26            | <b>Blood Products/ Modifiers/ Volume Expanders</b> ..... | 34, 35, 36    |
| BAVENCIO .....   | 23            | BOOSTRIX TDAP .....                                      | 56            |
| BCG VACCINE, LIVE (PF) .....   | 56            | BOSULIF .....  | 22            |
| bekyree (28) .....   | 50            | BREO ELLIPTA .....                                       | 65            |
| BELEODAQ .....   | 20            | brielllyn .....  | 50            |
|  |               | BRILINTA .....   | 36            |

| Drug Name                                     | Page #         | Drug Name                                  | Page #                 |
|---|----------------|--|------------------------|
| brimonidine .....                             | 63             | <b>Cardiovascular Agents</b> .....         | 36, 37, 38, 39, 40, 41 |
| BRIVIACT .....                                | 10             | <i>Cardiovascular Agents</i> .....         | 38, 39                 |
| bromfenac .....                               | 63             | <i>Cardiovascular Agents, Other</i> .....  | 38                     |
| bromocriptine .....                           | 24, 52         | carimune nf nanofiltered .....             | 55                     |
| <b>Bronchodilators, Anticholinergic</b> ..... | 64, 65         | CARIMUNE NF NANOFILTERED .....             | 58                     |
| <b>Bronchodilators, Sympathomimetic</b> ..... | 65             | carisoprodol .....                         | 66                     |
| budesonide .....                              | 45, 50, 57, 64 | carteolol .....                            | 63                     |
| bumetanide .....                              | 40             | cartia xt .....                            | 38                     |
| BUPHENYL .....                                | 44             | carvedilol .....                           | 37                     |
| buprenorphine .....                           | 2              | caspofungin .....                          | 16                     |
| buprenorphine hcl .....                       | 2, 4           | CAYSTON .....                              | 7, 65                  |
| buprenorphine-naloxone .....                  | 4              | caziant (28) .....                         | 50                     |
| bupropion hcl .....                           | 13             | cefaclor .....                             | 6                      |
| bupropion hcl (smoking deter) .....           | 5              | cefadroxil .....                           | 6, 7                   |
| buspirone .....                               | 30             | cefazolin .....                            | 7                      |
| busulfan .....                                | 19             | cefazolin in dextrose (iso-os) .....       | 58                     |
| butalbital-acetaminop-caf-cod .....           | 1              | cefdinir .....                             | 7                      |
| butalbital-acetaminophen .....                | 1              | cefpeme .....                              | 7                      |
| butalbital-acetaminophen-caff .....           | 1              | cefixime .....                             | 7                      |
| butalbital-aspirin-caffeine .....             | 1, 58          | cefotaxime .....                           | 7                      |
| butorphanol tartrate .....                    | 3              | cefoxitin .....                            | 7                      |
| BYDUREON .....                                | 32             | cefepodoxime .....                         | 7                      |
| BYETTA .....                                  | 32             | cefprozil .....                            | 7                      |
| BYSTOLIC .....                                | 37             | ceftriaxone .....                          | 7                      |
| cabergoline .....                             | 52             | cefuroxime axetil .....                    | 7                      |
| CABOMETYX .....                               | 22             | cefuroxime sodium .....                    | 7                      |
| calcipotriene .....                           | 43             | celecoxib .....                            | 1, 17                  |
| calcitonin (salmon) .....                     | 57             | CELONTIN .....                             | 10                     |
| calcitriol .....                              | 43, 57         | <b>Central Nervous System Agents</b> ..... | 41, 42, 43             |
| calcium acetate .....                         | 47             | <i>Central Nervous System, Other</i> ..... | 42                     |
| <b>Calcium Channel Blocking Agents</b> .....  | 38             | cephalexin .....                           | 7                      |
| <b>Calcium Channel Modifying Agents</b> ..... | 10             | CERDELGA .....                             | 44                     |
| camila .....                                  | 51             | CEREZYME .....                             | 44                     |
| CAMPATH .....                                 | 58             | cevimeline .....                           | 43                     |
| CANASA .....                                  | 57             | CHANTIX .....                              | 5                      |
| CANCIDAS .....                                | 16             | CHANTIX CONTINUING MONTH BOX .....         | 5                      |
| candesartan .....                             | 36             | CHANTIX STARTING MONTH BOX .....           | 5                      |
| candesartan-hydrochlorothiazid .....          | 39             | CHEMET .....                               | 67                     |
| CAPASTAT .....                                | 19             | chloramphenicol sod succinate .....        | 5                      |
| CAPRELSA .....                                | 22             | chlorhexidine gluconate .....              | 43                     |
| captopril .....                               | 37             | chloroquine phosphate .....                | 24                     |
| captopril-hydrochlorothiazide .....           | 39             | chlorothiazide .....                       | 36                     |
| CARBAGLU .....                                | 67             | chlorpromazine .....                       | 15, 25                 |
| carbamazepine .....                           | 12, 32         | chlorthalidone .....                       | 36                     |
| carbidopa .....                               | 24             | CHOLBAM .....                              | 45                     |
| carbidopa-levodopa .....                      | 25             | cholestyramine light .....                 | 40                     |
| carbidopa-levodopa-entacapone .....           | 24             | <b>Cholinesterase Inhibitors</b> .....     | 12, 13                 |
| carbinoxamine maleate .....                   | 64             | chorionic gonadotropin, human .....        | 48                     |
| carboplatin .....                             | 20             | ciclopirox .....                           | 16                     |

| <b>Drug Name</b>                            | <b>Page #</b> | <b>Drug Name</b>                            | <b>Page #</b> |
|---|---------------|---|---------------|
| <i>cidofovir</i> .....                      | 26            | <i>colocort</i> .....                       | 57            |
| <i>cilostazol</i> .....                     | 36            | COLY-MYCIN S.....                           | 63            |
| <b>CILOXAN</b> .....                        | 8             | COMBIPATCH.....                             | 50            |
| <i>cimetidine</i> .....                     | 45            | COMBIVENT RESPIMAT.....                     | 66            |
| <i>cimetidine hcl</i> .....                 | 45            | COMETRIQ.....                               | 22            |
| <b>CINRYZE</b> .....                        | 53            | COMPLERA.....                               | 28            |
| <b>CIPRO HC</b> .....                       | 63            | <i>compro</i> .....                         | 15            |
| <b>CIPRODEX</b> .....                       | 63            | CONDYLOX.....                               | 43            |
| <i>ciprofloxacin</i> .....                  | 8             | <i>constulose</i> .....                     | 45            |
| <i>ciprofloxacin (mixture)</i> .....        | 8, 9          | COPAXONE.....                               | 42            |
| <i>ciprofloxacin hcl</i> .....              | 9             | <b>COREG CR</b> .....                       | 37            |
| <i>ciprofloxacin in 5 % dextrose</i> .....  | 9             | <i>cortisone</i> .....                      | 17, 47, 57    |
| <i>ciprofloxacin lactate</i> .....          | 9             | CORTISPORIN.....                            | 43            |
| <i>cisplatin</i> .....                      | 20            | COSENTYX.....                               | 43            |
| <i>citalopram</i> .....                     | 14            | COSENTYX (2 SYRINGES).....                  | 58            |
| <i>cladribine</i> .....                     | 20            | COSENTYX PEN.....                           | 43            |
| <i>claravis</i> .....                       | 43            | COSENTYX PEN (2 PENS).....                  | 58            |
| <i>clarithromycin</i> .....                 | 8             | COSMEGEN.....                               | 20            |
| <i>clemastine</i> .....                     | 64            | COSOPT (PF).....                            | 63            |
| <b>CLEOCIN</b> .....                        | 6             | COTELLIC.....                               | 22            |
| <b>CLIMARA PRO</b> .....                    | 50            | COUMADIN.....                               | 34            |
| <i>clindamycin hcl</i> .....                | 6             | CREON.....                                  | 44            |
| <i>clindamycin in 0.9 % sod chlor</i> ..... | 58            | CRESEMBA.....                               | 16            |
| <i>clindamycin in 5 % dextrose</i> .....    | 6             | CRINONE.....                                | 51            |
| <i>clindamycin pediatric</i> .....          | 6             | CRIXIVAN.....                               | 29            |
| <i>clindamycin phosphate</i> .....          | 6             | <i>cromolyn</i> .....                       | 62, 65        |
| <i>clindamycin-benzoyl peroxide</i> .....   | 43            | <i>cryselle</i> (28).....                   | 50            |
| <i>clinisol sf 15 %</i> .....               | 68            | <i>cyclafem 1/35 (28)</i> .....             | 50            |
| <i>clobetasol</i> .....                     | 47            | <i>cyclafem 7/7/7 (28)</i> .....            | 50            |
| <i>clobetasol-emollient</i> .....           | 47            | <i>cyclobenzaprine</i> .....                | 67            |
| <i>clocortolone pivalate</i> .....          | 58            | <i>cyclophosphamide</i> .....               | 19            |
| <i>clofarabine</i> .....                    | 20            | <b>CYCLOSET</b> .....                       | 32            |
| <b>COLAR</b> .....                          | 20            | <i>cyclosporine</i> .....                   | 53            |
| <i>clomipramine</i> .....                   | 15            | <i>cyclosporine modified</i> .....          | 53            |
| <i>clonazepam</i> .....                     | 10, 30        | <i>cyproheptadine</i> .....                 | 64            |
| <i>clonidine</i> .....                      | 36            | <b>CYRAMZA</b> .....                        | 23            |
| <i>clonidine hcl</i> .....                  | 36            | <i>cyred</i> .....                          | 58            |
| <i>clopidogrel</i> .....                    | 36            | <b>CYSTADANE</b> .....                      | 44            |
| <i>clorazepate dipotassium</i> .....        | 10, 11, 30    | <b>CYSTAGON</b> .....                       | 44            |
| <i>clorpres</i> .....                       | 39            | <b>CYSTARAN</b> .....                       | 62            |
| <i>clotrimazole</i> .....                   | 16            | <b>Cystic Fibrosis Agents</b> .....         | 65            |
| <i>clotrimazole-betamethasone</i> .....     | 43            | <i>cytarabine</i> .....                     | 20            |
| <i>clozapine</i> .....                      | 26            | <i>cytarabine (pf)</i> .....                | 20            |
| <b>Coagulants</b> .....                     | 36            | <i>d10 %-0.45 % sodium chloride</i> .....   | 68            |
| <b>COARTEM</b> .....                        | 24            | <i>d2.5 %-0.45 % sodium chloride</i> .....  | 68            |
| <i>codeine sulfate</i> .....                | 3             | <i>d5 % and 0.9 % sodium chloride</i> ..... | 68            |
| <i>colchicine</i> .....                     | 17            | <i>d5 %-0.45 % sodium chloride</i> .....    | 68            |
| <i>colestipol</i> .....                     | 40            | <i>dacarbazine</i> .....                    | 20            |
| <i>colistin (colistimethate na)</i> .....   | 6             | <b>DAKLINZA</b> .....                       | 27            |

| Drug Name                             | Page #        | Drug Name   | Page #             |
|---------------------------------------|---------------|---|--------------------|
| DALIRESP.....                         | 65            | DIASTAT ACUDIAL.....                                  | 10                 |
| DALVANCE.....                         | 6             | diazepam.....   | 10, 11, 30, 31, 58 |
| danazol.....                          | 49            | diazepam intensol.....                                | 11, 30             |
| dantrolene.....                       | 26            | diclofenac potassium.....                             | 1, 17              |
| dapsone.....                          | 19            | diclofenac sodium.....                                | 1, 17, 43, 63      |
| DAPTACEL (DTAP PEDIATRIC) (PF).....   | 56            | diclofenac-misoprostol.....                           | 1                  |
| daptomycin.....                       | 6             | dicloxacillin.....                                    | 8                  |
| DARAPRIM.....                         | 24            | dicyclomine.....                                      | 45                 |
| DARZALEX.....                         | 23            | didanosine.....                                       | 28                 |
| daunorubicin.....                     | 20            | diflunisal.....                                       | 1, 17              |
| deblitane.....                        | 50            | digitek.....  | 38                 |
| decitabine.....                       | 20            | digoxin.....  | 38                 |
| delyla (28).....                      | 50            | dihydroergotamine.....                                | 18                 |
| demeocycline.....                     | 9             | DILANTIN.....   | 12                 |
| DEMSER.....                           | 39            | DILANTIN EXTENDED.....                                | 12                 |
| DENAVIR.....                          | 27            | diltiazem hcl.....                                    | 38                 |
| <b>Dental And Oral Agents.....</b>    | <b>43</b>     | dilt-xr.....  | 38                 |
| <i>Dental And Oral Agents.....</i>    | <i>43</i>     | DIPENTUM.....   | 57                 |
| DEPEN TITRATABS.....                  | 46, 53, 67    | diphenhydramine hcl.....                              | 15, 24, 58, 64     |
| DEPO-ESTRADIOL.....                   | 49            | diphenoxylate-atropine.....                           | 45                 |
| DEPO-PROVERA.....                     | 52            | disopyramide phosphate.....                           | 37                 |
| <b>Dermatological Agents.....</b>     | <b>43, 44</b> | disulfiram.....                                       | 5                  |
| <i>Dermatological Agents.....</i>     | <i>43, 44</i> | <b>Diuretics, Carbonic Anhydrase Inhibitors .....</b> | <b>40</b>          |
| DESCOVY.....                          | 28            | <i>Diuretics, Loop .....</i>                          | <i>40</i>          |
| desipramine.....                      | 15            | <i>Diuretics, Potassium-Sparing .....</i>             | <i>40</i>          |
| desloratadine.....                    | 64            | DIURIL.....   | 36                 |
| desmopressin.....                     | 48            | divalproex.....                                       | 11, 18, 32         |
| desog-e.estradiol/e.estradiol.....    | 50            | docetaxel.....  | 20, 58             |
| desogestrel-ethynodiol estradiol..... | 50            | dofetilide.....                                       | 37                 |
| desonide.....                         | 47            | donepezil.....  | 12, 13             |
| desoximetasone.....                   | 47            | <b>Dopamine Agonists .....</b>                        | <b>24, 25</b>      |
| desvenlafaxine.....                   | 14            | <i>Dopamine Precursors/ L-Amino Acid</i>              |                    |
| desvenlafaxine fumarate.....          | 58            | <i>Decarboxylase Inhibitors .....</i>                 | <i>25</i>          |
| desvenlafaxine succinate.....         | 14            | dorzolamide.....                                      | 63                 |
| dexamethasone.....                    | 17, 47, 57    | dorzolamide-timolol.....                              | 63                 |
| dexamethasone intensol.....           | 17, 47, 57    | doxazosin.....  | 36, 46             |
| dexamethasone sodium phosphate.....   | 17, 47, 63    | doxepin.....  | 15, 30, 67         |
| DEXILANT.....                         | 46            | doxercalciferol.....                                  | 57, 69             |
| dexamethylphenidate.....              | 42            | doxorubicin.....                                      | 20, 58             |
| dexrazoxane hcl.....                  | 20            | doxorubicin, peg-liposomal.....                       | 20                 |
| dextroamphetamine.....                | 41            | doxy-100.....   | 9                  |
| dextroamphetamine-amphetamine.....    | 41            | doxycycline hydiate.....                              | 9, 43              |
| dextrose 10 % and 0.2 % nacl.....     | 68            | doxycycline monohydrate.....                          | 9, 43, 44          |
| dextrose 10 % in water (d10w).....    | 68            | dronabinol.....                                       | 15                 |
| dextrose 5 % in water (d5w).....      | 68            | drospirenone-ethynodiol estradiol.....                | 50                 |
| dextrose 5 %-lactated ringers.....    | 68            | DROXIA.....   | 20                 |
| dextrose 5%-0.2 % sod chloride.....   | 68            | duloxetine.....                                       | 14, 31, 41         |
| dextrose 5%-0.3 % sod.chloride.....   | 68            | DURAMORPH (PF).....                                   | 2                  |
| DIASTAT.....                          | 10            | DUREZOL.....  | 63                 |

| <b>Drug Name</b>   | <b>Page #</b> | <b>Drug Name</b>                           | <b>Page #</b> |
|--|---------------|--|---------------|
| dutasteride .....  | 46            | EPIPEN JR 2-PAK.....                       | 65            |
| <b>Dyslipidemics, Fibric Acid Derivatives</b> .....      | 40            | <i>epirubicin</i> .....                    | 20            |
| <b>Dyslipidemics, Hmg Coa Reductase Inhibitors</b> ..... | 40            | <i>epitol</i> .....                        | 12, 32        |
| <b>Dyslipidemics, Other</b> .....                        | 40, 41        | EPIVIR HBV .....                           | 27            |
| econazole .....  | 16            | <i>eplerenone</i> .....                    | 40            |
| EDARBI.....  | 36            | <i>eprosartan</i> .....                    | 36            |
| EDARBYCLOR .....   | 39            | EQUETRO .....                              | 12, 32        |
| EDURANT .....  | 28            | ERAXIS(WATER DILUENT) .....                | 16            |
| EFFIENT .....  | 36            | ERBITUX .....                              | 20            |
| EGRIFTA .....  | 48            | <i>ergoloid</i> .....                      | 12            |
| ELAPRASE .....   | 44            | <b>Ergot Alkaloids</b> .....               | 18            |
| <b>Electrolyte/ Mineral Modifiers</b> .....              | 67            | <i>ergotamine-caffeine</i> .....           | 18            |
| <b>Electrolyte/ Mineral Replacement</b> .....            | 67, 68        | ERIVEDGE .....                             | 22            |
| ELIDEL .....   | 44, 53        | <i>errin</i> .....                         | 52            |
| <i>eliphos</i> .....                                     | 47            | ERWINAZE .....                             | 20            |
| ELIQUIS .....  | 34            | <i>ery pads</i> .....                      | 8             |
| ELITEK .....   | 20            | ERYPED 400 .....                           | 8             |
| <i>elite-ob</i> .....                                    | 59            | ERYTHROCIN .....                           | 8             |
| ELIXOPHYLLIN .....                                       | 59            | <i>erythromycin</i> .....                  | 8             |
| ELMIRON .....  | 47            | <i>erythromycin ethylsuccinate</i> .....   | 8             |
| EMADINE .....  | 62            | <i>erythromycin with ethanol</i> .....     | 8             |
| EMCYT .....  | 20            | <i>erythromycin-benzoyl peroxide</i> ..... | 44            |
| EMEND .....  | 15            | ESBRIET .....                              | 66            |
| <b>Emetogenic Therapy Adjuncts</b> .....                 | 15, 16        | <i>escitalopram oxalate</i> .....          | 14, 31        |
| <i>emoquette</i> .....                                   | 50            | <i>esomeprazole magnesium</i> .....        | 46            |
| EMPLICITI .....  | 23            | <i>esomeprazole sodium</i> .....           | 46            |
| EMSAM .....  | 14            | <i>estazolam</i> .....                     | 42            |
| EMTRIVA .....  | 28            | ESTRACE .....                              | 49            |
| <i>enalapril maleate</i> .....                           | 37            | <i>estradiol</i> .....                     | 49            |
| <i>enalapril-hydrochlorothiazide</i> .....               | 39            | <i>estradiol valerate</i> .....            | 49, 50        |
| ENBREL .....   | 53            | <i>estradiol-norethindrone acet</i> .....  | 50            |
| ENBREL SURECLICK .....                                   | 53            | ESTRING .....                              | 49            |
| ENDOCET .....  | 1             | <b>Estrogens</b> .....                     | 49, 50        |
| ENGERIX-B (PF) .....                                     | 56            | <i>estropipate</i> .....                   | 49            |
| ENGERIX-B PEDIATRIC (PF) .....                           | 56            | <i>eszopiclone</i> .....                   | 67            |
| <i>enoxaparin</i> .....                                  | 34            | <i>ethambutol</i> .....                    | 19            |
| <i>enpresse</i> .....                                    | 50            | <i>ethosuximide</i> .....                  | 10            |
| <i>entacapone</i> .....                                  | 24            | <i>ethynodiol diac-eth estradiol</i> ..... | 50            |
| <i>entecavir</i> .....                                   | 26            | <i>etidronate disodium</i> .....           | 57            |
| <i>enulose</i> .....                                     | 45            | <i>etodolac</i> .....                      | 1, 17         |
| ENVARSUS XR .....  | 53            | ETOPOPHOS .....                            | 21            |
| <b>Enzyme Inhibitors</b> .....                           | 21, 22        | <i>etoposide</i> .....                     | 21            |
| <b>Enzyme Replacement/ Modifiers</b> .....               | 44, 45        | EURAX .....                                | 24            |
| <b>Enzyme Replacement/ Modifiers</b> .....               | 44, 45        | EVOTAZ .....                               | 29            |
| EPCLUSIA .....   | 27            | <i>exemestane</i> .....                    | 21            |
| <i>epinastine</i> .....                                  | 62            | EXJADE .....                               | 67            |
| <i>epinephrine</i> .....                                 | 65            | EXTAVIA .....                              | 43, 59        |
| EPIPEN 2-PAK .....                                       | 65            | <i>ezetimibe</i> .....                     | 40            |
|  |               | <i>ezetimibe-simvastatin</i> .....         | 39            |

| <b>Drug Name</b>                    | <b>Page #</b> | <b>Drug Name</b>                            | <b>Page #</b> |
|-------------------------------------|---------------|---|---------------|
| FABRAZYME.....                      | 44            | fluoxetine .....                            | 14            |
| falmina (28).....                   | 50            | fluphenazine decanoate .....                | 25            |
| famciclovir.....                    | 27            | fluphenazine hcl .....                      | 25            |
| famotidine .....                    | 45            | flurbiprofen .....                          | 1, 18         |
| famotidine (pf).....                | 45            | flurbiprofen sodium .....                   | 63            |
| FANAPT .....                        | 25            | flutamide .....                             | 19            |
| FARESTON .....                      | 20            | fluticasone .....                           | 44, 47, 64    |
| FARYDAK .....                       | 21            | fluvastatin .....                           | 40            |
| FASLODEX .....                      | 20            | fluvoxamine .....                           | 14            |
| felbamate .....                     | 11            | FML FORTE .....                             | 63            |
| felodipine .....                    | 38            | FML S.O.P. ....                             | 63            |
| FEMRING .....                       | 49            | fondaparinux .....                          | 34            |
| femynor .....                       | 50            | FORFIVO XL .....                            | 13            |
| fenofibrate .....                   | 40            | FORTEO .....                                | 57            |
| fenofibrate micronized .....        | 40            | fosamprenavir .....                         | 59            |
| fenofibrate nanocrystallized .....  | 40            | fosinopril .....                            | 37            |
| fenofibric acid .....               | 40            | fosinopril-hydrochlorothiazide .....        | 39            |
| fenofibric acid (choline) .....     | 40            | fosphenytoin .....                          | 12, 59        |
| fenoprofen .....                    | 1, 18         | FOSRENOL .....                              | 47            |
| fentanyl .....                      | 2, 3          | FRAGMIN .....                               | 34, 35        |
| fentanyl citrate .....              | 2, 3          | furosemide .....                            | 40            |
| fentanyl citrate (pf) .....         | 59            | FUSILEV .....                               | 19            |
| FERRIPROX .....                     | 67            | FUZEON .....                                | 29            |
| FETZIMA .....                       | 14            | fyavolv .....                               | 50            |
| FINACEA .....                       | 44            | FYCOMPA .....                               | 11            |
| finasteride .....                   | 46            | <b>Gaba Receptor Modulators .....</b>       | 67            |
| FIRAZYR .....                       | 53            | gabapentin .....                            | 11            |
| FIRMAGON KIT W DILUENT SYRINGE ...  | 52            | GABITRIL .....                              | 11            |
| FLAREX .....                        | 63            | galantamine .....                           | 13            |
| flavoxate .....                     | 46            | GAMASTAN S/D .....                          | 55            |
| FLEBOGAMMA DIF .....                | 55, 59        | <b>Gamma-Aminobutyric Acid (Gaba)</b>       |               |
| flecainide .....                    | 37            | <b>Augmenting Agents .....</b>              | 10, 11        |
| FLOVENT DISKUS .....                | 64            | gammagard liquid .....                      | 55            |
| FLOVENT HFA .....                   | 64            | GAMMAGARD S-D (IGA < 1 MCG/ML) .....        | 55            |
| fluconazole .....                   | 16            | GAMMAKED .....                              | 55            |
| fluconazole in nacl (iso-osm) ..... | 16, 59        | GAMMAPLEX .....                             | 55            |
| flucytosine .....                   | 16            | GAMMAPLEX (WITH SORBITOL) .....             | 55            |
| fludarabine .....                   | 19            | GAMUNEX-C .....                             | 55, 59        |
| fludrocortisone .....               | 47            | ganciclovir sodium .....                    | 26            |
| flunisolide .....                   | 64            | GARDASIL 9 (PF) .....                       | 56            |
| fluocinolone .....                  | 47            | <b>Gastrointestinal Agents .....</b>        | 45, 46        |
| fluocinolone acetonide oil .....    | 47            | <b>Gastrointestinal Agents, Other .....</b> | 45            |
| fluocinonide .....                  | 47            | GATTEX ONE-VIAL .....                       | 45            |
| fluocinonide-e .....                | 47            | gauze pad .....                             | 33            |
| fluoride (sodium) .....             | 59, 67        | gavilyte-c .....                            | 46            |
| fluoridex daily defense .....       | 59            | gavilyte-g .....                            | 46            |
| fluoritab .....                     | 59            | gavilyte-n .....                            | 46            |
| fluorometholone .....               | 63            | GAZYVA .....                                | 59            |
| fluorouracil .....                  | 44            | gemcitabine .....                           | 20, 59        |

| <b>Drug Name</b>                         | <b>Page #</b> | <b>Drug Name</b>  | <b>Page #</b>  |
|--|---------------|---|----------------|
| <i>gemfibrozil</i> .....                 | 40            | <i>heparin (porcine)</i> .....  | 35, 59         |
| <i>generlac</i> .....                    | 46            | HEPATAMINE 8% .....   | 68             |
| <i>gengraf</i> .....                     | 53            | HERCEPTIN.....  | 20, 59         |
| GENGRAF.....                             | 53            | HETLIOZ.....  | 67             |
| <b>Genitourinary Agents</b> .....        | 46, 47        | HEXALEN.....  | 19             |
| <b>Genitourinary Agents, Other</b> ..... | 46, 47        | HIBERIX (PF).....   | 56             |
| GENOTROPIN.....                          | 48            | <b>Histamine2 (H2) Receptor Antagonists</b> .....   | 45             |
| GENOTROPIN MINIQUICK.....                | 48, 49        | HIZENTRA.....   | 59             |
| <i>gentak</i> .....                      | 5             | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b> .....                 | 47, 48         |
| <i>gentamicin</i> .....                  | 5, 59         | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b> .....                 | 47, 48         |
| GENTAMICIN SULFATE (PF).....             | 5             | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</b> .....               | 48, 49         |
| GENVOYA.....                             | 27            | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</b> .....               | 48, 49         |
| GEODON.....                              | 25, 31        | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b> .....          | 49             |
| <i>gianvi (28)</i> .....                 | 50            | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b> .....          | 49             |
| <i>gildagia</i> .....                    | 50            | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b> ..... | 49, 50, 51, 52 |
| GILENYA.....                             | 43            | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b> ..... | 50, 51         |
| GILOTrif.....                            | 22            | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b> .....                 | 52             |
| GLASSIA.....                             | 66            | <b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b> .....                 | 52             |
| GLEOSTINE.....                           | 20            | <b>Hormonal Agents, Suppressant (Adrenal)</b> ....  | 52             |
| <i>glimepiride</i> .....                 | 32            | <b>Hormonal Agents, Suppressant (Adrenal)</b> ....  | 52             |
| <i>glipizide</i> .....                   | 32            | <b>Hormonal Agents, Suppressant (Parathyroid)</b> .....                                   | 52             |
| <i>glipizide-metformin</i> .....         | 33            | <b>Hormonal Agents, Suppressant (Parathyroid)</b> .....                                   | 52             |
| GLUCAGEN HYPOKIT.....                    | 33            | <b>Hormonal Agents, Suppressant (Pituitary)</b> .....                                     | 52, 53         |
| GLUCAGON EMERGENCY KIT<br>(HUMAN).....   | 33            | <b>Hormonal Agents, Suppressant (Thyroid)</b> ...53                                       | 53             |
| <b>Glucocorticoids</b> .....             | 17, 57        | HUMALOG.....  | 33             |
| <b>Glutamate Reducing Agents</b> .....   | 11, 12        | HUMALOG JUNIOR KWIKPEN.....   | 59             |
| <i>glyburide</i> .....                   | 32            | HUMALOG KWIKPEN.....  | 33             |
| <i>glyburide micronized</i> .....        | 32            | HUMALOG MIX 50-50.....  | 33             |
| <i>glyburide-metformin</i> .....         | 33            | HUMALOG MIX 50-50 KWIKPEN.....  | 33             |
| <b>Glycemic Agents</b> .....             | 33            | HUMALOG MIX 75-25 .....   | 34             |
| <i>glycopyrrrolate</i> .....             | 45            | HUMALOG MIX 75-25 KWIKPEN.....  | 34             |
| GLYXAMBI.....                            | 32            | HUMIRA.....   | 54             |
| <i>golytely</i> .....                    | 46            | HUMIRA PEDIATRIC CROHN'S START ....   | 54             |
| <i>gransetron (pf)</i> .....             | 15            |   |                |
| <i>gransetron hcl</i> .....              | 15            |   |                |
| GRANIX.....                              | 35            |   |                |
| <i>griseofulvin microsize</i> .....      | 16            |   |                |
| <i>griseofulvin ultramicrosize</i> ..... | 16            |   |                |
| <i>guanfacine</i> .....                  | 36, 42        |   |                |
| <i>guanidine</i> .....                   | 18            |   |                |
| HAEGARDA.....                            | 59            |   |                |
| HALAVEN.....                             | 20            |   |                |
| <i>halobetasol propionate</i> .....      | 48            |   |                |
| <i>haloperidol</i> .....                 | 25            |   |                |
| <i>haloperidol decanoate</i> .....       | 25            |   |                |
| <i>haloperidol lactate</i> .....         | 25            |   |                |
| HARVONI.....                             | 27            |   |                |
| HAVRIX (PF).....                         | 56, 59        |   |                |

| Drug Name                                 | Page #             | Drug Name                                    | Page # |
|---|--------------------|--|--------|
| HUMIRA PEN.....                           | 54                 | INFANRIX (DTAP) (PF).....                    | 56     |
| HUMIRA PEN CROHN'S-UC-HS START .....      | 54                 | Inflammatory Bowel Disease Agents.....       | 57     |
| HUMIRA PEN PSORIASIS-UVEITIS .....        | 54                 | INLYTA .....                                 | 22     |
| HUMULIN 70/30.....                        | 34                 | INNOPRAN XL.....                             | 37     |
| HUMULIN N.....                            | 34                 | <i>insulin syringe-needle u-100</i> .....    | 34     |
| HUMULIN R U-100.....                      | 34                 | <i>Insulins</i> .....                        | 33, 34 |
| HUMULIN R U-500 (CONCENTRATED)....        | 34                 | INTELENCE .....                              | 28     |
| <i>hydralazine</i> .....                  | 41                 | INTRALIPID .....                             | 68     |
| <i>hydrochlorothiazide</i> .....          | 36                 | INTRON A .....                               | 27     |
| <i>hydrocodone-acetaminophen</i> .....    | 1                  | <i>intovale</i> .....                        | 50     |
| <i>hydrocodone-ibuprofen</i> .....        | 1                  | INVANZ .....                                 | 7      |
| <i>hydrocortisone</i> .....               | 17, 48, 57         | INVEGA SUSTENNA .....                        | 25     |
| <i>hydrocortisone butyrate</i> .....      | 48                 | INVEGA TRINZA .....                          | 25     |
| <i>hydrocortisone valerate</i> .....      | 48                 | INVIRASE .....                               | 29     |
| <i>hydrocortisone-acetic acid</i> .....   | 63                 | INVOKAMET .....                              | 32     |
| <i>hydromorphone</i> .....                | 3                  | INVOKAMET XR .....                           | 32     |
| <i>hydroxychloroquine</i> .....           | 24                 | INVOKANA .....                               | 32     |
| <i>hydroxyprogesterone caproate</i> ..... | 52                 | IPOL .....                                   | 56     |
| <i>hydroxyurea</i> .....                  | 20                 | <i>ipratropium bromide</i> .....             | 64     |
| <i>hydroxyzine hcl</i> .....              | 15, 30, 64         | <i>ipratropium-albuterol</i> .....           | 66     |
| HYPERRAB S/D (PF).....                    | 55                 | IPRIVASK .....                               | 59     |
| <i>ibandronate</i> .....                  | 57, 59             | <i>irbesartan</i> .....                      | 36     |
| IBRANCE .....                             | 21                 | <i>irbesartan-hydrochlorothiazide</i> .....  | 36, 39 |
| <i>ibuprofen</i> .....                    | 2, 18              | IRESSA .....                                 | 22     |
| ICLUSIG .....                             | 22                 | <i>irinotecan</i> .....                      | 20     |
| <i>idarubicin</i> .....                   | 20                 | <i>Irritable Bowel Syndrome Agents</i> ..... | 45     |
| IDHIFA .....                              | 21                 | ISENTRESS .....                              | 28     |
| <i>ifosfamide</i> .....                   | 20                 | ISENTRESS HD .....                           | 28     |
| ILARIS (PF).....                          | 55, 59             | <i>isibloom</i> .....                        | 50     |
| ILEVRO .....                              | 63                 | <i>isoniazid</i> .....                       | 19     |
| <i>imatinib</i> .....                     | 22                 | ISORDIL .....                                | 41     |
| IMBRUVICA.....                            | 22                 | <i>isosorbide dinitrate</i> .....            | 41     |
| IMFINZI .....                             | 23                 | <i>isosorbide mononitrate</i> .....          | 41     |
| <i>imipenem-cilastatin</i> .....          | 7                  | <i>isradipine</i> .....                      | 38     |
| <i>imipramine hcl</i> .....               | 15                 | ISTODAX .....                                | 20     |
| <i>imipramine pamoate</i> .....           | 15                 | <i>itraconazole</i> .....                    | 16     |
| <i>imiquimod</i> .....                    | 44                 | <i>ivermectin</i> .....                      | 24     |
| <i>Immune Suppressants</i> .....          | 53, 54, 55         | IXIARO (PF) .....                            | 56     |
| <i>Immunizing Agents, Passive</i> .....   | 55                 | JADENU .....                                 | 67     |
| <i>Immunological Agents</i> .....         | 53, 54, 55, 56, 57 | JADENU SPRINKLE .....                        | 67     |
| <i>Immunological Agents</i> .....         | 55                 | JAKAFI .....                                 | 22     |
| <i>Immunomodulators</i> .....             | 55, 56             | <i>jantoven</i> .....                        | 35     |
| IMOGLAM RABIES-HT (PF).....               | 55                 | JANUMET .....                                | 33     |
| IMOVA X RABIES VACCINE (PF).....          | 56                 | JANUMET XR .....                             | 33     |
| INCRELEX .....                            | 49                 | JANUVIA .....                                | 32     |
| INCRUSE ELLIPTA .....                     | 64, 66             | JARDIANCE .....                              | 32     |
| <i>indapamide</i> .....                   | 36                 | JENTADUETO .....                             | 33     |
| INDOCIN .....                             | 2, 18              | JENTADUETO XR .....                          | 33     |
| <i>indomethacin</i> .....                 | 2, 18              | JEVTANA .....                                | 21     |

| <b>Drug Name</b>                     | <b>Page #</b> | <b>Drug Name</b>                     | <b>Page #</b> |
|--------------------------------------|---------------|--------------------------------------|---------------|
| jinteli .....                        | 50            | larin 1.5/30 (21) .....              | 50            |
| jolivette .....                      | 52            | larin 1/20 (21) .....                | 50            |
| juleber .....                        | 50            | larin fe 1.5/30 (28) .....           | 50            |
| junel 1.5/30 (21) .....              | 50            | larin fe 1/20 (28) .....             | 50            |
| junel 1/20 (21) .....                | 50            | larissia .....                       | 50            |
| junel fe 1.5/30 (28) .....           | 50            | LARTRUVO .....                       | 23            |
| junel fe 1/20 (28) .....             | 50            | LASTACAFT .....                      | 62            |
| junel fe 24 .....                    | 50            | latanoprost .....                    | 63            |
| JUXTAPID .....                       | 40            | LATUDA .....                         | 26            |
| KADCYLA .....                        | 21, 59        | <b>Laxatives</b> .....               | 45, 46        |
| KALETRA .....                        | 29            | LAZANDA .....                        | 2, 3          |
| KALYDECO .....                       | 65            | leena 28 .....                       | 50            |
| kariva (28) .....                    | 50            | leflunomide .....                    | 55            |
| kelnor 1/35 (28) .....               | 50            | LENVIMA .....                        | 22, 23        |
| KEPIVANCE .....                      | 43            | lessina .....                        | 50            |
| ketoconazole .....                   | 16            | LETAIRIS .....                       | 66            |
| ketoprofen .....                     | 2, 18         | letrozole .....                      | 21            |
| ketorolac .....                      | 63            | leucovorin calcium .....             | 19            |
| KEYTRUDA .....                       | 23, 55        | LEUKERAN .....                       | 19            |
| KHEDEZLA .....                       | 14            | LEUKINE .....                        | 35            |
| kimidess (28) .....                  | 50            | leuprolide .....                     | 52            |
| KINRIX (PF) .....                    | 56            | levalbuterol hcl .....               | 65            |
| kionex .....                         | 67            | levalbuterol tartrate .....          | 65            |
| KISQALI .....                        | 22            | levetiracetam .....                  | 10            |
| KISQALI FEMARA CO-PACK .....         | 21, 22        | levetiracetam in nacl (iso-os) ..... | 10            |
| KLOR-CON 10 .....                    | 67            | levobunolol .....                    | 63            |
| KLOR-CON 8 .....                     | 67            | levocarnitine .....                  | 69            |
| klor-con m10 .....                   | 67            | levocetirizine .....                 | 64            |
| KLOR-CON M15 .....                   | 67            | levofloxacin .....                   | 9             |
| klor-con m20 .....                   | 67            | levofloxacin in d5w .....            | 9             |
| KORLYM .....                         | 33            | levoleucovorin .....                 | 21, 59        |
| KRISTALOSE .....                     | 46            | levonorgestrel-ethinyl estrad .....  | 50            |
| KRYSTEXXA .....                      | 59            | levora-28 .....                      | 51            |
| KUVAN .....                          | 44            | levorphanol tartrate .....           | 2             |
| KYNAMRO .....                        | 40            | levothyroxine .....                  | 52            |
| KYPROLIS .....                       | 22            | LEVOXYL .....                        | 52            |
| l norgest/e.estradiol-e.estrad ..... | 50            | LEXIVA .....                         | 29            |
| labetalol .....                      | 37            | LIALDA .....                         | 57            |
| LACRISERT .....                      | 62            | lidocaine .....                      | 4             |
| lactated ringers .....               | 68, 69        | lidocaine (pf) .....                 | 4             |
| lactulose .....                      | 46            | lidocaine hcl .....                  | 4             |
| lamivudine .....                     | 27, 28        | lidocaine viscous .....              | 4             |
| lamivudine-zidovudine .....          | 28            | lidocaine-prilocaine .....           | 4, 59         |
| lamotrigine .....                    | 11, 32        | lincomycin .....                     | 6             |
| LANOXIN .....                        | 38            | lindane .....                        | 24            |
| lansoprazole .....                   | 46            | linezolid .....                      | 6             |
| lanthanum .....                      | 59            | liothyronine .....                   | 52            |
| LANTUS .....                         | 34            | lisinopril .....                     | 37            |
| LANTUS SOLOSTAR .....                | 34            | lisinopril-hydrochlorothiazide ..... | 39            |

| <b>Drug Name</b>                          | <b>Page #</b> | <b>Drug Name</b>                            | <b>Page #</b> |
|---|---------------|---|---------------|
| <i>lithium carbonate</i> .....            | 32            | MENACTRA (PF) .....                         | 56            |
| <i>lithium citrate</i> .....              | 32            | MENEST .....                                | 49            |
| <b>Local Anesthetics</b> .....            | 4             | MENHIBRIX (PF) .....                        | 60            |
| <i>lomedia 24 fe</i> .....                | 51            | MENOMUNE - A/C/Y/W-135 (PF) .....           | 60            |
| LONSURF .....                             | 20            | MENOSTAR .....                              | 49            |
| <i>loperamide</i> .....                   | 45            | MENVEO A-C-Y-W-135-DIP (PF) .....           | 56            |
| <i>lopinavir-ritonavir</i> .....          | 29            | <i>mercaptopurine</i> .....                 | 54            |
| <i>lorazepam</i> .....                    | 11, 31        | <i>meropenem</i> .....                      | 7             |
| <i>lorazepam intensol</i> .....           | 11, 31        | <i>mesalamine</i> .....                     | 57, 60        |
| <i>losartan</i> .....                     | 37            | <i>mesna</i> .....                          | 21            |
| <i>losartan-hydrochlorothiazide</i> ..... | 39            | MESNEX .....                                | 21            |
| LOTEMAX .....                             | 63            | MESTINON .....                              | 18            |
| <i>lovastatin</i> .....                   | 40            | <b>Metabolic Bone Disease Agents</b> .....  | 57, 58        |
| <i>low-ogestrel (28)</i> .....            | 51            | <b>Metabolic Bone Disease Agents</b> .....  | 57, 58        |
| <i>loxapine succinate</i> .....           | 25            | METADATE ER .....                           | 42            |
| <i>ludent fluoride</i> .....              | 60            | <i>metformin</i> .....                      | 33            |
| LUMIGAN .....                             | 63            | <i>methadone</i> .....                      | 2             |
| LUMIZYME .....                            | 66            | <i>methazolamide</i> .....                  | 40, 63        |
| LUPRON DEPOT .....                        | 52            | <i>methenamine hippurate</i> .....          | 6             |
| LUPRON DEPOT (3 MONTH) .....              | 52            | <i>methimazole</i> .....                    | 53            |
| LUPRON DEPOT (4 MONTH) .....              | 52            | <i>methocarbamol</i> .....                  | 67            |
| LUPRON DEPOT (6 MONTH) .....              | 53            | <i>methotrexate sodium</i> .....            | 54            |
| LUPRON DEPOT-PED .....                    | 53            | <i>methotrexate sodium (pf)</i> .....       | 54            |
| LUPRON DEPOT-PED (3 MONTH) .....          | 60            | <i>methoxsalen</i> .....                    | 44            |
| <i>lutera (28)</i> .....                  | 51            | <i>methscopolamine</i> .....                | 45            |
| LYNPARZA .....                            | 21            | <i>methyclothiazide</i> .....               | 36            |
| LYRICA .....                              | 10, 41        | <i>methyldopa</i> .....                     | 36            |
| LYSODREN .....                            | 52            | <i>methyldopa-hydrochlorothiazide</i> ..... | 39            |
| <b>Macrolides</b> .....                   | 8             | <i>methylphenidate hcl</i> .....            | 42            |
| <i>magnesium sulfate</i> .....            | 68            | <i>methylprednisolone</i> .....             | 17, 48, 57    |
| <i>malathion</i> .....                    | 24            | <i>methylprednisolone acetate</i> .....     | 17, 48, 57    |
| <i>maprotiline</i> .....                  | 13            | <i>methylprednisolone sodium succ</i> ..... | 17, 48        |
| MARPLAN .....                             | 14            | <i>metipranolol</i> .....                   | 63            |
| MARQIBO .....                             | 60            | <i>metoclopramide hcl</i> .....             | 15, 45        |
| <b>Mast Cell Stabilizers</b> .....        | 65            | <i>metolazone</i> .....                     | 36            |
| MATULANE .....                            | 19            | <i>metoprolol succinate</i> .....           | 37            |
| <i>matzim la</i> .....                    | 38            | <i>metoprolol ta-hydrochlorothiaz</i> ..... | 39            |
| MAXIDEX .....                             | 63            | <i>metoprolol tartrate</i> .....            | 37, 60        |
| <i>meclizine</i> .....                    | 15            | <i>metronidazole</i> .....                  | 6             |
| <i>meclofenamate</i> .....                | 2, 18         | <i>metronidazole in nacl (iso-os)</i> ..... | 6             |
| MEDROL .....                              | 17, 48        | <i>mexiletine</i> .....                     | 37            |
| <i>medroxyprogesterone</i> .....          | 52            | MIACALCIN .....                             | 57            |
| <i>mefenamic acid</i> .....               | 2, 18         | <i>miconazole-3</i> .....                   | 16            |
| <i>mefloquine</i> .....                   | 24            | <i>micort-hc</i> .....                      | 48            |
| <i>megestrol</i> .....                    | 52, 60        | <i>microgestin 1.5/30 (21)</i> .....        | 51            |
| MEKINIST .....                            | 23            | <i>microgestin 1/20 (21)</i> .....          | 51            |
| <i>meloxicam</i> .....                    | 2, 18         | <i>microgestin fe 1.5/30 (28)</i> .....     | 51            |
| <i>melphalan hcl</i> .....                | 19            | <i>microgestin fe 1/20 (28)</i> .....       | 51            |
| <i>memantine</i> .....                    | 13            | <i>midodrine</i> .....                      | 36            |

| <b>Drug Name</b>                                    | <b>Page #</b> | <b>Drug Name</b>                             | <b>Page #</b> |
|---|---------------|--|---------------|
| <i>migergot</i> .....                               | 18            | <i>nabumetone</i> .....                      | 2, 18         |
| <i>miglitol</i> .....                               | 33            | <i>nadolol</i> .....                         | 37            |
| <i>mimvey</i> .....                                 | 51            | <i>nadolol-bendroflumethiazide</i> .....     | 39            |
| <i>mimvey lo</i> .....                              | 51            | <i>nafcillin</i> .....                       | 8             |
| <i>minitran</i> .....                               | 41            | <i>naftifine</i> .....                       | 16            |
| <i>minocycline</i> .....                            | 9, 43         | <b>NAGLAZYME</b> .....                       | 44            |
| <i>minoxidil</i> .....                              | 41            | <i>naloxone</i> .....                        | 5, 60         |
| <b>MIRCERA</b> .....                                | 35, 60        | <i>naltrexone</i> .....                      | 4, 5          |
| <i>mirtazapine</i> .....                            | 13            | <b>NAMENDA XR</b> .....                      | 13            |
| <i>misoprostol</i> .....                            | 46, 49        | <b>NAMZARIC</b> .....                        | 13            |
| <i>mitomycin</i> .....                              | 21            | <i>naproxen</i> .....                        | 2, 18         |
| <i>mitoxantrone</i> .....                           | 19, 43        | <i>naproxen sodium</i> .....                 | 2, 18         |
| <b>M-M-R II (PF)</b> .....                          | 56            | <i>naratriptan</i> .....                     | 18            |
| <i>modafinil</i> .....                              | 67            | <b>NARCAN</b> .....                          | 5             |
| <i>moderiba</i> .....                               | 27            | <b>NATACYN</b> .....                         | 16            |
| <i>moexipril</i> .....                              | 37            | <i>nateglinide</i> .....                     | 33            |
| <i>moexipril-hydrochlorothiazide</i> .....          | 39            | <b>NATPARA</b> .....                         | 58            |
| <b>Molecular Target Inhibitors</b> .....            | 22, 23        | <b>NEBUPENT</b> .....                        | 24            |
| <i>mometasone</i> .....                             | 48            | <i>necon 0.5/35 (28)</i> .....               | 51            |
| <b>Monoamine Oxidase B (Mao-B) Inhibitors</b> ..... | 25            | <i>necon 1/50 (28)</i> .....                 | 51            |
| <b>Monoamine Oxidase Inhibitors</b> .....           | 14            | <i>necon 7/7/7 (28)</i> .....                | 51            |
| <b>Monoclonal Antibodies</b> .....                  | 23            | <i> nefazodone</i> .....                     | 13            |
| <i>mononessa (28)</i> .....                         | 51            | <i> neomycin</i> .....                       | 5             |
| <i>montelukast</i> .....                            | 64            | <i> neomycin-bacitracin-poly-hc</i> .....    | 62            |
| <b>MONUROL</b> .....                                | 6             | <i> neomycin-bacitracin-polymyxin</i> .....  | 62            |
| <b>Mood Stabilizers</b> .....                       | 32            | <i> neomycin-polymyxin b-dexameth</i> .....  | 62            |
| <i>morphine</i> .....                               | 2, 3, 4, 60   | <i> neomycin-polymyxin-gramicidin</i> .....  | 62            |
| <i>morphine (pf)</i> .....                          | 60            | <i> neomycin-polymyxin-hc</i> .....          | 62, 63        |
| <i>morphine concentrate</i> .....                   | 2, 3          | <b>NERLYNX</b> .....                         | 23            |
| <i>morphine in 0.9 % nacl</i> .....                 | 60            | <b>NEULASTA</b> .....                        | 35, 60        |
| <b>MOXEZA</b> .....                                 | 9             | <b>NEUPOGEN</b> .....                        | 35            |
| <i>moxifloxacin</i> .....                           | 9             | <b>NEUPRO</b> .....                          | 24            |
| <b>MOZOBIL</b> .....                                | 35            | <b>NEVANAC</b> .....                         | 63            |
| <b>MULTAQ</b> .....                                 | 37            | <i> nevirapine</i> .....                     | 28            |
| <b>Multiple Sclerosis Agents</b> .....              | 42, 43        | <b>NEXAVAR</b> .....                         | 23            |
| <i>multi-vit with fluoride-iron</i> .....           | 60            | <i> niacin</i> .....                         | 40, 41        |
| <i>multi-vitamin with fluoride</i> .....            | 60            | <i> niacor</i> .....                         | 41            |
| <i>multivitamins with fluoride</i> .....            | 60            | <i> nicardipine</i> .....                    | 38            |
| <i>mupirocin</i> .....                              | 6             | <b>NICOTROL NS</b> .....                     | 5             |
| <i>mupirocin calcium</i> .....                      | 6             | <i> nifedipine</i> .....                     | 38            |
| <b>MUSTARGEN</b> .....                              | 21            | <i> nikki (28)</i> .....                     | 51            |
| <b>MYALEPT</b> .....                                | 49            | <i> nilutamide</i> .....                     | 19            |
| <b>MYCAME</b> .....                                 | 16            | <i> nimodipine</i> .....                     | 38            |
| <i>mycophenolate mofetil</i> .....                  | 54            | <b>NINLARO</b> .....                         | 21            |
| <i>mycophenolate mofetil hcl</i> .....              | 54            | <b>NIPENT</b> .....                          | 21            |
| <i>mycophenolate sodium</i> .....                   | 54            | <b>NITRO-BID</b> .....                       | 41            |
| <b>MYLOTARG</b> .....                               | 60            | <i> nitrofurantoin</i> .....                 | 6             |
| <i>myorisan</i> .....                               | 44            | <i> nitrofurantoin macrocrystal</i> .....    | 6             |
| <b>MYRBETRIQ</b> .....                              | 46            | <i> nitrofurantoin monohyd/m-cryst</i> ..... | 6             |

| <b>Drug Name</b>   | <b>Page #</b>      | <b>Drug Name</b>   | <b>Page #</b> |
|--|--------------------|--|---------------|
| <i>nitroglycerin</i> .....                                   | 41                 | <i>olmesartan</i> .....                                      | 37            |
| <i>nizatidine</i> .....                                      | 45                 | <i>olmesartan-hydrochlorothiazide</i> .....                  | 37, 39        |
| <b>N-Methyl-D-Aspartate (Nmda) Receptor Antagonist</b> ..... | 13                 | <i>olopatadine</i> .....                                     | 62            |
| <b>Non-Frf</b> .....   | 58, 59, 60, 61, 62 | <i>omega-3 acid ethyl esters</i> .....                       | 41            |
| <b>Non-Frf</b> .....   | 58, 59, 60, 61, 62 | <i>omeprazole</i> .....                                      | 46            |
| <b>Nonsteroidal Anti-Inflammatory Drugs</b> .....            | 1, 2, 17, 18       | <i>ondansetron</i> .....                                     | 15            |
| <i>nora-be</i> .....   | 51                 | <i>ondansetron hcl</i> .....                                 | 16            |
| <i>noreth-ethinyl estradiol-iron</i> .....                   | 51                 | <i>ondansetron hcl (pf)</i> .....                            | 15            |
| <i>norethindrone (contraceptive)</i> .....                   | 52                 | <b>ONFI</b> .....  | 11            |
| <i>norethindrone acetate</i> .....                           | 52                 | <b>ONIVYDE</b> .....   | 61            |
| <i>norethindrone ac-eth estradiol</i> .....                  | 51                 | <b>OPDIVO</b> .....  | 23, 61        |
| <i>norethindrone-e.estradol-iron</i> .....                   | 51, 60             | <b>Ophthalmic Agents</b> .....                               | 62, 63        |
| <i>norgestimate-ethinyl estradiol</i> .....                  | 51                 | <b>Ophthalmic Agents</b> .....                               | 62            |
| <i>norlyroc</i> .....  | 51                 | <b>Ophthalmic Agents, Other</b> .....                        | 62            |
| <b>NORMOSOL-M IN 5 % DEXTROSE</b> .....                      | 69                 | <b>Ophthalmic Anti-Allergy Agents</b> .....                  | 62            |
| <b>NORTHERA</b> .....  | 36                 | <b>Ophthalmic Antiglaucoma Agents</b> .....                  | 62, 63        |
| <i>nortrel 0.5/35 (28)</i> .....                             | 51                 | <b>Ophthalmic Anti-Inflammatories</b> .....                  | 63            |
| <i>nortrel 1/35 (21)</i> .....                               | 51                 | <b>Ophthalmic Prostaglandin And Prostamide Analogs</b> ..... | 63            |
| <i>nortrel 1/35 (28)</i> .....                               | 51                 | <b>Opioid Analgesics, Long-Acting</b> .....                  | 2, 3          |
| <i>nortrel 7/7/7 (28)</i> .....                              | 51                 | <b>Opioid Analgesics, Short-Acting</b> .....                 | 3, 4          |
| <i>nortriptyline</i> .....                                   | 15                 | <b>Opioid Reversal Agents</b> .....                          | 5             |
| <b>NORVIR</b> .....  | 29                 | <b>OPSUMIT</b> .....   | 66            |
| <b>NOVAREL</b> .....   | 60                 | <b>ORBACTIV</b> .....  | 6             |
| <b>NOXAFIL</b> .....   | 16, 60             | <b>ORFADIN</b> .....   | 44            |
| <b>NUCALA</b> .....  | 66                 | <b>ORKAMBI</b> .....   | 65            |
| <b>NUEDEXTA</b> .....  | 42                 | <i>orsythia</i> .....  | 51            |
| <b>NULOJIX</b> .....   | 54                 | <i>oseltamivir</i> .....                                     | 30            |
| <b>NUPLAZID</b> .....  | 26                 | <b>OTEZLA</b> .....  | 54            |
| <b>NUTRILIPID</b> .....                                      | 69                 | <b>OTEZLA STARTER</b> .....                                  | 54, 61        |
| <b>NUVARING</b> .....  | 51                 | <b>Otic Agents</b> .....                                     | 63            |
| <i>nyamyc</i> .....  | 16                 | <b>Otic Agents</b> .....                                     | 63            |
| <b>NYMALIZE</b> .....  | 60                 | <b>OTREXUP (PF)</b> .....                                    | 54            |
| <i>nystatin</i> .....  | 16                 | <i>oxacillin</i> .....                                       | 8, 61         |
| <i>nystatin-triamcinolone</i> .....                          | 44                 | <i>oxacillin in dextrose(iso-osm)</i> .....                  | 8             |
| <i>nystop</i> .....  | 16                 | <i>oxaliplatin</i> .....                                     | 21            |
| <i>obstetrix one</i> .....                                   | 60                 | <i>oxandrolone</i> .....                                     | 49            |
| <b>OCALIVA</b> .....   | 45                 | <i>oxaprozin</i> .....                                       | 2, 18         |
| <i>ocella</i> .....  | 51                 | <i>oxazepam</i> .....  | 30            |
| <b>OCTAGAM</b> .....   | 55                 | <i>oxcarbazepine</i> .....                                   | 12            |
| <i>octreotide acetate</i> .....                              | 53, 60, 61         | <b>OXISTAT</b> .....   | 16            |
| <b>ODEFSEY</b> .....   | 28                 | <b>OXTELLAR XR</b> .....                                     | 12            |
| <b>ODOMZO</b> .....  | 23                 | <i>oxybutynin chloride</i> .....                             | 46            |
| <b>OFEV</b> .....  | 23, 66             | <i>oxycodone</i> .....                                       | 3, 4          |
| <i>ofloxacin</i> .....                                       | 9, 63              | <i>oxycodone-acetaminophen</i> .....                         | 1             |
| <i>ogestrel (28)</i> .....                                   | 51                 | <i>oxycodone-aspirin</i> .....                               | 1             |
| <i>olanzapine</i> .....                                      | 26, 31             | <i>oxymorphone</i> .....                                     | 4             |
| <i>olanzapine-fluoxetine</i> .....                           | 13                 | <i>paclitaxel</i> .....                                      | 21            |
|  |                    | <i>paliperidone</i> .....                                    | 26            |

| Drug Name  | Page # | Drug Name                              | Page #         |
|--|--------|--|----------------|
| PANDEL.....  | 48     | pimtrea (28).....                      | 51             |
| PANRETIN.....  | 24     | pindolol.....                          | 38             |
| pantoprazole.....  | 46     | pioglitazone.....                      | 33             |
| <b>Parasympathomimetics</b> .....                          | 18, 19 | pioglitazone-glimepiride .....         | 33             |
| paricalcitol.....  | 58     | pioglitazone-metformin .....           | 33             |
| paromomycin.....   | 5      | piperacillin-tazobactam .....          | 8, 61          |
| paroxetine hcl.....  | 14, 31 | pirmella.....                          | 51             |
| PASER.....   | 19     | piroxicam.....                         | 2, 18          |
| PATADAY.....   | 62     | <b>Platelet Modifying Agents</b> ..... | 36             |
| PAXIL.....   | 14, 31 | pnv cmb#95-ferrous fumarate-fa .....   | 61             |
| PAZEO.....   | 62     | podofilox.....                         | 44             |
| PEDIARIX (PF).....   | 56     | polyethylene glycol 3350.....          | 46, 61         |
| <b>Pediculicides/ Scabicides</b> .....                     | 24     | polymyxin b sulfate.....               | 6              |
| PEDVAX HIB (PF).....                                       | 56     | polymyxin b sulf-trimethoprim.....     | 62             |
| peg 3350-electrolytes.....                                 | 46     | POMALYST.....                          | 19             |
| PEGANONE.....  | 12     | portia.....                            | 51             |
| PEGASYS.....   | 27     | PORTRAZZA.....                         | 61             |
| PEGASYS PROCLICK.....                                      | 27     | potassium chlorid-d5-0.45%nacl .....   | 69             |
| peg-electrolyte soln.....                                  | 46     | potassium chloride.....                | 68             |
| PEGINTRON.....   | 27     | potassium chloride in lr-d5 .....      | 69             |
| PEGINTRON REDIPEN.....                                     | 27     | potassium chloride-d5-0.9%nacl .....   | 69             |
| pen needle, diabetic.....                                  | 34     | potassium citrate .....                | 47             |
| penicillin g potassium.....                                | 8      | PRADAXA.....                           | 35             |
| penicillin g procaine.....                                 | 8      | PRALUENT PEN.....                      | 41             |
| penicillin g sodium.....                                   | 8      | pramipexole .....                      | 24             |
| penicillin v potassium.....                                | 8      | prasugrel.....                         | 36             |
| PENTACEL ACTHIB COMPONENT (PF)....                         | 61     | pravastatin.....                       | 40             |
| PENTACEL DTAP-IPV COMPNT (PF).....                         | 61     | prazosin.....                          | 36, 46         |
| PENTAM.....  | 24     | PRED MILD.....                         | 17, 63         |
| pentoxifylline.....  | 38     | PRED-G.....                            | 62             |
| perindopril erbumine.....                                  | 37     | PRED-G S.O.P.....                      | 62             |
| periogard.....   | 43     | prednicarbate .....                    | 44, 48         |
| permethrin.....  | 24     | prednisolone acetate .....             | 17, 57, 63     |
| perphenazine.....  | 15, 25 | prednisolone sodium phosphate ....     | 17, 48, 57, 63 |
| perphenazine-amitriptyline .....                           | 13     | prednisone .....                       | 17, 48, 57     |
| phenelzine .....   | 14     | prednisone intensol .....              | 17, 48, 57     |
| phenobarbital.....   | 11     | PREFEST.....                           | 51             |
| phenytek.....  | 12     | PREMARIN.....                          | 50             |
| phenytoin.....   | 12     | PREMASOL 10 % .....                    | 69             |
| phenytoin sodium extended.....                             | 12     | PREMASOL 6 % .....                     | 69             |
| <b>Phosphate Binders</b> .....                             | 47     | prenatal 19 (with docusate).....       | 61             |
| <b>Phosphodiesterase Inhibitors, Airways Disease</b> ..... | 65, 66 | prenatal low iron .....                | 61             |
| PHOSPHOLINE IODIDE.....                                    | 63     | prenatal plus .....                    | 61             |
| PHYSIOLYTE.....  | 68     | prenatal plus (calcium carb).....      | 61             |
| PHYSISOL IRRIGATION.....                                   | 68     | prenatal vitamin plus low iron .....   | 69             |
| PICATO.....  | 44     | prenatal-u .....                       | 61             |
| pilocarpine hcl.....                                       | 43, 63 | prevalite .....                        | 41             |
| pimozide .....   | 25     | prevident .....                        | 61             |
|  |        | previfem .....                         | 51             |

| Drug Name                                | Page #     | Drug Name  | Page #         |
|--|------------|--|----------------|
| PREZCOBIX.....                           | 29         | quinidine gluconate.....                         | 37             |
| PREZISTA.....                            | 29         | quinidine sulfate.....                           | 37             |
| PRIFTIN.....                             | 19         | quinine sulfate.....                             | 24             |
| primaquine.....                          | 24         | <b>Quinolones</b> .....                          | 8, 9           |
| primidone.....                           | 11         | QVAR.....  | 64             |
| PRISTIQ.....                             | 14         | RABAVERT (PF).....                               | 56             |
| privigen.....                            | 55         | rabeprazole.....                                 | 46             |
| probencid.....                           | 17         | raloxifene.....                                  | 52             |
| probencid-colchicine.....                | 17         | ramipril.....                                    | 37             |
| prochlorperazine.....                    | 15         | RANEXA.....                                      | 38             |
| prochlorperazine edisylate.....          | 15, 25     | ranitidine hcl.....                              | 45, 61         |
| prochlorperazine maleate.....            | 15, 25     | RAPAFLO.....                                     | 46             |
| PROCERIT.....                            | 36         | RAPAMUNE.....                                    | 54             |
| procto-med hc.....                       | 57         | rasagiline.....                                  | 25             |
| procto-pak.....                          | 48         | RASUVO (PF).....                                 | 54, 55         |
| proctosol hc.....                        | 57         | RAVICTI.....                                     | 44             |
| proctozone-hc.....                       | 45, 48     | REBIF (WITH ALBUMIN).....                        | 43             |
| PROSYSBI.....                            | 44         | REBIF REBIDOSE.....                              | 43             |
| progesterone micronized.....             | 52         | REBIF TITRATION PACK.....                        | 43             |
| <b>Progestins</b> .....                  | 51, 52     | reclipsen (28).....                              | 51             |
| PROGLYCEM.....                           | 33         | RECOMBIVAX HB (PF).....                          | 56             |
| PROGRAF.....                             | 54         | REGRANEX.....                                    | 44             |
| PROLASTIN-C.....                         | 66         | RELENZA DISKHALER.....                           | 30             |
| PROLEUKIN.....                           | 21         | RELISTOR.....                                    | 45             |
| PROLIA.....                              | 58         | REMICADE.....                                    | 55             |
| PROMACTA.....                            | 36         | RENVELA.....                                     | 47             |
| promethazine.....                        | 15, 64     | repaglinide.....                                 | 33             |
| propafenone.....                         | 37         | RESCRIPTOR.....                                  | 28             |
| propantheline.....                       | 45         | <b>Respiratory Tract Agents, Other</b> .....     | 66             |
| <b>Prophylactic</b> .....                | 18         | <b>Respiratory Tract/ Pulmonary Agents</b> ..... |                |
| propranolol.....                         | 38         | .....  | 63, 64, 65, 66 |
| propranolol-hydrochlorothiazid.....      | 39         | <b>Respiratory Tract/ Pulmonary Agents</b> ..... | 66             |
| propylthiouracil.....                    | 53         | RESTASIS.....                                    | 62             |
| PROQUAD (PF).....                        | 56         | RESTASIS MULTIDOSE.....                          | 61             |
| <b>Protectants</b> .....                 | 46         | <b>Retinoids</b> .....                           | 24             |
| <b>Proton Pump Inhibitors</b> .....      | 46         | RETROVIR.....                                    | 28             |
| protriptyline.....                       | 15         | REVATIO.....                                     | 66             |
| PROVERA.....                             | 52         | REVLIMID.....                                    | 19             |
| PULMICORT FLEXHALER.....                 | 64         | REXULTI.....                                     | 26             |
| <b>Pulmonary Antihypertensives</b> ..... | 66         | REYATAZ.....                                     | 30             |
| PULMOZYME.....                           | 65, 66     | ribasphere.....                                  | 27             |
| PURIXAN.....                             | 20         | ribavirin.....                                   | 27, 61         |
| pyrazinamide.....                        | 19         | RIDAURA.....                                     | 55             |
| pyridostigmine bromide.....              | 18, 19     | rifabutin.....                                   | 19             |
| QUADRACEL (PF).....                      | 56         | rifampin.....                                    | 19             |
| quasense.....                            | 51         | RIFATER.....                                     | 19             |
| quetiapine.....                          | 13, 26, 31 | riluzole.....                                    | 42             |
| quinapril.....                           | 37         | rimantadine.....                                 | 30             |
| quinapril-hydrochlorothiazide.....       | 39         | ringer's.....                                    | 69             |

| <b>Drug Name</b>  | <b>Page #</b> | <b>Drug Name</b>                           | <b>Page #</b> |
|---|---------------|--|---------------|
| RIOMET .....  | 33            | <i>Skeletal Muscle Relaxants</i> .....     | 66, 67        |
| risedronate .....   | 58            | <b>Sleep Disorder Agents</b> .....         | 67            |
| RISPERDAL CONSTA .....                                    | 26, 31        | <i>Sleep Disorders, Other</i> .....        | 67            |
| risperidone .....   | 26, 31        | <b>SMOFLIPID</b> .....                     | 61            |
| RITUXAN .....   | 23            | <b>Smoking Cessation Agents</b> .....      | 5             |
| RITUXAN HYCELA .....                                      | 61            | sodium bicarbonate .....                   | 61            |
| rivastigmine .....  | 13            | <b>Sodium Channel Agents</b> .....         | 12            |
| rivastigmine tartrate .....                               | 13            | sodium chlor 0.9% bacteriostat .....       | 61            |
| rizatriptan .....   | 18            | sodium chloride .....                      | 68            |
| ropinirole .....  | 24, 25        | sodium chloride 0.45 % .....               | 68            |
| rosuvastatin .....  | 40            | sodium chloride 0.9 % .....                | 68            |
| ROTARIX .....   | 56            | sodium chloride 3 % .....                  | 68            |
| ROTATEQ VACCINE .....                                     | 56            | sodium chloride 5 % .....                  | 68            |
| roweepra .....  | 10            | sodium phenylbutyrate .....                | 47, 61        |
| ROZEREM .....   | 67            | sodium polystyrene (sorb free) .....       | 67            |
| RUBRACA .....   | 21, 61        | <b>SOLTAMOX</b> .....                      | 20            |
| RUCONEST .....  | 53            | <b>SOMATULINE DEPOT</b> .....              | 53            |
| RYDAPT .....  | 23            | <b>SOMAVERT</b> .....                      | 53            |
| SABRIL .....  | 11            | <i>sorine</i> .....                        | 37            |
| SANDIMMUNE .....  | 55            | <i>sotalol</i> .....                       | 37            |
| SANDOSTATIN LAR DEPOT .....                               | 53            | <i>sotalol af</i> .....                    | 37            |
| SANTYL .....  | 44            | <b>SOVALDI</b> .....                       | 27            |
| SAPHRIS (BLACK CHERRY) .....                              | 26, 31        | <b>SPIRIVA RESPIMAT</b> .....              | 65            |
| scopolamine base .....                                    | 61            | <b>SPIRIVA WITH HANDIHALER</b> .....       | 65            |
| <b>Selective Estrogen Receptor Modifying Agents</b> ..... | 52            | spironolactone .....                       | 40            |
| selegiline hcl .....                                      | 25            | spironolacton-hydrochlorothiaz .....       | 39            |
| selenium sulfide .....                                    | 44            | <b>SPORANOX</b> .....                      | 16            |
| SELZENTRY .....   | 29, 61        | sprintec (28) .....                        | 51            |
| SENSIPAR .....  | 52            | <b>SPRITAM</b> .....                       | 10            |
| SEREVENT DISKUS .....                                     | 65            | <b>SPRYCEL</b> .....                       | 23            |
| SEROSTIM .....  | 49            | <i>ssd</i> .....                           | 9             |
| <b>Serotonin (5-HT) 1B/1D Receptor Agonists</b> .....     | 18            | <b>Ssris/ Snris</b> .....                  | 14, 15, 31    |
| sertraline .....  | 14, 31        | <i>stavudine</i> .....                     | 28, 29, 61    |
| setlakin .....  | 51            | <b>STIMATE</b> .....                       | 49            |
| sevelamer carbonate .....                                 | 47            | <b>STIVARGA</b> .....                      | 23            |
| sf 5000 plus .....  | 61            | <b>STRATTERA</b> .....                     | 42            |
| sharobel .....  | 51            | <b>STRENSIQ</b> .....                      | 45            |
| SIGNIFOR .....  | 53            | <i>streptomycin</i> .....                  | 5             |
| sildenafil .....  | 66            | <b>STRIBILD</b> .....                      | 28            |
| SILENOR .....   | 15, 30        | <b>SUBOXONE</b> .....                      | 4             |
| silvadene .....   | 9             | <b>SUCRAID</b> .....                       | 45            |
| silver sulfadiazine .....                                 | 9             | <i>sucralfate</i> .....                    | 46            |
| SIMBRINZA .....   | 63            | <i>sulfacetamide sodium</i> .....          | 9, 62         |
| simvastatin .....   | 40            | <i>sulfacetamide sodium (acne)</i> .....   | 9             |
| sirolimus .....   | 55            | <i>sulfacetamide-prednisolone</i> .....    | 17, 62        |
| SIRTURO .....   | 19            | <i>sulfadiazine</i> .....                  | 9             |
| SIVEXTRO .....  | 6             | <i>sulfamethoxazole-trimethoprim</i> ..... | 9             |
| <b>Skeletal Muscle Relaxants</b> .....                    | 66, 67        | <b>SULFAMYLYON</b> .....                   | 6             |
|   |               | <i>sulfasalazine</i> .....                 | 57            |

| <b>Drug Name</b>                            | <b>Page #</b> | <b>Drug Name</b>   | <b>Page #</b> |
|---|---------------|--|---------------|
| <i>Sulfonamides</i> .....                   | 9, 57         | <i>testosterone cypionate</i> .....                        | 49            |
| <i>sulindac</i> .....                       | 2, 18         | <i>testosterone enanthate</i> .....                        | 49            |
| <i>sumatriptan</i> .....                    | 18            | <i>tetanus, diphtheria tox ped(pf)</i> .....               | 56            |
| <i>sumatriptan succinate</i> .....          | 18            | <i>tetanus-diphtheria toxoids-td</i> .....                 | 56            |
| <b>SUPRAX</b> .....                         | 7             | <i>tetrabenazine</i> .....                                 | 42            |
| <b>SUPREP BOWEL PREP KIT</b> .....          | 68            | <i>tetracycline</i> .....                                  | 9             |
| <b>SUSTIVA</b> .....                        | 28            | <b>Tetracyclines</b> .....                                 | 9             |
| <b>SUTENT</b> .....                         | 23            | <b>THALOMID</b> .....                                      | 19, 20        |
| <b>SYLATRON</b> .....                       | 19, 27        | <b>THEO-24</b> .....                                       | 65            |
| <b>SYLVANT</b> .....                        | 23, 56, 61    | <i>theophylline</i> .....                                  | 66            |
| <b>SYMBICORT</b> .....                      | 66            | <b>Therapeutic Nutrients/ Minerals/ Electrolytes</b> ..... | 67, 68, 69    |
| <b>SYMLINPEN 120</b> .....                  | 33            | <b>Therapeutic Nutrients/ Minerals/ Electrolytes</b> ..... | 68, 69        |
| <b>SYMLINPEN 60</b> .....                   | 33            | <b>THIOLA</b> .....  | 47            |
| <b>SYNAGIS</b> .....                        | 55            | <i>thioridazine</i> .....                                  | 25            |
| <b>SYNAREL</b> .....                        | 53            | <i>thiotepa</i> .....                                      | 19            |
| <b>SYNERCID</b> .....                       | 6             | <i>thiothixene</i> .....                                   | 25            |
| <b>SYNJARDY</b> .....                       | 33            | <b>THYMOGLOBULIN</b> .....                                 | 55            |
| <b>SYNJARDY XR</b> .....                    | 61            | <i>tiagabine</i> .....                                     | 11            |
| <b>SYNRIBO</b> .....                        | 19            | <b>TIGAN</b> .....   | 15            |
| <b>SYNTROID</b> .....                       | 52            | <i>tigecycline</i> .....                                   | 6             |
| <b>SYPRINE</b> .....                        | 67            | <i>timolol maleate</i> .....                               | 18, 38, 63    |
| <b>TABLOID</b> .....                        | 20            | <i>tinidazole</i> .....                                    | 6             |
| <i>tacrolimus</i> .....                     | 44, 55        | <b>TIVICAY</b> .....                                       | 28            |
| <b>TAFINLAR</b> .....                       | 23            | <i>tizanidine</i> .....                                    | 26, 67        |
| <b>TAGRISSO</b> .....                       | 23            | <b>TOBI PODHALER</b> .....                                 | 5, 65         |
| <b>TAMIFLU</b> .....                        | 30            | <b>TOBRADEX</b> .....                                      | 5             |
| <i>tamoxifen</i> .....                      | 20            | <i>tobramycin</i> .....                                    | 5             |
| <i>tamsulosin</i> .....                     | 46            | <i>tobramycin in 0.225 % nacl</i> .....                    | 5             |
| <b>TANZEUM</b> .....                        | 33            | <i>tobramycin sulfate</i> .....                            | 5             |
| <b>TARCEVA</b> .....                        | 23            | <i>tobramycin with nebulizer</i> .....                     | 61            |
| <b>TARGETIN</b> .....                       | 24            | <i>tobramycin-dexamethasone</i> .....                      | 62            |
| <i>tarina fe 1/20 (28)</i> .....            | 51            | <b>TOBREX</b> .....  | 5             |
| <b>TASIGNA</b> .....                        | 23            | <b>TOLAK</b> .....   | 44            |
| <i>tazarotene</i> .....                     | 44            | <i>tolazamide</i> .....                                    | 33            |
| <b>TAZORAC</b> .....                        | 44            | <i>tolbutamide</i> .....                                   | 33            |
| <i>taztia xt</i> .....                      | 38            | <i>tolcapone</i> .....                                     | 24            |
| <b>TECENTRIQ</b> .....                      | 23            | <i>tolmetin</i> .....                                      | 2, 18, 61     |
| <b>TECFIDERA</b> .....                      | 43            | <i>tolterodine</i> .....                                   | 46            |
| <b>TEFLARO</b> .....                        | 7             | <i>topiramate</i> .....                                    | 11, 12, 18    |
| <i>telmisartan</i> .....                    | 37            | <i>topotecan</i> .....                                     | 22            |
| <i>telmisartan-amlodipine</i> .....         | 39            | <b>TOPROL XL</b> .....                                     | 38            |
| <i>telmisartan-hydrochlorothiazid</i> ..... | 39            | <b>TORISEL</b> .....                                       | 55            |
| <i>temazepam</i> .....                      | 67            | <i>torsemide</i> .....                                     | 40            |
| <i>teniposide</i> .....                     | 61            | <b>TOUJEO SOLOSTAR</b> .....                               | 34            |
| <b>TENIVAC (PF)</b> .....                   | 56            | <b>TPN ELECTROLYTES</b> .....                              | 69            |
| <i>terazosin</i> .....                      | 36, 46        | <b>TRACLEER</b> .....                                      | 66            |
| <i>terbinafine hcl</i> .....                | 16            | <b>TRADJENTA</b> .....                                     | 33            |
| <i>terbutaline</i> .....                    | 65            |  |               |
| <i>terconazole</i> .....                    | 16            |  |               |

| Drug Name                            | Page # | Drug Name   | Page #     |
|--------------------------------------|--------|---|------------|
| tramadol .....                       | 3, 4   | UNITHROID .....   | 52         |
| tramadol-acetaminophen .....         | 1      | UNITUXIN .....  | 61         |
| trandolapril .....                   | 37     | UPTRAVI .....   | 38         |
| trandolapril-verapamil .....         | 39     | ursodiol .....  | 45         |
| tranexamic acid .....                | 36     | <b>Vaccines</b> .....                                     | 56, 57     |
| TRANSDERM-SCOP .....                 | 15, 45 | valacyclovir .....  | 27         |
| tranylcypromine .....                | 14     | VALCHLOR .....  | 19, 44     |
| TRAVATAN Z .....                     | 63     | valganciclovir .....                                      | 26         |
| trazodone .....                      | 13     | valproate sodium .....                                    | 11         |
| TREANDA .....                        | 21     | valproic acid .....                                       | 11, 18, 32 |
| <b>Treatment-Resistant</b> .....     | 26     | valproic acid (as sodium salt) .....                      | 11, 18, 32 |
| TRECATOR .....                       | 19     | valsartan .....   | 37         |
| tretinoin .....                      | 24, 44 | valsartan-hydrochlorothiazide .....                       | 39         |
| tretinoin (chemotherapy) .....       | 24     | vancomycin .....  | 6          |
| TREXALL .....                        | 55     | vancomycin in 0.9% sodium cl .....                        | 61         |
| triamcinolone acetonide .....        | 43, 48 | <b>VANDAZOLE</b> .....                                    | 6          |
| triamterene-hydrochlorothiazid ..... | 39     | VAQTA (PF) .....  | 56         |
| triazolam .....                      | 30     | VARIVAX (PF) .....  | 56         |
| <b>Tricyclics</b> .....              | 15     | VARIZIG .....   | 57         |
| triderm .....                        | 48     | <b>Vasodilators, Direct-Acting Arterial</b> .....         | 41         |
| trifluoperazine .....                | 25     | <b>Vasodilators, Direct-Acting Arterial/ Venous</b> ..... | 41         |
| trifluridine .....                   | 27     | VECTIBIX .....  | 21         |
| trihexyphenidyl .....                | 24     | VELCADE .....   | 21         |
| tri-legest fe .....                  | 51     | velvet triphasic regimen (28) .....                       | 51         |
| trilyte with flavor packets .....    | 46     | VENCLEXTA .....   | 21         |
| trimethoprim .....                   | 6      | VENCLEXTA STARTING PACK .....                             | 21         |
| trimipramine .....                   | 15     | venlafaxine .....   | 14, 31     |
| trinessa (28) .....                  | 51     | VENLAFAKINE .....   | 15, 31     |
| TRINTELLIX .....                     | 14     | VENTAVIS .....  | 66         |
| tri-previfem (28) .....              | 51     | VENTOLIN HFA .....  | 65         |
| TRISENOX .....                       | 21     | verapamil .....   | 38         |
| tri-sprintec (28) .....              | 51     | VERSACLOZ .....   | 26         |
| TRIUMEQ .....                        | 29     | VESICARE .....  | 46         |
| tri-vitamin with fluoride .....      | 61     | vestura (28) .....  | 51         |
| trivora (28) .....                   | 51     | VIBRAMYCIN .....  | 9, 43      |
| TROKENDI XR .....                    | 12     | VIDEX 2 GRAM PEDIATRIC .....                              | 29         |
| trospium .....                       | 46     | vienna .....  | 51         |
| TRULICITY .....                      | 33     | vigabatrin .....  | 11         |
| TRUMENBA .....                       | 56     | VIGAMOX .....   | 9          |
| TRUVADA .....                        | 29     | VIIBRYD .....   | 15         |
| TUDORZA PRESSAIR .....               | 65     | VIMPAT .....  | 12         |
| TWINRIX (PF) .....                   | 56     | vinblastine .....   | 21         |
| TYBOST .....                         | 29     | vincasar pfs .....  | 21         |
| TYGACIL .....                        | 6      | vincristine .....   | 21         |
| TYKERB .....                         | 23     | vinorelbine .....   | 21         |
| TYMLOS .....                         | 58     | VIRACEPT .....  | 30         |
| TYPHIM VI .....                      | 56     | VIREAD .....  | 27, 29     |
| TYSABRI .....                        | 43, 56 | virt-advance .....  | 61         |
| ULORIC .....                         | 17     | virt-nate .....   | 62         |

| Drug Name                                   | Page #     | Drug Name                     | Page # |
|---|------------|-------------------------------|--------|
| <b>Vitamins</b> .....                       | 69         | <b>ZOLINZA</b> .....          | 17, 22 |
| <i>voriconazole</i> .....                   | 16, 17     | <i>zolmitriptan</i> .....     | 18     |
| <b>VOTRIENT</b> .....                       | 23         | <i>zolpidem</i> .....         | 67     |
| <b>VPRIV</b> .....                          | 45         | <b>ZOMACTON</b> .....         | 49     |
| <b>VRAYLAR</b> .....                        | 26, 31, 32 | <i>zonisamide</i> .....       | 10     |
| <i>vyfemla</i> (28) .....                   | 51         | <b>ZONTIVITY</b> .....        | 36     |
| <b>VYVANSE</b> .....                        | 41         | <b>ZORTRESS</b> .....         | 55     |
| <b>VYXEOS</b> .....                         | 21         | <b>ZOSTAVAX (PF)</b> .....    | 57     |
| <i>warfarin</i> .....                       | 35         | <i>zovia</i> 1/35e (28) ..... | 51     |
| <i>water for irrigation, sterile</i> .....  | 69         | <i>zovia</i> 1/50e (28) ..... | 51     |
| <b>WELCHOL</b> .....                        | 33, 41     | <b>ZUBSOLV</b> .....          | 5, 62  |
| <i>wymzya fe</i> .....                      | 51         | <b>ZYDELIG</b> .....          | 22     |
| <b>XALKORI</b> .....                        | 23         | <b>ZYKADIA</b> .....          | 23     |
| <b>XARELTO</b> .....                        | 35         | <b>ZYLET</b> .....            | 62     |
| <b>XATMEP</b> .....                         | 55         | <b>ZYPREXA RELPREVV</b> ..... | 26, 32 |
| <b>XELJANZ</b> .....                        | 55         | <b>ZYTIGA</b> .....           | 19     |
| <b>XELJANZ XR</b> .....                     | 55         |                               |        |
| <b>XGEVA</b> .....                          | 58         |                               |        |
| <b>XIFAXAN</b> .....                        | 6, 45      |                               |        |
| <b>XOLAIR</b> .....                         | 66         |                               |        |
| <b>XTANDI</b> .....                         | 19         |                               |        |
| <i>xulane</i> .....                         | 51         |                               |        |
| <b>XYREM</b> .....                          | 67         |                               |        |
| <b>YERVOY</b> .....                         | 19         |                               |        |
| <b>YF-VAX (PF)</b> .....                    | 57         |                               |        |
| <b>YONDELIS</b> .....                       | 21         |                               |        |
| <i>yuvafem</i> .....                        | 50         |                               |        |
| <i>zafirlukast</i> .....                    | 64         |                               |        |
| <i>zaleplon</i> .....                       | 67         |                               |        |
| <b>ZALTRAP</b> .....                        | 19, 62     |                               |        |
| <b>ZANOSAR</b> .....                        | 5          |                               |        |
| <b>ZAVESCA</b> .....                        | 45         |                               |        |
| <b>ZEJULA</b> .....                         | 21         |                               |        |
| <b>ZELBORAF</b> .....                       | 23         |                               |        |
| <b>ZEMAIRA</b> .....                        | 66         |                               |        |
| <b>ZEMPLAR</b> .....                        | 58         |                               |        |
| <i>zenatane</i> .....                       | 44         |                               |        |
| <i>zenchent</i> (28) .....                  | 51         |                               |        |
| <i>zenchent fe</i> .....                    | 51         |                               |        |
| <b>ZENPEP</b> .....                         | 45         |                               |        |
| <b>ZERIT</b> .....                          | 29         |                               |        |
| <b>ZIAGEN</b> .....                         | 29         |                               |        |
| <i>zidovudine</i> .....                     | 29         |                               |        |
| <i>zileuton</i> .....                       | 64         |                               |        |
| <i>ziprasidone hcl</i> .....                | 26, 32     |                               |        |
| <b>ZIRGAN</b> .....                         | 26         |                               |        |
| <b>ZMAX</b> .....                           | 8          |                               |        |
| <i>zoledronic acid</i> .....                | 58, 62     |                               |        |
| <i>zoledronic acid-mannitol-water</i> ..... | 58         |                               |        |

This formulary was updated on **10/24/2017**. For more recent information or other questions, please contact Blue Shield Medicare Enhanced Plan Member Services, at (888) 239-6469 or, for TTY users, 711, 8 a.m. to 8 p.m., seven days a week, from October 1 through February 14, and 8 a.m. to 8 p.m., weekdays, from February 15 through September 30, or visit [blueshieldca.com/med\\_formulary](http://blueshieldca.com/med_formulary).

Blue Shield of California is a PDP plan with a Medicare contract. Enrollment in Blue Shield of California depends on contract renewal. This information is not a complete description of benefits. Contact the plan for more information. Limitations, copayments, and restrictions may apply. Benefits, premiums and/or copayments/coinsurance may change on January 1 of each year. The Formulary and pharmacy network may change at any time. You will receive notice when necessary.

This information is available for free in other languages. Please call our Member Services number at (888) 239-6469 [TTY 711], 8 a.m. to 8 p.m., seven days a week, from October 1 through February 14, and 8 a.m. to 8 p.m., weekdays, from February 15 through September 30.

Esta información está disponible gratis en otros idiomas. Comuníquese con nuestro Servicio para Miembros al (888) 239-6469 [TTY 711] de 8 a.m. a 8 p.m., cualquier día de la semana, desde el 1 de octubre hasta el 14 de febrero, y de 8 a.m. a 8 p.m. entre semana, desde el 15 de febrero hasta el 30 de septiembre.

Blue Shield of California complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Blue Shield of California cumple con las leyes federales de derechos civiles aplicables y no discrimina por motivos de raza, color, nacionalidad, edad, discapacidad o sexo. Blue Shield of California 遵守適用的聯邦民權法律規定，不因種族、膚色、民族血統、年齡、殘障或性別而歧視任何人。

An independent member of the Blue Shield Association

2017\_PDP00005-ENH (11/17)