

Independent Health's Assure AdvantageSM (HMO-SNP) Formulary



2019 Formulary

(List of Covered Drugs)

This document includes:
Independent Health's Assure AdvantageSM (HMO-SNP)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 00019365, Version Number 28

This formulary was updated on 12/01/2019 For more recent information or other questions, please contact Independent Health's Medicare Advantage Plan Member Services at (716) 250-4401 or 1-800-665-1502, or for TTY use 711, October 1st – March 31st: Monday through Sunday from 8 a.m. to 8 p.m., April 1st – September 30th: Monday through Friday from 8 a.m. to 8 p.m. or visit www.IndependentHealth.com/Medicare.

Independent Health is a Medicare Advantage organization with a Medicare contract offering HMO, HMO-SNP, HMO-POS and PPO plans. Enrollment in Independent Health depends on contract renewal.

The formulary may change at any time. You will receive notice when necessary.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Independent Health. When it refers to “plan” or “our plan,” it means Independent Health’s Medicare Advantage Plan.

This document includes the list of the drugs (formulary) for our plan which is current as of 12/01/2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2019, and from time to time during the year.

What is the Independent Health’s Assure AdvantageSM (HMO-SNP) Part D Formulary?

A formulary is a list of covered drugs selected by Independent Health in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Independent Health will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at an Independent Health network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on the steps you may take to request an exception, and you can also find

information in the section below entitled “How do I request an exception to the Independent Health’s Assure AdvantageSM (HMO-SNP) Part D Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier.). Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of 12/01/2019. To get updated information about the drugs covered by Independent Health, please contact us. Our contact information appears on the front and back cover pages. In the event that a non-maintenance change to the formulary occurs prior to the monthly publication update, such change will be communicated via an ERRATA sheet, which will be available on our website at www.IndependentHealth.com/MedicareFormularies and in printed form.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 107. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Independent Health covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Independent Health requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Independent Health before you fill your prescriptions. If you don't get approval, Independent Health may not cover the drug.
- **Quantity Limits:** For certain drugs, Independent Health limits the amount of the drug that we will cover. For example, Independent Health provides 30 tablets per prescription for SILENOR 3MG. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Independent Health requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization, quantity limit, and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Independent Health to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Independent Health's Medicare Assure AdvantageSM (HMO-SNP) Part D Formulary?" on page IV for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Independent Health does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Independent Health. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Independent Health.

- You can ask Independent Health to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Independent Health's Assure AdvantageSM (HMO-SNP) Part D Formulary?

You can ask Independent Health to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Independent Health limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Independent Health will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide

up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 34-day emergency supply of that drug while you pursue a formulary exception.

For enrollees admitted or discharged from a long-term care facility or have had any change in level of care, early refill edits will not be used to limit appropriate and necessary access to your Part D benefit and you are allowed to access a refill upon admission or discharge without restrictions. Long Term Care (LTC) pharmacies are permitted to use Emergency Boxes (E Box) when necessary. However, the E Box should be replenished from the patient's monthly prescription claim.

If you are a new or current Medicare Part D enrollee transitioning from one treatment setting to another or experience transitions due to level of care changes, Independent Health will provide a supply of medication pursuant to CMS requirements in compliance with the transition and continuity of care provisions as follows:

- At a retail pharmacy a one-time 30-day transition supply (unless the prescription is written for less than 30 days) will be authorized with refills to total 30 days of medication if needed.
- If you are a resident of a long-term care facility, a 34-day supply (unless the prescription is written for less) will be authorized with refills to total 34 days of medication if needed.

After authorizing the temporary refills referred to above, we will send you a letter via the U.S. mail within three (3) business days, detailing the temporary nature of the transition supply you have received, instructions for working with the plan and your doctor to identify appropriate therapeutic alternatives that are in the Independent Health Medicare Advantage Plan Part D formularies, an explanation of your right to request a formulary exception and a description of the procedures for requesting a formulary exception. We will also send a copy of the letter to your doctor.

For more information

For more detailed information about your Independent Health prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Independent Health, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 711. Or, visit <http://www.medicare.gov>.

Independent Health's Formulary

The formulary that begins on page 3 provides coverage information about the drugs covered by Independent Health. If you have trouble finding your drug in the list, turn to the Index that begins on page 107.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., SYNTHROID) and generic drugs are listed in lower-case italics (e.g., *omeprazole*).

The information in the Requirements/Limits column tells you if Independent Health has any special requirements for coverage of your drug.

Drugs listed with an “**AL**” in the Requirements/Limits column have age limitations.

Drugs listed with a “**BD**” in the Requirements/Limits column may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination. If it is determined that coverage for this drug falls under Medicare Part B, your cost will not be the tier co-payment in the drug list. Please refer to your Evidence of Coverage for the cost of Part B drugs or contact Independent Health’s Medicare Member Services Department. Our contact information appears on the front and back cover pages.

Drugs listed with an “**EDS**” in the Requirements/Limits column may be prescribed and dispensed at a participating network retail or mail order pharmacy for an extended 90-day supply.

Drugs listed with a “**LA**” in the Requirements/Limits column may be available only at certain pharmacies. For more information please contact our Member Services Department. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Drugs listed with a “**PA**” in the Requirements/Limits column require prior authorization (see “Are there any restrictions to my coverage on page III”).

Drugs listed with a “**QL**” in the Requirements/Limits column require prior authorization (see “Are there any restrictions to my coverage” on page III).

Drugs listed with a “**ST**” in the Requirements/Limits column are restricted to step therapy requirements (see “Are there any restrictions on my coverage” on page III).

TABLE OF CONTENTS

| | |
|---|-----|
| Analgesics..... | 3 |
| Anesthetics..... | 7 |
| Anti-Addiction/ Substance Abuse Treatment Agents..... | 8 |
| Antibacterials..... | 9 |
| Anticonvulsants..... | 16 |
| Antidementia Agents..... | 19 |
| Antidepressants..... | 19 |
| Antiemetics..... | 22 |
| Antifungals..... | 23 |
| Antigout Agents..... | 25 |
| Anti-Inflammatory Agents..... | 25 |
| Antimigraine Agents..... | 27 |
| Antimyasthenic Agents..... | 28 |
| Antimycobacterials..... | 29 |
| Antineoplastics..... | 29 |
| Antiparasitics..... | 34 |
| Antiparkinson Agents..... | 35 |
| Antipsychotics..... | 36 |
| Antispasticity Agents..... | 39 |
| Antivirals..... | 39 |
| Anxiolytics..... | 43 |
| Bipolar Agents..... | 44 |
| Blood Glucose Regulators..... | 46 |
| Blood Products/ Modifiers/ Volume Expanders..... | 49 |
| Cardiovascular Agents..... | 50 |
| Central Nervous System Agents..... | 58 |
| Dental And Oral Agents..... | 61 |
| Dermatological Agents..... | 61 |
| Electrolytes/Minerals/Metals/Vitamins..... | 64 |
| Gastrointestinal Agents..... | 67 |
| Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment..... | 70 |
| Genitourinary Agents..... | 71 |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)..... | 73 |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)..... | 75 |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)..... | 76 |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)..... | 76 |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)..... | 84 |
| Hormonal Agents, Suppressant (Adrenal)..... | 84 |
| Hormonal Agents, Suppressant (Pituitary)..... | 84 |
| Hormonal Agents, Suppressant (Thyroid)..... | 85 |
| Immunological Agents..... | 85 |
| Inflammatory Bowel Disease Agents..... | 90 |
| Metabolic Bone Disease Agents..... | 91 |
| Non-Frf..... | 91 |
| Ophthalmic Agents..... | 102 |
| Otic Agents..... | 105 |
| Respiratory Tract/ Pulmonary Agents..... | 105 |

| | |
|--------------------------------|-----|
| Skeletal Muscle Relaxants..... | 111 |
| Sleep Disorder Agents..... | 111 |

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| Analgesics | | |
| Analgesics | | |
| acetaminophen-codeine #3 oral tablet | 2 | |
| acetaminophen-codeine oral solution | 2 | |
| acetaminophen-codeine oral tablet 300-15 mg, 300-60 mg | 2 | |
| ascomp-codeine oral capsule | 2 | PA; PA not required if under 65 years of age. |
| butalbital-acetaminophen oral tablet 50-325 mg | 2 | PA; PA not required if under 65 years of age. |
| butalbital-apap-caff-cod oral capsule | 2 | PA; PA not required if under 65 years of age. |
| butalbital-apap-caffeine oral capsule | 2 | PA; PA not required if under 65 years of age. |
| butalbital-apap-caffeine oral tablet 50-325-40 mg | 2 | PA; PA not required if under 65 years of age. |
| butalbital-asa-caff-codeine oral capsule | 2 | PA; PA not required if under 65 years of age. |
| butalbital-aspirin-caffeine oral capsule | 2 | PA; PA not required if under 65 years of age. |
| endocet oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg | 2 | |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml | 2 | |
| hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg | 2 | |
| hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg | 2 | |
| loracet hd oral tablet | 2 | |
| loracet oral tablet | 2 | |
| loracet plus oral tablet 7.5-325 mg | 2 | |
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 2 | |
| oxycodone-aspirin oral tablet 4.8355-325 mg | 2 | |
| pentazocine-naloxone hcl oral tablet | 2 | |
| phrenilin forte oral capsule 50-300-40 mg | 2 | PA; PA not required if under 65 years of age. |
| TENCON ORAL TABLET 50-325 MG | 4 | PA; PA not required if under 65 years of age. |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| <i>tramadol-acetaminophen oral tablet</i> | 2 | |
| VANATOL LQ ORAL SOLUTION | 3 | PA; PA not required if under 65 years of age. |
| ZEBUTAL ORAL CAPSULE 50-325-40 MG | 4 | PA; PA not required if under 65 years of age. |
| Nonsteroidal Anti-Inflammatory Drugs | | |
| CAMBIA ORAL PACKET | 4 | |
| <i>celecoxib oral capsule</i> | 2 | EDS |
| <i>diclofenac epolamine transdermal patch</i> | 4 | PA |
| <i>diclofenac potassium oral tablet</i> | 2 | EDS |
| <i>diclofenac sodium er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>diclofenac sodium oral tablet delayed release</i> | 2 | EDS |
| <i>diclofenac sodium transdermal gel 3 %</i> | 4 | PA |
| <i>diflunisal oral tablet</i> | 2 | EDS |
| <i>etodolac oral capsule</i> | 2 | EDS |
| <i>etodolac oral tablet</i> | 2 | EDS |
| <i>fenoprofen calcium oral capsule 400 mg</i> | 2 | EDS |
| <i>fenoprofen calcium oral tablet</i> | 2 | EDS |
| <i>flurbiprofen oral tablet</i> | 2 | EDS |
| <i>ibu oral tablet 600 mg, 800 mg</i> | 2 | EDS |
| <i>ibuprofen oral suspension</i> | 2 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 2 | EDS |
| INDOCIN ORAL SUSPENSION | 4 | PA; PA not required if under 65 years of age.; EDS |
| <i>indomethacin er oral capsule extended release</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>indomethacin oral capsule</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>ketoprofen er oral capsule extended release 24 hour</i> | 4 | EDS |
| <i>ketorolac tromethamine oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>meloxicam oral tablet</i> | 2 | EDS |
| <i>nabumetone oral tablet</i> | 2 | EDS |
| <i>naproxen oral tablet</i> | 2 | EDS |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 2 | EDS |
| <i>oxycodone-ibuprofen oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| <i>piroxicam oral capsule</i> | 2 | EDS |
| <i>sulindac oral tablet</i> | 2 | EDS |
| Opioid Analgesics, Long-Acting | | |
| ABSTRAL SUBLINGUAL TABLET SUBLINGUAL | 5 | PA; Prior authorization not required for oncologists.; QL (128 EA per 30 days) |
| <i>buprenorphine hcl sublingual tablet sublingual</i> | 2 | |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i> | 2 | QL (4 EA per 28 days) |
| <i>buprenorphine transdermal patch weekly 20 mcg/hr</i> | 2 | |
| BUTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HR, 15 MCG/HR, 5 MCG/HR, 7.5 MCG/HR | 3 | QL (4 EA per 28 days) |
| BUTRANS TRANSDERMAL PATCH WEEKLY 20 MCG/HR | 3 | |
| <i>duramorph injection solution</i> | 2 | BD |
| EMBEDA ORAL CAPSULE EXTENDED RELEASE | 4 | |
| <i>fentanyl citrate buccal lozenge on a handle</i> | 5 | PA; Prior authorization not required for oncologists.; QL (120 EA per 30 days) |
| <i>fentanyl citrate buccal tablet</i> | 5 | PA; QL (120 EA per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 75 mcg/hr</i> | 2 | QL (30 EA per 30 days) |
| <i>fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr</i> | 2 | QL (15 EA per 30 days) |
| <i>hydromorphone hcl er oral tablet er 24 hour abuse-deterrant</i> | 2 | QL (30 EA per 30 days) |
| <i>hydromorphone hcl injection solution 2 mg/ml</i> | 2 | |
| <i>hydromorphone hcl pf injection solution 10 mg/ml, 50 mg/5ml</i> | 2 | |
| HYSINGLA ER ORAL TABLET ER 24 HOUR ABUSE-DETERRENT | 3 | QL (60 EA per 30 days) |
| KADIAN ORAL CAPSULE EXTENDED RELEASE 24 HOUR 200 MG | 5 | |
| LAZANDA NASAL SOLUTION 300 MCG/ACT | 5 | PA; Prior authorization not required for oncologists.; QL (120 EA per 30 days) |
| <i>methadone hcl oral solution</i> | 2 | |
| <i>methadone hcl oral tablet 10 mg</i> | 2 | |
| <i>methadone hcl oral tablet 5 mg</i> | 2 | QL (180 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|--|
| MORPHABOND ER ORAL TABLET ER 12 HOUR ABUSE-DETERRENT | 4 | |
| <i>morphine sulfate (concentrate) oral solution 100 mg/5ml</i> | 2 | |
| <i>morphine sulfate er beads oral capsule extended release 24 hour</i> | 2 | |
| <i>morphine sulfate er oral capsule extended release 24 hour</i> | 2 | |
| <i>morphine sulfate er oral tablet extended release</i> | 2 | |
| <i>morphine sulfate oral solution</i> | 2 | |
| <i>morphine sulfate oral tablet</i> | 2 | |
| NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HOUR | 3 | QL (60 EA per 30 days) |
| <i>oxycodone hcl er oral tablet er 12 hour abuse-deterrant</i> | 2 | |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT | 3 | |
| <i>oxymorphone hcl er oral tablet extended release 12 hour</i> | 2 | |
| <i>tramadol hcl er (biphasic) oral tablet extended release 24 hour 100 mg, 200 mg</i> | 2 | ST; QL (30 EA per 30 days) |
| <i>tramadol hcl er (biphasic) oral tablet extended release 24 hour 300 mg</i> | 2 | ST |
| <i>tramadol hcl er oral capsule extended release 24 hour 100 mg, 200 mg</i> | 2 | ST; QL (30 EA per 30 days) |
| <i>tramadol hcl er oral capsule extended release 24 hour 300 mg</i> | 2 | ST |
| <i>tramadol hcl er oral tablet extended release 24 hour 100 mg, 200 mg</i> | 2 | QL (30 EA per 30 days) |
| <i>tramadol hcl er oral tablet extended release 24 hour 300 mg</i> | 2 | |
| XTAMPZA ER ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT | 4 | QL (60 EA per 30 days) |
| Opioid Analgesics, Short-Acting | | |
| ABSTRAL SUBLINGUAL TABLET SUBLINGUAL | 5 | PA; Prior authorization not required for oncologists.; QL (128 EA per 30 days) |
| <i>butorphanol tartrate nasal solution</i> | 2 | |
| <i>codeine sulfate oral tablet 30 mg, 60 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|--|
| fentanyl citrate buccal lozenge on a handle | 5 | PA; Prior authorization not required for oncologists.; QL (120 EA per 30 days) |
| fentanyl citrate buccal tablet | 5 | PA; QL (120 EA per 30 days) |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 75 mcg/hr | 2 | QL (30 EA per 30 days) |
| fentanyl transdermal patch 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr | 2 | QL (15 EA per 30 days) |
| hydromorphone hcl oral liquid | 2 | |
| hydromorphone hcl oral tablet | 2 | QL (180 EA per 30 days) |
| LAZANDA NASAL SOLUTION | 5 | PA; Prior authorization not required for oncologists.; QL (120 EA per 30 days) |
| morphine sulfate (concentrate) oral solution 100 mg/5ml | 2 | |
| morphine sulfate oral solution | 2 | |
| morphine sulfate oral tablet | 2 | |
| NUCYNTA ORAL TABLET | 3 | QL (180 EA per 30 days) |
| oxycodone hcl oral capsule | 2 | |
| oxycodone hcl oral concentrate 100 mg/5ml | 4 | |
| oxycodone hcl oral solution | 2 | |
| oxycodone hcl oral tablet | 2 | |
| oxymorphone hcl oral tablet 10 mg | 2 | |
| oxymorphone hcl oral tablet 5 mg | 2 | QL (180 EA per 30 days) |
| SUBSYS SUBLINGUAL LIQUID 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; Prior authorization not required for oncologists.; QL (120 EA per 30 days) |
| tramadol hcl oral tablet | 2 | |
| Anesthetics | | |
| Local Anesthetics | | |
| lidocaine external ointment | 2 | |
| lidocaine external patch 5 % | 2 | PA |
| lidocaine hcl external solution | 2 | |
| lidocaine hcl urethral/mucosal external gel | 2 | |
| lidocaine viscous hcl mouth/throat solution | 2 | |
| lidocaine-prilocaine external cream | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|-----------------------|
| Anti-Addiction/ Substance Abuse Treatment Agents | | |
| Alcohol Deterrents/Anti-Craving | | |
| <i>acamprosate calcium oral tablet delayed release</i> | 2 | EDS |
| <i>disulfiram oral tablet</i> | 2 | EDS |
| <i>naltrexone hcl oral tablet</i> | 2 | |
| Opioid Dependence Treatments | | |
| <i>buprenorphine hcl sublingual tablet sublingual</i> | 2 | |
| <i>buprenorphine hcl-naloxone hcl sublingual film</i> | 2 | |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual</i> | 2 | |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i> | 2 | QL (4 EA per 28 days) |
| <i>buprenorphine transdermal patch weekly 20 mcg/hr</i> | 2 | |
| <i>BUTTRANS TRANSDERMAL PATCH WEEKLY 10 MCG/HR, 15 MCG/HR, 5 MCG/HR, 7.5 MCG/HR</i> | 3 | QL (4 EA per 28 days) |
| <i>BUTTRANS TRANSDERMAL PATCH WEEKLY 20 MCG/HR</i> | 3 | |
| <i>LUCEMYRA ORAL TABLET</i> | 5 | PA |
| <i>naltrexone hcl oral tablet</i> | 2 | |
| <i>ZUBSOLV SUBLINGUAL TABLET SUBLINGUAL 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG, 8.6-2.1 MG</i> | 3 | |
| Opioid Reversal Agents | | |
| <i>naloxone hcl injection solution 0.4 mg/ml</i> | 2 | |
| <i>naloxone hcl injection solution cartridge</i> | 2 | |
| <i>naloxone hcl injection solution prefilled syringe</i> | 2 | |
| <i>NARCAN NASAL LIQUID</i> | 3 | |
| Smoking Cessation Agents | | |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour</i> | 2 | |
| <i>CHANTIX CONTINUING MONTH PAK ORAL TABLET</i> | 3 | |
| <i>CHANTIX ORAL TABLET</i> | 3 | |
| <i>CHANTIX STARTING MONTH PAK ORAL TABLET</i> | 3 | |
| <i>NICOTROL INHALATION INHALER</i> | 3 | |
| <i>NICOTROL NS NASAL SOLUTION</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| Antibacterials | | |
| Aminoglycosides | | |
| <i>amikacin sulfate injection solution 500 mg/2ml</i> | 2 | |
| ARIKAYCE INHALATION SUSPENSION | 5 | PA; LA |
| BETHKIS INHALATION NEBULIZATION SOLUTION | 5 | BD; LA |
| <i>gentak ophthalmic ointment</i> | 2 | |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%</i> | 2 | |
| <i>gentamicin sulfate external cream</i> | 2 | |
| <i>gentamicin sulfate external ointment</i> | 2 | |
| <i>gentamicin sulfate injection solution 40 mg/ml</i> | 2 | |
| <i>gentamicin sulfate ophthalmic solution</i> | 2 | |
| <i>neomycin sulfate oral tablet</i> | 2 | |
| <i>paromomycin sulfate oral capsule</i> | 2 | |
| <i>streptomycin sulfate intramuscular solution reconstituted</i> | 4 | |
| TOBI PODHALER INHALATION CAPSULE | 5 | PA New Starts |
| TOBRADEX OPHTHALMIC OINTMENT | 3 | |
| <i>tobramycin inhalation nebulization solution</i> | 5 | BD |
| <i>tobramycin ophthalmic solution</i> | 2 | |
| <i>tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml</i> | 2 | |
| Antibacterials | | |
| <i>colistimethate sodium (cba) injection solution reconstituted</i> | 2 | |
| <i>daptomycin intravenous solution reconstituted 500 mg</i> | 4 | |
| Antibacterials, Other | | |
| <i>acetic acid otic solution</i> | 2 | |
| <i>bacitracin ophthalmic ointment</i> | 2 | |
| CLEOCIN VAGINAL SUPPOSITORY | 4 | |
| <i>clindamycin hcl oral capsule</i> | 2 | |
| <i>clindamycin palmitate hcl oral solution reconstituted</i> | 2 | |
| <i>clindamycin phosphate external gel</i> | 2 | |
| <i>clindamycin phosphate external lotion</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| <i>clindamycin phosphate external solution</i> | 2 | |
| <i>clindamycin phosphate external swab</i> | 2 | |
| <i>clindamycin phosphate in d5w intravenous solution</i> | 2 | |
| <i>clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml</i> | 2 | |
| <i>clindamycin phosphate vaginal cream</i> | 2 | |
| <i>colistimethate sodium (cba) injection solution reconstituted</i> | 2 | |
| <i>daptomycin intravenous solution reconstituted 500 mg</i> | 4 | |
| FIRVANQ ORAL SOLUTION RECONSTITUTED | 4 | PA; Prior authorization not required for gastroenterologists or infectious diseases specialists. |
| GLOBAL ALCOHOL PREP EASE PAD | 3 | |
| <i>linezolid intravenous solution 600 mg/300ml</i> | 2 | PA; Prior authorization not required for infectious diseases specialists. |
| <i>linezolid oral suspension reconstituted</i> | 2 | PA; Prior authorization not required for infectious diseases specialists. |
| <i>linezolid oral tablet</i> | 2 | PA; Prior authorization not required for infectious diseases specialists. |
| <i>methenamine hippurate oral tablet</i> | 2 | |
| <i>metronidazole external cream</i> | 2 | |
| <i>metronidazole external gel</i> | 2 | |
| <i>metronidazole external lotion</i> | 2 | |
| <i>metronidazole in nacl intravenous solution 500-0.79 mg/100ml-%</i> | 2 | |
| <i>metronidazole oral capsule</i> | 2 | |
| <i>metronidazole oral tablet</i> | 2 | |
| <i>metronidazole vaginal gel</i> | 2 | |
| MONUROL ORAL PACKET | 4 | |
| <i>mupirocin calcium external cream</i> | 2 | |
| <i>mupirocin external ointment</i> | 2 | |
| <i>nitrofurantoin monohyd macro oral capsule</i> | 2 | |
| <i>polymyxin b sulfate injection solution reconstituted</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|----------------------|
| SIVEXTRO INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA |
| SIVEXTRO ORAL TABLET | 5 | PA |
| SULFAMYLYON EXTERNAL CREAM | 4 | |
| <i>tigecycline intravenous solution reconstituted</i> | 5 | |
| <i>tinidazole oral tablet</i> | 2 | |
| <i>trimethoprim oral tablet</i> | 2 | |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 250 mg, 500 mg, 750 mg</i> | 2 | |
| <i>vancomycin hcl oral capsule</i> | 2 | |
| <i>vandazole vaginal gel</i> | 2 | |
| XIFAXAN ORAL TABLET 200 MG | 4 | QL (9 EA per 3 days) |
| XIFAXAN ORAL TABLET 550 MG | 5 | |
| Beta-Lactam, Cephalosporins | | |
| <i>cefaclor er oral tablet extended release 12 hour</i> | 4 | |
| <i>cefaclor oral capsule</i> | 2 | |
| <i>cefaclor oral suspension reconstituted</i> | 2 | |
| <i>cefadroxil oral capsule</i> | 2 | |
| <i>cefadroxil oral suspension reconstituted</i> | 2 | |
| <i>cefadroxil oral tablet</i> | 2 | |
| <i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 500 mg</i> | 2 | |
| <i>cefdinir oral capsule</i> | 2 | |
| <i>cefdinir oral suspension reconstituted</i> | 2 | |
| <i>cefepime hcl injection solution reconstituted</i> | 2 | |
| <i>cefixime oral capsule</i> | 2 | |
| <i>cefixime oral suspension reconstituted</i> | 2 | |
| <i>cefotaxime sodium injection solution reconstituted 1 gm, 500 mg</i> | 2 | |
| <i>cefotetan disodium injection solution reconstituted 1 gm, 2 gm</i> | 4 | |
| <i>cefoxitin sodium injection solution reconstituted</i> | 2 | |
| <i>cefoxitin sodium intravenous solution reconstituted</i> | 2 | |
| <i>cefpodoxime proxetil oral suspension reconstituted</i> | 2 | |
| <i>cefpodoxime proxetil oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| <i>cefprozil oral suspension reconstituted</i> | 2 | |
| <i>cefprozil oral tablet</i> | 2 | |
| <i>ceftazidime injection solution reconstituted 1 gm, 2 gm, 6 gm</i> | 2 | |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg</i> | 2 | |
| <i>ceftriaxone sodium intravenous solution reconstituted 10 gm</i> | 2 | |
| <i>cefuroxime axetil oral tablet</i> | 2 | |
| <i>cefuroxime sodium injection solution reconstituted 7.5 gm, 750 mg</i> | 2 | |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i> | 2 | |
| <i>cephalexin oral capsule</i> | 2 | |
| <i>cephalexin oral suspension reconstituted</i> | 2 | |
| SUPRAX ORAL SUSPENSION RECONSTITUTED 500 MG/5ML | 3 | |
| SUPRAX ORAL TABLET CHEWABLE | 3 | |
| <i>tazicef injection solution reconstituted</i> | 2 | |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED | 4 | |
| ZERBAXA INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA |
| Beta-Lactam, Other | | |
| <i>aztreonam injection solution reconstituted 1 gm</i> | 2 | |
| CAYSTON INHALATION SOLUTION RECONSTITUTED | 5 | LA |
| <i>ertapenem sodium injection solution reconstituted</i> | 2 | |
| <i>imipenem-cilastatin intravenous solution reconstituted</i> | 2 | |
| <i>meropenem intravenous solution reconstituted</i> | 2 | |
| VABOMERE INTRAVENOUS SOLUTION RECONSTITUTED | 4 | PA; Prior authorization not required for urologists or infectious diseases specialists. |
| Beta-Lactam, Penicillins | | |
| <i>amoxicillin oral capsule</i> | 2 | |
| <i>amoxicillin oral suspension reconstituted</i> | 2 | |
| <i>amoxicillin oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i> | 2 | |
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet chewable</i> | 2 | |
| <i>ampicillin oral capsule 500 mg</i> | 2 | |
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg</i> | 2 | |
| <i>ampicillin sodium intravenous solution reconstituted 10 gm</i> | 2 | |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i> | 2 | |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5) gm</i> | 2 | |
| AUGMENTIN ORAL SUSPENSION RECONSTITUTED 125-31.25 MG/5ML | 4 | |
| BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION | 4 | |
| BICILLIN C-R INTRAMUSCULAR SUSPENSION | 4 | |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION | 4 | |
| <i>dicloxacillin sodium oral capsule</i> | 2 | |
| <i>nafcillin sodium injection solution reconstituted 1 gm</i> | 4 | |
| OXACILLIN SODIUM IN DEXTROSE INTRAVENOUS SOLUTION | 4 | |
| <i>oxacillin sodium injection solution reconstituted</i> | 2 | |
| <i>penicillin g pot in dextrose intravenous solution 40000 unit/ml, 60000 unit/ml</i> | 2 | |
| <i>penicillin g potassium injection solution reconstituted 20000000 unit</i> | 2 | |
| <i>penicillin g procaine intramuscular suspension</i> | 2 | |
| <i>penicillin g sodium injection solution reconstituted</i> | 2 | |
| <i>penicillin v potassium oral solution reconstituted</i> | 2 | |
| <i>penicillin v potassium oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm</i> | 2 | |
| Macrolides | | |
| AZASITE OPHTHALMIC SOLUTION | 4 | |
| <i>azithromycin intravenous solution reconstituted</i> | 2 | |
| <i>azithromycin oral packet</i> | 2 | |
| <i>azithromycin oral suspension reconstituted</i> | 2 | |
| <i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> | 2 | |
| <i>clarithromycin er oral tablet extended release 24 hour</i> | 2 | |
| <i>clarithromycin oral suspension reconstituted</i> | 2 | |
| <i>clarithromycin oral tablet</i> | 2 | |
| DIFICID ORAL TABLET | 5 | PA |
| <i>e.e.s. 400 oral tablet</i> | 2 | |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | 4 | |
| ERYTHROCIN STEARATE ORAL TABLET 250 MG | 4 | |
| <i>erythromycin base oral capsule delayed release particles</i> | 2 | |
| <i>erythromycin base oral tablet</i> | 2 | |
| <i>erythromycin base oral tablet delayed release</i> | 4 | |
| <i>erythromycin ethylsuccinate oral suspension reconstituted</i> | 2 | |
| <i>erythromycin ethylsuccinate oral tablet</i> | 2 | |
| <i>erythromycin ophthalmic ointment</i> | 2 | |
| Quinolones | | |
| <i>ciprofloxacin hcl ophthalmic solution</i> | 2 | |
| <i>ciprofloxacin hcl oral tablet</i> | 2 | |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i> | 2 | |
| <i>ciprofloxacin oral suspension reconstituted 500 mg/5ml (10%)</i> | 2 | |
| <i>gatifloxacin ophthalmic solution</i> | 2 | |
| <i>levofloxacin in d5w intravenous solution 500 mg/100ml, 750 mg/150ml</i> | 2 | |
| <i>levofloxacin intravenous solution</i> | 2 | |
| <i>levofloxacin ophthalmic solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>levofloxacin oral solution</i> | 2 | |
| <i>levofloxacin oral tablet</i> | 2 | |
| <i>moxifloxacin hcl in nacl intravenous solution</i> | 2 | |
| <i>moxifloxacin hcl oral tablet</i> | 2 | |
| <i>ofloxacin ophthalmic solution</i> | 2 | |
| <i>ofloxacin otic solution</i> | 2 | |
| Sulfonamides | | |
| AVC VAGINAL VAGINAL CREAM | 4 | |
| <i>silver sulfadiazine external cream</i> | 2 | |
| <i>ssd external cream</i> | 2 | |
| <i>sulfacetamide sodium (acne) external lotion</i> | 2 | |
| <i>sulfacetamide sodium ophthalmic ointment</i> | 4 | |
| <i>sulfacetamide sodium ophthalmic solution</i> | 2 | |
| <i>sulfadiazine oral tablet</i> | 2 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i> | 2 | |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | 2 | |
| Tetracyclines | | |
| <i>demeccycline hcl oral tablet</i> | 4 | |
| <i>DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED</i> | 4 | |
| <i>doxycycline hyclate oral capsule</i> | 2 | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 2 | |
| <i>doxycycline monohydrate oral capsule</i> | 2 | |
| <i>doxycycline monohydrate oral suspension reconstituted</i> | 2 | |
| <i>doxycycline monohydrate oral tablet</i> | 2 | |
| <i>minocycline hcl er oral tablet extended release 24 hour 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 90 mg</i> | 4 | |
| <i>minocycline hcl oral capsule</i> | 2 | |
| <i>minocycline hcl oral tablet</i> | 2 | |
| <i>monodoxine nl oral capsule 100 mg, 75 mg</i> | 2 | |
| <i>tetracycline hcl oral capsule</i> | 2 | |
| <i>VIBRAMYCIN ORAL SYRUP</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| Anticonvulsants | | |
| Anticonvulsants, Other | | |
| BRIVIACT ORAL SOLUTION | 5 | PA New Starts; Prior authorization not required for neurologists. |
| BRIVIACT ORAL TABLET | 5 | PA New Starts; Prior authorization not required for neurologists. |
| DIASTAT ACUDIAL RECTAL GEL | 4 | |
| DIASTAT PEDIATRIC RECTAL GEL | 4 | |
| <i>diazepam intensol oral concentrate</i> | 2 | |
| <i>diazepam oral solution 5 mg/5ml</i> | 2 | |
| <i>diazepam oral tablet</i> | 2 | |
| <i>levetiracetam er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>levetiracetam oral solution</i> | 2 | EDS |
| <i>levetiracetam oral tablet</i> | 2 | EDS |
| <i>roweepra oral tablet</i> | 2 | EDS |
| <i>roweepra xr oral tablet extended release 24 hour</i> | 2 | EDS |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE | 4 | EDS |
| Calcium Channel Modifying Agents | | |
| CELONTIN ORAL CAPSULE | 3 | EDS |
| <i>ethosuximide oral capsule</i> | 2 | EDS |
| <i>ethosuximide oral solution</i> | 2 | EDS |
| LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | EDS |
| <i>pregabalin oral capsule</i> | 2 | EDS |
| <i>pregabalin oral solution</i> | 2 | EDS |
| <i>zonisamide oral capsule</i> | 2 | EDS |
| Gamma-Aminobutyric Acid (Gaba) Augmenting Agents | | |
| <i>clobazam oral suspension</i> | 4 | EDS |
| <i>clobazam oral tablet</i> | 4 | EDS |
| <i>clonazepam oral tablet</i> | 2 | EDS |
| <i>clonazepam oral tablet dispersible</i> | 2 | EDS |
| <i>clorazepate dipotassium oral tablet</i> | 2 | |
| DIASTAT ACUDIAL RECTAL GEL | 4 | |
| DIASTAT PEDIATRIC RECTAL GEL | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| <i>diazepam intensol oral concentrate</i> | 2 | |
| <i>diazepam oral solution 5 mg/5ml</i> | 2 | |
| <i>diazepam oral tablet</i> | 2 | |
| <i>divalproex sodium er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>divalproex sodium oral capsule delayed release sprinkle</i> | 2 | EDS |
| <i>divalproex sodium oral tablet delayed release</i> | 2 | EDS |
| EPIDIOLEX ORAL SOLUTION | 4 | PA New Starts; LA; EDS |
| <i> gabapentin oral capsule</i> | 2 | EDS |
| <i> gabapentin oral solution 250 mg/5ml</i> | 2 | EDS |
| <i> gabapentin oral tablet</i> | 2 | EDS |
| GRALISE ORAL TABLET | 4 | EDS |
| GRALISE STARTER ORAL | 4 | |
| HORIZANT ORAL TABLET EXTENDED RELEASE 300 MG | 4 | EDS |
| <i> lamotrigine oral tablet dispersible</i> | 2 | EDS |
| <i> lorazepam oral concentrate</i> | 2 | |
| <i> lorazepam oral tablet</i> | 2 | |
| <i> phenobarbital oral elixir</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i> phenobarbital oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i> primidone oral tablet</i> | 2 | EDS |
| SYMPAZAN ORAL FILM | 5 | |
| <i> tiagabine hcl oral tablet</i> | 2 | EDS |
| <i> valproic acid oral capsule</i> | 2 | EDS |
| <i> valproic acid oral solution</i> | 2 | EDS |
| <i> vigabatrin oral packet</i> | 5 | LA |
| <i> vigabatrin oral tablet</i> | 5 | LA |
| <i> vigadrone oral packet</i> | 5 | |
| Glutamate Reducing Agents | | |
| <i> felbamate oral suspension</i> | 2 | EDS |
| <i> felbamate oral tablet</i> | 2 | EDS |
| FYCOMPA ORAL SUSPENSION | 4 | EDS |
| FYCOMPA ORAL TABLET | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>lamotrigine er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>lamotrigine oral tablet</i> | 2 | EDS |
| <i>lamotrigine oral tablet chewable</i> | 2 | EDS |
| <i>lamotrigine starter kit-blue oral kit</i> | 2 | |
| <i>lamotrigine starter kit-green oral kit</i> | 2 | |
| <i>lamotrigine starter kit-orange oral kit</i> | 2 | |
| QUDEXY XR ORAL CAPSULE ER 24 HOUR SPRINKLE | 4 | EDS |
| <i>topiramate er oral capsule er 24 hour sprinkle</i> | 2 | EDS |
| <i>topiramate oral capsule sprinkle</i> | 2 | EDS |
| <i>topiramate oral tablet</i> | 2 | EDS |
| TROKENDI XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 4 | EDS |
| Sodium Channel Agents | | |
| APTIOM ORAL TABLET | 5 | |
| BANZEL ORAL SUSPENSION | 4 | EDS |
| BANZEL ORAL TABLET | 4 | EDS |
| <i>carbamazepine er oral tablet extended release 12 hour</i> | 2 | EDS |
| <i>carbamazepine oral suspension</i> | 2 | EDS |
| <i>carbamazepine oral tablet</i> | 2 | EDS |
| <i>carbamazepine oral tablet chewable</i> | 2 | EDS |
| DILANTIN ORAL CAPSULE 30 MG | 3 | EDS |
| <i>epitol oral tablet</i> | 2 | EDS |
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR | 4 | EDS |
| <i>oxcarbazepine oral suspension</i> | 2 | EDS |
| <i>oxcarbazepine oral tablet</i> | 2 | EDS |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 4 | EDS |
| PEGANONE ORAL TABLET | 3 | EDS |
| <i>phenytoin oral suspension 125 mg/5ml</i> | 2 | EDS |
| <i>phenytoin oral tablet chewable</i> | 2 | EDS |
| <i>phenytoin sodium extended oral capsule</i> | 2 | EDS |
| VIMPAT ORAL SOLUTION | 3 | EDS |
| VIMPAT ORAL TABLET | 3 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| Antidementia Agents | | |
| Antidementia Agents, Other | | |
| <i>ergoloid mesylates oral tablet</i> | 2 | EDS |
| Cholinesterase Inhibitors | | |
| <i>donepezil hcl oral tablet 10 mg, 5 mg</i> | 2 | EDS |
| <i>donepezil hcl oral tablet dispersible</i> | 2 | EDS |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>galantamine hydrobromide oral solution</i> | 2 | EDS |
| <i>galantamine hydrobromide oral tablet</i> | 2 | EDS |
| <i>rivastigmine tartrate oral capsule</i> | 2 | EDS |
| <i>rivastigmine transdermal patch 24 hour</i> | 2 | EDS |
| N-Methyl-D-Aspartate (Nmda) Receptor Antagonist | | |
| <i>memantine hcl oral solution 2 mg/ml</i> | 2 | EDS |
| <i>memantine hcl oral tablet 10 mg, 5 mg</i> | 2 | EDS |
| <i>memantine hcl oral tablet 28 x 5 mg & 21 x 10 mg</i> | 2 | |
| <i>NAMZARIC ORAL CAPSULE ER 24 HOUR THERAPY PACK</i> | 4 | PA |
| <i>NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR</i> | 4 | PA; EDS |
| Antidepressants | | |
| Antidepressants | | |
| <i>chlordiazepoxide-amitriptyline oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>olanzapine-fluoxetine hcl oral capsule</i> | 2 | EDS |
| <i>perphenazine-amitriptyline oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| Antidepressants, Other | | |
| <i>ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE</i> | 5 | BD |
| <i>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER</i> | 5 | BD |
| <i>ABILIFY MYCITE ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i> | 5 | PA New Starts; LA; QL (30 EA per 30 days) |
| <i>ABILIFY MYCITE ORAL TABLET 2 MG</i> | 5 | PA New Starts; LA; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| ABILIFY MYCITE ORAL TABLET 30 MG | 5 | PA New Starts; LA |
| <i>aripiprazole oral solution</i> | 2 | EDS |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i> | 2 | EDS |
| <i>aripiprazole oral tablet 2 mg</i> | 2 | QL (60 EA per 30 days); EDS |
| <i>aripiprazole oral tablet 5 mg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>aripiprazole oral tablet dispersible 10 mg</i> | 5 | QL (60 EA per 30 days) |
| <i>aripiprazole oral tablet dispersible 15 mg</i> | 5 | |
| <i>bupropion hcl er (sr) oral tablet extended release 12 hour</i> | 2 | EDS |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg</i> | 2 | EDS |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 450 mg</i> | 4 | EDS |
| <i>bupropion hcl oral tablet</i> | 2 | EDS |
| <i>chlor diazepoxide-amitriptyline oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>maprotiline hcl oral tablet</i> | 2 | EDS |
| <i>mirtazapine oral tablet</i> | 2 | EDS |
| <i>mirtazapine oral tablet dispersible</i> | 2 | EDS |
| <i>nefazodone hcl oral tablet</i> | 2 | EDS |
| <i>perphenazine-amitriptyline oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>quetiapine fumarate er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>quetiapine fumarate oral tablet</i> | 2 | EDS |
| <i>trazodone hcl oral tablet</i> | 2 | EDS |
| Monoamine Oxidase Inhibitors | | |
| EMSAM TRANSDERMAL PATCH 24 HOUR | 5 | PA New Starts |
| MARPLAN ORAL TABLET | 3 | EDS |
| <i>phenelzine sulfate oral tablet</i> | 2 | EDS |
| <i>tranylcypromine sulfate oral tablet</i> | 2 | EDS |
| Ssris/ Snris | | |
| <i>citalopram hydrobromide oral solution</i> | 2 | EDS |
| <i>citalopram hydrobromide oral tablet</i> | 2 | EDS |
| <i>desvenlafaxine er oral tablet extended release 24 hour</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg</i> | 2 | EDS |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 25 mg, 50 mg</i> | 2 | QL (90 EA per 30 days); EDS |
| <i>duloxetine hcl oral capsule delayed release particles</i> | 2 | EDS |
| <i>escitalopram oxalate oral solution</i> | 2 | EDS |
| <i>escitalopram oxalate oral tablet</i> | 1 | EDS |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 4 | EDS |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK | 4 | |
| <i>fluoxetine hcl oral capsule</i> | 2 | EDS |
| <i>fluoxetine hcl oral capsule delayed release</i> | 2 | EDS |
| <i>fluoxetine hcl oral solution</i> | 2 | EDS |
| <i>fluvoxamine maleate er oral capsule extended release 24 hour 100 mg</i> | 2 | QL (60 EA per 30 days); EDS |
| <i>fluvoxamine maleate er oral capsule extended release 24 hour 150 mg</i> | 2 | EDS |
| <i>fluvoxamine maleate oral tablet</i> | 2 | EDS |
| <i>paroxetine hcl er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>paroxetine hcl oral tablet</i> | 1 | EDS |
| <i>paroxetine mesylate oral capsule</i> | 2 | EDS |
| PAXIL ORAL SUSPENSION | 4 | EDS |
| PEXEVA ORAL TABLET | 4 | EDS |
| <i>sertraline hcl oral concentrate</i> | 2 | EDS |
| <i>sertraline hcl oral tablet</i> | 1 | EDS |
| TRINTELLIX ORAL TABLET | 4 | EDS |
| <i>venlafaxine hcl er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>venlafaxine hcl oral tablet</i> | 2 | EDS |
| VIBRYD ORAL TABLET | 4 | EDS |
| VIBRYD STARTER PACK ORAL KIT | 4 | |
| Tricyclics | | |
| <i>amitriptyline hcl oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>amoxapine oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| <i>clomipramine hcl oral capsule</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>desipramine hcl oral tablet</i> | 2 | EDS |
| <i>doxepin hcl oral capsule</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>doxepin hcl oral concentrate</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>imipramine hcl oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>imipramine pamoate oral capsule</i> | 4 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>nortriptyline hcl oral capsule</i> | 2 | EDS |
| <i>nortriptyline hcl oral solution</i> | 2 | EDS |
| <i>protriptyline hcl oral tablet</i> | 2 | EDS |
| SILENOR ORAL TABLET 3 MG | 3 | QL (30 EA per 30 days); EDS |
| SILENOR ORAL TABLET 6 MG | 3 | EDS |
| <i>trimipramine maleate oral capsule</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| Antiemetics | | |
| Antiemetics, Other | | |
| <i>chlorpromazine hcl oral tablet</i> | 2 | EDS |
| <i>compro rectal suppository</i> | 2 | |
| <i>doxylamine-pyridoxine oral tablet delayed release</i> | 2 | |
| <i>hydroxyzine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>hydroxyzine pamoate oral capsule</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>meclizine hcl oral tablet</i> | 2 | |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i> | 2 | |
| <i>metoclopramide hcl oral tablet</i> | 2 | |
| <i>metoclopramide hcl oral tablet dispersible</i> | 2 | |
| <i>perphenazine oral tablet</i> | 2 | EDS |
| <i>phenadoz rectal suppository 12.5 mg</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>prochlorperazine maleate oral tablet</i> | 2 | EDS |
| <i>prochlorperazine rectal suppository</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| <i>promethazine hcl oral syrup</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>promethazine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>promethazine hcl rectal suppository</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>promethegan rectal suppository 25 mg, 50 mg</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>scopolamine transdermal patch 72 hour</i> | 2 | |
| TRANSDERM-SCOP (1.5 MG) TRANSDERMAL PATCH 72 HOUR | 4 | |
| <i>trimethobenzamide hcl oral capsule</i> | 2 | PA; PA not required if under 65 years of age. |
| Emetogenic Therapy Adjuncts | | |
| <i>aprepitant oral capsule</i> | 2 | BD |
| CESAMET ORAL CAPSULE | 4 | PA |
| <i>dronabinol oral capsule</i> | 2 | PA |
| EMEND ORAL SUSPENSION RECONSTITUTED | 3 | BD |
| <i>gransetron hcl oral tablet</i> | 2 | BD |
| <i>ondansetron hcl oral solution</i> | 2 | BD |
| <i>ondansetron hcl oral tablet</i> | 2 | BD |
| <i>ondansetron oral tablet dispersible</i> | 2 | BD |
| SANCUSO TRANSDERMAL PATCH | 5 | |
| SYNDROS ORAL SOLUTION | 4 | PA |
| VARUBI ORAL TABLET | 4 | BD |
| ZUPLENZ ORAL FILM | 4 | BD |
| Antifungals | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION | 5 | PA |
| AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED | 4 | PA |
| <i>amphotericin b intravenous solution reconstituted</i> | 2 | PA |
| <i>caspofungin acetate intravenous solution reconstituted</i> | 2 | BD |
| <i>ciclopirox external gel</i> | 2 | |
| <i>ciclopirox external shampoo</i> | 2 | |
| <i>ciclopirox external solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| ciclopirox olamine external cream | 2 | |
| ciclopirox olamine external suspension | 2 | |
| clotrimazole external cream | 2 | |
| clotrimazole external solution | 2 | |
| clotrimazole mouth/throat lozenge | 2 | |
| CRESEMBA ORAL CAPSULE | 5 | PA |
| econazole nitrate external cream | 2 | |
| ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED | 4 | |
| fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-% | 2 | |
| fluconazole oral suspension reconstituted | 2 | |
| fluconazole oral tablet | 2 | |
| flucytosine oral capsule | 2 | |
| griseofulvin microsize oral suspension | 2 | |
| griseofulvin microsize oral tablet | 2 | |
| griseofulvin ultramicrosize oral tablet | 2 | |
| GYZNAZOLE-1 VAGINAL CREAM | 4 | |
| itraconazole oral capsule | 4 | PA; Prior authorization not required for infectious diseases specialists. |
| itraconazole oral solution | 4 | PA; Prior authorization not required for infectious diseases specialists. |
| JUBLIA EXTERNAL SOLUTION | 4 | PA |
| ketoconazole external cream | 2 | |
| ketoconazole external shampoo 2 % | 2 | |
| ketoconazole oral tablet | 2 | PA |
| MENTAX EXTERNAL CREAM | 4 | |
| miconazole 3 vaginal suppository | 4 | |
| MYCAMINE INTRAVENOUS SOLUTION RECONSTITUTED | 3 | |
| naftifine hcl external cream | 2 | |
| NAFTIN EXTERNAL GEL | 4 | |
| NATACYN OPHTHALMIC SUSPENSION | 3 | |
| NOXAFIL ORAL SUSPENSION | 5 | |
| nyamyc external powder | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| <i>nystatin external cream</i> | 2 | |
| <i>nystatin external ointment</i> | 2 | |
| <i>nystatin external powder</i> | 2 | |
| <i>nystatin mouth/throat suspension</i> | 2 | |
| <i>nystatin oral tablet</i> | 2 | |
| <i>nystop external powder</i> | 2 | |
| ORAVIG BUCCAL TABLET | 4 | |
| OXISTAT EXTERNAL LOTION | 4 | |
| <i>posaconazole oral tablet delayed release</i> | 5 | |
| <i>terbinafine hcl oral tablet</i> | 2 | |
| <i>terconazole vaginal cream</i> | 2 | |
| TOLSURA ORAL CAPSULE | 5 | PA; Prior authorization not required for infectious diseases specialists. |
| <i>voriconazole intravenous solution reconstituted</i> | 4 | PA |
| <i>voriconazole oral suspension reconstituted</i> | 4 | PA |
| <i>voriconazole oral tablet</i> | 4 | PA |
| ZOLINZA ORAL CAPSULE | 3 | |
| Antigout Agents | | |
| Antigout Agents | | |
| <i>allopurinol oral tablet</i> | 2 | EDS |
| <i>colchicine oral capsule</i> | 2 | |
| <i>colchicine oral tablet</i> | 2 | |
| <i>colchicine-probenecid oral tablet</i> | 2 | EDS |
| <i>febuxostat oral tablet</i> | 2 | EDS |
| <i>probenecid oral tablet</i> | 2 | EDS |
| Anti-Inflammatory Agents | | |
| Glucocorticoids | | |
| <i>betamethasone dipropionate aug external cream</i> | 2 | |
| <i>betamethasone dipropionate aug external gel</i> | 2 | |
| <i>betamethasone dipropionate aug external lotion</i> | 2 | |
| <i>betamethasone dipropionate aug external ointment</i> | 2 | |
| <i>betamethasone dipropionate external cream</i> | 2 | |
| <i>betamethasone dipropionate external lotion</i> | 2 | |
| <i>betamethasone dipropionate external ointment</i> | 2 | |
| <i>betamethasone valerate external cream</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>betamethasone valerate external foam</i> | 2 | |
| <i>betamethasone valerate external lotion</i> | 2 | |
| <i>betamethasone valerate external ointment</i> | 2 | |
| BLEPHAMIDE OPHTHALMIC SUSPENSION | 3 | |
| BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT | 3 | |
| <i>cortisone acetate oral tablet</i> | 2 | |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE | 3 | |
| <i>dexamethasone oral elixir</i> | 2 | |
| <i>dexamethasone oral tablet</i> | 2 | |
| <i>dexamethasone oral tablet therapy pack 1.5 mg (51)</i> | 4 | |
| EMFLAZA ORAL SUSPENSION | 5 | PA; LA |
| EMFLAZA ORAL TABLET | 5 | PA; LA |
| <i>hydrocortisone oral tablet 20 mg, 5 mg</i> | 2 | |
| MEDROL ORAL TABLET 2 MG | 4 | |
| <i>methylprednisolone oral tablet</i> | 2 | |
| MILLIPRED ORAL TABLET | 4 | |
| PRED MILD OPHTHALMIC SUSPENSION | 3 | |
| <i>prednisolone acetate ophthalmic suspension</i> | 2 | |
| <i>prednisolone oral solution</i> | 2 | |
| <i>prednisolone sodium phosphate ophthalmic solution</i> | 2 | |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml, 6.7 (5 base) mg/5ml</i> | 2 | |
| <i>prednisone intensol oral concentrate</i> | 2 | |
| <i>prednisone oral solution</i> | 2 | |
| <i>prednisone oral tablet</i> | 2 | |
| <i>prednisone oral tablet therapy pack</i> | 2 | |
| <i>sulfacetamide-prednisolone ophthalmic solution</i> | 2 | |
| <i>triamcinolone acetonide external aerosol solution</i> | 2 | |
| Nonsteroidal Anti-Inflammatory Drugs | | |
| <i>celecoxib oral capsule</i> | 2 | EDS |
| <i>diclofenac potassium oral tablet</i> | 2 | EDS |
| <i>diclofenac sodium er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>diclofenac sodium oral tablet delayed release</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| <i>diflunisal oral tablet</i> | 2 | EDS |
| <i>etodolac oral capsule 200 mg</i> | 2 | EDS |
| <i>etodolac oral tablet</i> | 2 | EDS |
| <i>fenoprofen calcium oral capsule 400 mg</i> | 2 | EDS |
| <i>fenoprofen calcium oral tablet</i> | 2 | EDS |
| <i>flurbiprofen oral tablet</i> | 2 | EDS |
| <i>ibu oral tablet 600 mg, 800 mg</i> | 2 | EDS |
| <i>ibuprofen oral suspension</i> | 2 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 2 | EDS |
| INDOCIN ORAL SUSPENSION | 4 | PA; PA not required if under 65 years of age.; EDS |
| <i>indomethacin er oral capsule extended release</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>indomethacin oral capsule</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>ketoprofen er oral capsule extended release 24 hour</i> | 4 | EDS |
| <i>ketorolac tromethamine oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>meloxicam oral tablet</i> | 2 | EDS |
| <i>nabumetone oral tablet</i> | 2 | EDS |
| <i>naproxen oral tablet</i> | 2 | EDS |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 2 | EDS |
| <i>oxycodone-ibuprofen oral tablet</i> | 2 | |
| <i>piroxicam oral capsule</i> | 2 | EDS |
| <i>sulindac oral tablet</i> | 2 | EDS |
| Antimigraine Agents | | |
| Ergot Alkaloids | | |
| <i>dihydroergotamine mesylate nasal solution</i> | 5 | |
| <i>ergotamine-caffeine oral tablet</i> | 2 | |
| MIGERGOT RECTAL SUPPOSITORY | 5 | |
| Prophylactic | | |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 4 | PA; EDS |
| AJOVY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | PA; EDS |
| <i>divalproex sodium er oral tablet extended release 24 hour</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>divalproex sodium oral capsule delayed release sprinkle</i> | 2 | EDS |
| <i>divalproex sodium oral tablet delayed release</i> | 2 | EDS |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | PA; EDS |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 4 | PA; EDS |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | PA; EDS |
| <i>timolol maleate oral tablet</i> | 2 | EDS |
| <i>topiramate oral capsule sprinkle</i> | 2 | EDS |
| <i>topiramate oral tablet</i> | 2 | EDS |
| <i>valproic acid oral capsule</i> | 2 | EDS |
| <i>valproic acid oral solution</i> | 2 | EDS |
| Serotonin (5-HT) 1B/1D Receptor Agonists | | |
| <i>almotriptan malate oral tablet</i> | 2 | |
| <i>eletriptan hydrobromide oral tablet</i> | 2 | |
| <i>frovatriptan succinate oral tablet</i> | 2 | |
| <i>naratriptan hcl oral tablet</i> | 2 | |
| <i>rizatriptan benzoate oral tablet</i> | 2 | |
| <i>rizatriptan benzoate oral tablet dispersible</i> | 2 | |
| <i>sumatriptan nasal solution</i> | 2 | |
| <i>sumatriptan succinate oral tablet</i> | 2 | |
| <i>sumatriptan succinate refill subcutaneous solution cartridge</i> | 2 | |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i> | 2 | |
| <i>sumatriptan succinate subcutaneous solution auto-injector</i> | 2 | |
| <i>zolmitriptan oral tablet</i> | 2 | |
| <i>zolmitriptan oral tablet dispersible</i> | 2 | |
| ZOMIG NASAL SOLUTION | 3 | |
| Antimyasthenic Agents | | |
| Parasympathomimetics | | |
| <i>guanidine hcl oral tablet</i> | 2 | |
| MESTINON ORAL SOLUTION | 3 | |
| <i>pyridostigmine bromide er oral tablet extended release</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| <i>pyridostigmine bromide oral solution</i> | 2 | |
| <i>pyridostigmine bromide oral tablet 30 mg</i> | 4 | |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 2 | |
| Antimycobacterials | | |
| Antimycobacterials, Other | | |
| <i>dapsone oral tablet</i> | 2 | EDS |
| <i>PRIFTIN ORAL TABLET</i> | 4 | |
| <i>rifabutin oral capsule</i> | 2 | |
| Antituberculars | | |
| <i>ethambutol hcl oral tablet</i> | 2 | |
| <i>isoniazid oral syrup</i> | 2 | EDS |
| <i>isoniazid oral tablet</i> | 2 | EDS |
| <i>PASER ORAL PACKET</i> | 4 | |
| <i>pyrazinamide oral tablet</i> | 2 | |
| <i>RIFAMATE ORAL CAPSULE</i> | 4 | |
| <i>rifampin intravenous solution reconstituted</i> | 2 | |
| <i>rifampin oral capsule</i> | 2 | |
| <i>RIFATER ORAL TABLET</i> | 3 | |
| <i>SIRTURO ORAL TABLET</i> | 4 | PA |
| <i>TRECATOR ORAL TABLET</i> | 4 | |
| Antineoplastics | | |
| Alkylating Agents | | |
| <i>cyclophosphamide oral capsule</i> | 2 | BD |
| <i>LEUKERAN ORAL TABLET</i> | 3 | |
| <i>MATULANE ORAL CAPSULE</i> | 5 | LA |
| <i>VALCHLOR EXTERNAL GEL</i> | 5 | PA New Starts; Prior authorization not required for dermatologists or oncologists. |
| Antiandrogens | | |
| <i>abiraterone acetate oral tablet</i> | 5 | PA New Starts |
| <i>bicalutamide oral tablet</i> | 2 | |
| <i>ERLEADA ORAL TABLET</i> | 5 | PA New Starts |
| <i>flutamide oral capsule</i> | 2 | |
| <i>nilutamide oral tablet</i> | 4 | |
| <i>NUBEQA ORAL TABLET</i> | 5 | PA New Starts; LA |
| <i>XTANDI ORAL CAPSULE</i> | 5 | PA New Starts |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|--|
| ZYTIGA ORAL TABLET | 5 | PA New Starts |
| Antiangiogenic Agents | | |
| POMALYST ORAL CAPSULE | 5 | PA New Starts |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG | 5 | PA New Starts; LA |
| THALOMID ORAL CAPSULE | 5 | LA |
| Antiestrogens/Modifiers | | |
| EMCYT ORAL CAPSULE | 3 | |
| SOLTAMOX ORAL SOLUTION | 3 | EDS |
| <i>tamoxifen citrate oral tablet</i> | 2 | EDS |
| <i>toremifene citrate oral tablet</i> | 5 | |
| Antimetabolites | | |
| DROXIA ORAL CAPSULE | 4 | EDS |
| <i>hydroxyurea oral capsule</i> | 2 | |
| LONSURF ORAL TABLET | 5 | PA New Starts; LA |
| PURIXAN ORAL SUSPENSION | 3 | LA |
| <i>tabloid oral tablet</i> | 2 | |
| Antineoplastics | | |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 4 | |
| LYNPARZA ORAL TABLET | 5 | PA New Starts; LA |
| MESNEX ORAL TABLET | 3 | |
| NINLARO ORAL CAPSULE | 5 | PA New Starts |
| RUBRACA ORAL TABLET | 5 | PA New Starts; LA |
| TALZENNA ORAL CAPSULE 0.25 MG | 5 | PA New Starts; LA; QL (90 EA per 30 days) |
| TALZENNA ORAL CAPSULE 1 MG | 5 | PA New Starts; LA |
| VENCLEXTA ORAL TABLET 10 MG, 50 MG | 4 | PA New Starts; LA |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA New Starts; LA |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA |
| ZEJULA ORAL CAPSULE | 5 | PA New Starts; LA |
| Antineoplastics, Other | | |
| <i>leucovorin calcium oral tablet</i> | 2 | |
| REVLIMID ORAL CAPSULE 2.5 MG, 20 MG | 5 | PA New Starts; LA |
| SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG | 5 | PA New Starts; Prior authorization not required for oncologists. |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| SYNIBO SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA New Starts |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA; QL (20 EA per 28 days) |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA; QL (12 EA per 28 days) |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA; QL (16 EA per 28 days) |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA; QL (32 EA per 28 days) |
| Aromatase Inhibitors, 3Rd Generation | | |
| <i>anastrozole oral tablet</i> | 2 | EDS |
| <i>exemestane oral tablet</i> | 2 | EDS |
| <i>letrozole oral tablet</i> | 2 | EDS |
| Enzyme Inhibitors | | |
| COPIKTRA ORAL CAPSULE 15 MG | 5 | PA New Starts; LA; QL (60 EA per 30 days) |
| COPIKTRA ORAL CAPSULE 25 MG | 5 | PA New Starts; LA |
| FARYDAK ORAL CAPSULE | 5 | PA New Starts; LA |
| IBRANCE ORAL CAPSULE | 5 | PA New Starts; LA |
| IDHIFA ORAL TABLET | 5 | PA New Starts; LA |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts |
| KISQALI FEMARA(200 MG DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---------------------------------------|-------------|--|
| TIBSOVO ORAL TABLET | 5 | PA New Starts; LA |
| VERZENIO ORAL TABLET | 5 | PA New Starts |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA New Starts; LA |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA New Starts; LA; QL (180 EA per 30 days) |
| VITRAKVI ORAL SOLUTION | 5 | PA New Starts; LA |
| XOSPATA ORAL TABLET | 5 | PA New Starts; LA |
| ZOLINZA ORAL CAPSULE | 3 | |
| ZYDELIG ORAL TABLET | 5 | PA New Starts |
| Molecular Target Inhibitors | | |
| AFINITOR ORAL TABLET | 5 | PA New Starts |
| ALECensa ORAL CAPSULE | 5 | PA New Starts |
| ALUNBRIG ORAL TABLET | 5 | PA New Starts; LA |
| ALUNBRIG ORAL TABLET THERAPY PACK | 5 | PA New Starts; LA |
| BALVERSA ORAL TABLET | 5 | PA New Starts; LA |
| BOSULIF ORAL TABLET | 5 | PA New Starts; LA |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA New Starts; LA |
| CABOMETYX ORAL TABLET | 5 | PA New Starts; LA |
| CALQUENCE ORAL CAPSULE | 5 | PA New Starts |
| CAPRELSA ORAL TABLET | 5 | PA New Starts; LA |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT | 5 | PA New Starts; LA |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT | 5 | PA New Starts; LA |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT | 5 | PA New Starts; LA |
| COTELLIC ORAL TABLET | 5 | PA New Starts |
| DAURISMO ORAL TABLET 100 MG | 5 | PA New Starts; LA |
| DAURISMO ORAL TABLET 25 MG | 5 | PA New Starts; LA; QL (60 EA per 30 days) |
| ERIVEDGE ORAL CAPSULE | 5 | PA New Starts |
| <i>erlotinib hcl oral tablet</i> | 5 | |
| GILOTrif ORAL TABLET | 5 | PA New Starts; LA |
| ICLUSIG ORAL TABLET | 5 | PA New Starts |
| <i>imatinib mesylate oral tablet</i> | 2 | PA New Starts |
| IMBRUVICA ORAL CAPSULE | 5 | PA New Starts; LA |
| IMBRUVICA ORAL TABLET | 5 | PA New Starts; LA |
| INLYTA ORAL TABLET | 5 | PA New Starts; LA |
| INREBIC ORAL CAPSULE | 5 | PA New Starts; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| IRESSA ORAL TABLET | 5 | PA New Starts; LA |
| JAKAFI ORAL TABLET | 5 | PA New Starts; LA |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK | 5 | PA New Starts; LA |
| LORBRENA ORAL TABLET 100 MG | 5 | PA New Starts; LA |
| LORBRENA ORAL TABLET 25 MG | 5 | PA New Starts; LA; QL (90 EA per 30 days) |
| MEKINIST ORAL TABLET | 5 | PA New Starts |
| MEKTOVI ORAL TABLET | 5 | PA New Starts; LA |
| NERLYNX ORAL TABLET | 5 | PA New Starts; LA |
| NEXAVAR ORAL TABLET | 5 | PA New Starts; LA |
| ODOMZO ORAL CAPSULE | 5 | PA New Starts |
| OFEV ORAL CAPSULE | 5 | PA; LA |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA New Starts; LA; QL (30 EA per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA New Starts; LA |
| RYDAPT ORAL CAPSULE | 5 | PA New Starts |
| SPRYCEL ORAL TABLET | 5 | PA New Starts |
| STIVARGA ORAL TABLET | 5 | PA New Starts; LA |
| SUTENT ORAL CAPSULE | 5 | PA New Starts; LA |
| TAFINLAR ORAL CAPSULE | 5 | PA New Starts |
| TAGRISSO ORAL TABLET | 5 | PA New Starts; LA |
| TASIGNA ORAL CAPSULE | 5 | |
| TURALIO ORAL CAPSULE | 5 | PA New Starts; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| TYKERB ORAL TABLET | 5 | PA New Starts |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG | 5 | PA New Starts; LA; QL (30 EA per 30 days) |
| VIZIMPRO ORAL TABLET 45 MG | 5 | PA New Starts; LA |
| VOTRIENT ORAL TABLET | 5 | PA New Starts |
| XALKORI ORAL CAPSULE | 5 | PA New Starts; LA |
| ZELBORAF ORAL TABLET | 5 | PA New Starts |
| ZYKADIA ORAL CAPSULE | 5 | PA New Starts |
| ZYKADIA ORAL TABLET | 5 | PA New Starts |
| Retinoids | | |
| <i>avita external cream</i> | 2 | |
| <i>avita external gel</i> | 2 | |
| <i>bexarotene oral capsule</i> | 5 | |
| PANRETIN EXTERNAL GEL | 3 | |
| TARGRETIN EXTERNAL GEL | 5 | |
| <i>tretinoin external cream</i> | 2 | |
| <i>tretinoin external gel 0.01 %, 0.025 %</i> | 2 | |
| <i>tretinoin oral capsule</i> | 5 | |
| Treatment Adjuncts | | |
| <i>leucovorin calcium oral tablet</i> | 2 | |
| Antiparasitics | | |
| Anthelmintics | | |
| <i>albendazole oral tablet</i> | 4 | |
| EMVERM ORAL TABLET CHEWABLE | 4 | |
| <i>ivermectin oral tablet</i> | 2 | |
| <i>praziquantel oral tablet</i> | 2 | |
| Antiprotozoals | | |
| ALINIA ORAL SUSPENSION RECONSTITUTED | 3 | |
| ALINIA ORAL TABLET | 3 | |
| <i>atovaquone oral suspension</i> | 5 | |
| <i>atovaquone-proguanil hcl oral tablet</i> | 2 | |
| <i>benznidazole oral tablet</i> | 4 | PA |
| <i>chloroquine phosphate oral tablet</i> | 2 | EDS |
| COARTEM ORAL TABLET | 3 | QL (24 EA per 30 days) |
| DARAPRIM ORAL TABLET | 5 | LA |
| <i>hydroxychloroquine sulfate oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|--|
| <i>mefloquine hcl oral tablet</i> | 2 | EDS |
| NEBUPENT INHALATION SOLUTION RECONSTITUTED | 4 | BD |
| PENTAM INJECTION SOLUTION RECONSTITUTED | 4 | |
| <i>primaquine phosphate oral tablet</i> | 2 | |
| <i>quinine sulfate oral capsule</i> | 2 | |
| Pediculicides/Scabicides | | |
| EURAX EXTERNAL CREAM | 3 | |
| EURAX EXTERNAL LOTION | 3 | |
| <i>lindane external shampoo</i> | 2 | |
| <i>malathion external lotion</i> | 2 | |
| <i>permethrin external cream</i> | 2 | |
| SKLICE EXTERNAL LOTION | 4 | |
| Antiparkinson Agents | | |
| Anticholinergics | | |
| <i>benztropine mesylate oral tablet</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>trihexyphenidyl hcl oral solution</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>trihexyphenidyl hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| Antiparkinson Agents | | |
| <i>carbidopa oral tablet</i> | 2 | EDS |
| <i>carbidopa-levodopa-entacapone oral tablet</i> | 2 | EDS |
| Antiparkinson Agents, Other | | |
| <i>amantadine hcl oral capsule</i> | 2 | EDS |
| <i>amantadine hcl oral syrup</i> | 2 | EDS |
| <i>amantadine hcl oral tablet</i> | 2 | EDS |
| <i>carbidopa-levodopa-entacapone oral tablet</i> | 2 | EDS |
| <i>entacapone oral tablet</i> | 2 | EDS |
| OSMOLEX ER ORAL TABLET EXTENDED RELEASE 24 HOUR 129 MG | 4 | PA; QL (30 EA per 30 days); EDS |
| OSMOLEX ER ORAL TABLET EXTENDED RELEASE 24 HOUR 193 MG, 258 MG | 4 | PA; EDS |
| Dopamine Agonists | | |
| APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE | 5 | PA; LA; Prior authorization not required for neurologists. |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| bromocriptine mesylate oral capsule | 2 | EDS |
| bromocriptine mesylate oral tablet | 2 | EDS |
| GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 5 | PA; LA |
| NEUPRO TRANSDERMAL PATCH 24 HOUR | 4 | EDS |
| pramipexole dihydrochloride er oral tablet extended release 24 hour | 2 | EDS |
| pramipexole dihydrochloride oral tablet | 2 | EDS |
| ropinirole hcl er oral tablet extended release 24 hour | 2 | EDS |
| ropinirole hcl oral tablet | 2 | EDS |
| Dopamine Precursors/ L-Amino Acid Decarboxylase Inhibitors | | |
| carbidopa oral tablet | 2 | EDS |
| carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg | 2 | EDS |
| carbidopa-levodopa oral tablet | 2 | EDS |
| carbidopa-levodopa oral tablet dispersible | 2 | EDS |
| DUOPA ENTERAL SUSPENSION | 4 | PA; EDS |
| INBRIJA INHALATION CAPSULE | 5 | PA; LA |
| Monoamine Oxidase B (Mao-B) Inhibitors | | |
| rasagiline mesylate oral tablet | 2 | EDS |
| selegiline hcl oral capsule | 2 | EDS |
| selegiline hcl oral tablet | 2 | EDS |
| ZELAPAR ORAL TABLET DISPERSIBLE | 3 | EDS |
| Antipsychotics | | |
| 1St Generation/Typical | | |
| chlorpromazine hcl oral tablet | 2 | EDS |
| fluphenazine decanoate injection solution | 2 | BD |
| fluphenazine hcl injection solution | 2 | BD |
| fluphenazine hcl oral concentrate | 2 | EDS |
| fluphenazine hcl oral elixir | 2 | EDS |
| fluphenazine hcl oral tablet | 2 | EDS |
| haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml | 2 | BD |
| haloperidol lactate injection solution | 2 | BD |
| haloperidol lactate oral concentrate | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| <i>haloperidol oral tablet</i> | 2 | EDS |
| <i>loxpiprazole oral capsule</i> | 2 | EDS |
| <i>molindone hcl oral tablet</i> | 2 | EDS |
| <i>perphenazine oral tablet</i> | 2 | EDS |
| <i>pimozide oral tablet</i> | 2 | EDS |
| <i>prochlorperazine maleate oral tablet</i> | 2 | EDS |
| <i>thioridazine hcl oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>thiothixene oral capsule</i> | 2 | EDS |
| <i>trifluoperazine hcl oral tablet</i> | 2 | EDS |
| 2Nd Generation/Atypical | | |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE | 5 | BD |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | 5 | BD |
| ABILIFY MYCITE ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 5 | PA New Starts; LA; QL (30 EA per 30 days) |
| ABILIFY MYCITE ORAL TABLET 2 MG | 5 | PA New Starts; LA; QL (60 EA per 30 days) |
| ABILIFY MYCITE ORAL TABLET 30 MG | 5 | PA New Starts; LA |
| <i>ariPIPRAZOLE oral solution</i> | 2 | EDS |
| <i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i> | 2 | EDS |
| <i>ariPIPRAZOLE oral tablet 2 mg</i> | 2 | QL (60 EA per 30 days); EDS |
| <i>ariPIPRAZOLE oral tablet 5 mg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>ariPIPRAZOLE oral tablet dispersible 10 mg</i> | 5 | QL (60 EA per 30 days) |
| <i>ariPIPRAZOLE oral tablet dispersible 15 mg</i> | 5 | |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE | 5 | BD |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE | 5 | BD |
| FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG, 6 MG | 4 | QL (90 EA per 30 days) |
| FANAPT ORAL TABLET 10 MG | 4 | QL (60 EA per 30 days) |
| FANAPT ORAL TABLET 12 MG, 8 MG | 4 | |
| FANAPT TITRATION PACK ORAL TABLET | 4 | QL (8 EA per 28 days) |
| GEODON INTRAMUSCULAR SOLUTION RECONSTITUTED | 4 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML | 5 | |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML | 3 | |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 5 | PA New Starts |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG | 5 | QL (30 EA per 30 days) |
| LATUDA ORAL TABLET 60 MG | 5 | QL (60 EA per 30 days) |
| LATUDA ORAL TABLET 80 MG | 5 | |
| NUPLAZID ORAL CAPSULE | 5 | PA New Starts; LA |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA New Starts; LA; QL (30 EA per 30 days) |
| <i>olanzapine intramuscular solution reconstituted</i> | 2 | BD |
| <i>olanzapine oral tablet</i> | 2 | EDS |
| <i>olanzapine oral tablet dispersible</i> | 2 | EDS |
| <i>paliperidone er oral tablet extended release 24 hour</i> | 2 | EDS |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE | 5 | BD |
| <i>quetiapine fumarate er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>quetiapine fumarate oral tablet</i> | 2 | EDS |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG | 5 | QL (30 EA per 30 days) |
| REXULTI ORAL TABLET 4 MG | 5 | |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | 3 | BD |
| <i>risperidone oral solution</i> | 2 | EDS |
| <i>risperidone oral tablet</i> | 2 | EDS |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2 | QL (120 EA per 30 days); EDS |
| <i>risperidone oral tablet dispersible 4 mg</i> | 2 | EDS |
| SAPHRIS SUBLINGUAL TABLET SUBLINGUAL | 5 | |
| VRAYLAR ORAL CAPSULE | 5 | PA New Starts |
| VRAYLAR ORAL CAPSULE THERAPY PACK | 4 | PA New Starts |
| <i>ziprasidone hcl oral capsule</i> | 2 | EDS |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG | 4 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| Treatment-Resistant | | |
| <i>clozapine oral tablet</i> | 2 | |
| <i>clozapine oral tablet dispersible</i> | 2 | |
| VERSACLOZ ORAL SUSPENSION | 4 | |
| Antispasticity Agents | | |
| Antispasticity Agents | | |
| <i>baclofen oral tablet 10 mg, 20 mg</i> | 2 | EDS |
| <i>baclofen oral tablet 5 mg</i> | 4 | EDS |
| <i>dantrolene sodium oral capsule</i> | 2 | |
| <i>tizanidine hcl oral capsule</i> | 2 | EDS |
| <i>tizanidine hcl oral tablet</i> | 2 | EDS |
| Antivirals | | |
| Anti-Cytomegalovirus (Cmv) Agents | | |
| PREVYMIS ORAL TABLET | 5 | PA |
| <i>valganciclovir hcl oral solution reconstituted</i> | 5 | |
| <i>valganciclovir hcl oral tablet</i> | 5 | |
| ZIRGAN OPHTHALMIC GEL | 3 | |
| Anti-Hepatitis B (Hbv) Agents | | |
| <i>adefovir dipivoxil oral tablet</i> | 5 | |
| BARACLUDE ORAL SOLUTION | 5 | |
| <i>entecavir oral tablet</i> | 2 | EDS |
| EPIVIR HBV ORAL SOLUTION | 3 | EDS |
| INTRON A INJECTION SOLUTION | 5 | PA New Starts |
| INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT | 5 | PA New Starts |
| <i>lamivudine oral solution</i> | 2 | EDS |
| <i>lamivudine oral tablet</i> | 2 | EDS |
| <i>ribavirin oral capsule</i> | 2 | |
| <i>ribavirin oral tablet 200 mg</i> | 2 | |
| <i>tenofovir disoproxil fumarate oral tablet</i> | 2 | EDS |
| VEMLIDY ORAL TABLET | 5 | PA; Prior authorization not required for gastroenterologists or infectious diseases specialists. |
| VIREAD ORAL POWDER | 5 | |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | |
| Anti-Hepatitis C (Hcv) Agents, Direct Acting | | |
| EPCLUSA ORAL TABLET | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| HARVONI ORAL TABLET 90-400 MG | 5 | PA |
| MAVYRET ORAL TABLET | 5 | PA |
| SOVALDI ORAL TABLET 400 MG | 5 | PA |
| VOSEVI ORAL TABLET | 5 | PA |
| Anti-Hepatitis C (Hcv) Agents, Others | | |
| EPCLUSA ORAL TABLET | 5 | PA |
| HARVONI ORAL TABLET 90-400 MG | 5 | PA |
| INTRON A INJECTION SOLUTION 6000000 UNIT/ML | 5 | PA New Starts |
| INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT | 5 | PA New Starts |
| INTRON A INJECTION SOLUTION RECONSTITUTED 18000000 UNIT, 50000000 UNIT | 3 | PA New Starts; EDS |
| PEGASYS PROCLICK SUBCUTANEOUS SOLUTION 180 MCG/0.5ML | 5 | PA |
| PEGASYS SUBCUTANEOUS SOLUTION | 5 | PA |
| <i>ribavirin oral capsule</i> | 2 | |
| <i>ribavirin oral tablet 200 mg</i> | 2 | |
| SOVALDI ORAL TABLET 400 MG | 5 | PA |
| SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG | 5 | PA New Starts; Prior authorization not required for oncologists. |
| Antiherpetic Agents | | |
| <i>acyclovir external ointment</i> | 2 | |
| <i>acyclovir oral capsule</i> | 2 | |
| <i>acyclovir oral suspension</i> | 2 | |
| <i>acyclovir oral tablet</i> | 2 | |
| <i>acyclovir sodium intravenous solution</i> | 2 | BD |
| <i>famciclovir oral tablet</i> | 2 | |
| <i>trifluridine ophthalmic solution</i> | 2 | |
| <i>valacyclovir hcl oral tablet</i> | 2 | |
| Anti-Hiv Agents, Integrase Inhibitors (Insti) | | |
| BIKTARVY ORAL TABLET | 5 | |
| GENVOYA ORAL TABLET | 5 | |
| ISENTRESS HD ORAL TABLET | 3 | EDS |
| ISENTRESS ORAL PACKET | 3 | EDS |
| ISENTRESS ORAL TABLET | 3 | EDS |
| ISENTRESS ORAL TABLET CHEWABLE | 3 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| STRIBILD ORAL TABLET | 5 | |
| SYMTUZA ORAL TABLET | 5 | |
| TIVICAY ORAL TABLET 10 MG | 3 | EDS |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | |
| Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti) | | |
| COMPLERA ORAL TABLET | 5 | |
| EDURANT ORAL TABLET | 5 | |
| <i>efavirenz oral capsule</i> | 2 | EDS |
| <i>efavirenz oral tablet</i> | 2 | EDS |
| INTELENCE ORAL TABLET 100 MG, 200 MG | 5 | |
| INTELENCE ORAL TABLET 25 MG | 3 | EDS |
| <i>nevirapine er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>nevirapine oral suspension</i> | 2 | EDS |
| <i>nevirapine oral tablet</i> | 2 | EDS |
| PIFELTRO ORAL TABLET | 5 | |
| RESCRIPTOR ORAL TABLET 200 MG | 3 | EDS |
| SUSTIVA ORAL TABLET | 5 | |
| Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti) | | |
| <i>abacavir sulfate oral solution</i> | 2 | EDS |
| <i>abacavir sulfate oral tablet</i> | 2 | EDS |
| <i>abacavir sulfate-lamivudine oral tablet</i> | 2 | EDS |
| <i>abacavir-lamivudine-zidovudine oral tablet</i> | 5 | |
| ATRIPLA ORAL TABLET | 5 | |
| CIMDUO ORAL TABLET | 5 | |
| DELSTRIGO ORAL TABLET | 5 | |
| DESCOVY ORAL TABLET | 5 | |
| <i>didanosine oral capsule delayed release 200 mg, 250 mg, 400 mg</i> | 2 | EDS |
| DOVATO ORAL TABLET | 5 | |
| EMTRIVA ORAL CAPSULE | 3 | EDS |
| EMTRIVA ORAL SOLUTION | 3 | EDS |
| JULUCA ORAL TABLET | 3 | EDS |
| <i>lamivudine oral solution</i> | 2 | EDS |
| <i>lamivudine oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>lamivudine-zidovudine oral tablet</i> | 2 | EDS |
| ODEFSEY ORAL TABLET | 5 | |
| <i>stavudine oral capsule</i> | 2 | EDS |
| SYMFY LO ORAL TABLET | 5 | |
| SYMFY ORAL TABLET | 5 | |
| <i>tenofovir disoproxil fumarate oral tablet</i> | 2 | EDS |
| TRUVADA ORAL TABLET | 5 | |
| VIDEX EC ORAL CAPSULE DELAYED RELEASE 125 MG | 3 | EDS |
| VIDEX ORAL SOLUTION RECONSTITUTED 2 GM | 3 | EDS |
| VIREAD ORAL POWDER | 5 | |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | |
| <i>zidovudine oral capsule</i> | 2 | EDS |
| <i>zidovudine oral syrup</i> | 2 | EDS |
| <i>zidovudine oral tablet</i> | 2 | EDS |
| Anti-Hiv Agents, Other | | |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | |
| SELZENTRY ORAL SOLUTION | 5 | |
| SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG | 5 | |
| SELZENTRY ORAL TABLET 25 MG | 3 | EDS |
| TRIUMEQ ORAL TABLET | 5 | |
| TYBOST ORAL TABLET | 3 | EDS |
| Anti-Hiv Agents, Protease Inhibitors | | |
| APTIVUS ORAL CAPSULE | 3 | EDS |
| APTIVUS ORAL SOLUTION | 3 | EDS |
| <i>atazanavir sulfate oral capsule</i> | 4 | EDS |
| CRIXIVAN ORAL CAPSULE 200 MG, 400 MG | 3 | EDS |
| EVOTAZ ORAL TABLET | 5 | |
| <i>fosamprenavir calcium oral tablet</i> | 2 | EDS |
| INVIRASE ORAL TABLET | 5 | |
| KALETRA ORAL TABLET 100-25 MG | 3 | EDS |
| KALETRA ORAL TABLET 200-50 MG | 5 | |
| LEXIVA ORAL SUSPENSION | 3 | EDS |
| <i>lopinavir-ritonavir oral solution</i> | 4 | EDS |
| NORVIR ORAL PACKET | 3 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| NORVIR ORAL SOLUTION | 3 | EDS |
| PREZCOBIX ORAL TABLET | 5 | |
| PREZISTA ORAL SUSPENSION | 5 | |
| PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG | 5 | |
| REYATAZ ORAL PACKET | 5 | |
| <i>ritonavir oral tablet</i> | 2 | EDS |
| VIRACEPT ORAL TABLET | 5 | |
| Anti-Influenza Agents | | |
| <i>amantadine hcl oral capsule</i> | 2 | EDS |
| <i>amantadine hcl oral syrup</i> | 2 | EDS |
| <i>amantadine hcl oral tablet</i> | 2 | EDS |
| <i>oseltamivir phosphate oral capsule</i> | 2 | |
| <i>oseltamivir phosphate oral suspension reconstituted</i> | 2 | |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED | 4 | |
| <i>rimantadine hcl oral tablet</i> | 2 | |
| XOFLUZA ORAL TABLET THERAPY PACK | 3 | |
| Anxiolytics | | |
| Anxiolytics, Other | | |
| <i>buspirone hcl oral tablet</i> | 2 | |
| <i>doxepin hcl oral capsule</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>doxepin hcl oral concentrate</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>hydroxyzine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>hydroxyzine pamoate oral capsule</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>oxazepam oral capsule</i> | 2 | |
| SILENOR ORAL TABLET 3 MG | 3 | QL (30 EA per 30 days); EDS |
| SILENOR ORAL TABLET 6 MG | 3 | EDS |
| <i>triazolam oral tablet</i> | 2 | QL (7 EA per 30 days) |
| Benzodiazepines | | |
| <i>alprazolam er oral tablet extended release 24 hour</i> | 2 | |
| <i>alprazolam oral tablet</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>alprazolam oral tablet dispersible</i> | 2 | |
| <i>clonazepam oral tablet</i> | 2 | EDS |
| <i>clonazepam oral tablet dispersible</i> | 2 | EDS |
| <i>clorazepate dipotassium oral tablet</i> | 2 | |
| DIASTAT ACUDIAL RECTAL GEL | 4 | |
| DIASTAT PEDIATRIC RECTAL GEL | 4 | |
| <i>diazepam intensol oral concentrate</i> | 2 | |
| <i>diazepam oral solution 5 mg/5ml</i> | 2 | |
| <i>diazepam oral tablet</i> | 2 | |
| <i>lorazepam oral concentrate</i> | 2 | |
| <i>lorazepam oral tablet</i> | 2 | |
| Ssris/ Snris | | |
| <i>duloxetine hcl oral capsule delayed release particles</i> | 2 | EDS |
| <i>escitalopram oxalate oral solution</i> | 2 | EDS |
| <i>escitalopram oxalate oral tablet</i> | 1 | EDS |
| <i>paroxetine hcl er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>paroxetine hcl oral tablet</i> | 1 | EDS |
| PAXIL ORAL SUSPENSION | 4 | EDS |
| PEXEVA ORAL TABLET | 4 | EDS |
| <i>sertraline hcl oral concentrate</i> | 2 | EDS |
| <i>sertraline hcl oral tablet</i> | 1 | EDS |
| <i>venlafaxine hcl er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>venlafaxine hcl oral tablet</i> | 2 | EDS |
| Bipolar Agents | | |
| Bipolar Agents, Other | | |
| GEODON INTRAMUSCULAR SOLUTION RECONSTITUTED | 4 | BD |
| <i>olanzapine intramuscular solution reconstituted</i> | 2 | BD |
| <i>olanzapine oral tablet</i> | 2 | EDS |
| <i>olanzapine oral tablet dispersible</i> | 2 | EDS |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE | 5 | BD |
| <i>quetiapine fumarate er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>quetiapine fumarate oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|------------------------------|
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER | 3 | BD |
| <i>risperidone oral solution</i> | 2 | EDS |
| <i>risperidone oral tablet</i> | 2 | EDS |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2 | QL (120 EA per 30 days); EDS |
| <i>risperidone oral tablet dispersible 4 mg</i> | 2 | EDS |
| SAPHRIS SUBLINGUAL TABLET SUBLINGUAL | 5 | |
| VRAYLAR ORAL CAPSULE | 5 | PA New Starts |
| VRAYLAR ORAL CAPSULE THERAPY PACK | 4 | PA New Starts |
| <i>ziprasidone hcl oral capsule</i> | 2 | EDS |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG | 4 | BD |
| Mood Stabilizers | | |
| <i>carbamazepine er oral capsule extended release 12 hour</i> | 2 | EDS |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg</i> | 2 | EDS |
| <i>carbamazepine oral suspension</i> | 2 | EDS |
| <i>carbamazepine oral tablet</i> | 2 | EDS |
| <i>carbamazepine oral tablet chewable</i> | 2 | EDS |
| <i>divalproex sodium er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>divalproex sodium oral capsule delayed release sprinkle</i> | 2 | EDS |
| <i>divalproex sodium oral tablet delayed release</i> | 2 | EDS |
| <i>epitol oral tablet</i> | 2 | EDS |
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR | 4 | EDS |
| <i>lamotrigine er oral tablet extended release 24 hour 50 mg</i> | 2 | EDS |
| <i>lamotrigine oral tablet</i> | 2 | EDS |
| <i>lamotrigine oral tablet chewable</i> | 2 | EDS |
| <i>lamotrigine oral tablet dispersible</i> | 2 | EDS |
| <i>lamotrigine starter kit-blue oral kit</i> | 2 | |
| <i>lamotrigine starter kit-green oral kit</i> | 2 | |
| <i>lamotrigine starter kit-orange oral kit</i> | 2 | |
| <i>lithium carbonate er oral tablet extended release</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|--|
| <i>lithium carbonate oral capsule</i> | 2 | EDS |
| <i>lithium carbonate oral tablet</i> | 2 | EDS |
| <i>lithium oral solution</i> | 2 | EDS |
| <i>valproic acid oral capsule</i> | 2 | EDS |
| <i>valproic acid oral solution</i> | 2 | EDS |
| Blood Glucose Regulators | | |
| Antidiabetic Agents | | |
| <i>acarbose oral tablet</i> | 2 | EDS |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR | 4 | ST; EDS |
| BYDUREON SUBCUTANEOUS PEN-INJECTOR | 4 | ST; EDS |
| BYETTA 10 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 4 | ST; EDS |
| BYETTA 5 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 4 | ST; EDS |
| <i>colesevelam hcl oral packet</i> | 4 | EDS |
| <i>colesevelam hcl oral tablet</i> | 4 | EDS |
| CYCLOSET ORAL TABLET | 4 | EDS |
| <i>glimepiride oral tablet</i> | 1 | EDS |
| <i>glipizide er oral tablet extended release 24 hour</i> | 1 | EDS |
| <i>glipizide oral tablet</i> | 1 | EDS |
| GLYXAMBI ORAL TABLET | 6 | EDS |
| INVOKAMET ORAL TABLET | 6 | EDS |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 6 | EDS |
| INVOKANA ORAL TABLET | 6 | EDS |
| JARDIANCE ORAL TABLET | 6 | EDS |
| JENTADUETO ORAL TABLET | 6 | EDS |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 6 | EDS |
| LAZANDA NASAL SOLUTION 300 MCG/ACT | 5 | PA; Prior authorization not required for oncologists.; QL (120 EA per 30 days) |
| <i>metformin hcl er oral tablet extended release 24 hour</i> | 1 | EDS |
| <i>metformin hcl oral tablet</i> | 1 | EDS |
| <i>miglitol oral tablet</i> | 2 | EDS |
| <i>nateglinide oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|--|
| OZEMPIK (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | ST; EDS |
| OZEMPIK (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | ST; EDS |
| <i>pioglitazone hcl oral tablet</i> | 2 | PA; EDS |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | 2 | QL (150 EA per 30 days); EDS |
| <i>repaglinide oral tablet 2 mg</i> | 2 | EDS |
| RIOMET ORAL SOLUTION | 4 | EDS |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN- INJECTOR | 4 | PA; Prior authorization not required for endocrinologists.; EDS |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN- INJECTOR | 4 | PA; Prior authorization not required for endocrinologists.; EDS |
| SYNJARDY ORAL TABLET | 6 | EDS |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 6 | EDS |
| <i>tolbutamide oral tablet</i> | 4 | EDS |
| TRADJENTA ORAL TABLET | 6 | EDS |
| TRULICITY SUBCUTANEOUS SOLUTION PEN- INJECTOR | 6 | ST; EDS |
| VICTOZA SUBCUTANEOUS SOLUTION PEN- INJECTOR | 6 | ST; EDS |
| Blood Glucose Regulators | | |
| <i>glipizide-metformin hcl oral tablet</i> | 1 | EDS |
| JENTADUETO ORAL TABLET | 6 | EDS |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 6 | EDS |
| <i>repaglinide-metformin hcl oral tablet</i> | 2 | EDS |
| Glycemic Agents | | |
| BAQSIMI TWO PACK NASAL POWDER | 2 | |
| GLUCAGEN HYPKIT INJECTION SOLUTION RECONSTITUTED | 3 | |
| <i>glucagon emergency injection kit</i> | 2 | |
| KORLYM ORAL TABLET | 3 | PA New Starts; LA; EDS |
| PROGLYCEM ORAL SUSPENSION | 5 | |
| Insulins | | |
| ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML | 6 | |
| COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML | 6 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| EXEL COMFORT POINT PEN NEEDLE 29G X 12MM | 6 | |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 6 | |
| HUMALOG MIX 50/50 SUBCUTANEOUS SUSPENSION | 6 | |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 6 | |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION | 6 | |
| HUMALOG SUBCUTANEOUS SOLUTION | 6 | |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE | 6 | |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 6 | EDS |
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION | 6 | EDS |
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 6 | EDS |
| HUMULIN N SUBCUTANEOUS SUSPENSION | 6 | EDS |
| HUMULIN R INJECTION SOLUTION | 6 | EDS |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION | 6 | EDS |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| INSULIN LISPRO (1 UNIT DIAL) SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION | 6 | EDS |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| LANTUS SUBCUTANEOUS SOLUTION | 6 | EDS |
| PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML | 6 | |
| RELI-ON INSULIN SYRINGE 29G 0.3 ML | 6 | |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| Blood Products/ Modifiers/ Volume Expanders | | |
| Anticoagulants | | |
| BEVYXXA ORAL CAPSULE | 4 | EDS |
| COUMADIN ORAL TABLET | 4 | EDS |
| ELIQUIS ORAL TABLET | 3 | EDS |
| ELIQUIS STARTER PACK ORAL TABLET | 3 | EDS |
| <i>enoxaparin sodium subcutaneous solution</i> | 2 | |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i> | 5 | |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i> | 2 | |
| FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 2500 UNIT/0.2ML, 5000 UNIT/0.2ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML | 3 | |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i> | 2 | |
| <i>jantoven oral tablet</i> | 2 | EDS |
| PRADAXA ORAL CAPSULE | 3 | EDS |
| <i>warfarin sodium oral tablet</i> | 1 | EDS |
| XARELTO ORAL TABLET | 3 | EDS |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK | 3 | |
| Blood Formation Modifiers | | |
| <i>anagrelide hcl oral capsule</i> | 2 | EDS |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML | 3 | PA |
| ARANESP (ALBUMIN FREE) INJECTION SOLUTION PREFILLED SYRINGE | 3 | PA |
| CABLIVI INJECTION KIT | 5 | PA; LA |
| DOPTELET ORAL TABLET | 5 | PA; LA |
| EPOGEN INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 3 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| GRANIX SUBCUTANEOUS SOLUTION | 5 | BD |
| GRANIX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | BD |
| LEUKINE INJECTION SOLUTION RECONSTITUTED | 5 | PA |
| MULPLETA ORAL TABLET | 5 | PA |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML | 5 | BD |
| NEUPOGEN INJECTION SOLUTION PREFILLED SYRINGE | 5 | BD |
| NIVESTYM INJECTION SOLUTION | 5 | BD |
| NIVESTYM INJECTION SOLUTION PREFILLED SYRINGE | 5 | BD |
| PROCRIT INJECTION SOLUTION | 3 | PA |
| PROMACTA ORAL PACKET | 5 | PA |
| PROMACTA ORAL TABLET | 5 | PA |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 40000 UNIT/ML | 5 | PA |
| RETACRIT INJECTION SOLUTION 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 4 | PA |
| TAVALISSE ORAL TABLET | 5 | PA; LA |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE | 5 | BD |
| Hemostasis Agents | | |
| <i>tranexamic acid oral tablet</i> | 2 | |
| Platelet Modifying Agents | | |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour</i> | 2 | EDS |
| BRILINTA ORAL TABLET | 3 | EDS |
| <i>cilostazol oral tablet</i> | 4 | PA; EDS |
| <i>clopidogrel bisulfate oral tablet 75 mg</i> | 1 | EDS |
| <i>dipyridamole oral tablet</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>prasugrel hcl oral tablet</i> | 2 | EDS |
| ZONTIVITY ORAL TABLET | 4 | PA New Starts; EDS |
| Cardiovascular Agents | | |
| Alpha-Adrenergic Agonists | | |
| <i>clonidine hcl oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|--|
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr</i> | 2 | QL (4 EA per 28 days); EDS |
| <i>clonidine transdermal patch weekly 0.3 mg/24hr</i> | 2 | EDS |
| <i>guanfacine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>methyldopa oral tablet</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>midodrine hcl oral tablet</i> | 2 | |
| NORTHERA ORAL CAPSULE | 5 | PA; LA |
| Alpha-Adrenergic Blocking Agents | | |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR | 4 | EDS |
| <i>doxazosin mesylate oral tablet</i> | 2 | EDS |
| <i>prazosin hcl oral capsule</i> | 2 | EDS |
| <i>terazosin hcl oral capsule</i> | 2 | EDS |
| Angiotensin II Receptor Antagonists | | |
| <i>candesartan cilexetil oral tablet</i> | 2 | EDS |
| ENTRESTO ORAL TABLET | 6 | EDS |
| <i>eprosartan mesylate oral tablet</i> | 2 | EDS |
| <i>irbesartan oral tablet</i> | 1 | EDS |
| <i>losartan potassium oral tablet</i> | 1 | EDS |
| <i>olmesartan medoxomil oral tablet</i> | 1 | EDS |
| <i>olmesartan medoxomil-hctz oral tablet</i> | 1 | EDS |
| <i>telmisartan oral tablet</i> | 2 | EDS |
| <i>valsartan oral tablet</i> | 1 | EDS |
| Angiotensin-Converting Enzyme (Ace) Inhibitors | | |
| <i>benazepril hcl oral tablet</i> | 1 | EDS |
| <i>captopril oral tablet</i> | 4 | EDS |
| <i>enalapril maleate oral tablet</i> | 1 | EDS |
| <i>fosinopril sodium oral tablet</i> | 1 | EDS |
| <i>lisinopril oral tablet</i> | 1 | EDS |
| <i>moexipril hcl oral tablet</i> | 2 | EDS |
| <i>perindopril erbumine oral tablet</i> | 2 | EDS |
| <i>quinapril hcl oral tablet</i> | 1 | EDS |
| <i>ramipril oral capsule</i> | 1 | EDS |
| <i>trandolapril oral tablet</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| Antiarrhythmics | | |
| <i>amiodarone hcl oral tablet</i> | 2 | EDS |
| <i>disopyramide phosphate oral capsule</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>dofetilide oral capsule</i> | 2 | EDS |
| <i>flecainide acetate oral tablet</i> | 2 | EDS |
| <i>mexiletine hcl oral capsule</i> | 2 | EDS |
| MULTAQ ORAL TABLET | 4 | PA; EDS |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR | 4 | PA; PA not required if under 65 years of age.; EDS |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 2 | EDS |
| <i>propafenone hcl er oral capsule extended release 12 hour</i> | 2 | EDS |
| <i>propafenone hcl oral tablet</i> | 2 | EDS |
| <i>quinidine gluconate er oral tablet extended release</i> | 2 | EDS |
| <i>quinidine sulfate oral tablet</i> | 2 | EDS |
| <i>sorine oral tablet</i> | 2 | EDS |
| <i>sotalol hcl (af) oral tablet 120 mg</i> | 2 | EDS |
| <i>sotalol hcl oral tablet 160 mg, 240 mg, 80 mg</i> | 2 | EDS |
| <i>sotalol hydrochloride oral tablet 120 mg</i> | 2 | EDS |
| SOTYLIZE ORAL SOLUTION | 4 | EDS |
| TIKOSYN ORAL CAPSULE | 4 | EDS |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol hcl oral capsule</i> | 2 | EDS |
| <i>atenolol oral tablet</i> | 1 | EDS |
| <i>betaxolol hcl oral tablet</i> | 2 | EDS |
| <i>bisoprolol fumarate oral tablet</i> | 1 | EDS |
| BYSTOLIC ORAL TABLET | 4 | EDS |
| <i>carvedilol oral tablet</i> | 1 | EDS |
| <i>carvedilol phosphate er oral capsule extended release 24 hour</i> | 2 | EDS |
| INNOPRAN XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 4 | EDS |
| <i>labetalol hcl oral tablet</i> | 2 | EDS |
| <i>metoprolol succinate er oral tablet extended release 24 hour</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|--|
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | EDS |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | 2 | EDS |
| <i>pindolol oral tablet</i> | 2 | EDS |
| <i>propranolol hcl er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>propranolol hcl oral solution</i> | 2 | EDS |
| <i>propranolol hcl oral tablet</i> | 1 | EDS |
| <i>timolol maleate oral tablet</i> | 2 | EDS |
| Calcium Channel Blocking Agents | | |
| <i>amlodipine besylate oral tablet</i> | 1 | EDS |
| <i>CARDIZEM LA ORAL TABLET EXTENDED RELEASE 24 HOUR 120 MG</i> | 4 | EDS |
| <i>cartia xt oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 360 mg, 420 mg</i> | 2 | EDS |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | EDS |
| <i>diltiazem hcl er oral capsule extended release 12 hour</i> | 2 | EDS |
| <i>diltiazem hcl oral tablet</i> | 2 | EDS |
| <i>dilt-xr oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>felodipine er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>isradipine oral capsule</i> | 4 | EDS |
| <i>matzim la oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>nicardipine hcl oral capsule</i> | 2 | EDS |
| <i>nifedipine er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>nifedipine oral capsule</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>nimodipine oral capsule</i> | 4 | EDS |
| <i>nisoldipine er oral tablet extended release 24 hour</i> | 4 | EDS |
| <i>NYMALIZE ORAL SOLUTION 30 MG/10ML</i> | 4 | EDS |
| <i>taztia xt oral capsule extended release 24 hour</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| verapamil hcl er oral capsule extended release 24 hour | 2 | EDS |
| verapamil hcl er oral tablet extended release | 2 | EDS |
| verapamil hcl oral tablet | 2 | EDS |
| Cardiovascular Agents | | |
| ALDACTAZIDE ORAL TABLET 50-50 MG | 3 | EDS |
| amiloride-hydrochlorothiazide oral tablet | 1 | EDS |
| amlodipine besy-benazepril hcl oral capsule | 1 | EDS |
| amlodipine besylate-valsartan oral tablet | 2 | EDS |
| amlodipine-olmesartan oral tablet | 2 | EDS |
| amlodipine-valsartan-hctz oral tablet | 2 | EDS |
| atenolol-chlorthalidone oral tablet | 1 | EDS |
| benazepril-hydrochlorothiazide oral tablet | 1 | EDS |
| bisoprolol-hydrochlorothiazide oral tablet | 1 | EDS |
| captopril-hydrochlorothiazide oral tablet | 4 | EDS |
| DEMSER ORAL CAPSULE | 4 | |
| enalapril-hydrochlorothiazide oral tablet | 1 | EDS |
| ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg | 2 | EDS |
| ezetimibe-simvastatin oral tablet 10-80 mg | 2 | PA New Starts; EDS |
| fosinopril sodium-hctz oral tablet | 1 | EDS |
| irbesartan-hydrochlorothiazide oral tablet | 1 | EDS |
| lisinopril-hydrochlorothiazide oral tablet | 1 | EDS |
| losartan potassium-hctz oral tablet | 1 | EDS |
| methyldopa-hydrochlorothiazide oral tablet | 4 | PA; PA not required if under 65 years of age.; EDS |
| metoprolol-hydrochlorothiazide oral tablet | 2 | EDS |
| nadolol-bendroflumethiazide oral tablet 40-5 mg | 2 | EDS |
| olmesartan medoxomil-hctz oral tablet | 1 | EDS |
| olmesartan-amlodipine-hctz oral tablet | 2 | EDS |
| propranolol-hctz oral tablet | 2 | EDS |
| quinapril-hydrochlorothiazide oral tablet | 1 | EDS |
| spironolactone-hctz oral tablet | 1 | EDS |
| TEKTURN A HCT ORAL TABLET | 4 | ST; EDS |
| telmisartan-hctz oral tablet | 2 | EDS |
| trandolapril-verapamil hcl er oral tablet extended release | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|--|
| <i>triamterene-hctz oral capsule 37.5-25 mg</i> | 1 | EDS |
| <i>triamterene-hctz oral tablet</i> | 1 | EDS |
| <i>valsartan-hydrochlorothiazide oral tablet</i> | 1 | EDS |
| Cardiovascular Agents, Other | | |
| <i>aliskiren fumarate oral tablet</i> | 4 | ST; EDS |
| <i>CORLANOR ORAL SOLUTION</i> | 4 | PA; EDS |
| <i>CORLANOR ORAL TABLET</i> | 4 | PA; EDS |
| <i>digitek oral tablet 125 mcg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>digitek oral tablet 250 mcg</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>digox oral tablet 125 mcg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>digox oral tablet 250 mcg</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>digoxin oral solution</i> | 2 | EDS |
| <i>digoxin oral tablet 125 mcg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>digoxin oral tablet 250 mcg</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>LANOXIN ORAL TABLET 62.5 MCG</i> | 4 | QL (30 EA per 30 days); EDS |
| <i>pentoxifylline er oral tablet extended release</i> | 2 | EDS |
| <i>ranolazine er oral tablet extended release 12 hour</i> | 2 | EDS |
| <i>UPTRAVI ORAL TABLET</i> | 5 | PA New Starts; LA |
| <i>UPTRAVI ORAL TABLET THERAPY PACK</i> | 5 | PA New Starts; LA |
| Diuretics, Carbonic Anhydrase Inhibitors | | |
| <i>acetazolamide er oral capsule extended release 12 hour</i> | 2 | EDS |
| <i>acetazolamide oral tablet</i> | 2 | EDS |
| <i>KEVEYIS ORAL TABLET</i> | 5 | PA; LA |
| <i>methazolamide oral tablet</i> | 2 | EDS |
| Diuretics, Loop | | |
| <i>bumetanide injection solution</i> | 2 | |
| <i>bumetanide oral tablet</i> | 2 | EDS |
| <i>ethacrynic acid oral tablet</i> | 4 | EDS |
| <i>furosemide injection solution 10 mg/ml</i> | 2 | |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i> | 2 | EDS |
| <i>furosemide oral tablet</i> | 1 | EDS |
| <i>torsemide oral tablet</i> | 1 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| Diuretics, Potassium-Sparing | | |
| <i>amiloride hcl oral tablet</i> | 1 | EDS |
| <i>eplerenone oral tablet</i> | 1 | EDS |
| <i>spironolactone oral tablet</i> | 1 | EDS |
| Diuretics, Thiazide | | |
| <i>chlorothiazide oral tablet</i> | 2 | EDS |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 1 | EDS |
| DIURIL ORAL SUSPENSION | 3 | EDS |
| <i>hydrochlorothiazide oral capsule</i> | 1 | EDS |
| <i>hydrochlorothiazide oral tablet</i> | 1 | EDS |
| <i>indapamide oral tablet</i> | 1 | EDS |
| <i>irbesartan-hydrochlorothiazide oral tablet</i> | 1 | EDS |
| <i>metolazone oral tablet</i> | 1 | EDS |
| Dyslipidemics, Fibric Acid Derivatives | | |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i> | 2 | EDS |
| <i>fenofibric acid oral capsule delayed release</i> | 2 | EDS |
| <i>fenofibric acid oral tablet</i> | 2 | EDS |
| <i>gemfibrozil oral tablet</i> | 2 | EDS |
| Dyslipidemics, Hmg Coa Reductase Inhibitors | | |
| <i>atorvastatin calcium oral tablet</i> | 1 | EDS |
| <i>fluvastatin sodium er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>fluvastatin sodium oral capsule</i> | 2 | EDS |
| LIVALO ORAL TABLET | 4 | EDS |
| <i>lovastatin oral tablet</i> | 1 | EDS |
| <i>pravastatin sodium oral tablet</i> | 1 | EDS |
| <i>rosuvastatin calcium oral tablet</i> | 1 | EDS |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 1 | EDS |
| <i>simvastatin oral tablet 80 mg</i> | 2 | PA New Starts; EDS |
| Dyslipidemics, Other | | |
| <i>cholestyramine light oral powder</i> | 2 | EDS |
| <i>cholestyramine oral packet</i> | 2 | EDS |
| <i>colesevelam hcl oral packet</i> | 4 | EDS |
| <i>colesevelam hcl oral tablet</i> | 4 | EDS |
| <i>colestipol hcl oral packet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| <i>colestipol hcl oral tablet</i> | 2 | EDS |
| <i>ezetimibe oral tablet</i> | 2 | EDS |
| JUXTAPID ORAL CAPSULE | 5 | PA |
| <i>niacin er (antihyperlipidemic) oral tablet extended release</i> | 2 | EDS |
| <i>omega-3-acid ethyl esters oral capsule</i> | 4 | EDS |
| PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA |
| <i>prevalite oral packet</i> | 2 | EDS |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE | 5 | PA |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA |
| VASCEPA ORAL CAPSULE | 3 | EDS |
| Vasodilators, Direct-Acting Arterial | | |
| BIDIL ORAL TABLET | 4 | EDS |
| <i>hydralazine hcl oral tablet</i> | 2 | EDS |
| <i>minoxidil oral tablet</i> | 4 | PA; EDS |
| Vasodilators, Direct-Acting Arterial/ Venous | | |
| ISORDIL TITRADOSE ORAL TABLET 40 MG | 4 | EDS |
| <i>isosorbide dinitrate er oral tablet extended release</i> | 2 | EDS |
| <i>isosorbide dinitrate oral tablet</i> | 2 | EDS |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>isosorbide mononitrate oral tablet</i> | 2 | EDS |
| MINITRAN TRANSDERMAL PATCH 24 HOUR | 4 | EDS |
| NITRO-BID TRANSDERMAL OINTMENT | 4 | EDS |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR | 4 | |
| <i>nitroglycerin sublingual tablet sublingual</i> | 2 | EDS |
| <i>nitroglycerin transdermal patch 24 hour</i> | 2 | EDS |
| <i>nitroglycerin translingual solution</i> | 2 | EDS |
| RECTIV RECTAL OINTMENT | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|--|
| Central Nervous System Agents | | |
| Attention Deficit Hyperactivity Disorder Agents, Amphetamines | | |
| <i>amphetamine-dextroamphetamine oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>amphetamine-dextroamphetamine oral tablet</i> | 2 | EDS |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>dextroamphetamine sulfate oral tablet</i> | 2 | EDS |
| <i>methamphetamine hcl oral tablet</i> | 2 | PA; EDS |
| <i>QUILLICHEW ER ORAL TABLET CHEWABLE EXTENDED RELEASE</i> | 4 | EDS |
| <i>VYVANSE ORAL CAPSULE</i> | 4 | EDS |
| <i>VYVANSE ORAL TABLET CHEWABLE</i> | 4 | EDS |
| <i>ZENZEDI ORAL TABLET</i> | 4 | EDS |
| Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines | | |
| <i>APTENSIO XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR</i> | 4 | EDS |
| <i>atomoxetine hcl oral capsule</i> | 2 | EDS |
| <i>clonidine hcl er oral tablet extended release 12 hour</i> | 2 | EDS |
| <i>DAYTRANA TRANSDERMAL PATCH</i> | 4 | EDS |
| <i>dexmethylphenidate hcl er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>dexmethylphenidate hcl oral tablet</i> | 2 | EDS |
| <i>guanfacine hcl er oral tablet extended release 24 hour</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>methylphenidate hcl er (cd) oral capsule extended release</i> | 2 | EDS |
| <i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 40 mg</i> | 2 | EDS |
| <i>methylphenidate hcl er oral tablet extended release 10 mg, 20 mg</i> | 2 | EDS |
| <i>methylphenidate hcl er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>methylphenidate hcl er oral tablet extended release 72 mg</i> | 4 | EDS |
| <i>methylphenidate hcl oral solution</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>methylphenidate hcl oral tablet</i> | 2 | EDS |
| <i>methylphenidate hcl oral tablet chewable</i> | 2 | EDS |
| QUILLIVANT XR ORAL SUSPENSION RECONSTITUTED | 4 | EDS |
| Central Nervous System, Other | | |
| AUSTEDO ORAL TABLET | 5 | PA; LA |
| <i>estazolam oral tablet</i> | 2 | |
| HORIZANT ORAL TABLET EXTENDED RELEASE 600 MG | 4 | EDS |
| NUEDEXTA ORAL CAPSULE | 3 | PA; EDS |
| <i>riluzole oral tablet</i> | 2 | EDS |
| <i>tetrabenazine oral tablet</i> | 5 | PA; LA |
| TIGLUTIK ORAL SUSPENSION | 4 | EDS |
| VECAMYL ORAL TABLET | 4 | PA; LA; EDS |
| Fibromyalgia Agents | | |
| <i>duloxetine hcl oral capsule delayed release particles</i> | 2 | EDS |
| LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | EDS |
| <i>pregabalin oral capsule 100 mg</i> | 2 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> | 2 | EDS |
| <i>pregabalin oral solution</i> | 2 | EDS |
| SAVELLA ORAL TABLET | 3 | EDS |
| SAVELLA TITRATION PACK ORAL | 3 | |
| Multiple Sclerosis Agents | | |
| AUBAGIO ORAL TABLET | 5 | |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT | 5 | |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT | 5 | |
| COPAXONE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/ML | 5 | |
| <i>dalfampridine er oral tablet extended release 12 hour</i> | 2 | PA; EDS |
| FIRDAPSE ORAL TABLET | 5 | PA; LA |
| GILENYA ORAL CAPSULE 0.5 MG | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|-------------------------|
| glatiramer acetate subcutaneous solution prefilled syringe | 5 | |
| GLATOPA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | |
| MAVENCLAD (10 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAVENCLAD (4 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAVENCLAD (5 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAVENCLAD (6 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAVENCLAD (7 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAVENCLAD (8 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAVENCLAD (9 TABS) ORAL TABLET THERAPY PACK | 5 | PA |
| MAYZENT ORAL TABLET 0.25 MG | 5 | QL (120 EA per 30 days) |
| MAYZENT ORAL TABLET 2 MG | 5 | |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PEN-INJECTOR | 5 | |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | |
| PLEGRIDY SUBCUTANEOUS SOLUTION PEN-INJECTOR | 5 | |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | |
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | |
| TECFIDERA ORAL | 5 | |
| TECFIDERA ORAL CAPSULE DELAYED RELEASE 120 MG | 5 | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|--|
| TECFIDERA ORAL CAPSULE DELAYED RELEASE 240 MG | 5 | |
| Dental And Oral Agents | | |
| Dental And Oral Agents | | |
| <i>cevimeline hcl oral capsule</i> | 2 | EDS |
| <i>chlorhexidine gluconate mouth/throat solution</i> | 2 | |
| CUVPOSA ORAL SOLUTION | 4 | EDS |
| <i>doxycycline hydiate oral capsule</i> | 2 | |
| <i>doxycycline hydiate oral tablet 100 mg, 20 mg</i> | 2 | |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i> | 2 | |
| <i>minocycline hcl er oral tablet extended release 24 hour 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 90 mg</i> | 4 | |
| <i>minocycline hcl oral capsule</i> | 2 | |
| <i>minocycline hcl oral tablet</i> | 2 | |
| <i>monodoxine nl oral capsule 100 mg, 75 mg</i> | 2 | |
| <i>pilocarpine hcl oral tablet</i> | 2 | EDS |
| <i>triamcinolone acetonide mouth/throat paste</i> | 2 | |
| VIBRAMYCIN ORAL SYRUP | 4 | |
| Dermatological Agents | | |
| Dermatological Agents | | |
| ABSORICA ORAL CAPSULE | 5 | |
| <i>acitretin oral capsule</i> | 4 | PA; Prior authorization not required for dermatologists. |
| <i>adapalene external cream</i> | 4 | |
| <i>adapalene external gel 0.1 %</i> | 2 | |
| <i>adapalene external gel 0.3 %</i> | 4 | |
| <i>adapalene-benzoyl peroxide external gel</i> | 2 | |
| <i>ammonium lactate external cream</i> | 2 | |
| <i>ammonium lactate external lotion</i> | 2 | |
| <i>amnesteem oral capsule</i> | 2 | |
| APEXICON E EXTERNAL CREAM | 4 | |
| <i>avita external cream</i> | 2 | |
| <i>avita external gel</i> | 2 | |
| <i>azelaic acid external gel</i> | 4 | |
| AZELEX EXTERNAL CREAM | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|--|
| <i>betamethasone dipropionate external lotion</i> | 2 | |
| BRYHALI EXTERNAL LOTION | 4 | |
| <i>calcipotriene external cream</i> | 2 | |
| <i>calcipotriene external ointment</i> | 2 | |
| <i>calcipotriene external solution</i> | 2 | |
| <i>calcipotriene-betameth diprop external ointment</i> | 4 | |
| <i>calcitriol external ointment</i> | 2 | |
| CARAC EXTERNAL CREAM | 5 | |
| <i>claravis oral capsule</i> | 2 | |
| <i>clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-5 %</i> | 2 | |
| <i>clobetasol propionate external liquid</i> | 2 | |
| <i>clocortolone pivalate external cream</i> | 4 | |
| <i>clotrimazole-betamethasone external cream</i> | 2 | |
| <i>clotrimazole-betamethasone external lotion</i> | 2 | |
| CONDYLOX EXTERNAL GEL | 3 | |
| CORTISPORIN EXTERNAL CREAM | 4 | |
| CORTISPORIN EXTERNAL OINTMENT | 4 | |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | EDS |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 4 | EDS |
| <i>dapsone external gel</i> | 2 | |
| <i>diclofenac sodium transdermal gel 1 %</i> | 2 | PA |
| <i>diclofenac sodium transdermal gel 3 %</i> | 4 | PA |
| <i>doxepin hcl external cream</i> | 4 | |
| <i>doxycycline hyclate oral capsule 50 mg</i> | 2 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 2 | |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg</i> | 2 | |
| DUOBRII EXTERNAL LOTION | 5 | PA |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| EUCRISA EXTERNAL OINTMENT | 4 | PA |
| FABIOR EXTERNAL FOAM | 3 | PA; Prior authorization not required for dermatologists. |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| FINACEA EXTERNAL FOAM | 4 | |
| <i>fluocinonide external cream 0.1 %</i> | 2 | |
| <i>fluorouracil external cream 0.5 %</i> | 5 | |
| <i>fluorouracil external cream 5 %</i> | 2 | |
| <i>fluorouracil external solution</i> | 2 | |
| <i>fluticasone propionate external cream</i> | 2 | |
| <i>fluticasone propionate external ointment</i> | 2 | |
| <i>hydrocortisone butyrate external lotion</i> | 2 | |
| <i>imiquimod 5% external cream</i> | 2 | PA New Starts; Prior authorization not required for dermatologists, colorectal surgeons, oncologists, or obstetricians/gynecologists. |
| <i>isotretinoin oral capsule</i> | 2 | |
| KERYDIN EXTERNAL SOLUTION | 4 | PA |
| <i>mafenide acetate external packet</i> | 4 | |
| <i>methoxsalen rapid oral capsule</i> | 2 | |
| MIRVASO EXTERNAL GEL | 4 | ST |
| <i>monodoxine nl oral capsule 100 mg, 75 mg</i> | 2 | |
| <i>myorisan oral capsule</i> | 2 | |
| NEO-SYNALAR EXTERNAL CREAM | 4 | |
| <i>neuac external gel</i> | 2 | |
| <i>nystatin-triamcinolone external cream</i> | 2 | |
| <i>nystatin-triamcinolone external ointment</i> | 2 | |
| <i>oxiconazole nitrate external cream</i> | 2 | |
| PICATO EXTERNAL GEL | 4 | |
| <i>pimecrolimus external cream</i> | 4 | |
| <i>podofilox external solution</i> | 2 | |
| <i>prednicarbate external cream</i> | 2 | |
| REGRANEX EXTERNAL GEL | 4 | |
| SANTYL EXTERNAL OINTMENT | 3 | |
| <i>selenium sulfide external lotion</i> | 2 | |
| SILIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| SOOLANTRA EXTERNAL CREAM | 4 | |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--|
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | EDS |
| TACLONEX EXTERNAL SUSPENSION | 5 | |
| <i>tacrolimus external ointment</i> | 2 | |
| <i>tazarotene external cream</i> | 2 | PA; Prior authorization not required for dermatologists. |
| TAZORAC EXTERNAL CREAM 0.05 % | 3 | PA; Prior authorization not required for dermatologists. |
| TAZORAC EXTERNAL GEL | 3 | PA; Prior authorization not required for dermatologists. |
| TOLAK EXTERNAL CREAM | 4 | |
| TREMFYA SUBCUTANEOUS SOLUTION PEN-INJECTOR | 4 | EDS |
| TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | EDS |
| <i>tretinoin external cream</i> | 2 | |
| <i>tretinoin external gel</i> | 2 | |
| <i>tretinoin microsphere external gel</i> | 2 | |
| VALCHLOR EXTERNAL GEL | 5 | PA New Starts; Prior authorization not required for dermatologists or oncologists. |
| <i>zenatane oral capsule</i> | 2 | |
| Electrolytes/Minerals/Metals/Vitamins | | |
| Electrolyte/ Mineral Replacement | | |
| CARBAGLU ORAL TABLET | 5 | PA; LA |
| ISOLYTE-S INTRAVENOUS SOLUTION | 4 | |
| <i>klor-con 10 oral tablet extended release</i> | 2 | EDS |
| <i>klor-con m10 oral tablet extended release</i> | 2 | EDS |
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE | 4 | EDS |
| <i>klor-con m20 oral tablet extended release</i> | 2 | EDS |
| <i>klor-con oral tablet extended release</i> | 2 | EDS |
| <i>klor-con sprinkle oral capsule extended release 8 meq</i> | 2 | EDS |
| K-TAB ORAL TABLET EXTENDED RELEASE 20 MEQ, 8 MEQ | 4 | EDS |
| <i>magnesium sulfate injection solution 50 %</i> | 2 | |
| NORMOSOL-R PH 7.4 INTRAVENOUS SOLUTION | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| OSMOPREP ORAL TABLET | 4 | |
| PLASMA-LYTE 148 INTRAVENOUS SOLUTION | 4 | |
| PLASMA-LYTE A INTRAVENOUS SOLUTION | 4 | |
| <i>potassium chloride crys er oral tablet extended release</i> | 2 | EDS |
| <i>potassium chloride er oral capsule extended release</i> | 2 | EDS |
| <i>potassium chloride er oral tablet extended release</i> | 2 | EDS |
| <i>potassium chloride in nacl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i> | 2 | |
| <i>potassium chloride intravenous solution 10 meq/100ml, 2 meq/ml, 20 meq/100ml, 40 meq/100ml</i> | 2 | |
| <i>potassium chloride oral packet</i> | 2 | EDS |
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i> | 2 | EDS |
| <i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %</i> | 2 | |
| <i>sodium chloride irrigation solution 0.9 %</i> | 2 | |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i> | 2 | EDS |
| SUPREP BOWEL PREP KIT ORAL SOLUTION | 3 | |
| Electrolyte/Mineral/Metal Modifiers | | |
| CHEMET ORAL CAPSULE | 3 | |
| <i>deferasirox oral tablet soluble</i> | 5 | PA |
| DEPEN TITRATABS ORAL TABLET | 5 | |
| FERRIPROX ORAL SOLUTION | 5 | PA New Starts; LA |
| FERRIPROX ORAL TABLET | 5 | PA New Starts; LA |
| FREAMINE HBC INTRAVENOUS SOLUTION | 3 | BD |
| JADENU ORAL TABLET | 5 | PA |
| JADENU SPRINKLE ORAL PACKET | 5 | PA |
| <i>kionex oral suspension</i> | 2 | |
| <i>klor-con oral packet 20 meq</i> | 2 | EDS |
| LOKELMA ORAL PACKET | 3 | EDS |
| <i>penicillamine oral capsule</i> | 5 | PA |
| PLENAMINE INTRAVENOUS SOLUTION | 3 | BD |
| SAMSCA ORAL TABLET | 5 | PA |
| <i>sodium polystyrene sulfonate oral powder</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| <i>sps oral suspension</i> | 2 | |
| <i>trientine hcl oral capsule</i> | 5 | PA |
| VELPHORO ORAL TABLET CHEWABLE | 5 | |
| VELTASSA ORAL PACKET | 3 | EDS |
| Electrolytes/Minerals/Metals/Vitamins | | |
| AMINOSYN II INTRAVENOUS SOLUTION 10 %, 15 % | 3 | BD |
| AMINOSYN-PF INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (4.25/25) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (5/25) INTRAVENOUS SOLUTION | 3 | BD |
| CLINISOL SF INTRAVENOUS SOLUTION | 3 | BD |
| <i>dextrose intravenous solution 10 %, 5 %</i> | 2 | |
| <i>dextrose-nacl intravenous solution 10-0.2 %, 10-0.45 %, 2.5-0.45 %, 5-0.2 %, 5-0.225 %, 5-0.33 %, 5-0.45 %, 5-0.9 %</i> | 2 | |
| HEPATAMINE INTRAVENOUS SOLUTION | 3 | BD |
| <i>intralipid intravenous emulsion 20 %</i> | 2 | BD |
| INTRALIPID INTRAVENOUS EMULSION 30 % | 4 | BD |
| IONOSOL-MB IN D5W INTRAVENOUS SOLUTION | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION | 4 | |
| <i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.33 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%, 40-5-0.9 meq/l-%-%</i> | 2 | |
| <i>kcl-lactated ringers-d5w intravenous solution</i> | 2 | |
| <i>levocarnitine oral solution</i> | 2 | EDS |
| <i>levocarnitine oral tablet</i> | 2 | EDS |
| NEPHRAMINE INTRAVENOUS SOLUTION | 3 | BD |
| <i>normosol-m in d5w intravenous solution</i> | 2 | |
| <i>normosol-r in d5w intravenous solution</i> | 2 | |
| <i>nutrilipid intravenous emulsion</i> | 2 | BD |
| PLENAMINE INTRAVENOUS SOLUTION | 3 | BD |
| <i>potassium chloride in dextrose intravenous solution 20-5 meq/l-%, 40-5 meq/l-%</i> | 2 | |
| PREMASOL INTRAVENOUS SOLUTION | 3 | BD |
| PRENATAL ORAL TABLET 27-1 MG | 3 | |
| PROCALAMINE INTRAVENOUS SOLUTION | 3 | BD |
| PROSOL INTRAVENOUS SOLUTION | 3 | BD |
| <i>sodium lactate intravenous solution 5 meq/ml</i> | 2 | |
| <i>tpn electrolytes intravenous solution</i> | 2 | |
| TRAVASOL INTRAVENOUS SOLUTION | 3 | BD |
| TROPHAMINE INTRAVENOUS SOLUTION | 3 | BD |
| Vitamins | | |
| <i>doxercalciferol oral capsule</i> | 2 | ST; EDS |
| <i>klor-con 10 oral tablet extended release</i> | 2 | EDS |
| <i>klor-con m10 oral tablet extended release</i> | 2 | EDS |
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE | 4 | EDS |
| <i>klor-con m20 oral tablet extended release</i> | 2 | EDS |
| <i>klor-con oral tablet extended release</i> | 2 | EDS |
| <i>klor-con sprinkle oral capsule extended release 8 meq</i> | 2 | EDS |
| Gastrointestinal Agents | | |
| Antispasmodics, Gastrointestinal | | |
| <i>dicyclomine hcl oral capsule</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| <i>dicyclomine hcl oral solution</i> | 2 | |
| <i>dicyclomine hcl oral tablet</i> | 2 | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 2 | |
| <i>methscopolamine bromide oral tablet</i> | 2 | |
| <i>propantheline bromide oral tablet</i> | 2 | |
| <i>scopolamine transdermal patch 72 hour</i> | 2 | |
| TRANSDERM-SCOP (1.5 MG) TRANSDERMAL PATCH 72 HOUR | 4 | |
| Gastrointestinal Agents | | |
| <i>amoxicill-clarithro-lansopraz oral</i> | 4 | |
| OMECLAMOX-PAK ORAL | 4 | |
| PYLERA ORAL CAPSULE | 4 | |
| UCERIS ORAL TABLET EXTENDED RELEASE 24 HOUR | 5 | |
| UCERIS RECTAL FOAM | 4 | |
| Gastrointestinal Agents, Other | | |
| CHENODAL ORAL TABLET | 4 | PA; LA |
| CHOLBAM ORAL CAPSULE | 5 | PA |
| <i>diphenoxylate-atropine oral liquid</i> | 2 | |
| <i>diphenoxylate-atropine oral tablet</i> | 2 | |
| GATTEX SUBCUTANEOUS KIT | 5 | PA; LA |
| <i>loperamide hcl oral capsule</i> | 2 | |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i> | 2 | |
| <i>metoclopramide hcl oral tablet</i> | 2 | |
| <i>metoclopramide hcl oral tablet dispersible</i> | 2 | |
| MOVANTIK ORAL TABLET | 4 | |
| MYTESI ORAL TABLET DELAYED RELEASE | 4 | PA New Starts; EDS |
| OCALIVA ORAL TABLET | 5 | PA; LA |
| <i>proctozone-hc rectal cream</i> | 2 | |
| RELISTOR ORAL TABLET | 4 | |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 8 MG/0.4ML | 5 | |
| SYMPROIC ORAL TABLET | 4 | PA |
| UCERIS ORAL TABLET EXTENDED RELEASE 24 HOUR | 5 | |
| UCERIS RECTAL FOAM | 4 | |
| <i>ursodiol oral capsule</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|-----------------------------|
| <i>ursodiol oral tablet</i> | 2 | EDS |
| XERMELO ORAL TABLET | 5 | PA; LA |
| XIFAXAN ORAL TABLET 200 MG | 4 | QL (9 EA per 3 days) |
| ZORBTIVE SUBCUTANEOUS SOLUTION RECONSTITUTED | 4 | PA; EDS |
| Histamine2 (H2) Receptor Antagonists | | |
| <i>cimetidine hcl oral solution</i> | 2 | EDS |
| <i>cimetidine oral tablet 200 mg</i> | 2 | |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i> | 2 | EDS |
| <i>famotidine oral suspension reconstituted</i> | 2 | EDS |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | EDS |
| <i>nizatidine oral capsule</i> | 2 | EDS |
| <i>nizatidine oral solution</i> | 2 | EDS |
| <i>ranitidine hcl oral capsule</i> | 2 | EDS |
| <i>ranitidine hcl oral syrup 75 mg/5ml</i> | 2 | EDS |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i> | 1 | EDS |
| Irritable Bowel Syndrome Agents | | |
| <i>alosetron hcl oral tablet</i> | 5 | |
| AMITIZA ORAL CAPSULE | 4 | EDS |
| <i>budesonide er oral tablet extended release 24 hour</i> | 5 | |
| <i>budesonide oral capsule delayed release particles</i> | 4 | |
| LINZESS ORAL CAPSULE 145 MCG, 72 MCG | 3 | QL (30 EA per 30 days); EDS |
| LINZESS ORAL CAPSULE 290 MCG | 3 | EDS |
| <i>mesalamine oral capsule delayed release</i> | 4 | EDS |
| UCERIS ORAL TABLET EXTENDED RELEASE 24 HOUR | 5 | |
| UCERIS RECTAL FOAM | 4 | |
| VIBERZI ORAL TABLET | 4 | PA; EDS |
| Laxatives | | |
| CLENPIQ ORAL SOLUTION | 4 | |
| <i>constulose oral solution</i> | 2 | EDS |
| <i>enulose oral solution</i> | 2 | EDS |
| <i>gavilyte-c oral solution reconstituted</i> | 2 | |
| <i>gavilyte-g oral solution reconstituted</i> | 2 | |
| <i>gavilyte-n with flavor pack oral solution reconstituted</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>generlac oral solution</i> | 2 | EDS |
| GOLYTELY ORAL SOLUTION RECONSTITUTED 227.1 GM | 4 | |
| KRISTALOSE ORAL PACKET 20 GM | 4 | EDS |
| <i>lactulose oral packet</i> | 4 | EDS |
| <i>lactulose oral solution 10 gm/15ml</i> | 2 | EDS |
| MOVIPREP ORAL SOLUTION RECONSTITUTED | 4 | |
| <i>peg 3350/electrolytes oral solution reconstituted</i> | 2 | |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted</i> | 2 | |
| <i>peg-3350/electrolytes oral solution reconstituted</i> | 2 | |
| PREPOPIK ORAL PACKET | 4 | |
| <i>trilyte oral solution reconstituted</i> | 2 | |
| Protectants | | |
| CARAFATE ORAL SUSPENSION | 3 | EDS |
| <i>misoprostol oral tablet</i> | 2 | EDS |
| <i>sucralfate oral tablet</i> | 2 | EDS |
| Proton Pump Inhibitors | | |
| <i>esomeprazole magnesium oral capsule delayed release 40 mg</i> | 2 | EDS |
| <i>lansoprazole oral capsule delayed release</i> | 2 | EDS |
| NEXIUM ORAL PACKET | 4 | ST |
| <i>omeprazole oral capsule delayed release</i> | 2 | EDS |
| <i>pantoprazole sodium oral tablet delayed release</i> | 2 | EDS |
| <i>rabeprazole sodium oral tablet delayed release</i> | 2 | EDS |
| Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment | | |
| Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment | | |
| CERDELGA ORAL CAPSULE | 5 | PA; LA |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES | 3 | EDS |
| CYSTADANE ORAL POWDER | 3 | EDS |
| CYSTAGON ORAL CAPSULE | 3 | LA; EDS |
| GALAFOLD ORAL CAPSULE | 5 | PA New Starts; LA |
| KUVAN ORAL PACKET | 5 | PA; LA |
| KUVAN ORAL TABLET SOLUBLE | 5 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| <i>miglustat oral capsule</i> | 5 | PA New Starts |
| NITYR ORAL TABLET | 5 | PA |
| ORFADIN ORAL CAPSULE | 5 | PA; LA |
| ORFADIN ORAL SUSPENSION | 5 | PA; LA |
| PALYNZIQ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA; LA |
| PANCREAZE ORAL CAPSULE DELAYED RELEASE PARTICLES | 4 | EDS |
| PERTZYE ORAL CAPSULE DELAYED RELEASE PARTICLES 16000 UNIT, 4000 UNIT, 8000 UNIT | 4 | EDS |
| RAVICTI ORAL LIQUID | 5 | PA; LA |
| RUZURGI ORAL TABLET | 5 | PA; LA |
| <i>sodium phenylbutyrate oral tablet</i> | 4 | EDS |
| SUCRAID ORAL SOLUTION | 5 | PA; LA |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| VIOKACE ORAL TABLET | 4 | EDS |
| XURIDEN ORAL PACKET | 5 | PA |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-14000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT | 3 | EDS |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>darifenacin hydrobromide er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>flavoxate hcl oral tablet</i> | 2 | EDS |
| GELNIQUE PUMP TRANSDERMAL GEL | 4 | EDS |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR | 3 | EDS |
| <i>oxybutynin chloride er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>oxybutynin chloride oral syrup</i> | 2 | EDS |
| <i>oxybutynin chloride oral tablet</i> | 2 | EDS |
| <i>tolterodine tartrate er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>tolterodine tartrate oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|--------------------------------|
| <i>trospium chloride er oral capsule extended release 24 hour</i> | 2 | EDS |
| <i>trospium chloride oral tablet</i> | 2 | EDS |
| Benign Prostatic Hypertrophy Agents | | |
| <i>alfuzosin hcl er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR</i> | 4 | EDS |
| <i>doxazosin mesylate oral tablet</i> | 2 | EDS |
| <i>dutasteride oral capsule</i> | 2 | EDS |
| <i>dutasteride-tamsulosin hcl oral capsule</i> | 2 | EDS |
| <i>finasteride oral tablet 5 mg</i> | 2 | EDS |
| <i>prazosin hcl oral capsule</i> | 2 | EDS |
| <i>silodosin oral capsule</i> | 2 | EDS |
| <i>tamsulosin hcl oral capsule</i> | 2 | EDS |
| <i>terazosin hcl oral capsule</i> | 2 | EDS |
| Genitourinary Agents, Other | | |
| <i>bethanechol chloride oral tablet</i> | 2 | |
| <i>DEPEN TITRATABS ORAL TABLET</i> | 5 | |
| <i>ELMIRON ORAL CAPSULE</i> | 4 | |
| <i>JYNARQUE ORAL TABLET 15 MG</i> | 5 | PA; LA; QL (60 EA per 30 days) |
| <i>JYNARQUE ORAL TABLET 30 MG</i> | 5 | PA; LA; QL (30 EA per 30 days) |
| <i>JYNARQUE ORAL TABLET THERAPY PACK</i> | 5 | PA; LA |
| <i>penicillamine oral capsule</i> | 5 | PA |
| <i>potassium citrate er oral tablet extended release</i> | 2 | |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i> | 2 | EDS |
| Phosphate Binders | | |
| <i>AURYXIA ORAL TABLET</i> | 4 | EDS |
| <i>calcium acetate (phos binder) oral capsule</i> | 2 | EDS |
| <i>calcium acetate (phos binder) oral tablet</i> | 2 | EDS |
| <i>FOSRENOL ORAL PACKET</i> | 5 | |
| <i>lanthanum carbonate oral tablet chewable</i> | 2 | |
| <i>PHOSLYRA ORAL SOLUTION</i> | 4 | EDS |
| <i>sevelamer carbonate oral packet</i> | 4 | EDS |
| <i>sevelamer carbonate oral tablet</i> | 4 | EDS |
| <i>sevelamer hcl oral tablet</i> | 2 | EDS |
| <i>VELPHORO ORAL TABLET CHEWABLE</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal) | | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal) | | |
| ACTHAR INJECTION GEL | 5 | PA |
| <i>ala-cort external cream</i> | 2 | |
| <i>alclometasone dipropionate external cream</i> | 2 | |
| <i>alclometasone dipropionate external ointment</i> | 2 | |
| <i>amcinonide external cream</i> | 2 | |
| <i>amcinonide external lotion</i> | 4 | |
| <i>amcinonide external ointment</i> | 4 | |
| <i>betamethasone dipropionate aug external cream</i> | 2 | |
| <i>betamethasone dipropionate aug external gel</i> | 2 | |
| <i>betamethasone dipropionate aug external lotion</i> | 2 | |
| <i>betamethasone dipropionate aug external ointment</i> | 2 | |
| <i>betamethasone dipropionate external cream</i> | 2 | |
| <i>betamethasone dipropionate external ointment</i> | 2 | |
| <i>betamethasone valerate external cream</i> | 2 | |
| <i>betamethasone valerate external foam</i> | 2 | |
| <i>betamethasone valerate external lotion</i> | 2 | |
| <i>betamethasone valerate external ointment</i> | 2 | |
| CAPEX EXTERNAL SHAMPOO | 3 | |
| <i>clobetasol prop emollient base external cream</i> | 2 | |
| <i>clobetasol propionate external cream</i> | 2 | |
| <i>clobetasol propionate external gel</i> | 2 | |
| <i>clobetasol propionate external lotion</i> | 2 | |
| <i>clobetasol propionate external ointment</i> | 2 | |
| <i>clobetasol propionate external shampoo</i> | 2 | |
| <i>clobetasol propionate external solution</i> | 2 | |
| <i>clodan external shampoo</i> | 2 | |
| CORDRAN EXTERNAL TAPE | 3 | |
| <i>cortisone acetate oral tablet</i> | 2 | |
| <i>desonide external cream</i> | 2 | |
| <i>desonide external lotion</i> | 2 | |
| <i>desonide external ointment</i> | 2 | |
| <i>desoximetasone external cream</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>desoximetasone external gel</i> | 2 | |
| <i>desoximetasone external liquid</i> | 4 | |
| <i>desoximetasone external ointment</i> | 2 | |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE | 3 | |
| <i>dexamethasone oral elixir</i> | 2 | |
| <i>dexamethasone oral tablet</i> | 2 | |
| <i>dexamethasone oral tablet therapy pack 1.5 mg (51)</i> | 4 | |
| <i>diflorasone diacetate external cream</i> | 2 | |
| <i>diflorasone diacetate external ointment</i> | 2 | |
| EMFLAZA ORAL SUSPENSION | 5 | PA; LA |
| EMFLAZA ORAL TABLET | 5 | PA; LA |
| <i>fludrocortisone acetate oral tablet</i> | 2 | EDS |
| <i>fluocinolone acetonide external cream</i> | 2 | |
| <i>fluocinolone acetonide external ointment</i> | 2 | |
| <i>fluocinolone acetonide external solution</i> | 2 | |
| <i>fluocinolone acetonide otic oil</i> | 2 | |
| <i>fluocinolone acetonide scalp external oil</i> | 2 | |
| <i>fluocinonide emulsified base external cream</i> | 2 | |
| <i>fluocinonide external cream 0.1 %</i> | 2 | |
| <i>fluocinonide external gel</i> | 2 | |
| <i>fluocinonide external ointment</i> | 2 | |
| <i>fluocinonide external solution</i> | 2 | |
| <i>fluticasone propionate external cream</i> | 2 | |
| <i>fluticasone propionate external ointment</i> | 2 | |
| <i>halobetasol propionate external cream</i> | 2 | |
| <i>halobetasol propionate external ointment</i> | 2 | |
| <i>hydrocortisone butyrate external ointment</i> | 2 | |
| <i>hydrocortisone butyrate external solution</i> | 2 | |
| <i>hydrocortisone external cream 1 %, 2.5 %</i> | 2 | |
| <i>hydrocortisone external lotion 2.5 %</i> | 2 | |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i> | 2 | |
| <i>hydrocortisone oral tablet</i> | 2 | |
| <i>hydrocortisone valerate external cream</i> | 2 | |
| <i>hydrocortisone valerate external ointment</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| MEDROL ORAL TABLET 2 MG | 4 | |
| <i>methylprednisolone oral tablet</i> | 2 | |
| <i>methylprednisolone oral tablet therapy pack</i> | 2 | |
| MILLIPRED ORAL TABLET | 4 | |
| <i>mometasone furoate external cream</i> | 2 | |
| <i>mometasone furoate external ointment</i> | 2 | |
| <i>mometasone furoate external solution</i> | 2 | |
| <i>prednicarbate external ointment</i> | 2 | |
| <i>prednisolone oral solution</i> | 2 | |
| <i>prednisolone sodium phosphate oral solution 10 mg/5ml, 20 mg/5ml, 25 mg/5ml, 6.7 (5 base) mg/5ml</i> | 2 | |
| <i>prednisone intensol oral concentrate</i> | 2 | |
| <i>prednisone oral solution</i> | 2 | |
| <i>prednisone oral tablet</i> | 2 | |
| <i>prednisone oral tablet therapy pack</i> | 2 | |
| <i>procto-pak rectal cream</i> | 2 | |
| <i>proctozone-hc rectal cream</i> | 2 | |
| <i>triamcinolone acetonide external aerosol solution</i> | 2 | |
| <i>triamcinolone acetonide external cream</i> | 2 | |
| <i>triamcinolone acetonide external lotion</i> | 2 | |
| <i>triamcinolone acetonide external ointment</i> | 2 | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary) | | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary) | | |
| <i>desmopressin ace spray refrig nasal solution</i> | 2 | EDS |
| <i>desmopressin acetate oral tablet</i> | 2 | EDS |
| EGRIFTA SUBCUTANEOUS SOLUTION RECONSTITUTED 1 MG | 5 | PA; LA |
| GENOTROPIN MINIQUICK SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; EDS |
| GENOTROPIN SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; EDS |
| HUMATROPE INJECTION SOLUTION RECONSTITUTED | 3 | PA; EDS |
| INCRELEX SUBCUTANEOUS SOLUTION | 5 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| MYALEPT SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA; LA |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION | 3 | PA; EDS |
| NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION | 3 | PA; EDS |
| NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION | 3 | PA; EDS |
| NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION | 3 | PA; EDS |
| OMNITROPE SUBCUTANEOUS SOLUTION | 4 | PA; EDS |
| OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED | 4 | PA; EDS |
| ORILISSA ORAL TABLET 150 MG | 5 | PA; QL (30 EA per 30 days) |
| ORILISSA ORAL TABLET 200 MG | 5 | PA |
| SAIZEN INJECTION SOLUTION RECONSTITUTED | 4 | PA; EDS |
| SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG | 4 | PA; EDS |
| STIMATE NASAL SOLUTION | 3 | EDS |
| TEGSEDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA; LA |
| VYndaqel Oral Capsule | 5 | PA; LA |
| ZOMACTON SUBCUTANEOUS SOLUTION RECONSTITUTED | 4 | PA; EDS |
| ZORBTIVE SUBCUTANEOUS SOLUTION RECONSTITUTED | 4 | PA; EDS |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins) | | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins) | | |
| <i>misoprostol oral tablet 200 mcg</i> | 2 | EDS |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers) | | |
| Anabolic Steroids | | |
| ANADROL-50 ORAL TABLET | 4 | PA New Starts |
| <i>oxandrolone oral tablet</i> | 2 | |
| Androgens | | |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR | 3 | PA; EDS |
| <i>danazol oral capsule</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| FORTESTA TRANSDERMAL GEL | 4 | PA; EDS |
| METHITEST ORAL TABLET | 3 | PA; EDS |
| <i>methyltestosterone oral capsule</i> | 2 | PA; EDS |
| STRIANT BUCCAL | 4 | PA; EDS |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</i> | 2 | PA; Prior authorization not required for endocrinologists or urologists. |
| <i>testosterone enanthate intramuscular solution</i> | 2 | PA; Prior authorization not required for endocrinologists or urologists. |
| <i>testosterone transdermal gel 10 mg/act (2%)</i> | 4 | PA; EDS |
| <i>testosterone transdermal gel 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 2 | PA; EDS |
| <i>testosterone transdermal solution</i> | 2 | PA; EDS |
| Estrogens | | |
| DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML | 4 | |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist |
| DIVIGEL TRANSDERMAL GEL 1 MG/GM | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| DUAVEE ORAL TABLET | 4 | PA; EDS |
| ELESTRIN TRANSDERMAL GEL | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>estradiol oral tablet</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>estradiol transdermal patch twice weekly</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>estradiol transdermal patch weekly</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>estradiol vaginal cream</i> | 2 | EDS |
| <i>estradiol vaginal tablet</i> | 2 | EDS |
| <i>estradiol valerate intramuscular oil 20 mg/ml</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| ESTRING VAGINAL RING | 4 | EDS |
| EVAMIST TRANSDERMAL SOLUTION | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| FEMRING VAGINAL RING | 4 | EDS |
| <i>marlissa oral tablet</i> | 2 | EDS |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| MENOSTAR TRANSDERMAL PATCH WEEKLY | 3 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| PREMARIN ORAL TABLET | 3 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| PREMARIN VAGINAL CREAM | 3 | EDS |
| <i>yuvafem vaginal tablet</i> | 2 | EDS |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers) | | |
| <i>altavera oral tablet</i> | 2 | EDS |
| <i>alyacen 1/35 oral tablet</i> | 2 | EDS |
| <i>amabelz oral tablet</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>amethia lo oral tablet</i> | 2 | EDS |
| <i>amethia oral tablet</i> | 2 | EDS |
| ANGELIQ ORAL TABLET | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>apri oral tablet</i> | 2 | EDS |
| <i>aranelle oral tablet</i> | 2 | EDS |
| <i>ashlyna oral tablet</i> | 2 | EDS |
| <i>aubra oral tablet</i> | 2 | EDS |
| <i>aviane oral tablet</i> | 2 | EDS |
| BALCOLTRA ORAL TABLET | 3 | EDS |
| <i>balziva oral tablet</i> | 2 | EDS |
| <i>blisovi 24 fe oral tablet</i> | 2 | EDS |
| <i>blisovi fe 1.5/30 oral tablet</i> | 2 | EDS |
| <i>briellyn oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| budesonide er oral tablet extended release 24 hour | 5 | |
| budesonide oral capsule delayed release particles | 4 | |
| camrese lo oral tablet | 2 | EDS |
| caziant oral tablet | 2 | EDS |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY | 3 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| cryselle-28 oral tablet | 2 | EDS |
| cyclafem 1/35 oral tablet | 2 | EDS |
| cyclafem 7/7/7 oral tablet | 2 | EDS |
| cyred eq oral tablet | 2 | EDS |
| deblitane oral tablet | 2 | EDS |
| delyla oral tablet | 2 | EDS |
| desogestrel-ethynodiol oral tablet | 2 | EDS |
| drospirenen-eth estrad-levomefol oral tablet 3-0.02-0.451 mg | 2 | EDS |
| drospirenone-ethynodiol oral tablet | 2 | EDS |
| emoquette oral tablet | 2 | EDS |
| enpresse-28 oral tablet | 2 | EDS |
| enskyce oral tablet 0.15-30 mg-mcg | 2 | EDS |
| estarrylla oral tablet | 2 | EDS |
| estradiol valerate intramuscular oil 40 mg/ml | 2 | |
| estradiol-norethindrone acet oral tablet | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| ethynodiol diac-eth estradiol oral tablet | 2 | EDS |
| falmina oral tablet | 2 | EDS |
| fayosim oral tablet | 2 | EDS |
| femynor oral tablet | 2 | EDS |
| fyavolv oral tablet | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| gianvi oral tablet | 2 | EDS |
| hailey 24 fe oral tablet | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| <i>incassia oral tablet</i> | 2 | EDS |
| <i>introvale oral tablet</i> | 2 | EDS |
| <i>isibloom oral tablet</i> | 2 | EDS |
| <i>jasmiel oral tablet</i> | 2 | EDS |
| JINTELI ORAL TABLET | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>juleber oral tablet</i> | 2 | EDS |
| <i>junel 1.5/30 oral tablet</i> | 2 | EDS |
| <i>junel 1/20 oral tablet</i> | 2 | EDS |
| <i>junel fe 1.5/30 oral tablet</i> | 2 | EDS |
| <i>junel fe 1/20 oral tablet</i> | 2 | EDS |
| <i>junel fe 24 oral tablet</i> | 2 | EDS |
| <i>kaitlib fe oral tablet chewable</i> | 2 | EDS |
| <i>kariva oral tablet</i> | 2 | EDS |
| <i>kelnor 1/35 oral tablet</i> | 2 | EDS |
| <i>kelnor 1/50 oral tablet</i> | 2 | EDS |
| <i>kurvelo oral tablet</i> | 2 | EDS |
| <i>larin 1.5/30 oral tablet</i> | 2 | EDS |
| <i>larin 1/20 oral tablet</i> | 2 | EDS |
| <i>larin fe 1.5/30 oral tablet</i> | 2 | EDS |
| <i>larin fe 1/20 oral tablet</i> | 2 | EDS |
| <i>larissa oral tablet</i> | 2 | EDS |
| <i>layolis fe oral tablet chewable</i> | 2 | EDS |
| <i>leena oral tablet</i> | 2 | EDS |
| <i>lessina oral tablet</i> | 2 | EDS |
| <i>levonest oral tablet</i> | 2 | EDS |
| <i>levonorgest-eth est & eth est oral tablet</i> | 2 | EDS |
| <i>levonorgest-eth estrad 91-day oral tablet</i> | 2 | EDS |
| <i>levonorgestrel-ethynodiol dihydrogenetic oral tablet</i> | 2 | EDS |
| <i>levonorg-eth estrad triphasic oral tablet</i> | 2 | EDS |
| <i>levora 0.15/30 (28) oral tablet</i> | 2 | EDS |
| LO LOESTRIN FE ORAL TABLET | 4 | EDS |
| <i>lopreeza oral tablet 1-0.5 mg</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>loryna oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| <i>low-ogestrel oral tablet</i> | 2 | EDS |
| <i>lulera oral tablet</i> | 2 | EDS |
| <i>marlissa oral tablet</i> | 2 | EDS |
| <i>melodetta 24 fe oral tablet chewable</i> | 2 | EDS |
| <i>mibelas 24 fe oral tablet chewable</i> | 2 | EDS |
| <i>microgestin 1.5/30 oral tablet</i> | 2 | EDS |
| <i>microgestin 1/20 oral tablet</i> | 2 | EDS |
| <i>microgestin fe 1.5/30 oral tablet</i> | 2 | EDS |
| <i>microgestin fe 1/20 oral tablet</i> | 2 | EDS |
| <i>mili oral tablet</i> | 2 | EDS |
| <i>mimvey lo oral tablet</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>mimvey oral tablet</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| NATAZIA ORAL TABLET | 4 | EDS |
| <i>necon 0.5/35 (28) oral tablet</i> | 2 | EDS |
| <i>nikki oral tablet</i> | 2 | EDS |
| <i>nora-be oral tablet</i> | 2 | EDS |
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg(24)</i> | 2 | EDS |
| <i>norethin ace-eth estrad-fe oral tablet chewable</i> | 2 | EDS |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg</i> | 2 | EDS |
| <i>norethindrone-eth estradiol oral tablet</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>norethin-eth estradiol-fe oral tablet chewable</i> | 2 | EDS |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i> | 2 | EDS |
| <i>norgestim-eth estrad triphasic oral tablet</i> | 2 | EDS |
| <i>norlyroc oral tablet</i> | 2 | EDS |
| <i>nortrel 0.5/35 (28) oral tablet</i> | 2 | EDS |
| <i>nortrel 1/35 (21) oral tablet</i> | 2 | EDS |
| <i>nortrel 1/35 (28) oral tablet</i> | 2 | EDS |
| <i>nortrel 7/7/7 oral tablet</i> | 2 | EDS |
| NUVARING VAGINAL RING | 3 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--------------------------------------|-------------|---|
| <i>ocella oral tablet</i> | 2 | EDS |
| OGESTREL ORAL TABLET | 3 | EDS |
| <i>orsythia oral tablet</i> | 2 | EDS |
| <i>pimtrea oral tablet</i> | 2 | EDS |
| <i>pirmella 1/35 oral tablet</i> | 2 | EDS |
| <i>portia-28 oral tablet</i> | 2 | EDS |
| PREFEST ORAL TABLET | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| PREMPHASE ORAL TABLET | 3 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| PREMPRO ORAL TABLET | 3 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>previfem oral tablet</i> | 2 | EDS |
| <i>reclipsen oral tablet</i> | 2 | EDS |
| <i>rivelsa oral tablet</i> | 2 | EDS |
| <i>setlakin oral tablet</i> | 2 | EDS |
| <i>sharobel oral tablet</i> | 2 | EDS |
| SLYND ORAL TABLET | 4 | EDS |
| <i>sprintec 28 oral tablet</i> | 2 | EDS |
| <i>sronyx oral tablet</i> | 2 | EDS |
| <i>syeda oral tablet</i> | 2 | EDS |
| <i>tarina 24 fe oral tablet</i> | 2 | EDS |
| <i>tarina fe 1/20 oral tablet</i> | 2 | EDS |
| <i>tri-estarrylla oral tablet</i> | 2 | EDS |
| <i>tri-legest fe oral tablet</i> | 2 | EDS |
| <i>tri-lo-estarrylla oral tablet</i> | 2 | EDS |
| <i>tri-lo-sprintec oral tablet</i> | 2 | EDS |
| <i>tri-mili oral tablet</i> | 2 | EDS |
| <i>tri-previfem oral tablet</i> | 2 | EDS |
| <i>tri-sprintec oral tablet</i> | 2 | EDS |
| <i>trivora (28) oral tablet</i> | 2 | EDS |
| <i>tri-vylibra lo oral tablet</i> | 2 | EDS |
| <i>tri-vylibra oral tablet</i> | 2 | EDS |
| TYDEMY ORAL TABLET | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| <i>velivet oral tablet</i> | 2 | EDS |
| <i>vienva oral tablet</i> | 2 | EDS |
| <i>vyfemla oral tablet</i> | 2 | EDS |
| <i>vylibra oral tablet</i> | 2 | EDS |
| <i>wymzya fe oral tablet chewable</i> | 2 | EDS |
| <i>xulane transdermal patch weekly</i> | 2 | EDS |
| <i>zarah oral tablet</i> | 2 | EDS |
| <i>zovia 1/35e (28) oral tablet</i> | 2 | EDS |
| Progestins | | |
| <i>camila oral tablet</i> | 2 | EDS |
| <i>CRINONE VAGINAL GEL</i> | 4 | PA; Prior authorization not required for reproductive endocrinologists. |
| <i>DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML</i> | 4 | |
| <i>DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE</i> | 4 | |
| <i>errin oral tablet</i> | 2 | EDS |
| <i>lyza oral tablet</i> | 2 | EDS |
| <i>marlissa oral tablet</i> | 2 | EDS |
| <i>medroxyprogesterone acetate intramuscular suspension</i> | 2 | |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe</i> | 2 | |
| <i>medroxyprogesterone acetate oral tablet</i> | 2 | EDS |
| <i>megestrol acetate oral suspension 40 mg/ml</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>megestrol acetate oral suspension 625 mg/5ml</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>megestrol acetate oral tablet</i> | 2 | |
| <i>norethindrone acetate oral tablet</i> | 2 | EDS |
| <i>norethindrone oral tablet</i> | 2 | EDS |
| <i>progesterone micronized oral capsule</i> | 2 | EDS |
| Selective Estrogen Receptor Modifying Agents | | |
| <i>DUAVEE ORAL TABLET</i> | 4 | PA; EDS |
| <i>raloxifene hcl oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid) | | |
| Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid) | | |
| <i>levo-t oral tablet</i> | 2 | EDS |
| <i>levothyroxine sodium oral tablet</i> | 2 | EDS |
| <i>levoxyl oral tablet</i> | 2 | EDS |
| <i>liothyronine sodium oral tablet</i> | 2 | EDS |
| SYNTHROID ORAL TABLET | 3 | EDS |
| TIROSINT ORAL CAPSULE | 4 | EDS |
| TIROSINT-SOL ORAL SOLUTION | 4 | EDS |
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | EDS |
| Hormonal Agents, Suppressant (Adrenal) | | |
| Hormonal Agents, Suppressant (Adrenal) | | |
| LYSODREN ORAL TABLET | 3 | |
| Hormonal Agents, Suppressant (Pituitary) | | |
| Hormonal Agents, Suppressant (Pituitary) | | |
| <i>bromocriptine mesylate oral capsule</i> | 2 | EDS |
| <i>bromocriptine mesylate oral tablet</i> | 2 | EDS |
| <i>cabergoline oral tablet</i> | 2 | |
| ELIGARD SUBCUTANEOUS KIT | 3 | PA New Starts |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA New Starts |
| <i>leuprolide acetate injection kit</i> | 2 | PA New Starts |
| LUPANETA PACK COMBINATION KIT | 4 | PA New Starts |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT | 5 | PA New Starts |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT | 5 | PA New Starts |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT | 5 | PA New Starts |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT | 5 | PA New Starts |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| SIGNIFOR SUBCUTANEOUS SOLUTION | 4 | PA; LA; EDS |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION | 5 | PA New Starts |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA; LA |
| SYNAREL NASAL SOLUTION | 3 | PA |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED | 4 | PA New Starts |
| Hormonal Agents, Suppressant (Thyroid) | | |
| Antithyroid Agents | | |
| <i>methimazole oral tablet</i> | 2 | EDS |
| <i>propylthiouracil oral tablet</i> | 2 | EDS |
| Immunological Agents | | |
| Angioedema Agents | | |
| BERINERT INTRAVENOUS KIT | 5 | PA New Starts; LA |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA New Starts; LA |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA New Starts; LA |
| <i>icatibant acetate subcutaneous solution</i> | 5 | PA New Starts |
| RUCONEST INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA New Starts; LA |
| TAKHYRO SUBCUTANEOUS SOLUTION | 5 | PA New Starts; LA |
| Immune Suppressants | | |
| ACTEMRA ACTPEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA |
| ACTEMRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE | 5 | PA New Starts |
| AFINITOR ORAL TABLET 2.5 MG | 5 | PA New Starts |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 4 | BD; EDS |
| AZASAN ORAL TABLET | 3 | BD; EDS |
| <i>azathioprine oral tablet</i> | 2 | BD; EDS |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA New Starts |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA New Starts |
| CIMZIA PREFILLED SUBCUTANEOUS KIT | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| CIMZIA SUBCUTANEOUS KIT 2 X 200 MG | 4 | |
| <i>cyclosporine modified oral capsule</i> | 2 | BD; EDS |
| <i>cyclosporine modified oral solution</i> | 2 | BD; EDS |
| <i>cyclosporine oral capsule</i> | 2 | BD; EDS |
| DEPEN TITRATABS ORAL TABLET | 5 | |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE | 5 | PA |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 4 | BD; EDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 2 | BD; EDS |
| <i>gengraf oral solution</i> | 2 | BD; EDS |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML | 5 | PA; LA |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML | 5 | PA |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT | 5 | PA |
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT | 5 | PA |
| HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT | 5 | PA |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT | 5 | PA |
| INGREZZA ORAL CAPSULE | 5 | PA; LA |
| INGREZZA ORAL CAPSULE THERAPY PACK | 5 | PA; LA |
| KEVZARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | EDS |
| <i>mercaptopurine oral tablet</i> | 2 | |
| <i>methotrexate oral tablet</i> | 1 | |
| <i>methotrexate sodium (pf) injection solution 50 mg/2ml</i> | 2 | BD |
| <i>methotrexate sodium injection solution 250 mg/10ml</i> | 2 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|----------------------------|
| <i>mycophenolate mofetil oral capsule</i> | 2 | BD; EDS |
| <i>mycophenolate mofetil oral suspension reconstituted</i> | 2 | BD; EDS |
| <i>mycophenolate mofetil oral tablet</i> | 2 | BD; EDS |
| <i>mycophenolate sodium oral tablet delayed release</i> | 2 | BD; EDS |
| OTEZLA ORAL TABLET | 4 | EDS |
| OTEZLA ORAL TABLET THERAPY PACK | 4 | |
| OTREXUP SUBCUTANEOUS SOLUTION AUTO- INJECTOR 10 MG/0.4ML, 12.5 MG/0.4ML, 15 MG/0.4ML, 17.5 MG/0.4ML, 20 MG/0.4ML, 22.5 MG/0.4ML, 25 MG/0.4ML | 4 | PA; EDS |
| <i>pimecrolimus external cream</i> | 4 | |
| PROGRAF ORAL PACKET | 5 | BD |
| RASUVO SUBCUTANEOUS SOLUTION AUTO- INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15 MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML, 22.5 MG/0.45ML, 25 MG/0.5ML, 30 MG/0.6ML, 7.5 MG/0.15ML | 4 | PA; EDS |
| SANDIMMUNE ORAL SOLUTION | 4 | BD; EDS |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO- INJECTOR | 4 | EDS |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.5ML | 4 | EDS |
| <i>sirolimus oral solution</i> | 2 | BD; EDS |
| <i>sirolimus oral tablet</i> | 2 | BD; EDS |
| <i>tacrolimus oral capsule</i> | 2 | BD; EDS |
| TREXALL ORAL TABLET | 4 | |
| XATMEP ORAL SOLUTION | 4 | PA New Starts |
| XELJANZ ORAL TABLET | 4 | EDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 4 | EDS |
| ZORTRESS ORAL TABLET | 5 | BD |
| Immunizing Agents, Passive | | |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 GM/50ML | 5 | PA |
| GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|-----------------------------|
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA |
| GAMMAKED INJECTION SOLUTION 1 GM/10ML | 5 | PA |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML | 5 | PA |
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML | 5 | PA |
| OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 2 GM/20ML | 5 | PA |
| PRIVIGEN INTRAVENOUS SOLUTION 20 GM/200ML | 5 | PA |
| Immunological Agents | | |
| <i>leflunomide oral tablet 10 mg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>leflunomide oral tablet 20 mg</i> | 2 | EDS |
| OTEZLA ORAL TABLET | 4 | EDS |
| OTEZLA ORAL TABLET THERAPY PACK | 4 | |
| Immunomodulators | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION | 5 | PA; LA |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED | 3 | PA; LA; EDS |
| <i>leflunomide oral tablet 10 mg</i> | 2 | QL (30 EA per 30 days); EDS |
| <i>leflunomide oral tablet 20 mg</i> | 2 | EDS |
| RIDAURA ORAL CAPSULE | 3 | EDS |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 4 | EDS |
| Vaccines | | |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 LF-MCG/0.5 | 3 | |
| BCG VACCINE INJECTION INJECTABLE | 3 | |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 , 5-2.5-18.5 (0.5ML SYRINGE) | 3 | |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | 3 | |
| DIPHTHERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| ENGERIX-B INJECTION SUSPENSION | 3 | BD |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION | 3 | |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| HAVRIX INTRAMUSCULAR SUSPENSION | 3 | |
| HIBERIX INJECTION SOLUTION RECONSTITUTED | 3 | |
| IMOVAX RABIES INTRAMUSCULAR INJECTABLE | 3 | |
| INFANRIX INTRAMUSCULAR SUSPENSION | 3 | |
| IPOV INJECTION INJECTABLE | 3 | |
| IXIARO INTRAMUSCULAR SUSPENSION | 3 | |
| KINRIX INTRAMUSCULAR SUSPENSION | 3 | |
| MENACTRA INTRAMUSCULAR INJECTABLE | 3 | |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED | 3 | |
| M-M-R II INJECTION SOLUTION RECONSTITUTED | 3 | |
| PEDIARIX INTRAMUSCULAR SUSPENSION | 3 | |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION | 3 | |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | 3 | |
| QUADRACEL INTRAMUSCULAR SUSPENSION | 3 | |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | |
| RECOMBIVAX HB INJECTION SUSPENSION | 3 | BD |
| ROTARIX ORAL SUSPENSION RECONSTITUTED | 3 | |
| ROTAQ ORAL SOLUTION | 3 | |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | 3 | |
| TDVAX INTRAMUSCULAR SUSPENSION | 3 | |
| TENIVAC INTRAMUSCULAR INJECTABLE | 3 | |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION | 3 | |
| VAQTA INTRAMUSCULAR SUSPENSION | 3 | |
| VARIVAX SUBCUTANEOUS INJECTABLE | 3 | |
| VARIZIG INTRAMUSCULAR SOLUTION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| YF-VAX SUBCUTANEOUS INJECTABLE | 3 | |
| ZOSTAVAX SUBCUTANEOUS SUSPENSION RECONSTITUTED | 4 | |
| Inflammatory Bowel Disease Agents | | |
| Aminosalicylates | | |
| APRISO ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 4 | EDS |
| <i>balsalazide disodium oral capsule</i> | 2 | |
| DIPENTUM ORAL CAPSULE | 4 | EDS |
| <i>mesalamine oral capsule delayed release</i> | 4 | EDS |
| <i>mesalamine oral tablet delayed release</i> | 2 | |
| <i>mesalamine rectal enema</i> | 2 | |
| <i>mesalamine rectal suppository</i> | 4 | |
| PENTASA ORAL CAPSULE EXTENDED RELEASE | 4 | EDS |
| Glucocorticoids | | |
| <i>budesonide er oral tablet extended release 24 hour</i> | 5 | |
| <i>budesonide oral capsule delayed release particles</i> | 4 | |
| <i>colocort rectal enema</i> | 2 | |
| <i>cortisone acetate oral tablet</i> | 2 | |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE | 3 | |
| <i>dexamethasone oral elixir</i> | 2 | |
| <i>dexamethasone oral tablet</i> | 2 | |
| <i>dexamethasone oral tablet therapy pack 1.5 mg (51)</i> | 4 | |
| <i>hydrocortisone oral tablet</i> | 2 | |
| <i>hydrocortisone rectal enema</i> | 2 | |
| <i>methylprednisolone oral tablet</i> | 2 | |
| <i>methylprednisolone oral tablet therapy pack</i> | 2 | |
| MILLIPRED ORAL TABLET | 4 | |
| <i>prednisolone acetate ophthalmic suspension</i> | 2 | |
| <i>prednisolone oral solution</i> | 2 | |
| <i>prednisolone sodium phosphate oral solution 10 mg/5ml, 20 mg/5ml, 6.7 (5 base) mg/5ml</i> | 2 | |
| <i>prednisone intensol oral concentrate</i> | 2 | |
| <i>prednisone oral solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>prednisone oral tablet</i> | 2 | |
| <i>procto-med hc rectal cream</i> | 2 | |
| <i>proctosol hc rectal cream</i> | 2 | |
| Sulfonamides | | |
| <i>sulfasalazine oral tablet</i> | 2 | EDS |
| <i>sulfasalazine oral tablet delayed release</i> | 2 | EDS |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate sodium oral solution</i> | 2 | EDS |
| <i>alendronate sodium oral tablet 10 mg, 5 mg</i> | 2 | EDS |
| <i>alendronate sodium oral tablet 35 mg, 70 mg</i> | 1 | EDS |
| <i>alendronate sodium oral tablet 40 mg</i> | 2 | |
| BINOSTO ORAL TABLET EFFERVESCENT | 4 | EDS |
| <i>calcitonin (salmon) nasal solution</i> | 2 | EDS |
| <i>calcitriol oral capsule</i> | 2 | EDS |
| <i>calcitriol oral solution</i> | 2 | EDS |
| <i>cinacalcet hcl oral tablet</i> | 5 | |
| <i>doxercalciferol oral capsule</i> | 2 | ST; EDS |
| <i>etidronate disodium oral tablet</i> | 2 | |
| FORTEO SUBCUTANEOUS SOLUTION 600 MCG/2.4ML | 5 | PA |
| <i>ibandronate sodium oral tablet</i> | 1 | EDS |
| NATPARA SUBCUTANEOUS CARTRIDGE | 5 | PA; LA |
| <i>paricalcitol oral capsule</i> | 2 | ST; EDS |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | PA |
| RAYALDEE ORAL CAPSULE EXTENDED RELEASE | 4 | ST; EDS |
| <i>risedronate sodium oral tablet 150 mg, 35 mg, 5 mg</i> | 2 | EDS |
| <i>risedronate sodium oral tablet 30 mg</i> | 2 | |
| <i>risedronate sodium oral tablet delayed release</i> | 2 | EDS |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR | 5 | PA |
| XGEVA SUBCUTANEOUS SOLUTION | 5 | PA New Starts |
| Non-Frf | | |
| Non-Frf | | |
| <i>acetosal hc otic solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|-----------------------------|
| ACZONE EXTERNAL GEL 7.5 % | 4 | |
| ADAGEN INTRAMUSCULAR SOLUTION | 5 | PA; LA |
| <i>afeditab cr oral tablet extended release 24 hour</i> | 2 | EDS |
| AIMOVIG (140 MG DOSE) SUBCUTANEOUS SOLUTION AUTO-Injector | 4 | PA; EDS |
| AKYNZEO ORAL CAPSULE | 4 | PA |
| <i>alcohol wipes pad 70 %</i> | 2 | |
| ALTABAX EXTERNAL OINTMENT | 4 | |
| AMINOSYN II INTRAVENOUS SOLUTION 8.5 % | 3 | BD |
| AMINOSYN II/ELECTROLYTES INTRAVENOUS SOLUTION | 3 | BD |
| AMINOSYN INTRAVENOUS SOLUTION 10 % | 3 | BD |
| AMINOSYN M INTRAVENOUS SOLUTION | 3 | BD |
| AMINOSYN/ELECTROLYTES INTRAVENOUS SOLUTION | 3 | BD |
| AMINOSYN-HBC INTRAVENOUS SOLUTION | 3 | BD |
| AMINOSYN-RF INTRAVENOUS SOLUTION | 3 | BD |
| <i>amphotericin b injection solution reconstituted</i> | 2 | PA |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 15 (10-5) gm</i> | 2 | |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm</i> | 2 | |
| ANNOVERA VAGINAL RING | 4 | QL (1 EA per 365 days); EDS |
| ANZEMET ORAL TABLET | 4 | BD |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 500 MG | 5 | PA New Starts; LA |
| ARMONAIR RESPICLICK 113 INHALATION AEROSOL POWDER BREATH ACTIVATED | 4 | EDS |
| ARMONAIR RESPICLICK 232 INHALATION AEROSOL POWDER BREATH ACTIVATED | 4 | EDS |
| ARMONAIR RESPICLICK 55 INHALATION AEROSOL POWDER BREATH ACTIVATED | 4 | EDS |
| AVONEX INTRAMUSCULAR KIT | 5 | |
| <i>azurette oral tablet</i> | 2 | EDS |
| BACTOCILL IN DEXTROSE INTRAVENOUS SOLUTION | 4 | |
| BACTROBAN NASAL NASAL OINTMENT | 4 | |
| BAQSIMI ONE PACK NASAL POWDER | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| bekyree oral tablet | 2 | EDS |
| BIVIGAM INTRAVENOUS SOLUTION | 5 | PA |
| blisovi fe 1/20 oral tablet | 2 | EDS |
| BRAFTOVI ORAL CAPSULE 50 MG | 5 | PA New Starts; LA |
| BYDUREON SUBCUTANEOUS SUSPENSION RECONSTITUTED ER | 4 | ST; EDS |
| BYVALSON ORAL TABLET | 4 | EDS |
| camrese oral tablet | 2 | EDS |
| CARIMUNE NF INTRAVENOUS SOLUTION RECONSTITUTED 12 GM, 6 GM | 5 | PA |
| cefditoren pivoxil oral tablet | 2 | |
| cefepime-dextrose intravenous solution reconstituted 1 gm/50ml, 2 gm/50ml | 2 | |
| cefotaxime sodium injection solution reconstituted 2 gm | 2 | |
| cefotetan disodium injection solution reconstituted 10 gm | 4 | |
| cefoxitin sodium-dextrose intravenous solution reconstituted 1-4 gm-%, 2-2.2 gm-% | 4 | |
| ceftazidime and dextrose intravenous solution reconstituted 1 gm/50ml, 2 gm/50ml | 4 | |
| ceftriaxone sodium intravenous solution reconstituted 1 gm, 2 gm | 2 | |
| cefuroxime sodium injection solution reconstituted 1.5 gm | 2 | |
| cholestyramine light oral packet | 2 | EDS |
| cholestyramine oral powder | 2 | EDS |
| CIMZIA STARTER KIT SUBCUTANEOUS KIT | 4 | EDS |
| ciprofloxacin intravenous solution 400 mg/40ml | 2 | |
| ciprofloxacin-ciproflox hcl er oral tablet extended release 24 hour | 2 | |
| CLINIMIX E/DEXTROSE (2.75/10) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (4.25/25) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX E/DEXTROSE (5/25) INTRAVENOUS SOLUTION | 3 | BD |
| CLINIMIX/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION | 3 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| CLINIMIX/DEXTROSE (4.25/20) INTRAVENOUS SOLUTION | 3 | BD |
| <i>clobetasol propionate e external cream</i> | 2 | |
| <i>clonidine hcl transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr</i> | 2 | QL (4 EA per 28 days); EDS |
| <i>clonidine hcl transdermal patch weekly 0.3 mg/24hr</i> | 2 | EDS |
| <i>clopidogrel bisulfate oral tablet 300 mg</i> | 2 | |
| <i>codeine sulfate oral tablet 15 mg</i> | 2 | |
| <i>colestipol hcl oral granules</i> | 2 | EDS |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 4 | EDS |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 4 | EDS |
| CUVITRU SUBCUTANEOUS SOLUTION 1 GM/5ML, 2 GM/10ML, 4 GM/20ML, 8 GM/40ML | 5 | PA; LA |
| <i>cyred oral tablet</i> | 2 | EDS |
| <i>daysee oral tablet</i> | 2 | EDS |
| <i>desmopressin acetate spray nasal solution</i> | 2 | EDS |
| <i>dexamethasone oral solution</i> | 2 | |
| <i>dextrose in lactated ringers intravenous solution</i> | 2 | |
| DIACOMIT ORAL CAPSULE | 5 | PA New Starts; LA |
| DIACOMIT ORAL PACKET | 5 | PA New Starts; LA |
| <i>diazepam oral solution 1 mg/ml</i> | 2 | |
| <i>diazepam rectal gel</i> | 2 | |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 180 mg</i> | 2 | EDS |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 360 mg</i> | 2 | EDS |
| <i>diltiazem hcl er coated beads oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>diphenhydramine hcl oral elixir</i> | 2 | PA; PA not required if under 65 years of age. |
| DIVIGEL TRANSDERMAL GEL 0.25 MG/0.25GM, 0.5 MG/0.5GM, 0.75 MG/0.75GM | 4 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>doripenem intravenous solution reconstituted 500 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution</i> | 4 | EDS |
| <i>doxycycline hyclate intravenous solution reconstituted</i> | 2 | |
| D-PENAMINE ORAL TABLET | 5 | QL (30 EA per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 30 MG, 40 MG | 4 | QL (60 EA per 30 days); EDS |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 60 MG | 4 | EDS |
| <i>drospirenone estrad-levomefet oral tablet 3-0.03-0.451 mg</i> | 4 | EDS |
| ELIXOPHYLLIN ORAL ELIXIR | 4 | |
| EMADINE OPHTHALMIC SOLUTION | 4 | |
| <i>enoxaparin sodium injection solution</i> | 2 | |
| ERGOMAR SUBLINGUAL TABLET SUBLINGUAL | 3 | LA |
| <i>estropipate oral tablet 0.75 mg, 1.5 mg</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 0.5 GM/10ML, 10 GM/100ML, 10 GM/200ML, 2.5 GM/50ML, 20 GM/200ML, 20 GM/400ML, 5 GM/100ML | 5 | PA |
| <i>fluconazole in dextrose intravenous solution 400 mg/200ml</i> | 2 | |
| <i>fluocinolone acetonide body external oil</i> | 2 | |
| <i>fluocinonide external cream 0.05 %</i> | 2 | |
| FREAMINE III INTRAVENOUS SOLUTION 10 % | 3 | BD |
| GAMASTAN S/D INTRAMUSCULAR INJECTABLE | 3 | PA |
| GAMMAGARD INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 20 GM/200ML, 30 GM/300ML, 5 GM/50ML | 5 | PA |
| GAMMAKED INJECTION SOLUTION 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 5 GM/50ML | 5 | PA |
| GAMMAPLEX INTRAVENOUS SOLUTION 20 GM/400ML, 5 GM/100ML | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|----------------------------|
| GAMUNEX-C INJECTION SOLUTION 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML | 5 | PA |
| <i>gauze pads pad 2"x2"</i> | 2 | |
| <i>gavilyte-h oral kit</i> | 2 | |
| GELNIQUE TRANSDERMAL GEL 10 % | 4 | EDS |
| <i>gengraf oral capsule 50 mg</i> | 2 | BD; EDS |
| GIAZO ORAL TABLET | 4 | |
| GLEOSTINE ORAL CAPSULE 5 MG | 4 | |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; QL (30 EA per 30 days) |
| HEMANGEOL ORAL SOLUTION | 4 | PA; EDS |
| <i>heparin sodium (porcine) injection solution prefilled syringe</i> | 2 | |
| HEXALEN ORAL CAPSULE | 3 | |
| <i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> | 2 | |
| HYPERRAB INJECTION SOLUTION | 3 | |
| ILARIS SUBCUTANEOUS SOLUTION | 5 | PA |
| INSULIN LISPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR | 6 | EDS |
| <i>insulin syringe 29g x 1" 0.3 ml</i> | 6 | |
| INVANZ INTRAVENOUS SOLUTION RECONSTITUTED | 4 | |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML | 5 | |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 39 MG/0.25ML | 3 | |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION | 5 | PA New Starts |
| INVIRASE ORAL CAPSULE | 5 | |
| <i>ivermectin external cream</i> | 4 | |
| <i>jolessa oral tablet</i> | 2 | EDS |
| <i>jolivette oral tablet</i> | 2 | EDS |
| <i>ketoprofen oral capsule 75 mg</i> | 2 | EDS |
| KEVZARA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 4 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| <i>kimidess oral tablet</i> | 2 | EDS |
| <i>kionex oral powder</i> | 2 | |
| KISQALI 200 DOSE ORAL TABLET | 5 | PA New Starts |
| KISQALI 400 DOSE ORAL TABLET | 5 | PA New Starts |
| KISQALI 600 DOSE ORAL TABLET | 5 | PA New Starts |
| <i>klor-con sprinkle oral capsule extended release 10 meq</i> | 2 | EDS |
| KYNAMRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA; LA |
| <i>lactated ringers intravenous solution</i> | 2 | |
| <i>lactated ringers irrigation solution</i> | 2 | |
| LANOXIN ORAL TABLET 187.5 MCG | 4 | PA; PA not required if under 65 years of age.; EDS |
| LEUKINE INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA |
| <i>lidocaine hcl (pf) injection solution 1 %</i> | 2 | |
| <i>lidocaine hcl external gel</i> | 2 | |
| <i>lidocaine hcl injection solution 1 %</i> | 2 | |
| <i>lidocaine viscous mouth/throat solution</i> | 2 | |
| <i>lopreeza oral tablet 0.5-0.1 mg</i> | 2 | PA; PA not required if under 65 years of age or if prescribed by gynecologist.; EDS |
| <i>lorazepam intensol oral concentrate</i> | 2 | |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 11.25 MG, 15 MG | 5 | PA New Starts |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 30 MG (PED) | 5 | PA New Starts |
| LYNPARZA ORAL CAPSULE | 5 | PA New Starts; LA |
| <i>mesalamine-cleanser rectal kit</i> | 2 | |
| MESTINON ORAL SYRUP | 3 | |
| <i>metaproterenol sulfate oral tablet</i> | 2 | EDS |
| <i>metaxall oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>metformin hcl oral solution</i> | 4 | EDS |
| <i>methotrexate sodium (pf) injection solution 100 mg/4ml</i> | 2 | BD |
| <i>methotrexate sodium injection solution 50 mg/2ml</i> | 2 | BD |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>methoxsalen oral capsule</i> | 2 | |
| <i>methyclothiazide oral tablet</i> | 2 | EDS |
| <i>methylphenidate hcl er oral tablet extended release 18 mg, 27 mg, 36 mg, 54 mg</i> | 2 | EDS |
| <i>metipranolol ophthalmic solution</i> | 2 | EDS |
| <i>metoprolol tartrate oral tablet 37.5 mg, 75 mg</i> | 2 | EDS |
| <i>metoprolol-hctz er oral tablet extended release 24 hour</i> | 4 | EDS |
| M-M-R II SUBCUTANEOUS INJECTABLE | 3 | |
| MODERIBA 1200 DOSE PACK ORAL TABLET | 4 | |
| MODERIBA 800 DOSE PACK ORAL TABLET | 4 | |
| MODERIBA ORAL TABLET 200 MG | 4 | |
| <i>moexipril-hydrochlorothiazide oral tablet</i> | 2 | EDS |
| <i>mono-linyah oral tablet</i> | 2 | EDS |
| <i>mononessa oral tablet</i> | 2 | EDS |
| <i>morphine sulfate (pf) injection solution 10 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml</i> | 2 | |
| <i>morphine sulfate (pf) intravenous solution 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i> | 2 | |
| <i>morphine sulfate injection solution 5 mg/ml</i> | 2 | |
| <i>moxifloxacin hcl intravenous solution</i> | 2 | |
| <i>nadolol-bendroflumethiazide oral tablet 80-5 mg</i> | 2 | EDS |
| <i>naftifine hcl external gel</i> | 4 | |
| NATESTO NASAL GEL | 4 | PA; EDS |
| NAYZILAM NASAL SOLUTION | 4 | PA New Starts |
| <i>necon 1/35 (28) oral tablet</i> | 2 | EDS |
| <i>necon 7/7/7 oral tablet</i> | 2 | EDS |
| NEULASTA ONPRO SUBCUTANEOUS PREFILLED SYRINGE KIT | 5 | PA |
| <i>nifedical xl oral tablet extended release 24 hour 60 mg</i> | 2 | EDS |
| <i>nitisinone oral capsule</i> | 5 | PA |
| <i>norethindrone acet-ethinodiol oral tablet chewable</i> | 2 | EDS |
| NORVIR ORAL CAPSULE | 3 | EDS |
| NUPLAZID ORAL TABLET 17 MG | 5 | PA New Starts; LA |
| NUVESSA VAGINAL GEL | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|------------------------------|
| OCTAGAM INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 2.5 GM/50ML, 20 GM/200ML, 25 GM/500ML, 5 GM/100ML, 5 GM/50ML | 5 | PA |
| OMEGAVEN INTRAVENOUS EMULSION | 3 | BD |
| OMNIPOD DASH 5 PACK | 3 | QL (15 EA per 30 days) |
| OPANA ER ORAL TABLET ER 12 HOUR ABUSE-DETERRENT | 4 | |
| ORBACTIV INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA |
| <i>oxycodone-acetaminophen oral solution</i> | 2 | |
| PCE ORAL TABLET DELAYED RELEASE | 4 | |
| <i>penicillin g potassium injection solution reconstituted 5000000 unit</i> | 2 | |
| <i>pentamidine isethionate injection solution reconstituted</i> | 4 | |
| <i>periogard mouth/throat solution</i> | 2 | |
| PERTZYE ORAL CAPSULE DELAYED RELEASE PARTICLES 24000-86250 UNIT | 4 | EDS |
| <i>physiolyte irrigation solution</i> | 2 | |
| <i>physiosol irrigation irrigation solution</i> | 2 | |
| PRALUENT SUBCUTANEOUS SOLUTION PEN-INJECTOR | 5 | PA |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml</i> | 2 | |
| <i>prevalite oral powder</i> | 2 | EDS |
| PRIMSOL ORAL SOLUTION | 4 | |
| PRIVIGEN INTRAVENOUS SOLUTION 10 GM/100ML, 40 GM/400ML, 5 GM/50ML | 5 | PA |
| PROCYSB1 ORAL CAPSULE DELAYED RELEASE | 5 | PA; LA |
| <i>profeno oral tablet</i> | 2 | EDS |
| PROLIA SUBCUTANEOUS SOLUTION | 4 | PA |
| PROQUAD SUBCUTANEOUS INJECTABLE | 3 | |
| <i>quasense oral tablet</i> | 2 | EDS |
| QVAR INHALATION AEROSOL SOLUTION 40 MCG/ACT | 2 | QL (8.7 GM per 30 days); EDS |
| QVAR INHALATION AEROSOL SOLUTION 80 MCG/ACT | 2 | EDS |
| <i>rajani oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|--|
| REBETOL ORAL SOLUTION | 4 | |
| RENACIDIN IRRIGATION SOLUTION | 3 | |
| RESCRIPTOR ORAL TABLET 100 MG | 3 | EDS |
| RESCULA OPHTHALMIC SOLUTION | 4 | EDS |
| RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 % | 3 | EDS |
| REVCovi INTRAMUSCULAR SOLUTION | 5 | PA; LA |
| RIBASPHERE ORAL CAPSULE | 4 | |
| RIBASPHERE ORAL TABLET | 4 | |
| RIBASPHERE RIBAPAK ORAL TABLET 400 MG, 600 MG | 5 | |
| RIBASPHERE RIBAPAK ORAL TABLET THERAPY PACK | 5 | |
| <i>ribavirin inhalation solution reconstituted</i> | 5 | BD |
| <i>ringers intravenous solution</i> | 2 | |
| <i>ringers irrigation irrigation solution</i> | 2 | |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | BD |
| RYBELSUS ORAL TABLET 14 MG | 6 | ST; EDS |
| RYBELSUS ORAL TABLET 3 MG, 7 MG | 6 | ST; QL (30 EA per 30 days); EDS |
| SAIZEN CLICK.EASY INJECTION SOLUTION RECONSTITUTED | 4 | PA; EDS |
| SECONAL ORAL CAPSULE | 4 | PA New Starts; PA not required if under 65 years of age. |
| SFROWASA RECTAL ENEMA | 4 | |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG | 3 | |
| <i>sodium chloride injection solution 2.5 meq/ml</i> | 2 | |
| <i>sodium polystyrene sulfonate oral suspension</i> | 2 | |
| <i>sodium polystyrene sulfonate rectal suspension</i> | 2 | |
| <i>solia oral tablet</i> | 2 | EDS |
| <i>sotalol hcl (af) oral tablet 160 mg, 80 mg</i> | 2 | EDS |
| <i>sotalol hcl oral tablet 120 mg</i> | 2 | EDS |
| SOVALDI ORAL TABLET 200 MG | 5 | PA; QL (30 EA per 30 days) |
| SPRIX NASAL SOLUTION | 4 | PA; PA not required if under 65 years of age. |
| <i>sterile water for irrigation irrigation solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---|
| SUBSYS SUBLINGUAL LIQUID 1200 (600 X 2) MCG, 1600 (800 X 2) MCG | 5 | PA; Prior authorization not required for oncologists. |
| <i>sulfacetamide sodium external suspension</i> | 2 | |
| <i>sulfamethoxazole-trimethoprim intravenous solution</i> | 2 | |
| SYNERCID INTRAVENOUS SOLUTION RECONSTITUTED | 4 | |
| TANZEUM SUBCUTANEOUS PEN-INJECTOR | 4 | ST; EDS |
| TEMIXYS ORAL TABLET | 5 | |
| TETANUS-DIPHTHERIA TOXOIDS TD INTRAMUSCULAR SUSPENSION | 3 | |
| <i>theophylline er oral tablet extended release 12 hour 100 mg, 200 mg, 450 mg</i> | 2 | EDS |
| THYROLAR-1 ORAL TABLET | 4 | EDS |
| THYROLAR-1/2 ORAL TABLET | 4 | EDS |
| THYROLAR-1/4 ORAL TABLET | 4 | EDS |
| THYROLAR-2 ORAL TABLET | 4 | EDS |
| THYROLAR-3 ORAL TABLET | 4 | EDS |
| <i>tolazamide oral tablet</i> | 4 | EDS |
| <i>tramadol hcl er oral capsule extended release 24 hour 150 mg</i> | 2 | ST; QL (30 EA per 30 days) |
| <i>trihexyphenidyl hcl oral elixir</i> | 2 | PA; PA not required if under 65 years of age.; EDS |
| <i>trinessa (28) oral tablet</i> | 2 | EDS |
| TWINRIX INTRAMUSCULAR SUSPENSION 720-20 | 3 | |
| <i>valproate sodium oral solution</i> | 2 | EDS |
| <i>vancomycin hcl in dextrose intravenous solution 750-5 mg/150ml-%</i> | 2 | |
| <i>vancomycin hcl intravenous solution reconstituted 1000 mg, 5000 mg</i> | 2 | |
| VELTIN EXTERNAL GEL | 4 | |
| <i>vestura oral tablet</i> | 2 | EDS |
| V-GO 20 KIT | 3 | |
| V-GO 30 KIT | 3 | |
| V-GO 40 KIT | 3 | |
| VIDEX ORAL SOLUTION RECONSTITUTED 4 GM | 3 | EDS |
| <i>viorele oral tablet</i> | 2 | EDS |
| VISTOGARD ORAL PACKET | 5 | LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|--------------------------------|
| VYNDAMAX ORAL CAPSULE | 5 | PA; LA |
| WAKIX ORAL TABLET 17.8 MG | 5 | PA; LA |
| WAKIX ORAL TABLET 4.45 MG | 5 | PA; LA; QL (90 EA per 30 days) |
| XADAGO ORAL TABLET | 4 | PA |
| <i>zenchent oral tablet</i> | 2 | EDS |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000 UNIT, 15000-51000 UNIT, 25000 UNIT, 3000-10000 UNIT, 5000 UNIT | 3 | EDS |
| ZERIT ORAL SOLUTION RECONSTITUTED | 4 | EDS |
| ZMAX ORAL SUSPENSION RECONSTITUTED | 4 | |
| ZUBSOLV SUBLINGUAL TABLET SUBLINGUAL 0.7-0.18 MG | 3 | |
| ZURAMPIC ORAL TABLET | 4 | PA; EDS |
| Ophthalmic Agents | | |
| Ophthalmic Agents | | |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i> | 2 | |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment</i> | 2 | |
| BLEPHAMIDE OPHTHALMIC SUSPENSION | 3 | |
| BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT | 3 | |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i> | 2 | |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment</i> | 2 | |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | 2 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 2 | |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i> | 4 | |
| OXERVATE OPHTHALMIC SOLUTION | 5 | PA |
| <i>polymyxin b-trimethoprim ophthalmic solution</i> | 2 | |
| PRED-G OPHTHALMIC SUSPENSION | 4 | |
| PRED-G S.O.P. OPHTHALMIC OINTMENT | 4 | |
| <i>sulfacetamide sodium ophthalmic ointment</i> | 4 | |
| <i>sulfacetamide-prednisolone ophthalmic solution</i> | 2 | |
| TOBRADEX ST OPHTHALMIC SUSPENSION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| <i>tobramycin-dexamethasone ophthalmic suspension</i> | 2 | |
| Ophthalmic Agents, Other | | |
| <i>atropine sulfate ophthalmic solution</i> | 2 | EDS |
| CYSTARAN OPHTHALMIC SOLUTION | 5 | PA; LA |
| LACRISERT OPHTHALMIC INSERT | 3 | |
| <i>proparacaine hcl ophthalmic solution</i> | 2 | |
| RESTASIS OPHTHALMIC EMULSION | 3 | EDS |
| <i>sulfacetamide sodium ophthalmic ointment</i> | 4 | |
| Ophthalmic Anti-Allergy Agents | | |
| ALOCRIL OPHTHALMIC SOLUTION | 4 | |
| <i>azelastine hcl ophthalmic solution</i> | 2 | |
| BEPREVE OPHTHALMIC SOLUTION | 4 | |
| <i>cromolyn sodium ophthalmic solution</i> | 2 | |
| <i>epinastine hcl ophthalmic solution</i> | 2 | |
| LASTACAFT OPHTHALMIC SOLUTION | 4 | |
| <i>olopatadine hcl ophthalmic solution</i> | 2 | |
| Ophthalmic Antiglaucoma Agents | | |
| <i>acetazolamide oral tablet</i> | 2 | EDS |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 % | 3 | EDS |
| <i>apraclonidine hcl ophthalmic solution</i> | 2 | |
| AZOPT OPHTHALMIC SUSPENSION | 3 | EDS |
| <i>betaxolol hcl ophthalmic solution</i> | 2 | EDS |
| BETIMOL OPHTHALMIC SOLUTION 0.5 % | 3 | EDS |
| BETOPTIC-S OPHTHALMIC SUSPENSION | 4 | EDS |
| <i>bimatoprost ophthalmic solution</i> | 2 | EDS |
| <i>brimonidine tartrate ophthalmic solution</i> | 2 | EDS |
| <i>carteolol hcl ophthalmic solution</i> | 2 | EDS |
| COMBIGAN OPHTHALMIC SOLUTION | 3 | EDS |
| <i>dorzolamide hcl ophthalmic solution</i> | 2 | EDS |
| <i>dorzolamide hcl-timolol mal ophthalmic solution</i> | 2 | EDS |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution</i> | 4 | EDS |
| IOPIDINE OPHTHALMIC SOLUTION 1 % | 3 | |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i> | 1 | EDS |
| <i>methazolamide oral tablet</i> | 2 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---------------------|
| PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED | 3 | EDS |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i> | 2 | EDS |
| ROCKLATAN OPHTHALMIC SOLUTION | 4 | ST; EDS |
| SIMBRINZA OPHTHALMIC SUSPENSION | 3 | EDS |
| <i>timolol maleate ophthalmic gel forming solution</i> | 2 | EDS |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i> | 1 | EDS |
| <i>timolol maleate ophthalmic solution 0.5 % (daily)</i> | 2 | EDS |
| TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION | 4 | EDS |
| Ophthalmic Anti-Inflammatories | | |
| ACUVAIL OPHTHALMIC SOLUTION | 4 | |
| ALREX OPHTHALMIC SUSPENSION | 3 | |
| <i>bromfenac sodium (once-daily) ophthalmic solution</i> | 2 | |
| BROMSITE OPHTHALMIC SOLUTION | 4 | |
| <i>dexamethasone sodium phosphate ophthalmic solution</i> | 2 | |
| <i>diclofenac sodium ophthalmic solution</i> | 2 | |
| DUREZOL OPHTHALMIC EMULSION | 4 | |
| FLAREX OPHTHALMIC SUSPENSION | 3 | |
| <i>fluorometholone ophthalmic suspension</i> | 2 | |
| <i>flurbiprofen sodium ophthalmic solution</i> | 2 | |
| FML FORTE OPHTHALMIC SUSPENSION | 3 | |
| FML OPHTHALMIC OINTMENT | 3 | |
| ILEVRO OPHTHALMIC SUSPENSION | 3 | |
| INVELTYS OPHTHALMIC SUSPENSION | 4 | |
| <i>ketorolac tromethamine ophthalmic solution</i> | 2 | |
| LOTEMAX OPHTHALMIC GEL | 3 | |
| LOTEMAX OPHTHALMIC OINTMENT | 3 | |
| LOTEMAX SM OPHTHALMIC GEL | 3 | |
| <i>loteprednol etabonate ophthalmic suspension</i> | 2 | |
| NEVANAC OPHTHALMIC SUSPENSION | 3 | |
| PRED MILD OPHTHALMIC SUSPENSION | 3 | |
| <i>prednisolone acetate ophthalmic suspension</i> | 2 | |
| <i>prednisolone sodium phosphate ophthalmic solution</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|------|---|
| PROLENSA OPHTHALMIC SOLUTION | 4 | |
| XIIDRA OPHTHALMIC SOLUTION | 3 | EDS |
| Ophthalmic Prostaglandin And Prostamide Analogs | | |
| <i>bimatoprost ophthalmic solution</i> | 2 | EDS |
| <i>latanoprost ophthalmic solution</i> | 1 | EDS |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 % | 3 | EDS |
| RHOPRESSA OPHTHALMIC SOLUTION | 4 | EDS |
| TRAVATAN Z OPHTHALMIC SOLUTION | 3 | EDS |
| ZIOPTAN OPHTHALMIC SOLUTION | 4 | EDS |
| Otic Agents | | |
| Otic Agents | | |
| CIPRO HC OTIC SUSPENSION | 4 | |
| CIPRODEX OTIC SUSPENSION | 3 | |
| COLY-MYCIN S OTIC SUSPENSION | 4 | |
| <i>hydrocortisone-acetic acid otic solution</i> | 2 | |
| <i>neomycin-polymyxin-hc otic solution 1 %</i> | 2 | |
| <i>neomycin-polymyxin-hc otic suspension</i> | 2 | |
| OTOVEL OTIC SOLUTION | 4 | |
| Respiratory Tract/ Pulmonary Agents | | |
| Antihistamines | | |
| <i>azelastine hcl nasal solution 0.1 %, 0.15 %</i> | 2 | |
| <i>carbinoxamine maleate oral solution</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>carbinoxamine maleate oral tablet 4 mg</i> | 2 | PA; PA not required if under 65 years of age. |
| CLARINEX ORAL SYRUP | 4 | |
| CLARINEX-D 12 HOUR ORAL TABLET EXTENDED RELEASE 12 HOUR | 4 | |
| <i>clemastine fumarate oral tablet 2.68 mg</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>cyproheptadine hcl oral syrup</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>cyproheptadine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>desloratadine oral tablet</i> | 2 | |
| <i>desloratadine oral tablet dispersible 2.5 mg</i> | 2 | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| <i>desloratadine oral tablet dispersible 5 mg</i> | 2 | |
| <i>hydroxyzine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>hydroxyzine pamoate oral capsule</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>levocetirizine dihydrochloride oral solution</i> | 2 | |
| <i>levocetirizine dihydrochloride oral tablet</i> | 2 | |
| <i>olopatadine hcl nasal solution</i> | 2 | |
| <i>promethazine hcl oral syrup</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>promethazine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| SEMPREX-D ORAL CAPSULE | 4 | |
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ADVAIR HFA INHALATION AEROSOL | 3 | EDS |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT | 2 | QL (30 EA per 30 days); EDS |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 200 MCG/ACT, 50 MCG/ACT | 2 | EDS |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED | 2 | EDS |
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED | 2 | EDS |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED | 2 | EDS |
| ASMANEX HFA INHALATION AEROSOL | 2 | EDS |
| BECONASE AQ NASAL SUSPENSION | 4 | |
| <i>budesonide inhalation suspension</i> | 2 | BD; EDS |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/BLIST, 50 MCG/BLIST | 2 | QL (60 EA per 30 days); EDS |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 250 MCG/BLIST | 2 | EDS |
| FLOVENT HFA INHALATION AEROSOL 110 MCG/ACT | 2 | QL (12 GM per 30 days); EDS |
| FLOVENT HFA INHALATION AEROSOL 220 MCG/ACT | 2 | EDS |
| FLOVENT HFA INHALATION AEROSOL 44 MCG/ACT | 2 | QL (10.6 GM per 30 days); EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|-------------------------------|
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i> | 2 | QL (50 ML per 25 days) |
| <i>fluticasone propionate nasal suspension</i> | 2 | |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 2 | EDS |
| OMNARIS NASAL SUSPENSION | 4 | |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED | 2 | EDS |
| QNASL CHILDRENS NASAL AEROSOL SOLUTION | 4 | QL (4.9 GM per 30 days) |
| QNASL NASAL AEROSOL SOLUTION | 4 | |
| QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT | 2 | QL (10.6 GM per 30 days); EDS |
| QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED 80 MCG/ACT | 2 | EDS |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| ZETONNA NASAL AEROSOL SOLUTION | 4 | |
| Antileukotrienes | | |
| <i>montelukast sodium oral packet</i> | 2 | EDS |
| <i>montelukast sodium oral tablet</i> | 2 | EDS |
| <i>montelukast sodium oral tablet chewable</i> | 2 | EDS |
| <i>zafirlukast oral tablet</i> | 2 | EDS |
| <i>zileuton er oral tablet extended release 12 hour</i> | 4 | PA |
| ZYFLO ORAL TABLET | 5 | |
| Bronchodilators, Anticholinergic | | |
| ATROVENT HFA INHALATION AEROSOL SOLUTION | 3 | EDS |
| <i>ipratropium bromide inhalation solution</i> | 2 | BD; EDS |
| <i>ipratropium bromide nasal solution</i> | 2 | EDS |
| SEEBRI NEOHALER INHALATION CAPSULE | 4 | EDS |
| SPIRIVA HANDIHALER INHALATION CAPSULE | 3 | EDS |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION | 3 | EDS |
| TUDORZA PRESSAIR INHALATION AEROSOL POWDER BREATH ACTIVATED 400 MCG/ACT | 4 | EDS |
| YUPELRI INHALATION SOLUTION | 5 | BD |
| Bronchodilators, Sympathomimetic | | |
| ADVAIR HFA INHALATION AEROSOL | 3 | EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|----------------------------|
| <i>albuterol sulfate er oral tablet extended release 12 hour</i> | 2 | EDS |
| <i>albuterol sulfate inhalation nebulization solution</i> | 2 | BD; EDS |
| <i>albuterol sulfate oral syrup</i> | 2 | EDS |
| <i>albuterol sulfate oral tablet</i> | 2 | EDS |
| ARCAPTA NEOHALER INHALATION CAPSULE | 3 | EDS |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| BROVANA INHALATION NEBULIZATION SOLUTION | 4 | BD; EDS |
| DULERA INHALATION AEROSOL | 4 | EDS |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i> | 2 | |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated</i> | 2 | EDS |
| <i>levalbuterol hcl inhalation nebulization solution</i> | 3 | BD; EDS |
| <i>levalbuterol tartrate inhalation aerosol</i> | 3 | EDS |
| <i>metaproterenol sulfate oral syrup</i> | 2 | EDS |
| PERFOROMIST INHALATION NEBULIZATION SOLUTION | 5 | BD |
| PROAIR HFA INHALATION AEROSOL SOLUTION | 3 | EDS |
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| STRIVERDI RESPIMAT INHALATION AEROSOL SOLUTION | 3 | EDS |
| SYMJEPI INJECTION SOLUTION PREFILLED SYRINGE | 3 | |
| <i>terbutaline sulfate oral tablet</i> | 2 | EDS |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| VENTOLIN HFA INHALATION AEROSOL SOLUTION | 3 | EDS |
| <i>wixela inhuh inhalation aerosol powder breath activated</i> | 2 | EDS |
| Cystic Fibrosis Agents | | |
| CAYSTON INHALATION SOLUTION RECONSTITUTED | 5 | LA |
| KALYDECO ORAL PACKET | 5 | PA New Starts; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|-------------|---|
| KALYDECO ORAL TABLET | 5 | PA New Starts; LA |
| ORKAMBI ORAL PACKET | 5 | PA New Starts; LA |
| ORKAMBI ORAL TABLET | 5 | PA New Starts; LA |
| PULMOZYME INHALATION SOLUTION | 5 | BD |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG | 5 | PA |
| SYMDEKO ORAL TABLET THERAPY PACK 50-75 & 75 MG | 5 | PA; LA |
| TOBI PODHALER INHALATION CAPSULE | 5 | PA New Starts |
| Mast Cell Stabilizers | | |
| <i>cromolyn sodium inhalation nebulization solution</i> | 2 | BD; EDS |
| <i>cromolyn sodium oral concentrate</i> | 2 | EDS |
| Phosphodiesterase Inhibitors, Airways Disease | | |
| DALIRESP ORAL TABLET 250 MCG | 4 | QL (28 EA per 365 days) |
| DALIRESP ORAL TABLET 500 MCG | 4 | EDS |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR | 4 | EDS |
| <i>theophylline er oral tablet extended release 12 hour 300 mg</i> | 2 | EDS |
| <i>theophylline er oral tablet extended release 24 hour</i> | 2 | EDS |
| <i>theophylline oral solution</i> | 2 | EDS |
| Pulmonary Antihypertensives | | |
| ADEMPAS ORAL TABLET | 5 | PA New Starts; LA |
| <i>alyq oral tablet</i> | 2 | PA New Starts; EDS |
| <i>ambrisentan oral tablet</i> | 5 | PA New Starts |
| <i>bosentan oral tablet</i> | 5 | PA New Starts |
| OPSUMIT ORAL TABLET | 5 | PA New Starts; LA |
| ORENITRAM ORAL TABLET EXTENDED RELEASE | 4 | PA New Starts; LA; EDS |
| <i>sildenafil citrate oral suspension reconstituted</i> | 5 | PA New Starts |
| <i>sildenafil citrate oral tablet 20 mg</i> | 2 | PA New Starts; Covered for pulmonary arterial hypertension only.; EDS |
| <i>tadalafil 20 mg oral tablet (pah)</i> | 2 | PA New Starts; EDS |
| TRACLEER ORAL TABLET SOLUBLE | 5 | PA New Starts; LA |
| VENTAVIS INHALATION SOLUTION | 4 | PA New Starts; LA; EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|--|------|---------------------|
| Pulmonary Fibrosis Agents | | |
| ESBRIET ORAL CAPSULE | 5 | PA |
| ESBRIET ORAL TABLET | 5 | PA |
| OFEV ORAL CAPSULE | 5 | PA; LA |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine inhalation solution</i> | 2 | BD |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG | 5 | PA New Starts; LA |
| GLASSIA INTRAVENOUS SOLUTION | 5 | PA New Starts; LA |
| ORALAIR SUBLINGUAL TABLET SUBLINGUAL | 4 | PA; LA; EDS |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA New Starts; LA |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION | 3 | EDS |
| UTIBRON NEOHALER INHALATION CAPSULE | 4 | EDS |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED | 5 | PA New Starts; LA |
| Respiratory Tract/ Pulmonary Agents | | |
| ADVAIR HFA INHALATION AEROSOL | 3 | EDS |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION | 3 | EDS |
| DYMISTA NASAL SUSPENSION | 4 | |
| ESBRIET ORAL CAPSULE | 5 | PA |
| ESBRIET ORAL TABLET | 5 | PA |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 2 | EDS |
| <i>ipratropium-albuterol inhalation solution</i> | 2 | BD; EDS |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 5 | PA; LA |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA; LA |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA; LA |
| OFEV ORAL CAPSULE | 5 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|---|-------------|---|
| PULMOZYME INHALATION SOLUTION | 5 | BD |
| SYMBICORT INHALATION AEROSOL | 3 | EDS |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED | 3 | EDS |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 5 | PA |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED | 5 | PA |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>carisoprodol oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>chlorzoxazone oral tablet 500 mg</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>cyclobenzaprine hcl oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>metaxalone oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>methocarbamol oral tablet</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>orphenadrine citrate er oral tablet extended release 12 hour</i> | 2 | PA; PA not required if under 65 years of age. |
| <i>tizanidine hcl oral capsule</i> | 2 | EDS |
| <i>tizanidine hcl oral tablet</i> | 2 | EDS |
| Sleep Disorder Agents | | |
| Gaba Receptor Modulators | | |
| <i>temazepam oral capsule</i> | 2 | QL (7 EA per 30 days) |
| <i>zolpidem tartrate oral tablet</i> | 2 | PA New Starts; PA not required if under 65 years of age. |
| Sleep Disorders, Other | | |
| <i>armodafinil oral tablet</i> | 2 | PA; EDS |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 5 MG | 3 | QL (30 EA per 30 days) |
| BELSOMRA ORAL TABLET 20 MG | 3 | |
| <i>doxepin hcl oral capsule 10 mg, 100 mg, 25 mg, 50 mg, 75 mg</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| <i>doxepin hcl oral concentrate</i> | 2 | PA New Starts; PA not required if under 65 years of age.; EDS |
| HETLIOZ ORAL CAPSULE | 5 | PA; LA |
| <i>modafinil oral tablet</i> | 2 | PA; EDS |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

| Drug Name | Tier | Requirements/Limits |
|------------------------------|-------------|--|
| <i>ramelteon oral tablet</i> | 2 | |
| SUNOSI ORAL TABLET 150 MG | 4 | PA |
| SUNOSI ORAL TABLET 75 MG | 4 | PA; QL (45 EA per 30 days) |
| XYREM ORAL SOLUTION | 5 | PA; LA; Prior authorization not required for neurologists or pulmonologists. |

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

INDEX

| | | | | | |
|---------------------------------------|---------------|---------------------------------------|--------|---------------------------------------|---------|
| <i>abacavir sulfate</i> | 41 | <i>alcohol wipes</i> | 92 | <i>amoxapine</i> | 21 |
| <i>abacavir sulfate-lamivudine</i> | 41 | <i>ALDACTAZIDE</i> | 54 | <i>amoxicill-clarithro-lansopraz</i> | 68 |
| <i>abacavir-lamivudine-zidovudine</i> | 41 | <i>ALECENSA</i> | 32 | <i>amoxicillin</i> | 12, 13 |
| <i>ABELCET</i> | 23 | <i>alendronate sodium</i> | 91 | <i>amoxicillin-pot clavulanate</i> | 13 |
| <i>ABILIFY MAINTENA</i> | 19, 37 | <i>alfuzosin hcl er</i> | 72 | <i>amoxicillin-pot clavulanate er</i> | 13 |
| <i>ABILIFY MYCITE</i> | 19, 20, 37 | <i>ALINIA</i> | 34 | <i>amphetamine-dextroamphet er</i> | 58 |
| <i>abiraterone acetate</i> | 29 | <i>aliskiren fumarate</i> | 55 | <i>amphetamine-</i> | |
| <i>ABSORICA</i> | 61 | <i>allopurinol</i> | 25 | <i>dextroamphetamine</i> | 58 |
| <i>ABSTRAL</i> | 5, 6 | <i>almotriptan malate</i> | 28 | <i>amphotericin b</i> | 23, 92 |
| <i>acamprosate calcium</i> | 8 | <i>ALOCRIL</i> | 103 | <i>ampicillin</i> | 13 |
| <i>acarbose</i> | 46 | <i>alosetron hcl</i> | 69 | <i>ampicillin sodium</i> | 13 |
| <i>acebutolol hcl</i> | 52 | <i>ALPHAGAN P</i> | 103 | <i>ampicillin-sulbactam sodium</i> | 13, 92 |
| <i>acetaminophen-codeine</i> | 3 | <i>alprazolam</i> | 43, 44 | <i>ANADROL-50</i> | 76 |
| <i>acetaminophen-codeine #3</i> | 3 | <i>alprazolam er</i> | 43 | <i>anagrelide hcl</i> | 49 |
| <i>acetasol hc</i> | 91 | <i>ALREX</i> | 104 | <i>anastrozole</i> | 31 |
| <i>acetazolamide</i> | 55, 103 | <i>ALTABAX</i> | 92 | <i>ANDRODERM</i> | 76 |
| <i>acetazolamide er</i> | 55 | <i>altavera</i> | 78 | <i>ANGELIQ</i> | 78 |
| <i>acetic acid</i> | 9 | <i>ALUNBRIG</i> | 32 | <i>ANNOVERA</i> | 92 |
| <i>acetylcysteine</i> | 110 | <i>alyacen 1/35</i> | 78 | <i>ANORO ELLIPTA</i> | 110 |
| <i>acitretin</i> | 61 | <i>alyq</i> | 109 | <i>ANZEMET</i> | 92 |
| <i>ACTEMRA</i> | 85 | <i>amabelz</i> | 78 | <i>APEXICON E</i> | 61 |
| <i>ACTEMRA ACTPEN</i> | 85 | <i>amantadine hcl</i> | 35, 43 | <i>APOKYN</i> | 35 |
| <i>ACTHAR</i> | 73 | <i>AMBISOME</i> | 23 | <i>apraclonidine hcl</i> | 103 |
| <i>ACTHIB</i> | 88 | <i>ambrisentan</i> | 109 | <i>aprepitant</i> | 23 |
| <i>ACTIMMUNE</i> | 88 | <i>amcinonide</i> | 73 | <i>apri</i> | 78 |
| <i>ACUVAIL</i> | 104 | <i>amethia</i> | 78 | <i>APRISO</i> | 90 |
| <i>acyclovir</i> | 40 | <i>amethia lo</i> | 78 | <i>APTENSIO XR</i> | 58 |
| <i>acyclovir sodium</i> | 40 | <i>amikacin sulfate</i> | 9 | <i>APTIOM</i> | 18 |
| <i>ACZONE</i> | 92 | <i>amiloride hcl</i> | 56 | <i>APTIVUS</i> | 42 |
| <i>ADACEL</i> | 88 | <i>amiloride-hydrochlorothiazide</i> | 54 | <i>ARALAST NP</i> | 92, 110 |
| <i>ADAGEN</i> | 92 | <i>AMINOSYN</i> | 92 | <i>aranelle</i> | 78 |
| <i>adapalene</i> | 61 | <i>AMINOSYN II</i> | 66, 92 | <i>ARANESP (ALBUMIN FREE)</i> | 49 |
| <i>adapalene-benzoyl peroxide</i> | 61 | <i>AMINOSYN II/ELECTROLYTES</i> | 92 | <i>ARCALYST</i> | 88 |
| <i>adefovir dipivoxil</i> | 39 | <i>AMINOSYN M</i> | 92 | <i>ARCAPTA NEOHALER</i> | 108 |
| <i>ADEMPAS</i> | 109 | <i>AMINOSYN/ELECTROLYTES</i> | 92 | <i>ARIKAYCE</i> | 9 |
| <i>ADVAIR HFA</i> | 106, 107, 110 | <i>AMINOSYN-HBC</i> | 92 | <i>aripiprazole</i> | 20, 37 |
| <i>afeditab cr</i> | 92 | <i>AMINOSYN-PF</i> | 66 | <i>ARISTADA</i> | 37 |
| <i>AFINITOR</i> | 32, 85 | <i>AMINOSYN-RF</i> | 92 | <i>ARISTADA INITIO</i> | 37 |
| <i>AFINITOR DISPERZ</i> | 85 | <i>amiodarone hcl</i> | 52 | <i>armodafinil</i> | 111 |
| <i>AIMOVIG</i> | 27 | <i>AMITIZA</i> | 69 | <i>ARMONAIR RESPICLICK</i> | 113, 92 |
| <i>AIMOVIG (140 MG DOSE)</i> | 92 | <i>amitriptyline hcl</i> | 21 | <i>ARMONAIR RESPICLICK</i> | 232, 92 |
| <i>AJOVY</i> | 27 | <i>amlodipine besy-benazepril hcl</i> | 54 | <i>ARMONAIR RESPICLICK</i> | 55, 92 |
| <i>AKYNZEO</i> | 92 | <i>amlodipine besylate</i> | 53 | <i>ARNUITY ELLIPTA</i> | 106 |
| <i>ala-cort</i> | 73 | <i>amlodipine besylate-valsartan</i> | 54 | <i>ascomp-codeine</i> | 3 |
| <i>albendazole</i> | 34 | <i>amlodipine-olmesartan</i> | 54 | <i>ashlyna</i> | 78 |
| <i>albuterol sulfate</i> | 108 | <i>amlodipine-valsartan-hctz</i> | 54 | <i>ASMANEX (120 METERED</i> | |
| <i>albuterol sulfate er</i> | 108 | <i>ammonium lactate</i> | 61 | <i>DOSES)</i> | 106 |
| <i>alclometasone dipropionate</i> | 73 | <i>amnesteem</i> | 61 | | |

| | | | | | |
|----------------------------------|----------|-----------------------------------|------------|-----------------------------------|-----------------|
| ASMANEX (30 METERED DOSES)..... | 106 | BANZEL..... | 18 | briellyn | 78 |
| ASMANEX (60 METERED DOSES)..... | 106 | BAQSIMI ONE PACK..... | 92 | BRILINTA..... | 50 |
| ASMANEX HFA..... | 106 | BAQSIMI TWO PACK..... | 47 | brimonidine tartrate | 103 |
| aspirin-dipyridamole er..... | 50 | BARACLUDE..... | 39 | BRIVIACT..... | 16 |
| ASSURE ID INSULIN SAFETY SYR. | 47 | BCG VACCINE..... | 88 | bromfenac sodium (once-daily) | 104 |
| ASTAGRAF XL..... | 85 | BECONASE AQ..... | 106 | bromocriptine mesylate | 36, 84 |
| atazanavir sulfate..... | 42 | bekyree | 93 | BROMSITE..... | 104 |
| atenolol..... | 52 | BELSOMRA..... | 111 | BROVANA..... | 108 |
| atenolol-chlorthalidone | 54 | benazepril hcl..... | 51 | BRYHALI..... | 62 |
| atomoxetine hcl..... | 58 | benazepril-hydrochlorothiazide .. | 54 | budesonide | 69, 79, 90, 106 |
| atorvastatin calcium..... | 56 | BENLYSTA..... | 85 | budesonide er..... | 69, 79, 90 |
| atovaquone..... | 34 | benznidazole | 34 | bumetanide | 55 |
| atovaquone-proguanil hcl..... | 34 | benztropine mesylate | 35 | buprenorphine | 5, 8 |
| ATRIPLA..... | 41 | BEPREVE..... | 103 | buprenorphine hcl | 5, 8 |
| atropine sulfate..... | 103 | BERINERT..... | 85 | buprenorphine hcl-naloxone hcl .. | 8 |
| ATROVENT HFA..... | 107 | betamethasone dipropionate | 25, 62, 73 | bupropion hcl | 20 |
| AUBAGIO..... | 59 | betamethasone dipropionate | 25, 73 | bupropion hcl er (smoking det) .. | 8 |
| aubra..... | 78 | betamethasone valerate | 25, 26, 73 | bupropion hcl er (sr) | 20 |
| AUGMENTIN..... | 13 | betaxolol hcl..... | 52, 103 | buspirone hcl | 43 |
| AURYXIA..... | 72 | bethanechol chloride | 72 | butalbital-acetaminophen | 3 |
| AUSTEDO..... | 59 | BETHKIS..... | 9 | butalbital-apap-caff-cod | 3 |
| AVC VAGINAL..... | 15 | BETIMOL..... | 103 | butalbital-apap-caffeine | 3 |
| aviane..... | 78 | BETOPTIC-S..... | 103 | butalbital-asa-caff-codeine | 3 |
| avita..... | 34, 61 | BEVYXXA..... | 49 | butorphanol tartrate | 6 |
| AVONEX..... | 92 | bexarotene | 34 | BUTTRANS..... | 5, 8 |
| AVONEX PEN..... | 59 | BEXSERO..... | 88 | BYDUREON..... | 46, 93 |
| AVONEX PREFILLED..... | 59 | bicalutamide | 29 | BYDUREON BCISE | 46 |
| AZASAN..... | 85 | BICILLIN C-R..... | 13 | BYETTA 10 MCG PEN | 46 |
| AZASITE..... | 14 | BICILLIN C-R 900/300..... | 13 | BYETTA 5 MCG PEN | 46 |
| azathioprine..... | 85 | BICILLIN L-A..... | 13 | BYSTOLIC..... | 52 |
| azelaic acid..... | 61 | BIDIL..... | 57 | BYVALSON | 93 |
| azelastine hcl..... | 103, 105 | BIKTARVY | 40 | cabergoline | 84 |
| AZELEX..... | 61 | bimatoprost | 103, 105 | CABLIVI..... | 49 |
| azithromycin..... | 14 | BINOSTO..... | 91 | CABOMETYX | 32 |
| AZOPT..... | 103 | bisoprolol fumarate | 52 | calcipotriene | 62 |
| aztreonam..... | 12 | bisoprolol-hydrochlorothiazide .. | 54 | calcipotriene-betameth diprop .. | 62 |
| azurette..... | 92 | BIVIGAM | 93 | calcitonin (salmon) | 91 |
| bacitracin..... | 9 | BLEPHAMIDE..... | 26, 102 | calcitriol | 62, 91 |
| bacitracin-polymyxin b | 102 | BLEPHAMIDE S.O.P..... | 26, 102 | calcium acetate (phos binder).... | 72 |
| bacitra-neomycin-polymyxin-hc102 | | blisovi 24 fe | 78 | CALQUENCE | 32 |
| baclofen..... | 39 | blisovi fe 1.5/30 | 78 | CAMBIA | 4 |
| BACTOCILL IN DEXTROSE..... | 92 | blisovi fe 1/20 | 93 | camila | 83 |
| BACTROBAN NASAL..... | 92 | BOOSTRIX..... | 88 | camrese | 93 |
| BALCOLTRA..... | 78 | bosentan | 109 | camrese lo | 79 |
| balsalazide disodium | 90 | BOSULIF..... | 32 | candesartan cilexetil | 51 |
| BALVERSA..... | 32 | BRAFTOVI..... | 32, 93 | CAPEX | 73 |
| balziva..... | 78 | BREO ELLIPTA..... | 108 | CAPRELSA | 32 |

| | | | | | |
|--------------------------------------|---------|--|--------|--|------------|
| <i>captopril</i> | 51 | <i>cevimeline hcl</i> | 61 | <i>clindamycin phosphate</i> | 9, 10 |
| <i>captopril-hydrochlorothiazide</i> | 54 | <i>CHANTIX</i> | 8 | <i>clindamycin phosphate in d5w...</i> | 10 |
| <i>CARAC</i> | 62 | <i>CHANTIX CONTINUING MONTH</i> | | <i>CLINIMIX E/DEXTROSE</i> | |
| <i>CARAFATE</i> | 70 | <i>PAK</i> | 8 | (2.75/10) | 93 |
| <i>CARBAGLU</i> | 64 | <i>CHANTIX STARTING MONTH</i> | | <i>CLINIMIX E/DEXTROSE (2.75/5)..</i> | 66 |
| <i>carbamazepine</i> | 18, 45 | <i>PAK</i> | 8 | <i>CLINIMIX E/DEXTROSE</i> | |
| <i>carbamazepine er</i> | 18, 45 | <i>CHEMET</i> | 65 | (4.25/10) | 66 |
| <i>carbidopa</i> | 35, 36 | <i>CHENODAL</i> | 68 | <i>CLINIMIX E/DEXTROSE</i> | |
| <i>carbidopa-levodopa</i> | 36 | <i>chlordiazepoxide-amitriptyline</i> | | (4.25/25) | 93 |
| <i>carbidopa-levodopa er</i> | 36 | | 19, 20 | <i>CLINIMIX E/DEXTROSE (4.25/5)..</i> | 66 |
| <i>carbidopa-levodopa-entacapone</i> | 35 | <i>chlorhexidine gluconate</i> | 61 | <i>CLINIMIX E/DEXTROSE (5/15)....</i> | 66 |
| <i>carbinoxamine maleate</i> | 105 | <i>chloroquine phosphate</i> | 34 | <i>CLINIMIX E/DEXTROSE (5/20)....</i> | 66 |
| <i>CARDIZEM LA</i> | 53 | <i>chlorothiazide</i> | 56 | <i>CLINIMIX E/DEXTROSE (5/25)....</i> | 93 |
| <i>CARDURA XL</i> | 51, 72 | <i>chlorpromazine hcl</i> | 22, 36 | <i>CLINIMIX/DEXTROSE (2.75/5)....</i> | 93 |
| <i>CARIMUNE NF</i> | 93 | <i>chlorthalidone</i> | 56 | <i>CLINIMIX/DEXTROSE (4.25/10)....</i> | 66 |
| <i>carisoprodol</i> | 111 | <i>chlorzoxazone</i> | 111 | <i>CLINIMIX/DEXTROSE (4.25/20)....</i> | 94 |
| <i>carteolol hcl</i> | 103 | <i>CHOLBAM</i> | 68 | <i>CLINIMIX/DEXTROSE (4.25/25)....</i> | 66 |
| <i>cartia xt</i> | 53 | <i>cholestyramine</i> | 56, 93 | <i>CLINIMIX/DEXTROSE (4.25/5)....</i> | 66 |
| <i>carvedilol</i> | 52 | <i>cholestyramine light</i> | 56, 93 | <i>CLINIMIX/DEXTROSE (5/15)....</i> | 66 |
| <i>carvedilol phosphate er</i> | 52 | <i>ciclopirox</i> | 23 | <i>CLINIMIX/DEXTROSE (5/20)....</i> | 66 |
| <i>caspofungin acetate</i> | 23 | <i>ciclopirox olamine</i> | 24 | <i>CLINIMIX/DEXTROSE (5/25)....</i> | 66 |
| <i>CAYSTON</i> | 12, 108 | <i>cilostazol</i> | 50 | <i>CLINISOL SF</i> | 66 |
| <i>caziant</i> | 79 | <i>CIMDUO</i> | 41 | <i>clobazam</i> | 16 |
| <i>cefaclor</i> | 11 | <i>cimetidine</i> | 69 | <i>clobetasol prop emollient base</i> | 73 |
| <i>cefaclor er</i> | 11 | <i>cimetidine hcl</i> | 69 | <i>clobetasol propionate</i> | 62, 73 |
| <i>cefadroxil</i> | 11 | <i>CIMZIA</i> | 86 | <i>clobetasol propionate e</i> | 94 |
| <i>cefazolin sodium</i> | 11 | <i>CIMZIA PREFILLED</i> | 85 | <i>clo cortolone pivalate</i> | 62 |
| <i>cefdinir</i> | 11 | <i>CIMZIA STARTER KIT</i> | 93 | <i>clodan</i> | 73 |
| <i>cefditoren pivoxil</i> | 93 | <i>cinacalcet hcl</i> | 91 | <i>clomipramine hcl</i> | 22 |
| <i>cefepime hcl</i> | 11 | <i>CINRYZE</i> | 85 | <i>clonazepam</i> | 16, 44 |
| <i>cefepime-dextrose</i> | 93 | <i>CIPRO HC</i> | 105 | <i>clonidine</i> | 51 |
| <i>cefixime</i> | 11 | <i>CIPRODEX</i> | 105 | <i>clonidine hcl</i> | 50, 94 |
| <i>cefotaxime sodium</i> | 11, 93 | <i>ciprofloxacin</i> | 14, 93 | <i>clonidine hcl er</i> | 58 |
| <i>cefotetan disodium</i> | 11, 93 | <i>ciprofloxacin hcl</i> | 14 | <i>clopidogrel bisulfate</i> | 50, 94 |
| <i>cefoxitin sodium</i> | 11 | <i>ciprofloxacin in d5w</i> | 14 | <i>clorazepate dipotassium</i> | 16, 44 |
| <i>cefoxitin sodium-dextrose</i> | 93 | <i>ciprofloxacin-ciproflox hcl er</i> | 93 | <i>clotrimazole</i> | 24 |
| <i>cefpodoxime proxetil</i> | 11 | <i>citalopram hydrobromide</i> | 20 | <i>clotrimazole-betamethasone</i> | 62 |
| <i>cefprozil</i> | 12 | <i>claravis</i> | 62 | <i>clozapine</i> | 39 |
| <i>ceftazidime</i> | 12 | <i>CLARINEX</i> | 105 | <i>COARTEM</i> | 34 |
| <i>ceftazidime and dextrose</i> | 93 | <i>CLARINEX-D 12 HOUR</i> | 105 | <i>codeine sulfate</i> | 6, 94 |
| <i>ceftriaxone sodium</i> | 12, 93 | <i>clarithromycin</i> | 14 | <i>colchicine</i> | 25 |
| <i>cefuroxime axetil</i> | 12 | <i>clarithromycin er</i> | 14 | <i>colchicine-probenecid</i> | 25 |
| <i>cefuroxime sodium</i> | 12, 93 | <i>clemastine fumarate</i> | 105 | <i>colesevelam hcl</i> | 46, 56 |
| <i>celecoxib</i> | 4, 26 | <i>CLENPIQ</i> | 69 | <i>colestipol hcl</i> | 56, 57, 94 |
| <i>CELONTIN</i> | 16 | <i>CLEOCIN</i> | 9 | <i>colistimethate sodium (cba)...</i> | 9, 10 |
| <i>cephalexin</i> | 12 | <i>CLIMARA PRO</i> | 79 | <i>colocort</i> | 90 |
| <i>CERDELGA</i> | 70 | <i>clindamycin hcl</i> | 9 | <i>COLY-MYCIN S</i> | 105 |
| <i>CESAMET</i> | 23 | <i>clindamycin palmitate hcl</i> | 9 | <i>COMBIGAN</i> | 103 |
| | | <i>clindamycin phos-benzoyl perox.</i> | 62 | <i>COMBIPATCH</i> | 79 |

| | | | | | |
|------------------------------------|------------|--|----------------|--|-----------------|
| COMBIVENT RESPIMAT | 110 | <i>danazol</i> | 76 | <i>diclofenac epolamine</i> | 4 |
| COMETRIQ (100 MG DAILY | | <i>dantrolene sodium</i> | 39 | <i>diclofenac potassium</i> | 4, 26 |
| DOSE) | 32 | <i>dapsone</i> | 29, 62 | <i>diclofenac sodium</i> | 4, 26, 62, 104 |
| COMETRIQ (140 MG DAILY | | <i>DAPTACEL</i> | 88 | <i>diclofenac sodium er</i> | 4, 26 |
| DOSE) | 32 | <i>daptomycin</i> | 9, 10 | <i>dicloxacillin sodium</i> | 13 |
| COMETRIQ (60 MG DAILY | | <i>DARAPRIM</i> | 34 | <i>dicyclomine hcl</i> | 67, 68 |
| DOSE) | 32 | <i>darifenacin hydrobromide er</i> | 71 | <i>didanosine</i> | 41 |
| COMFORT ASSIST INSULIN | | <i>DAURISMO</i> | 32 | <i>DIFCID</i> | 14 |
| SYRINGE | 47 | <i>daysee</i> | 94 | <i>diflorasone diacetate</i> | 74 |
| COMPLERA | 41 | <i>DAYTRANA</i> | 58 | <i>diflunisal</i> | 4, 27 |
| <i>compro</i> | 22 | <i>deblitane</i> | 79 | <i>digitek</i> | 55 |
| CONDYLOX | 62 | <i>deferasirox</i> | 65 | <i>digox</i> | 55 |
| <i>constulose</i> | 69 | <i>DELESTROGEN</i> | 77 | <i>digoxin</i> | 55 |
| COPAXONE | 59 | <i>DELSTRIGO</i> | 41 | <i>dihydroergotamine mesylate</i> | 27 |
| COPIKTRA | 31 | <i>delyla</i> | 79 | <i>DILANTIN</i> | 18 |
| CORDRAN | 73 | <i>demeocycline hcl</i> | 15 | <i>diltiazem hcl</i> | 53 |
| CORLANOR | 55 | <i>DEMSER</i> | 54 | <i>diltiazem hcl er</i> | 53 |
| <i>cortisone acetate</i> | 26, 73, 90 | <i>DEPEN TITRATABS</i> | 65, 72, 86 | <i>diltiazem hcl er beads</i> | 53, 94 |
| CORTISPORIN | 62 | <i>DEPO-ESTRADOL</i> | 77 | <i>diltiazem hcl er coated beads</i> | 53, 94 |
| COSENTYX | 94 | <i>DEPO-PROVERA</i> | 83 | <i>dilt-xr</i> | 53 |
| COSENTYX (300 MG DOSE) | 62 | <i>DEPO-SUBQ PROVERA 104</i> | 83 | <i>DIPENTUM</i> | 90 |
| COSENTYX SENSOREADY (300 | | <i>DESCOVY</i> | 41 | <i>diphenhydramine hcl</i> | 94 |
| MG) | 62 | <i>desipramine hcl</i> | 22 | <i>diphenoxylate-atropine</i> | 68 |
| COSENTYX SENSOREADY PEN | 94 | <i>desloratadine</i> | 105, 106 | <i>DIPHThERIA-TETANUS TOXOIDS</i> | |
| COTELLIC | 32 | <i>desmopressin ace spray refrig</i> | 75 | <i>DT</i> | 88 |
| COUMADIN | 49 | <i>desmopressin acetate</i> | 75 | <i>dipyridamole</i> | 50 |
| CREON | 70 | <i>desmopressin acetate spray</i> | 94 | <i>disopyramide phosphate</i> | 52 |
| CRESEMBA | 24 | <i>desogestrel-ethinyl estradiol</i> | 79 | <i>disulfiram</i> | 8 |
| CRINONE | 83 | <i>desonide</i> | 73 | <i>DIURIL</i> | 56 |
| CRIXIVAN | 42 | <i>desoximetasone</i> | 73, 74 | <i>divalproex sodium</i> | 17, 28, 45 |
| <i>cromolyn sodium</i> | 103, 109 | <i>desvenlafaxine er</i> | 20 | <i>divalproex sodium er</i> | 17, 27, 45 |
| <i>cryselle-28</i> | 79 | <i>desvenlafaxine succinate er</i> | 21 | <i>DIVIGEL</i> | 77, 94 |
| CUVITRU | 94 | <i>dexamethasone</i> | 26, 74, 90, 94 | <i>dofetilide</i> | 52 |
| CUVPOSA | 61 | <i>DEXAMETHASONE INTENSOL</i> | | <i>donepezil hcl</i> | 19 |
| <i>cyclafem 1/35</i> | 79 | 26, 74, 90 | | <i>DOPTELET</i> | 49 |
| <i>cyclafem 7/7/7</i> | 79 | <i>dexamethasone sodium</i> | | <i>doripenem</i> | 94 |
| <i>cyclobenzaprine hcl</i> | 111 | <i>phosphate</i> | 104 | <i>dorzolamide hcl</i> | 103 |
| <i>cyclophosphamide</i> | 29 | <i>dexmethylphenidate hcl</i> | 58 | <i>dorzolamide hcl-timolol mal</i> | 103 |
| CYCLOSET | 46 | <i>dexmethylphenidate hcl er</i> | 58 | <i>dorzolamide hcl-timolol mal pf</i> | |
| <i>cyclosporine</i> | 86 | <i>dextroamphetamine sulfate</i> | 58 | 95, 103 | |
| <i>cyclosporine modified</i> | 86 | <i>dextroamphetamine sulfate er</i> | 58 | <i>DOVATO</i> | 41 |
| <i>cyproheptadine hcl</i> | 105 | <i>dextrose</i> | 66 | <i>doxazosin mesylate</i> | 51, 72 |
| <i>cyred</i> | 94 | <i>dextrose in lactated ringers</i> | 94 | <i>doxepin hcl</i> | 22, 43, 62, 111 |
| <i>cyred eq</i> | 79 | <i>dextrose-nacl</i> | 66 | <i>doxercalciferol</i> | 67, 91 |
| CYSTADANE | 70 | <i>DIACOMIT</i> | 94 | <i>DOXY 100</i> | 15 |
| CYSTAGON | 70 | <i>DIASTAT ACUDIAL</i> | 16, 44 | <i>doxycycline hyclate</i> ... | 15, 61, 62, 95 |
| CYSTARAN | 103 | <i>DIASTAT PEDIATRIC</i> | 16, 44 | <i>doxycycline monohydrate</i> | |
| <i>dalfampridine er</i> | 59 | <i>diazepam</i> | 16, 17, 44, 94 | 15, 61, 62 | |
| DALIRESP | 109 | <i>diazepam intensol</i> | 16, 17, 44 | <i>doxylamine-pyridoxine</i> | 22 |

| | | | | | |
|----------------------------------|------------|-------------------------------|--------|--------------------------------|--------|
| D-PENAMINE | 95 | enpresso-28 | 79 | EVAMIST | 78 |
| DRIZALMA SPRINKLE | 95 | enskyce | 79 | EVOTAZ | 42 |
| dronabinol | 23 | entacapone | 35 | EXEL COMFORT POINT PEN | |
| drospirenen-eth estrad-levomefol | 79, 95 | entecavir | 39 | NEEDLE | 48 |
| drospirenone-ethinyl estradiol | 79 | ENTRESTO | 51 | exemestane | 31 |
| DROXIA | 30 | enulose | 69 | ezetimibe | 57 |
| DUAVEE | 77, 83 | ENVARSUS XR | 86 | ezetimibe-simvastatin | 54 |
| DULERA | 108 | EPCLUSA | 39, 40 | FABIOR | 62 |
| duloxetine hcl | 21, 44, 59 | EPIDIOLEX | 17 | falmina | 79 |
| DUOBRII | 62 | epinastine hcl | 103 | famciclovir | 40 |
| DUOPA | 36 | epinephrine | 108 | famotidine | 69 |
| DUPIXENT | 62 | epitol | 18, 45 | FANAPT | 37 |
| duramorph | 5 | EPIVIR HBV | 39 | FANAPT TITRATION PACK | 37 |
| DUREZOL | 104 | eplerenone | 56 | FARYDAK | 31 |
| dutasteride | 72 | EPOGEN | 49 | FASENRA | 110 |
| dutasteride-tamsulosin hcl | 72 | eprosartan mesylate | 51 | FASENRA PEN | 95 |
| DYMISTA | 110 | EQUETRO | 18, 45 | fayosim | 79 |
| e.e.s. 400 | 14 | ERAXIS | 24 | febuxostat | 25 |
| econazole nitrate | 24 | ergoloid mesylates | 19 | felbamate | 17 |
| EDURANT | 41 | ERGOMAR | 95 | felodipine er | 53 |
| efavirenz | 41 | ergotamine-caffiene | 27 | FEMRING | 78 |
| EGRIFTA | 75 | ERIVEDGE | 32 | femynor | 79 |
| ELESTRIN | 77 | ERLEADA | 29 | fenofibrate | 56 |
| eletriptan hydrobromide | 28 | erlotinib hcl | 32 | fenofibric acid | 56 |
| ELIGARD | 84 | errin | 83 | fenoprofen calcium | 4, 27 |
| ELIQUIS | 49 | ertapenem sodium | 12 | fentanyl | 5, 7 |
| ELIQUIS STARTER PACK | 49 | ERYTHROCIN LACTOBIONATE | 14 | fentanyl citrate | 5, 7 |
| ELIXOPHYLLIN | 95 | ERYTHROCIN STEARATE | 14 | FERRIPROX | 65 |
| ELMIRON | 72 | erythromycin | 14 | FETZIMA | 21 |
| EMADINE | 95 | erythromycin base | 14 | FETZIMA TITRATION | 21 |
| EMBEDA | 5 | erythromycin ethylsuccinate | 14 | FINACEA | 63 |
| EMCYT | 30 | ESBRIET | 110 | finasteride | 72 |
| EMEND | 23 | escitalopram oxalate | 21, 44 | FIRDAPSE | 59 |
| EMFLAZA | 26, 74 | esomeprazole magnesium | 70 | FIRMAGON | 84 |
| EMGALITY | 28 | estarrylla | 79 | FIRVANQ | 10 |
| EMGALITY (300 MG DOSE) | 28 | estazolam | 59 | FLAREX | 104 |
| emoquette | 79 | estradiol | 77 | flavoxate hcl | 71 |
| EMSAM | 20 | estradiol valerate | 77, 79 | FLEBOGAMMA DIF | 87, 95 |
| EMTRIVA | 41 | estradiol-norethindrone acet | 79 | flecainide acetate | 52 |
| EMVERM | 34 | ESTRING | 78 | FLOVENT DISKUS | 106 |
| enalapril maleate | 51 | estropipate | 95 | FLOVENT HFA | 106 |
| enalapril-hydrochlorothiazide | 54 | ethacrynic acid | 55 | fluconazole | 24 |
| ENBREL | 86 | ethambutol hcl | 29 | fluconazole in dextrose | 95 |
| ENBREL MINI | 86 | ethosuximide | 16 | fluconazole in sodium chloride | 24 |
| ENBREL SURECLICK | 86 | ethynodiol diac-eth estradiol | 79 | flucytosine | 24 |
| endocet | 3 | etidronate disodium | 91 | fludrocortisone acetate | 74 |
| ENGERIX-B | 89 | etodolac | 4, 27 | flunisolide | 107 |
| enoxaparin sodium | 49, 95 | EUCRISA | 62 | fluocinolone acetonide | 74 |
| | | EURAX | 35 | fluocinolone acetonide body | 95 |

| | | | | | |
|-------------------------------------|---------------|------------------------------------|--------|-----------------------------------|------------|
| <i>fluocinolone acetonide scalp</i> | 74 | <i>gavilyte-c</i> | 69 | <i>haloperidol</i> | 37 |
| <i>fluocinonide</i> | 63, 74, 95 | <i>gavilyte-g</i> | 69 | <i>haloperidol decanoate</i> | 36 |
| <i>fluocinonide emulsified base</i> | 74 | <i>gavilyte-h</i> | 96 | <i>haloperidol lactate</i> | 36 |
| <i>fluorometholone</i> | 104 | <i>gavilyte-n with flavor pack</i> | 69 | <i>HARVONI</i> | 40, 96 |
| <i>fluorouracil</i> | 63 | <i>GELNIQUE</i> | 96 | <i>HAVRIX</i> | 89 |
| <i>fluoxetine hcl</i> | 21 | <i>GELNIQUE PUMP</i> | 71 | <i>HEMANGEOL</i> | 96 |
| <i>fluphenazine decanoate</i> | 36 | <i>gemfibrozil</i> | 56 | <i>heparin sodium (porcine)</i> | 49, 96 |
| <i>fluphenazine hcl</i> | 36 | <i>generlac</i> | 70 | <i>HEPATAMINE</i> | 66 |
| <i>flurbiprofen</i> | 4, 27 | <i>gengraf</i> | 86, 96 | <i>HETLIOZ</i> | 111 |
| <i>flurbiprofen sodium</i> | 104 | <i>GENOTROPIN</i> | 75 | <i>HEXALEN</i> | 96 |
| <i>flutamide</i> | 29 | <i>GENOTROPIN MINIQUICK</i> | 75 | <i>HIBERIX</i> | 89 |
| <i>fluticasone propionate</i> | 63, 74, 107 | <i>gentak</i> | 9 | <i>HORIZANT</i> | 17, 59 |
| <i>fluticasone-salmeterol</i> | 107, 108, 110 | <i>gentamicin in saline</i> | 9 | <i>HUMALOG</i> | 48 |
| <i>fluvastatin sodium</i> | 56 | <i>gentamicin sulfate</i> | 9 | <i>HUMALOG JUNIOR KWIKPEN</i> | 48 |
| <i>fluvastatin sodium er</i> | 56 | <i>GENVOYA</i> | 40 | <i>HUMALOG KWIKPEN</i> | 48 |
| <i>fluvoxamine maleate</i> | 21 | <i>GEODON</i> | 37, 44 | <i>HUMALOG MIX 50/50</i> | 48 |
| <i>fluvoxamine maleate er</i> | 21 | <i>gianvi</i> | 79 | <i>HUMALOG MIX 50/50 KWIKPEN</i> | 48 |
| <i>FML</i> | 104 | <i>GIAZO</i> | 96 | <i>HUMALOG MIX 75/25</i> | 48 |
| <i>FML FORTE</i> | 104 | <i>GILENYA</i> | 59 | <i>HUMALOG MIX 75/25 KWIKPEN</i> | 48 |
| <i>fondaparinux sodium</i> | 49 | <i>GILOTRIF</i> | 32 | <i>HUMATROPE</i> | 75 |
| <i>FORTEO</i> | 91 | <i>GLASSIA</i> | 110 | <i>HUMIRA</i> | 86 |
| <i>FORTESTA</i> | 77 | <i>glatiramer acetate</i> | 60 | <i>HUMIRA PEDIATRIC CROHNS</i> | |
| <i>fosamprenavir calcium</i> | 42 | <i>GLATOPA</i> | 60 | <i>START</i> | 86 |
| <i>fosinopril sodium</i> | 51 | <i>GLEOSTINE</i> | 30, 96 | <i>HUMIRA PEN</i> | 86 |
| <i>fosinopril sodium-hctz</i> | 54 | <i>glimepiride</i> | 46 | <i>HUMIRA PEN-CD/UC/HS</i> | |
| <i>FOSRENOL</i> | 72 | <i>glipizide</i> | 46 | <i>STARTER</i> | 86 |
| <i>FRAGMIN</i> | 49 | <i>glipizide er</i> | 46 | <i>HUMIRA PEN-PS/UV/ADOL HS</i> | |
| <i>FREAMINE HBC</i> | 65 | <i>glipizide-metformin hcl</i> | 47 | <i>START</i> | 86 |
| <i>FREAMINE III</i> | 95 | <i>GLOBAL ALCOHOL PREP EASE</i> | 10 | <i>HUMULIN 70/30</i> | 48 |
| <i>frovatriptan succinate</i> | 28 | <i>GLUCAGEN HYPOKIT</i> | 47 | <i>HUMULIN 70/30 KWIKPEN</i> | 48 |
| <i>furosemide</i> | 55 | <i>glucagon emergency</i> | 47 | <i>HUMULIN N</i> | 48 |
| <i>FUZEON</i> | 42 | <i>glycopyrrolate</i> | 68 | <i>HUMULIN N KWIKPEN</i> | 48 |
| <i>fyavolv</i> | 79 | <i>GLYXAMBI</i> | 46 | <i>HUMULIN R</i> | 48 |
| <i>FYCOMPA</i> | 17 | <i>GOCOVRI</i> | 36 | <i>HUMULIN R U-500</i> | |
| <i> gabapentin</i> | 17 | <i>GOLYTELY</i> | 70 | <i>(CONCENTRATED)</i> | 48 |
| <i>GALAFOLD</i> | 70 | <i>GRALISE</i> | 17 | <i>HUMULIN R U-500 KWIKPEN</i> | 48 |
| <i>galantamine hydrobromide</i> | 19 | <i>GRALISE STARTER</i> | 17 | <i>hydralazine hcl</i> | 57 |
| <i>galantamine hydrobromide er</i> | 19 | <i>granisetron hcl</i> | 23 | <i>hydrochlorothiazide</i> | 56 |
| <i>GAMASTAN S/D</i> | 95 | <i>GRANIX</i> | 50 | <i>hydrocodone-acetaminophen</i> | 3, 96 |
| <i>GAMMAGARD</i> | 87, 95 | <i>griseofulvin microsize</i> | 24 | <i>hydrocodone-ibuprofen</i> | 3 |
| <i>GAMMAGARD S/D LESS IGA</i> | 88 | <i>griseofulvin ultramicrosize</i> | 24 | <i>hydrocortisone</i> | 26, 74, 90 |
| <i>GAMMAKED</i> | 88, 95 | <i>guanfacine hcl</i> | 51 | <i>hydrocortisone butyrate</i> | 63, 74 |
| <i>GAMMAPLEX</i> | 88, 95 | <i>guanfacine hcl er</i> | 58 | <i>hydrocortisone valerate</i> | 74 |
| <i>GAMUNEX-C</i> | 88, 96 | <i>guanidine hcl</i> | 28 | <i>hydrocortisone-acetic acid</i> | 105 |
| <i>GARDASIL 9</i> | 89 | <i>GVOKE PFS</i> | 96 | <i>hydromorphone hcl</i> | 5, 7 |
| <i>gatifloxacin</i> | 14 | <i>GYNAZOLE-1</i> | 24 | <i>hydromorphone hcl er</i> | 5 |
| <i>GATTEX</i> | 68 | <i>HAEGARDA</i> | 85 | <i>hydromorphone hcl pf</i> | 5 |
| <i>gauze pads</i> | 96 | <i>hailey 24 fe</i> | 79 | <i>hydroxychloroquine sulfate</i> | 34 |
| | | <i>halobetasol propionate</i> | 74 | <i>hydroxyurea</i> | 30 |

| | | | | | |
|----------------------------------|-------------|---|----------|---|------------|
| hydroxyzine hcl | 22, 43, 106 | IOPIDINE..... | 103 | <i>kariva</i> | 80 |
| hydroxyzine pamoate ... | 22, 43, 106 | IPOL..... | 89 | <i>kcl in dextrose-nacl</i> | 67 |
| HYPERRAB | 96 | <i>ipratropium bromide</i> | 107 | <i>kcl-lactated ringers-d5w</i> | 67 |
| HYSINGLA ER | 5 | <i>ipratropium-albuterol</i> | 110 | <i>kelnor 1/35</i> | 80 |
| ibandronate sodium | 91 | <i>irbesartan</i> | 51 | <i>kelnor 1/50</i> | 80 |
| IBRANCE | 31 | <i>irbesartan-hydrochlorothiazide</i> | 54, 56 | KERYDIN | 63 |
| ibu | 4, 27 | IRESSA | 33 | <i>ketoconazole</i> | 24 |
| ibuprofen | 4, 27 | ISENTRESS | 40 | <i>ketoprofen</i> | 96 |
| icatibant acetate | 85 | ISENTRESS HD | 40 | <i>ketoprofen er</i> | 4, 27 |
| ICLUSIG | 32 | <i>isibloom</i> | 80 | <i>ketorolac tromethamine</i> | 4, 27, 104 |
| IDHIFA | 31 | ISOLYTE-P IN D5W | 67 | KEVEYIS | 55 |
| ILARIS | 96 | ISOLYTE-S | 64 | KEVZARA | 86, 96 |
| ILEVRO | 104 | <i>isoniazid</i> | 29 | <i>kimidess</i> | 97 |
| imatinib mesylate | 32 | ISORDIL TITRADOSE | 57 | KINRIX | 89 |
| IMBRUVICA | 32 | <i>isosorbide dinitrate</i> | 57 | <i>kionex</i> | 65, 97 |
| imipenem-cilastatin | 12 | <i>isosorbide dinitrate er</i> | 57 | KISQALI (200 MG DOSE) | 31 |
| imipramine hcl | 22 | <i>isosorbide mononitrate</i> | 57 | KISQALI (400 MG DOSE) | 31 |
| imipramine pamoate | 22 | <i>isosorbide mononitrate er</i> | 57 | KISQALI (600 MG DOSE) | 31 |
| imiquimod | 63 | <i>isotretinoin</i> | 63 | KISQALI 200 DOSE | 97 |
| IMOVA X RABIES | 89 | <i>isradipine</i> | 53 | KISQALI 400 DOSE | 97 |
| INBRIJA | 36 | <i>itraconazole</i> | 24 | KISQALI 600 DOSE | 97 |
| incassia | 80 | <i>ivermectin</i> | 34, 96 | KISQALI FEMARA (400 MG DOSE) | 31 |
| INCRELEX | 75 | IXIARO | 89 | KISQALI FEMARA (600 MG DOSE) | 31 |
| indapamide | 56 | JADENU | 65 | KISQALI FEMARA(200 MG DOSE) | 31 |
| INDOCIN | 4, 27 | JADENU SPRINKLE | 65 | KLOR-CON M15 | 64, 67 |
| indomethacin | 4, 27 | JAKAFI | 33 | <i>klor-con 10</i> | 64, 67 |
| indomethacin er | 4, 27 | jantoven | 49 | <i>klor-con m10</i> | 64, 67 |
| INFANRIX | 89 | JARDIANC | 46 | <i>klor-con sprinkle</i> | 64, 67, 97 |
| INGREZZA | 86 | jasmiel | 80 | KORLYM | 47 |
| INLYTA | 32 | JENTADUETO | 46, 47 | KRISTALOSE | 70 |
| INNOPRAN XL | 52 | JENTADUETO XR | 46, 47 | K-TAB | 64 |
| INREBIC | 32 | JINTELI | 80 | kurvelo | 80 |
| INSULIN LISPRO | 48, 96 | jolessa | 96 | KUVAN | 70 |
| INSULIN LISPRO (1 UNIT DIAL) ... | 48 | jolivette | 96 | KYNAMRO | 97 |
| insulin syringe | 96 | JUBLIA | 24 | <i>labetalol hcl</i> | 52 |
| INTELENCE | 41 | juleber | 80 | LACRISERT | 103 |
| intralipid | 66 | junel 1.5/30 | 80 | <i>lactated ringers</i> | 97 |
| INTRALIPID | 66 | junel 1/20 | 80 | <i>lactulose</i> | 70 |
| INTRON A | 39, 40 | junel fe 1.5/30 | 80 | <i>lamivudine</i> | 39, 41 |
| introvale | 80 | junel fe 1/20 | 80 | <i>lamivudine-zidovudine</i> | 42 |
| INVANZ | 96 | junel fe 24 | 80 | <i>lamotrigine</i> | 17, 18, 45 |
| INVEGA SUSTENNA | 38, 96 | JUXTAPID | 57 | <i>lamotrigine er</i> | 18, 45 |
| INVEGA TRINZA | 38, 96 | JYNARQUE | 72 | <i>lamotrigine starter kit-blue</i> ... | 18, 45 |
| INVELTYS | 104 | KADIAN | 5 | <i>lamotrigine starter kit-green</i> 18, 45 | |
| INVIRASE | 42, 96 | kaitlib fe | 80 | | |
| INVOKAMET | 46 | KALETRA | 42 | | |
| INVOKAMET XR | 46 | KALYDECO | 108, 109 | | |
| INVOKANA | 46 | | | | |
| IONOSOL-MB IN D5W | 66 | | | | |

| | | | | | |
|--|----------|---------------------------------------|--------|------------------------------------|------------|
| <i>lamotrigine starter kit-orange</i> | 18, 45 | <i>levothyroxine sodium</i> | 84 | LUPRON DEPOT-PED (1-MONTH) | 97 |
| LANOXIN | 55, 97 | LEXIVA | 42 | LUPRON DEPOT-PED (3-MONTH) | 97 |
| <i>lansoprazole</i> | 70 | <i>lidocaine</i> | 7 | <i>lutera</i> | 81 |
| <i>lanthanum carbonate</i> | 72 | <i>lidocaine hcl</i> | 7, 97 | LYNPARZA | 30, 97 |
| LANTUS | 48 | <i>lidocaine hcl (pf)</i> | 97 | LYRICA CR | 16, 59 |
| LANTUS SOLOSTAR | 48 | <i>lidocaine hcl urethral/mucosal</i> | 7 | LYSODREN | 84 |
| <i>larin 1.5/30</i> | 80 | <i>lidocaine viscous</i> | 97 | <i>lyza</i> | 83 |
| <i>larin 1/20</i> | 80 | <i>lidocaine viscous hcl</i> | 7 | <i>mafenide acetate</i> | 63 |
| <i>larin fe 1.5/30</i> | 80 | <i>lidocaine-prilocaine</i> | 7 | <i>magnesium sulfate</i> | 64 |
| <i>larin fe 1/20</i> | 80 | <i>lindane</i> | 35 | <i>malathion</i> | 35 |
| <i>larissia</i> | 80 | <i>linezolid</i> | 10 | <i>maprotiline hcl</i> | 20 |
| LASTACRAFT | 103 | LINZESS | 69 | <i>marlissa</i> | 78, 81, 83 |
| <i>latanoprost</i> | 105 | <i>liothyronine sodium</i> | 84 | MARPLAN | 20 |
| LATUDA | 38 | <i>lisinopril</i> | 51 | MATULANE | 29 |
| <i>layolis fe</i> | 80 | <i>lisinopril-hydrochlorothiazide</i> | 54 | <i>matzim la</i> | 53 |
| LAZANDA | 5, 7, 46 | <i>lithium</i> | 46 | MAVENCLAD (10 TABS) | 60 |
| <i>leena</i> | 80 | <i>lithium carbonate</i> | 46 | MAVENCLAD (4 TABS) | 60 |
| <i>leflunomide</i> | 88 | <i>lithium carbonate er</i> | 45 | MAVENCLAD (5 TABS) | 60 |
| LENVIMA (10 MG DAILY DOSE) | 33 | LIVALO | 56 | MAVENCLAD (6 TABS) | 60 |
| LENVIMA (12 MG DAILY DOSE) | 33 | LO LOESTRIN FE | 80 | MAVENCLAD (7 TABS) | 60 |
| LENVIMA (14 MG DAILY DOSE) | 33 | LOKELMA | 65 | MAVENCLAD (8 TABS) | 60 |
| LENVIMA (18 MG DAILY DOSE) | 33 | LONSURF | 30 | MAVENCLAD (9 TABS) | 60 |
| LENVIMA (20 MG DAILY DOSE) | 33 | <i>loperamide hcl</i> | 68 | MAVYRET | 40 |
| LENVIMA (24 MG DAILY DOSE) | 33 | <i>lopinavir-ritonavir</i> | 42 | MAYZENT | 60 |
| LENVIMA (4 MG DAILY DOSE) | 33 | <i>lopreeza</i> | 80, 97 | <i>meclizine hcl</i> | 22 |
| LENVIMA (8 MG DAILY DOSE) | 33 | <i>lorazepam</i> | 17, 44 | MEDROL | 26, 75 |
| <i>lessina</i> | 80 | <i>lorazepam intensol</i> | 97 | <i>medroxyprogesterone acetate</i> | 83 |
| <i>letrozole</i> | 31 | LORBRENA | 33 | <i>mefloquine hcl</i> | 35 |
| <i>leucovorin calcium</i> | 30, 34 | <i>lorcet</i> | 3 | <i>megestrol acetate</i> | 83 |
| LEUKERAN | 29 | <i>lorcet hd</i> | 3 | MEKINIST | 33 |
| LEUKINE | 50, 97 | <i>lorcet plus</i> | 3 | MEKTOVI | 33 |
| <i>leuprolide acetate</i> | 84 | <i>loryna</i> | 80 | <i>melodetta 24 fe</i> | 81 |
| <i>levalbuterol hcl</i> | 108 | <i>losartan potassium</i> | 51 | <i>meloxicam</i> | 4, 27 |
| <i>levalbuterol tartrate</i> | 108 | <i>losartan potassium-hctz</i> | 54 | <i>memantine hcl</i> | 19 |
| <i>levetiracetam</i> | 16 | LOTEMAX | 104 | MENACTRA | 89 |
| <i>levetiracetam er</i> | 16 | LOTEMAX SM | 104 | MENEST | 78 |
| <i>levobunolol hcl</i> | 103 | <i>loteprednol etabonate</i> | 104 | MENOSTAR | 78 |
| <i>levocarnitine</i> | 67 | <i>lovastatin</i> | 56 | MENTAX | 24 |
| <i>levocetirizine dihydrochloride</i> | 106 | <i>low-ogestrel</i> | 81 | MENVEO | 89 |
| <i>levofloxacin</i> | 14, 15 | <i>loxapine succinate</i> | 37 | <i>mercaptopurine</i> | 86 |
| <i>levofloxacin in d5w</i> | 14 | LUCEMYRA | 8 | <i>meropenem</i> | 12 |
| <i>levonest</i> | 80 | LUMIGAN | 105 | <i>mesalamine</i> | 69, 90 |
| <i>levonorgest-eth est & eth est</i> | 80 | LUPANETA PACK | 84 | <i>mesalamine-cleanser</i> | 97 |
| <i>levonorgest-eth estrad 91-day</i> | 80 | LUPRON DEPOT (1-MONTH) | 84 | MESNEX | 30 |
| <i>levonorgestrel-ethynodiol dihydrochloride</i> | 80 | LUPRON DEPOT (3-MONTH) | 84 | MESTINON | 28, 97 |
| <i>levonorg-eth estrad triphasic</i> | 80 | LUPRON DEPOT (4-MONTH) | 84 | <i>metaproterenol sulfate</i> | 97, 108 |
| <i>levora 0.15/30 (28)</i> | 80 | LUPRON DEPOT (6-MONTH) | 84 | <i>metaxall</i> | 97 |
| <i>levo-t</i> | 84 | | | | |

| | | | | | |
|---------------------------------------|------------|---------------------------------------|------------|---------------------------------------|----------|
| <i>metaxalone</i> | 111 | <i>mimvey lo</i> | 81 | <i>naloxone hcl</i> | 8 |
| <i>metformin hcl</i> | 46, 97 | <i>MINITRAN</i> | 57 | <i>naltrexone hcl</i> | 8 |
| <i>metformin hcl er</i> | 46 | <i>minocycline hcl</i> | 15, 61 | <i>NAMZARIC</i> | 19 |
| <i>methadone hcl</i> | 5 | <i>minocycline hcl er</i> | 15, 61 | <i>naproxen</i> | 4, 27 |
| <i>methamphetamine hcl</i> | 58 | <i>minoxidil</i> | 57 | <i>naproxen sodium</i> | 4, 27 |
| <i>methazolamide</i> | 55, 103 | <i>mirtazapine</i> | 20 | <i>naratriptan hcl</i> | 28 |
| <i>methenamine hippurate</i> | 10 | <i>MIRVASO</i> | 63 | <i>NARCAN</i> | 8 |
| <i>methimazole</i> | 85 | <i>misoprostol</i> | 70, 76 | <i>NATACYN</i> | 24 |
| <i>METHITEST</i> | 77 | <i>M-M-R II</i> | 89, 98 | <i>NATAZIA</i> | 81 |
| <i>methocarbamol</i> | 111 | <i>modafinil</i> | 111 | <i>nateglinide</i> | 46 |
| <i>methotrexate</i> | 86 | <i>MODERIBA</i> | 98 | <i>NATESTO</i> | 98 |
| <i>methotrexate sodium</i> | 86, 97 | <i>MODERIBA 1200 DOSE PACK</i> | 98 | <i>NATPARA</i> | 91 |
| <i>methotrexate sodium (pf)</i> | 86, 97 | <i>MODERIBA 800 DOSE PACK</i> | 98 | <i>NAYZILAM</i> | 98 |
| <i>methoxsalen</i> | 98 | <i>moexipril hcl</i> | 51 | <i>NEBUPENT</i> | 35 |
| <i>methoxsalen rapid</i> | 63 | <i>moexipril-hydrochlorothiazide</i> | 98 | <i>necon 0.5/35 (28)</i> | 81 |
| <i>methscopolamine bromide</i> | 68 | <i>molindone hcl</i> | 37 | <i>necon 1/35 (28)</i> | 98 |
| <i>methyclothiazide</i> | 98 | <i>mometasone furoate</i> | 75 | <i>necon 7/7/7</i> | 98 |
| <i>methyldopa</i> | 51 | <i>mondoxyne nl</i> | 15, 61, 63 | <i>nefazodone hcl</i> | 20 |
| <i>methyldopa-</i> | | <i>mono-linyah</i> | 98 | <i>neomycin sulfate</i> | 9 |
| <i>hydrochlorothiazide</i> | 54 | <i>mononessa</i> | 98 | <i>neomycin-bacitracin zn-</i> | |
| <i>methylphenidate hcl</i> | 58, 59 | <i>montelukast sodium</i> | 107 | <i>polymyx</i> | 102 |
| <i>methylphenidate hcl er</i> | 58, 98 | <i>MONUROL</i> | 10 | <i>neomycin-polymyxin-dexameth</i> | 102 |
| <i>methylphenidate hcl er (cd)</i> | 58 | <i>MORPHABOND ER</i> | 6 | <i>neomycin-polymyxin-gramicidin</i> | |
| <i>methylphenidate hcl er (la)</i> | 58 | <i>morphine sulfate</i> | 6, 7, 98 | <i>.....</i> | 102 |
| <i>methylprednisolone</i> | 26, 75, 90 | <i>morphine sulfate (concentrate)</i> | 6, 7 | <i>neomycin-polymyxin-hc</i> | 102, 105 |
| <i>methyltestosterone</i> | 77 | <i>morphine sulfate (pf)</i> | 98 | <i>NEO-SYNALAR</i> | 63 |
| <i>metipranolol</i> | 98 | <i>morphine sulfate er</i> | 6 | <i>NEPHRAMINE</i> | 67 |
| <i>metoclopramide hcl</i> | 22, 68 | <i>morphine sulfate er beads</i> | 6 | <i>NERLYNX</i> | 33 |
| <i>metolazone</i> | 56 | <i>MOVANTIK</i> | 68 | <i>neuac</i> | 63 |
| <i>metoprolol succinate er</i> | 52 | <i>MOVIPREP</i> | 70 | <i>NEULASTA</i> | 50 |
| <i>metoprolol tartrate</i> | 53, 98 | <i>moxifloxacin hcl</i> | 15, 98 | <i>NEULASTA ONPRO</i> | 98 |
| <i>metoprolol-hctz er</i> | 98 | <i>moxifloxacin hcl in nacl</i> | 15 | <i>NEUPOGEN</i> | 50 |
| <i>metoprolol-hydrochlorothiazide</i> | 54 | <i>MULPLETA</i> | 50 | <i>NEUPRO</i> | 36 |
| <i>metronidazole</i> | 10 | <i>MULTAQ</i> | 52 | <i>NEVANAC</i> | 104 |
| <i>metronidazole in nacl</i> | 10 | <i>mupirocin</i> | 10 | <i>nevirapine</i> | 41 |
| <i>mexiletine hcl</i> | 52 | <i>mupirocin calcium</i> | 10 | <i>nevirapine er</i> | 41 |
| <i>mibelas 24 fe</i> | 81 | <i>MYALEPT</i> | 76 | <i>NEXAVAR</i> | 33 |
| <i>miconazole 3</i> | 24 | <i>MYCAMEINE</i> | 24 | <i>NEXIUM</i> | 70 |
| <i>microgestin 1.5/30</i> | 81 | <i>mycophenolate mofetil</i> | 87 | <i>niacin er (antihyperlipidemic)</i> | 57 |
| <i>microgestin 1/20</i> | 81 | <i>mycophenolate sodium</i> | 87 | <i>nicardipine hcl</i> | 53 |
| <i>microgestin fe 1.5/30</i> | 81 | <i>myorisan</i> | 63 | <i>NICOTROL</i> | 8 |
| <i>microgestin fe 1/20</i> | 81 | <i>MYRBETRIQ</i> | 71 | <i>NICOTROL NS</i> | 8 |
| <i>midodrine hcl</i> | 51 | <i>MYTESI</i> | 68 | <i>nifedical xl</i> | 98 |
| <i>MIGERGOT</i> | 27 | <i>nabumetone</i> | 4, 27 | <i>nifedipine</i> | 53 |
| <i> miglitol</i> | 46 | <i>nadolol</i> | 53 | <i>nifedipine er</i> | 53 |
| <i> miglustat</i> | 71 | <i>nadolol-bendroflumethiazide</i> | 54, 98 | <i>nifedipine er osmotic release</i> | 53 |
| <i> mili</i> | 81 | <i>nafillin sodium</i> | 13 | <i>nikki</i> | 81 |
| <i> MILLIPRED</i> | 26, 75, 90 | <i>naftifine hcl</i> | 24, 98 | <i>nilutamide</i> | 29 |
| <i> mimvey</i> | 81 | <i>NAFTIN</i> | 24 | <i>nimodipine</i> | 53 |

| | | | | | |
|---------------------------------------|------------|-----------------------------------|----------|-------------------------------------|--------|
| NINLARO | 30 | <i>nystatin-triamcinolone</i> | 63 | OXERVATE | 102 |
| <i>nisoldipine er</i> | 53 | <i>nystop</i> | 25 | <i>oxiconazole nitrate</i> | 63 |
| <i>nitisinone</i> | 98 | OCALIVA | 68 | OXISTAT | 25 |
| NITRO-BID | 57 | <i>ocella</i> | 82 | OXTELLAR XR | 18 |
| NITRO-DUR | 57 | OCTAGAM | 88, 99 | <i>oxybutynin chloride</i> | 71 |
| <i>nitrofurantoin monohyd macro</i> | 10 | <i>octreotide acetate</i> | 84 | <i>oxybutynin chloride er</i> | 71 |
| <i>nitroglycerin</i> | 57 | ODEFSEY | 42 | <i>oxycodone hcl</i> | 7 |
| NITYR | 71 | ODOMZO | 33 | <i>oxycodone hcl er</i> | 6 |
| NIVESTYM | 50 | OFEV | 33, 110 | <i>oxycodone-acetaminophen</i> | 3, 99 |
| <i>nizatidine</i> | 69 | <i>ofloxacin</i> | 15 | <i>oxycodone-aspirin</i> | 3 |
| <i>nora-be</i> | 81 | OGESTREL | 82 | <i>oxycodone-ibuprofen</i> | 4, 27 |
| NORDITROPIN FLEXPRO | 76 | <i>olanzapine</i> | 38, 44 | OXYCONTIN | 6 |
| <i>norethin ace-eth estrad-fe</i> | 81 | <i>olanzapine-fluoxetine hcl</i> | 19 | <i>oxymorphone hcl</i> | 7 |
| <i>norethindrone</i> | 83 | <i>olmesartan medoxomil</i> | 51 | <i>oxymorphone hcl er</i> | 6 |
| <i>norethindrone acetate</i> | 83 | <i>olmesartan medoxomil-hctz</i> | 51, 54 | OZEMPIC (0.25 OR 0.5 | |
| <i>norethindrone acet-ethinyl est</i> | 81, 98 | <i>olmesartan-amlodipine-hctz</i> | 54 | MG/DOSE) | 47 |
| <i>norethindrone-eth estradiol</i> | 81 | <i>olopatadine hcl</i> | 103, 106 | OZEMPIC (1 MG/DOSE) | 47 |
| <i>norethin-eth estradiol-fe</i> | 81 | OMECLAMOX-PAK | 68 | pacerone | 52 |
| <i>norgestimate-eth estradiol</i> | 81 | <i>omega-3-acid ethyl esters</i> | 57 | <i>paliperidone er</i> | 38 |
| <i>norgestim-eth estrad triphasic</i> | 81 | OMEGAVEN | 99 | PALYNZIQ | 71 |
| <i>norgestim-eth estrad triphasic</i> | 81 | <i>omeprazole</i> | 70 | PANCREAZE | 71 |
| <i>norlyroc</i> | 81 | OMNARIS | 107 | PANRETIN | 34 |
| <i>normosol-m in d5w</i> | 67 | OMNIPOD DASH 5 PACK | 99 | <i>pantoprazole sodium</i> | 70 |
| <i>normosol-r in d5w</i> | 67 | OMNITROPE | 76 | <i>paricalcitol</i> | 91 |
| NORMOSOL-R PH 7.4 | 64 | <i>ondansetron</i> | 23 | <i>paramomycin sulfate</i> | 9 |
| NORPACE CR | 52 | <i>ondansetron hcl</i> | 23 | <i>paroxetine hcl</i> | 21, 44 |
| NORTHERA | 51 | OPANA ER | 99 | <i>paroxetine hcl er</i> | 21, 44 |
| <i>nortrel 0.5/35 (28)</i> | 81 | OPSUMIT | 109 | <i>paroxetine mesylate</i> | 21 |
| <i>nortrel 1/35 (21)</i> | 81 | ORALAIR | 110 | PASER | 29 |
| <i>nortrel 1/35 (28)</i> | 81 | ORAVIG | 25 | PAXIL | 21, 44 |
| <i>nortrel 7/7/7</i> | 81 | ORBACTIV | 99 | PCE | 99 |
| <i>nortriptyline hcl</i> | 22 | ORENITRAM | 109 | PEDIARIX | 89 |
| NORVIR | 42, 43, 98 | ORFADIN | 71 | PEDVAX HIB | 89 |
| NOXAFIL | 24 | ORILISSA | 76 | <i>peg 3350/electrolytes</i> | 70 |
| NUBEQA | 29 | ORKAMBI | 109 | <i>peg 3350-kcl-na bicarb-nacl</i> | 70 |
| NUCALA | 110 | <i>orphenadrine citrate er</i> | 111 | <i>peg-3350/electrolytes</i> | 70 |
| NUCYNTA | 7 | orsythia | 82 | PEGANONE | 18 |
| NUCYNTA ER | 6 | <i>oseltamivir phosphate</i> | 43 | PEGASYS | 40 |
| NUEDEXTA | 59 | OSMOLEX ER | 35 | PEGASYS PROCLICK | 40 |
| NUPLAZID | 38, 98 | OSMOPREP | 65 | <i>penicillamine</i> | 65, 72 |
| <i>nutrilipid</i> | 67 | OTEZLA | 87, 88 | <i>penicillin g pot in dextrose</i> | 13 |
| NUTROPIN AQ NUSPIN 10 | 76 | OTOVEL | 105 | <i>penicillin g potassium</i> | 13, 99 |
| NUTROPIN AQ NUSPIN 20 | 76 | OTREXUP | 87 | <i>penicillin g procaine</i> | 13 |
| NUTROPIN AQ NUSPIN 5 | 76 | <i>oxacillin sodium</i> | 13 | <i>penicillin g sodium</i> | 13 |
| NUVARING | 81 | OXACILLIN SODIUM IN | | <i>penicillin v potassium</i> | 13 |
| NUVESSA | 98 | DEXTROSE | 13 | PENTAM | 35 |
| <i>nyamyc</i> | 24 | <i>oxandrolone</i> | 76 | <i>pentamidine isethionate</i> | 99 |
| NYMALIZE | 53 | <i>oxazepam</i> | 43 | PENTASA | 90 |
| <i>nystatin</i> | 25 | <i>oxcarbazepine</i> | 18 | <i>pentazocine-naloxone hcl</i> | 3 |

| | | | | | |
|---------------------------------------|---------|---------------------------------------|---------------------|--------------------------------------|------------|
| <i>pentoxifylline er</i> | 55 | <i>potassium chloride in nacl</i> | 65 | <i>proctosol hc</i> | 91 |
| PERFOROMIST | 108 | <i>potassium citrate er</i> | 72 | <i>proctozone-hc</i> | 68, 75 |
| <i>perindopril erbumine</i> | 51 | PRADAXA | 49 | PROSYSBI | 99 |
| <i>periogard</i> | 99 | PRALUENT | 57, 99 | <i>profeno</i> | 99 |
| <i>permethrin</i> | 35 | <i>pramipexole dihydrochloride</i> | 36 | <i>progesterone micronized</i> | 83 |
| <i>perphenazine</i> | 22, 37 | <i>pramipexole dihydrochloride er</i> | 36 | PROGLYCEM | 47 |
| <i>perphenazine-amitriptyline</i> | 19, 20 | <i>prasugrel hcl</i> | 50 | PROGRAF | 87 |
| PERSERIS | 38, 44 | <i>pravastatin sodium</i> | 56 | PROLASTIN-C | 110 |
| PERTZYE | 71, 99 | <i>praziquantel</i> | 34 | PROLENSA | 105 |
| PEXEVA | 21, 44 | <i>prazosin hcl</i> | 51, 72 | PROLIA | 91, 99 |
| <i>phenadoz</i> | 22 | PRED MILD | 26, 104 | PROMACTA | 50 |
| <i>phenelzine sulfate</i> | 20 | PRED-G | 102 | <i>promethazine hcl</i> | 23, 106 |
| <i>phenobarbital</i> | 17 | PRED-G S.O.P. | 102 | <i>promethegan</i> | 23 |
| <i>phenytoin</i> | 18 | <i>prednicarbate</i> | 63, 75 | <i>propafenone hcl</i> | 52 |
| <i>phenytoin sodium extended</i> | 18 | <i>prednisolone</i> | 26, 75, 90 | <i>propafenone hcl er</i> | 52 |
| PHOSLYRA | 72 | <i>prednisolone acetate</i> | 26, 90, 104 | <i>propantheline bromide</i> | 68 |
| PHOSPHOLINE IODIDE | 104 | <i>prednisolone sodium phosphate</i> | 26, 75, 90, 99, 104 | <i>proparacaine hcl</i> | 103 |
| <i>phrenilin forte</i> | 3 | <i>prednisone</i> | 26, 75, 90, 91 | <i>propranolol hcl</i> | 53 |
| <i>physiolyte</i> | 99 | <i>prednisone intensol</i> | 26, 75, 90 | <i>propranolol-hctz</i> | 54 |
| PICATO | 63 | PREFERRED PLUS INSULIN | | <i>propylthiouracil</i> | 85 |
| PIFELTRO | 41 | SYRINGE | 48 | PROQUAD | 89, 99 |
| <i>pilocarpine hcl</i> | 61, 104 | PREFEST | 82 | PROSOL | 67 |
| <i>pimecrolimus</i> | 63, 87 | <i>pregabalin</i> | 16, 59 | <i>protriptyline hcl</i> | 22 |
| <i>pimozide</i> | 37 | PREMARIN | 78 | PULMICORT FLEXHALER | 107 |
| <i>pimtrea</i> | 82 | PREMASOL | 67 | PULMOZYME | 109, 111 |
| <i>pindolol</i> | 53 | PREMPHASE | 82 | PURIXAN | 30 |
| <i>pioglitazone hcl</i> | 47 | PREMPRO | 82 | PYLERA | 68 |
| <i>piperacillin sod-tazobactam so</i> | 14 | PRENATAL | 67 | <i>pyrazinamide</i> | 29 |
| PIQRAY (200 MG DAILY DOSE) | 31 | PREPOPIK | 70 | <i>pyridostigmine bromide</i> | 29 |
| PIQRAY (250 MG DAILY DOSE) | 31 | <i>prevalite</i> | 57, 99 | <i>pyridostigmine bromide er</i> | 28 |
| PIQRAY (300 MG DAILY DOSE) | 31 | previfem | 82 | QNASL | 107 |
| <i>pirmella 1/35</i> | 82 | PREVYMIS | 39 | QNASL CHILDRENS | 107 |
| <i>piroxicam</i> | 5, 27 | PREZCOBIX | 43 | QUADRACEL | 89 |
| PLASMA-LYTE 148 | 65 | PREZISTA | 43 | <i>quasense</i> | 99 |
| PLASMA-LYTE A | 65 | PRIFTIN | 29 | QUDEXY XR | 18 |
| PLEGRIDY | 60 | <i>primaquine phosphate</i> | 35 | <i>quetiapine fumarate</i> | 20, 38, 44 |
| PLEGRIDY STARTER PACK | 60 | <i>primidone</i> | 17 | <i>quetiapine fumarate er</i> | 20, 38, 44 |
| PLENAMINE | 65, 67 | PRIMSOL | 99 | QUILLICHEW ER | 58 |
| <i>podofilox</i> | 63 | PRIVIGEN | 88, 99 | QUILLIVANT XR | 59 |
| <i>polymyxin b sulfate</i> | 10 | PROAIR HFA | 108 | <i>quinapril hcl</i> | 51 |
| <i>polymyxin b-trimethoprim</i> | 102 | PROAIR RESPCLICK | 108 | <i>quinapril-hydrochlorothiazide</i> | 54 |
| POMALYST | 30 | <i>probenecid</i> | 25 | <i>quinidine gluconate er</i> | 52 |
| <i>portia-28</i> | 82 | PROCALAMINE | 67 | <i>quinidine sulfate</i> | 52 |
| <i>posaconazole</i> | 25 | <i>prochlorperazine</i> | 22 | <i>quinine sulfate</i> | 35 |
| <i>potassium chloride</i> | 65 | <i>prochlorperazine maleate</i> | 22, 37 | QVAR | 99 |
| <i>potassium chloride crys er</i> | 65 | PROCIT | 50 | QVAR REDIHALER | 107 |
| <i>potassium chloride er</i> | 65 | <i>procto-med hc</i> | 91 | RABAVERT | 89 |
| <i>potassium chloride in dextrose</i> | 67 | <i>procto-pak</i> | 75 | <i>rabeprazole sodium</i> | 70 |

| | | | | | |
|--------------------------------------|-------------|-------------------------------|-------------|-------------------------------------|---------|
| <i>rajani</i> | 99 | <i>rimantadine hcl</i> | 43 | <i>sharobel</i> | 82 |
| <i>raloxifene hcl</i> | 83 | <i>ringers</i> | 100 | <i>SHINGRIX</i> | 89, 100 |
| <i>ramelteon</i> | 112 | <i>ringers irrigation</i> | 100 | <i>SIGNIFOR</i> | 85 |
| <i>ramipril</i> | 51 | <i>RIOMET</i> | 47 | <i>sildenafil citrate</i> | 109 |
| <i>ranitidine hcl</i> | 69 | <i>risedronate sodium</i> | 91 | <i>SILENOR</i> | 22, 43 |
| <i>ranolazine er</i> | 55 | <i>RISPERDAL CONSTA</i> | 38, 45, 100 | <i>SILIQ</i> | 63 |
| <i>rasagiline mesylate</i> | 36 | <i>risperidone</i> | 38, 45 | <i>silodosin</i> | 72 |
| <i>RASUVO</i> | 87 | <i>ritonavir</i> | 43 | <i>silver sulfadiazine</i> | 15 |
| <i>RAVICTI</i> | 71 | <i>rivastigmine</i> | 19 | <i>SIMBRINZA</i> | 104 |
| <i>RAYALDEE</i> | 91 | <i>rivastigmine tartrate</i> | 19 | <i>SIMPONI</i> | 87, 88 |
| <i>REBETOL</i> | 100 | <i>rivelsa</i> | 82 | <i>simvastatin</i> | 56 |
| <i>REBIF</i> | 60 | <i>rizatriptan benzoate</i> | 28 | <i>sirolimus</i> | 87 |
| <i>REBIF REBIDOSE</i> | 60 | <i>ROCKLATAN</i> | 104 | <i>SIRTURO</i> | 29 |
| <i>REBIF REBIDOSE TITRATION PACK</i> | 60 | <i>ropinirole hcl</i> | 36 | <i>SIVEXTRO</i> | 11 |
| <i>PACK</i> | 60 | <i>ropinirole hcl er</i> | 36 | <i>SKLICE</i> | 35 |
| <i>REBIF TITRATION PACK</i> | 60 | <i>rosuvastatin calcium</i> | 56 | <i>SLYND</i> | 82 |
| <i>reclipsen</i> | 82 | <i>ROTARIX</i> | 89 | <i>sodium chloride</i> | 65, 100 |
| <i>RECOMBIVAX HB</i> | 89 | <i>ROTATEQ</i> | 89 | <i>sodium fluoride</i> | 65 |
| <i>RECTIV</i> | 57 | <i>roweepra</i> | 16 | <i>sodium lactate</i> | 67 |
| <i>REGRANEX</i> | 63 | <i>roweepra xr</i> | 16 | <i>sodium phenylbutyrate</i> | 71, 72 |
| <i>RELENZA DISKHALER</i> | 43 | <i>ROZLYTREK</i> | 33 | <i>sodium polystyrene sulfonate</i> | |
| <i>RELI-ON INSULIN SYRINGE</i> | 48 | <i>RUBRACA</i> | 30 | | 65, 100 |
| <i>RELISTOR</i> | 68 | <i>RUCONEST</i> | 85 | <i>solia</i> | 100 |
| <i>RENACIDIN</i> | 100 | <i>RUZURGI</i> | 71 | <i>SOLIQUA</i> | 48 |
| <i>repaglinide</i> | 47 | <i>RYBELSUS</i> | 100 | <i>SOLTAMOX</i> | 30 |
| <i>repaglinide-metformin hcl</i> | 47 | <i>RYDAPT</i> | 33 | <i>SOMATULINE DEPOT</i> | 85 |
| <i>REPATHA</i> | 57 | <i>SAIZEN</i> | 76 | <i>SOMAVERT</i> | 85 |
| <i>REPATHA PUSHTRONEX SYSTEM</i> | 57 | <i>SAIZEN CLICK.EASY</i> | 100 | <i>SOOLANTRA</i> | 63 |
| <i>REPATHA SURECLICK</i> | 57 | <i>SAMSCA</i> | 65 | <i>sorine</i> | 52 |
| <i>RESCRIPTOR</i> | 41, 100 | <i>SANCUSO</i> | 23 | <i>sotalol hcl</i> | 52, 100 |
| <i>RESCULA</i> | 100 | <i>SANDIMMUNE</i> | 87 | <i>sotalol hcl (af)</i> | 52, 100 |
| <i>RESTASIS</i> | 103 | <i>SANTYL</i> | 63 | <i>sotalol hydrochloride</i> | 52 |
| <i>RESTASIS MULTIDOSE</i> | 100 | <i>SAPHRIS</i> | 38, 45 | <i>SOTYLIZE</i> | 52 |
| <i>RETACRIT</i> | 50 | <i>SAVELLA</i> | 59 | <i>SOVALDI</i> | 40, 100 |
| <i>REVCovi</i> | 100 | <i>SAVELLA TITRATION PACK</i> | 59 | <i>SPIRIVA HANDIHALER</i> | 107 |
| <i>REVLIMID</i> | 30 | <i>scopolamine</i> | 23, 68 | <i>SPIRIVA RESPIMAT</i> | 107 |
| <i>REXULTI</i> | 38 | <i>SECONAL</i> | 100 | <i>spironolactone</i> | 56 |
| <i>REYATAZ</i> | 43 | <i>SEEBRI NEOHALER</i> | 107 | <i>spironolactone-hctz</i> | 54 |
| <i>RHOPRESSA</i> | 105 | <i>selegiline hcl</i> | 36 | <i>sprintec 28</i> | 82 |
| <i>RIBASPHERE</i> | 100 | <i>selenium sulfide</i> | 63 | <i>SPRITAM</i> | 16 |
| <i>RIBASPHERE RIBAPAK</i> | 100 | <i>SELZENTRY</i> | 42 | <i>SPRIX</i> | 100 |
| <i>ribavirin</i> | 39, 40, 100 | <i>SEMPREX-D</i> | 106 | <i>SPRYCEL</i> | 33 |
| <i>RIDAURA</i> | 88 | <i>SEREVENT DISKUS</i> | 108 | <i>sps</i> | 66 |
| <i>rifabutin</i> | 29 | <i>SEROSTIM</i> | 76 | <i>sronyx</i> | 82 |
| <i>RIFAMATE</i> | 29 | <i>sertraline hcl</i> | 21, 44 | <i>ssd</i> | 15 |
| <i>rifampin</i> | 29 | <i>setlakin</i> | 82 | <i>stavudine</i> | 42 |
| <i>RIFATER</i> | 29 | <i>sevelamer carbonate</i> | 72 | <i>STELARA</i> | 63, 64 |
| <i>riluzole</i> | 59 | <i>sevelamer hcl</i> | 72 | <i>sterile water for irrigation</i> | 100 |
| | | <i>SFROWASA</i> | 100 | <i>STIMATE</i> | 76 |

| | | | | |
|-------------------------------|-------------------|-----------------------------------|-------------------------------|-------------|
| STIOLTO RESPIMAT | 110 | tadalafil 20 mg oral tablet (pah) | THYROLAR-1/2 | 101 |
| STIVARGA | 33 | | THYROLAR-1/4 | 101 |
| streptomycin sulfate | 9 | TAFINLAR | THYROLAR-2 | 101 |
| STRIANT | 77 | TAGRISSO | THYROLAR-3 | 101 |
| STRIBILD | 41 | TAKHZYRO | tiagabine hcl | 17 |
| STRIVERDI RESPIMAT | 108 | TALZENNA | TIBSOVO | 32 |
| SUBSYS | 7, 101 | tamoxifen citrate | tigecycline | 11 |
| SUCRAID | 71 | tamsulosin hcl | TIGLUTIK | 59 |
| sucralfate | 70 | TANZEUM | TIKOSYN | 52 |
| sulfacetamide sodium | | TARGETIN | timolol maleate | 28, 53, 104 |
| | 15, 101, 102, 103 | tarina 24 fe | TIMOPTIC OCUDOSE | 104 |
| sulfacetamide sodium (acne) | 15 | tarina fe 1/20 | tinidazole | 11 |
| sulfacetamide-prednisolone | 26, 102 | TASIGNA | TIROSINT | 84 |
| sulfadiazine | 15 | TAVALISSE | TIROSINT-SOL | 84 |
| sulfamethoxazole-trimethoprim | | tazarotene | TIVICAY | 41 |
| | 15, 101 | tazicef | tizanidine hcl | 39, 111 |
| SULFAMYLYON | 11 | TAZORAC | TOBI PODHALER | 9, 109 |
| sulfasalazine | 91 | taztia xt | TOBRADEX | 9 |
| sulindac | 5, 27 | TDVAX | TOBRADEX ST | 102 |
| sumatriptan | 28 | TECFIDERA | tobramycin | 9 |
| sumatriptan succinate | 28 | TEFLARO | tobramycin sulfate | 9 |
| sumatriptan succinate refill | 28 | TEGSEDI | tobramycin-dexamethasone | 103 |
| SUNOSI | 112 | TEKTURNA HCT | TOLAK | 64 |
| SUPRAX | 12 | telmisartan | tolazamide | 101 |
| SUPREP BOWEL PREP KIT | 65 | telmisartan-hctz | tolbutamide | 47 |
| SUSTIVA | 41 | temazepam | TOLSURA | 25 |
| SUTENT | 33 | TEMIXYS | tolterodine tartrate | 71 |
| syeda | 82 | TENCON | tolterodine tartrate er | 71 |
| SYLATRON | 30, 40 | TENIVAC | topiramate | 18, 28 |
| SYMBICORT | 111 | tenofovir disoproxil fumarate | topiramate er | 18 |
| SYMDEKO | 109 | | toremifene citrate | 30 |
| SYMFI | 42 | terazosin hcl | torsemide | 55 |
| SYMFI LO | 42 | terbinafine hcl | TOUJEO MAX SOLOSTAR | 48 |
| SYMJEPI | 108 | terbutaline sulfate | TOUJEO SOLOSTAR | 49 |
| SYMLINPEN 120 | 47 | terconazole | tpn electrolytes | 67 |
| SYMLINPEN 60 | 47 | testosterone | TRACLEER | 109 |
| SYMPAZAN | 17 | testosterone cypionate | TRADJENTA | 47 |
| SYMPROIC | 68 | testosterone enanthate | tramadol hcl | 7 |
| SYMTUZA | 41 | TETANUS-DIPHTHERIA TOXOIDS | tramadol hcl er | 6, 101 |
| SYNAREL | 85 | TD | tramadol hcl er (biphasic) | 6 |
| SYNDROS | 23 | tetrabenazine | tramadol-acetaminophen | 4 |
| SYNERCID | 101 | tetracycline hcl | trandolapril | 51 |
| SYNJARDY | 47 | THALOMID | trandolapril-verapamil hcl er | 54 |
| SYNJARDY XR | 47 | THEO-24 | tranexamic acid | 50 |
| SYNRIBO | 31 | theophylline | TRANSDERM-SCOP (1.5 MG) | 23, 68 |
| SYNTROID | 84 | theophylline er | tranylcyromine sulfate | 20 |
| tabloid | 30 | thioridazine hcl | TRAVASOL | 67 |
| TACLONEX | 64 | thiothixene | TRAVATAN Z | 105 |
| tacrolimus | 64, 87 | THYROLAR-1 | trazodone hcl | 20 |

| | | | | | |
|----------------------------|---------------|-------------------------------|------------|----------------------------|--------|
| TRECATOR..... | 29 | UPTRAVI..... | 55 | VIIBRYD STARTER PACK..... | 21 |
| TRELEGY ELLIPTA..... | 107, 108, 111 | ursodiol..... | 68, 69 | VIMPAT..... | 18 |
| TRELSTAR MIXJECT..... | 85 | UTIBRON NEOHALER..... | 110 | VIOKACE..... | 71 |
| TREMFYA..... | 64 | VABOMERE..... | 12 | viorele..... | 101 |
| tretinoin..... | 34, 64 | valacyclovir hcl..... | 40 | VIRACEPT..... | 43 |
| tretinoin microsphere..... | 64 | VALCHLOR..... | 29, 64 | VIREAD..... | 39, 42 |
| TREXALL..... | 87 | valganciclovir hcl..... | 39 | VISTOGARD..... | 101 |
| triamcinolone acetonide. | 26, 61, 75 | valproate sodium..... | 101 | VITRAKVI..... | 32 |
| triamterene-hctz..... | 55 | valproic acid..... | 17, 28, 46 | VIZIMPRO..... | 34 |
| triazolam..... | 43 | valsartan..... | 51 | voriconazole..... | 25 |
| trientine hcl..... | 66 | valsartan-hydrochlorothiazide | 55 | VOSEVI..... | 40 |
| tri-estarrylla..... | 82 | VANATOL LQ..... | 4 | VOTRIENT..... | 34 |
| trifluoperazine hcl..... | 37 | vancomycin hcl..... | 11, 101 | VRAYLAR..... | 38, 45 |
| trifluridine..... | 40 | vancomycin hcl in dextrose | 101 | vyfemla..... | 83 |
| trihexyphenidyl hcl..... | 35, 101 | vandazole..... | 11 | vylibra..... | 83 |
| tri-legest fe..... | 82 | VAQTA..... | 89 | VYNDAMAX..... | 102 |
| tri-lo-estarrylla..... | 82 | VARIVAX..... | 89 | VYNDAQEL..... | 76 |
| tri-lo-sprintec..... | 82 | VARIZIG..... | 89 | VYVANSE..... | 58 |
| trilyte..... | 70 | VARUBI..... | 23 | WAKIX..... | 102 |
| trimethobenzamide hcl..... | 23 | VASCEPA..... | 57 | warfarin sodium..... | 49 |
| trimethoprim..... | 11 | VECAMYL..... | 59 | wixela inh... | 108 |
| tri-mili..... | 82 | velivet..... | 83 | wymzya fe..... | 83 |
| trimipramine maleate..... | 22 | VELPHORO..... | 66, 72 | XADAGO..... | 102 |
| trinessa (28)..... | 101 | VELTASSA..... | 66 | XALKORI..... | 34 |
| TRINTELLIX..... | 21 | VELTIN..... | 101 | XARELTO..... | 49 |
| tri-previfem..... | 82 | VEMLIDY..... | 39 | XARELTO STARTER PACK..... | 49 |
| tri-sprintec..... | 82 | VENCLEXTA..... | 30 | XATMEP..... | 87 |
| TRIUMEQ..... | 42 | VENCLEXTA STARTING PACK | 30 | XELJANZ..... | 87 |
| trivora (28)..... | 82 | venlafaxine hcl..... | 21, 44 | XELJANZ XR..... | 87 |
| tri-vylibra..... | 82 | venlafaxine hcl er..... | 21, 44 | XERMELO..... | 69 |
| tri-vylibra lo..... | 82 | VENTAVIS..... | 109 | XGEVA..... | 91 |
| TROKENDI XR..... | 18 | VENTOLIN HFA..... | 108 | XIFAXAN..... | 11, 69 |
| TROPHAMINE..... | 67 | verapamil hcl..... | 54 | XIIDRA..... | 105 |
| trospium chloride..... | 72 | verapamil hcl er..... | 54 | XOFLUZA..... | 43 |
| trospium chloride er..... | 72 | VERSACLOZ..... | 39 | XOLAIR..... | 111 |
| TRULICITY..... | 47 | VERZENIO..... | 32 | XOSPATA..... | 32 |
| TRUMENBA..... | 89 | vestura..... | 101 | XPOVIO (100 MG ONCE | |
| TRUVADA..... | 42 | V-GO 20..... | 101 | WEEKLY)..... | 31 |
| TUDORZA PRESSAIR..... | 107 | V-GO 30..... | 101 | XPOVIO (60 MG ONCE WEEKLY) | .31 |
| TURALIO..... | 33 | V-GO 40..... | 101 | XPOVIO (80 MG ONCE WEEKLY) | .31 |
| TWINRIX..... | 89, 101 | VIBERZI..... | 69 | XPOVIO (80 MG TWICE | |
| TYBOST..... | 42 | VIBRAMYCIN..... | 15, 61 | WEEKLY)..... | 31 |
| TYDEMY..... | 82 | VICTOZA..... | 47 | XTAMPZA ER..... | 6 |
| TYKERB..... | 34 | VIDEX..... | 42, 101 | XTANDI..... | 29 |
| TYMLOS..... | 91 | VIDEX EC..... | 42 | xulane..... | 83 |
| TYPHIM VI..... | 89 | vienna..... | 83 | XURIDEN..... | 71 |
| UCERIS..... | 68, 69 | vigabatrin..... | 17 | XYREM..... | 112 |
| UDENYCA..... | 71 | vigadroner..... | 17 | YF-VAX..... | 90 |
| unithroid..... | 84 | VIIBRYD..... | 21 | YUPELRI..... | 107 |

| | |
|--------------------------|---------|
| <i>yuvafem</i> | 78 |
| <i>zafirlukast</i> | 107 |
| <i>zarah</i> | 83 |
| ZARXIO | 50 |
| ZEBUTAL | 4 |
| ZEJULA | 30 |
| ZELAPAR | 36 |
| ZELBORAF | 34 |
| ZEMAIRA | 110 |
| <i>zenatane</i> | 64 |
| <i>zenchent</i> | 102 |
| ZENPEP | 71, 102 |
| ZENZEDI | 58 |
| ZERBAXA | 12 |
| ZERIT | 102 |
| ZETONNA | 107 |
| <i>zidovudine</i> | 42 |
| <i>zileuton er</i> | 107 |
| ZIOPTAN | 105 |
| <i>ziprasidone hcl</i> | 38, 45 |
| ZIRGAN | 39 |
| ZMAX | 102 |
| ZOLINZA | 25, 32 |
| <i>zolmitriptan</i> | 28 |
| <i>zolpidem tartrate</i> | 111 |
| ZOMACTON | 76 |
| ZOMIG | 28 |
| <i>zonisamide</i> | 16 |
| ZONTIVITY | 50 |
| ZORBTIVE | 69, 76 |
| ZORTRESS | 87 |
| ZOSTAVAX | 90 |
| <i>zovia 1/35e (28)</i> | 83 |
| ZUBSOLV | 8, 102 |
| ZUPLENZ | 23 |
| ZURAMPIC | 102 |
| ZYDELIG | 32 |
| ZYFLO | 107 |
| ZYKADIA | 34 |
| ZYPREXA RELPREVV | 38, 45 |
| ZYTIGA | 30 |

THIS PAGE INTENTIONALLY LEFT BLANK

Language Assistance Services

| | |
|----------------------|--|
| English | ATTENTION: If you speak English, language assistance services, free of charge, are available to you. Call 1-800-665-1502 (TTY: 711). |
| Spanish | ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-665-1502 (TTY: 711). |
| Chinese | 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-800-665-1502 (TTY: 711) |
| Russian | ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-800-665-1502 (телефон TTY: 711). |
| French Creole | ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-800-665-1502 (TTY: 711). |
| Korean | 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-800-665-1502 (TTY: 711) 번으로 전화해 주십시오. |
| Italian | ATTENZIONE: In caso la lingua parlata sia l'italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiamare il numero 1-800-665-1502 (TTY: 711). |
| Yiddish | אויב איר רעדט אידיש, זענען פארהאן פאר אײַך שפראָך הילַפֿ סערוויסעס פרײַ פון אַפְצָאַל. רופְט 1-800-665-1502 (TTY: 711) |
| Bengali | লক্ষ্য করুন: যদি আপনি বাংলা, কথা বলতে পারেন, তাহলে নিঃখরচায় ভাষা সহায়তা পরিষেবা উপলব্ধ আছে। ফোন করুন 1-800-665-1502 (TTY: 711)। |
| Polish | UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer 1-800-665-1502 (TTY: 711). |
| Arabic | ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1502-665-800-1 (رقم هاتف الصمم والبكم: 117). |
| French | ATTENTION : Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-800-665-1502 (TTY: 711). |
| Urdu | خبردار: اگر آپ اردو بولتے ہیں، تو آپ کو زبان کی مدد کی خدمات مفت میں دستیاب ہیں۔ کال 1-800-665-1502 (TTY: 711). |
| Tagalog | PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-800-665-1502 (TTY: 711). |
| Greek | ΠΡΟΣΟΧΗ: Αν μιλάτε ελληνικά, στη διάθεσή σας βρίσκονται υπηρεσίες γλωσσικής υποστήριξης, οι οποίες παρέχονται δωρεάν. Καλέστε 1-800-665-1502 (TTY: 711). |
| Albanian | KUJDES: Nëse flitni shqip, për ju ka në dispozicion shërbime të asistencës gjuhësore, pa pagesë. Telefononi në 1-800-665-1502 (TTY: 711). |

Independent Health is a Medicare Advantage organization with a Medicare contract offering HMO, HMO-SNP, HMO-POS and PPO plans. Enrollment in Independent Health depends on contract renewal.

Y0042_C7100_C



Notice of Nondiscrimination

Discrimination is Against the Law

Independent Health complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Independent Health does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

Independent Health:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact Independent Health's Member Services Department. If you believe that Independent Health has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Independent Health's Member Services Department, 511 Farber Lakes Drive, Buffalo, NY 14221, 1-800-501-3439, TTY users call 711, fax (716) 635-3504, memberservice@servicing.independenthealth.com. You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Independent Health's Member Services Department is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

This formulary was updated on 12/01/2019. For more recent information or other questions, please contact Independent Health's Medicare Advantage Plan Member Services at (716) 250-4401 or 1-800-665-1502, or for TTY use 711, October 1st – March 31st: Monday through Sunday from 8 a.m. to 8 p.m., April 1st – September 30th: Monday through Friday from 8 a.m. to 8 p.m., or visit www.IndependentHealth.com/Medicare.