

2024

Prior Authorization Criteria

Last Updated: 03/19/2024

HPMS Approved Formulary File Submission ID 00024439, Version Number 14

Actimmune

Drugs

ACTIMMUNE

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis, supporting imaging for osteopetrosis. Antibiotic failure if chronic granulomatous disease

Age Restriction

Ages approved in FDA labeling/compendia

Prescriber Restriction

Infectious Disease/Hematology-oncology/Orthopedist/rheumatologist

Coverage Duration

12 months

Other Criteria

Sulfamethoxazole/Trimethoprim and/or itraconazole failure for infections secondary to chronic granulomatous disease. Osteopetrosis must be severe malignant

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Adalimumab

Drugs

HADLIMA, HADLIMA PUSHTOUCH

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

For RA Patient must fail adequate Combination DMARD. For Ankylosing Spondylitis PT must fail Methotrexate or an NSAID. For Plaque Psoriasis patient must fail 3 month trial of MTX or Soriatane. For Psoriatic Arthritis Patient must fail adequate trial (3 months in past 6 months) of MTX or LEF in past 6 months. For inflammatory bowel disease must fail 3 month trial of Renflexis or conventional immunomodulator.

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

No

Adcirca Tabs

Drugs

tadalafil (pah)

Exclusion Criteria

Required Medical Information

Right Heart catheterization, vasoreactivity test.

Age Restriction

Prescriber Restriction

Pulmonology, Cardiology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Adempas

Drugs
ADEMPAS

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
pulmonologist/cardiologist

Coverage Duration
12 months

Other Criteria
For PAH must have tried and failed ambrisentan and tadalafil, CTPH requires failure of bosentan (based on compendial support)

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Afinitor

Drugs

everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg, everolimus oral tablet soluble

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/neurology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
AIMOVIG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Neurology, Pain Management, Headache Specialist

Coverage Duration
12 months

Other Criteria
Recent failure (in the past 6 months) of two medications FDA indicated for chronic or episodic migraine prophylaxis and will not be used in combination with another calcitonin gene peptide inhibitor.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Akeega

Drugs

AKEEGA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Urology/Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Akeega is our preferred PARP + novel hormone therapy combination for BRCA positive metastatic castrate resistant prostate cancer.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Alecensa

Drugs

ALECENSA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Approved for ALK+ Non Small Cell Lung Cancer

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

alitretinoin (Panretin)

Drugs

PANRETIN

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Alunbrig

Drugs
ALUNBRIG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months or until progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Ambrisentan

Drugs

ambrisentan

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis of Group 1 PAH, including right heart catheterization, vasoreactivity test, 6 Minute Walk time

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pulmonologist or cardiologist

Coverage Duration

12 months

Other Criteria

Pulmonary hypertension must be diagnosed by heart catheterization, an objective test of exercise ability (6 minute walk) must be submitted with referral.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Ampyra

Drugs

dalfampridine er

Exclusion Criteria

History of seizure. Moderate or severe renal impairment (creatinine clearance less than or equal to 50 mL/minute).

Required Medical Information

Diagnosis of multiple sclerosis AND patient is ambulatory (able to walk at least 25 feet) AND patient has walking impairment

Age Restriction

Prescriber Restriction

Coverage Duration

Initial - 3 months. Renewal - 12 months

Other Criteria

For renewal, walking speed has improved from baseline.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Apokyn

Drugs

apomorphine hcl subcutaneous

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history.

Age Restriction

Ages approved in FDA labeling/compendia

Prescriber Restriction

Neurologist

Coverage Duration

12 months

Other Criteria

Patient must have poorly controlled off time episodes and failed rasagiline and entacopone

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Aptiom

Drugs

APTIOM

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Failure of carbamazepine and Oxcarbazepine

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Arcalyst

Drugs
ARCALYST

Exclusion Criteria
FDA labeled contraindications

Required Medical Information
Coverage will be based on a Diagnosis of CAPS, failure of 1 other treatment used for this condition such as canakinumab, nsais. Will also be covered for recurrent pericarditis and deficiency of interleukin-1 receptor antagonist.

Age Restriction

Prescriber Restriction
Immunologist, dermatologist, rheumatologist, cardiologist

Coverage Duration
12 months

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Armodafinil/Modafinil

Drugs

armodafinil, modafinil oral

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Aubagio

Drugs

teriflunomide

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

diagnosis of MS

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Augtyro

Drugs
AUGTYRO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Oncology/Hematology

Coverage Duration
12 months

Other Criteria
Metastatic NSCLC with a ROS-1 rearrangement AND Failure of crizotinib for patients without CNS metastasis OR failure of entrectinib for patients without CNS metastasis.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Auvelity

Drugs

AUVELITY

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Psychiatry and Neurology

Coverage Duration

12 months

Other Criteria

Failure of bupropion and failure of aripiprazole in combination with any antidepressant.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT, AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Failure of glatiramer and leflunomide

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

hematology/oncology/immunology/allergy

Coverage Duration

12 months or until progression

Other Criteria

Failure of imatinib AND one other tyrosine kinase inhibitor for unresectable or metastatic GIST with a mutation in PDGFRA exon 18 insensitive to imatinib or harboring a PDGFRA D842V mutation.

Diagnosis of advanced systemic mastocytosis.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

aztreonam (Cayston)

Drugs

CAYSTON

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 Months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Balversa

Drugs

BALVERSA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/Urology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Banzel

Drugs

rufinamide

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

BENLYSTA SUBCUTANEOUS

Exclusion Criteria

Member receiving other biologic therapy or intravenous cyclophosphamide.

Required Medical Information

FOR SLE Diagnosis of active, autoantibody-positive, systemic lupus erythematosus (SLE), and member currently receiving one or more of the following standard SLE therapies: Corticosteroids, Antimalarials, Non-steroidal anti-inflammatory drugs (NSAIDs), Immunosuppressants. For lupus nephritis must fail tacrolimus and mycophenolate.

Age Restriction

Greater or equal to 18 years of age

Prescriber Restriction

Rheumatologist or nephrologist

Coverage Duration

Lifetime

Other Criteria

None

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Berinert

Drugs

BERINERT

Exclusion Criteria

Must not be taking medications that can exacerbate the frequency and/or severity of hereditary angioedema (HAE) attacks including estrogens and ACE inhibitors.

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Besremi

Drugs

BESREMI

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology Oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Betaseron

Drugs

BETASERON SUBCUTANEOUS KIT

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Failure of glatiramer

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Bosulif

Drugs

BOSULIF

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

6 months or until disease progression

Other Criteria

Requires failure of imatinib for low risk CML based on Sokal or Hasford scores. Can be used first line for Ph+ CML with an intermediate to high risk Sokal or Hasford score

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Braftovi

Drugs

BRAFTOVI ORAL CAPSULE 75 MG

Exclusion Criteria

Required Medical Information

Evidence of BRAF mutation

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progresison

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Briviact

Drugs

BRIVIACT ORAL

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

failed trial or contraindication or intolerance of Levetiracetam

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Bronchitol

Drugs

BRONCHITOL

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Pulmonology

Coverage Duration

12 months

Other Criteria

confirmed diagnosis of cystic fibrosis.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Brukinsa

Drugs

BRUKINSA

Exclusion Criteria

Disease progression on a covalent BTK inhibitor

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/oncology

Coverage Duration

12 months or until progression

Other Criteria

Intolerance to Imbruvica in overlapping indication.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Cabometyx

Drugs

CABOMETYX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Covered until disease progression.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Calquence

Drugs

CALQUENCE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months or clinical progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Caplyta

Drugs

CAPLYTA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

written by neurology/psychiatry

Coverage Duration

12 months

Other Criteria

Failure of aripiprazole and risperidone for schizophrenia. Failure or lurasidone for bipolar depression

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Caprelsa

Drugs

CAPRELSA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Carbaglu

Drugs

carglumic acid oral tablet soluble

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

cialis

Drugs

tadalafil oral tablet 2.5 mg, 5 mg

Exclusion Criteria

excluded from part D coverage when prescribed for treatment of erectile dysfunction

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Approved for treatment of benign prostatic hyperplasia.

Indications

Some FDA-approved Indications Only.

Off Label Uses

Part B Prerequisite

No

Cinryze

Drugs

CINRYZE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Cometriq

Drugs

COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG, COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG, COMETRIQ (60 MG DAILY DOSE)

Exclusion Criteria

combination use with other tyrosine Kinase inhibitors.

Required Medical Information

Diagnosis

Age Restriction

Prescriber Restriction

oncology/hematology

Coverage Duration

6 months or until disease progression

Other Criteria

Covered for Metastatic Thyroid Medullary Cancer

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Copiktra

Drugs

COPIKTRA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

CORLANOR ORAL SOLUTION, CORLANOR ORAL TABLET

Exclusion Criteria

Required Medical Information

Documentation of the following: 1. Diagnosis of chronic heart failure with left ventricular ejection fraction less than or equal to 35% AND 2. Patient is in sinus rhythm with resting heart rate greater than or equal to 70 beats per minute AND 3. Patient is on maximally tolerated doses of beta-blockers or has a contraindication to beta-blocker use AND 4. Patient is receiving an ACE inhibitor or ARB or has a contraindication to these agents. Approved for the treatment of stable symptomatic heart failure due to dilated cardiomyopathy (with a left ventricular ejection fraction less than or equal to 45%) in pediatric patients ages 6 months and older.

Age Restriction

Prescriber Restriction

Cardiologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
COTELLIC

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months

Other Criteria
Covered for BRAF+ metastatic melanoma for combination use in with Zelboraf. For Histiocytosis coverage is consistent with NCCN guidelines for multiorgan or multifocal or e or unifocal a critical organ in patients who do not harbor a BRAF V600E mutation.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Cuprimine

Drugs

penicillamine oral capsule

Exclusion Criteria

Required Medical Information

serum ceruloplasmin if used for wilson's disease

Age Restriction

Prescriber Restriction

rheumatology/hepatology/neurology/urology/nephrology

Coverage Duration

12 months

Other Criteria

Coverage for RA requires failure of a TNF-Agent and JAK inhibitor or abatacept.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Cyclobenzaprine

Drugs

cyclobenzaprine hcl oral tablet 10 mg, 5 mg

Exclusion Criteria

Required Medical Information

Age Restriction

Authorization is required for patients over 64 years of age

Prescriber Restriction

Coverage Duration

3 weeks for skeletal muscle spasm, 12 months for fibromyalgia

Other Criteria

For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

No

Daliresp

Drugs

roflumilast oral tablet 250 mcg, 500 mcg

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

No

Daurismo

Drugs

DAURISMO ORAL TABLET 100 MG, 25 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Diacomit

Drugs
DIACOMIT

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Neurology

Coverage Duration
12 months

Other Criteria
Diagnosis of Dravet syndrome used in combination with clobazam.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Dificid

Drugs

DIFICID ORAL TABLET

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

10 days

Other Criteria

Failure of an adequate treatment of vancomycin and recurrence within 6 months.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Dronabinol

Drugs

dronabinol

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Previous Treatment History

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Infectious disease/oncologist/gastroenterologist

Coverage Duration

12 months

Other Criteria

For HIV/Cancer related cachexia patient must fail megestrol, For Chemotherapy induced nausea, patient must fail Emend and Ondansetron.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Dupixant

Drugs

DUPIXENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 MG/2ML, DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Pulmonology

Coverage Duration

12 months

Other Criteria

Only covered for severe asthma which requires chronic maintenance oral corticosteroid use to control symptoms despite maximal guideline directed inhaler therapy. Chronic Steroid use would defined as 60 days of prednisone 5mg/day or equivalent in combination with a three month trial of Trelegy 200 or high dose OCS/LABA/LAMA combination.

Indications

Some FDA-approved Indications Only.

Off Label Uses

Part B Prerequisite

No

Emend

Drugs

aprepitant oral capsule, EMEND ORAL SUSPENSION RECONSTITUTED

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Previous treatment history

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematologist/oncologist/Surgeon

Coverage Duration

12 months

Other Criteria

Patient must fail treatment with ondansetron (PA not applicable for PONV)

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Emgality

Drugs

EMGALITY, EMGALITY (300 MG DOSE)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Recent Failure (past 6 months) of two formulary medications with different mechanism of action FDA approved for migraine prophylaxis

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

EMSAM

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, current assessment and plan, prior medication failures

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Patient must fail 6 week trial with two formulary anti-depressants

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Enbrel

Drugs

ENBREL MINI, ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML, ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE, ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

Exclusion Criteria

FDA labeled contraindications combination with other biologic

Required Medical Information

Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Rheumatology/Dermatology or Specialist trained in management of prescribed condition

Coverage Duration

12 months

Other Criteria

Failure of Renflexis and adalimumab

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Endari

Drugs
ENDARI

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology

Coverage Duration
12 months

Other Criteria
Approved for patients who have had 2 or more sickle cell crises in the past 12 months while stable on hydroxyurea for at least 3 months

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

entrectinib (Rozytrek)

Drugs

ROZLYTREK ORAL CAPSULE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Rozytrek is a kinase inhibitor indicated for solid tumors with NTRK-Fusions and ROS-1 mutated Non-Small Cell lung cancer. Medical history, studies, and appropriate confirmatory tests are reviewed in Referrals and if approved will notify pharmacy and the physician.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Epidiolex

Drugs
EPIDIOLEX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Neurology

Coverage Duration
12 months

Other Criteria
Failure of clobazam for Lennox Gastaut syndrome.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs

ERIVEDGE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematologist/Oncologist

Coverage Duration

12 months or until progression

Other Criteria

Diagnosis of metastatic basal cell carcinoma OR Diagnosis of locally advanced basal cell carcinoma that has recurred following surgery or when the patient is not a candidate for surgery and radiation

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Erleada

Drugs

ERLEADA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Urologist, Oncologist

Coverage Duration

12 months or until PSA progression

Other Criteria

Failure of LHRH agonist and bicalutamide for non-metastatic disease. Failure of abiraterone for metastatic disease.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

pirfenidone

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Exjade

Drugs

deferasirox oral tablet soluble

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

iron indices

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematologist/oncologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Exkivity

Drugs
EXKIVITY

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
oncology hematology

Coverage Duration
12 months unless disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Fanapt

Drugs

FANAPT, FANAPT TITRATION PACK

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Neurology/Psychiatry

Coverage Duration

12 months

Other Criteria

failure of lurasidone and aripiprazole

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Fentanyl Lozenge

Drugs

fentanyl citrate buccal lozenge on a handle

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Previous treatment history

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pain management physician/oncologist

Coverage Duration

12 months

Other Criteria

Covered for breakthrough pain in patients receiving long acting opioid treatment and are opioid tolerant. Patient must fail two immediate release C-II opioid such as hydromorphone, morphine, oxycodone.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Fentanyl Patch

Drugs

fentanyl transdermal patch 72 hour 100 mcg/hr, 25 mcg/hr, fentanyl transdermal patch 72 hour 12 mcg/hr, 50 mcg/hr, 75 mcg/hr

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pain management physician/oncologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Fetzima

Drugs

FETZIMA, FETZIMA TITRATION

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Must fail two generically available anti-depressants in past 12 months

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Fintepla

Drugs

FINTEPLA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Failure of epidiolex

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Fotivda

Drugs
FOTIVDA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Oncology/Hematology

Coverage Duration
12 months or until progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Fruzaqla

Drugs

FRUZAQLA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Patient has metastatic colorectal cancer and previously treated with fluoropyrimidine-, oxaliplatin-, and irinotecan-based chemotherapy, an anti-VEGF therapy, and, if RAS wild-type and medically appropriate, an anti-EGFR therapy.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

FYCOMPA ORAL SUSPENSION, FYCOMPA ORAL TABLET

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Failure of lacosamide and levetiracetam

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Gattex

Drugs
GATTEX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Gastroenterologist

Coverage Duration
6 months initially

Other Criteria
Diagnosis of Short Bowel Syndrome Dependent on Parenteral Support Baseline Records of parenteral hydration After 6 month trial of Gattex, patient must demonstrate clinical improvement and or reduction in weekly parenteral fluid volume for continuation.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Gavreto

Drugs
GAVRETO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months or until disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Gilenya

Drugs

fingolimod hcl

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Gilotrif

Drugs

GILOTRIF

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/Hematology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Gleostine

Drugs

GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

hematology/oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Glyburide

Drugs

glyburide micronized, glyburide oral

Exclusion Criteria

Required Medical Information

failure or contraindication to preferred glipizide and glimeperide

Age Restriction

Prior authorization required for members 65 years or older. Automatic approval for members less than 65 years of age.

Prescriber Restriction

Coverage Duration

Through benefit year

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Hetlio

Drugs

tasimelteon

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Confirmed Diagnosis of non-24 hour sleep-Wake disorder Sleep study to rule out Sleep/apnea or other contributory sleep disorders Patient must be totally blind. Covered for microdeletion syndrome Smith-Magenis syndrome.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Humira

Drugs

HUMIRA (2 PEN) SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML, HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, HUMIRA-PED \geq 40KG CROHNS START

Exclusion Criteria

FDA labeled contraindications combination with other biologic

Required Medical Information

Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Dermatologist/rheumatologist/ Gastroenterologist/Ophthalmologist

Coverage Duration

12 months

Other Criteria

Patient must fail infliximab and a preferred biosimilar adalimumab if on formulary. Part B before Part D Step Therapy.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Ibrance

Drugs

IBRANCE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Icatibant

Drugs

icatibant acetate subcutaneous solution prefilled syringe

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Allergist or Immunologist

Coverage Duration

12 months

Other Criteria

Confirmed Diagnosis of HEA, Failure of Tranexamic acid and Danazol

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Iclusig

Drugs

ICLUSIG

Exclusion Criteria

Required Medical Information

Diagnosis

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Idhifa

Drugs
IDHIFA

Exclusion Criteria

Required Medical Information
Evidence of IDH-1 mutation

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months or until disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Imbruvica

Drugs

IMBRUVICA ORAL CAPSULE, IMBRUVICA ORAL TABLET 420 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology/ transplant specialist

Coverage Duration

12 months

Other Criteria

Off Label and combination use must have CMS compliant compendial support that is consistent with section 10.6 in Chapter 6 of the Medicare Part D

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

No

Imbruvica Sln

Drugs

IMBRUVICA ORAL SUSPENSION

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology/ transplant specialist

Coverage Duration

12 months

Other Criteria

Unable to swallow or use a tablet or capsule

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

INCRELEX

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis of severe primary IGF-1 deficiency.

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Endocrinologist

Coverage Duration

12 months

Other Criteria

Diagnostic support and open epiphyseal plates are required for coverage. If the cause growth hormone insensitivity is unknown or there is a partial growth hormone insensitivity a trial of recombinant growth hormone would be required.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

INLYTA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
INQOVI

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/oncology

Coverage Duration
12 months unless patient has disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Inrebic

Drugs

INREBIC

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until progression

Other Criteria

Failure of Jakafi

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Invega Sustenna

Drugs

INVEGA HAFYERA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Psychiatry or Neurology

Coverage Duration

12 months

Other Criteria

Failure of quetiapine and risperidone

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

gefitinib

Exclusion Criteria

Severe hypersensitivity to gefitinib or other components.

Required Medical Information

Diagnosis

Age Restriction

Patient must be at least 18 years old or older.

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Approved for Non Small Cell Lung Cancer with Egfr exon 19 deletion or Exon 21 substitution.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Isotretinoin

Drugs

isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

5 months

Other Criteria

For cystic, nodular or scarring acne, must be refractory to oral antibiotics and topical retinoids. Trial of combination oral tetracycline and topical retinoid must have been tried in most recent 6 months.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

IVIG

Drugs

GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML, GAMUNEX-C INJECTION SOLUTION 1 GM/10ML

Exclusion Criteria

Required Medical Information

Diagnosis, immunoglobulin studies

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

For ITP must fail corticosteroids and Anti-D immunoglobulin (if indicated). For other indications must meet current LCD criteria for immunoglobulin therapy. Part B before Part D Step Therapy

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

Yes

Iwilfin

Drugs

IWILFIN

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months

Other Criteria

Documentation supporting high risk neuroblastoma responsive to prior lines of treatment including anti GD2 antibody therapy

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Jakafi

Drugs

JAKAFI

Exclusion Criteria

FDA labeled contraindications, Low risk Disease

Required Medical Information

Diagnosis

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematology, oncology, transplant specialist

Coverage Duration

12 months

Other Criteria

Not covered when used in combination with antiproliferative drugs (i.e lenalidomide), or other JAK or tyrosine kinase inhibitors.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Jaypirca

Drugs

JAYPIRCA ORAL TABLET 100 MG, 50 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Indicated for third line treatment of mantle cell lymphoma after failure of a BTK inhibiting treatment.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Juxtapid

Drugs

JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

3 months initially, 12 months for continuation

Other Criteria

Clinical confirmation that patient has HoFH and failure of Statin and PCSK-9 therapy. Continuation of Juxtapid after 3 month trial based on LDL reduction while on therapy. If statin intolerant must fail a PCSK-9 inhibitor.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

KALYDECO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Genotyping supportive of mutation status in the FDA label

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Kerendia

Drugs
KERENDIA

Exclusion Criteria

Combination use with eplerenone or spironolactone. Potassium greater than 4.8 meq/L, Egfr less than 25 ml/min

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Patient has CKD with proteinuria with a urinary albumin to creatinine ratio greater than or equal to 30 mg/g on maximal doses of an ACE Inhibitor or maximal dose of an ARB and an SGLT-2 inhibitor.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
KEVZARA

Exclusion Criteria

Required Medical Information

Medical history and studies are reviewed in Referrals, including available serology, clinical features, inflammatory markers, and radiography to support diagnosis of rheumatoid arthritis. For polymyalgia rheumatic include clinical documentation to support the diagnosis such as steroid responsiveness, elevation of acute phase reactants on two occasions, onset of symptoms after age 50, morning stiffness, primary pain/stiffness manifestations include shoulders, hips, neck, proximal arms or legs.

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Failure of a preferred TNF inhibitor such as Renflexis or adalimumab for rheumatoid arthritis. For polymyalgia rheumatica inability to taper corticosteroids with use of combination methotrexate

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

Exclusion Criteria

FDA labeled contraindications combination with other biologic

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

For RA failure of Enbrel and Humira

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Kisqali

Drugs

KISQALI (200 MG DOSE), KISQALI (400 MG DOSE), KISQALI (600 MG DOSE), KISQALI FEMARA (200 MG DOSE), KISQALI FEMARA (400 MG DOSE), KISQALI FEMARA (600 MG DOSE)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
KORLYM

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
endocrinologist

Coverage Duration
12 months

Other Criteria
Diagnosis of Cushings syndrome , Type 2 diabetes mellitus , Failed surgery OR not a candidate for surgery , Failure of ketoconazole

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Koselugo

Drugs
KOSELUGO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
neurology/hematology/oncology

Coverage Duration
12 months

Other Criteria
Diagnosis of Type 1 neurofibromatosis with symptomatic or inoperable plexiform neurofibromas

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Krazati

Drugs

KRAZATI

Exclusion Criteria

Progression on another KRAS inhibitor such as sotorasib

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months

Other Criteria

Presence of G12C mutation with metastatic or locally advanced Non-Small Cell Lung Cancer. Patient must not have progressive disease on treatment for continuation of coverage

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

sapropterin dihydrochloride oral packet, sapropterin dihydrochloride oral tablet

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to dietary changes, current assessment and plan, serum phenylalanine.

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Medical Geneticist, neurologist, hepatologist, Metabolic specialist

Coverage Duration

12 months

Other Criteria

Coverage will be based on medical history/status, response to dietary restrictions recommended by medical professionals.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lenvima

Drugs

LENVIMA (10 MG DAILY DOSE), LENVIMA (12 MG DAILY DOSE), LENVIMA (14 MG DAILY DOSE), LENVIMA (18 MG DAILY DOSE), LENVIMA (20 MG DAILY DOSE), LENVIMA (24 MG DAILY DOSE), LENVIMA (4 MG DAILY DOSE), LENVIMA (8 MG DAILY DOSE)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lidoderm

Drugs

lidocaine external patch 5 %

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

liraglutide (Victoza)

Drugs

VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Failure of Bydureon for patients without established Cardiovascular disease or multiple cardiovascular risk factors. Covered for multiple cardiovascular risk factors or established cardiovascular disease. Not covered in combination with a DPP-IV inhibitor.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lobrena

Drugs

LORBRENA

Exclusion Criteria

Required Medical Information

Evidence of ALK+ mutation

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lokelma

Drugs

LOKELMA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 month

Other Criteria

Two elevated serum potassium levels in absence of potassium sparing medications.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Long Acting Anti-Psychotics Injections

Drugs

ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE, INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE, *risperidone microspheres er*

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Neurology Psychiatry

Coverage Duration

12 months

Other Criteria

Failure of two generic anti-psychotics in the past 12 months

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lonsurf

Drugs

LONSURF

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lotronex

Drugs

alosetron hcl

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Gastroenterologist

Coverage Duration

12 months

Other Criteria

Failure of loperimide and a tricyclic antidepressant. Approved initially for 3 months continuation to 12 months if patient has improvement in symptoms.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lumakras

Drugs

LUMAKRAS

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/Hematology

Coverage Duration

12 months or until progression

Other Criteria

Submission of molecular profile of tumor supporting KRAS G12C mutation

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lybalvi

Drugs

LYBALVI

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology/Psychiatry

Coverage Duration

12 months

Other Criteria

Failure of Olanzapine and asenapine

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lynparza

Drugs

LYNPARZA ORAL TABLET

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Lytgobi

Drugs

LYTGOBI (12 MG DAILY DOSE), LYTGOBI (16 MG DAILY DOSE), LYTGOBI (20 MG DAILY DOSE)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/hematology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Mavyret

Drugs

MAVYRET

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Gastroenterology, infectious disease, Hepatology

Coverage Duration

8 weeks to 16 weeks

Other Criteria

Information supporting diagnosis,genotype,and Metavir score.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Mekinist

Drugs
MEKINIST

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration
12 months or until disease progression

Other Criteria
Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other anti-neoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Mektovi

Drugs

MEKTOVI

Exclusion Criteria

Required Medical Information

Evidence of BRAF mutation

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Metaxalone

Drugs

metaxalone oral tablet 800 mg

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

4 weeks

Other Criteria

For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

No

Movantik

Drugs

MOVANTIK

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12months

Other Criteria

Failure of Lactulose and lubiprostone

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Natpara

Drugs

NATPARA

Exclusion Criteria

Required Medical Information

iPTH, Calcium

Age Restriction

Prescriber Restriction

endocrinologist

Coverage Duration

12 months

Other Criteria

Hypocalcemia despite using maximal doses of calcitriol

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
NERLYNX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematologist/Oncologist

Coverage Duration
12 months or until disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Neupro

Drugs

NEUPRO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Failure of Ropinirole and Pramipexole

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

sorafenib tosylate

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

failure of sunitinib for metastatic renal cell carcinoma

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Ninlaro

Drugs

NINLARO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Failure of bortezomib and lenalidomide required for coverage

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Northera

Drugs

droxidopa

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Documented orthostatic hypotension or Dopamine-Beta-Hydroxylase deficiency

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Noxafil

Drugs

NOXAFIL ORAL SUSPENSION, *posaconazole oral*

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

3 months

Other Criteria

Failure, resistance or contraindication to itraconazole, voriconazole

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Nubeqa

Drugs

NUBEQA

Exclusion Criteria

Required Medical Information

Patient has failed Xtandi for premetastatic castrate resistant prostate cancer.

Age Restriction

Prescriber Restriction

Coverage Duration

12 months or until Disease progression

Other Criteria

Patient has failed Xtandi for premetastatic castrate resistant prostate cancer. Failed abiraterone for areas of overlapping indication or medically acceptable use.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Nucala

Drugs NUCALA

Exclusion Criteria

Required Medical Information

The following criteria must be met for coverage for oral steroid dependent severe eosinophilic asthma: Prescriber must be a pulmonologist or allergist, and patient must fail trial of LABA+ICS combination and a leukotriene receptor antagonist. For Hypereosinophilic syndrome failure of corticosteroids or imatinib and hydroxyurea. For nasal polyps recent failure (past 3 months) of intranasal corticosteroid and a 10-15 day course of oral corticosteroid at adequate doses based on the literature (ie prednisone 60-40mg for 5 days followed by 10mg-20mg for 5 to 10 days)

Age Restriction

Prescriber Restriction

Pulmonologist, Allergist, Otolaryngologist, hematologist, or Rheumatologist

Coverage Duration

12 months

Other Criteria

Nucala is an interleukin 5 antagonist covered for indications of eosinophilic asthma and eosophilic granulomatosis with polyangiitis. Medical history and studies are reviewed in Referrals and if approved will notify pharmacy and the physician.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Nuedexta

Drugs

NUEDEXTA

Exclusion Criteria

Required Medical Information

Diagnosis

Age Restriction

Prescriber Restriction

neurology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Nuplazid

Drugs

NUPLAZID ORAL CAPSULE, NUPLAZID ORAL TABLET 10 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology Psychiatry

Coverage Duration

12 months

Other Criteria

Notes supporting dementia with hallucinations or delusions secondary to parkinsons dementia.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

NURTEC

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology, Pain management, headache specialist

Coverage Duration

12 months

Other Criteria

Failure of eletriptan and sumatriptan for abortive treatment, failure of topiramate and Aimovig for migraine prophylaxis.

Indications

Some FDA-approved Indications Only.

Off Label Uses

Part B Prerequisite

No

Odomzo

Drugs
ODOMZO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months

Other Criteria
Approval will initially be for three months, if patient has a response to therapy will be renewed for 12 months

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs
OFEV

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
pulmonologist

Coverage Duration
12 months

Other Criteria
Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%. Confirmed Diagnosis of systemic sclerosis associated interstitial lung disease. Confirmed diagnosis chronic fibrosis interstitial lung diseases and discontinuation of medications which can cause pulmonary fibrosis if risk outweighs benefit.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs
OGSIVEO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Approve for progressive desmoid tumors requiring systemic treatment.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Ojjaara

Drugs
OJJAARA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months

Other Criteria
Failure of Jakafi

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Omnitrope

Drugs

OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE, OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

studies establishing diagnosis of indication.

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Endocrinologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Onfi

Drugs

clobazam

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis

Age Restriction

FDA approved Ages

Prescriber Restriction

Restricted to Neurology

Coverage Duration

12 Months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Onureg

Drugs
ONUREG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Oncology/Hematology

Coverage Duration
12 months or until progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Opsumit

Drugs
OPSUMIT

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
pulmonologist/cardiologist

Coverage Duration
12 months

Other Criteria
Failure of Ambrisentan and tadalafil

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Orenitram

Drugs

ORENITRAM

Exclusion Criteria

Required Medical Information

Right Heart catheterization to confirm the diagnosis

Age Restriction

Prescriber Restriction

Pulmonologist or Cardiologist

Coverage Duration

12 months

Other Criteria

Failure of combination Ambrisentan and tadalafil

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
ORGOVYX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Urology/Hematology

Coverage Duration
12 months or until progression

Other Criteria
Failure or intolerance of degaralix and leuprolide

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Orilissa

Drugs

ORILISSA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

OB/GYN

Coverage Duration

6 months

Other Criteria

Covered for endometriosis, failure of NSAID and combinedestrogen-progestin contraceptive or progestin.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Orkambi

Drugs

ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG, ORKAMBI ORAL TABLET

Exclusion Criteria

Required Medical Information

CFTR mutation analysis, spirometry

Age Restriction

Ages approved in FDA label

Prescriber Restriction

pulmonologist

Coverage Duration

12 months

Other Criteria

CFTR mutation must be supported by FDA approved label such as homozygous F508-deletion

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Orserdu

Drugs

ORSERDU ORAL TABLET 345 MG, 86 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Approved for ESR-1 mutated ER+ HER2- advanced or metastatic breast cancer which has progressed on a CDK 4/6 inhibitor.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Otezla

Drugs
OTEZLA

Exclusion Criteria

Required Medical Information

Documentation of active psoriatic arthritis or mild to moderate plaque psoriasis or Bechet's disease.

Age Restriction

Prescriber Restriction

Rheumatologist, Dermatologist

Coverage Duration

12 months

Other Criteria

For mild plaque Psoriasis (less than 3 % BSA)patient must fail combination calcipotriene and diflorisone or other high potency topical steroid or roflumilast. For moderate plaque psoriasis patient must fail methotrexate and a preferred TNF such as adalimumab or infliximab. For psoriatic arthritis patient must fail a preferred TNF inhibitor (Adalimumab/Infliximab) AND Xeljanz OR methotrexate. Part B before Part D Step Therapy.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Pemazyre

Drugs

PEMAZYRE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/oncology

Coverage Duration

12 months or until progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Phenoxybenzamine

Drugs

phenoxybenzamine hcl oral

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Piqray

Drugs

PIQRAY (200 MG DAILY DOSE), PIQRAY (250 MG DAILY DOSE), PIQRAY (300 MG DAILY DOSE)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months or until progression,

Other Criteria

HR+ ER- with PIK3CA mutation advanced/metastatic breast cancer and failure of endocrine therapy.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Pomalyst

Drugs

POMALYST

Exclusion Criteria

FDA contraindications

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Approve for patients with multiple myeloma who have received at least two prior therapies including lenalidomide and bortezomib and have demonstrated disease progression on or within 60 days of completion of the last therapy. Covered for patients with Kaposi sarcoma.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Prevymis

Drugs

PREVYMIS ORAL

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

100 days post allogeneic stem cell transplantation, 200 days post renal transplantation

Other Criteria

Patient had an allogeneic stem cell transplant within the last 28 days and CMV seropositive. For renal transplant the donor must be CMV seropositive and the patient must be CMV seronegative AND patient is intolerant, has baseline leukopenia, or had failed valganciclovir.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Prolastin-C

Drugs

PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

1 Year

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Prolia

Drugs

PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Intolerance or contraindication to injectable bisphosphonate required for coverage of prolia. Part B before Part D Step Therapy

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Promacta

Drugs

PROMACTA ORAL PACKET 12.5 MG, PROMACTA ORAL TABLET

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC
,Platelet count less than 50,000/ml for ITP, Platelet count of less than 75,000/ml for HCV

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematologist/oncologist, Hepatologist/gastroenterologist, Infectious Disease

Coverage Duration

12 months

Other Criteria

Chronic ITP Refractory to IVIG, corticosteroids or splenectomy as per FDA approval studies not applicable to HCV related thrombocytopenia

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Pulmozyme

Drugs

PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis of cystic fibrosis current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pulmonologist

Coverage Duration

12 months

Other Criteria

Covered for Patients with Cystic Fibrosis. Not covered for off label indications such as asthma

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

pyrimethamine (Daraprim)

Drugs

pyrimethamine oral

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 Months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Qinlock

Drugs
QINLOCK

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
hematology/oncology

Coverage Duration
12 months or until disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Ravicti

Drugs

RAVICTI

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

hepatologist or metabolic specialist such as a endocrinologist or geneticist

Coverage Duration

12 months

Other Criteria

Clinical Failure of Buphenyl

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Rebif

Drugs

REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR, REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR, REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE, REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Failure of dimethyl fumarate and teriflunomide

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Repatha

Drugs

REPATHA, REPATHA PUSHTRONEX SYSTEM, REPATHA SURECLICK

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

For patients with HoFH, HeFH, or with established atherosclerotic cardiovascular disease and Primary hyperlipidemia who require additional LDL lowering: Failure of rosuvastatin 40mg or Atorvastatin 80 combined with ezetimibe 10mg. Diagnosis of must be HeFH supported by Dutch Lipid Clinic Network criteria. Diagnosis of HOFH must be confirmed by genetic testing. Patients who are intolerant to rosuvastatin/ atorvastatin can use an alternative statin + Ezetimibe 10mg. For statin intolerant patients who required additional LDL lowering and have established cardiovascular disease, HoFH, or HeFH: History of statin intolerance to a hydrophilic statin such as fluvastatin, pravastatin, rosuvastatin in the absence of fibrates or other combinations which can increase risk of myopathy or myalgia when used in combination with a statin.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Retacrit

Drugs

RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Scr, HGB, T-sat, Ferritin

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

6 months

Other Criteria

Hemoglobin must be within FDA approved ranges for initiation and maintenance. Patient must have adequate iron stores to initiate and continue treatment. ESRD will be covered under Medicare Part B

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Retevmo

Drugs

RETEVMO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or disease progression

Other Criteria

Diagnosis of metastatic non-small cell lung cancer or metastatic or advanced medullary thyroid carcinoma with RET alterations

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Revatio

Drugs

sildenafil citrate oral tablet 20 mg

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, current assessment and plan, 6 min walk, diffusion studies, Rt Heart Cath

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pulmonologist/Cardiologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Revlimid

Drugs

lenalidomide

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC, Bone Marrow Biopsy, Karyotype

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematologist/oncologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Rexulti

Drugs
REXULTI

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration
12months

Other Criteria
Failure of aripiprazole and lurasidone for schizophrenia or failure of combination SSRI and aripiprazole for major depressive disorder. For Alzheimer's agitation failure of quetiapine and olanzapine

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Rezlidhia

Drugs

REZLIDHIA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

Presences of an IDH-1 mutation

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Rezurock

Drugs

REZUROCK

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology/Transplant

Coverage Duration

12 months

Other Criteria

Failure of Jakafi and Imbruvica

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Rubraca

Drugs
RUBRACA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Oncology/Hematology

Coverage Duration
12 months or until disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Rydapt

Drugs

RYDAPT

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until progression

Other Criteria

Labs supporting FLT3 mutation if being used for AML, not required for systemic mastocytosis

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Sabril

Drugs

vigabatrin, VIGPODER

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Neurologist

Coverage Duration

12 months

Other Criteria

For Refractory Partial Complex, failure of 2 adjunctive regimens containing any of the following lacosamide, lamotrigine, or levetiracetam

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Scemblix

Drugs
SCEMBLIX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Oncology Hematology

Coverage Duration
12 months unless disease progression

Other Criteria
Failure of ponatinib if T315I mutation present.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs
SECUADO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Restricted to Neurology/Psychiatry

Coverage Duration
12 months

Other Criteria
Failure of lurasidone and risperidone

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs

cinacalcet hcl

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history, associated studies iPTH, calcium, phosphate

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Nephrologist/endocrinologist/oncologist

Coverage Duration

12 months

Other Criteria

For secondary hyperparathyroidism related to CKD, patient must fail active vit-D therapy/phosphate binders. ESRD use is excluded from medicare Part D and this authorization will include a determination of Part D vs Part B coverage based indication

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Signifor

Drugs
SIGNIFOR

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Endocrinologist

Coverage Duration
12 months

Other Criteria
For Cushings Disease failed or poor surgical candidate for pituitary resection

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Solaraze

Drugs

diclofenac sodium external gel 3 %

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Dermatologist, oncologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Somavert

Drugs

SOMAVERT

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Endocrinologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Sprycel

Drugs
SPRYCEL

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration
12 months or until disease progression

Other Criteria
Requires failure of imatinib for low risk CML based on Sokal or Hasford scores.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Stelara

Drugs

STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML, STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

gastroenterologist/rheumatologist/dermatologist

Coverage Duration

12 months

Other Criteria

For Crohns, patient must fail Entyvio and Renflexis. For plaque psoriasis, patient must fail adalimumab and Renflexis. For psoriatic arthritis, patient must fail a preferred TNF (adalimumab or infliximab) and Xeljanz. Part B before Part D Step Therapy

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Stivarga

Drugs

STIVARGA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

SUNOSI ORAL TABLET 150 MG, 75 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Board Certified Sleep Medicine

Coverage Duration

12 months

Other Criteria

Covered for narcolepsy requires failure of modafinil/armodafinil and failure of amphetamine/methylphenidate

Indications

Some FDA-approved Indications Only.

Off Label Uses

Part B Prerequisite

No

Sutent

Drugs

sunitinib malate

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Symlin

Drugs

SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR, SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, HA1c BG

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Endocrinologist, Internist

Coverage Duration

12 months

Other Criteria

Patient BG must be non-controlled on optimal doses of insulin

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Sympazan

Drugs
SYMPAZAN

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Synarel

Drugs

SYNAREL

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis, Notes, Previous treatment history

Age Restriction

Ages approved in FDA Label

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Covered after patient fails treatment with Lupron for endometriosis or precocious puberty

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tabrecta

Drugs

TABRECTA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/Hematology

Coverage Duration

12 months or until progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tafinlar

Drugs

TAFINLAR

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months or until disease progression

Other Criteria

Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other anti-neoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tagrisso

Drugs
TAGRISSO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months

Other Criteria
Coverage requires Diagnosis of Non Small Cell Lung cancer with EGFR mutations as indicated by the FDA.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs
TALTZ

Exclusion Criteria

Required Medical Information

Notes supporting diagnostic evidence and previous treatment history.

Age Restriction

Prescriber Restriction

Rheumatology, Dermatology

Coverage Duration

12 months

Other Criteria

For Plaque Psoriasis must fail a preferred formulary subcutaneous TNF inhibitor(adalumab) and IV TNF inhibitor (Renflexis). For Psoriatic Arthritis must fail a preferred TNF agent(adalimumab/renflexis) and JAK inhibitor(Xeljanz). For Ankylosing Spondylitis must fail adalimumab and Renflexis. For non-radiographic axial spondylarthritis failure of a TNF inhibitor (adalimumab/Renflexis). Part B before Part D Step Therapy

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

Yes

Talzenna

Drugs

TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG

Exclusion Criteria

Required Medical Information

Evidence of germline BRCA mutation for breast cancer or HRR mutations for metastatic prostate cancer

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Evidence of germline BRCA mutation for breast cancer or HRR mutations for metastatic prostate cancer

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tarceva

Drugs

erlotinib hcl

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Targetin

Drugs

bexarotene external, bexarotene oral

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology, dermatology

Coverage Duration

12 months or until disease progression

Other Criteria

Must have failed one prior systemic therapy

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tasigna

Drugs

TASIGNA

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematologist/oncologist

Coverage Duration

12 months

Other Criteria

Covered for failure or relapse of CML when previously treated with imatinib. Covered for newly diagnosed CML patients who are Philadelphia chromosome +. Will also be covered for intolerance or adverse reaction to imatinib. Combination therapy with other tyrosine kinase inhibitors or MTOR inhibitors for CML is not supported.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tazorac

Drugs

tazarotene external cream, tazarotene external gel, TAZORAC EXTERNAL CREAM 0.05 %

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Previous treatment history

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

For Psoriasis patient must have failed medium to high potency topical corticosteroid, For acne patient must have failed Tretinoin and oral antibiotic

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

TAZVERIK

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/Hematology

Coverage Duration

12 months or until progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tecfidara

Drugs

dimethyl fumarate oral, dimethyl fumarate starter pack oral capsule delayed release therapy pack

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Diagnosis of MS

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tepmetko

Drugs

TEPMETKO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/oncology

Coverage Duration

12 months or until progression

Other Criteria

Molecular profile to support MET exon 14 skipping mutation

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tetrabenazine

Drugs

tetrabenazine

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology or Psychiatry

Coverage Duration

12 months

Other Criteria

For tardive dyskinesia causative drug must be discontinued or tried at a lower dose

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Thalomid

Drugs

THALOMID

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematologist/oncologist/infectious disease/dermatologist

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tibsovo

Drugs

TIBSOVO

Exclusion Criteria

Required Medical Information

Evidence of IDH-1 Mutation

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

TOBI PODHALER

Exclusion Criteria

Required Medical Information

Medical notes describing indication for the management of cystic fibrosis patients with *Pseudomonas aeruginosa* and with forced expiratory volume in 1 second (FEV1) greater than 25% or less than 80%.

Age Restriction

6 years and older

Prescriber Restriction

Coverage Duration

Through benefit year

Other Criteria

Safety and efficacy have not been demonstrated in patients with forced expiratory volume in 1 second (FEV1) less than 25% or greater than 80%, or patients colonized with *Burkholderia cepacia*

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

bosentan

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, right heart catheterization, 6 Minute Walk time

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pulmonologist or cardiologist

Coverage Duration

12 months

Other Criteria

Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral ,Coverage will be based on medical history/status, vasoreactivity tests, failure of sildenafil. Sildenafil failure does not apply to pediatric patients with congenital or ideopathic PAH

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tretinoin Topical

Drugs

tretinoin external cream, tretinoin external gel 0.01 %, 0.025 %

Exclusion Criteria

FDA labeled contraindications, treatment of photoaging, wrinkles

Required Medical Information

Diagnosis

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

TRINTELLIX

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Failure of vilazodone and another generically available anti-depressant within past 6 months

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Truqap

Drugs
TRUQAP

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months

Other Criteria
Patient has had progression on at least one endocrine-based regimen in the metastatic setting or recurrence on or within 12 months of completing adjuvant therapy.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Tukysa

Drugs

TUKYSA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

hematology/oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Turalio

Drugs

TURALIO ORAL CAPSULE 125 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/hematology

Coverage Duration

12 months or until disease progression

Other Criteria

Patient is not a surgical candidate and has a Tenosynovial giant cell tumor.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Tykerb

Drugs

lapatinib ditosylate

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan associated studies

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Oncologist/hematologist

Coverage Duration

12 months

Other Criteria

Patient is using in combination with capecitabine for HER/NEU + Metastatic breast CA, having failed an anthracycline, Herceptin and a taxane, or Patient must be using in combination with an aromatase inhibitor and have HER/NEU+ HR+ metastatic breast CA

Indications

All Medically-accepted Indications.

Off Label Uses

Part B Prerequisite

No

Tymlos

Drugs

TYMLOS

Exclusion Criteria

FDA labeled contraindications/ cumulative tx more than 24month

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, BMD, PTH, VITD

Age Restriction

Late adolescents and Adults only

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Patient must fail or have contraindication to bisphosphonates, Vitamin D (25,OH), PTH must be WNL

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Ubrelvy

Drugs
UBRELVY

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Neurologist, Headache Specialist, Pain specialist

Coverage Duration
12 months

Other Criteria
Failure of eletriptan and sumatriptan.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Uceris

Drugs

budesonide er oral tablet extended release 24 hour

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Gastroenterologist

Coverage Duration

8 weeks

Other Criteria

approved for 8 weeks in patients with active mild-moderate ulcerative colitis who are intolerant or have failed 1-1.5 mg/kg of oral prednisone and mesalamine

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Udenyca

Drugs

FULPHILA, UDENYCA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Uptravi

Drugs

UPTRAVI ORAL, UPTRAVI TITRATION

Exclusion Criteria

Required Medical Information

Right heart catheterization supporting diagnosis of PAH

Age Restriction

Prescriber Restriction

Pulmonology or Cardiology

Coverage Duration

12 months

Other Criteria

diagnosis of WHO group 1 PAH, failure of Ambrisentan and tadalafil

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Valchor

Drugs

VALCHLOR

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Valtoco

Drugs

VALTOCO 10 MG DOSE, VALTOCO 15 MG DOSE, VALTOCO 20 MG DOSE, VALTOCO 5 MG DOSE

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

History of cluster seizures or acute repetitive seizures.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Vanflyta

Drugs

VANFLYTA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

hematology/oncology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Vascepa

Drugs

icosapent ethyl

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Approved for patients on a statin with high cardiovascular risk and elevated triglycerides between 150-499mg/dl. Approved for hypertriglyceridemia after failure of fibrate and omega-3-acid ethyl esters. Approved for statin intolerant patients with high cardiovascular risk and elevated triglycerides between 150-499mg/dl.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Venclexta

Drugs

VENCLEXTA, VENCLEXTA STARTING PACK

Exclusion Criteria

Required Medical Information

Medical notes supporting diagnosis.

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months

Other Criteria

approved for all FDA approved indications

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Verzenio

Drugs

VERZENIO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or clinical progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
VITRAKVI

Exclusion Criteria

Required Medical Information
Evidence of a NTRK fusion

Age Restriction

Prescriber Restriction

Coverage Duration
12 months or until disease progression

Other Criteria
Intolerance or contraindication of entrectinib

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Vizimpro

Drugs

VIZIMPRO

Exclusion Criteria

Required Medical Information

Evidence of EGFR mutated non-small cell lung cancer

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until Disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Vonjo

Drugs
VONJO

Exclusion Criteria
FDA labeled contraindications

Required Medical Information
Diagnosis

Age Restriction
Ages approved in FDA labeling

Prescriber Restriction
Hematology, Oncology

Coverage Duration
12 months

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Voriconazole

Drugs

voriconazole intravenous, voriconazole oral

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

3 months

Other Criteria

Covered when two of the following medications have been tried, unless resistance or contraindication precludes use, Itraconazole, fluconazole, ketoconazole. Exclusions to prerequisite medications are Invasive pulmonary aspergillosis, *Scedosporium apiospermum*, *Fusarium*

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Votrient

Drugs

pazopanib hcl

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

VRAYLAR ORAL CAPSULE, VRAYLAR ORAL CAPSULE THERAPY PACK

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Psychiatry or Neurology

Coverage Duration

12 months

Other Criteria

For Bipolar 1 disorder failure of lurasidone and quetiapine. For treatment of Schizophrenia failure of lurasidone and aripiprazole. For adjunctive treatment of major depressive disorder failure of aripiprazole and quetiapine.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Welireg

Drugs

WELIREG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months unless disease progression

Other Criteria

Clinical information and labs supporting diagnosis

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xalkori

Drugs

XALKORI

Exclusion Criteria

Required Medical Information

Diagnosis, documentation support ALK+ NSCLC or ROS1 Positive for NSCLC indication.

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Hematology-oncology

Coverage Duration

6 months

Other Criteria

Continuation will be based on lack of disease progression

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xcopri

Drugs

XCOPRI, XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG,
XCOPRI (350 MG DAILY DOSE)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Neurology

Coverage Duration

12 months

Other Criteria

Recent failure (past 6 months) of lacosamide and lamotrigine

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xeljanz

Drugs

XELJANZ, XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Rheumatology/Gastroenterologist

Coverage Duration

12 months

Other Criteria

For Rheumatoid arthritis- 3 month trial of Combination DMARD therapy in past 6 months, For Psoriatic Arthritis Patient must fail 3 month trial of MTX or LEF in past 6 months. For ulcerative colitis patient must fail azathioprine/6MP in combination with a 5-ASA compound.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xermelo

Drugs

XERMELO

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematologist, oncologist, gastroenterologist

Coverage Duration

12 months

Other Criteria

Failure of Sandostatin LAR

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
XGEVA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
oncology/endocrinology

Coverage Duration
12 months

Other Criteria
Failure or contraindication to bisphosphonate for osteolytic cancer indications other than giant cell tumor of the bone.

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Xifaxin

Drugs

XIFAXAN ORAL TABLET 550 MG

Exclusion Criteria

Required Medical Information

Notes to substantiate diagnosis of Hepatic Encephalopathy or Irritable Bowel Syndrome with Diarrhea

Age Restriction

Prescriber Restriction

Gastroenterology/Hepatology

Coverage Duration

12 months for Hepatic Encephalopathy or Three 14 day courses for IBS-D

Other Criteria

Approve for IBS-D if patient has failed a tricyclic antidepressant and loperamide, approval will be limited to three 14 day treatments. Approval for hepatic encephalopathy is based on failure or intolerance of therapeutic doses of lactulose (30-45ml two to four times daily).

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xolair

Drugs

XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML,
XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan. For asthma please submit RAST, aeroallergens results, IgE values

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Pulmonologist, allergist, dermatologist, otolaryngologist

Coverage Duration

12 months

Other Criteria

For Asthma patient Must Fail Combination LABA/ICS. For chronic ideopathic urticaria failure of hydroxyzine and H-2 antagonist.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xospata

Drugs

XOSPATA

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xpovio

Drugs

XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG, XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG, XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG, XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG, XPOVIO (60 MG TWICE WEEKLY), XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG, XPOVIO (80 MG TWICE WEEKLY)

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Oncology/Hematology

Coverage Duration

12 months or until disease progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xtandi

Drugs

XTANDI ORAL CAPSULE, XTANDI ORAL TABLET 40 MG, 80 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Coverage Duration

6 months or until disease progression

Other Criteria

Failure of Abiraterone for metastatic prostate cancer

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Xyrem

Drugs

sodium oxybate

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Physician Board certified in Sleep Medicine or neurologist

Coverage Duration

12 months

Other Criteria

Failure of Modafanil/Armodafinil and sulriamfetol or failure of fluoxetine and sulriamfetol for narcolepsy with cataplexy in adult patients. Failure of Modafanil and in pediatric patients

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs

miglustat

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Oncologist/Hematologist, Neurologist, Medical Geneticist, Metabolic Specialist.

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Zejula

Drugs

ZEJULA ORAL CAPSULE, ZEJULA ORAL TABLET

Exclusion Criteria

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until progression

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Zelboraf

Drugs

ZELBORAF

Exclusion Criteria

Required Medical Information

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Oncology

Coverage Duration

3 months

Other Criteria

Authorization for continuation past 90 days will be based on absence of disease progression.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Zepatier

Drugs

ZEPATIER

Exclusion Criteria

Required Medical Information

Gentotype, Viral Load, Fibroscan/Fibrosure or liver biopsy, RAV NS5A panel

Age Restriction

Prescriber Restriction

Infectious disease, Gastroenterology/Hepatology

Coverage Duration

12 or 16 weeks depending on RAV profile as supported by current AASLD guidelines

Other Criteria

Contraindication to GLECAPREVIR/PIBRENTASVIR

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

zileuton (Zyflo)

Drugs

zileuton er

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Pulmonology

Coverage Duration

12 months

Other Criteria

Uncontrolled Asthma while on maximal doses of long acting bronchodilators and inhaled corticosteroids
AND montelukast.

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Zolinza

Drugs

ZOLINZA

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Medical notes supporting diagnosis, response to previous treatments, current assessment and plan

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Oncologist/hematologist/dermatologist

Coverage Duration

12 months

Other Criteria

Failed minimum of two systemic treatments, one of which must be Targretin, unless contraindicated

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
ZTALMY

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Neurology

Coverage Duration
12 months

Other Criteria
Diagnosis of CDK15 deficiency disorder

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Zurzuvaе

Drugs

ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

Exclusion Criteria

Required Medical Information

Age Restriction

Woman of childbearing age

Prescriber Restriction

obstetrics/gynecology/psychiatry

Coverage Duration

14 days

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Drugs
ZYDELIG

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction
Hematology/Oncology

Coverage Duration
12 months or until disease progression

Other Criteria

Indications
All FDA-approved Indications.

Off Label Uses

Part B Prerequisite
No

Drugs

ZYKADIA ORAL TABLET

Exclusion Criteria

Required Medical Information

Age Restriction

Prescriber Restriction

Hematology/Oncology

Coverage Duration

12 months or until disease progression

Other Criteria

Restricted to use in ALK+ Non Small Cell Lung Cancer

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Zyprexa Injection

Drugs

olanzapine intramuscular, ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION
RECONSTITUTED 210 MG

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Coverage Duration

12 months

Other Criteria

Failure of two generic anti-psychotics in the past 12 months

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Zytiga

Drugs

abiraterone acetate oral tablet 250 mg

Exclusion Criteria

FDA labeled contraindications

Required Medical Information

Diagnosis

Age Restriction

Ages approved in FDA labeling

Prescriber Restriction

Oncology/urology

Coverage Duration

12 months

Other Criteria

Indications

All FDA-approved Indications.

Off Label Uses

Part B Prerequisite

No

Index		
ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE..... 113	CALQUENCE..... 35	EMEND ORAL SUSPENSION RECONSTITUTED..... 53
<i>abiraterone acetate oral tablet</i> 250 mg..... 252	CAPLYTA..... 36	EMGALITY..... 54
ACTIMMUNE..... 1	CAPRELSA..... 37	EMGALITY (300 MG DOSE)..... 54
ADEMPAS..... 4	<i>carglumic acid oral tablet</i> <i>soluble</i> 38	EMSAM..... 55
AIMOVIG..... 6	CAYSTON..... 22	ENBREL MINI..... 56
AKEEGA..... 7	<i>cinacalcet hcl</i> 177	ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML.... 56
ALECENSA..... 8	CINRYZE..... 40	ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE..... 56
<i>alosetron hcl</i> 115	<i>clobazam</i> 142	ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO- INJECTOR..... 56
ALUNBRIG..... 10	COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG..... 41	ENDARI..... 57
<i>ambrisentan</i> 11	COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG..... 41	EPIDIOLEX..... 59
<i>apomorphine hcl subcutaneous</i> .. 13	COMETRIQ (60 MG DAILY DOSE)..... 41	ERIVEDGE..... 60
<i>aprepitant oral capsule</i> 53	COPIKTRA..... 42	ERLEADA..... 61
APTIOM..... 14	CORLANOR ORAL SOLUTION..... 43	<i>erlotinib hcl</i> 194
ARCALYST..... 15	CORLANOR ORAL TABLET..... 43	<i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> 5
<i>armodafinil</i> 16	COTELLIC..... 44	<i>everolimus oral tablet soluble</i> 5
AUGTYRO..... 18	<i>cyclobenzaprine hcl oral tablet</i> <i>10 mg, 5 mg</i> 46	EXKIVITY..... 64
AUVELITY..... 19	<i>dalfampridine er</i> 12	FANAPT..... 65
AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT..... 20	DAURISMO ORAL TABLET 100 MG, 25 MG..... 48	FANAPT TITRATION PACK..... 65
AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT..... 20	<i>deferasirox oral tablet soluble</i> ... 63	<i>fentanyl citrate buccal lozenge</i> <i>on a handle</i> 66
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG..... 21	DIACOMIT..... 49	<i>fentanyl transdermal patch 72 hour 100 mcg/1hr, 25 mcg/1hr</i> 67
BALVERSA..... 23	<i>diclofenac sodium external gel</i> <i>3 %</i> 179	<i>fentanyl transdermal patch 72 hour 12 mcg/1hr, 50 mcg/1hr, 75 mcg/1hr</i> 67
BENLYSTA SUBCUTANEOUS..... 25	DIFICID ORAL TABLET..... 50	FETZIMA..... 68
BERINERT..... 26	<i>dimethyl fumarate oral</i> 199	FETZIMA TITRATION..... 68
BESREMI..... 27	<i>dimethyl fumarate starter pack</i> <i>oral capsule delayed release</i> <i>therapy pack</i> 199	<i> fingolimod hcl</i> 75
BETASERON SUBCUTANEOUS KIT..... 28	<i>dronabinol</i> 51	FINTEPLA..... 69
<i>bexarotene external</i> 195	<i>droxidopa</i> 130	FOTIVDA..... 70
<i>bexarotene oral</i> 195	DUPIXENT SUBCUTANEOUS SOLUTION PEN- INJECTOR 300 MG/2ML..... 52	FRUZAQLA..... 71
<i>bosentan</i> 205	DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE..... 52	FULPHILA..... 215
BOSULIF..... 29		FYCOMPA ORAL SUSPENSION..... 72
BRAFTOVI ORAL CAPSULE 75 MG..... 30		FYCOMPA ORAL TABLET..... 72
BRIVIACT ORAL..... 31		
BRONCHITOL..... 32		
BRUKINSA..... 33		
<i>budesonide er oral tablet</i> <i>extended release 24 hour</i> 214		
CABOMETYX..... 34		

GAMMAGARD	IWILFIN.....	95	LYNPARZA ORAL
INJECTION SOLUTION 2.5	JAKAFI.....	96	TABLET.....
GM/25ML.....	JAYPIRCA ORAL TABLET		LYTGOBI (12 MG DAILY
GAMUNEX-C INJECTION	100 MG, 50 MG.....	97	DOSE).....
SOLUTION 1 GM/10ML.....	JUXTAPID ORAL		LYTGOBI (16 MG DAILY
GATTEX.....	CAPSULE 10 MG, 20 MG,		DOSE).....
GAVRETO.....	30 MG, 5 MG.....	98	LYTGOBI (20 MG DAILY
<i>gefitinib</i>	KALYDECO.....	99	DOSE).....
GILOTRIF.....	KERENDIA.....	100	MAVYRET.....
GLEOSTINE ORAL	KEVZARA.....	101	MEKINIST.....
CAPSULE 10 MG, 100 MG,	KINERET		MEKTOVI.....
40 MG.....	SUBCUTANEOUS		<i>metaxalone oral tablet 800 mg</i>
<i>glyburide micronized</i>	SOLUTION PREFILLED		<i>mighustat</i>
<i>glyburide oral</i>	SYRINGE.....	102	<i>modafinil oral</i>
HADLIMA.....	KISQALI (200 MG DOSE)..	103	MOVANTIK.....
HADLIMA PUSHTOUCH.....	KISQALI (400 MG DOSE)..	103	NATPARA.....
HUMIRA (2 PEN)	KISQALI (600 MG DOSE)..	103	NERLYNX.....
SUBCUTANEOUS PEN-	KISQALI FEMARA (200		NEUPRO.....
INJECTOR KIT 40	MG DOSE).....	103	NINLARO.....
MG/0.8ML, 80 MG/0.8ML.....	KISQALI FEMARA (400		NOXAFIL ORAL
HUMIRA (2 SYRINGE)	MG DOSE).....	103	SUSPENSION.....
SUBCUTANEOUS	KISQALI FEMARA (600		NUBEQA.....
PREFILLED SYRINGE	MG DOSE).....	103	NUCALA.....
KIT 10 MG/0.1ML, 20	KORLYM.....	104	NUDEXTA.....
MG/0.2ML.....	KOSELUGO.....	105	NUPLAZID ORAL
HUMIRA-PED>=40KG	KRAZATI.....	106	CAPSULE.....
CROHNS START.....	<i>lapatinib ditosylate</i>	211	NUPLAZID ORAL
IBRANCE.....	<i>lenalidomide</i>	168	TABLET 10 MG.....
<i>icatibant acetate subcutaneous</i>	LENVIMA (10 MG DAILY		NURTEC.....
<i>solution prefilled syringe</i>	DOSE).....	108	ODOMZO.....
ICLUSIG.....	LENVIMA (12 MG DAILY		OFEV.....
<i>icosapent ethyl</i>	DOSE).....	108	OGSIVEO.....
IDHIFA.....	LENVIMA (14 MG DAILY		OJJAARA.....
IMBRUVICA ORAL	DOSE).....	108	<i>olanzapine intramuscular</i>
CAPSULE.....	LENVIMA (18 MG DAILY		OMNITROPE
IMBRUVICA ORAL	DOSE).....	108	SUBCUTANEOUS
SUSPENSION.....	LENVIMA (20 MG DAILY		SOLUTION CARTRIDGE..
IMBRUVICA ORAL	DOSE).....	108	OMNITROPE
TABLET 420 MG.....	LENVIMA (24 MG DAILY		SUBCUTANEOUS
INCRELEX.....	DOSE).....	108	SOLUTION
INLYTA.....	LENVIMA (4 MG DAILY		RECONSTITUTED.....
INQOVI.....	DOSE).....	108	ONUREG.....
INREBIC.....	LENVIMA (8 MG DAILY		OPSUMIT.....
INVEGA HAFYERA.....	DOSE).....	108	ORENITRAM.....
INVEGA SUSTENNA	<i>lidocaine external patch 5 %</i> ...	109	ORGOVYX.....
INTRAMUSCULAR	LOKELMA.....	112	ORLISSA.....
SUSPENSION PREFILLED	LONSURF.....	114	ORKAMBI ORAL PACKET
SYRINGE.....	LORBRENA.....	111	100-125 MG, 150-188 MG.....
<i>isotretinoin oral capsule 10 mg,</i>	LUMAKRAS.....	116	ORKAMBI ORAL TABLET
<i>20 mg, 30 mg, 40 mg</i>	LYBALVI.....	117	148

ORSERDU ORAL TABLET 345 MG, 86 MG.....	149	REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	163	SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN- INJECTOR.....	186
OTEZLA.....	150	REPATHA.....	164	SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN- INJECTOR.....	186
PANRETIN.....	9	REPATHA PUSHTRONEX SYSTEM.....	164	SYMPAZAN.....	187
<i>pazopanib hcl</i>	227	REPATHA SURECLICK....	164	SYNAREL.....	188
PEMAZYRE.....	151	RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML.....	165	TABRECTA.....	189
<i>penicillamine oral capsule</i>	45	RETEVMO.....	166	<i>tadalafil (pah)</i>	3
<i>phenoxybenzamine hcl oral</i>	152	REXULTI.....	169	<i>tadalafil oral tablet 2.5 mg, 5 mg</i>	39
PIQRAY (200 MG DAILY DOSE).....	153	REZLIDHIA.....	170	TAFINLAR.....	190
PIQRAY (250 MG DAILY DOSE).....	153	REZUROCK.....	171	TAGRISO.....	191
PIQRAY (300 MG DAILY DOSE).....	153	<i>risperidone microspheres er</i>	113	TALTZ.....	192
<i>pirfenidone</i>	62	<i>roflumilast oral tablet 250 mcg, 500 mcg</i>	47	TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG.....	193
POMALYST.....	154	ROZLYTREK ORAL CAPSULE.....	58	TASIGNA.....	196
<i>posaconazole oral</i>	131	RUBRACA.....	172	<i>tasimelteon</i>	79
PREVYMIS ORAL.....	155	<i>rufinamide</i>	24	<i>tazarotene external cream</i>	197
PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED.....	156	RYDAPT.....	173	<i>tazarotene external gel</i>	197
PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	157	<i>sapropterin dihydrochloride oral packet</i>	107	TAZORAC EXTERNAL CREAM 0.05 %.....	197
PROMACTA ORAL PACKET 12.5 MG.....	158	<i>sapropterin dihydrochloride oral tablet</i>	107	TAZVERIK.....	198
PROMACTA ORAL TABLET.....	158	SCSEMBLIX.....	175	TEPMETKO.....	200
PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML.....	159	SECUADO.....	176	<i>teriflunomide</i>	17
<i>pyrimethamine oral</i>	160	SIGNIFOR.....	178	<i>tetrabenazine</i>	201
QINLOCK.....	161	<i>sildenafil citrate oral tablet 20 mg</i>	167	THALOMID.....	202
RAVICTI.....	162	<i>sodium oxybate</i>	240	TIBSOVO.....	203
REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO- INJECTOR.....	163	SOMAVERT.....	180	TOBI PODHALER.....	204
REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR.....	163	<i>sorafenib tosylate</i>	128	<i>tretinoin external cream</i>	206
REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	163	SPRYCEL.....	181	<i>tretinoin external gel 0.01 %, 0.025 %</i>	206
		STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML..	182	TRINTELLIX.....	207
		STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	182	TRUQAP.....	208
		STIVARGA.....	183	TUKYSA.....	209
		<i>sunitinib malate</i>	185	TURALIO ORAL CAPSULE 125 MG.....	210
		SUNOSI ORAL TABLET 150 MG, 75 MG.....	184	TYMLOS.....	212
				UBRELVY.....	213
				UDENYCA.....	215
				UPTRAVI ORAL.....	216
				UPTRAVI TITRATION.....	216
				VALCHLOR.....	217
				VALTOCO 10 MG DOSE....	218
				VALTOCO 15 MG DOSE....	218

VALTOCO 20 MG DOSE....	218	XPOVIO (100 MG ONCE	
VALTOCO 5 MG DOSE.....	218	WEEKLY) ORAL TABLET	
VANFLYTA.....	219	THERAPY PACK 50 MG....	238
VENCLEXTA.....	221	XPOVIO (40 MG ONCE	
VENCLEXTA STARTING		WEEKLY) ORAL TABLET	
PACK.....	221	THERAPY PACK 40 MG....	238
VERZENIO.....	222	XPOVIO (40 MG TWICE	
VICTOZA		WEEKLY) ORAL TABLET	
SUBCUTANEOUS		THERAPY PACK 40 MG....	238
SOLUTION PEN-		XPOVIO (60 MG ONCE	
INJECTOR.....	110	WEEKLY) ORAL TABLET	
<i>vigabatrin</i>	174	THERAPY PACK 60 MG....	238
VIGPODER.....	174	XPOVIO (60 MG TWICE	
VITRAKVI.....	223	WEEKLY).....	238
VIZIMPRO.....	224	XPOVIO (80 MG ONCE	
VONJO.....	225	WEEKLY) ORAL TABLET	
<i>voriconazole intravenous</i>	226	THERAPY PACK 40 MG....	238
<i>voriconazole oral</i>	226	XPOVIO (80 MG TWICE	
VRAYLAR ORAL		WEEKLY).....	238
CAPSULE.....	228	XTANDI ORAL CAPSULE	239
VRAYLAR ORAL		XTANDI ORAL TABLET	
CAPSULE THERAPY		40 MG, 80 MG.....	239
PACK.....	228	ZEJULA ORAL CAPSULE.	242
WELIREG.....	229	ZEJULA ORAL TABLET...	242
XALKORI.....	230	ZELBORAF.....	243
XCOPRI.....	231	ZEPATIER.....	244
XCOPRI (250 MG DAILY		<i>zileuton er</i>	245
DOSE) ORAL TABLET		ZOLINZA.....	246
THERAPY PACK 100 & 150		ZTALMY.....	247
MG.....	231	ZURZUVAE ORAL	
XCOPRI (350 MG DAILY		CAPSULE 20 MG, 25 MG,	
DOSE).....	231	30 MG.....	248
XELJANZ.....	232	ZYDELIG.....	249
XELJANZ XR ORAL		ZYKADIA ORAL TABLET	250
TABLET EXTENDED		ZYPREXA RELPREVV	
RELEASE 24 HOUR 11 MG,		INTRAMUSCULAR	
22 MG.....	232	SUSPENSION	
XERMELO.....	233	RECONSTITUTED 210 MG	
XGEVA.....	234	251
XIFAXAN ORAL TABLET			
550 MG.....	235		
XOLAIR SUBCUTANEOUS			
SOLUTION PREFILLED			
SYRINGE 150 MG/ML, 75			
MG/0.5ML.....	236		
XOLAIR SUBCUTANEOUS			
SOLUTION			
RECONSTITUTED.....	236		
XOSPATA.....	237		