

# **2026**

# **Prior Authorization Criteria**

Last Updated: 04/21/2026

HPMS Approved Formulary File Submission ID 00026417, Version Number 21

# Actimmune

---

## Products Affected

- ACTIMMUNE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Diagnosis, supporting imaging for osteopetrosis. Antibiotic failure if chronic granulomatous disease
<b>Age Restrictions</b>	Ages approved in FDA labeling/compendia
<b>Prescriber Restrictions</b>	Infectious Disease/Hematology-oncology/Orthopedist/rheumatologist, immunologist, endocrinologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Sulfamethoxazole/Trimethoprim and/or itraconazole failure for infections secondary to chronic granulomatous disease. Osteopetrosis must be severe malignant
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Adalimumab

---

## Products Affected

- HADLIMA
- HADLIMA PUSHTOUCH

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For RA Patient must fail Methotrexate or leflunomide. For Ankylosing Spondylitis patient must fail an NSAID. For Plaque Psoriasis patient must fail 3 month trial of MTX or acitretin. For Psoriatic Arthritis Patient must fail an NSAID. For inflammatory bowel disease must fail 3 month trial of Renflexis or conventional immunomodulator.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Adbry

---

## Products Affected

- ADBRY SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- ADBRY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Dermatologist, Allergist, Immunologist
<b>Coverage Duration</b>	Initial: 4 months Reauthorization: 12 months
<b>Other Criteria</b>	Failure, contraindication, or intolerance to: Medium, high, or very-high potency topical corticosteroid AND topical calcineurin inhibitor.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Adcirca Tabs

---

## Products Affected

- *tadalafil (pah)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right Heart catheterization, vasoreactivity test.
Age Restrictions	
Prescriber Restrictions	Pulmonology, Cardiology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Adempas

---

## Products Affected

- ADEMPAS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist/cardiologist
Coverage Duration	12 months
Other Criteria	For PAH must have tried and failed ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Afinitor

---

## Products Affected

- *everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *everolimus oral tablet soluble*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/neurology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Aimovig

---

## Products Affected

- AIMOVIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Pain Management, Headache Specialist
Coverage Duration	12 months
Other Criteria	Recent failure (in the past 6 months) of two medications FDA indicated for chronic or episodic migraine prophylaxis and will not be used in combination with another calcitonin gene peptide inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Ajovy

---

## Products Affected

- AJOVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Pain Management, Headache Specialist
Coverage Duration	12 months
Other Criteria	Patient has a diagnosis of Chronic migraine (15 or more migraine days per month in past 3 months) or episodic migraine (between 4 and 15 migraine days per month in past 3 months). Will not be used in combination with another CGRP antagonist.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Akeega

---

## Products Affected

- AKEEGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urology/Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Akeega is our preferred PARP + novel hormone therapy combination for BRCA positive metastatic castrate resistant prostate cancer.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Alecensa

---

## Products Affected

- ALECENSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for ALK+ Non Small Cell Lung Cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# alitretinoin (Panretin)

---

## Products Affected

- PANRETIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Alunbrig

---

## Products Affected

- ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG
- ALUNBRIG ORAL TABLET THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ambrisentan

---

## Products Affected

- *ambrisentan*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis of Group 1 PAH, including right heart catheterization, vasoreactivity test, 6 Minute Walk time
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Pulmonologist or cardiologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Pulmonary hypertension must be diagnosed by heart catheterization, an objective test of exercise ability (6 minute walk) must be submitted with referral.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Ampyra

---

## Products Affected

- *dalfampridine er*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	History of seizure. Moderate or severe renal impairment (creatinine clearance less than or equal to 50 mL/minute).
<b>Required Medical Information</b>	Diagnosis of multiple sclerosis AND patient is ambulatory (able to walk at least 25 feet) AND patient has walking impairment
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For renewal, walking speed has improved from baseline.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Apokyn

---

## Products Affected

- *apomorphine hcl subcutaneous*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, previous treatment history.
<b>Age Restrictions</b>	Ages approved in FDA labeling/compendia
<b>Prescriber Restrictions</b>	Neurologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient must have poorly controlled off time episodes and failed rasagiline and entacopone
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Arcalyst

---

## Products Affected

- ARCALYST

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Coverage will be based on a Diagnosis of CAPS, failure of 1 other treatment used for this condition such as canakinumab, nsaid. Will also be covered for recurrent pericarditis and deficiency of interleukin-1 receptor antagonist.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Immunologist,dermatologist,rheumatologist,cardiologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Arikayce

---

## Products Affected

- ARIKAYCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	infectious disease, pulmonology
Coverage Duration	12 months
Other Criteria	Approve for MAC pneumonia refractory to triple therapy (ethambutol, macrolide, rifampin) and intolerance to nebulized amikacin sulfate injection
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Armodafinil/Modafinil

---

## Products Affected

- *armodafinil*
- *modafinil oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Aubagio

---

## Products Affected

- *teriflunomide*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	diagnosis of MS
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Augtyro

---

## Products Affected

- AUGTYRO ORAL CAPSULE 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months
Other Criteria	Metastatic NSCLC with a ROS-1 rearrangement AND Failure of crizotinib for patients without CNS metastasis OR failure of entrectinib for patients who have an NTRK fusion positive solid tumor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Auvelity

---

## Products Affected

- AUVELITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry and Neurology
Coverage Duration	12 months
Other Criteria	Failure of bupropion and failure of aripiprazole in combination with any antidepressant.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Avmapki

---

## Products Affected

- AVMAPKI FAKZYNJA CO-PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Indicated for the treatment of adult patients with KRAS-mutated recurrent low-grade serous ovarian cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Avonex

---

## Products Affected

- AVONEX PEN INTRAMUSCULAR SYRINGE KIT  
AUTO-INJECTOR KIT
- AVONEX PREFILLED  
INTRAMUSCULAR PREFILLED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of glatiramer and leflunomide
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Ayvakit

---

## Products Affected

- AYWAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	hematology/oncology/immunology/allergy
<b>Coverage Duration</b>	12 months or until progression
<b>Other Criteria</b>	Failure of imatinib AND one other tyrosine kinase inhibitor for unresectable or metastatic GIST with a mutation in PDGFRA exon 18 insensitive to imatinib or harboring a PDGFRA D842V mutation. Diagnosis of advanced systemic mastocytosis.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

## aztreonam (Cayston)

---

### Products Affected

- CAYSTON

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Balversa

---

## Products Affected

- BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Urology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Banzel

---

## Products Affected

- RUFINAMIDE ORAL SUSPENSION 40 MG/ML
- *rufinamide oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Benlysta

---

## Products Affected

- BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Member receiving other biologic therapy or intravenous cyclophosphamide.
<b>Required Medical Information</b>	FOR SLE Diagnosis of active, autoantibody-positive, systemic lupus erythematosus (SLE), and member currently receiving one or more of the following standard SLE therapies: Corticosteroids, Antimalarials, Non-steroidal anti-inflammatory drugs (NSAIDs), Immunosuppressants. For lupus nephritis must fail tacrolimus and mycophenolate.
<b>Age Restrictions</b>	5 years of age and older
<b>Prescriber Restrictions</b>	Rheumatologist or nephrologist
<b>Coverage Duration</b>	Lifetime
<b>Other Criteria</b>	None
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Berinert

---

## Products Affected

- BERINERT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Must not be taking medications that can exacerbate the frequency and/or severity of hereditary angioedema (HAE) attacks including estrogens and ACE inhibitors.
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Besremi

---

## Products Affected

- BESREMI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology Oncology
Coverage Duration	12 months
Other Criteria	Diagnosis of high risk polycythemia vera indicated for cytoreductive therapy and Failure of hydroxyurea
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Betaseron

---

## Products Affected

- BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of glatiramer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Bosulif

---

## Products Affected

- BOSULIF ORAL CAPSULE 100 MG, 50 MG
- BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	6 months or until disease progression
<b>Other Criteria</b>	Requires failure of imatinib for low risk CML based on Sokal or Hasford scores. Can be used first line for Ph+ CML with an intermediate to high risk Sokal or Hasford score after failure of dasatinib or nilotinib.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Braftovi

---

## Products Affected

- BRAFTOVI ORAL CAPSULE 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of pathogenic BRAF mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progresison
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Briviact

---

## Products Affected

- BRIVIACT ORAL SOLUTION
- BRIVIACT ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	failed trial or contraindication or intolerance of Levetiracetam
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Brukinsa

---

## Products Affected

- BRUKINSA ORAL TABLET

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	Disease progression on a covalent BTK inhibitor
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/oncology
<b>Coverage Duration</b>	12 months or until progression
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Cabometyx

---

## Products Affected

- CABOMETYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Covered until disease progression.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Calquence

---

## Products Affected

- CALQUENCE ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or clinical progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Caplyta

---

## Products Affected

- CAPLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	written by neurology/psychiatry
Coverage Duration	12 months
Other Criteria	Failure of aripiprazole and risperidone for schizophrenia. Failure of lurasidone for bipolar depression
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Caprelsa

---

## Products Affected

- CAPRELSA ORAL TABLET 100 MG, 300 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Carbaglu

---

## Products Affected

- *carglumic acid oral tablet soluble*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# cialis

---

## Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	excluded from part D coverage when prescribed for treatment of erectile dysfunction
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Approved for treatment of benign prostatic hyperplasia.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Cinryze

---

## Products Affected

- CINRYZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Cobenfy

---

## Products Affected

- COBENFY
- COBENFY STARTER PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry or Neurology
Coverage Duration	12 months
Other Criteria	Failure of lurasidone and aripiprazole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Cometriq

---

## Products Affected

- COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG
- COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG
- COMETRIQ (60 MG DAILY DOSE)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	combination use with other tyrosine Kinase inhibitors.
<b>Required Medical Information</b>	Diagnosis
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	oncology/hematology
<b>Coverage Duration</b>	6 months or until disease progression
<b>Other Criteria</b>	Covered for Metastatic Thyroid Medullary Cancer
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Copiktra

---

## Products Affected

- COPIKTRA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Corlanor

## Products Affected

- *ivabradine hcl*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Documentation of the following: 1. Diagnosis of chronic heart failure with left ventricular ejection fraction less than or equal to 35% AND 2. Patient is in sinus rhythm with resting heart rate greater than or equal to 70 beats per minute AND 3. Patient is on maximally tolerated doses of beta-blockers or has a contraindication to beta-blocker use AND 4. Patient is receiving an ACE inhibitor or ARB or has a contraindication to these agents. Approved for the treatment of stable symptomatic heart failure due to dilated cardiomyopathy (with a left ventricular ejection fraction less than or equal to 45%) in pediatric patients ages 6 months and older.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Cardiologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Cotellic

## Products Affected

- COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Covered for BRAF+ metastatic melanoma for combination use in with Zelboraf. For Histiocytosis coverage is consistent with NCCN guidelines for multiorgan or multifocal or e or unifocal a critical organ in patients who do not harbor a BRAF V600E mutation.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Cresemba

---

## Products Affected

- CRESEMBA ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology, infectious disease
Coverage Duration	12 weeks unless used for chronic treatment then 12 months
Other Criteria	failure or intolerance of posaconazole for treatment of aspergillosis in patients greater than 12 years of age.
Indications	Some FDA-approved Indications Only.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Cuprimine

---

## Products Affected

- *penicillamine oral capsule*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	serum ceruloplasmin if used for wilson's disease
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	rheumatology/hepatology/neurology/urology/nephrology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Coverage for RA requires failure of a TNF-Agent and JAK inhibitor or abatacept.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Cyclobenzaprine

---

## Products Affected

- *cyclobenzaprine hcl oral tablet 10 mg, 5 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	Authorization is required for patients over 64 years of age
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	3 weeks for skeletal muscle spasm, 12 months for fibromyalgia
<b>Other Criteria</b>	For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Daurismo

---

## Products Affected

- DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Diacomit

---

## Products Affected

- DIACOMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Diagnosis of Dravet syndrome used in combination with clobazam.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Diclofenac 1.5% solution

---

## Products Affected

- *diclofenac sodium external solution 1.5 %*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Dificid

---

## Products Affected

- *fidaxomicin*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	10 days
Other Criteria	Covered for non-fulminant C-Difficile
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Dupixant

## Products Affected

- DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML
- DUPIXENT SUBCUTANEOUS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Pulmonologist, dermatologist, otolaryngologist (ENT), gastroenterologist and allergist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Covered for severe asthma which requires chronic maintenance oral corticosteroid use to control symptoms despite maximal guideline directed inhaler therapy. Chronic Steroid use would defined as 60 days of prednisone 5mg/day or equivalent in combination with a three month trial of Trelegy 200 or high dose OCS/LABA/LAMA combination. Covered for moderate to severe eosinophilic asthma not controlled with Trelegy 200 or high dose OCS/LABA/LAMA combination. For atopic dermatitis failure of Adbry or methotrexate. For failure of nasal polyposis failure of intranasal budesonide.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Emend

---

## Products Affected

- *aprepitant oral capsule*
- EMEND ORAL SUSPENSION  
RECONSTITUTED

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Previous treatment history
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematologist/oncologist/Surgeon
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient must fail treatment with ondansetron (PA not applicable for PONV)
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Emgality

---

## Products Affected

- EMGALITY
- EMGALITY (300 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Diagnosis of episodic or chronic migraine. Not covered in combination with other cgrp antagonists.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Emsam

---

## Products Affected

- EMSAM

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient must fail 6 week trial with two formulary anti-depressants
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Enbrel

## Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS SOLUTION
- ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications combination with other biologic
<b>Required Medical Information</b>	Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Rheumatology/Dermatology or Specialist trained in management of prescribed condition
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of Renflexis for FDA approved indications and ages or adalimumab for FDA approved indications and ages and biosimilar ustekinumab for patients 6 and older.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Endari

---

## Products Affected

- ENDARI
- *l-glutamine oral packet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology
Coverage Duration	12 months
Other Criteria	Approved for patients who have had 2 or more sickle cell crises in the past 12 months while stable on hydroxyurea for at least 3 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Enoby

---

## Products Affected

- ENOBY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Intolerance or contraindication to injectable bisphosphonate required. Part B before Part D Step Therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes

# Ensacove

---

## Products Affected

- ENSACOVE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

## entrectinib (Rozlytrek)

---

### Products Affected

- ROZLYTREK ORAL CAPSULE 100 MG, 200 MG
- ROZLYTREK ORAL PACKET

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Rozyltrek is a kinase inhibitor indicated for solid tumors with NTRK-Fusions and ROS-1 mutated Non-Small Cell lung cancer. Medical history, studies, and appropriate confirmatory tests are reviewed in Referrals and if approved will notify pharmacy and the physician.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Epidiolex

---

## Products Affected

- EPIDIOLEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of clobazam for Lennox Gastaut syndrome.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Erivedge

---

## Products Affected

- ERIVEDGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematologist/Oncologist
<b>Coverage Duration</b>	12 months or until progression
<b>Other Criteria</b>	Diagnosis of metastatic basal cell carcinoma OR Diagnosis of locally advanced basal cell carcinoma that has recurred following surgery or when the patient is not a candidate for surgery and radiation
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Erleada

---

## Products Affected

- ERLEADA ORAL TABLET 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urologist, Oncologist
Coverage Duration	12 months or until PSA progression
Other Criteria	Failure of LHRH agonist and bicalutamide for non-metastatic disease. Failure of abiraterone for metastatic disease.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Esbriet

---

## Products Affected

- *pirfenidone*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Eulexin

---

## Products Affected

- EULEXIN

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Documentation supporting diagnosis
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology, Urology
Coverage Duration	12 months
Other Criteria	Failure of bicalutamide unless Stage B2-C prostate cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Exjade

---

## Products Affected

- *deferasirox oral tablet soluble*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	iron indices
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# EXXUA

---

## Products Affected

- EXXUA
- EXXUA TITRATION PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of vilazodone and another generically available anti-depressant within past 6 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Fanapt

---

## Products Affected

- FANAPT
- FANAPT TITRATION PACK A

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Diagnosis
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Neurology/Psychiatry
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	failure of lurasidone and aripiprazole for schizophrenia, for Acute treatment of manic or mixed episodes associated with bipolar I disorder failure of aripiprazole and asenapine.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Fentanyl Patch

---

## Products Affected

- *fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Pain management physician/oncologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Fetzima

---

## Products Affected

- FETZIMA
- FETZIMA TITRATION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Must fail two generically available anti-depressants in past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Fintepla

---

## Products Affected

- FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of epidiolex
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Forteo

---

## Products Affected

- *teriparatide subcutaneous solution pen-injector 560 mcg/2.24ml*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Recent Bone density study previous treatment history, BMD, PTH, VITD
<b>Age Restrictions</b>	ages 18 and older
<b>Prescriber Restrictions</b>	none
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient must fail or have contraindication to IV bisphosphonates, Vitamin D (25,OH), PTH must be WNL. Cumulative treatment more than 24 months should only be considered if patient remains at or has returned to high fracture risk
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Fotivda

---

## Products Affected

- FOTIVDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Fruzaqla

---

## Products Affected

- FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Patient has metastatic colorectal cancer and previously treated with fluoropyrimidine-, oxaliplatin-, and irinotecan-based chemotherapy, an anti-VEGF therapy, and, if RAS wild-type and medically appropriate, an anti-EGFR therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Fycompa

---

## Products Affected

- *perampanel oral suspension*
- *perampanel oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Failure of lacosamide and levetiracetam
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Gattex

---

## Products Affected

- GATTEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterologist
Coverage Duration	6 months initially
Other Criteria	Diagnosis of Short Bowel Syndrome Dependent on Parenteral Support Baseline Records of parenteral hydration After 6 month trial of Gattex, patient must demonstrate clinical improvement and or reduction in weekly parenteral fluid volume for continuation.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Gavreto

---

## Products Affected

- GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Gilenya

---

## Products Affected

- *fingolimod hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Gilotrif

---

## Products Affected

- GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Gleostine

---

## Products Affected

- *lomustine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Glyburide

---

## Products Affected

- *glyburide oral*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	failure or contraindication to preferred glipizide and glimeperide
<b>Age Restrictions</b>	Prior authorization required for members 65 years or older. Automatic approval for members less than 65 years of age.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Through benefit year
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Gomekli

---

## Products Affected

- GOMEKLI

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Documentation supporting diagnosis
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology, Neurology
<b>Coverage Duration</b>	12 months or until progression
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Hernexeos

---

## Products Affected

- HERNEXEOS

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Oncology/Hematology
<b>Coverage Duration</b>	12 months or until disease progression
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Hetlioz

## Products Affected

- *tasimelteon*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of non-24 hour sleep-Wake disorder Sleep study to rule out Sleep/apnea or other contributory sleep disorders Patient must be totally blind. Covered for microdeletion syndrome Smith-Magenis syndrome.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Humira

## Products Affected

- HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML
- HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications combination with other biologic
<b>Required Medical Information</b>	Medical notes supporting diagnosis (including imaging, serology when applicable), response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Dermatologist/rheumatologist/ Gastroenterologist/Ophthalmologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient must fail infliximab for overlapping FDA indications and a preferred biosimilar adalimumab for overlapping FDA approved indications. Part B before Part D Step Therapy.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Hyruno

---

## Products Affected

- HYRNUO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ibrance

---

## Products Affected

- IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ibuprofen

## Products Affected

- IBTROI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis, documentation to support ROS1 Positive NSCLC indication.
Age Restrictions	
Prescriber Restrictions	Hematology-Oncology
Coverage Duration	12 months
Other Criteria	Intolerance or contraindication of entrectinib. Continuation will be based on lack of disease progression.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Icatibant

---

## Products Affected

- *icatibant acetate subcutaneous solution  
prefilled syringe*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Allergist or Immunologist
Coverage Duration	12 months
Other Criteria	Confirmed Diagnosis of hereditary angioedema
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Iclusig

---

## Products Affected

- ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	failure of dasatinib for patients without t315i mutation and diagnosis of CML or ALL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Idhifa

---

## Products Affected

- IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of IDH-1 mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Imbruvica

---

## Products Affected

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology/ transplant specialist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Off Label and combination use must have CMS compliant compendial support that is consistent with section 10.6 in Chapter 6 of the Medicare Part D
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Imbruvica Sln

---

## Products Affected

- IMBRUVICA ORAL SUSPENSION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/ transplant specialist
Coverage Duration	12 months
Other Criteria	Unable to swallow or use a tablet or capsule
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Imkeldi

---

## Products Affected

- *imkeldi*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematology/Oncology, Allergist, Dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient unable to swallow imatinib tablet and cannot tolerate imatinib tablet dispersed in glass of water or apple juice
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Impavido

---

## Products Affected

- IMPAVIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Infectious Disease
Coverage Duration	28 days
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Increlex

## Products Affected

- INCRELEX

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis of severe primary IGF-1 deficiency.
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Endocrinologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Diagnostic support and open epiphyseal plates are required for coverage. If the cause growth hormone insensitivity is unknown or there is a partial growth hormone insensitivity a trial of recombinant growth hormone would be required.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Inluriyo

---

## Products Affected

- INLURIYO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Evidence of indicated ESR-1 mutation.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Inlyta

---

## Products Affected

- INLYTA ORAL TABLET 1 MG, 5 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Oncology
<b>Coverage Duration</b>	12 months or until disease progression
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Inqovi

---

## Products Affected

- INQOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months unless patient has disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Inrebic

---

## Products Affected

- INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	Failure of Jakafi
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Invega Sustenna

---

## Products Affected

- INVEGA HAFYERA INTRAMUSCULAR  
SUSPENSION PREFILLED SYRINGE  
1092 MG/3.5ML, 1560 MG/5ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Psychiatry or Neurology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of quetiapine and risperidone
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Iressa

---

## Products Affected

- *gefitinib*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Severe hypersensitivity to gefitinib or other components.
<b>Required Medical Information</b>	Diagnosis
<b>Age Restrictions</b>	Patient must be at least 18 years old or older.
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Approved for Non Small Cell Lung Cancer with Egfr exon 19 deletion or Exon 21 substitution.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Isotretinoin

## Products Affected

- *isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	5 months
<b>Other Criteria</b>	For cystic, nodular or scarring acne, must be refractory to oral antibiotics and topical retinoids. Trial of combination oral tetracycline and topical retinoid must have been tried in most recent 6 months.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Itovebi

---

## Products Affected

- ITOVEBI

PA Criteria	Criteria Details
Exclusion Criteria	progression with PI3K targeted medication
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	HR-positive HER2-negative with PIK3CA mutation advanced/metastatic breast cancer and failure of endocrine therapy. This medication will be used in combination with palbociclib and fulvestrant.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# IVIG

## Products Affected

- GAMMAGARD INJECTION SOLUTION  
2.5 GM/25ML
- GAMUNEX-C INJECTION SOLUTION 1  
GM/10ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Diagnosis, immunoglobulin studies
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For ITP must fail corticosteroids and Anti-D immunoglobulin (if indicated). For other indications must meet current LCD criteria for immunoglobulin therapy. Part B before Part D Step Therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Iwilfin

---

## Products Affected

- IWILFIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months
Other Criteria	Documentation supporting high risk neuroblastoma responsive to prior lines of treatment including anti GD2 antibody therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Jakafi

---

## Products Affected

- JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications, Low risk Disease
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology, oncology, transplant specialist
Coverage Duration	12 months
Other Criteria	Not covered when used in combination with antiproliferative drugs (i.e lenalidomide), or other JAK or tyrosine kinase inhibitors.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Jaypirca

## Products Affected

- JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Indicated for third line treatment of mantle cell lymphoma after failure of a BTK inhibiting treatment. Will be approved for the patients with chronic lymphocytic leukemia or small lymphocytic lymphoma (CLL/SLL) who have received at least two prior lines of therapy, including a covalent BTK inhibitor and a BCL-2 inhibitor.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Juxtapid

## Products Affected

- JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Clinical confirmation that patient has HoFH and failure of Statin and PCSK-9 therapy. Continuation of Juxtapid after 3 month trial based on LDL reduction while on therapy. If statin intolerant must fail a PCSK-9 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Jynarque

---

## Products Affected

- JYNARQUE
- *tolvaptan*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	nephrology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Approved for patients with ADPKD with an eGFR greater than or equal to 25ml/min and at risk of rapid progression defined by: Mayo classes 1C, 1D, or 1E OR Age less than 55 years AND an eGFR less than 65 mL/min OR Kidney length greater than 16.5 cm in a patient aged less than 50 years OR PROPKD score greater than 6
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Kalydeco

---

## Products Affected

- KALYDECO ORAL PACKET
- KALYDECO ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Genotyping supportive of mutation status in the FDA label
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Kerendia

## Products Affected

- KERENDIA ORAL TABLET 10 MG, 20 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Combination use with eplerenone or spironolactone. Egfr less than 25 ml/min
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient has CKD with proteinuria with a urinary albumin to creatinine ratio greater than or equal to 30 mg/g on maximal doses of an ACE Inhibitor or maximal dose of an ARB and an SGLT-2 inhibitor OR patient has an intolerance or contraindication to ACE inhibitor, ARB, and SGLT-2 inhibitor. Covered for treatment of heart failure when ejection fraction is greater than or equal to 40%.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Kevzara

## Products Affected

- KEVZARA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Medical history and studies are reviewed in Referrals, including available serology, clinical features, inflammatory markers, and radiography to support diagnosis of rheumatoid arthritis. For polymyalgia rheumatic include clinical documentation to support the diagnosis such as steroid responsiveness, elevation of acute phase reactants on two occasions, onset of symptoms after age 50, morning stiffness, primary pain/stiffness manifestations include shoulders, hips, neck, proximal arms or legs.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of a preferred TNF inhibitor such as Renflexis or adalimumab for rheumatoid arthritis. For polymyalgia rheumatica inability to taper corticosteroids with use of combination methotrexate
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Kineret

---

## Products Affected

- KINERET SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications combination with other biologic
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For RA failure of Enbrel and Humira
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Kisqali

## Products Affected

- KISQALI (200 MG DOSE)
- KISQALI (400 MG DOSE)
- KISQALI (600 MG DOSE)
- KISQALI FEMARA (400 MG DOSE)
- KISQALI FEMARA (600 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until progression
Other Criteria	Progression on Ibrance for advanced or metastatic breast cancer.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Korlym

---

## Products Affected

- *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	endocrinologist
Coverage Duration	12 months
Other Criteria	Diagnosis of Cushings syndrome , Type 2 diabetes mellitus , Failed surgery OR not a candidate for surgery , Failure of ketoconazole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Koselugo

---

## Products Affected

- KOSELUGO ORAL CAPSULE 10 MG, 25 MG
- KOSELUGO ORAL CAPSULE SPRINKLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	neurology/hematology/oncology
Coverage Duration	12 months
Other Criteria	Diagnosis of Type 1 neurofibromatosis with symptomatic or inoperable plexiform neurofibromas
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Krazati

## Products Affected

- KRAZATI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Progression on another KRAS inhibitor such as sotorasib
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Oncology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Presence of G12C mutation with metastatic or locally advanced Non-Small Cell Lung Cancer. Also approved in combination with cetuximab, for the treatment of adult patients with KRAS G12C-mutated locally advanced or metastatic colorectal cancer. Patient must not have progressive disease on treatment for continuation of coverage
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Kuvan

---

## Products Affected

- *sapropterin dihydrochloride oral packet*
- *sapropterin dihydrochloride oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to dietary changes, current assessment and plan, serum phenylalanine.
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Medical Geneticist, neurologist, hepatologist, Metabolic specialist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Coverage will be based on medical history/status, response to dietary restrictions recommended by medical professionals.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Lazcluze

---

## Products Affected

- LAZCLUZE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	for First line NSCLC with EGFR Exon 19 Deletion or Exon 21 L858R failure or intolerance of osimertinib (Based on NCCN preferred regimen)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Lenvima

## Products Affected

- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)
- LENVIMA (18 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)
- LENVIMA (4 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology Oncology
<b>Coverage Duration</b>	12 months or until disease progression
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Lidoderm

---

## Products Affected

- *lidocaine external patch 5 %*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# liraglutide (Victoza)

---

## Products Affected

- *liraglutide*
- VICTOZA SUBCUTANEOUS SOLUTION  
PEN-INJECTOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Type 2 Diabetes or any compendial supported indication not excluded by part D. Not covered in combination with a DPP-IV inhibitor.
<b>Indications</b>	All FDA-approved Indications, Some Medically-accepted Indications.
<b>Off Label Uses</b>	diabetic nephropathy, MASH/NASH
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# livtencity

---

## Products Affected

- LIVTENCITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 weeks
Other Criteria	Resistance or intolerance of valganciclovir when it is the preferred agent, in addition can be used for CMV infection refractory to ganciclovir, cidovofovir, or foscarnet.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Lobrena

---

## Products Affected

- LORBRENA ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of ALK+ mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Lokelma

---

## Products Affected

- LOKELMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 month
Other Criteria	Two elevated serum potassium levels in absence of potassium sparing medications.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Long Acting Anti-Psychotics Injections

## Products Affected

- ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE
- ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER
- INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117
- MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 39 MG/0.25ML, 78 MG/0.5ML
- RISPERIDONE MICROSPHERES ER INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 12.5 MG, 25 MG, 37.5 MG
- *risperidone microspheres er intramuscular suspension reconstituted er 50 mg*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Neurology Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of two generic oral anti-psychotics in the past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Lonsurf

---

## Products Affected

- LONSURF ORAL TABLET 15-6.14 MG,  
20-8.19 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Lotronex

---

## Products Affected

- *alosetron hcl*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Gastroenterologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of loperimide and a tricyclic antidepressant. Approved initially for 3 months continuation to 12 months if patient has improvement in symptoms.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Lumakras

---

## Products Affected

- LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	Submission of molecular profile of tumor supporting KRAS G12C mutation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Lybalvi

---

## Products Affected

- LYBALVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of Olanzapine and asenapine
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Lynparza

---

## Products Affected

- LYNPARZA ORAL TABLET 100 MG, 150 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Lytgobi

---

## Products Affected

- LYTGOBI (12 MG DAILY DOSE)
- LYTGOBI (16 MG DAILY DOSE)
- LYTGOBI (20 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Mavyret

---

## Products Affected

- MAVYRET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Gastroenterology, infectious disease, Hepatology
Coverage Duration	8 weeks to 16 weeks
Other Criteria	Information supporting diagnosis,genotype,and Metavir score.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Mekinist

---

## Products Affected

- MEKINIST ORAL SOLUTION RECONSTITUTED
- MEKINIST ORAL TABLET 0.5 MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other anti-neoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Mektovi

---

## Products Affected

- MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of BRAF mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Metaxalone

---

## Products Affected

- *metaxalone oral tablet 800 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	4 weeks
<b>Other Criteria</b>	For patients over 64 years of age, Physician attests they have counseled patient on risk benefit of muscle relaxers as a high risk medication and patient has been evaluated for fall risk.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Modeyso

---

## Products Affected

- MODEYSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Movantik

---

## Products Affected

- MOVANTIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12months
Other Criteria	Failure of Lactulose and lubiprostone
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Nerlynx

---

## Products Affected

- NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist/Oncologist
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Neupro

---

## Products Affected

- NEUPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of Ropinirole and Pramipexole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Nexavar

---

## Products Affected

- *sorafenib tosylate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	failure of sunitinib for metastatic renal cell carcinoma
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Nexletol

---

## Products Affected

- NEXLETOL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Intolerant to Pitavastatin and ezetimibe
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Nicotrol

---

## Products Affected

- NICOTROL NS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Ages 18 and older
Prescriber Restrictions	
Coverage Duration	90 days
Other Criteria	Approved for 90 days up to twice annually.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ninlaro

---

## Products Affected

- NINLARO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Failure of bortezomib and lenalidomide required for coverage
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes

# Northera

---

## Products Affected

- *droxidopa*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Documented orthostatic hypotension or Dopamine-Beta-Hydroxylase deficiency
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Noxafil

---

## Products Affected

- *posaconazole oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure, resistance or contraindication to itraconazole,voriconazole
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Nubeqa

---

## Products Affected

- NUBEQA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Patient has failed Xtandi for premetastatic castrate resistant prostate cancer.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months or until Disease progression
<b>Other Criteria</b>	Patient has failed Xtandi for premetastatic castrate resistant prostate cancer. Failed abiraterone for areas of overlapping indication or medically acceptable use.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Nucala

## Products Affected

- NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 40
- NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	The following criteria must be met for coverage for oral steroid dependent severe eosinophilic asthma: Prescriber must be a pulmonologist or allergist, and patient must fail trial of LABA+ICS combination and a leukotriene receptor antagonist. For Hypereosinophilic syndrome failure of corticosteroids or imatinib and hydroxyurea. For nasal polyps recent failure (past 3 months) of intranasal corticosteroid and a 10-15 day course of oral corticosteroid at adequate doses based on the literature (ie prednisone 60-40mg for 5 days followed by 10mg-20mg for 5 to 10 days)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Pulmonologist, Allergist, Otolaryngologist, hematologist, or Rheumatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Nucala is an interleukin 5 antagonist covered for indications of eosinophilic asthma and eosinophilic granulomatosis with polyangiitis. Medical history and studies are reviewed in Referrals and if approved will notify pharmacy and the physician.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Nuedexta

---

## Products Affected

- NUEDEXTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis
Age Restrictions	
Prescriber Restrictions	neurology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Nuplazid

---

## Products Affected

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology Psychiatry
Coverage Duration	12 months
Other Criteria	Notes supporting dementia with hallucinations or delusions secondary to parkinsons dementia.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Nurtec

---

## Products Affected

- NURTEC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Pain management, headache specialist
Coverage Duration	12 months
Other Criteria	Failure of eletriptan and sumatriptan for abortive treatment unless patient was intolerant or has a cardiovascular contraindication to triptan therapy. Failure or Aimovig or Emgality for migraine prophylaxis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Odomzo

---

## Products Affected

- ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approval will initially be for three months, if patient has a response to therapy will be renewed for 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ofev

## Products Affected

- OFEV

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	pulmonologist or rheumatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of pirfenidone and confirmed Diagnosis of idiopathic pulmonary fibrosis (IPF) through exclusion of other fibrosing conditions/causes and definitive High resolution CT IPF pattern or Biopsy proven IPF. FVC of at least 50% of predicted value DLCO of at least 30%. Confirmed Diagnosis of systemic sclerosis associated interstitial lung disease. Confirmed diagnosis chronic fibrosis interstitial lung diseases and discontinuation of medications which can cause pulmonary fibrosis if risk outweighs benefit.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Ogsiveo

---

## Products Affected

- OGSIVEO ORAL TABLET 100 MG, 150 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approve for progressive desmoid tumors requiring systemic treatment.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ojemda

---

## Products Affected

- OJEMDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approved for relapsed refractory low grade glioma with BRAF v600 mutation or BRAF fusion or rearrangement. Not currently approved for firstline use
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ojjaara

---

## Products Affected

- OJJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Failure of Jakafi
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Omnitrope

---

## Products Affected

- OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE
- OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	studies establishing diagnosis of indication.
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Onfi

---

## Products Affected

- *clobazam oral suspension 2.5 mg/ml*
- *clobazam oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	FDA approved Ages
Prescriber Restrictions	Restricted to Neurology
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Onureg

---

## Products Affected

- ONUREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Opipza

---

## Products Affected

- OPIPZA

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology, Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of two generic orally disintegrating tablet (ODT) antipsychotic medications
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Opsumit

---

## Products Affected

- OPSUMIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	pulmonologist/cardiologist
Coverage Duration	12 months
Other Criteria	Failure of Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Orenitram

---

## Products Affected

- ORENITRAM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right Heart catheterization to confirm the diagnosis
Age Restrictions	
Prescriber Restrictions	Pulmonologist or Cardiologist
Coverage Duration	12 months
Other Criteria	Failure of combination Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

## orgovyx

---

### Products Affected

- ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Urology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	Failure or intolerance of degaralix and leuprolide
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Orilissa

---

## Products Affected

- ORILISSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	OB/GYN
Coverage Duration	6 months
Other Criteria	Covered for endometriosis, failure of NSAID and combinedestrogen-progestin contraceptive or progestin.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Orkambi

---

## Products Affected

- ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG
- ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CFTR mutation analysis, spirometry
Age Restrictions	Ages approved in FDA label
Prescriber Restrictions	pulmonologist
Coverage Duration	12 months
Other Criteria	CFTR mutation must be supported by FDA approved label such as homozygous F508-deletion
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Orserdu

---

## Products Affected

- ORSERDU ORAL TABLET 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approved for ESR-1 mutated ER+ HER2- advanced or metastatic breast cancer which has progressed on a CDK 4/6 inhibitor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Otezla

## Products Affected

- OTEZLA ORAL TABLET 20 MG, 30 MG
- OTEZLA ORAL TABLET THERAPY PACK

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Documentation of active psoriatic arthritis or plaque psoriasis or Bechet's disease.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Rheumatologist, Dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For mild plaque Psoriasis (less than 3 % BSA)patient must fail combination calcipotriene and diflorisone or other high potency topical steroid or roflumilast. For moderate to severe plaque psoriasis and psoriatic arthritis patient must fail a preferred TNF such as adalimumab or infliximab and biosimilar ustekinumab. If injectable cant be used patient must fail Xeljanz and methotrexate or methotrexate and acitretin.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Pemazyre

---

## Products Affected

- PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Phenoxybenzamine

---

## Products Affected

- *phenoxybenzamine hcl oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Piqray

---

## Products Affected

- PIQRAY (200 MG DAILY DOSE)
- PIQRAY (250 MG DAILY DOSE)
- PIQRAY (300 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until progression,
Other Criteria	HR+ ER- with PIK3CA mutation advanced/metastatic breast cancer and failure of endocrine therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Pomalyst

---

## Products Affected

- *pomalidomide*

PA Criteria	Criteria Details
Exclusion Criteria	FDA contraindications
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Approve for patients with multiple myeloma who have received at least two prior therapies including lenalidomide and bortezomib and have demonstrated disease progression on or within 60 days of completion of the last therapy. Covered for patients with Kaposi sarcoma.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Prevymis

---

## Products Affected

- PREVYMIS ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	200 days
Other Criteria	Patient had an allogeneic stem cell transplant within the last 28 days and CMV seropositive. For renal transplant the donor must be CMV seropositive and the patient must be CMV seronegative AND patient is intolerant to valganciclovir, has baseline leukopenia, or had failed valganciclovir.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Prolastin-C

---

## Products Affected

- PROLASTIN-C INTRAVENOUS SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 Year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Prolia

---

## Products Affected

- PROLIA SUBCUTANEOUS SOLUTION  
 PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Intolerance or contraindication to injectable bisphosphonate required for coverage of prolia. Part B before Part D Step Therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes

# Promacta

## Products Affected

- *eltrombopag olamine*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, CBC ,Platelet count less than 50,000/ml for ITP, Platelet count of less than 75,000/ml for HCV
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematologist/oncologist, Hepatologist/gastroenterologist, Infectious Disease
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Chronic ITP or persistent immune thrombocytopenia Refractory to IVIG, corticosteroids or splenectomy as per FDA approval studies not applicable to HCV related thrombocytopenia.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Pulmozyme

---

## Products Affected

- PULMOZYME INHALATION SOLUTION  
2.5 MG/2.5ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis of cystic fibrosis current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Pulmonologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Covered for Patients with Cystic Fibrosis. Not covered for off label indications such as asthma
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# pyrimethamine (Daraprim)

---

## Products Affected

- *pyrimethamine oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 Months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Qinlock

---

## Products Affected

- QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Ravicti

---

## Products Affected

- *glycerol phenylbutyrate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hepatologist or metabolic specialist such as a endocrinologist or geneticist
Coverage Duration	12 months
Other Criteria	Clinical Failure of Buphenyl
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Rebif

## Products Affected

- REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of dimethyl fumarate and teriflunomide
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Repatha

## Products Affected

- REPATHA
- REPATHA SURECLICK

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For patients with HoFH, HeFH, or with established atherosclerotic cardiovascular disease and Primary hyperlipidemia who require additional LDL lowering: Failure of rosuvastatin 40mg or Atorvastatin 80 combined with ezetimibe 10mg. Diagnosis of must be HeFH supported by Dutch Lipid Clinic Network criteria. Diagnosis of HOFH must be confirmed by genetic testing. Patients who are intolerant to rosuvastatin/ atorvastatin can use an alternative statin + Ezetimibe 10mg. For statin intolerant patients who required additional LDL lowering and have established cardiovascular disease, HoFH, or HeFH: History of statin intolerance to a hydrophilic statin such as fluvastatin, pravastatin, rosuvastatin in the absence of fibrates or other combinations which can increase risk of myopathy or myalgia when used in combination with a statin.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

PA Criteria	Criteria Details
<b>Prerequisite Therapy Required</b>	No

# Retacrit

---

## Products Affected

- RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Scr, HGB, T-sat, Ferritin
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	6 months
<b>Other Criteria</b>	Hemoglobin must be within FDA approved ranges for initiation and maintenance. Patient must have adequate iron stores to initiate and continue treatment. ESRD will be covered under Medicare Part B
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Retevmo

---

## Products Affected

- RETEVMO ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or disease progression
Other Criteria	Diagnosis of metastatic non-small cell lung cancer or metastatic or advanced medullary thyroid carcinoma with RET alterations
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Revatio

---

## Products Affected

- *sildenafil citrate oral tablet 20 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, current assessment and plan, 6 min walk, diffusion studies,Rt Heart Cath
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Pulmonologist/Cardiologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Revcovi

---

## Products Affected

- REVCOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Diagnosis of adenosine deaminase severe combined immunodeficiency (ADA-SCID)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Revlimid

---

## Products Affected

- *lenalidomide*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Most recent hematology/oncology note documenting condition, regimen and setting this treatment is being used in.
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematologist/oncologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Revuforj

---

## Products Affected

- REVUFORJ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Rexulti

---

## Products Affected

- REXULTI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12months
Other Criteria	Failure of aripiprazole and lurasidone for schizophrenia or failure of combination SSRI and aripiprazole for major depressive disorder. For Alzheimer's agitation failure of quetiapine and olanzapine
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Rezdiffra

## Products Affected

- REZDIFFRA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Board certified gastroenterologist or hepatologist
<b>Coverage Duration</b>	12months
<b>Other Criteria</b>	for new starts:F2 F3 fibrosis demonstrated by liver biopsy, Magnetic resonance elastography (3.1 - 4.4 kPa), or Vibration controlled transient elastography (8-15kPA). Lack of positive ALT response after 90 day trail of liraglutide or semaglutide. Continuation is approved when use is consistent with the FDA label and current AASLD guidelines.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Rezlidhia

---

## Products Affected

- REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Presences of an IDH-1 mutation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Rezurock

---

## Products Affected

- REZUROCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/Transplant
Coverage Duration	12 months
Other Criteria	Failure of Jakafi and Imbruvica unless patient has history of arrhythmia or moderate to severe bleeds.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Romvimza

---

## Products Affected

- ROMVIMZA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Documentation supporting diagnosis
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months or until progression
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Rubraca

---

## Products Affected

- RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Rydapt

---

## Products Affected

- RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology/allergist
Coverage Duration	12 months or until progression
Other Criteria	Labs supporting FLT3 mutation if being used for AML, not required for systemic mastocytosis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Sabril

---

## Products Affected

- *vigabatrin*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Neurologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For Refractory Partial Complex, failure of 2 adjunctive regimens containing any of the following lacosamide, lamotrigine, or levetiracetam
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Scemblix

---

## Products Affected

- SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology Hematology
Coverage Duration	12 months unless disease progression
Other Criteria	Failure of ponatinib if T315I mutation present. Failure of dasatinib for CML without T315I mutation.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Secuado

---

## Products Affected

- SECUADO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Restricted to Neurology/Psychiatry
Coverage Duration	12 months
Other Criteria	Failure of lurasidone and risperidone
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Sensipar

## Products Affected

- *cinacalcet hcl*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, previous treatment history, associated studies iPTH, calcium, phosphate
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Nephrologist/endocrinologist/oncologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For secondary hyperparathyroidism related to CKD, patient must fail active vit-D therapy/phosphate binders. ESRD use is excluded from medicare Part D and this authorization will include a determination of Part D vs Part B coverage based indication
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Signifor

---

## Products Affected

- SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Endocrinologist
Coverage Duration	12 months
Other Criteria	For Cushings Disease failed or poor surgical candidate for pituitary resection
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Solaraze

---

## Products Affected

- *diclofenac sodium external gel 3 %*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Diagnosis
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Dermatologist, oncologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Somavert

---

## Products Affected

- SOMAVERT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Approved for patients with acromegaly who had an inadequate response to radiation therapy or surgery or for whom those therapies are not appropriate. Recent elevated serum IGF-1.
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Endocrinologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Sprycel

---

## Products Affected

- *dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Requires failure of imatinib for low risk CML based on Sokal or Hasford scores.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Stelara

## Products Affected

- STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML
  - STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML, 90
- MG/ML
- *ustekinumab subcutaneous*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	gastroenterologist/rheumatologist/dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	for inflammatory bowel disease patient must fail Renflexis and have trial of biosimilar ustekinumab. For adult psoriatic arthritis, patient must fail a preferred TNF (adalimumab or infliximab) and Xeljanz. Part B before Part D Step Therapy
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Stivarga

---

## Products Affected

- STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Sunosi

---

## Products Affected

- SUNOSI ORAL TABLET 150 MG, 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Board Certified Sleep Medicine
Coverage Duration	12 months
Other Criteria	Covered for narcolepsy requires failure of modafinil/armodafinil and failure of amphetamine/methylphenidate
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Sutent

---

## Products Affected

- *sunitinib malate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Sympazan

---

## Products Affected

- SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Synarel

---

## Products Affected

- SYNAREL

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA Label
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Covered after patient fails treatment with Lupron for endometriosis or precocious puberty
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Tabloid

---

## Products Affected

- TABLOID

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Medical notes supporting diagnosis.
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tabrecta

---

## Products Affected

- TABRECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tafinlar

---

## Products Affected

- TAFINLAR ORAL CAPSULE 50 MG, 75 MG
- TAFINLAR ORAL TABLET SOLUBLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Mutation analysis showing BRAF V600E or V600K positive, not covered for combination use with other anti-neoplastics unless FDA indication or NCCN recommended with a class 2A or greater evidence rating.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tagrisso

---

## Products Affected

- TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months
Other Criteria	Coverage requires Diagnosis of Non Small Cell Lung cancer with EGFR mutations as indicated by the FDA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Taltz

## Products Affected

- TALTZ

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Notes supporting diagnostic evidence and previous treatment history.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Rheumatology, Dermatology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For Plaque Psoriasis in adults must fail a preferred formulary subcutaneous TNF inhibitor(adalumab) and biosimilar ustekinumab. For Psoriatic Arthritis in adults must fail a preferred TNF agent(adalimumab/renflexis) and biosimilar ustekinumab. For Ankylosing Spondylitis in adults must fail adalimumab and Renflexis. For non-radiographic axial spondylarthritis in adults failure of a preferred TNF inhibitor adalimumab or infliximab. Part B before Part D Step Therapy
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes
<b>Prerequisite Therapy Required</b>	Yes

# Talzenna

## Products Affected

- TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Evidence of germline BRCA mutation for breast cancer or non BRCA HRR mutations for metastatic prostate cancer
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months or until disease progression
<b>Other Criteria</b>	failure of niraparib + abiraterone (Akeega) for BRCA HRR mutations. Covered for non BRCA HRR mutations in metastatic prostate cancer.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Tarceva

---

## Products Affected

- *erlotinib hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Targretin

---

## Products Affected

- *bexarotene external*
- *bexarotene oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology, dermatology
Coverage Duration	12 months or until disease progression
Other Criteria	Must have failed one prior systemic therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Tasigna

## Products Affected

- *nilotinib hcl*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematologist/oncologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Covered for failure or relapse of CML when previously treated with imatinib. Covered for newly diagnosed CML patients who are Philadelphia chromosome +. Will also be covered for intolerance or adverse reaction to imatinib. Combination therapy with other tyrosine kinase inhibitors or MTOR inhibitors for CML is not supported.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Tazorac

---

## Products Affected

- *tazarotene external cream 0.05 %, 0.1 %*
- TAZAROTENE EXTERNAL GEL

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Previous treatment history
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For Psoriasis patient must have failed medium to high potency topical corticosteroid, For acne patient must have failed Tretinoin and oral antibiotic
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# tazverik

---

## Products Affected

- TAZVERIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tecfidara

---

## Products Affected

- *dimethyl fumarate oral*
- *dimethyl fumarate starter pack oral capsule*  
*delayed release therapy pack*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Diagnosis of MS
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Temazepam

---

## Products Affected

- *temazepam oral capsule 15 mg, 30 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Chronic use of opioids
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	14 days
Other Criteria	Covered for FDA approved indication of short term treatment of insomnia covered for 14 days.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tepmetko

---

## Products Affected

- TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/oncology
Coverage Duration	12 months or until progression
Other Criteria	Molecular profile to support MET exon 14 skipping mutation
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tetrabenazine

---

## Products Affected

- *tetrabenazine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology or Psychiatry
Coverage Duration	12 months
Other Criteria	For tardive dyskinesia causative drug must be discontinued or tried at a lower dose
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Thalomid

---

## Products Affected

- THALOMID ORAL CAPSULE 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Hematologist/oncologist/infectious disease/dermatologist
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tibsovo

---

## Products Affected

- TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of IDH-1 Mutation
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tobi Podhaler

---

## Products Affected

- TOBI PODHALER

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Medical notes describing indication for the management of cystic fibrosis patients with <i>Pseudomonas aeruginosa</i> and with forced expiratory volume in 1 second (FEV1) greater than 25% or less than 80%.
<b>Age Restrictions</b>	6 years and older
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Through benefit year
<b>Other Criteria</b>	Safety and efficacy have not been demonstrated in patients with forced expiratory volume in 1 second (FEV1) less than 25% or greater than 80%, or patients colonized with <i>Burkholderia cepacia</i>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Tracleer

## Products Affected

- *bosentan oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan, right heart catheterization, 6 Minute Walk time
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Pulmonologist or cardiologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Pulmonary hypertension must be diagnosed by heart catheterization ,Evaluation, EKG, diffusion studies, catheterization results and an objective test of exercise ability (6 minute walk) must be submitted with referral. Patient must fail ambrisentan for overlapping FDA indications.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Tretinoin Topical

---

## Products Affected

- *tretinoin external cream*
- *tretinoin external gel 0.01 %, 0.025 %*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications, treatment of photoaging, wrinkles
<b>Required Medical Information</b>	Diagnosis
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Trikafta

---

## Products Affected

- TRIKAFTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Patient has confirmed diagnosis of cystic fibrosis and an f508 deletion or other mutation that is confirmed amenable to Trikafta based on clinical or in vitro data.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Trintellix

---

## Products Affected

- TRINTELLIX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of vilazodone and another generically available anti-depressant within past 6 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Truqap

---

## Products Affected

- TRUQAP ORAL TABLET 200 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient has had progression on at least one endocrine-based regimen in the metastatic setting or recurrence on or within 12 months of completing adjuvant therapy.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Tukysa

---

## Products Affected

- TUKYSA ORAL TABLET 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Turalio

---

## Products Affected

- TURALIO ORAL CAPSULE 125 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/hematology
Coverage Duration	12 months or until disease progression
Other Criteria	Patient is not a surgical candidate and has a Tenosynovial giant cell tumor.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Tyenne

---

## Products Affected

- TYENNE SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approved for failure or intolerance of Kevzara for overlapping indication. Approved for CART related CRS or ICANS
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Tykerb

## Products Affected

- *lapatinib ditosylate*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan associated studies
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Oncologist/hematologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Patient is using in combination with capecitabine for HER/NEU + Metastatic breast CA, having failed an anthracycline, Herceptin and a taxane, or Patient must be using in combination with an aromatase inhibitor and have HER/NEU+ HR+ metastatic breast CA
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Ubrelvy

---

## Products Affected

- UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurologist, Headache Specialist, Pain specialist
Coverage Duration	12 months
Other Criteria	Failure of eletriptan and sumatriptan unless patient has CV risk factors or other clinical contraindications
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Uceris

## Products Affected

- *budesonide er oral tablet extended release 24 hour*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Gastroenterologist
<b>Coverage Duration</b>	8 weeks
<b>Other Criteria</b>	approved for 8 weeks in patients with active mild-moderate ulcerative colitis who are intolerant or have failed 1-1.5 mg/kg of oral prednisone and mesalamine
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Udenyca

---

## Products Affected

- FULPHILA
- UDENYCA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Uptravi

---

## Products Affected

- UPTRAVI ORAL
- UPTRAVI TITRATION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Right heart catheterization supporting diagnosis of PAH
Age Restrictions	
Prescriber Restrictions	Pulmonology or Cardiology
Coverage Duration	12 months
Other Criteria	diagnosis of WHO group 1 PAH, failure of Ambrisentan and tadalafil
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Valchor

---

## Products Affected

- VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology or Dermatology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Valtoco

## Products Affected

- VALTOCO 10 MG DOSE THERAPY PACK 2 X 10 MG/0.1ML
- VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML
- VALTOCO 20 MG DOSE NASAL LIQUID
- VALTOCO 5 MG DOSE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	History of cluster seizures or acute repetitive seizures.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Vanflyta

---

## Products Affected

- VANFLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	hematology/oncology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Velsipity

---

## Products Affected

- VELSIPITY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications, combination with a targeted immunomodulator
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Gastroenterologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of infliximab and vedolizumab.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Venclexta

---

## Products Affected

- VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Medical notes supporting diagnosis.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	approved for all FDA approved indications
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Verzenio

---

## Products Affected

- VERZENIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or clinical progression
Other Criteria	failure of Ibrance for advanced or metastatic breast cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Vittrakvi

---

## Products Affected

- VITRAKVI ORAL CAPSULE 100 MG, 25 MG
- VITRAKVI ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of a NTRK fusion
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	Intolerance or contraindication of entrectinib
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Vizimpro

---

## Products Affected

- VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Evidence of EGFR mutated non-small cell lung cancer
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until Disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Vonjo

---

## Products Affected

- VONJO

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Diagnosis
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematology, Oncology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of Jakafi for myelofibrosis
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Voranigo

---

## Products Affected

- VORANIGO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Vosevi

---

## Products Affected

- VOSEVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 weeks
Other Criteria	Approved for patients who failed a prior NS5A containing regimen.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Votrient

---

## Products Affected

- *pazopanib hcl oral tablet 200 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Vowst

---

## Products Affected

- VOWST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	gastroenterologist or Infectious disease
Coverage Duration	3 days
Other Criteria	Approve for c. difficile infections after failure of a vancomycin taper and fidaxomicin regimen and second recurrence of CDI.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Vraylar

---

## Products Affected

- VRAYLAR ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Psychiatry or Neurology
Coverage Duration	12 months
Other Criteria	For Bipolar 1 disorder failure of aripiprazole and quetiapine. For treatment of Schizophrenia failure of lurasidone and aripiprazole. For adjunctive treatment of major depressive disorder failure of aripiprazole and quetiapine.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Welireg

---

## Products Affected

- WELIREG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months unless disease progression
Other Criteria	Clinical information and labs supporting diagnosis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Winrevair

---

## Products Affected

- WINREVAIR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	cardiologist or pulmonologist with experience in PAH
Coverage Duration	12 months
Other Criteria	Patient is currently receiving a prostacyclin and another medication from a pharmacologic class to treat PAH such as a PDE5 inhibitor or endothelin receptor antagonist or soluble guanylate cyclase stimulator
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Xalkori

---

## Products Affected

- XALKORI ORAL CAPSULE
- XALKORI ORAL CAPSULE SPRINKLE  
150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Diagnosis, documentation support ALK+ NSCLC or ROS1 Positive for NSCLC indication.
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Hematology-oncology
<b>Coverage Duration</b>	6 months
<b>Other Criteria</b>	Continuation will be based on lack of disease progression
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Xcopri

## Products Affected

- XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG
- XCOPRI (350 MG DAILY DOSE)
- XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG
- XCOPRI ORAL TABLET THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Recent failure (past 6 months) of lacosamide and lamotrigine
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Xdemvy

---

## Products Affected

- XDEMZY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	dermatology or ophthalmology
Coverage Duration	12months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Xeljanz

---

## Products Affected

- XELJANZ
- XELJANZ XR ORAL TABLET  
EXTENDED RELEASE 24 HOUR 11 MG,  
22 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Rheumatology/Gastroenterologist
Coverage Duration	12 months
Other Criteria	For Rheumatoid arthritis- 3 month trial of Combination DMARD therapy in past 6 months. Approved for moderate to severe ulcerative colitis
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Xermelo

---

## Products Affected

- XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematologist, oncologist, gastroenterologist
Coverage Duration	12 months
Other Criteria	Failure of Sandostatin LAR
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Xgeva

---

## Products Affected

- XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	oncology/endocrinology
Coverage Duration	12 months
Other Criteria	Failure or contraindication to bisphosphonate for osteolytic cancer indications other than giant cell tumor of the bone.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Xifaxin

## Products Affected

- XIFAXAN ORAL TABLET 550 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Notes to substantiate diagnosis of Hepatic Encephalopathy or Irritable Bowel Syndrome with Diarrhea
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Gastroenterology/Hepatology
<b>Coverage Duration</b>	12 months for Hepatic Encephalopathy or Three 14 day courses for IBS-D
<b>Other Criteria</b>	Approve for IBS-D if patient has failed a tricyclic antidepressant OR dicyclomine AND loperamide, approval will be limited to three 14 day treatments. Approval for hepatic encephalopathy is based on failure or intolerance of therapeutic doses of lactulose (30-45ml two to four times daily).
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Xolair

## Products Affected

- XOLAIR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments. For asthma please submit RAST, aeroallergens results, IgE values
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Pulmonologist, allergist, dermatologist, otolaryngologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	For Asthma patient Must Fail Combination LABA/ICS. For chronic idiopathic urticaria failure of fexofenadine 540mg per day or maximally tolerated dose unless contraindicated.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Xospata

---

## Products Affected

- XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Xpovio

## Products Affected

- XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG
- XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG
- XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG, 80 MG
- XPOVIO (80 MG TWICE WEEKLY)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Oncology/Hematology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Xtandi

---

## Products Affected

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months or until disease progression
Other Criteria	Failure of Abiraterone for metastatic prostate cancer
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Xtrenbo

---

## Products Affected

- XTRENBO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	oncology/endocrinology
Coverage Duration	12 months
Other Criteria	Failure or contraindication to bisphosphonate for osteolytic cancer indications other than giant cell tumor of the bone.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Xyrem

---

## Products Affected

- *sodium oxybate*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Physician Board certified in Sleep Medicine or neurologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failure of Modafanil/Armodafinil and sulriamfetol or failure of fluoxetine and sulriamfetol for narcolepsy with cataplexy in adult patients. Failure of Modafanil and in pediatric patients
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# yesintek

---

## Products Affected

- YESINTEK SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	failure of methotrexate for plaque psoriasis, failure of infliximab for Inflammatory Bowel Disease.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Yonsa

---

## Products Affected

- YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Allergy or contraindication to generic abiraterone 250mg or abiraterone 500mg
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Zavesca

---

## Products Affected

- *miglustat*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Oncologist/Hematologist, Neurologist, Medical Geneticist, Metabolic Specialist, hepatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Zejula

## Products Affected

- ZEJULA ORAL TABLET

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	1. Diagnosis 2. Prior treatment with platinum-based chemotherapy and response 3. Prior treatment with PARP inhibitor and response
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months or until progression
<b>Other Criteria</b>	Approve for first line maintenance for advanced epithelial, ovarian, peritoneal, fallopian cancer in patients who have platinum sensitive disease and are in a complete or partial response. Also approved for maintenance of recurrent advanced epithelial, ovarian, peritoneal, fallopian cancer in patients who have platinum sensitive disease and are in complete or partial response and have a pathogenic germline BRCA mutation. There is limited data on the use of a maintenance PARPi in patients who previously received a PARPi
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Zelboraf

---

## Products Affected

- ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncology hematology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

## **zileuton (Zyflo)**

---

### **Products Affected**

- *zileuton er*

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Pulmonology
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Uncontrolled Asthma while on maximal doses of long acting bronchodilators and inhaled corticosteroids AND montelukast.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Zolinza

---

## Products Affected

- ZOLINZA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	FDA labeled contraindications
<b>Required Medical Information</b>	Medical notes supporting diagnosis, response to previous treatments, current assessment and plan
<b>Age Restrictions</b>	Ages approved in FDA labeling
<b>Prescriber Restrictions</b>	Oncologist/hematologist/dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Failed minimum of two systemic treatments, one of which must be Targretin, unless contraindicated
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# Ztalmy

---

## Products Affected

- ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Neurology
Coverage Duration	12 months
Other Criteria	Diagnosis of CDK15 deficiency disorder
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Zurzuvae

---

## Products Affected

- ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Woman of childbearing age
Prescriber Restrictions	obstetrics/gynecology/psychiatry
Coverage Duration	14 days
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Zydelig

---

## Products Affected

- ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Hematology/Oncology
Coverage Duration	12 months or until disease progression
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# Zykadia

---

## Products Affected

- ZYKADIA ORAL TABLET

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hematology/Oncology
<b>Coverage Duration</b>	12 months or until disease progression
<b>Other Criteria</b>	Restricted to use in ALK+ Non Small Cell Lung Cancer
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# Zyprexa Injection

---

## Products Affected

- *olanzapine intramuscular*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Failure of oral olanzapine and risperidone long acting injection in the past 12 months
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# Zytiga

---

## Products Affected

- *abiraterone acetate oral tablet 250 mg*

PA Criteria	Criteria Details
Exclusion Criteria	FDA labeled contraindications
Required Medical Information	Diagnosis
Age Restrictions	Ages approved in FDA labeling
Prescriber Restrictions	Oncology/urology
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

## Index

ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE.....	140	<i>bexarotene oral</i> .....	231
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER.....	140	<i>bosentan oral tablet</i> .....	242
<i>abiraterone acetate oral tablet 250 mg</i> .....	296	BOSULIF ORAL CAPSULE 100 MG, 50 MG.....	42
ACTIMMUNE.....	11	BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG.....	42
ADBRY SUBCUTANEOUS SOLUTION AUTO-INJECTOR.....	13	BRAFTOVI ORAL CAPSULE 75 MG.....	43
ADBRY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	13	BRIVIACT ORAL SOLUTION.....	44
ADEMPAS.....	15	BRIVIACT ORAL TABLET.....	44
AIMOVIG.....	17	BRUKINSA ORAL TABLET.....	45
AJOVY.....	18	<i>budesonide er oral tablet extended release 24 hour</i> .....	252
AKEEGA.....	19	CABOMETYX.....	46
ALECENSA.....	20	CALQUENCE ORAL TABLET.....	47
<i>alosetron hcl</i> .....	142	CAPLYTA.....	48
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG.....	22	CAPRELSA ORAL TABLET 100 MG, 300 MG.....	49
ALUNBRIG ORAL TABLET THERAPY PACK.....	22	<i>carglumic acid oral tablet soluble</i> .....	50
<i>ambrisentan</i> .....	23	CAYSTON.....	35
<i>apomorphine hcl subcutaneous</i> .....	25	<i>cinacalcet hcl</i> .....	213
<i>aprepitant oral capsule</i> .....	66	CINRYZE.....	52
ARCALYST.....	26	<i>clobazam oral suspension 2.5 mg/ml</i> .....	172
ARIKAYCE.....	27	<i>clobazam oral tablet</i> .....	172
<i>armodafinil</i> .....	28	COBENFY.....	53
AUGTYRO ORAL CAPSULE 160 MG, 40 MG.....	30	COBENFY STARTER PACK.....	53
AUVELITY.....	31	COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG.....	54
AVMAPKI FAKZYNJA CO-PACK.....	32	COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG.....	54
AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT.....	33	COMETRIQ (60 MG DAILY DOSE).....	54
AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT.....	33	COPIKTRA.....	55
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG.....	34	COTELLIC.....	57
BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG.....	36	CRESEMBA ORAL.....	58
BENLYSTA SUBCUTANEOUS.....	38	<i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i> .....	60
BERINERT.....	39	<i>dalfampridine er</i> .....	24
BESREMI.....	40	<i>dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg</i> .....	217
BETASERON SUBCUTANEOUS KIT.....	41	DAURISMO ORAL TABLET 100 MG, 25 MG.....	61
<i>bexarotene external</i> .....	231	<i>deferasirox oral tablet soluble</i> .....	79
		DIACOMIT.....	62
		<i>diclofenac sodium external gel 3 %</i> .....	215
		<i>diclofenac sodium external solution 1.5 %</i> .....	63
		<i>dimethyl fumarate oral</i> .....	235

<i>dimethyl fumarate starter pack oral capsule delayed release therapy pack</i> .....	235	FOTIVDA.....	86
<i>droxidopa</i> .....	159	FRUZAQLA ORAL CAPSULE 1 MG, 5 MG.....	87
DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML.....	65	FULPHILA.....	253
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML.....	65	GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML.....	118
<i>eltrombopag olamine</i> .....	189	GAMUNEX-C INJECTION SOLUTION 1 GM/10ML.....	118
EMEND ORAL SUSPENSION RECONSTITUTED.....	66	GATTEX.....	89
EMGALITY.....	67	GAVRETO.....	90
EMGALITY (300 MG DOSE).....	67	<i>gefitinib</i> .....	115
EMSAM.....	68	GILOTRIF.....	92
ENBREL MINI.....	69	<i>glyburide oral</i> .....	94
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML.....	69	<i>glycerol phenylbutyrate</i> .....	193
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	69	GOMEKLI.....	95
ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR.....	69	HADLIMA.....	12
ENDARI.....	70	HADLIMA PUSHTOUCH.....	12
ENOBY.....	71	HERNEXEOS.....	96
ENSACOVE.....	72	HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML.....	98
EPIDIOLEX.....	74	HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML.....	98
ERIVEDGE.....	75	HYRNUO.....	99
ERLEADA ORAL TABLET 240 MG, 60 MG.....	76	IBRANCE.....	100
<i>erlotinib hcl</i> .....	230	IBTROZI.....	101
EULEXIN.....	78	<i>icatibant acetate subcutaneous solution prefilled syringe</i> .....	102
<i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> .....	16	ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG.....	103
<i>everolimus oral tablet soluble</i> .....	16	IDHIFA.....	104
EXXUA.....	80	IMBRUVICA ORAL CAPSULE 140 MG, 70 MG.....	105
EXXUA TITRATION PACK.....	80	IMBRUVICA ORAL SUSPENSION.....	106
FANAPT.....	81	IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG.....	105
FANAPT TITRATION PACK A.....	81	<i>imkeldi</i> .....	107
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> .....	82	IMPAVIDO.....	108
FETZIMA.....	83	INCRELEX.....	109
FETZIMA TITRATION.....	83	INLURIYO.....	110
<i>fidaxomicin</i> .....	64	INLYTA ORAL TABLET 1 MG, 5 MG... ..	111
<i>fingolimod hcl</i> .....	91	INQOVI.....	112
FINTEPLA.....	84	INREBIC.....	113

INVEGA HAFYERA	LENVIMA (8 MG DAILY DOSE).....	134
INTRAMUSCULAR SUSPENSION	<i>l-glutamine oral packet</i> .....	70
PREFILLED SYRINGE 1092 MG/3.5ML, 1560 MG/5ML.....	<i>lidocaine external patch 5 %</i> .....	135
114	<i>liraglutide</i> .....	136
INVEGA SUSTENNA	LIVTENCITY.....	137
INTRAMUSCULAR SUSPENSION	LOKELMA.....	139
PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 39	<i>lomustine</i> .....	93
MG/0.25ML, 78 MG/0.5ML.....	LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG.....	141
140	LORBRENA ORAL TABLET 100 MG, 25 MG.....	138
<i>isotretinoin oral capsule 10 mg, 20 mg, 30</i>	LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG.....	143
<i>mg, 40 mg</i> .....	LYBALVI.....	144
116	LYNPARZA ORAL TABLET 100 MG, 150 MG.....	145
ITOVEBI.....	LYTGObI (12 MG DAILY DOSE).....	146
117	LYTGObI (16 MG DAILY DOSE).....	146
<i>ivabradine hcl</i> .....	LYTGObI (20 MG DAILY DOSE).....	146
56	MAVYRET.....	147
IWILFIN.....	MEKINIST ORAL SOLUTION	
119	RECONSTITUTED.....	148
JAKAFI.....	MEKINIST ORAL TABLET 0.5 MG, 2	
120	MG.....	148
JAYPIRCA ORAL TABLET 100 MG, 50	MEKTOVI.....	149
MG.....	<i>metaxalone oral tablet 800 mg</i> .....	150
121	<i>mifepristone oral tablet 300 mg</i> .....	129
JUXTAPID ORAL CAPSULE 10 MG, 20	<i>miglustat</i> .....	286
MG, 30 MG, 5 MG.....	<i>modafinil oral</i> .....	28
122	MODEYSO.....	151
JYNARQUE.....	MOVANTIK.....	152
123	NERLYNX.....	153
KALYDECO ORAL PACKET.....	NEUPRO.....	154
124	NEXLETOL.....	156
KALYDECO ORAL TABLET.....	NICOTROL NS.....	157
124	<i>nilotinib hcl</i> .....	232
KERENDIA ORAL TABLET 10 MG, 20	NINLARO.....	158
MG.....	NUBEQA.....	161
125	NUCALA SUBCUTANEOUS	
KEVZARA.....	SOLUTION AUTO-INJECTOR.....	162
126	NUCALA SUBCUTANEOUS	
KINERET SUBCUTANEOUS	SOLUTION PREFILLED SYRINGE 100	
SOLUTION PREFILLED SYRINGE.....	MG/ML, 40 MG/0.4ML.....	162
127	NUCALA SUBCUTANEOUS	
KISQALI (200 MG DOSE).....	SOLUTION RECONSTITUTED.....	162
128	NUEDEXTA.....	163
KISQALI (400 MG DOSE).....	NUPLAZID ORAL CAPSULE.....	164
128		
KISQALI (600 MG DOSE).....		
128		
KISQALI FEMARA (400 MG DOSE).....		
128		
KISQALI FEMARA (600 MG DOSE).....		
128		
KOSELUGO ORAL CAPSULE 10 MG, 25 MG.....		
130		
KOSELUGO ORAL CAPSULE		
SPRINKLE.....		
130		
KRAZATI.....		
131		
<i>lapatinib ditosylate</i> .....		
250		
LAZCLUZE.....		
133		
<i>lenalidomide</i> .....		
201		
LENVIMA (10 MG DAILY DOSE).....		
134		
LENVIMA (12 MG DAILY DOSE).....		
134		
LENVIMA (14 MG DAILY DOSE).....		
134		
LENVIMA (18 MG DAILY DOSE).....		
134		
LENVIMA (20 MG DAILY DOSE).....		
134		
LENVIMA (24 MG DAILY DOSE).....		
134		
LENVIMA (4 MG DAILY DOSE).....		
134		

NUPLAZID ORAL TABLET 10 MG.....	164	PULMOZYME INHALATION	
NURTEC.....	165	SOLUTION 2.5 MG/2.5ML.....	190
ODOMZO.....	166	<i>pyrimethamine oral</i> .....	191
OFEV.....	167	QINLOCK.....	192
OGSIVEO ORAL TABLET 100 MG, 150		REBIF REBIDOSE SUBCUTANEOUS	
MG.....	168	SOLUTION AUTO-INJECTOR.....	194
OJEMDA.....	169	REBIF REBIDOSE TITRATION PACK	
OJJAARA.....	170	SUBCUTANEOUS SOLUTION AUTO-	
<i>olanzapine intramuscular</i> .....	295	INJECTOR.....	194
OMNITROPE SUBCUTANEOUS		REBIF SUBCUTANEOUS SOLUTION	
SOLUTION CARTRIDGE.....	171	PREFILLED SYRINGE.....	194
OMNITROPE SUBCUTANEOUS		REBIF TITRATION PACK	
SOLUTION RECONSTITUTED.....	171	SUBCUTANEOUS SOLUTION	
ONUREG.....	173	PREFILLED SYRINGE.....	194
OPIPZA.....	174	REPATHA.....	195
OPSUMIT.....	175	REPATHA SURECLICK.....	195
ORENITRAM.....	176	RETACRIT INJECTION SOLUTION	
ORGOVYX.....	177	10000 UNIT/ML, 2000 UNIT/ML, 20000	
ORLISSA.....	178	UNIT/ML, 3000 UNIT/ML, 4000	
ORKAMBI ORAL PACKET 100-125		UNIT/ML, 40000 UNIT/ML.....	197
MG, 150-188 MG.....	179	RETEVMO ORAL TABLET.....	198
ORKAMBI ORAL TABLET.....	179	REVCОВI.....	200
ORSERDU ORAL TABLET 345 MG, 86		REVUFORJ.....	202
MG.....	180	REXULTI.....	203
OTEZLA ORAL TABLET 20 MG, 30 MG		REZDIFFRA.....	204
.....	181	REZLIDHIA.....	205
OTEZLA ORAL TABLET THERAPY		REZUROCK.....	206
PACK.....	181	RISPERIDONE MICROSPHERES ER	
PANRETIN.....	21	INTRAMUSCULAR SUSPENSION	
<i>pazopanib hcl oral tablet 200 mg</i> .....	266	RECONSTITUTED ER 12.5 MG, 25 MG,	
PEMAZYRE.....	182	37.5 MG.....	140
<i>penicillamine oral capsule</i> .....	59	<i>risperidone microspheres er intramuscular</i>	
<i>perampanel oral suspension</i> .....	88	<i>suspension reconstituted er 50 mg</i> .....	140
<i>perampanel oral tablet</i> .....	88	ROMVIMZA.....	207
<i>phenoxybenzamine hcl oral</i> .....	183	ROZLYTREK ORAL CAPSULE 100 MG,	
PIQRAY (200 MG DAILY DOSE).....	184	200 MG.....	73
PIQRAY (250 MG DAILY DOSE).....	184	ROZLYTREK ORAL PACKET.....	73
PIQRAY (300 MG DAILY DOSE).....	184	RUBRACA.....	208
<i>pirfenidone</i> .....	77	RUFINAMIDE ORAL SUSPENSION 40	
<i>pomalidomide</i> .....	185	MG/ML.....	37
<i>posaconazole oral</i> .....	160	<i>rufinamide oral tablet</i> .....	37
PREVYMIS ORAL TABLET.....	186	RYDAPT.....	209
PROLASTIN-C INTRAVENOUS		<i>sapropterin dihydrochloride oral packet</i> ....	132
SOLUTION.....	187	<i>sapropterin dihydrochloride oral tablet</i> ....	132
PROLIA SUBCUTANEOUS SOLUTION		SCEMBLIX ORAL TABLET 100 MG, 20	
PREFILLED SYRINGE.....	188	MG, 40 MG.....	211
		SECUADO.....	212

SIGNIFOR.....	214	TRUQAP ORAL TABLET 200 MG.....	246
<i>sildenafil citrate oral tablet 20 mg</i> .....	199	TUKYSA ORAL TABLET 150 MG, 50	
<i>sodium oxybate</i> .....	283	MG.....	247
SOMAVERT.....	216	TURALIO ORAL CAPSULE 125 MG.....	248
<i>sorafenib tosylate</i> .....	155	TYENNE SUBCUTANEOUS.....	249
STELARA SUBCUTANEOUS		UBRELVY.....	251
SOLUTION 45 MG/0.5ML.....	218	UDENYCA.....	253
STELARA SUBCUTANEOUS		UPTRAVI ORAL.....	254
SOLUTION PREFILLED SYRINGE 45		UPTRAVI TITRATION.....	254
MG/0.5ML, 90 MG/ML.....	218	<i>ustekinumab subcutaneous</i> .....	218
STIVARGA.....	219	VALCHLOR.....	255
<i>sunitinib malate</i> .....	221	VALTOCO 10 MG DOSE.....	256
SUNOSI ORAL TABLET 150 MG, 75		VALTOCO 15 MG DOSE NASAL	
MG.....	220	LIQUID THERAPY PACK 2 X 7.5	
SYMPAZAN.....	222	MG/0.1ML.....	256
SYNAREL.....	223	VALTOCO 20 MG DOSE NASAL	
TABLOID.....	224	LIQUID THERAPY PACK 2 X 10	
TABRECTA.....	225	MG/0.1ML.....	256
<i>tadalafil (pah)</i> .....	14	VALTOCO 5 MG DOSE.....	256
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> .....	51	VANFLYTA.....	257
TAFINLAR ORAL CAPSULE 50 MG, 75		VELSIPITY.....	258
MG.....	226	VENCLEXTA ORAL TABLET 10 MG,	
TAFINLAR ORAL TABLET SOLUBLE.....	226	100 MG, 50 MG.....	259
TAGRISSE.....	227	VENCLEXTA STARTING PACK.....	259
TALTZ.....	228	VERZENIO.....	260
TALZENNA ORAL CAPSULE 0.1 MG,		VICTOZA SUBCUTANEOUS	
0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1		SOLUTION PEN-INJECTOR.....	136
MG.....	229	<i>vigabatrin</i> .....	210
<i>tasimelteon</i> .....	97	VITRAKVI ORAL CAPSULE 100 MG,	
<i>tazarotene external cream 0.05 %, 0.1 %</i> .....	233	25 MG.....	261
TAZAROTENE EXTERNAL GEL.....	233	VITRAKVI ORAL SOLUTION.....	261
TAZVERIK.....	234	VIZIMPRO.....	262
<i>temazepam oral capsule 15 mg, 30 mg</i> .....	236	VONJO.....	263
TEPMETKO.....	237	VORANIGO.....	264
<i>teriflunomide</i> .....	29	VOSEVI.....	265
<i>teriparatide subcutaneous solution pen-</i>		VOWST.....	267
<i>injector 560 mcg/2.24ml</i> .....	85	VRAYLAR ORAL CAPSULE.....	268
<i>tetrabenazine</i> .....	238	WELIREG.....	269
THALOMID ORAL CAPSULE 100 MG,		WINREVAIR.....	270
50 MG.....	239	XALKORI ORAL CAPSULE.....	271
TIBSOVO.....	240	XALKORI ORAL CAPSULE SPRINKLE	
TOBI PODHALER.....	241	150 MG, 20 MG, 50 MG.....	271
<i>tolvaptan</i> .....	123	XCOPRI (250 MG DAILY DOSE) ORAL	
<i>tretinoin external cream</i> .....	243	TABLET THERAPY PACK 100 & 150	
<i>tretinoin external gel 0.01 %, 0.025 %</i> .....	243	MG.....	272
TRIKAFTA.....	244	XCOPRI (350 MG DAILY DOSE).....	272
TRINTELLIX.....	245		

XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG.....	272
XCOPRI ORAL TABLET THERAPY PACK.....	272
XDEMVIY.....	273
XELJANZ.....	274
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG.....	274
XERMELO.....	275
XGEVA.....	276
XIFAXAN ORAL TABLET 550 MG.....	277
XOLAIR.....	278
XOSPATA.....	279
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG.....	280
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG.....	280
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG.....	280
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG.....	280
XPOVIO (60 MG TWICE WEEKLY).....	280
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG, 80 MG.....	280
XPOVIO (80 MG TWICE WEEKLY).....	280
XTANDI ORAL CAPSULE.....	281
XTANDI ORAL TABLET 40 MG, 80 MG .....	281
XTRENBO.....	282
YESINTEK SUBCUTANEOUS.....	284
YONSA.....	285
ZEJULA ORAL TABLET.....	287
ZELBORAF.....	288
<i>zileuton er</i> .....	289
ZOLINZA.....	290
ZTALMY.....	291
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG.....	292
ZYDELIG.....	293
ZYKADIA ORAL TABLET.....	294