



**Keystone 65 Rx HMO  
Personal Choice 65<sup>SM</sup> Rx PPO  
Select Option<sup>®</sup> Rx PDP  
2026 Utilization Management  
Criteria: Prior Authorization**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT SOME OF THE DRUGS WE COVER IN THIS PLAN**

This document was updated on **10/15/2025**. For more recent information or other questions, please contact our Member Help Team: Keystone 65 Rx at **1-844-352-1699**, Personal Choice 65 Rx at **1-888-879-4293**, Select Option Rx at **1-888-678-7009** or, for TTY/TDD users, **711**, seven days a week from 8 a.m. to 8 p.m. Please note that on weekends and holidays from April 1 through September 30, your call may be sent to voicemail. Or, visit [www.ibxmedicare.com](http://www.ibxmedicare.com) to use our *Formulary (List of Covered Drugs)* search tool or view a downloadable document.

When this document refers to “we,” “us,” or “our,” it means Independence Blue Cross. When it refers to “plan” or “our plan,” it means Keystone 65 Rx, Personal Choice 65 Rx, and Select Option Rx.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2027, and from time to time during the year.

Independence Blue Cross offers PPO, HMO-POS, and HMO Medicare Advantage plans with a Medicare contract. Enrollment in Independence Blue Cross PPO, HMO-POS, and HMO Medicare Advantage plans depends on contract renewal.

Independence Blue Cross offers products through its subsidiaries Independence Assurance Company, Independence Hospital Indemnity Plan, Keystone Health Plan East, and QCC Insurance Company — independent licensees of the Blue Cross and Blue Shield Association.

## There may be restrictions to your drug coverage

Some covered drugs may have additional requirements or limits on coverage. We call this “utilization management.” These requirements and limits may include:

- **Prior Authorization (PA):** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don’t get approval, our plan may not cover the drug. Drugs that require prior authorization are listed in this document.
- **Step Therapy (ST):** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. Drugs that require step therapy are listed in *2026 Utilization Management Criteria: Step Therapy*.
- **Quantity Limits (QL):** For certain drugs, our plan limits the amount of the drug that our plan will cover. Drugs that have quantity limits are listed in the *Keystone 65 Rx, Personal Choice 65 Rx, and Select Option Rx Formulary (List of Covered Drugs)*.

You can find out if your drug has any additional requirements or limits by looking in your plan *Formulary (List of Covered Drugs)*. You can also get more information about the restrictions applied to specific covered drugs by visiting [www.ibxmedicare.com](http://www.ibxmedicare.com).

You can ask our plan to make an exception to these restrictions or limits, or for a list of other similar drugs that may treat your health condition. Your *Formulary (List of Covered Drugs)* and *Evidence of Coverage* will have more information about the exception request process.

## How to use this document

This document, along with *2026 Utilization Management Criteria: Step Therapy*, is intended to be used with your *Formulary (List of Covered Drugs)*. If your prescription drug has the note “PA” in the “Requirements” column of the *Keystone 65 Rx, Personal Choice 65 Rx, and Select Option Rx Formulary (List of Covered Drugs)*, you can find more information on the restriction(s) in this document.

Locate your drug in the index on page 349. The restriction information includes:

- **Prior Authorization**
  - Covered uses
  - Exclusion criteria
  - Required medical information
  - Age restrictions
  - Prescriber restrictions
  - Coverage duration
  - Other criteria

Be sure to read all the information listed for your affected drug. If you have any questions or need assistance with the information contained in this document, please call our Member Help Team: Keystone 65 Rx at **1-844-352-1699**, Personal Choice 65 Rx at **1-888-879-4293**, or Select Option Rx at **1-888-678-7009** or, for TTY/TDD users, **711**.

# ABUSE DETERRENT OPIOID 2026

## Products Affected

- *hydrocodone bitartrate er oral capsule extended release 12 hour*
- *hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrent*
- HYSINGLA ER ORAL TABLET ER 24 HOUR ABUSE-DETERRENT 20 MG, 30 MG, 40 MG, 60 MG, 80 MG
- NUCYNTA ER
- *oxycodone hcl oral tablet abuse-deterrent*
- OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT
- ROXYBOND
- XTAMPZA ER

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ACTHAR HP 2026

---

## Products Affected

- ACTHAR
- ACTHAR GEL SUBCUTANEOUS PEN-INJECTOR
- CORTROPHIN
- CORTROPHIN GEL

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ACUTE HAE AGENTS 2026

## Products Affected

- BERINERT
- FIRAZYR SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE
- *icatibant acetate subcutaneous solution prefilled* syringe
- RUCONEST
- SAJAZIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ACUTE SEIZURE ACTIVITY AGENTS 2026

## Products Affected

- NAYZILAM
- VALTOCO 10 MG DOSE
- VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML
- VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML
- VALTOCO 5 MG DOSE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Prescriber is a neurologist/epilepsy specialist
Coverage Duration	Indefinite
Other Criteria	(All Indications): Approve for continuation of therapy.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ADALIMUMAB NON-PREFERRED PRODUCTS 2026

## Products Affected

- ABRILADA (1 PEN)
- ABRILADA (2 SYRINGE)
- *adalimumab-aaty (1 pen) subcutaneous auto-injector kit 80 mg/0.8ml*
- *adalimumab-aaty (2 pen)*
- *adalimumab-aaty (2 syringe)*
- *adalimumab-aaty cd/uc/hs start*
- *adalimumab-adaz*
- *adalimumab-adbm (2 pen)*
- *adalimumab-adbm (2 syringe)*
- *adalimumab-adbm(cd/uc/hs strt) subcutaneous auto-injector kit 40 mg/0.4ml*
- *adalimumab-adbm(ps/uv starter)*
- *adalimumab-fkjp (2 pen)*
- *adalimumab-fkjp (2 syringe)*
- *adalimumab-ryvk (2 pen)*
- *adalimumab-ryvk (2 syringe)*
- AMJEVITA SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- AMJEVITA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML, 40 MG/0.8ML
- AMJEVITA-PED 10KG TO <15KG
- AMJEVITA-PED 15KG TO <30KG
- CYLTEZO (2 PEN)
- CYLTEZO (2 SYRINGE)
- CYLTEZO-CD/UC/HS STARTER
- CYLTEZO-PSORIASIS/UV STARTER
- HADLIMA
- HADLIMA PUSHTOUCH
- HULIO (2 PEN)
- HULIO (2 SYRINGE)
- HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML
- HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML
- HUMIRA-PSORIASIS/UEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT
- HYRIMOZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 40 MG/0.4ML, 80 MG/0.8ML
- HYRIMOZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML
- HYRIMOZ-CROHNS/UC STARTER
- HYRIMOZ-PED<40KG CROHN STARTER
- HYRIMOZ-PED>=40KG CROHN START
- HYRIMOZ-PLAQ PSOR/UEIT START
- SIMLANDI (1 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML
- SIMLANDI (1 SYRINGE)
- SIMLANDI (2 PEN)
- SIMLANDI (2 SYRINGE)
- YUFLYMA (1 PEN)
- YUFLYMA (2 SYRINGE)
- YUFLYMA-CD/UC/HS STARTER

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW

PA Criteria	Criteria Details
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# ADALIMUMAB PREFERRED PRODUCTS 2026

## Products Affected

- *adalimumab-aacf (2 pen)*
- *adalimumab-aacf (2 syringe)*
- *adalimumab-aacf(cd/uc/hs strt)*
- *adalimumab-aacf(ps/uv starter)*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ADBRY 2026

## Products Affected

- ADBRY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Atopic Dermatitis (AD)(Initial): (1) Diagnosis of moderate to severe AD (2) inadequate response or inability to tolerate ONE of the following: (a) one topical steroid (medium potency or higher) (b) topical tacrolimus (c) pimecrolimus cream
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(AD): Prescribed by or in consultation with a dermatologist, allergist, immunologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(AD)(Reauth): Member has had a positive clinical response to therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# ADEMPAS 2026

## Products Affected

- ADEMPAS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(PAH, CTEPH) (Initial, Reauth): Concurrent use of phosphodiesterase inhibitors, nitrates or nitric oxide donors, pregnancy, concurrent use with other soluble guanylate cyclase stimulators (e.g. Verquvo)
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (initial): (1) Diagnosis of PAH WHO Group I with New York Heart Association (NYHA) Functional Class II - IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less. Chronic Thromboembolic Pulmonary Hypertension (CTEPH) (initial): (1) Diagnosis of persistent/recurrent CTPH (WHO Group 4) after surgical treatment or inoperable CTEPH.
<b>Age Restrictions</b>	(PAH, CTEPH) Member is 18 years of age or older
<b>Prescriber Restrictions</b>	(PAH, CTEPH): Prescribed by or in consultation with a pulmonologist or cardiologist
<b>Coverage Duration</b>	(Initial): 6 months (Reauth):12 months
<b>Other Criteria</b>	(PAH, CPTEH) (Reauth): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# AFREZZA 2026

---

## Products Affected

- AFREZZA INHALATION POWDER 12 UNIT, 4 UNIT, 60X4 & 60X8 & 60X12 UNIT, 8 UNIT, 90 X 4 UNIT & 90X8 UNIT, 90 X 8 UNIT & 90X12 UNIT

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# AGAMREE 2026

---

## Products Affected

- AGAMREE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# AIMOVIG 2026

---

## Products Affected

- AIMOVIG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# AJOVY 2026

---

## Products Affected

- AJOVY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ALLERGEN SPECIFIC IMMUNOTHERAPY (SL) 2026

## Products Affected

- GRASTEK
- ODACTRA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(1) Severe, unstable or uncontrolled asthma (2) History of eosinophilic esophagitis
<b>Required Medical Information</b>	(Initial): (1) Member has a positive skin test or in vitro test for the listed allergen-specific IgE antibody. (2) Inadequate response or inability to tolerate an intranasal corticosteroid and an oral or intranasal antihistamine.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with an allergist or immunologist.
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	(Reauth): (1) Member has experienced improvement in the symptoms of their allergic rhinitis or a decrease in the number of medications needed to control allergy symptoms
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# ALVAIZ 2026

---

## Products Affected

- ALVAIZ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ALYFTREK 2026

---

## Products Affected

- ALYFTREK

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# AMBRISENTAN 2026

## Products Affected

- *ambrisentan*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Documentation of a diagnosis of pulmonary arterial hypertension (PAH) WHO Group I with New York Heart Association (NYHA) Functional Class II to IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with a Cardiologist or Pulmonologist.
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation):12 months.
<b>Other Criteria</b>	(PAH)(Continuation): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# AMPYRA 2026

---

## Products Affected

- AMPYRA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ANTICHOLINERGIC HRM 2026

## Products Affected

- *chlordiazepoxide-clidinium* mg
- LIBRAX
- *orphenadrine citrate er*
- *promethazine hcl oral tablet*
- *promethazine hcl rectal suppository 12.5 mg, 25*
- *promethazine-phenylephrine*
- PROMETHEGAN RECTAL SUPPOSITORY 25 MG, 50 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly
<b>Age Restrictions</b>	Apply if member is greater than or equal to 65 years
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	2 years
<b>Other Criteria</b>	Subject to additional clinical review for ESRD-related use - if applicable.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# ANTIDEPRESSANTS [SSRIS] ACH 2026

---

## Products Affected

- PAXIL ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# APOKYN 2026

## Products Affected

- APOKYN SUBCUTANEOUS SOLUTION  
CARTRIDGE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# APOMORPHINE INJECTION 2026

---

## Products Affected

- *apomorphine hcl subcutaneous*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No



# AQNEURSA 2026

---

## Products Affected

- AQNEURSA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ARIKAYCE 2026

## Products Affected

- ARIKAYCE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(MAC): (1) Diagnosis of Mycobacterium avium complex (MAC) lung disease (2) Medication is being used as part of a combination antibacterial drug regimen (3) Used in members who have not achieved negative sputum cultures after a minimum of 6 consecutive months of a multidrug background regimen therapy
<b>Age Restrictions</b>	Member is 18 years of age or older
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a pulmonologist or an infectious disease specialist
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# ARMODAFINIL 2026

## Products Affected

- *armodafinil*
- NUVIGIL

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	<p>Obstructive Sleep Apnea (OSA) (Initial) (1) Diagnosis of obstructive sleep apnea defined by ONE of the following: (A) 15 or more obstructive respiratory events per hour of sleep confirmed by a sleep study (unless prescriber provides justification confirming that a sleep study is not feasible) OR (B) BOTH of the following: (a) 5 or more obstructive respiratory events per hour of sleep confirmed by a sleep study (unless the prescriber provides justification confirming that a sleep study is not feasible) (b) ONE of the following symptoms: Unintentional sleep episodes during wakefulness, daytime sleepiness, unrefreshing sleep, fatigue, insomnia, waking up breath holding/gasping/choking, loud snoring, breathing interruptions during sleep</p> <p>Narcolepsy (Initial): (1) Diagnosis of narcolepsy as confirmed by sleep study (unless prescriber provides justification confirming a sleep study is not feasible) Shift Work Disorder (SWD)(Initial):(1) Diagnosis of Shift Work Disorder confirmed by ONE of the following: (A) Symptoms of excessive sleepiness or insomnia, for at least 3 months, which is associated with a work period (usually night work) that occurs during the normal sleep period OR (B) Sleep study demonstrating loss of a normal sleep-wake pattern (i.e. disturbed chronobiologic rhythmicity) (2) Confirmation that no other medical conditions or medications are causing the symptoms of excessive sleepiness or insomnia</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a neurologist or sleep specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(OSA, Narcolepsy, SWD)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ATTRUBY 2026

---

## Products Affected

- ATTRUBY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# AUSTEDO 2026

## Products Affected

- AUSTEDO & 18 & 24 & 30 MG
- AUSTEDO XR
- AUSTEDO XR PATIENT TITRATION ORAL  
TABLET EXTENDED RELEASE THERAPY PACK 12

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Tardive Dyskinesia (TD)(Initial): (1) Diagnosis of TD, (2) Documentation is provided of ONE of the following: (a) Persistent symptoms of tardive dyskinesia despite a trial of dose reduction, tapering or discontinuation of the offending medication, or (b) Member is not a candidate for a trial of dose reduction, tapering, or discontinuation of the offending medication. Chorea-Huntington's Disease (CHD): (1) Diagnosis of chorea associated with Huntington's disease
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CHD): Prescribed by or in consultation with a neurologist or a psychiatrist. (TD): Prescribed by or in consultation with a neurologist or a psychiatrist.
<b>Coverage Duration</b>	(TD)(Initial): 3 months. (TD)(Reauth): Indefinite. (CHD): Indefinite.
<b>Other Criteria</b>	(TD)(Reauth): Positive clinical response to therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# AUTHORIZED GENERICS-AUTHORIZED BRAND ALTERNATIVES 2026

---

## Products Affected

- *dapagliflozin pro-metformin er*
- *fluticasone furoate-vilanterol inhalation aerosol powder breath activated 100-25 mcg/act, 200-25 mcg/act*
- *fluticasone-salmeterol inhalation aerosol*
- *mirabegron er*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# AUVELITY 2026

## Products Affected

- AUVELITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Major Depressive Disorder (MDD): (1) Diagnosis of major depressive disorder (MDD) (2) Inadequate response or inability to tolerate two formulary antidepressants indicated for MDD (e.g. bupropion, venlafaxine extended-release tablet or capsule, sertraline tablet, etc.)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Indefinite
Other Criteria	(All Indications): Approve if for continuation of therapy.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# BENLYSTA SC 2026

## Products Affected

- BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Member has severe active central nervous system lupus
<b>Required Medical Information</b>	Systemic Lupus Erythematosus (SLE)(initial): (1) Diagnosis of active, autoantibody-positive SLE confirmed by positive autoantibody test (e.g., antinuclear antibody test [ANA], antibodies to DNA [Anti-dsDNA], Anti-Smith [Anti-Sm]). (2) Member is receiving concurrent treatment with at least ONE of the following: steroids, antimalarials, immunosuppressants, nonsteroidal anti-inflammatory drugs (NSAIDS). Lupus Nephritis (LN): (1) Diagnosis of active lupus nephritis confirmed by kidney biopsy. (2) Member is receiving concurrent standard therapy (e.g. corticosteroids, immunosuppressants, azathioprine).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(SLE): Prescribed by or in consultation with a rheumatologist. (LN): Prescribed by or in consultation with a nephrologist or rheumatologist.
<b>Coverage Duration</b>	6 months
<b>Other Criteria</b>	(SLE, LN)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# BIMZELX 2026

---

## Products Affected

- BIMZELX

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# BOSENTAN 2026

## Products Affected

- *bosentan oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Documentation of a diagnosis of pulmonary arterial hypertension (PAH) WHO Group I with New York Heart Association (NYHA) Functional Class II to IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with a Cardiologist or Pulmonologist
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation):12 months.
<b>Other Criteria</b>	(PAH)(Continuation): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# BRAND ANTIPSYCHOTICS ACH 2026

## Products Affected

- LYBALVI
- ZYPREXA ORAL TABLET 2.5 MG, 20 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Trial of two generic formulary antipsychotics. Applies to new starts.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Indefinite
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# BRAND HETLIOZ 2026

---

## Products Affected

- HETLIOZ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# BRAND SAMSCA 2026

---

## Products Affected

- SAMSCA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# BRUKINSA 2026

---

## Products Affected

- BRUKINSA ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# BUPHENYL 2026

---

## Products Affected

- BUPHENYL ORAL POWDER 3 GM/TSP
- BUPHENYL ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# BYLVAY 2026

---

## Products Affected

- BYLVAY
- BYLVAY (PELLETS)

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# CAMZYOS 2026

---

## Products Affected

- CAMZYOS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# CAPLYTA 2026

## Products Affected

- CAPLYTA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Schizophrenia: (1) Diagnosis of schizophrenia (2) Inadequate response or inability to tolerate two generic antipsychotic products (e.g. aripiprazole, olanzapine, quetiapine, paliperidone). Bipolar Depression (BD): (1) Diagnosis of bipolar depression (2) Medication will be used as monotherapy or as adjunctive therapy with lithium or valproate (3) Inadequate response or inability to tolerate two medications indicated for bipolar depression (e.g. fluoxetine, Latuda (lurasidone) quetiapine, olanzapine)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# CARBAGLU 2026

---

## Products Affected

- CARBAGLU ORAL TABLET SOLUBLE
- *carglumic acid oral tablet soluble*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# CAYSTON 2026

## Products Affected

- CAYSTON

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cystic Fibrosis (CF): (1) Diagnosis of CF. (2) Evidence of Pseudomonas Aeruginosa in the lungs. (3) Susceptibility results indicating that the Pseudomonas aeruginosa is sensitive to aztreonam. (4) FEV1 between 25% and 75% of predicted, (4) Member not colonized with Burkholderia cepacia.
<b>Age Restrictions</b>	(CF): Member is 7 years of age or older
<b>Prescriber Restrictions</b>	(CF): Prescribed by or in consultation with a pulmonologist OR infectious disease specialist or Specialist affiliated with a CF care center.
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	Reauth: (1) Evidence of Pseudomonas aeruginosa in the lungs (2) Documentation of positive clinical response to therapy (e.g. improvement in lung function demonstrated by improved FEV1)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# CERDELGA 2026

---

## Products Affected

- CERDELGA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# CHOLBAM 2026

## Products Affected

- CHOLBAM

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(BASD, PD): Extrahepatic manifestations of bile acid synthesis disorders due to single enzyme defects or peroxisomal disorders including Zellweger spectrum disorders
<b>Required Medical Information</b>	Bile Acid Synthesis Disorder (BASD) (initial): (1) Diagnosis of bile acid synthesis disorder due to a single enzyme defect. Peroxisomal disorder (PD) (initial): (1) Diagnosis of peroxisomal disorder. (2) Used as adjunctive treatment. (3) Member exhibits manifestations of liver disease, steatorrhea, or complications from decreased fat soluble vitamin absorption.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(BASD, PD): Hepatologist, Gastroenterologist, Medical geneticist, other specialist that treats inborn errors of metabolism
<b>Coverage Duration</b>	(Initial): 3 months. (Reauth): Indefinite
<b>Other Criteria</b>	(BASD,PD) (Reauth): Documentation of improved liver function tests from the start of treatment.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# CIALIS 2026

---

## Products Affected

- CIALIS ORAL TABLET 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# CIBINQO 2026

## Products Affected

- CIBINQO

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(AD): Concurrent use with any other biologic immunomodulator, Janus Kinase (JAK) inhibitors, or other immunosuppressants (e.g. azathioprine, cyclosporine)
<b>Required Medical Information</b>	Atopic Dermatitis (AD)(Initial): (1) Diagnosis of refractory, moderate to severe AD (2) Inadequate response or inability to tolerate one systemic drug product, including biologics (e.g. Dupixent, methylprednisolone, prednisone) or member has a contraindication, intolerance, or treatment is inadvisable (3) Inadequate response or inability to tolerate ONE of the following: (a) Adbry (tralokinumab-ldrm) OR (b) Dupixent (dupilumab)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(AD): Prescribed by or in consultation with a dermatologist, allergist, immunologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(AD)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# CIMZIA 2026

## Products Affected

- CIMZIA (2 SYRINGE)
- CIMZIA SUBCUTANEOUS KIT 2 X 200 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with biological DMARDs or other tumor necrosis factor antagonists
<b>Required Medical Information</b>	Ankylosing Spondylitis (AS)(Initial): (1) Diagnosis of AS. (2) Inadequate response or inability to tolerate two of the following: (a) secukinumab (Cosentyx), (b) Adalimumab (i.e., Adalimumab-AACF), (c) etanercept (Enbrel), (d) tofacitinib (Xeljanz/Xeljanz XR), (e) upadacitinib (Rinvoq), or documentation demonstrating that a trial may be inappropriate. Psoriatic Arthritis (PsA)(Initial): (1) Diagnosis of PsA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Xeljanz/Xeljanz XR (d) Rinvoq/Rinvoq LQ, (e) Skyrizi, (f) Cosentyx, (g) Ustekinumab (i.e. Yesintek), (h) Orencia, (i) Otezla OR documentation demonstrating that a trial may be inappropriate. Plaque Psoriasis (PsO)(Initial): (1) Diagnosis of moderate to severe PsO (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Skyrizi (d) Cosentyx, (e) Ustekinumab (i.e. Yesintek), (f) Otezla OR documentation demonstrating that a trial may be inappropriate. Rheumatoid Arthritis (RA): (1) Diagnosis of moderate to severe RA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Rinvoq, (d) Xeljanz/Xeljanz XR, (e) Orencia OR documentation demonstrating that a trial may be inappropriate. Crohn's Disease (CD)(Initial): (1) Diagnosis of moderate to severe CD. (2) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e., Adalimumab-AACF), (b) ustekinumab (i.e. Yesintek), (c) risankizumab (Skyrizi), (d) upadacitinib (Rinvoq) or documentation demonstrating that a trial may be inappropriate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CD): Prescribed by or in consultation with a gastroenterologist. (RA, AS, nr-axSpA, PJI): Prescribed by or in consultation with a rheumatologist. (PsA, PsO): prescribed by or in consultation with a dermatologist or rheumatologist.
<b>Coverage Duration</b>	12 months

PA Criteria	Criteria Details
<b>Other Criteria</b>	Non-Radiographic Axial Spondyloarthritis (nr-axSpA)(Initial): (1) Diagnosis of nr-axSpA (2) Inadequate response or inability to tolerate Rinvoq OR Cosentyx OR documentation demonstrating that a trial may be inappropriate (3) Inadequate response or inability to tolerate one NSAID (e.g. ibuprofen, meloxicam, naproxen). Polyarticular juvenile idiopathic arthritis (PJIA)(Initial): Diagnosis of active PJIA. (2) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e., Adalimumab-AACF), (b) Enbrel, (c) Xeljanz, (d) Orencia, (e) Rinvoq/Rinvoq LQ, or documentation demonstrating that a trial may be inappropriate. (AS, PsA, PsO, RA, CD, nr-axSpA, PJIA)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# CINRYZE 2026

## Products Affected

- CINRYZE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Part D is medically necessary when: Hereditary Angioedema (HAE)(Initial): (1) Diagnosis of hereditary angioedema (HAE) (2) For prophylaxis against HAE attacks. (3) Requested drug will not be used in combination with other products indicated for HAE prophylaxis.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(HAE): Prescribed by or in consultation with an allergist, immunologist, pulmonologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Subject to Part B vs Part D review. (HAE) (Reauth): Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# COBENFY 2026

## Products Affected

- COBENFY
- COBENFY STARTER PACK

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Schizophrenia: (1) Diagnosis of schizophrenia (2) Inadequate response or inability to tolerate TWO of the following atypical antipsychotic agents: aripiprazole, asenapine, olanzapine, paliperidone, quetiapine IR/ER, risperidone, ziprasidone
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	(Schizophrenia): Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# COMBINATION NSAID PRODUCTS 2026

## Products Affected

- *ibuprofen-famotidine*
- *naproxen-esomeprazole mg*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# CORLANOR 2026

---

## Products Affected

- CORLANOR

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# COSENTYX SQ 2026

## Products Affected

- COSENTYX (300 MG DOSE)
- COSENTYX SENSOREADY (300 MG)
- COSENTYX SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE 75 MG/0.5ML
- COSENTYX UNOREADY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(PsA, PsO, AS, nr-axSpA, ERA, HS): Concurrent therapy with biological DMARDs or other tumor necrosis factor antagonists
<b>Required Medical Information</b>	Psoriatic Arthritis (PsA)(Initial): (1) Diagnosis of PsA Plaque Psoriasis (PsO)(Initial): (1) Diagnosis of moderate to severe plaque psoriasis. Ankylosing Spondylitis (AS): (1) Diagnosis of AS. (2) Inadequate response or inability to tolerate one other treatment such as NSAIDs, COX2 inhibitors or methotrexate. Non-Radiographic Axial Spondyloarthritis (nr-axSpA)(Initial): (1) Diagnosis of nr-axSpA, (2) Inadequate response or inability to tolerate two NSAIDs. Active Enthesitis-related Arthritis (ERA)(Initial): (1) Diagnosis of active enthesitis-related arthritis (ERA), (2) Inadequate response or inability to tolerate methotrexate, (3) Inadequate response or inability to tolerate at least one NSAID (e.g. ibuprofen, naproxen, meloxicam, celecoxib) Hidradenitis Suppurativa (HS)(Initial): (1) Diagnosis of HS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PsO, HS): Prescribed by or in consultation with a dermatologist. (PsA): Prescribed by or in consultation with a rheumatologist or dermatologist. (AS, nr-axSpA, ERA): Prescribed by or in consultation with a rheumatologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(PsA, PsO, AS, nr-axSpA, ERA, HS)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# CRENESSITY 2026

---

## Products Affected

- CRENESSITY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# CRESEMBA [ORAL] 2026

## Products Affected

- CRESEMBA ORAL

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Invasive Aspergillosis (IA): (1) For use in the treatment of invasive aspergillosis after inadequate response or inability to tolerate Voriconazole (oral Vfend). Mucormycosis (MC): (1) Diagnosis of invasive mucormycosis
<b>Age Restrictions</b>	(IA, MC): Member is 6 years of age or older
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with an infectious disease specialist, oncologist, OR prescribed as part of chemotherapy prophylaxis protocol
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	Subject to additional clinical review for ESRD-related use - if applicable.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# CREXONT 2026

---

## Products Affected

- CREXONT

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# CYSTEAMINE PRODUCTS 2026

---

## Products Affected

- CYSTADROPS
- CYSTARAN

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# DALFAMPRIDINE 2026

## Products Affected

- *dalfampridine er*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(Initial): Member has history of seizure or moderate to severe renal impairment (CrCL less than or equal to 50 mL/min)
<b>Required Medical Information</b>	Multiple Sclerosis (MS) (Initial): (1) Diagnosis of multiple sclerosis. (2) Confirmation that member has difficulty walking. (3) One of the following: (a) Member has expanded disability status scale (EDSS) score of less than or equal to 7 (b) Member is not restricted to using a wheelchair (if EDSS is not measured)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a neurologist
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	(MS) (Reauth): Documentation of positive clinical response as evidenced by improvement in walking speed
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# DAYBUE 2026

---

## Products Affected

- DAYBUE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# DAYVIGO 2026

---

## Products Affected

- DAYVIGO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# DEFERASIROX 2026

## Products Affected

- *deferasirox granules*
- *deferasirox oral tablet*
- *deferasirox oral tablet soluble*
- EXJADE
- JADENU
- JADENU SPRINKLE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No



# DEFLAZACORT 2026

---

## Products Affected

- *deflazacort*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# DIACOMIT 2026

## Products Affected

- DIACOMIT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Dravet syndrome (DS): (1) Diagnosis of seizures associated with Dravet syndrome (DS), (2) Used in combination with clobazam, (3) Member weighs 7kg or more.
<b>Age Restrictions</b>	Member is 6 months of age or older
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a neurologist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# DICHLORPHENAMIDE 2026

## Products Affected

- KEVEYIS
- ORMALVI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concomitant use of high dose Aspirin, severe pulmonary disease and hepatic insufficiency
<b>Required Medical Information</b>	Primary hyperkalemic or hypokalemic periodic paralysis (PHPP) (Initial): (1) Diagnosis of Primary hyperkalemic periodic paralysis, primary hypokalemic periodic paralysis, and related variants (e.g., Paramyotonia Congenita) (2) Member has ONE of the following: (a) a positive genetic panel for periodic paralysis or (b) positive test results for periodic paralysis to one of the following tests: (i) EMG/nerve conduction studies, (ii) Long exercise test, (iii) Muscle biopsy, or (iv) Muscle MRI.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a neurologist
<b>Coverage Duration</b>	(Initial): 3 months (Reauth):12 months
<b>Other Criteria</b>	(PHPP)(Reauth): Member has had a positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# DICLOFENAC 3% PRODUCTS 2026

---

## Products Affected

- *diclofenac sodium external gel 3 %*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# DICLOFENAC EPOLAMINE 2026

---

## Products Affected

- *diclofenac epolamine external*
- FLECTOR EXTERNAL
- LICART EXTERNAL

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# DOJOLVI 2026

---

## Products Affected

- DOJOLVI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# DOPTELET 2026

## Products Affected

- DOPTELET ORAL TABLET 20 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Chronic Liver Disease (CLD): (1) Diagnosis of Chronic Liver Disease (CLD) (2) Baseline platelet count less than 50,000/mcL. Member is scheduled to undergo a procedure. Chronic Immune Thrombocytopenia (ITP)(Initial): (1) Baseline platelet count less than 30,000/mcL. (2) Inadequate response or inability to tolerate one of the following: (a) corticosteroids (b) immunoglobulins (c) splenectomy (d) Rituxan (rituximab)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(ITP): Prescribed by or in consultation with hematologist/oncologist
<b>Coverage Duration</b>	(CLD): 1 month. (ITP): 12 months
<b>Other Criteria</b>	(ITP)(Continuation): (1) Positive clinical response to therapy as evidenced by an increase in platelet count to a level sufficient to avoid clinically important bleeding.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# DUPIXENT 2026

---

## Products Affected

- DUPIXENT SUBCUTANEOUS SOLUTION AUTO-      MG/2ML  
  INJECTOR
- DUPIXENT SUBCUTANEOUS SOLUTION  
  PREFILLED SYRINGE 200 MG/1.14ML, 300

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# DUVYZAT 2026

---

## Products Affected

- DUVYZAT

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# EBGLYSS 2026

---

## Products Affected

- EBGLYSS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# EGRIFTA 2026

---

## Products Affected

- EGRIFTA SV

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# EMFLAZA 2026

---

## Products Affected

- EMFLAZA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# EMGALITY 2026

---

## Products Affected

- EMGALITY
- EMGALITY (300 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# EMPAVELI 2026

---

## Products Affected

- EMPAVELI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# EMSAM 2026

## Products Affected

- EMSAM

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Major depressive disorder (MDD): (1) Diagnosis of major depressive disorder. (2) Inadequate response or inability to tolerate ONE SSRI or SNRI. (3) 4-5 half-lives (approximately 1 week) has elapsed after discontinuation of antidepressants without long half-lives OR at least 5 weeks has elapsed after discontinuation with antidepressants with long half-lives (e.g. fluoxetine).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# ENBREL 2026

## Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS SOLUTION PREFILLED
- SYRINGE
- ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(RA, PsA, PJIA, PsO, AS): Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists
<b>Required Medical Information</b>	Rheumatoid Arthritis (RA)(Initial): (1) Diagnosis of moderate to severe RA. (2) Inadequate response or inability to tolerate ONE DMARD: (e.g. Methotrexate, Hydroxychloroquine, Leflunomide, Azathioprine, Sulfasalazine). Psoriatic Arthritis (PsA)(Initial): (1) Diagnosis of PsA. Polyarticular Juvenile Idiopathic Arthritis (PJIA): (1) Diagnosis of moderate to severe PJIA, (2) Inadequate response or inability to tolerate ONE of the following: Methotrexate, Leflunomide, Sulfasalazine. Plaque Psoriasis (PsO) (Initial): (1) Diagnosis of moderate to severe chronic PsO. Ankylosing Spondylitis (AS): (1) Diagnosis of AS, (2) Inadequate response or inability to tolerate one other treatment such as NSAIDs, COX2 inhibitors or methotrexate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA, PJIA, AS): Prescribed by or in consultation with a rheumatologist. (PsA): Prescribed by or in consultation with a rheumatologist or dermatologist. (PsO): Prescribed by or in consultation with a dermatologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(RA, PsA, PJIA, PsO, AS)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# ENDARI 2026

## Products Affected

- ENDARI
- *l-glutamine oral packet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Sickle Cell Disease (SCD)(Initial): (1) One of the following: (a) Member is using Endari with concurrent hydroxyurea therapy, OR (b) Member has an inadequate response or inability to tolerate hydroxyurea. (2) Member has had 2 or more painful sickle cell crises within the past 12 months. (3) Used to reduce acute complications of sickle cell disease
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(SCD): Prescribed by or in consultation with a hematologist, oncologist, or sickle cell disease management specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(SCD)(Reauth): Documentation of positive clinical response to therapy (e.g. reduction in the number of sickle cell crises)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# ENSPRYNG 2026

---

## Products Affected

- ENSPRYNG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ENTYVIO SQ 2026

## Products Affected

- ENTYVIO PEN

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists
<b>Required Medical Information</b>	<p>Ulcerative Colitis (UC)(Initial): (1) Diagnosis of moderately to severely active Ulcerative Colitis (2) One of the following: (A) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) ustekinumab (i.e. Yesintek), (c) upadacitinib (Rinvoq), (d) tofacitinib (Xeljanz/Xeljanz XR), (e) risankizumab (Skyrizi) OR documentation demonstrating that a trial may be inappropriate. (B) One of the following: (a) Medication will be used as a maintenance dose following two doses of Entyvio IV for induction (b) Member is currently established on Entyvio IV. Crohn's Disease (CD)(Initial): (1) Diagnosis of moderately to severely active CD (2) One of the following: (A) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b)Ustekinumab (i.e. Yesintek), (c) Skyrizi, (d) Rinvoq or documentation demonstrating that a trial may be inappropriate. (B) One of the following: (a) Medication will be used as a maintenance dose following two doses of Entyvio IV for induction (b) Member is currently established on Entyvio IV.</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(UC, CD): Prescribed by or in consultation with a gastroenterologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(UC,CD)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

# EPIDIOLEX 2026

## Products Affected

- EPIDIOLEX

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Dravet Syndrome (DS): (1) Inadequate response or inability to tolerate ONE of the following: (a) clobazam (b) valproic acid or (c) topiramate. (2) Baseline CBC, serum transaminases and total bilirubin prior to initiating therapy. (3) Concurrent use with additional anti-epileptic(s). Lennox-Gastaut Syndrome (LGS): (1) Inadequate response or inability to tolerate ONE of the following: (a) clobazam (b) valproic acid, or (c) topiramate. (2) Baseline CBC, serum transaminases and total bilirubin prior to initiating therapy. (3) Concurrent use with additional anti-epileptic(s). Tuberous Sclerosis Complex (TSC): (1) Concurrent use with additional anti-epileptic(s). (2) Baseline CBC, serum transaminases and total bilirubin prior to initiating therapy
<b>Age Restrictions</b>	(DS, LGS, TCS): Member is 1 year of age or older
<b>Prescriber Restrictions</b>	(DS, LGS, TCS): Prescribed by or in consultation with a neurologist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# EPSOLAY 2026

---

## Products Affected

- EPSOLAY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ESBRIET 2026

## Products Affected

- ESBRIET
- *pirfenidone*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Idiopathic Pulmonary Fibrosis (IPF): (1) Diagnosis of IPF confirmed by high resolution CT scan or biopsy.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(IPF): Prescribed by or in consultation a pulmonologist or lung transplant specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(REAUTH) (IPF): BOTH of the following (1) stabilization from baseline AND (2) no elevations in AST or ALT greater than 5 times upper limit of normal or greater than 3 times upper limit of normal with signs or symptoms of severe liver damage.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# EUCRISA 2026

## Products Affected

- EUCRISA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Atopic Dermatitis (AD): (1) Diagnosis of mild to moderate atopic dermatitis (2) Inadequate response or inability to tolerate at least TWO of the following in patients 2 years of age or older: (a) topical tacrolimus OR topical pimecrolimus, OR (b) generic, prescription medium potency or higher topical steroid, unless the affected area is sensitive (i.e., face, axillae, groin)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# EVEKEO 2026

---

## Products Affected

- *amphetamine sulfate*
- EVEKEO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# EVENITY 2026

## Products Affected

- EVENITY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Part D is medically necessary for: Post Menopausal Osteoporosis (PMO): (1) Diagnosis of PMO defined as ONE of the following: (a) Bone mineral density T-score less than or equal to -2.50 OR (b) Documented history of an osteoporotic non- collision fracture [e.g. vertebral, hip, nonvertebral]) AND (2) Member is at high risk of fracture as defined by one of the following: (a) Member has risk factors for a fracture (e.g. endocrine disorders, gastrointestinal disorders, use of medications associated with low bone mass or bone loss such as corticosteroids) OR (b) Inadequate response or inability to tolerate ONE of the following: (i) bisphosphonates, (ii) hormone replacement therapy, (iii) selective-estrogen receptor modulators (SERMs), OR (iv) Denosumab (Prolia). (3) Cumulative lifetime therapy does not exceed 12 months. (4) Member does NOT have a history of myocardial infarction or stroke within the preceding year or during therapy with Evenity
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Subject to Part B vs Part D review.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# EVRYSDI 2026

---

## Products Affected

- EVRYSDI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# EXTENDED RELEASE METFORMIN 2026

---

## Products Affected

- *metformin hcl er (mod)*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# EYSUVIS 2026

## Products Affected

- EYSUVIS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Dry Eye Disease (DED)(Initial): (1) Diagnosis of DED (2) Inadequate response or inability to tolerate a minimum of 14 days duration of therapy to 0.5% loteprednol suspension
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(DED)(Initial, Reauth): Prescribed by or in consultation with an ophthalmologist or optometrist.
<b>Coverage Duration</b>	(Initial, Reauth): 14 days
<b>Other Criteria</b>	(DED)(Reauth): (1) Positive clinical response to therapy (e.g. improvement in dry eye symptoms).
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# FABHALTA 2026

---

## Products Affected

- FABHALTA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# FASENRA 2026

---

## Products Affected

- FASENRA
- FASENRA PEN

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# FERRIPROX 2026

## Products Affected

- *deferiprone*
- FERRIPROX ORAL SOLUTION
- FERRIPROX ORAL TABLET 1000 MG
- FERRIPROX TWICE-A-DAY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Transfusional Iron Overload (TIO)(initial): (1) Diagnosis of transfusional iron overload due to one of the following: (a) Thalassemia syndromes, (b) sickle cell disease, (c) other transfusion-dependent anemias. (2) Inadequate response or inability to tolerate current chelation therapy.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(TIO) (Reauth): (1) Member demonstrates positive clinical response to therapy (e.g., greater than or equal to 20% decline in serum ferritin levels from baseline).
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# FILSPARI 2026

---

## Products Affected

- FILSPARI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# FILSUEZ 2026

---

## Products Affected

- FILSUEZ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# FINTEPLA 2026

## Products Affected

- FINTEPLA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Dravet Syndrome (DS): Inadequate response or inability to tolerate ONE of the following: (a) clobazam, (b) valproic acid, (c) divalproex sodium, (d) topiramate. Lennox-Gastaut Syndrome (LGS): (1) Diagnosis of seizures associated with Lennox-Gastaut Syndrome (LGS) (2) Inadequate response or inability to tolerate ONE of the following: valproic acid, lamotrigine, topiramate, felbamate, clobazam.
<b>Age Restrictions</b>	(DS, LGS): Member is 2 years of age or older.
<b>Prescriber Restrictions</b>	(DS, LGS): Prescribed by or in consultation with a neurologist.
<b>Coverage Duration</b>	Indefinite.
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# FIRDAPSE 2026

---

## Products Affected

- FIRDAPSE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# GALAFOLD 2026

## Products Affected

- GALAFOLD

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Fabry Disease (FD)(Initial): (1) Diagnosis of Fabry disease. (2) Member has amenable galactosidase alpha gene (GLA) variant based on in vitro assay data (3) Will not be used in combination with enzyme replacement therapy for FD (e.g. agalsidase beta or pegunigalsidase alfa)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(FD)(Initial, Reauth): Prescribed by or in consultation with a clinical genetics specialist OR a nephrologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(FD)(Reauth): (1) Positive clinical response to therapy (2) Will not be used in combination with enzyme replacement therapy for FD (e.g. agalsidase beta or pegunigalsidase alfa)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# GATTEX 2026

---

## Products Affected

- GATTEX

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# GENERIC LIDOCAINE TRANSDERMAL PATCH 2026

## Products Affected

- *lidocaine external patch 5 %*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Post-Herpetic Neuralgia (PHN): (1) Diagnosis of post-herpetic neuralgia. Diabetic Peripheral Neuropathy (DPN): (1) Diagnosis of diabetic peripheral neuropathy.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# GENERIC SODIUM PHENYLBUTYRATE 2026

## Products Affected

- *sodium phenylbutyrate oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Acute hyperammonemia. N-acetyl glutamate synthase (NAGS) deficiency
<b>Required Medical Information</b>	Urea Cycle Disorder (UCD): (1) Diagnosis of urea cycle disorder involving deficiencies of carbamoyl phosphate synthetase (CPS), ornithine transcarbamylase (OTC), or argininosuccinic acid synthetase (AAS) confirmed via enzymatic, biochemical, or genetic testing. (2) Inadequate response to one of the following: Dietary protein restriction or Amino acid supplementation
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(UCD): Prescribed by or in consultation with a specialist focused on the treatment of metabolic disorders
<b>Coverage Duration</b>	Initial: 6 months Reauth: 12 months
<b>Other Criteria</b>	(Reauth) (1) Documentation of positive clinical response to therapy (e.g. plasma ammonia or amino acid levels within normal limits) (2) Will be used concomitantly with dietary protein restriction and, in some cases, dietary supplements.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No



# GOCOVRI 2026

## Products Affected

- GOCOVRI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Dyskinesia in Parkinson's disease (DPD): (1) Diagnosis of PD (2) Member is experiencing dyskinesia. (3) Member is receiving levodopa based therapy (4) Inadequate response or inability to tolerate amantadine immediate-release. Parkinson's Disease with OFF episodes (PD with OFF episodes): (1) Diagnosis of Parkinson's disease. (2) Concurrent use of carbidopa/levodopa containing product. (3) Member is experiencing intermittent OFF episodes. (4) Member had inadequate response or inability to tolerate ONE of the following: (a) MAO-B inhibitor (e.g. rasagiline, selegiline), (b) Dopamine agonist (e.g. pramipexole, ropinirole), (c) COMT inhibitor (e.g. entacapone).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(DPD, PD with OFF episodes): Prescribed by or in consultation with a neurologist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# GRALISE 2026

---

## Products Affected

- *gabapentin (once-daily)*
- GRALISE ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# GROWTH HORMONES 2026

## Products Affected

- GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE
- GENOTROPIN SUBCUTANEOUS CARTRIDGE
- HUMATROPE INJECTION CARTRIDGE
- NORDITROPIN FLEXPOR SUBCUTANEOUS SOLUTION PEN-INJECTOR
- NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR
- OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE
- OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED
- ZOMACTON

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(1) Growth Failure in Children (GFC)(Initial): (a) Diagnosis of growth hormone deficiency confirmed by one of the following: (i) Height is documented by one of the following (utilizing age and gender growth charts related to height): (A) Height is greater than 2.0 standard deviations [SD] below midparental height (B) Height is greater than 2.25 SD below population mean (below the 1.2 percentile for age and gender) (ii) Growth velocity is greater than 2 SD below mean for age and gender (iii) Delayed skeletal maturation of greater than 2 SD below mean for age and gender (e.g., delayed is greater than 2 years compared with chronological age), (b) documentation of bone age, (c) abnormal response from provocative testing, such as insulin-induced hypoglycemia test, levodopa, or clonidine. (2) Small for Gestational Age (SGA)(Initial): (A) Diagnosis of SGA, (B) Clinical documentation of no catch-up growth by 2 to 4 years of age. (3) Growth Failure Associated with Chronic Kidney Disease (GF-CKD) (Initial), (4) Growth failure associated with Noonan Syndrome, Prader-Willi Syndrome, Turner Syndrome or short stature homeobox-containing gene (SHOX) deficiency (Initial), (5) Diagnostically confirmed Growth Hormone Deficiency in adults (GHDA)(Initial), OR (6) Idiopathic Short Stature (ISS)(Initial): (A) Diagnosis of ISS defined by height standard deviation score (SDS) less than or equal to 2.25, (B) Documentation of growth velocity less than 25th percentile for bone age.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(All Other Indications)(Initial): Prescribed by or in consultation with an endocrinologist. (GF-CKD)(Initial) : Prescribed by or in consultation with an endocrinologist or nephrologist
<b>Coverage Duration</b>	(Initial, Continuation): 12 months

PA Criteria	Criteria Details
<b>Other Criteria</b>	(GHDA)(Continuation): Annual clinical re-evaluation by the treating endocrinologist. (GFC)(Continuation): (1) Annual clinical re-evaluation by the treating endocrinologist (SGA, ISS)(Continuation): (1) Increase in growth velocity from baseline, (2) Annual clinical re-evaluation by the treating endocrinologist. (GF-CKD)(Continuation): (1) No history of renal transplant, (2) Annual clinical re-evaluation by the treating endocrinologist. (Growth Failure Associated with Noonan Syndrome, Prader-Willi Syndrome, Turner Syndrome or Short Stature Homeobox-Containing Gene (SHOX) Deficiency)(Continuation): (1) Annual clinical re-evaluation by the treating endocrinologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# HAEGARDA 2026

## Products Affected

- HAEGARDA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Hereditary Angioedema (HAE) (Initial): (1) Diagnosis of HAE, (2) For prophylaxis against HAE attacks. (3) Requested drug will not be used in combination with other products indicated for HAE prophylaxis.
Age Restrictions	
Prescriber Restrictions	(HAE): Prescribed by or in consultation with an allergist, immunologist, pulmonologist
Coverage Duration	12 months
Other Criteria	(HAE)(Reauth): Member demonstrates positive clinical response to therapy
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# HETLIOZ LQ 2026

---

## Products Affected

- HETLIOZ LQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# HIGH DOSE OPIOIDS 2026

## Products Affected

- BELBUCA BUCCAL FILM 300 MCG, 450 MCG, 600 MCG, 750 MCG, 900 MCG
- *fentanyl transdermal patch 72 hour 100 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr*
- *hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrent*
- *hydromorphone hcl er oral tablet extended release 24 hour*
- HYSINGLA ER ORAL TABLET ER 24 HOUR ABUSE-DETERRENT 100 MG
- *levorphanol tartrate oral tablet 3 mg*
- *methadone hcl oral solution*
- *methadone hcl oral tablet*
- *morphine sulfate er beads oral capsule extended release 24 hour 120 mg*
- *morphine sulfate er oral capsule extended release 24 hour 100 mg, 60 mg, 80 mg*
- *morphine sulfate er oral tablet extended release 100 mg, 200 mg, 60 mg*
- MS CONTIN ORAL TABLET EXTENDED RELEASE 60 MG
- NUCYNTA ER
- NUCYNTA ORAL TABLET 100 MG, 75 MG
- *oxycodone hcl oral tablet abuse-deterrent*
- OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT
- *oxymorphone hcl er oral tablet extended release 12 hour 20 mg, 30 mg*
- *oxymorphone hcl er oral tablet extended release 12 hour 40 mg*
- *oxymorphone hcl oral tablet 10 mg*
- ROXYBOND
- XTAMPZA ER

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	NEW TO HIGH DOSE OPIOID THERAPY : ONE of the following (A) pain associated with cancer, (B) chronic non-cancer pain and BOTH of the following (1) member is opioid tolerant (e.g. at least one week where total daily dose is at least one of the following: 30mg of oxycodone, 60mg of oral morphine, 8mg of oral hydromorphone, 25mg of oral oxymorphone or an equianalgesic dose of another opioid) AND (2) the member has been evaluated for non-opioid prescription pharmacologic treatment prior to initiation of high dose opioid therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Remainder of contract year

PA Criteria	Criteria Details
<b>Other Criteria</b>	Subject to additional clinical review for ESRD-related use - if applicable. CONTINUING HIGH DOSE OPIOID THERAPY (morphine equivalent dose 90mg per day or greater): ONE of the following (1) pain associated with cancer OR (2) chronic non-cancer pain and ALL (a) member's pain has been assessed within the last 6 months AND (b) member has clinically meaningful improvement in pain and functioning that outweighs risks to patient safety AND (c) member is not being treated for substance abuse
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# HORIZANT 2026

---

## Products Affected

- HORIZANT ORAL TABLET EXTENDED RELEASE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# HRM 2026

## Products Affected

- ALLZITAL
- ASCOMP-CODEINE
- *butalbital-acetaminophen oral capsule*
- *butalbital-acetaminophen oral tablet 50-300 mg, 50-325 mg*
- *butalbital-apap-caff-cod*
- *butalbital-apap-caffeine oral capsule*
- *butalbital-apap-caffeine oral tablet 50-325-40 mg*
- *butalbital-asa-caff-codeine*
- *butalbital-aspirin-caffeine oral capsule*
- *carbinoxamine maleate oral solution*
- *carbinoxamine maleate oral tablet*
- *chlorzoxazone oral*
- *clemastine fumarate oral syrup*
- *clemastine fumarate oral tablet 2.68 mg*
- DEMEROL INJECTION SOLUTION 25 MG/ML, 50 MG/ML
- *dipyridamole oral*
- FIORICET ORAL CAPSULE
- FIORICET/CODEINE ORAL CAPSULE 50-300-40-30 MG
- INDOCIN ORAL
- INDOCIN RECTAL
- *indomethacin oral suspension*
- *indomethacin rectal suppository 50 mg*
- *meperidine hcl injection solution 100 mg/ml, 25 mg/ml, 50 mg/ml*
- *meperidine hcl oral solution*
- *meperidine hcl oral tablet 50 mg*
- *meprobamate*
- *metaxalone oral tablet 400 mg, 800 mg*
- *pentazocine-naloxone hcl*
- *promethazine hcl oral solution 6.25 mg/5ml*
- RYVENT
- TENCON ORAL TABLET 50-325 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly
<b>Age Restrictions</b>	Apply if member is greater than or equal to 65 years
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	2 years
<b>Other Criteria</b>	Subject to additional clinical review for ESRD-related use - if applicable.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

# HRM CYCLOBENZAPRINE 2026

## Products Affected

- AMRIX
- *cyclobenzaprine hcl er*
- *cyclobenzaprine hcl oral*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Acute Muscle Spasms (AMS): (1) Diagnosis of Acute Muscle Spasms (AMS);(2) Prescriber attestation that drug will be used only for short periods. All Indications: Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly.
<b>Age Restrictions</b>	Apply if member is greater than or equal to 65 years
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	AMS: 1 year. All other indications: 2 years
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# HRM ESTROGENS 2026

## Products Affected

- ABIGALE LO
- ACTIVELLA ORAL TABLET 1-0.5 MG
- ANGELIQ
- BIJUVA
- CLIMARA
- CLIMARA PRO
- DIVIGEL
- DOTTI
- ELESTRIN
- *estradiol transdermal*
- *estradiol-norethindrone acet*
- EVAMIST
- FYAVOLV
- JINTELI
- LYLLANA
- MENOSTAR
- MIMVEY
- MINIVELLE
- *norethindrone-eth estradiol*
- PREMARIN ORAL
- VIVELLE-DOT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	ONE of the following: (1) Inadequate response or inability to tolerate vaginal estrogen preparations (e.g. vaginal tablets or cream, etc.) OR (2) Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly
<b>Age Restrictions</b>	Apply if member is greater than or equal to 65 years
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	2 years
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# HRM KETOROLAC 2026

## Products Affected

- *ketorolac tromethamine oral*
- SPRIX

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	ONE of the following: (1) Inadequate response or inability to tolerate TWO alternative NSAIDs such as meloxicam, naproxen, celecoxib, ibuprofen, etc. OR (2) Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly
<b>Age Restrictions</b>	Apply if member is greater than or equal to 65 years
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	One Month
<b>Other Criteria</b>	Subject to additional clinical review for ESRD-related use - if applicable.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# HRM NON BENZODIAZEPINE HYPNOTICS 2026

## Products Affected

- AMBIEN CR ORAL TABLET EXTENDED RELEASE 12.5 MG
- AMBIEN ORAL TABLET 10 MG
- EDLUAR SUBLINGUAL TABLET SUBLINGUAL 10 MG
- *eszopiclone oral tablet 3 mg*
- LUNESTA ORAL TABLET 3 MG
- *zolpidem tartrate er oral tablet extended release 12.5 mg*
- *zolpidem tartrate oral capsule*
- *zolpidem tartrate oral tablet 10 mg*
- *zolpidem tartrate sublingual tablet sublingual 3.5 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(Initial): Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly
<b>Age Restrictions</b>	Apply if member is greater than or equal to 65 years
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	(Initial): 3 months. (Reauth): 2 years
<b>Other Criteria</b>	(Reauth): Prescriber is aware of the risk versus benefit of using the medication chronically (greater than 90 days)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# HRM NORGESIC 2026

---

## Products Affected

- NORGESIC
- *norgesic forte*
- *orphenadrine-aspirin-caffeine oral tablet 25-385-30 mg*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# HRM SHORT TERM SKELETAL MUSCLE RELAXANTS 2026

## Products Affected

- *carisoprodol oral*
- SOMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Acute Muscle Spasms (AMS): (1) Diagnosis of Acute Muscle Spasms (AMS):(2) Prescriber attestation that drug will be used only for short periods. All Indications: Risk versus benefit has been assessed for this request of a high risk medication (HRM) in elderly.
Age Restrictions	Apply if member is greater than or equal to 65 years
Prescriber Restrictions	
Coverage Duration	(AMS): 1 year. (All other indications): 2 years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# HYFTOR 2026

---

## Products Affected

- HYFTOR

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ILUMYA 2026

## Products Affected

- ILUMYA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(PsO): Concurrent therapy with biological DMARDs or other tumor necrosis factor antagonists
<b>Required Medical Information</b>	Plaque Psoriasis (PsO)(Initial): (1) Diagnosis of moderate to severe PsO. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. adalimumab-AACF), (b) Enbrel, (c) Skyrizi, (d) Cosentyx, (e) Ustekinumab (i.e. Yesintek), (f) Otezla OR documentation demonstrating that a trial may be inappropriate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PsO): Prescribed by or in consultation with a dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Subject to Part B vs Part D review. (PsO)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# INBRIJA 2026

## Products Affected

- INBRIJA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Parkinson's Disease (PD): (1) Diagnosis of Parkinson's disease. (2) concurrent use of carbidopa/levodopa containing product, (3) Member is experiencing intermittent OFF episodes, (4) member had inadequate response or inability to tolerate ONE of the following: (a) MAO-B inhibitor (e.g. rasagiline, selegiline), (b) Dopamine agonist (e.g. pramipexole, ropinirole), (c) COMT inhibitor (e.g. entacapone)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PD): Prescribed by or in consultation with a neurologist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# INCRELEX 2026

## Products Affected

- INCRELEX

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(GHGD, PIGF-1D) (Initial and Continuation): Known or suspected malignancy, closed epiphyses, concurrent GH therapy
<b>Required Medical Information</b>	Growth Hormone Gene Deletion (GHGD): (Initial) (1) Diagnosis of growth hormone gene deletion who have developed neutralizing antibodies to growth hormone. Severe Primary IGF-1 Deficiency (PIGF-1D): (Initial) (1) Diagnosis of Severe primary IGF-1 deficiency AND (2) height standard deviation score less than or equal to -3.0 AND (3) basal IGF-1 standard deviation score less than or equal to -3.0 AND normal or elevated growth hormone.
<b>Age Restrictions</b>	(GHGD, PIGF-1D): Member is 2 years of age or older
<b>Prescriber Restrictions</b>	(GHGD, PIGF-1D): Prescribed by or in consultation with an endocrinologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(GHGD, PIGF-1D)(CONTINUATION): (1) Documentation of increase in growth velocity from baseline AND (2) Annual clinical re-evaluation by an endocrinologist AND (3) BOTH of the following: (a) Expected adult height is not obtained (b) documentation of expected adult height goal
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# INGREZZA 2026

---

## Products Affected

- INGREZZA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# INHALED TOBRAMYCIN 2026

## Products Affected

- TOBI PODHALER

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cystic Fibrosis (CF): (1) Diagnosis of cystic fibrosis AND (2) evidence of Pseudomonas aeruginosa in the lungs (3) FEV1 between 25% and 75% of predicted, (4) Member not colonized with Burkholderia cepacia.
<b>Age Restrictions</b>	(CF): Member is 6 years of age or older
<b>Prescriber Restrictions</b>	(CF): Prescribed by or in consultation with a pulmonologist, infectious disease specialist or Specialist affiliated with a CF care center.
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# INJECTABLE METHOTREXATE 2026

## Products Affected

- RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15 MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML, 22.5 MG/0.45ML, 25 MG/0.5ML, 30 MG/0.6ML, 7.5 MG/0.15ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Rheumatoid arthritis (RA) (Initial): (1) Diagnosis of severe, active rheumatoid arthritis (RA), (2) Inadequate response or inability to tolerate oral methotrexate. Psoriatic Arthritis (PsA)(Initial): (1) Diagnosis of PsA, (2) Inadequate response or inability to tolerate oral methotrexate. Polyarticular juvenile idiopathic arthritis (PJIA)(Initial): (1) Diagnosis of PJIA, (2) Inadequate response or inability to tolerate oral methotrexate. Psoriasis (Initial): (1) Diagnosis of severe psoriasis, (2) Inadequate response to BOTH of the following: (a) oral methotrexate AND (b) topical steroids (e.g. clobetasol propionate cream/ointment, betamethasone cream/ointment, etc.).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA, PJIA): Recommended by rheumatologist. (PSA): Recommended by a rheumatologist or dermatologist. (Psoriasis): Recommended by dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(RA, PJIA, PSA, Psoriasis) (Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# INSULIN GLARGINE 2026

## Products Affected

- *insulin glargine max solostar*
- *insulin glargine solostar subcutaneous solution pen-injector 300 unit/ml*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# INTRAVENOUS IMMUNE GLOBULINS (IVIG) 2026

## Products Affected

- BIVIGAM INTRAVENOUS SOLUTION 5 GM/50ML GM/50ML
- GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML
- GAMMAGARD S/D LESS IGA
- GAMMAKED INJECTION SOLUTION 1 GM/10ML
- GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/200ML
- GAMUNEX-C INJECTION SOLUTION 1 GM/10ML
- OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 2 GM/20ML
- PANZYGA
- PRIVIGEN INTRAVENOUS SOLUTION 20 GM/200ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(Initial): History of hypersensitivity (including anaphylaxis or severe systemic reaction) to immune globulin or any component of the preparation.
<b>Required Medical Information</b>	Part D is medically necessary when ONE of the following is present: (1) Autoimmune mucocutaneous blistering disease pemphigus vulgaris, pemphigus foliaceus, bullous pemphigoid, mucous membrane (cicatricial) pemphigoid, benign mucous membrane pemphigoid, epidermolysis bullosa acquisita and ONE of the following: (a) inadequate response or inability to tolerate conventional therapy (i.e. steroids, immunosuppressants) OR (b) rapidly progressive disease in conjunction with conventional therapy (i.e. steroids, immunosuppressants). (2) Acute Idiopathic Thrombocytopenia Purpura (ITP) and ONE of the following (a) management of acute bleeding (b) used to increase platelet count prior to surgical procedures (c) severe thrombocytopenia (platelets less than 20,000 per uL) or (d) high risk for intracerebral hemorrhage. (3) Chronic ITP and ALL of the following (a) inadequate response or inability to tolerate corticosteroids (b) duration of illness greater than 6 months (c) platelets persistently less than 20,000/ uL. (4) Chronic B-cell lymphocytic leukemia with IgG less than 600mg/dL and recurrent, serious bacterial infections requiring antibiotic therapy. (5) Hematopoietic stem cell transplant and IgG less than 400mg/dL. (6) HIV and all of the following (a) less than 14 years of age (b) evidence of qualitative or quantitative humoral immunologic defects and (c) current bacterial infection despite antimicrobial prophylaxis. (7) Solid organ transplant. (8) Chronic Inflammatory Demyelinating Polyneuritis confirmed by electrodiagnostic testing or nerve biopsy and an inadequate response or inability to tolerate corticosteroids. (9) Dermatomyositis or Polymyositis diagnosed by laboratory testing (antinuclear or myositis specific antibodies), biopsy, EMG, or MRI) and inadequate response or inability to tolerate steroids or immunosuppressants. (10) Guillain Barre syndrome with impaired function (i.e. unable to stand or walk without aid).
<b>Age Restrictions</b>	

PA Criteria	Criteria Details
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a physician who has specialized expertise in managing patients on immune globulin therapy (e.g. immunologist, hematologist, neurologist).
<b>Coverage Duration</b>	6 months
<b>Other Criteria</b>	Subject to Part B vs Part D review. (11) Lambert Eaton myasthenic syndrome and an inadequate response or inability to tolerate steroids, immunosuppressants, or cholinesterase inhibitors (12) Multifocal motor neuropathy diagnosed by electrodiagnostic studies. (13) Acute exacerbations of multiple sclerosis (MS) unresponsive to steroids. (14) Myasthenia gravis and an inadequate response or inability to tolerate at least 8 weeks of standard therapy (e.g. corticosteroids, azathioprine, cyclosporine, cyclophosphamide, cholinesterase inhibitors) (15) Myasthenic crisis (16) Stiff person syndrome and an inadequate response or inability to tolerate standard therapy (e.g. muscle relaxants, benzodiazepines, and gabapentin-related medications) (17) Severe, active SLE and an inadequate response or inability to tolerate steroids (18) Kawasaki disease. (19) Infections in Low-birthweight Neonates when severe hypogammaglobulinemia (IgG greater than or equal to 400 mg/dL) is present. (20) Graves? Ophthalmopathy (21) Immune mediated Necrotizing Myopathy when resistant to treatment with glucocorticoids and immunosuppressants (22) Graves disease (All Indications)(CONTINUATION): (1) Documentation of clinical improvement as appropriate to the diagnosis (e.g. clinical improvement in symptoms, Rankin score and Activities of Daily Living (ADL) scores, etc.)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# INZIRQO 2026

---

## Products Affected

- INZIRQO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# IQIRVO 2026

---

## Products Affected

- IQIRVO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ISTURISA 2026

---

## Products Affected

- ISTURISA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# IVABRADINE 2026

---

## Products Affected

- *ivabradine hcl*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# JOENJA 2026

---

## Products Affected

- JOENJA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# JUXTAPID 2026

---

## Products Affected

- JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# JYNARQUE 2026

## Products Affected

- JYNARQUE
- *tolvaptan*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(Autosomal Dominant Polycystic Kidney Disease (ADPKD): (Initial): (1) Diagnosis of autosomal dominant polycystic kidney disease with risk of rapidly progressing kidney disease (2) Baseline serum transaminases and bilirubin obtained prior to initiation of therapy.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a nephrologist or kidney transplant specialist
<b>Coverage Duration</b>	(Initial): 3 months. (Reauth): 12 months.
<b>Other Criteria</b>	(ADPKD)(Reauth): (1) ONE of the following (a) decline in kidney function has slowed or (b) kidney pain has improved and (2) serum transaminase less than 3 times the upper limit of normal and (3) bilirubin less than 2 times upper limit of normal
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# KALYDECO 2026

## Products Affected

- KALYDECO

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cystic Fibrosis (CF)(Initial): (1) Diagnosis of Cystic Fibrosis (2) One of the following: (a) Documentation of one mutation in the CFTR gene that is responsive to ivacaftor based on clinical and/or in vitro assay data, (b) If the member's genotype is unknown, an FDA-cleared CF mutation test should be used to detect the presence of a CFTR mutation followed by verification with bi-directional sequencing when recommended by the mutation test
<b>Age Restrictions</b>	(CF): Member is 1 month of age or older for granules. Member is 6 years of age or older for tablets
<b>Prescriber Restrictions</b>	(CF): Prescribed by or in consultation with a pulmonologist or Specialist affiliated with a CF care center
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CF)(Reauth): Member has had a positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# KERENDIA 2026

---

## Products Affected

- KERENDIA ORAL TABLET 10 MG, 20 MG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# KEVZARA 2026

## Products Affected

- KEVZARA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists
<b>Required Medical Information</b>	Rheumatoid arthritis (RA)(Initial): (1) Diagnosis of RA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) etanercept (Enbrel), (c) Rinvoq, (d) Xeljanz/Xeljanz XR, (e) Orencia OR documentation demonstrating that a trial may be inappropriate. Polymyalgia Rheumatica (PMR)(Initial): (1) Diagnosis of polymyalgia rheumatica (2) Inadequate response or inability to tolerate corticosteroids (e.g. prednisone). Polyarticular Juvenile Idiopathic Arthritis (PJIA)(Initial): (1) Diagnosis of active polyarticular juvenile idiopathic arthritis (PJIA) (2) Member weighs at least 63 kg (3) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF) (b) Enbrel, (c) Xeljanz, (d) Orencia, (e) Rinvoq/Rinvoq LQ OR documentation demonstrating that a trial may be inappropriate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA, PMR, PJIA): Prescribed by or in consultation with a rheumatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(RA, PMR, PJIA) (Reauth): (1) Member demonstrates positive clinical response to therapy as evidenced by at least one of the following: (a) Reduction in total active (swollen and tender) joint count from baseline or (b) Improvement in symptoms (e.g., pain, stiffness, inflammation) from baseline
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

# KINERET 2026

## Products Affected

- KINERET SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists
<b>Required Medical Information</b>	Rheumatoid Arthritis (RA)(Initial): (1) Diagnosis of RA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. adalimumab-AACF), (b) etanercept (Enbrel), (c) Rinvog, (d) Xeljanz/Xeljanz XR, (e) Orencia OR documentation demonstrating that a trial may be inappropriate. Neonatal-Onset Multisystem Inflammatory Disease (NOMID)(Initial): (1) Diagnosis of NOMID. (2) Diagnosis has been confirmed by one of the following: (a) NLRP-3 (nucleotide-binding domain, leucine rich family (NLR), pyrin domain containing 3] gene (also known as Cold-Induced Auto-inflammatory Syndrome-1 [CIAS1]) mutation (b) Evidence of active inflammation including both of the following: (i) clinical symptoms (e.g. rash, fever, arthralgia) (ii) elevated acute phase reactants (e.g. ESR, CRP). Deficiency of Interleukin-1 Receptor Antagonist (DIRA): (1) Diagnosis of DIRA.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA, NOMID, DIRA): Prescribed by or in consultation with a rheumatologist or pediatric specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(RA, NOMID, DIRA)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# KLISYRI 2026

## Products Affected

- KLISYRI (250 MG)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Actinic Keratoses: (1) Diagnosis of Actinic Keratoses (2) Inadequate response or inability to tolerate BOTH of the following generics: Topical fluorouracil and topical imiquimod
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	30 days
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# KORLYM 2026

## Products Affected

- KORLYM
- *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Pregnancy
<b>Required Medical Information</b>	Hyperglycemia in members with Cushing Syndrome (HCS)(Initial): (1) Hyperglycemia secondary to hypercortisolism in adult member with endogenous Cushing syndrome, (2) member has type 2 diabetes mellitus or glucose intolerance, (3) member has failed surgery or is not a candidate for surgery.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with an endocrinologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(HCS)(Reauth): Documentation of positive clinical response to therapy (e.g., improved, or stable glucose tolerance while on therapy)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# LETAIRIS 2026

## Products Affected

- LETAIRIS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Documentation of a diagnosis of pulmonary arterial hypertension (PAH) WHO Group I with New York Heart Association (NYHA) Functional Class II to IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less.(4) Inadequate response or inability to tolerate generic ambrisentan
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with a Cardiologist or Pulmonologist.
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation):12 months.
<b>Other Criteria</b>	(PAH)(Continuation): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# LISDEXAMFETAMINE 2026

---

## Products Affected

- *lisdexamfetamine dimesylate*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# LITFULO 2026

---

## Products Affected

- LITFULO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# LIVDELZI 2026

---

## Products Affected

- LIVDELZI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# LIVMARLI 2026

---

## Products Affected

- LIVMARLI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# LIVTENCITY 2026

## Products Affected

- LIVTENCITY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cytomegalovirus (CMV): (1) Diagnosis of cytomegalovirus (CMV) infection/disease, (2) Member is a recipient of one of the following (a) Hematopoietic stem cell transplant, (b) solid organ transplant, (3) Inadequate response to a minimum 2 weeks duration or inability to tolerate one prior therapy at an appropriately indicated dose (e.g., oral valganciclovir)(4) For pediatric members 12 years of age or older, Member weighs greater than or equal to 35kg
<b>Age Restrictions</b>	(CMV): Member is 12 years of age or older
<b>Prescriber Restrictions</b>	(CMV): Prescribed by or in consultation with a provider who specializes in one of the following areas (1) transplant, (2) infectious disease (3) Oncology
<b>Coverage Duration</b>	8 weeks
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# LODOCO 2026

---

## Products Affected

- LODOCO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No



# LUMRYZ 2026

---

## Products Affected

- LUMRYZ
- LUMRYZ STARTER PACK

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# LUPKYNIS 2026

---

## Products Affected

- LUPKYNIS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# LYRICA CR 2026

---

## Products Affected

- LYRICA CR
- *pregabalin er*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# METFORMIN IR 2026

---

## Products Affected

- *metformin hcl oral tablet 625 mg, 750 mg*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# METHOCARBAMOL 1000MG TAB 2026

---

## Products Affected

- *methocarbamol oral tablet 1000 mg*
- TANLOR

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# MIPLYFFA 2026

---

## Products Affected

- MIPLYFFA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# MODAFINIL 2026

## Products Affected

- *modafinil oral*
- PROVIGIL

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	<p>Obstructive Sleep Apnea (OSA) (Initial) (1) Diagnosis of obstructive sleep apnea defined by ONE of the following: (A) 15 or more obstructive respiratory events per hour of sleep confirmed by a sleep study (unless prescriber provides justification confirming that a sleep study is not feasible) OR (B) BOTH of the following: (a) 5 or more obstructive respiratory events per hour of sleep confirmed by a sleep study (unless the prescriber provides justification confirming that a sleep study is not feasible) (b) ONE of the following symptoms: Unintentional sleep episodes during wakefulness, daytime sleepiness, unrefreshing sleep, fatigue, insomnia, waking up breath holding/gasping/choking, loud snoring, breathing interruptions during sleep</p> <p>Narcolepsy (Initial): (1) Diagnosis of narcolepsy as confirmed by sleep study (unless prescriber provides justification confirming a sleep study is not feasible)</p> <p>Shift Work Disorder (SWD)(Initial):(1) Diagnosis of Shift Work Disorder confirmed by ONE of the following: (A) Symptoms of excessive sleepiness or insomnia, for at least 3 months, which is associated with a work period (usually night work) that occurs during the normal sleep period OR (B) Sleep study demonstrating loss of a normal sleep-wake pattern (ie, disturbed chronobiologic rhythmicity) (2) Confirmation that no other medical conditions or medications are causing the symptoms of excessive sleepiness or insomnia</p> <p>Fatigue due to MS (off-label) (Initial): (1) Diagnosis of multiple sclerosis (MS) (2) Member is experiencing fatigue.</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a neurologist or sleep specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	<p>(OSA, Narcolepsy, SWD)(Reauth): (1) Member demonstrates positive clinical response to therapy (MS)(Reauth): (1) Member is experiencing relief of fatigue with modafinil therapy</p>

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No



# MULPLETA 2026

---

## Products Affected

- MULPLETA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# MYALEPT 2026

---

## Products Affected

- MYALEPT

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# MYCAPSSA 2026

---

## Products Affected

- MYCAPSSA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# MYFEMBREE 2026

---

## Products Affected

- MYFEMBREE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# MYTESI 2026

---

## Products Affected

- MYTESI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NEMLUVIO 2026

---

## Products Affected

- NEMLUVIO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NEXLETOL/NEXLIZET 2026

## Products Affected

- NEXLETOL
- NEXLIZET

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Heterozygous Familial Hypercholesterolemia (HeFH) OR Primary hyperlipidemia (PH). (Initial): (1) One of the following: (A) Diagnosis of HeFH, OR (B) Diagnosis of Primary hyperlipidemia (2) ONE of the following: (A) LDL-C 70 mg/dL or greater after at least 8 weeks of one low, moderate or high-intensity statin therapy and member will continue to receive statin therapy at maximally tolerated dose OR (B) Inability to tolerate statin therapy as documented by one of the following: (i) member had rhabdomyolysis or symptoms with creatine kinase (CK) exceeding 10 times the upper limit of normal (ULN) or (ii) either of the following with TWO statins: myalgia (no CK elevation) or myositis (CK less than 10 times ULN or (iii) hepatotoxicity from statin use (increased AST/ALT exceeding 3 times ULN) or (iv) liver disease documented by Child Pugh A or worse OR AST/ALT exceeding 3 times ULN for at least 6 weeks. (3) One of the following: (A) Member has been receiving at least 8 weeks of ezetimibe (Zetia) therapy as adjunct to maximally tolerated statin therapy OR (B) Member has contraindication or intolerance to ezetimibe (Zetia).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation): 12 months

PA Criteria	Criteria Details
<b>Other Criteria</b>	Established cardiovascular disease (CVD) or high risk for a CVD event but without established CVD (Initial): (1) One of the following: (A) Diagnosis of established cardiovascular disease (CVD) (e.g., coronary artery disease, symptomatic peripheral arterial disease, cerebrovascular atherosclerotic disease) OR (B) Diagnosis of a high risk for a CVD event but without established CVD [e.g., diabetes mellitus (type 1 or type 2) in females over 65 years of age or males over 60 years of age] (2) One of the following: (A) Member is statin intolerant as evidenced by an inability to tolerate at least two statins, with at least one started at the lowest starting daily dose, due to intolerable symptoms or clinically significant biomarker changes of liver function or muscle function (e.g., creatine kinase) (B) Member has a contraindication to all statins (3) ONE of the following LDL-C values within the last 120 days (A) LDL-C greater than or equal to 55 mg/dL with ASCVD OR (B) LDL-C greater than or equal to 100 mg/dL without ASCVD (4) One of the following (A) For Nexletol, ONE of the following: (i) Member has been receiving at least 12 weeks of generic ezetimibe therapy (ii) Patient has a history of contraindication, or intolerance to ezetimibe OR (B) For Nexlizet, member has been receiving at least 12 weeks of generic ezetimibe therapy (HeFH, PH) (Continuation): (1) Positive Clinical response to therapy (e.g. reduction in LDL-C levels). (CVD) (Continuation): (1) Positive Clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# NGENLA 2026

---

## Products Affected

- NGENLA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NON-ORAL ANTIBIOTICS 2026

## Products Affected

- DALVANCE
- NUZYRA
- SIVEXTRO
- VABOMERE
- ZEMDRI
- ZERBAXA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NON-ORAL CHEMO AGENTS 2026

## Products Affected

- BESREMI
- TRELSTAR MIXJECT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Part D is medically necessary when ANY of the following inclusion criteria is met: (1) Drug is FDA approved for indication and regimen requested, (2) The indication and regimen is classified as Category 1 or 2A by National Comprehensive Cancer Network (NCCN) Drugs and Biologics Compendium, (3) narrative text in The American Hospital Formulary Service-Drug Information (AHFS-DI) or Clinical Pharmacology Compendium is supportive for the specific condition(s) requested, (4) The Micromedex Compendium and the strength of recommendation is listed as Class I, Class IIa, or Class IIb for the specific condition(s) requested, (5) Indication is listed in Lexi-Drugs as ?off label? with evidence level A, (6) supported by Peer-Reviewed Medical Literature as defined in Chapter 15 Section 50.4.5 of the Medicare Benefit Policy Manual
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy. Subject to Part B vs Part D review.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# NON-PREFERRED DENOSUMAB 2026

---

## Products Affected

- PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NON-PREFERRED GLP-1 AGONISTS 2026

## Products Affected

- *exenatide*
- SOLIQUA
- VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR
- XULTOPHY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(DM2)(Initial): (1) One of the following: (a) For members requiring ongoing treatment for type 2 diabetes mellitus, submission of medical records (e.g. chart notes) confirming diagnosis of type 2 diabetes mellitus (b) Submission of medical records (e.g. chart notes) confirming diagnosis of type 2 diabetes mellitus as evidenced by one of the following laboratory values (i) A1C greater than or equal to 6.5 percent (ii) Fasting plasma glucose (FPG) greater than or equal to 126 mg/dL (iii) 2-hour plasma glucose (PG) greater than or equal to 200 mg/dL during OGTT (oral glucose tolerance test) (2) Inadequate response or inability to tolerate a minimum 90 day-supply of two of the following preferred brands: Ozempic, Trulicity, Rybelsus, Mounjaro, liraglutide
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(DM2)(Reauth): Documentation of positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# NON-PREFERRED HEPATITIS C AGENTS 2026

## Products Affected

- SOVALDI
- VOSEVI
- ZEPATIER

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(1) Documentation of member's Hepatitis C genotype. (2) Prescribed regimen is consistent with the current AASLD/ IDSA guidance. (3) Inability to tolerate ONE of the following when appropriate per the current AASLD/IDSA guidance: Harvoni, Epclusa, or Mavyret.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Duration will be applied consistent with AASLD/ IDSA guidance
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# NON-PREFERRED TOCILIZUMAB SQ 2026

## Products Affected

- ACTEMRA ACTPEN
- ACTEMRA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NON-PREFERRED USTEKINUMAB SQ 2026

## Products Affected

- OTULFI SUBCUTANEOUS
- PYZCHIVA SUBCUTANEOUS SOLUTION  
REFILLED SYRINGE
- SELARSDI SUBCUTANEOUS
- STELARA SUBCUTANEOUS SOLUTION 45  
MG/0.5ML
- STELARA SUBCUTANEOUS SOLUTION  
REFILLED SYRINGE
- STEQEYMA SUBCUTANEOUS  
*ustekinumab subcutaneous*  
*ustekinumab-ttwe subcutaneous*
- WEZLANA SUBCUTANEOUS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists
<b>Required Medical Information</b>	Part D is medically necessary when: Crohn's Disease (CD)(Initial): (1) Diagnosis of moderate to severe CD (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Skyrizi, (c) Rinvoq (d) Ustekinumab (i.e. Yesintek) or documentation demonstrating that a trial may be inappropriate. Ulcerative Colitis (UC)(Initial): (1) Diagnosis of moderate to severe UC. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Rinvoq, (c) Xeljanz/Xeljanz XR, (d) Skyrizi (e) Ustekinumab (i.e. Yesintek) OR documentation demonstrating that a trial may be inappropriate. Psoriatic arthritis (PsA)(Initial): (1) Diagnosis of PsA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Xeljanz/Xeljanz XR (d) Rinvoq/Rinvoq LQ, (e) Skyrizi, (f) Cosentyx, (g) Orencia, (h) Otezla, (i) Ustekinumab (i.e. Yesintek) OR documentation demonstrating that a trial may be inappropriate. Plaque psoriasis (PsO)(Initial): Diagnosis of moderate to severe PsO. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Skyrizi (d) Cosentyx, (e) Otezla, (f) Ustekinumab (i.e. Yesintek) OR documentation demonstrating that a trial may be inappropriate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CD, UC): prescribed by or in consultation with a Gastroenterologist. (PsO): prescribed by or in consultation with a Dermatologist. (PsA): prescribed by or in consultation with a Dermatologist or Rheumatologist
<b>Coverage Duration</b>	(CD, UC, PsA, PsO): 12 months
<b>Other Criteria</b>	(CD, UC, PsA, PsO): (Reauth): (1) Member demonstrates positive clinical response to therapy



PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NOURIANZ 2026

## Products Affected

- NOURIANZ

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Parkinson's Disease (PD) (Initial): (1) Diagnosis of Parkinson's disease. (2) concurrent use of carbidopa/levodopa containing product, (3) Member is experiencing intermittent OFF episodes, (4) member had inadequate response or inability to tolerate ONE of the following: (a) MAO-B inhibitor (e.g. rasagiline, selegiline), (b) Dopamine agonist (e.g. pramipexole, ropinirole), (c) COMT inhibitor (e.g. entacapone)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a neurologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	Parkinson's Disease (PD) (Reauth): (1) Member demonstrates positive response to clinical therapy (2) concurrent use of carbidopa/levodopa containing product
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# NOXAFIL 2026

## Products Affected

- NOXAFIL ORAL SUSPENSION
- *posaconazole oral*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NOXAFIL 300MG PAK 2026

---

## Products Affected

- NOXAFIL ORAL PACKET

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NUCALA 2026

---

## Products Affected

- NUCALA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NUEDEXTA 2026

## Products Affected

- NUEDEXTA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(PBA) 1) Concomitant use with other drugs containing quinidine, quinine, or mefloquine, (2) History of Nuedexta, quinine, mefloquine or quinidine-induced thrombocytopenia, hepatitis, bone marrow depression, or lupus-like syndrome, (3) Known hypersensitivity to dextromethorphan (e.g., rash, hives), (4) Taking monoamine oxidase inhibitors (MAOIs) (e.g., phenelzine, selegiline, tranylcypromine) or have taken MAOIs within the preceding 14 days, (5) Presence of prolonged QT interval, congenital long QT syndrome or a history suggestive of torsades de pointes, or has heart failure, (6) Receiving drugs that both prolong QT interval and are metabolized by CYP2D6 (e.g., thioridazine, pimozide), (7) Has complete atrioventricular (AV) block without implanted pacemakers, or at high risk of complete AV block ]
<b>Required Medical Information</b>	Pseudobulbar Affect (PBA) (Initial): (1) Diagnosis of Pseudobulbar affect (2) Member has one of the following underlying conditions: (a) Amyotrophic lateral sclerosis (b) Multiple sclerosis (c) Alzheimer's disease (d) Parkinson's disease (e) Stroke (f) Traumatic brain injury
<b>Age Restrictions</b>	(PBA): Member is 18 years of age or older
<b>Prescriber Restrictions</b>	(PBA): Prescribed by or in consultation with a neurologist or psychiatrist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(PBA)(Reauth): (1) Documentation of clinical benefit from ongoing therapy (e.g., decrease in laughing or crying episodes)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# NUPLAZID 2026

## Products Affected

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# NURTEC 2026

---

## Products Affected

- NURTEC

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# OCALIVA 2026

## Products Affected

- OCALIVA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Primary biliary cholangitis (PBC): (1) Diagnosis of Primary biliary cholangitis (PBC) (2) One of the following: (a) Used in combination with ursodeoxycholic acid (e.g. Urso, Urso Forte, ursodiol), OR (b) inability to tolerate ursodeoxycholic acid (3) Member has one of the following: (a) no cirrhosis or (b) compensated cirrhosis with no evidence of portal hypertension. (4) Requested drug will not be used in combination with Livdelzi (seladelpar) or Iqirvo (ela fibranor)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a hepatologist or gastroenterologist
<b>Coverage Duration</b>	(Initial): 6 months. (Reauth): Indefinite
<b>Other Criteria</b>	(PCB)(Reauth): (1) Positive clinical response to Ocaliva therapy (2) Member does not have evidence of advanced cirrhosis (i.e. cirrhosis with current or prior evidence of hepatic decompensation including encephalopathy or coagulopathy) (3) Member does not have evidence of portal hypertension (e.g., ascites, gastroesophageal varices, persistent thrombocytopenia)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# OCTREOTIDE 2026

## Products Affected

- *octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml* MCG/ML, 50 MCG/ML, 500 MCG/ML
- SANDOSTATIN INJECTION SOLUTION 100

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# OFEV 2026

---

## Products Affected

- OFEV

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# OHTUVAYRE 2026

---

## Products Affected

- OHTUVAYRE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# OLPRUVA 2026

## Products Affected

- OLPRUVA (2 GM DOSE)
- OLPRUVA (3 GM DOSE)
- OLPRUVA (4 GM DOSE)
- OLPRUVA (5 GM DOSE)
- OLPRUVA (6 GM DOSE)
- OLPRUVA (6.67 GM DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# OLUMIANT 2026

## Products Affected

- OLUMIANT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists, JAK inhibitors, or potent immunosuppressants such as azathioprine, cyclosporine
<b>Required Medical Information</b>	Rheumatoid arthritis (RA)(Initial): (1) Diagnosis of RA. (2) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e. adalimumab-AACF), (b) Enbrel (c) Rinvoq, (d) Xeljanz/Xeljanz XR, (e) Orencia OR documentation demonstrating that a trial may be inappropriate. Alopecia Areata (AA)(Initial): (1) Diagnosis of alopecia areata (2) Member has at least 50% scalp hair loss (3) Other causes of hair loss have been ruled out (e.g. androgenetic alopecia, trichotillomania, tinea capitis, psoriasis) (4) Inadequate response or inability to tolerate one previous treatment for alopecia areata (e.g. topical, intralesional, or systemic corticosteroids, topical immunotherapy)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA): Prescribed by or in consultation with a rheumatologist (AA): Prescribed by or in consultation with a dermatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(RA, Alopecia Areata)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# OMVOH SQ 2026

---

## Products Affected

- OMVOH (300 MG DOSE)
- OMVOH SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ONGENTYS 2026

---

## Products Affected

- ONGENTYS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# ONYCHOMYCOSIS AGENTS 2026

## Products Affected

- JUBLIA
- *tavaborole*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Onychomycosis: (1) Diagnosis of onychomycosis of the toenail(s) due to <i>Trichophyton rubrum</i> and <i>Trichophyton mentagrophytes</i> . (2) Diagnosis confirmed by one of the following: (a) positive potassium hydroxide (KOH) preparation, (b) culture, or (c) histology. (3) Condition is causing debility or a disruption in member's activities of daily living. (4) Inadequate response or inability to tolerate BOTH of the following: (a) oral generic terbinafine, AND (b) oral generic itraconazole OR topical generic ciclopirox.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ONYDA XR 2026

---

## Products Affected

- ONYDA XR

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# OPIPZA 2026

## Products Affected

- OPIPZA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Schizophrenia: (1) Diagnosis of treatment of schizophrenia (2) Inadequate response or inability to tolerate aripiprazole and an additional generic formulary antipsychotic product. Major depressive disorder (MDD): (1) Diagnosis of adjunctive treatment of MDD (2) Inadequate response or inability to tolerate aripiprazole and quetiapine. Autistic disorder: (1) Diagnosis of irritability associated with autistic disorder (2) Inadequate response or inability to tolerate aripiprazole and risperidone. Tourette?s disorder: (1) Diagnosis of treatment of Tourette?s disorder (2) Inadequate response or inability to tolerate aripiprazole.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# OPSYNVI 2026

---

## Products Affected

- OPSYNVI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# OPZELURA 2026

---

## Products Affected

- OPZELURA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ORAL ANTIBIOTICS 2026

---

## Products Affected

- NUZYRA
- SIVEXTRO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ORAL CHEMO AGENTS 2026

---

## Products Affected

- *abiraterone acetate*
- ABIRTEGA
- AFINITOR
- AFINITOR DISPERZ
- AKEEGA
- ALECENSA
- ALUNBRIG
- AUGTYRO
- AVMAPKI FAKZYNJA CO-PACK
- AYVAKIT
- BALVERSA
- *bexarotene*
- BOSULIF
- BRAFTOVI ORAL CAPSULE 75 MG
- CABOMETYX
- CALQUENCE ORAL TABLET
- CAPRELSA
- COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG
- COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG
- COMETRIQ (60 MG DAILY DOSE)
- COPIKTRA
- COTELLIC
- DANZITEN
- *dasatinib*
- DAURISMO
- ERIVEDGE
- ERLEADA
- *erlotinib hcl*
- *everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *everolimus oral tablet soluble*
- FOTIVDA
- FRUZAQLA
- GAVRETO
- *gefitinib*
- GILOTRIF
- GLEEVEC
- GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG
- GOMEKLI
- IBRANCE
- ICLUSIG
- IDHIFA
- *imatinib mesylate oral*
- IMBRUVICA ORAL CAPSULE
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG
- *imkeldi*
- INLYTA
- INQOVI
- INREBIC
- IRESSA
- ITOVEBI
- IWILFIN
- JAKAFI
- JAYPIRCA
- KISQALI (200 MG DOSE)
- KISQALI (400 MG DOSE)
- KISQALI (600 MG DOSE)
- KOSELUGO
- KRAZATI
- *lapatinib ditosylate*
- LAZCLUZE
- *lenalidomide*
- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)
- LENVIMA (18 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)
- LENVIMA (4 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)
- LONSURF
- LORBRENA
- LUMAKRAS
- LYNPARZA ORAL TABLET
- LYTGobi (12 MG DAILY DOSE)
- LYTGobi (16 MG DAILY DOSE)
- LYTGobi (20 MG DAILY DOSE)
- MEKINIST
- MEKTOVI
- NERLYNX
- NEXAVAR

- *nilotinib hcl*
- NINLARO
- NUBEQA
- ODOMZO
- OGSIVEO
- OJEMDA ORAL SUSPENSION RECONSTITUTED
- OJEMDA ORAL TABLET 100 MG
- OJJAARA
- ONUREG
- ORGOVYX
- ORSERDU
- *pazopanib hcl*
- PEMAZYRE
- PIQRAY (200 MG DAILY DOSE)
- PIQRAY (250 MG DAILY DOSE)
- PIQRAY (300 MG DAILY DOSE)
- POMALYST
- QINLOCK
- RETEVMO ORAL TABLET
- REVLIMID
- REVUFORJ
- REZLIDHIA
- ROMVIMZA
- ROZLYTREK
- RUBRACA
- RYDAPT
- SCEMBLIX
- *sorafenib tosylate*
- SPRYCEL
- STIVARGA
- *sunitinib malate*
- SUTENT
- TABRECTA
- TAFINLAR
- TAGRISSO
- TALZENNA
- TARGRETIN
- TASIGNA
- TAZVERIK
- TEPMETKO
- THALOMID ORAL CAPSULE 100 MG, 50 MG
- TIBSOVO
- TORPENZ
- TRUQAP ORAL TABLET 200 MG
- TUKYSA
- TURALIO ORAL CAPSULE 125 MG
- TYKERB
- VANFLYTA
- VENCLEXTA
- VENCLEXTA STARTING PACK
- VERZENIO
- VITRAKVI
- VIZIMPRO
- VONJO
- VORANIGO
- VOTRIENT
- WELIREG
- XALKORI
- XOSPATA
- XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG
- XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG
- XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG
- XPOVIO (80 MG TWICE WEEKLY)
- XTANDI
- YONSA
- ZEJULA ORAL TABLET
- ZELBORAF
- ZOLINZA
- ZYDELIG
- ZYKADIA ORAL TABLET
- ZYTIGA

PA Criteria	Criteria Details
Exclusion Criteria	



PA Criteria	Criteria Details
<b>Required Medical Information</b>	Approved when ANY of the following inclusion criteria is met: (1) Drug is FDA approved for indication and regimen requested, (2) The indication and regimen is classified as Category 1 or 2A by National Comprehensive Cancer Network (NCCN) Drugs and Biologics Compendium, (3) narrative text in The American Hospital Formulary Service-Drug Information (AHFS-DI) or Clinical Pharmacology Compendium is supportive for the specific condition(s) requested, (4) The Micromedex Compendium and the strength of recommendation is listed as Class I, Class IIa, or Class IIb for the specific condition(s) requested, (5) Indication is listed in Lexi-Drugs as ?off label? with evidence level A, (6) supported by Peer-Reviewed Medical Literature as defined in Chapter 15 Section 50.4.5 of the Medicare Benefit Policy Manual
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# ORAL PAH AGENTS 2026

## Products Affected

- OPSUMIT
- ORENITRAM
- ORENITRAM MONTH 1
- ORENITRAM MONTH 2
- ORENITRAM MONTH 3

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Documentation of a diagnosis of pulmonary arterial hypertension (PAH) WHO Group I with New York Heart Association (NYHA) Functional Class II to IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with a Cardiologist or Pulmonologist
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation):12 months.
<b>Other Criteria</b>	(PAH)(Continuation): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# ORENCIA SQ 2026

## Products Affected

- ORENCIA CLICKJECT
- ORENCIA SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(RA, PsA, PJIA): Concurrent therapy with biological DMARDs or other tumor necrosis factor antagonists
<b>Required Medical Information</b>	Rheumatoid arthritis (RA)(Initial): (1) Diagnosis of RA. (2) Inadequate response or inability to tolerate one DMARD: (e.g. methotrexate, hydroxychloroquine, leflunomide, azathioprine, sulfasalazine). Psoriatic arthritis (PsA)(Initial): (1) Diagnosis of PsA. Polyarticular Juvenile idiopathic arthritis (PJIA)(Initial): (1) Diagnosis of PJIA. (2) Inadequate response or inability to tolerate one of the following: methotrexate, leflunomide, sulfasalazine.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA, PJIA): Prescribed by or in consultation with a rheumatologist. (PsA): Prescribed by or in consultation with a dermatologist or rheumatologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(RA, PsA, PJIA)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# ORIAHNN 2026

---

## Products Affected

- ORIAHNN

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ORILISSA 2026

---

## Products Affected

- ORILISSA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ORKAMBI 2026

## Products Affected

- ORKAMBI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cystic Fibrosis (CF)(Initial): (1) Diagnosis of CF, (2) One of the following: (a) Documentation that member is homozygous for the F508del mutation in the CFTR gene (b) If the member's genotype is unknown, an FDA-cleared CF mutation test should be used to detect the presence of the F508del mutation on both alleles of the CFTR gene
<b>Age Restrictions</b>	(CF): Member is 1 year of age or older for granules. Member is 6 years of age or older for tablets.
<b>Prescriber Restrictions</b>	(CF): Prescribed by or in consultation with pulmonologist or Specialist affiliated with a CF care center
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CF)(Reauth): Member has had a positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# ORLADEYO 2026

---

## Products Affected

- ORLADEYO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# OTEZLA 2026

## Products Affected

- OTEZLA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Oral Ulcers Associated with Behcet's Disease (OU-BD)(Initial): (1) Diagnosis of OU-BD. Psoriatic arthritis (PsA)(Initial): (1) Diagnosis of PsA. Plaque psoriasis (PsO)(Initial): (1) Diagnosis of PsO.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PsA, OU-BD): Prescribed by or in consultation with a Rheumatologist or Dermatologist. (PsO): Prescribed by or in consultation with dermatologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(OU-BD, PsA, PsO)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No



# OVERACTIVE BLADDER AGENTS (OAB) ACH 2026

---

## Products Affected

- OXYTROL
- VESICARE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# OXERVATE 2026

## Products Affected

- OXERVATE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Neurotrophic keratitis (NK)(Initial): (1) Diagnosis of NK. (2) Submission of chart documentation indicating treatment of left eye, right eye, or both (3) Member will not exceed 8 weeks of Oxervate therapy per affected eye(s).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with an ophthalmologist or Optometrist.
<b>Coverage Duration</b>	8 weeks
<b>Other Criteria</b>	(NK)(Reauth): (1) Submission of chart documentation indicating treatment of left eye, right eye, or both with positive clinical response to therapy (2) Member has received less than or equal to 8 weeks of therapy (one course of therapy) per affected eye(s), (3) Documentation of clinical rationale for treatment greater than 8 weeks (e.g. member has a recurrence of neurotrophic keratitis, or treatment of a different eye), (4) Member will not exceed a total of 16 weeks of Oxervate therapy per affected eye(s).
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# PALYNZIQ 2026

---

## Products Affected

- PALYNZIQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

## PART D VS EXCLUDED 2026

### Products Affected

- CRINONE
- IMVEXXY MAINTENANCE PACK
- IMVEXXY STARTER PACK
- INTRAROSA
- OSPHENA
- VFEND IV
- *voriconazole intravenous*
- ZTLIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Indefinite
Other Criteria	Subject to additional clinical review for ESRD-related use - if applicable.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

## PDE INHIBITOR AGENTS FOR PAH 2026

### Products Affected

- ADCIRCA
- ALYQ
- *tadalafil (pah)*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# PHEBURANE 2026

---

## Products Affected

- PHEBURANE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# PRALUENT 2026

## Products Affected

- PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	<p>Hyperlipidemia (HLA) (Initial): (1) Diagnosis of hyperlipidemia, (2) ONE of the following: (A) LDL-C 70 mg/dL or greater after a minimum 8-week trial of at least moderate-intensity statin therapy OR (B) Inability to tolerate statin therapy as documented by one of the following: (i) member had rhabdomyolysis or symptoms with creatine kinase (CK) exceeding 10 times the upper limit of normal (ULN) or (ii) either of the following with TWO statins: myalgia (no CK elevation) or myositis (CK less than 10 times ULN or (iii) hepatotoxicity from statin use (increased AST/ALT exceeding 3 times ULN) or (iv) liver disease documented by Child Pugh A or worse OR AST/ALT exceeding 3 times ULN for at least 6 weeks</p> <p>Atherosclerotic cardiovascular disease (ASCVD) (Initial): (1) Diagnosis of atherosclerotic cardiovascular disease (ASCVD) as diagnosed by either stress test, angiography, atherosclerotic event (e.g. MI, angina, stroke, claudication, carotid stenosis) or arterial intervention for atherosclerotic disease (e.g. coronary, peripheral, carotid), (2) ONE of the following: (A) LDL-C 70 mg/dL or greater after a minimum 8-week trial of at least moderate-intensity statin therapy OR (B) Inability to tolerate statin therapy as documented by one of the following: (i) member had rhabdomyolysis or symptoms with creatine kinase (CK) exceeding 10 times the upper limit of normal (ULN) or (ii) either of the following with TWO statins: myalgia (no CK elevation) or myositis (CK less than 10 times ULN or (iii) hepatotoxicity from statin use (increased AST/ALT exceeding 3 times ULN) or (iv) liver disease documented by Child Pugh A or worse OR AST/ALT exceeding 3 times ULN for at least 6 weeks</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	(Initial): 6 months (Continuation): 2 years

PA Criteria	Criteria Details
<b>Other Criteria</b>	<p>Homozygous Familial Hypercholesterolemia (HoFH) (Initial): (1) Diagnosis of HoFH. (2) One of the following: (a) Untreated LDL-C greater than 500 mg/dL or (b) Treated LDL-C greater than 300 mg/dL. (3) Member is receiving other lipid-lowering therapy (e.g. statin, ezetimibe). (4) Not used in combination with Juxtapid (lomitapide). (HLA, ASVCD)(CONTINUATION): (1) Positive Clinical response to therapy (e.g. reduction in LDL-C levels).</p> <p>(HoFH)(Continuation): (1) Positive Clinical response to therapy (e.g. reduction in LDL-C levels). (2) Member continues to receive other lipid-lowering therapy (e.g. statin, ezetimibe). (3) Not used in combination with Juxtapid (lomitapide).</p>
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes



# PREFERRED DENOSUMAB 2026

---

## Products Affected

- JUBBONTI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# PREFERRED GLP-1 AGONISTS 2026

## Products Affected

- *liraglutide*
- MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML
- OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML
- OZEMPIC (2 MG/DOSE)
- RYBELSUS
- TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(DM2)(Initial): (1) One of the following: (a) For members requiring ongoing treatment for type 2 diabetes mellitus, submission of medical records (e.g. chart notes) confirming diagnosis of type 2 diabetes mellitus (b) Submission of medical records (e.g. chart notes) confirming diagnosis of type 2 diabetes mellitus as evidenced by one of the following laboratory values (i) A1C greater than or equal to 6.5 percent (ii) Fasting plasma glucose (FPG) greater than or equal to 126 mg/dL (iii) 2-hour plasma glucose (PG) greater than or equal to 200 mg/dL during OGTT (oral glucose tolerance test)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(DM2)(Reauth): Documentation of positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

## PREFERRED HEPATITIS C AGENTS 2026

### Products Affected

- EPCLUSA
- HARVONI
- *ledipasvir-sofosbuvir*
- MAVYRET
- *sofosbuvir-velpatasvir*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) Documentation of member's Hepatitis C Genotype. (2) Prescribed regimen is consistent with the current AASLD/IDSA guidance.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Duration will be applied consistent with AASLD/ IDSA guidance
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# PREFERRED TOCILIZUMAB SQ 2026

## Products Affected

- TYENNE SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# PREFERRED USTEKINUMAB SQ 2026

## Products Affected

- YESINTEK SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# PRETOMANID 2026

---

## Products Affected

- *pretomanid*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# PROCYSBI 2026

---

## Products Affected

- PROCYSBI ORAL PACKET

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# PROMACTA 2026

## Products Affected

- *eltrombopag olamine*
- PROMACTA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	<p>Chronic Idiopathic Thrombocytopenic Purpura (ITP)(Initial): (1) Diagnosis of relapsed/refractory, persistent, or chronic ITP. (2) Baseline platelet count is less than 30,000/mcL. (3) Member's degree of thrombocytopenia and clinical condition increase the risk of bleeding. (4) Inadequate response or inability to tolerate ONE of the following: (a) corticosteroids, (b) immune globulin, (c) splenectomy. First-Line for Severe Aplastic Anemia(FLSAA): (1) Diagnosis of severe aplastic anemia. (2) Used for first-line treatment (i.e., member has not received prior immunosuppressive therapy). (3) Member meets at least TWO of the following: (a) absolute neutrophil count less than 500/mcL, (b) platelet count less than 20,000/mcL, (c) absolute reticulocyte count less than 60,000/mcL. (4) Used in combination with standard immunosuppressive therapy (e.g. Agam [antithymocyte globulin equine] and cyclosporine). Refractory Severe Aplastic Anemia (RSAA)(Initial): (1) Diagnosis of refractory severe aplastic anemia. (2) Member has a platelet count less than 30,000/mcL. (3) Inadequate response or inability to tolerate immunosuppressive therapy with antithymocyte globulin and cyclosporine. Chronic Hepatitis C-Associated Thrombocytopenia (HEPC-TP)(Initial): (1) Diagnosis of chronic hepatitis C-associated thrombocytopenia. (2) One of the following: (a) Planning to initiate and maintain interferon-based treatment, or (b) currently receiving interferon-based treatment.</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(ITP, FLSAA, RSAA): Prescribed by or in consultation with hematologist/oncologist. (HEPC-TP): Prescribed by or in consultation with Hematologist/oncologist, Gastroenterologist, Hepatologist, Infectious disease specialist, HIV specialist.
<b>Coverage Duration</b>	(ITP).=12mo.(FLSAA)=6mo.(RSAA)Initial=6mo.(HEPC-TP)Initial=3mo.(RSAA,HEPC-TP)Cont.=12mo.



PA Criteria	Criteria Details
<b>Other Criteria</b>	(ITP, RSAA)(Continuation): (1) Positive clinical response to therapy as evidenced by an increase in platelet count to a level sufficient to avoid clinically important bleeding. (HEPC-TP)(Continuation): (1) ONE of the following: (A) For members that started treatment with Promacta prior to initiation of treatment with interferon, both of the following: (i) Member is currently on antiviral interferon therapy for treatment of chronic hepatitis C, AND (ii) member reached a threshold platelet count that allows initiation of antiviral interferon therapy with Promacta treatment by week 9. (B) For members that started treatment with Promacta while on concomitant treatment with interferon, member is currently on antiviral interferon therapy for treatment of chronic hepatitis C.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# PYRUKYND 2026

---

## Products Affected

- PYRUKYND
- PYRUKYND TAPER PACK

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# QBREXZA 2026

## Products Affected

- QBREXZA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Primary Axillary Hyperhidrosis (PAH) (Initial) (1) Diagnosis of primary axillary hyperhidrosis: (2) Hyperhidrosis Disease Severity Scale grade 3 or 4 (3) Other causes of axillary hyperhidrosis have been ruled out (e.g., menopause, medications) (4) Disease frequently interferes with daily activities (e.g., daily clothes changes required)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with a dermatologist, primary care physician, internist, or pediatrician.
<b>Coverage Duration</b>	(Initial, Reauth): 12 months
<b>Other Criteria</b>	(PAH)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# QUALAQUIN 2026

## Products Affected

- *quinine sulfate oral*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Use for treatment or prevention of nocturnal leg cramps
<b>Required Medical Information</b>	Uncomplicated Malaria: (1) Diagnosis of uncomplicated malaria due to (a) plasmodium falciparum malaria or (b) plasmodium vivax . (2) One of the following: (a) Both of the following: (i) treatment in areas of chloroquine-sensitive malaria (ii) Inadequate response or inability to tolerate chloroquine or hydroxychloroquine, or (b) treatment in areas of chloroquine-resistant malaria. Babesiosis: (1) Diagnosis of babesiosis.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Babesiosis: 10 days Uncomplicated Malaria: 14 Days
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# QULIPTA 2026

---

## Products Affected

- QULIPTA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# QUVIVIQ 2026

---

## Products Affected

- QUVIVIQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# RADICAVA 2026

## Products Affected

- RADICAVA ORS STARTER KIT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Amyotrophic Lateral Sclerosis (ALS)(Initial): (1) Diagnosis of definite or probable ALS per the revised El Escorial World Federation of Neurology criteria. (2) Normal respiratory function defined as forced vital capacity (FVC) of greater than or equal to 80% at the start of treatment. (3) Scores of 2 points or greater on each individual item of the ALS Functional Rating Scale-revised (ALSFRS-R).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(ALS): Prescribed by or in consultation with a neurologist with expertise in the diagnosis of ALS
<b>Coverage Duration</b>	6 months.
<b>Other Criteria</b>	(ALS)(Reauth): (1) Member shows benefit from therapy (e.g. slowing of decline of functional abilities).
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# RALDESY 2026

## Products Affected

- RALDESY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Major depressive disorder (MDD): (1) Diagnosis of major depressive disorder (MDD) (2) One of the following: (a) inadequate response or inability to tolerate both of the following: (i) generic formulary trazadone tablets (ii) generic formulary serotonin reuptake inhibitors (SSRI) OR (b) Member is unable to swallow tablets.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Indefinite
Other Criteria	(All Indications): Approve if for continuation of therapy.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# RAVICTI 2026

---

## Products Affected

- RAVICTI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# RECORLEV 2026

---

## Products Affected

- RECORLEV

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# REPATHA 2026

---

## Products Affected

- REPATHA
- REPATHA PUSHTRONEX SYSTEM
- REPATHA SURECLICK

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# RESPIRATORY ENZYMES 2026

## Products Affected

- ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG
- GLASSIA INTRAVENOUS SOLUTION 1000 MG/50ML
- PROLASTIN-C INTRAVENOUS SOLUTION
- ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(ATT): (1) IgA deficiency with known anti-IgA antibody. (2) Member is a smoker
<b>Required Medical Information</b>	Part D is medically necessary when there is documentation of: Alpha 1-antitrypsin (AAT) deficiency: (1) Submission of medical records showing diagnosis of congenital alpha1-antitrypsin deficiency as confirmed by ONE of the following: (a) PiZZ, PiZ(null) or Pi(null)(null) protein phenotypes (homozygous) OR (B) Other rare AAT disease-causing alleles associated with serum alpha1-antitrypsin (AAT) level less than 11uM/L (2) Submission of medical records showing clinical evidence of chronic emphysema without evidence of alpha 1-antitrypsin-associated liver disease (3) Member has a low serum concentration of alpha 1-antitrypsin (AAT) less than 80 mg/dL (radial immunodiffusion) or 50 mg/dl (nephelometry) or less than 11 uM/L (nephelometry) or less than 0.8 g/L (35 percent of normal)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	Subject to Part B vs Part D review.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# REXULTI 2026

## Products Affected

- REXULTI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Alzheimer's disease (AD): (1) Diagnosis of agitation associated with dementia due to Alzheimer's disease in adults. Schizophrenia: (1) Diagnosis of schizophrenia (2) Inadequate response or inability to tolerate TWO of the following: aripiprazole, quetiapine, asenapine, olanzapine, paliperidone, risperidone, ziprasidone. Major Depressive Disorder (MDD): (1) Diagnosis of major depressive disorder and as adjunctive therapy to antidepressants (2) Inadequate response or inability to tolerate aripiprazole and quetiapine
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# REZDIFFRA 2026

---

## Products Affected

- REZDIFFRA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# REZUROCK 2026

## Products Affected

- REZUROCK

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Chronic graft-versus-host disease (cGVHD) (Initial): (1) Diagnosis of chronic graft-versus-host disease, (2) Inadequate response or inability to tolerate two or more lines of systemic therapy (e.g. corticosteroids, mycophenolate, etc.)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(cGVHD): Prescribed by or in consultation with one of the following (1) Hematologist, (2) Oncologist, (3) physician experienced in the management of transplant patients
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(cGVHD) (Reauth): (1) Member does not show evidence of progressive disease while on therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# RINVOQ 2026

---

## Products Affected

- RINVOQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# RINVOQ LQ 2026

## Products Affected

- RINVOQ LQ

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent use with any other biologic disease modifying antirheumatic drug (DMARD), other JAK inhibitors, or potent immunosuppressants (e.g. azathioprine, cyclosporine).
<b>Required Medical Information</b>	Psoriatic Arthritis (PsA)(Initial): (1) Diagnosis of PsA, (2) Member had an inadequate response or inability to tolerate one or more TNF inhibitors (e.g. Enbrel, Adalimumab-AACF) or documentation demonstrating that a trial may be inappropriate. Polyarticular Juvenile Idiopathic Arthritis (PJIA)(Initial): (1) Diagnosis of active PJIA, (2) Inadequate response or inability to tolerate ONE of the following: Methotrexate, Leflunomide, Sulfasalazine (3) Member had an inadequate response or inability to tolerate one or more TNF inhibitors (e.g. Enbrel, Adalimumab-AACF) or documentation demonstrating that a trial may be inappropriate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PsA): Prescribed by or in consultation with a rheumatologist or dermatologist. (pJIA): Prescribed by or in consultation with a rheumatologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(PsA, pJIA)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# RIVFLOZA 2026

---

## Products Affected

- RIVFLOZA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# SEROSTIM 2026

---

## Products Affected

- SEROSTIM SUBCUTANEOUS SOLUTION  
RECONSTITUTED 4 MG, 5 MG, 6 MG

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# SIGNIFOR 2026

## Products Affected

- SIGNIFOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cushing's disease (CD)(Initial): (1) Diagnosis of (pituitary) Cushing's disease. (2) Pituitary surgery is not an option or has not been curative
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CD) Prescribed by or in consultation with an endocrinologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CD)(Reauth): Documentation of positive clinical response (e.g. clinically meaningful reduction in 24- hour urinary free cortisol levels, improvement in signs or symptoms of the disease)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# SILDENAFIL 2026

## Products Affected

- REVATIO ORAL TABLET
- *sildenafil citrate oral suspension reconstituted*
- *sildenafil citrate oral tablet 20 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(PAH, RP): Documentation of concomitant nitrate use
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH): (1) Diagnosis of PAH WHO Group I with New York Heart Association (NYHA) Functional Class II to IV (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less. Raynaud's Phenomenon (RP): (1) Diagnosis of secondary Raynaud's phenomenon. (2) Inadequate response or inability to tolerate a calcium channel blocker.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with a Cardiologist or Pulmonologist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# SILIQ 2026

---

## Products Affected

- SILIQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# SIMPONI 2026

## Products Affected

- SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic disease modifying anti-rheumatic drug (DMARD), e.g. tumor necrosis factor antagonists
<b>Required Medical Information</b>	Ankylosing Spondylitis (AS)(Initial): (1) Diagnosis of AS. (2) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) etanercept (Enbrel), (c) secukinumab (Cosentyx), (d) tofacitinib (Xeljanz/Xeljanz XR), (e) upadacitinib (Rinvoq) or documentation demonstrating that a trial may be inappropriate. Psoriatic Arthritis (PsA)(Initial): (1) Diagnosis of PsA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Xeljanz/Xeljanz XR, (d) Rinvoq/Rinvoq LQ, (e) Skyrizi, (f) Cosentyx, (g) Ustekinumab (i.e. Yesintek), (h) Orencia, (i) Otezla OR documentation demonstrating that a trial may be inappropriate. Rheumatoid arthritis (RA)(Initial): (1) Diagnosis of moderate to severe RA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Enbrel, (c) Rinvoq, (d) Xeljanz/Xeljanz XR, (e) Orencia OR documentation demonstrating that a trial may be inappropriate. Ulcerative Colitis (UC)(Initial): (1) Diagnosis of moderate to severe UC. (2) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e. Adalimumab-AACF), and (b) Xeljanz/Xeljanz XR, (c) Ustekinumab (i.e. Yesintek), (d) Rinvoq, (e) Skyrizi OR documentation demonstrating that a trial may be inappropriate.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(RA, AS): Prescribed by or in consultation with a rheumatologist. (PsA): Prescribed by or in consultation with a rheumatologist or dermatologist. (UC): Prescribed by or in consultation with a gastroenterologist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(AS, PsA, RA, UC)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# SIRTURO 2026

---

## Products Affected

- SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# SKYCLARYS 2026

---

## Products Affected

- SKYCLARYS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# SKYRIZI SC 2026

---

## Products Affected

- SKYRIZI PEN
- SKYRIZI SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# SKYTROFA 2026

---

## Products Affected

- SKYTROFA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# SOGROYA 2026

---

## Products Affected

- SOGROYA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# SOHONOS 2026

---

## Products Affected

- SOHONOS

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# SOTATERCEPT 2026

## Products Affected

- WINREVAIR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Diagnosis of PAH WHO Group I with New York Heart Association (NYHA) Functional Class II to III (2) inadequate response or inability to tolerate TWO of the following: (a) Endothelin Receptor Antagonist (bosentan, ambrisentan, macitentan) (b) Phosphodiesterase 5 inhibitor (tadalafil, sildenafil) (c) IV prostacyclin therapy (treprostinil, epoprostenol) (3) Member continues to receive other PAH therapies (e.g. ambrisentan, tadalafil)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with cardiologist or pulmonologist.
<b>Coverage Duration</b>	(Initial) 6 months (Reauth) 12 months
<b>Other Criteria</b>	(PAH)(Reauth): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# SOTYKTU 2026

---

## Products Affected

- SOTYKTU

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# SPEVIGO SQ 2026

---

## Products Affected

- SPEVIGO SUBCUTANEOUS SOLUTION  
PREFILLED SYRINGE 150 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# SUNOSI 2026

---

## Products Affected

- SUNOSI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# SYMDEKO 2026

---

## Products Affected

- SYMDEKO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# TADALAFIL (BPH) 2026

## Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(BPH): Concurrent use of nitrates.
<b>Required Medical Information</b>	Benign prostatic hyperplasia (BPH): (1) Diagnosis of BPH. (2) Inadequate response or inability to tolerate an alpha blocker (e.g. tamsulosin, terazosin) or a 5-alpha reductase inhibitor (e.g. dutasteride, finasteride).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# TADLIQ 2026

---

## Products Affected

- TADLIQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# TAFAMIDIS 2026

---

## Products Affected

- VYNDAMAX
- VYNDAQEL

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# TAKHZYRO 2026

---

## Products Affected

- TAKHZYRO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# TALTZ 2026

## Products Affected

- TALTZ

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with biological DMARDs or other tumor necrosis factor antagonists
<b>Required Medical Information</b>	<p>Plaque Psoriasis (PsO)(Initial): (1) Diagnosis of moderate to severe PsO. (2) ONE of the following: (A) For members 6 to 17 years of age: an inadequate response or inability to tolerate two of the following: (a) Enbrel, (b) Cosentyx, (c) Ustekinumab (i.e. Yesintek) or documentation demonstrating that a trial may be inappropriate, OR (B) For members 18 years of age or older: an inadequate response or inability to tolerate two of the following: (a) Cosentyx (b) Enbrel (c) Adalimumab (i.e. Adalimumab-AACF) (d) Skyrizi, (e) Ustekinumab (i.e. Yesintek), (f) Otezla or documentation demonstrating that a trial may be inappropriate. Psoriatic arthritis (PsA)(Initial): (1) Diagnosis of PsA. (2) Inadequate response or inability to tolerate TWO of the following: (a) Enbrel (b) Adalimumab(i.e. Adalimumab-AACF) (c) Cosentyx (d) Rinvoq/Rinvoq LQ (e) Skyrizi (f) Ustekinumab (i.e. Yesintek) (g) Xeljanz/Xeljanz XR, (h) Orencia, (i) Otezla OR documentation demonstrating that a trial may be inappropriate. Ankylosing spondylitis (AS)(Initial): (1) Diagnosis of AS. (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) etanercept (Enbrel), (c) secukinumab (Cosentyx), (d) upadacitinib (Rinvoq), (e) tofacitinib (Xeljanz/Xeljanz XR) OR documentation demonstrating that a trial may be inappropriate. Non-Radiographic Axial Spondyloarthritis (nr-axSpA)(Initial): (1) Diagnosis of nr-axSpA. (2) Inadequate response or inability to tolerate Rinvoq OR Cosentyx OR documentation demonstrating that a trial may be inappropriate (3) Inadequate response or inability to tolerate one NSAID (e.g. ibuprofen, meloxicam, naproxen).</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PsO): Prescribed by or in consultation with a dermatologist. (PsA): Prescribed by or in consultation with a dermatologist or rheumatologist. (AS, nr-axSpA): Prescribed by or in consultation with a rheumatologist.
<b>Coverage Duration</b>	12 months



PA Criteria	Criteria Details
<b>Other Criteria</b>	(PsA, AS, nr-axSpA, PsO)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# TARPEYO 2026

---

## Products Affected

- TARPEYO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# TASIMELTEON 2026

---

## Products Affected

- *tasimelteon*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# TAVALISSE 2026

---

## Products Affected

- TAVALISSE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# TAVNEOS 2026

## Products Affected

- TAVNEOS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Severe Active Anti-neutrophil Cytoplasmic Autoantibody (ANCA)-associated Vasculitis (granulomatosis with polyangiitis [GPA] and microscopic polyangiitis [MPA]) (ANCA-V(GPA)(MPA))(Initial): (1) Diagnosis of Severe Active Anti-neutrophil Cytoplasmic Autoantibody (ANCA)-associated Vasculitis (granulomatosis with polyangiitis [GPA] or microscopic polyangiitis [MPA]), (2) Used as adjunct to standard therapy, and glucocorticoids (3) Member is on concurrent immunosuppressant therapy with cyclophosphamide or rituximab (Rituxan).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(ANCA-V(GPA)(MPA))Prescribed by or in consultation with a nephrologist, pulmonologist, or rheumatologist.
<b>Coverage Duration</b>	(Initial): 6 Months (Reauth): 1 year
<b>Other Criteria</b>	(ANCA-V(GPA)(MPA))(Reauth): (1) Positive clinical response to therapy defined as sustained remission as assessed by the Birmingham Vasculitis Activity Score (BVAS). (2) Reduction in use of glucocorticoids for treatment (3) Member is on concurrent immunosuppressant therapy with cyclophosphamide or rituximab (Rituxan).
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# TERIPARATIDE 2026

## Products Affected

- BONSITY 560 mcg/2.24ml
- FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 560 MCG/2.24ML
- *teriparatide subcutaneous solution pen-injector*

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# TESTOSTERONE PRODUCTS 2026

## Products Affected

- AVEED 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%),
- DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)
- JATENZO • testosterone transdermal solution
- testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml • TLANDO
- testosterone enanthate intramuscular solution • UNDECATREX
- testosterone transdermal gel 10 mg/act (2%), • XYOSTED

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Delayed Puberty (DP): (1) Diagnosis of delayed puberty in male members (Applies to Testosterone Enanthate only). Breast Cancer (BC): (1) Diagnosis of inoperable breast cancer in female members (Applies to Testosterone Enanthate only) (2) Used for palliative treatment Hypogonadism (HG)(New starts only): (1) Attestation that diagnosis was initially confirmed by ALL of the following: (A) Two early morning total testosterone levels below 300 ng/dL measured on separate occasions, (B) Normal Prolactin Level, and (C) Physical or cognitive symptoms of testosterone deficiency (e.g. physical: fatigue, sleep disturbances, decreased activity, cognitive: depressive symptoms, cognitive dysfunction, loss of concentration, poor memory, irritability), (2) ONE of the following (A) negative history of prostate and breast cancer OR (B) Both of the following (i) history of prostate cancer with stable PSA less than or equal to 4ng/dL for 2 years and (ii) documentation that the risk versus benefit has been assessed.
<b>Age Restrictions</b>	(HG) Member is 12 years of age or older (applies to generic testosterone cypionate only) and member is 18 years of age or older for all other products
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	(DP, BC): Indefinite (HG)(New Starts, Continuation): Indefinite
<b>Other Criteria</b>	(HG)(Continuation): ONE of the following (1) negative history of prostate and breast cancer OR (2) Both of the following (a) history of prostate cancer with stable PSA less than or equal to 4ng/dL for 2 years and (b) documentation that the risk versus benefit has been assessed
<b>Indications</b>	All Medically-accepted Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No



# TETRABENAZINE 2026

## Products Affected

- tetrabenazine

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Tardive Dyskinesia (TD)(Initial): (1) Diagnosis of TD, (2) Documentation is provided of ONE of the following: (a) Persistent symptoms of tardive dyskinesia despite a trial of dose reduction, tapering or discontinuation of the offending medication, or (b) Member is not a candidate for a trial of dose reduction, tapering, or discontinuation of the offending medication. Tourette's Syndrome (TS): (1) Diagnosis of TS, (2) Member has tics associated with Tourette's syndrome, (3) Inadequate response or inability to tolerate haloperidol or risperidone. Chorea- Huntington's Disease (CHD): (1) Diagnosis of chorea associated with Huntington's disease
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(TS, CHD): Prescribed by or in consultation with a neurologist or a psychiatrist. (TD): Prescribed by or in consultation with a neurologist or a psychiatrist.
<b>Coverage Duration</b>	(TD)(Initial): 3 months. (TD)(Reauth): Indefinite. (TS, CHD): Indefinite.
<b>Other Criteria</b>	(TD)(Reauth): Positive clinical response to therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# TOLVAPTAN 2026

## Products Affected

- *tolvaptan*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(1) Members who are unable to sense or appropriately respond to thirst, (2) hypovolemic hyponatremia, (3) concomitant use of strong CYP3A inhibitors (4) Anuria (5) Autosomal dominant polycystic kidney disease (ADPKD)
<b>Required Medical Information</b>	Hyponatremia (HN) (1) Diagnosis of clinically significant hypervolemic or euvolemic hyponatremia. (2) One of the following: (a) serum sodium less than 125meq/L or (b) serum sodium 125-134meq/L with symptoms (e.g., nausea, vomiting, headache, lethargy, confusion, etc.) (3) Treatment has been initiated or re-initiated in a hospital setting prior to discharge within the past 30 days. (4) Inadequate response or inability to tolerate therapies to control hyponatremia (e.g., fluid restriction, diuretics, etc.).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Hyponatremia: Prescribed by or in consultation with a cardiologist, endocrinologist or nephrologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# TOPICAL CHEMO AGENTS 2026

## Products Affected

- *bexarotene*
- TARGRETIN
- VALCHLOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Approved when ANY of the following inclusion criteria is met: (1) Drug is FDA approved for indication and regimen requested, (2) The indication and regimen is classified as Category 1 or 2A by National Comprehensive Cancer Network (NCCN) Drugs and Biologics Compendium, (3) narrative text in The American Hospital Formulary Service-Drug Information (AHFS-DI) or Clinical Pharmacology Compendium is supportive for the specific condition(s) requested, (4) The Micromedex Compendium and the strength of recommendation is listed as Class I, Class IIa, or Class IIb for the specific condition(s) requested, (5) Indication is listed in Lexi-Drugs as ?off label? with evidence level A, (6) supported by Peer-Reviewed Medical Literature as defined in Chapter 15 Section 50.4.5 of the Medicare Benefit Policy Manual
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with an oncologist or dermatologist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# TOPICAL RETINOID PRODUCTS 2026

## Products Affected

- *adapalene external cream*
- *adapalene external gel 0.3 %*
- *adapalene external pad*
- *adapalene-benzoyl peroxide external gel*
- AKLIEF
- ALTRENO
- ATRALIN
- CABTREO
- *clindamycin-tretinoin*
- DIFFERIN EXTERNAL CREAM
- DIFFERIN EXTERNAL GEL 0.3 %
- EPIDUO
- EPIDUO FORTE
- RETIN-A
- RETIN-A MICRO
- RETIN-A MICRO PUMP EXTERNAL GEL 0.06 %, 0.08 %
- *tretinoin external*
- *tretinoin microsphere external gel 0.04 %, 0.1 %*
- *tretinoin microsphere pump external gel 0.08 %*
- TWYNEO
- ZIANA

PA Criteria	Criteria Details
Exclusion Criteria	Cosmetic use
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Remainder of contract year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

# TRACLEER 2026

## Products Affected

- TRACLEER

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Documentation of a diagnosis of pulmonary arterial hypertension (PAH) WHO Group I with New York Heart Association (NYHA) Functional Class II to IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less. (4) Inadequate response or inability to tolerate generic bosentan.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH): Prescribed by or in consultation with a Cardiologist or Pulmonologist
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation):12 months.
<b>Other Criteria</b>	(PAH)(Continuation): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# TREMFYA SQ 2026

## Products Affected

- TREMFYA CROHNS INDUCTION
- TREMFYA ONE-PRESS
- TREMFYA PEN SUBCUTANEOUS SOLUTION  
AUTO-INJECTOR 200 MG/2ML
- TREMFYA SUBCUTANEOUS SOLUTION  
REFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with biological DMARDs or other tumor necrosis factor antagonists
<b>Required Medical Information</b>	<p>Plaque psoriasis (PsO)(Initial): (1) Diagnosis or moderate to severe PsO. (2) Inadequate response or inability to tolerate two of the following: (a) Cosentyx, (b) Enbrel, (c) Adalimumab (i.e. Adalimumab-AACF), (d) Skyrizi, (e) Ustekinumab (i.e. Yesintek) , (f) Otezla OR documentation demonstrating that a trial may be inappropriate. Psoriatic arthritis (PsA)(Initial): (1) Diagnosis of PsA, (2) Inadequate response or inability to tolerate TWO of the following: (a) Adalimumab (i.e. Adalimumab-AACF) (b) Enbrel (c) Cosentyx (d) Rinvoq/Rinvoq LQ (e) Skyrizi (f) Ustekinumab (i.e. Yesintek) (g) Xeljanz/Xeljanz XR, (h) Orencia, (i) Otezla or documentation demonstrating that a trial may be inappropriate. Ulcerative colitis (UC) (Initial): (1) Diagnosis of moderately to severely active UC (2) ONE of the following: (a) Inadequate response or inability to tolerate two of the following: (i) Adalimumab (i.e. Adalimumab-AACF), (ii) ustekinumab (Stelara i.e. Yesintek), (iii) upadacitinib (Rinvoq), (iv) tofacitinib (Xeljanz/Xeljanz XR), (v) risankizumab (Skyrizi) OR documentation demonstrating that a trial may be inappropriate (b) Will be used as a maintenance dose following the intravenous induction doses. Crohn's Disease (CD)(Initial): (1) Diagnosis of moderately to severely active CD (2) One of the following: (A) Inadequate response or inability to tolerate two of the following: (a) Adalimumab (i.e. Adalimumab-AACF), (b) Ustekinumab (i.e. Yesintek), (c) Skyrizi, (d) Rinvoq or documentation demonstrating that a trial may be inappropriate. (B) Will be used as a maintenance dose following the intravenous induction doses</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PsO): Prescribed by or in consultation with a dermatologist. (PsA): Prescribed by or in consultation with a dermatologist or rheumatologist. (UC,CD): Prescribed by or in consultation with a gastroenterologist
<b>Coverage Duration</b>	12 months

PA Criteria	Criteria Details
<b>Other Criteria</b>	(PsO, PsA, UC, CD)(Reauth): (1) Member demonstrates positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# TRIKAFTA 2026

## Products Affected

- TRIKAFTA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Cystic Fibrosis (CF)(Initial): (1) Diagnosis of Cystic Fibrosis. (2) One of the following: (a) Documentation that member has at least one F508del mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene as detected by an FDA-cleared cystic fibrosis mutation test (b) A mutation in the CFTR gene that is responsive based on in vitro data. (c) If the member's genotype is unknown, an FDA-cleared CF mutation test should be used to detect the presence of the F508del mutation on both alleles of the CFTR gene
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CF): Prescribed by or in consultation with a pulmonologist or Specialist affiliated with a CF care center
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CF)(Reauth): Member has had a positive clinical response to therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No



# TRYNGOLZA 2026

---

## Products Affected

- TRYNGOLZA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# TRYVIO 2026

---

## Products Affected

- TRYVIO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# TYMLOS 2026

## Products Affected

- TYMLOS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Postmenopausal Osteoporosis (PMO) (Initial): (1) Diagnosis of PMO. (2) Member has severe osteoporosis or is at a high to very high risk for fracture as defined by ONE of the following: (a) Member has a history of multiple vertebral fractures, (b) T score of the individual's bone mineral density (BMD) is at least -2.5 standard deviations below the young adult mean OR (c) history of osteoporotic fracture (i.e. Low-trauma fracture of the hip, spine, pelvis, or distal forearm, etc.) (3) Inadequate response or inability to tolerate ONE of the following: (a) bisphosphonates, (b) hormone replacement therapy, (c) selective-estrogen receptor modulators (SERMs), OR (d) Denosumab (Prolia). Osteoporosis at high risk for fracture in men (OSTm) (Initial): (1) Diagnosis of primary or hypogonadal osteoporosis (2) Both of the following: (a) Bone mineral density (BMD) T-score of -2.5 or lower in the lumbar spine, femoral neck, total hip, or radius (one-third radius site) (b) One of the following (i) History of low-trauma fracture of the hip, spine, pelvis, or distal forearm (ii) inadequate response or inability to tolerate at least one osteoporosis treatment (e.g. alendronate, risedronate, zoledronic acid, Prolia [denosumab])
<b>Age Restrictions</b>	(PMO, OSTm) Member is 18 years of age or older
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Remainder of contract year
<b>Other Criteria</b>	(PMO, OSTm)(Reauth): Cumulative lifetime therapy does not exceed 2 years
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

# TYVASO DPI 2026

## Products Affected

- TYVASO DPI MAINTENANCE KIT INHALATION  
POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG
- TYVASO DPI TITRATION KIT INHALATION  
POWDER 16 & 32 & 48 MCG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Pulmonary Arterial Hypertension (PAH) (Initial): (1) Diagnosis of pulmonary arterial hypertension (PAH) WHO Group I with New York Heart Association (NYHA) Functional Class II to IV. (2) Diagnosis confirmed by catheterization (right-heart or Swan-Ganz) or echocardiography. (3) Documentation of all the following: (a) Mean pulmonary arterial pressure is greater than 20 mm Hg. (b) Pulmonary vascular resistance (PVR) is greater than 2.0 Woods Units (WU). (c) The pulmonary capillary wedge pressure or left ventricular end-diastolic pressure is 15 mm Hg or less. Pulmonary Hypertension Associated with Interstitial Lung Disease (PH-ILD) (Initial): (1) Diagnosis of pulmonary hypertension associated with interstitial lung disease (PHILD) WHO Group 3. (2) Diagnosis confirmed by diagnostic test(s) (e.g. right heart catheterization, doppler echocardiogram, computerized tomography imaging).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAH)(PH-ILD): Prescribed by or in consultation with a Cardiologist or Pulmonologist
<b>Coverage Duration</b>	(Initial): 6 months. (Continuation): 12 months.
<b>Other Criteria</b>	(PAH)(PH-ILD)(CONTINUATION): Stabilization or improvement as evaluated by a cardiologist or pulmonologist.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# UBRELVY 2026

---

## Products Affected

- UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# UPTRAVI 2026

---

## Products Affected

- UPTRAVI ORAL
- UPTRAVI TITRATION

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# VECAMEYL 2026

---

## Products Affected

- VECAMEYL

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# VELSIPITY 2026

---

## Products Affected

- VELSIPITY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# VEOZAH 2026

## Products Affected

- VEOZAH

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(VMS)(Initial): (1) Diagnosis of moderate to severe vasomotor symptoms due to menopause (2) Inadequate response or inability to tolerate one of the following (a) menopausal hormone therapy (e.g. estradiol tablets) (b) non-hormonal therapy (e.g. paroxetine, venlafaxine, clonidine, etc.) (3) ONE of the following: (a) Aminotransferase is does not exceed 2 x the upper limit of normal (ULN) (b) The total bilirubin does not exceed 2 x the upper limit of normal (ULN) for the evaluating laboratory.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	(VMS)(Initial): 6 months, (Reauth): 12 months
<b>Other Criteria</b>	(VMS)(Reauth): (1) Documentation of positive clinical response to therapy (e.g. decrease in frequency and severity of vasomotor symptoms from baseline, etc.) (2) Member is not experiencing signs or symptoms that may suggest liver injury (new onset fatigue, decreased appetite, nausea, vomiting, pruritus, jaundice, pale feces, dark urine, or abdominal pain) (3) One of the following: (i) Transaminase elevations does not exceed 5 x the upper limit of normal (ULN), OR (ii) Does not exceed 3 x the ULN and the total bilirubin level does not exceed 2 x ULN.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# VERKAZIA 2026

---

## Products Affected

- VERKAZIA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# VERQUVO 2026

## Products Affected

- VERQUVO

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Chronic Heart Failure (CHF) (Initial): (1) Diagnosis of chronic heart failure. (2) Member has New York Heart Association (NYHA) Class II, III, or IV symptoms (3) Ejection fraction less than 45 percent (4) One of the following: (a) Member was hospitalized for heart failure within the last 6 months (b) Member used outpatient intravenous diuretics (e.g., bumetanide, furosemide) for heart failure within the last 3 months (5) Inadequate response or inability to tolerate TWO of the following: (a) Angiotensin converting enzyme (ACE) inhibitor (e.g., captopril, enalapril) (b) Angiotensin II receptor blocker (ARB) (e.g., candesartan, valsartan) (c) Angiotensin receptor-neprilysin inhibitor (ARNI) [e.g., Entresto (sacubitril and valsartan)] (d) Beta blocker (e.g. bisoprolol, carvedilol, metoprolol succinate ER) (e) Sodium-glucose co-transporter 2 (SGLT2) inhibitor [e.g., Jardiance (empagliflozin), Farxiga (dapagliflozin), Xigduo XR (dapagliflozin and metformin)] (f) Mineralocorticoid receptor antagonist (MRA) [e.g., eplerenone, spironolactone]
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CHF) (Initial): Prescribed by or in consultation with a Cardiologist
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CHF) (Cont): Documentation of positive clinical response to therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# VIGAFYDE SOLUTION 2026

## Products Affected

- VIGAFYDE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Infantile spasm: (1) Diagnosis of infantile spasm (2) Inadequate response or inability to tolerate Vigpoder or Vigabatrín powder for oral solution
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	Prescribed by or in consultation with neurologist/epilepsy specialist
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# VIJOICE 2026

---

## Products Affected

- VIJOICE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# VIVJOA 2026

---

## Products Affected

- VIVJOA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# VOQUEZNA PAK 2026

---

## Products Affected

- VOQUEZNA DUAL PAK
- VOQUEZNA TRIPLE PAK

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# VOQUEZNA TABLETS 2026

## Products Affected

- VOQUEZNA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	(H. pylori): (1) Diagnosis of Helicobacter pylori infection (2) One of the following: (a) Used in combination with amoxicillin and clarithromycin for the treatment of H. pylori infection OR (b) Used in combination with amoxicillin for the treatment of H. pylori infection (3) An inadequate response or inability to tolerate ONE of the following: (a) Clarithromycin based therapy (e.g. clarithromycin based triple therapy, clarithromycin based concomitant therapy) OR (b) Bismuth quadruple therapy (e.g. bismuth and metronidazole and tetracycline and proton pump inhibitor [PPI]). Erosive Esophagitis (EE): (1) ONE of the following: (a) Used for healing of all grades of erosive esophagitis and relief of heartburn associated with erosive esophagitis OR (b) Used to maintain healing and relief of heartburn associated with erosive esophagitis (2) An inadequate response or inability to tolerate TWO of the following generic proton pump inhibitors (PPI?s): omeprazole, esomeprazole, pantoprazole, lansoprazole, rabeprazole, and dexlansoprazole.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	H. pylori: 1 month Healing of EE: 8 weeks. Maintenance of EE: 6 month GERD: 1 month
<b>Other Criteria</b>	Heartburn with GERD: (1) Diagnosis of non-erosive Gastroesophageal Reflux Disease (GERD) (2) BOTH of the following: (a) Member has history of heartburn for at least 6 months (b) Heartburn symptoms are present for at least 4 days during any consecutive 7-day period (3) An inadequate response (minimum 8-week supply) or inability to tolerate TWO of the following generic proton pump inhibitors (PPI?s): omeprazole, esomeprazole, pantoprazole, lansoprazole, rabeprazole, and dexlansoprazole.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	

PA Criteria	Criteria Details
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# VOWST 2026

## Products Affected

- VOWST

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Prevention of the recurrence of Clostridioides difficile infection (PCDI): (1) Diagnosis of recurrent Clostridioides difficile infection as defined by both of the following: (a) Presence of diarrhea defined as passage of 3 or more loose bowel movements within a 24-hour period for at least 2 consecutive days (b) a positive stool test for C. difficile toxin or toxigenic C. difficile (2) Member has a history of two or more recurrent episodes of CDI within 12 months (3) Member has completed at least 10 consecutive days of one of the following antibiotic therapies 2-4 days prior to initiating Vowst: (a) oral vancomycin (b) Difidid (fidaxomicin) (4) Member has completed the recommended bowel prep (e.g. 296mL of magnesium citrate) the day before and at least 8 hours prior to initiating Vowst (5) Previous episode of CDI is under control (e.g. less than 3 unformed or loose [i.e., Bristol Stool Scale type 6-7] stools per day for at least 2 consecutive days)
<b>Age Restrictions</b>	(PCDI): Member is 18 years of age or older
<b>Prescriber Restrictions</b>	(PCDI): Prescribed by or in consultation with gastroenterologist or infectious disease specialist
<b>Coverage Duration</b>	(PCDI): 14 days
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# VOXZOGO 2026

---

## Products Affected

- VOXZOGO

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# VOYDEYA 2026

---

## Products Affected

- VOYDEYA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# VRAYLAR 2026

## Products Affected

- VRAYLAR ORAL CAPSULE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Bipolar I disorder (BD): (1) Diagnosis of bipolar I disorder (2) Inadequate response or inability to tolerate TWO of the following: aripiprazole, quetiapine, asenapine, olanzapine, paliperidone, risperidone, ziprasidone. Schizophrenia: (1) Diagnosis of schizophrenia (2) Inadequate response or inability to tolerate TWO of the following: aripiprazole, quetiapine, asenapine, olanzapine, paliperidone, risperidone, ziprasidone. Major Depressive Disorder (MDD): (1) Diagnosis of major depressive disorder and as adjunctive therapy to antidepressants (2) Inadequate response or inability to tolerate aripiprazole and quetiapine
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	Indefinite
<b>Other Criteria</b>	(All Indications): Approve if for continuation of therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# VTAMA 2026

---

## Products Affected

- VTAMA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# VUITY 2026

---

## Products Affected

- VUITY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No



# VYVANSE 2026

---

## Products Affected

- VYVANSE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# VYVGART HYTRULO SQ 2026

## Products Affected

- VYVGART HYTRULO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# WAINUA 2026

## Products Affected

- WAINUA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	(1) A history of liver transplant or is likely to be a candidate and (2) used in combination with any other RNA interference agents or transthyretin stabilizers
<b>Required Medical Information</b>	(hATTR amyloidosis)(Initial): (1) Submission of medical records (e.g. chart notes) confirming diagnosis of hereditary transthyretin-mediated amyloidosis (hATTR amyloidosis) with polyneuropathy (2) Member has a transthyretin (TTR) mutation (e.g., V30M) (3) One of the following: (a) Member has a baseline familial amyloidotic polyneuropathy (FAP) stage of 1 or 2 (b) member has a baseline neuropathy impairment score (NIS) greater than or equal to 10 and less than or equal to 130 (c) Member has a baseline Karnofsky Performance Status score greater than 50 percent (4) Presence of clinical signs and symptoms of the disease (e.g., neuropathy)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(hATTR amyloidosis): Prescribed by or in consultation with a neurologist, geneticist, or professional provider specializing in the treatment of amyloidosis
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(hATTR amyloidosis)(Cont): (1) Member demonstrates positive clinical response to therapy (2) One of the following: (a) Member continues to have a baseline familial amyloidotic polyneuropathy (FAP) stage of 1 or 2 (b) member continues to have a baseline neuropathy impairment score (NIS) greater than or equal to 10 and less than or equal to 130 (c) Member continues to have a baseline Karnofsky Performance Status score greater than 50 percent
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

# WAKIX 2026

---

## Products Affected

- WAKIX

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# WEGOVY 2026

---

## Products Affected

- WEGOVY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# WILSONS DISEASE 2026

## Products Affected

- CUVRIOR
- *trientine hcl oral capsule 500 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Wilson?s disease (WD)(initial): (1) Diagnosis of Wilson?s disease (i.e., hepatolenticular degeneration) (2) Inadequate response or inability to tolerate a penicillamine product
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(WD): Prescribed by or in consultation with gastroenterologist, hepatologist, or liver transplant specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(WD) (Reauth): (1) Member demonstrates positive clinical response to therapy (e.g., reduction in 24-hour urinary copper excretion levels from baseline)
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# XDEMVY 2026

## Products Affected

- XDEMVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of treatment of demodex blepharitis
Age Restrictions	
Prescriber Restrictions	Prescribed by or in consultation with an ophthalmologist or optometrist
Coverage Duration	6 weeks
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No



# XELJANZ 2026

---

## Products Affected

- XELJANZ
- XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# XENAZINE 2026

---

## Products Affected

- XENAZINE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# XERMELO 2026

## Products Affected

- XERMELO

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Carcinoid Syndrome Diarrhea (CSD)(Initial): (1) Diagnosis of carcinoid syndrome diarrhea, (2) Diarrhea is inadequately controlled by a stable dose of somatostatin analog (SSA) therapy (e.g. octreotide [Sandostatin, Sandostatin LAR], lanreotide [Somatuline Depot]) for at least 3 months, (3) Used in combination with SSA therapy
<b>Age Restrictions</b>	(CSD): Member is 18 years of age or older
<b>Prescriber Restrictions</b>	(CSD): Prescribed by or in consultation with an Oncologist, Endocrinologist, or Gastroenterologist
<b>Coverage Duration</b>	(Initial): 12 months (Reauth): Indefinite
<b>Other Criteria</b>	(CSD)(Reauth): (1) Positive clinical response to Xermelo therapy, (2) Xermelo will continue to be used in combination with SSA therapy
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# XGEVA 2026

---

## Products Affected

- XGEVA

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# XIFAXAN 550MG 2026

## Products Affected

- XIFAXAN ORAL TABLET 550 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Prophylaxis for Hepatic Encephalopathy (HE): (1) Diagnosis of hepatic disease with risk for hepatic encephalopathy (i.e. previous episode of hepatic encephalopathy, advanced liver disease, hepatocellular carcinoma), (2) Inadequate response or inability to tolerate lactulose. Irritable Bowel Syndrome (IBS): (1) Diagnosis of irritable bowels syndrome- diarrhea, (2) Inadequate response or inability to tolerate BOTH of the following: (A) ONE of the following: (i) ONE Tricyclic antidepressant or (ii)selective serotonin reuptake inhibitor and (B) dicyclomine (3): BOTH of the following: (A) Member does not exceed 3 total courses (42 days in total) of therapy, (B) Member experiences irritable bowel syndrome with diarrhea (IBS-D) symptoms. Small Bowel Bacterial Overgrowth (SBBO)/Small Intestinal Bacterial Overgrowth (SIBO) (Initial): (1) Diagnosis of Small Bowel Bacterial Overgrowth (SBBO)/Small Intestinal Bacterial Overgrowth (SIBO).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	:
<b>Coverage Duration</b>	(HE): Indefinite. (IBS): 2 weeks. (SBBO/SIBO): Initial and Reauth: 2 weeks.
<b>Other Criteria</b>	(SBBO/SIBO) (Reauth): (1) Documentation of Small Bowel Bacterial Overgrowth (SBBO)/Small Intestinal Bacterial Overgrowth (SIBO) recurrence following successful initial treatment
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# XOLAIR 2026

## Products Affected

- XOLAIR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	Concurrent therapy with any other biologic agents for asthma/allergic conditions (e.g., benralizumab [Fasenra], dupilumab [Dupixent], mepolizumab [Nucala])
<b>Required Medical Information</b>	Part D is medically necessary for: Moderate to Severe Persistent Allergic Asthma (PAA)(Initial): (1) Diagnosis of moderate to severe persistent allergic asthma (2) The individual has a positive skin test or in vitro reactivity to a perennial aeroallergen, (3) The individual has a baseline serum IgE level of between 30 IU/mL and 1300 IU/mL, (4) Inadequate response or inability to tolerate a combination of high-dose inhaled corticosteroids (ICS) with a long-acting beta-agonist (LABA). Chronic Urticaria (CU)(Initial): (1) Diagnosis of chronic urticaria (2) an inadequate response, contraindication or inability to tolerate ONE second-generation H1 antihistamine at the maximally tolerated dose in addition to ANY of the following: (a) leukotriene receptor antagonist (e.g. montelukast) (b) histamine H2-receptor antagonist (e.g. ranitidine, cimetidine, famotidine), (c) substituting to a different second- generation antihistamine, (d) systemic glucocorticosteroids or (e) cyclosporine, (3) will be used concurrently with an h1 antihistamine, unless there is contraindication or intolerance to H1 antihistamines. Nasal Polyps (NP)(Initial): (1) Diagnosis of nasal polyps. (2) Member will use concurrently with nasal corticosteroid. (3) Member had inadequate response or inability to tolerate an intranasal corticosteroid. (4) Member has a baseline serum IgE level of between 30 IU/mL and 1500 IU/mL
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(PAA): Prescribed by or in consultation with an Allergist, Immunologist, or Pulmonologist. (CU):Prescribed by or in consultation with allergist/immunologist, dermatologist. (NP): Prescribed by or in consultation with an allergist, immunologist, pulmonologist, or ENT specialist. (IMFA): Prescribed by or in consultation with an Allergist or Immunologist
<b>Coverage Duration</b>	12 months.

PA Criteria	Criteria Details
<b>Other Criteria</b>	<p>Subject to Part B vs Part D review. IgE-Mediated Food Allergy (IMFA) (initial): (1) One of the following: (A) Both of the following (i) Diagnosis of IgE-Mediated Food Allergy (ii) Clinical history of IgE Mediated Food Allergy (B) Documentation that the member has a history of severe allergic response, including anaphylaxis, following exposure to one or more foods (2) Used in conjunction with food allergen avoidance (3) Both of the following (A) Baseline (pre- Xolair treatment) serum total IgE level is greater than or equal to 30 IU/mL and less than or equal to 1850 IU/mL (B) Dosing is according to serum total IgE levels and body weight (PAA)(Reauth): (1) Documentation of positive clinical response to therapy (e.g., reduction in number of asthma exacerbations, improvement in forced expiratory volume in 1 second (FEV1), or decreased use of rescue medications). (CU)(Reauth): (1) Member's disease status has been re- evaluated since the last authorization to confirm the member's condition warrants continued treatment (2) member has experienced one or both of the following:(a) Reduction in itching severity from baseline (b) Reduction in number of hives from baseline. (NP)(Reauth): (1) Documentation of positive clinical response to therapy (e.g., reduction in nasal polyps score [NPS: 0-8 scale], improvement in nasal congestion/obstruction score [NCS: 0-3 scale]) (2) Used in combination with another agent for nasal polyps. (IMFA)(Reauth) (1) Documentation of positive clinical response to therapy (2) Used in conjunction with food allergen avoidance. (3) Dosing will continue to be based on body weight and pretreatment total IgE serum levels</p>
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# XOLREMDI 2026

---

## Products Affected

- XOLREMDI

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No



# XYREM 2026

## Products Affected

- *sodium oxybate*
- XYREM

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	CN, EDSN: Concurrent use of sedative hypnotics and alcohol
<b>Required Medical Information</b>	Cataplexy in Narcolepsy (CN)(Initial): (1) Diagnosis of cataplexy with narcolepsy, (2) Diagnosis Confirmed by Polysomnography (PSG) or Multiple sleep latency test (MSLT) or prescriber provides justification that a sleep study is not feasible. Excessive Daytime Sleepiness in Narcolepsy (EDSN)(Initial): (1) Diagnosis of EDSN (Narcolepsy Type 2), (2) Diagnosis Confirmed by Polysomnography (PSG) or Multiple sleep latency test (MSLT) or prescriber provides justification that a sleep study is not feasible and (3) Inadequate response or inability to tolerate modafinil or armodafinil. (adult use only)
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CN, EDSN): Prescribed by or in consultation with a neurologist, psychiatrist, or sleep specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CN, EDSN)(Reauth): (1) Documentation to support the efficacy associated with the current regimen (including but not limited to reduction in the frequency of cataplexy attacks or an improvement in the Epworth sleepiness scale), (2) Member is re-evaluated every 12 months.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# XYWAV 2026

## Products Affected

- XYWAV

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	CN, EDSN: Concurrent use of sedative hypnotics and alcohol
<b>Required Medical Information</b>	Cataplexy in Narcolepsy (CN)(Initial): (1) Diagnosis of cataplexy with narcolepsy. Excessive Daytime Sleepiness in Narcolepsy (EDSN)(Initial): (1) Diagnosis of EDSN (Narcolepsy Type 2), (2) Inadequate response or inability to modafinil. Idiopathic Hypersomnia (IH) (Initial): (1) Diagnosis of Idiopathic Hypersomnia as confirmed by sleep study (unless the prescriber provides justification confirming that a sleep study would not be feasible), (2) Symptoms of excessive daytime sleepiness (e.g. nap duration of longer than 60 minutes) are present
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	(CN, EDSN, IH): Prescribed by or in consultation with a neurologist, psychiatrist, or sleep specialist.
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(CN, EDSN)(Reauth): (1) Documentation to support the efficacy associated with the current regimen (including but not limited to reduction in the frequency of cataplexy attacks or an improvement in the Epworth sleepiness scale), (2) Member is re-evaluated every 12 months. (IH) (Reauth): (1) Documentation demonstrating a reduction in symptoms of excessive daytime sleepiness associated with therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	Yes

# YORVIPATH 2026

---

## Products Affected

- YORVIPATH

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZAVESCA 2026

## Products Affected

- *miglustat*
- YARGESA
- ZAVESCA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	Type 1 Gaucher's Disease (T1GD)(Initial): (1) Diagnosis of mild to moderate T1GD, (2) enzyme replacement therapy is not a therapeutic option (e.g. because of allergy, hypersensitivity, or poor venous access).
<b>Age Restrictions</b>	(T1GD): Member is 18 years of age or older
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 months
<b>Other Criteria</b>	(T1GD)(Reauth): Documentation of positive clinical response to therapy.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No
<b>Prerequisite Therapy Required</b>	No

# ZAVZPRET 2026

---

## Products Affected

- ZAVZPRET

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZEPBOUND 2026

---

## Products Affected

- ZEPBOUND SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	No

# ZEPOSIA 2026

---

## Products Affected

- ZEPOSIA
- ZEPOSIA 7-DAY STARTER PACK
- ZEPOSIA STARTER KIT ORAL CAPSULE  
THERAPY PACK 0.23MG & 0.46MG 0.92MG(21)

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZILBRYSQ 2026

---

## Products Affected

- ZILBRYSQ

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes



# ZORYVE 0.15% CREAM 2026

---

## Products Affected

- ZORYVE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZORYVE 0.3% CREAM 2026

---

## Products Affected

- ZORYVE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZORYVE FOAM 2026

---

## Products Affected

- ZORYVE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZTALMY 2026

---

## Products Affected

- ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZURZUVAE 2026

---

## Products Affected

- ZURZUVAE

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZYCLARA 2026

---

## Products Affected

- ZYCLARA PUMP

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

# ZYMFENTRA SQ 2026

## Products Affected

- ZYMFENTRA (2 PEN)
- ZYMFENTRA (2 SYRINGE)

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	UNDER CMS REVIEW
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	UNDER CMS REVIEW
Off Label Uses	UNDER CMS REVIEW
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes





## Index

ABIGALE LO .....	117	AKEEGA .....	199
<i>abiraterone acetate</i> .....	199	AKLIEF .....	276
ABIRTEGA .....	199	ALECENSA .....	199
ABRILADA (1 PEN) .....	7	ALLZITAL .....	114
ABRILADA (2 SYRINGE) .....	7	ALTRENO .....	276
ACTEMRA ACTPEN .....	175	ALUNBRIG .....	199
ACTEMRA SUBCUTANEOUS .....	175	ALVAIZ .....	17
ACTHAR .....	4	ALYFTREK .....	18
ACTHAR GEL SUBCUTANEOUS PEN- INJECTOR .....	4	ALYQ .....	213
ACTIVELLA ORAL TABLET 1-0.5 MG .....	117	AMBIEN CR ORAL TABLET EXTENDED RELEASE 12.5 MG .....	119
<i>adalimumab-aacf (2 pen)</i> .....	9	AMBIEN ORAL TABLET 10 MG .....	119
<i>adalimumab-aacf (2 syringe)</i> .....	9	<i>ambrisentan</i> .....	19
<i>adalimumab-aacf(cd/uc/hs strt)</i> .....	9	AMJEVITA SUBCUTANEOUS SOLUTION AUTO-INJECTOR .....	7
<i>adalimumab-aacf(ps/uv starter)</i> .....	9	AMJEVITA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML, 40 MG/0.8ML .....	7
<i>adalimumab-aaty (1 pen) subcutaneous auto- injector kit 80 mg/0.8ml</i> .....	7	AMJEVITA-PED 10KG TO <15KG .....	7
<i>adalimumab-aaty (2 pen)</i> .....	7	AMJEVITA-PED 15KG TO <30KG .....	7
<i>adalimumab-aaty (2 syringe)</i> .....	7	<i>amphetamine sulfate</i> .....	89
<i>adalimumab-aaty cd/uc/hs start</i> .....	7	AMPYRA .....	20
<i>adalimumab-adaz</i> .....	7	AMRIX .....	116
<i>adalimumab-adbm (2 pen)</i> .....	7	ANGELIQ .....	117
<i>adalimumab-adbm (2 syringe)</i> .....	7	APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE .....	23
<i>adalimumab-adbm(cd/uc/hs strt)</i> <i>subcutaneous auto-injector kit 40 mg/0.4ml</i> .....	7	<i>apomorphine hcl subcutaneous</i> .....	24
<i>adalimumab-adbm(ps/uv starter)</i> .....	7	AQNEURSA .....	25
<i>adalimumab-fkjp (2 pen)</i> .....	7	ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG .....	236
<i>adalimumab-fkjp (2 syringe)</i> .....	7	ARIKAYCE .....	26
<i>adalimumab-ryvk (2 pen)</i> .....	7	<i>armodafinil</i> .....	27
<i>adalimumab-ryvk (2 syringe)</i> .....	7	ASCOMP-CODEINE .....	114
<i>adapalene external cream</i> .....	276	ATRALIN .....	276
<i>adapalene external gel 0.3 %</i> .....	276	ATTRUBY .....	29
<i>adapalene external pad</i> .....	276	AUGTYRO .....	199
<i>adapalene-benzoyl peroxide external gel</i> .....	276	AUSTEDO .....	30
ADBRY .....	10	AUSTEDO XR .....	30
ADCIRCA .....	213	AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG .....	30
ADEMPAS .....	11	AUVELITY .....	32
AFINITOR .....	199	AVEED .....	271
AFINITOR DISPERZ .....	199	AVMAPKI FAKZYNJA CO-PACK .....	199
AFREZZA INHALATION POWDER 12 UNIT, 4 UNIT, 60X4 & 60X8 & 60X12 UNIT, 8 UNIT, 90 X 4 UNIT & 90X8 UNIT, 90 X 8 UNIT & 90X12 UNIT .....	12	AYVAKIT .....	199
AGAMREE .....	13	BALVERSA .....	199
AIMOVIG .....	14		
AJOVY .....	15		

BELBUCA BUCCAL FILM 300 MCG, 450 MCG, 600 MCG, 750 MCG, 900 MCG .....	111	CIMZIA SUBCUTANEOUS KIT 2 X 200 MG .....	50
BENLYSTA SUBCUTANEOUS .....	33	CINRYZE .....	52
BERINERT .....	5	<i>clemastine fumarate oral syrup</i> .....	114
BESREMI .....	171	<i>clemastine fumarate oral tablet 2.68 mg</i> .....	114
<i>bexarotene</i> .....	199, 275	CLIMARA .....	117
BIJUVA .....	117	CLIMARA PRO .....	117
BIMZELX .....	34	<i>clindamycin-tretinoin</i> .....	276
BIVIGAM INTRAVENOUS SOLUTION 5 GM/50ML .....	130	COBENFY .....	53
BONSITY .....	270	COBENFY STARTER PACK .....	53
<i>bosentan oral tablet</i> .....	35	COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG .....	199
BOSULIF .....	199	COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG .....	199
BRAFTOVI ORAL CAPSULE 75 MG .....	199	COMETRIQ (60 MG DAILY DOSE) .....	199
BRUKINSA ORAL CAPSULE .....	39	COPIKTRA .....	199
BUPHENYL ORAL POWDER 3 GM/TSP .....	40	CORLANOR .....	55
BUPHENYL ORAL TABLET .....	40	CORTROPHIN .....	4
<i>butalbital-acetaminophen oral capsule</i> .....	114	CORTROPHIN GEL .....	4
<i>butalbital-acetaminophen oral tablet 50-300 mg, 50-325 mg</i> .....	114	COSENTYX (300 MG DOSE) .....	56
<i>butalbital-apap-caff-cod</i> .....	114	COSENTYX SENSOREADY (300 MG) .....	56
<i>butalbital-apap-caffeine oral capsule</i> .....	114	COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML .....	56
<i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i> .....	114	COSENTYX UNOREADY .....	56
<i>butalbital-asa-caff-codeine</i> .....	114	COTELLIC .....	199
<i>butalbital-aspirin-caffeine oral capsule</i> .....	114	CRENESSITY .....	57
BYLVAY .....	41	CRESEMBA ORAL .....	58
BYLVAY (PELLETS) .....	41	CREXONT .....	59
CABOMETYX .....	199	CRINONE .....	212
CABTREO .....	276	CUVRIOR .....	311
CALQUENCE ORAL TABLET .....	199	<i>cyclobenzaprine hcl er</i> .....	116
CAMZYOS .....	42	<i>cyclobenzaprine hcl oral</i> .....	116
CAPLYTA .....	43	CYLTEZO (2 PEN) .....	7
CAPRELSA .....	199	CYLTEZO (2 SYRINGE) .....	7
CARBAGLU ORAL TABLET SOLUBLE .....	44	CYLTEZO-CD/UC/HS STARTER .....	7
<i>carbinoxamine maleate oral solution</i> .....	114	CYLTEZO-PSORIASIS/UV STARTER .....	7
<i>carbinoxamine maleate oral tablet</i> .....	114	CYSTADROPS .....	60
<i>carglumic acid oral tablet soluble</i> .....	44	CYSTARAN .....	60
<i>carisoprodol oral</i> .....	121	<i>dalfampridine er</i> .....	61
CAYSTON .....	45	DALVANCE .....	170
CERDELGA .....	46	DANZITEN .....	199
<i>chlordiazepoxide-clidinium</i> .....	21	<i>dapagliflozin pro-metformin er</i> .....	31
<i>chlorzoxazone oral</i> .....	114	<i>dasatinib</i> .....	199
CHOLBAM .....	47	DAURISMO .....	199
CIALIS ORAL TABLET 5 MG .....	48	DAYBUE .....	62
CIBINQO .....	49	DAYVIGO .....	63
CIMZIA (2 SYRINGE) .....	50	<i>deferasirox granules</i> .....	64
		<i>deferasirox oral tablet</i> .....	64

<i>deferasirox oral tablet soluble</i> .....	64	EPIDUO FORTE.....	276
<i>deferiprone</i> .....	96	EPSOLAY.....	86
<i>deflazacort</i> .....	65	ERIVEDGE.....	199
DEMEROL INJECTION SOLUTION 25 MG/ML, 50 MG/ML.....	114	ERLEADA.....	199
DEPO-TESTOSTERONE INTRAMUSCULAR SOLUTION.....	271	<i>erlotinib hcl</i> .....	199
DIACOMIT.....	66	ESBRIET.....	87
<i>diclofenac epolamine external</i> .....	69	<i>estradiol transdermal</i> .....	117
<i>diclofenac sodium external gel 3 %</i> .....	68	<i>estradiol-norethindrone acet</i> .....	117
DIFFERIN EXTERNAL CREAM.....	276	<i>eszopiclone oral tablet 3 mg</i> .....	119
DIFFERIN EXTERNAL GEL 0.3 %.....	276	EUCRISA.....	88
<i>dipyridamole oral</i> .....	114	EVAMIST.....	117
DIVIGEL.....	117	EVEKEO.....	89
DOJOLVI.....	70	EVENITY.....	90
DOPTELET ORAL TABLET 20 MG.....	71	<i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> .....	199
DOTTI.....	117	<i>everolimus oral tablet soluble</i> .....	199
DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR.....	72	EVRYSDI.....	91
DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML, 300 MG/2ML.....	72	<i>exenatide</i> .....	173
DUVYZAT.....	73	EXJADE.....	64
EBGLYSS.....	74	EYSUVIS.....	93
EDLUAR SUBLINGUAL TABLET SUBLINGUAL 10 MG.....	119	FABHALTA.....	94
EGRIFTA SV.....	75	FASENRA.....	95
ELESTRIN.....	117	FASENRA PEN.....	95
<i>eltrombopag olamine</i> .....	224	<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 25 mcg/hr, 37.5 mcg/hr, 50 mcg/hr, 62.5 mcg/hr, 75 mcg/hr, 87.5 mcg/hr</i> .....	111
EMFLAZA.....	76	FERRIPROX ORAL SOLUTION.....	96
EMGALITY.....	77	FERRIPROX ORAL TABLET 1000 MG.....	96
EMGALITY (300 MG DOSE).....	77	FERRIPROX TWICE-A-DAY.....	96
EMPAVELI.....	78	FILSPARI.....	97
EMSAM.....	79	FILSUVEZ.....	98
ENBREL MINI.....	80	FINTEPLA.....	99
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML.....	80	FIORICET ORAL CAPSULE.....	114
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	80	FIORICET/CODEINE ORAL CAPSULE 50-300- 40-30 MG.....	114
ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR.....	80	FIRAZYR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	5
ENDARI.....	81	FIRDAPSE.....	100
ENSPRYNG.....	82	FLECTOR EXTERNAL.....	69
ENTYVIO PEN.....	83	<i>fluticasone furoate-vilanterol inhalation aerosol powder breath activated 100-25 mcg/act, 200-25 mcg/act</i> .....	31
EPCLUSA.....	219	<i>fluticasone-salmeterol inhalation aerosol</i> .....	31
EPIDIOLEX.....	85	FORTEO SUBCUTANEOUS SOLUTION PEN- INJECTOR 560 MCG/2.24ML.....	270
EPIDUO.....	276	FOTIVDA.....	199
		FRUZAQLA.....	199

FYAVOLV .....	117	HUMIRA-CD/UC/HS STARTER	
<i>gabapentin (once-daily)</i> .....	106	SUBCUTANEOUS AUTO-INJECTOR KIT 80	
GALAFOLD .....	101	MG/0.8ML .....	7
GAMMAGARD INJECTION SOLUTION 2.5		HUMIRA-PSORIASIS/UEIT STARTER	
GM/25ML .....	130	SUBCUTANEOUS AUTO-INJECTOR KIT .....	7
GAMMAGARD S/D LESS IGA .....	130	<i>hydrocodone bitartrate er oral capsule</i>	
GAMMAKED INJECTION SOLUTION 1		<i>extended release 12 hour</i> .....	3
GM/10ML .....	130	<i>hydrocodone bitartrate er oral tablet er 24 hour</i>	
GAMMAPLEX INTRAVENOUS SOLUTION 10		<i>abuse-deterrent</i> .....	3, 111
GM/100ML, 10 GM/200ML, 20 GM/200ML, 5		<i>hydromorphone hcl er oral tablet extended</i>	
GM/50ML .....	130	<i>release 24 hour</i> .....	111
GAMUNEX-C INJECTION SOLUTION 1		HYFTOR .....	122
GM/10ML .....	130	HYRIMOZ SUBCUTANEOUS SOLUTION AUTO-	
GATTEX .....	102	INJECTOR 40 MG/0.4ML, 80 MG/0.8ML .....	7
GAVRETO .....	199	HYRIMOZ SUBCUTANEOUS SOLUTION	
<i>gefitinib</i> .....	199	PREFILLED SYRINGE 10 MG/0.1ML, 20	
GENOTROPIN MINIQUICK SUBCUTANEOUS		MG/0.2ML, 40 MG/0.4ML .....	7
PREFILLED SYRINGE .....	107	HYRIMOZ-CROHNS/UC STARTER .....	7
GENOTROPIN SUBCUTANEOUS CARTRIDGE ..	107	HYRIMOZ-PED<40KG CROHN STARTER .....	7
GILOTRIF .....	199	HYRIMOZ-PED>/=40KG CROHN START .....	7
GLASSIA INTRAVENOUS SOLUTION 1000		HYRIMOZ-PLAQ PSOR/UEIT START .....	7
MG/50ML .....	236	HYSINGLA ER ORAL TABLET ER 24 HOUR	
GLEEVEC .....	199	ABUSE-DETERRENT 100 MG .....	111
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG,		HYSINGLA ER ORAL TABLET ER 24 HOUR	
40 MG .....	199	ABUSE-DETERRENT 20 MG, 30 MG, 40 MG,	
GOCOVRI .....	105	60 MG, 80 MG .....	3
GOMEKLI .....	199	IBRANCE .....	199
GRALISE ORAL TABLET .....	106	<i>ibuprofen-famotidine</i> .....	54
GRASTEK .....	16	<i>icatibant acetate subcutaneous solution</i>	
HADLIMA .....	7	<i>prefilled syringe</i> .....	5
HADLIMA PUSHTOUCH .....	7	ICLUSIG .....	199
HAEGARDA .....	109	IDHIFA .....	199
HARVONI .....	219	ILUMYA .....	123
HETLIOZ .....	37	<i>imatinib mesylate oral</i> .....	199
HETLIOZ LQ .....	110	IMBRUVICA ORAL CAPSULE .....	199
HORIZANT ORAL TABLET EXTENDED		IMBRUVICA ORAL SUSPENSION .....	199
RELEASE .....	113	IMBRUVICA ORAL TABLET 140 MG, 280 MG,	
HULIO (2 PEN) .....	7	420 MG .....	199
HULIO (2 SYRINGE) .....	7	<i>imkeldi</i> .....	199
HUMATROPE INJECTION CARTRIDGE .....	107	IMVEXXY MAINTENANCE PACK .....	212
HUMIRA (2 PEN) SUBCUTANEOUS AUTO-		IMVEXXY STARTER PACK .....	212
INJECTOR KIT .....	7	INBRIJA .....	124
HUMIRA (2 SYRINGE) SUBCUTANEOUS		INCRELEX .....	125
PREFILLED SYRINGE KIT 10 MG/0.1ML, 20		INDOCIN ORAL .....	114
MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML .....	7	INDOCIN RECTAL .....	114
		<i>indomethacin oral suspension</i> .....	114
		<i>indomethacin rectal suppository 50 mg</i> .....	114

INGREZZA .....	126	LENVIMA (14 MG DAILY DOSE) .....	199
INLYTA .....	199	LENVIMA (18 MG DAILY DOSE) .....	199
INQOVI .....	199	LENVIMA (20 MG DAILY DOSE) .....	199
INREBIC .....	199	LENVIMA (24 MG DAILY DOSE) .....	199
<i>insulin glargine max solostar</i> .....	129	LENVIMA (4 MG DAILY DOSE) .....	199
<i>insulin glargine solostar subcutaneous solution</i>		LENVIMA (8 MG DAILY DOSE) .....	199
<i>pen-injector 300 unit/ml</i> .....	129	LETAIRIS .....	146
INTRAROSA .....	212	<i>levorphanol tartrate oral tablet 3 mg</i> .....	111
INZIRQO .....	132	<i>l-glutamine oral packet</i> .....	81
IQIRVO .....	133	LIBRAX .....	21
IRESSA .....	199	LICART EXTERNAL .....	69
ISTURISA ORAL TABLET 1 MG, 5 MG .....	134	<i>lidocaine external patch 5 %</i> .....	103
ITOVEBI .....	199	<i>liraglutide</i> .....	218
<i>ivabradine hcl</i> .....	135	<i>lisdexamphetamine dimesylate</i> .....	147
IWILFIN .....	199	LITFULO .....	148
JADENU .....	64	LIVDELZI .....	149
JADENU SPRINKLE .....	64	LIVMARLI .....	150
JAKAFI .....	199	LIVTENCITY .....	151
JATENZO .....	271	LODOCO .....	152
JAYPIRCA .....	199	LONSURF .....	199
JINTELI .....	117	LORBRENA .....	199
JOENJA .....	136	LUMAKRAS .....	199
JUBBONTI .....	217	LUMRYZ .....	153
JUBLIA .....	193	LUMRYZ STARTER PACK .....	153
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30		LUNESTA ORAL TABLET 3 MG .....	119
MG, 5 MG .....	137	LUPKYNIS .....	154
JYNARQUE .....	138	LYBALVI .....	36
KALYDECO .....	139	LYLLANA .....	117
KERENDIA ORAL TABLET 10 MG, 20 MG .....	140	LYNPARZA ORAL TABLET .....	199
<i>ketorolac tromethamine oral</i> .....	118	LYRICA CR .....	155
KEVEYIS .....	67	LYTGOBI (12 MG DAILY DOSE) .....	199
KEVZARA .....	141	LYTGOBI (16 MG DAILY DOSE) .....	199
KINERET SUBCUTANEOUS SOLUTION		LYTGOBI (20 MG DAILY DOSE) .....	199
PREFILLED SYRINGE .....	143	MAVYRET .....	219
KISQALI (200 MG DOSE) .....	199	MEKINIST .....	199
KISQALI (400 MG DOSE) .....	199	MEKTOVI .....	199
KISQALI (600 MG DOSE) .....	199	MENOSTAR .....	117
KLISYRI (250 MG) .....	144	<i>meperidine hcl injection solution 100 mg/ml, 25</i>	
KORLYM .....	145	<i>mg/ml, 50 mg/ml</i> .....	114
KOSELUGO .....	199	<i>meperidine hcl oral solution</i> .....	114
KRAZATI .....	199	<i>meperidine hcl oral tablet 50 mg</i> .....	114
<i>lapatinib ditosylate</i> .....	199	<i>meprobamate</i> .....	114
LAZCLUZE .....	199	<i>metaxalone oral tablet 400 mg, 800 mg</i> .....	114
<i>ledipasvir-sofosbuvir</i> .....	219	<i>metformin hcl er (mod)</i> .....	92
<i>lenalidomide</i> .....	199	<i>metformin hcl oral tablet 625 mg, 750 mg</i> .....	156
LENVIMA (10 MG DAILY DOSE) .....	199	<i>methadone hcl oral solution</i> .....	111
LENVIMA (12 MG DAILY DOSE) .....	199	<i>methadone hcl oral tablet</i> .....	111

<i>methocarbamol oral tablet 1000 mg</i> .....	157	NUPLAZID ORAL TABLET 10 MG.....	183
<i>mifepristone oral tablet 300 mg</i> .....	145	NURTEC.....	184
<i>miglustat</i> .....	324	NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR.....	107
MIMVEY.....	117	NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR.....	107
MINIVELLE.....	117	NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR.....	107
MIPLYFFA.....	158	NUVIGIL.....	27
<i>mirabegron er</i> .....	31	NUZYRA.....	170, 198
<i>modafinil oral</i> .....	159	OALIVA.....	185
<i>morphine sulfate er beads oral capsule extended release 24 hour 120 mg</i> .....	111	OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 2 GM/20ML.....	130
<i>morphine sulfate er oral capsule extended release 24 hour 100 mg, 60 mg, 80 mg</i> .....	111	<i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> .....	186
<i>morphine sulfate er oral tablet extended release 100 mg, 200 mg, 60 mg</i> .....	111	ODACTRA.....	16
MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR.....	218	ODOMZO.....	199
MS CONTIN ORAL TABLET EXTENDED RELEASE 60 MG.....	111	OFEV.....	187
MULPLETA.....	161	OGSIVEO.....	199
MYALEPT.....	162	OHTUVAYRE.....	188
MYCAPSSA.....	163	OJEMDA ORAL SUSPENSION RECONSTITUTED .....	199
MYFEMBREE.....	164	OJEMDA ORAL TABLET 100 MG.....	199
MYTESI.....	165	OJJAARA.....	199
<i>naproxen-esomeprazole mg</i> .....	54	OLPRUVA (2 GM DOSE).....	189
NAYZILAM.....	6	OLPRUVA (3 GM DOSE).....	189
NEMLUVIO.....	166	OLPRUVA (4 GM DOSE).....	189
NERLYNX.....	199	OLPRUVA (5 GM DOSE).....	189
NEXAVAR.....	199	OLPRUVA (6 GM DOSE).....	189
NEXLETOL.....	167	OLPRUVA (6.67 GM DOSE).....	189
NEXLIZET.....	167	OLUMIANT.....	190
NGENLA.....	169	OMNITROPE SUBCUTANEOUS SOLUTION CARTRIDGE.....	107
<i>nilotinib hcl</i> .....	199	OMNITROPE SUBCUTANEOUS SOLUTION RECONSTITUTED.....	107
NINLARO.....	199	OMVOH (300 MG DOSE).....	191
NORDITROPIN FLEXPPO SUBCUTANEOUS SOLUTION PEN-INJECTOR.....	107	OMVOH SUBCUTANEOUS.....	191
<i>norethindrone-eth estradiol</i> .....	117	ONGENTYS.....	192
NORGESIC.....	120	ONUREG.....	199
<i>norgesic forte</i> .....	120	ONYDA XR.....	194
NOURIANZ.....	178	OPIPZA.....	195
NOXAFIL ORAL PACKET.....	180	OPSUMIT.....	202
NOXAFIL ORAL SUSPENSION.....	179	OPSYNVI.....	196
NUBEQA.....	199	OPZELURA.....	197
NUCALA.....	181	ORENCIA CLICKJECT.....	203
NUCYNTA ER.....	3, 111		
NUCYNTA ORAL TABLET 100 MG, 75 MG.....	111		
NUEDEXTA.....	182		
NUPLAZID ORAL CAPSULE.....	183		



ORENCIA SUBCUTANEOUS SOLUTION		<i>posaconazole oral</i> .....	179
PREFILLED SYRINGE .....	203	PRALUENT SUBCUTANEOUS SOLUTION	
ORENITRAM .....	202	AUTO-INJECTOR .....	215
ORENITRAM MONTH 1 .....	202	<i>pregabalin er</i> .....	155
ORENITRAM MONTH 2 .....	202	PREMARIN ORAL .....	117
ORENITRAM MONTH 3 .....	202	<i>pretomanid</i> .....	222
ORGOVYX .....	199	PRIVIGEN INTRAVENOUS SOLUTION 20	
ORIAHNN .....	204	GM/200ML .....	130
ORLISSA .....	205	PROCYSBI ORAL PACKET .....	223
ORKAMBI .....	206	PROLASTIN-C INTRAVENOUS SOLUTION .....	236
ORLADEYO .....	207	PROLIA SUBCUTANEOUS SOLUTION	
ORMALVI .....	67	PREFILLED SYRINGE .....	172
<i>orphenadrine citrate er</i> .....	21	PROMACTA .....	224
<i>orphenadrine-aspirin-caffeine oral tablet 25-</i>		<i>promethazine hcl oral solution 6.25 mg/5ml</i> .....	114
<i>385-30 mg</i> .....	120	<i>promethazine hcl oral tablet</i> .....	21
ORSERDU .....	199	<i>promethazine hcl rectal suppository 12.5 mg,</i>	
OSPHENA .....	212	<i>25 mg</i> .....	21
OTEZLA .....	208	<i>promethazine-phenylephrine</i> .....	21
OTULFI SUBCUTANEOUS .....	176	PROMETHEGAN RECTAL SUPPOSITORY 25	
OXERVATE .....	210	MG, 50 MG .....	21
<i>oxycodone hcl oral tablet abuse-deterrent</i> ....	3, 111	PROVIGIL .....	159
OXYCONTIN ORAL TABLET ER 12 HOUR		PYRUKYND .....	226
ABUSE-DETERRENT .....	3, 111	PYRUKYND TAPER PACK .....	226
<i>oxymorphone hcl er oral tablet extended release</i>		PYZCHIVA SUBCUTANEOUS SOLUTION	
<i>12 hour 20 mg, 30 mg</i> .....	111	PREFILLED SYRINGE .....	176
<i>oxymorphone hcl er oral tablet extended release</i>		QBREXZA .....	227
<i>12 hour 40 mg</i> .....	111	QINLOCK .....	199
<i>oxymorphone hcl oral tablet 10 mg</i> .....	111	<i>quinine sulfate oral</i> .....	228
OXYTROL .....	209	QULIPTA .....	229
OZEMPIC (0.25 OR 0.5 MG/DOSE)		QUVIVIQ .....	230
SUBCUTANEOUS SOLUTION PEN-INJECTOR 2		RADICAVA ORS STARTER KIT .....	231
MG/3ML .....	218	RALDESY .....	232
OZEMPIC (1 MG/DOSE) SUBCUTANEOUS		RASUVO SUBCUTANEOUS SOLUTION AUTO-	
SOLUTION PEN-INJECTOR 4 MG/3ML .....	218	INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15	
OZEMPIC (2 MG/DOSE) .....	218	MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML,	
PALYNZIQ .....	211	22.5 MG/0.45ML, 25 MG/0.5ML, 30	
PANZYGA .....	130	MG/0.6ML, 7.5 MG/0.15ML .....	128
PAXIL ORAL TABLET .....	22	RAVICTI .....	233
<i>pazopanib hcl</i> .....	199	RECORLEV .....	234
PEMAZYRE .....	199	REPATHA .....	235
<i>pentazocine-naloxone hcl</i> .....	114	REPATHA PUSHTRONEX SYSTEM .....	235
PHEBURANE .....	214	REPATHA SURECLICK .....	235
PIQRAY (200 MG DAILY DOSE) .....	199	RETEVMO ORAL TABLET .....	199
PIQRAY (250 MG DAILY DOSE) .....	199	RETIN-A .....	276
PIQRAY (300 MG DAILY DOSE) .....	199	RETIN-A MICRO .....	276
<i>pirfenidone</i> .....	87	RETIN-A MICRO PUMP EXTERNAL GEL 0.06	
POMALYST .....	199	%, 0.08 % .....	276

REVATIO ORAL TABLET .....	245	<i>sodium phenylbutyrate oral tablet</i> .....	104
REVLIMID .....	199	<i>sofosbuvir-velpatasvir</i> .....	219
REVUFORJ .....	199	SOGROYA .....	253
REXULTI .....	237	SOHONOS .....	254
REZDIFFRA .....	238	SOLQUA .....	173
REZLIDHIA .....	199	SOMA .....	121
REZUROCK .....	239	<i>sorafenib tosylate</i> .....	199
RINVOQ .....	240	SOTYKTU .....	256
RINVOQ LQ .....	241	SOVALDI .....	174
RIVFLOZA .....	242	SPEVIGO SUBCUTANEOUS SOLUTION	
ROMVIMZA .....	199	PREFILLED SYRINGE 150 MG/ML .....	257
ROXYBOND .....	3, 111	SPRIX .....	118
ROZLYTREK .....	199	SPRYCEL .....	199
RUBRACA .....	199	STELARA SUBCUTANEOUS SOLUTION 45	
RUCONEST .....	5	MG/0.5ML .....	176
RYBELSUS .....	218	STELARA SUBCUTANEOUS SOLUTION	
RYDAPT .....	199	PREFILLED SYRINGE .....	176
RYVENT .....	114	STEQUEYMA SUBCUTANEOUS .....	176
SAJAZIR SUBCUTANEOUS SOLUTION		STIVARGA .....	199
PREFILLED SYRINGE .....	5	<i>sunitinib malate</i> .....	199
SAMSCA .....	38	SUNOSI .....	258
SANDOSTATIN INJECTION SOLUTION 100		SUTENT .....	199
MCG/ML, 50 MCG/ML, 500 MCG/ML .....	186	SYMDEKO .....	259
SCSEMBLIX .....	199	TABRECTA .....	199
SELARSDI SUBCUTANEOUS .....	176	<i>tadalafil (pah)</i> .....	213
SEROSTIM SUBCUTANEOUS SOLUTION		<i>tadalafil oral tablet 2.5 mg, 5 mg</i> .....	260
RECONSTITUTED 4 MG, 5 MG, 6 MG .....	243	TADLIQ .....	261
SIGNIFOR .....	244	TAFINLAR .....	199
<i>sildenafil citrate oral suspension reconstituted</i> .....	245	TAGRISSO .....	199
<i>sildenafil citrate oral tablet 20 mg</i> .....	245	TAKHZYRO .....	263
SILIQ .....	246	TALTZ .....	264
SIMLANDI (1 PEN) SUBCUTANEOUS AUTO-		TALZENNA .....	199
INJECTOR KIT 80 MG/0.8ML .....	7	TANLOR .....	157
SIMLANDI (1 SYRINGE) .....	7	TARGRETIN .....	199, 275
SIMLANDI (2 PEN) .....	7	TARPEYO .....	266
SIMLANDI (2 SYRINGE) .....	7	TASIGNA .....	199
SIMPONI SUBCUTANEOUS SOLUTION AUTO-		<i>tasimelteon</i> .....	267
INJECTOR .....	247	<i>tavaborole</i> .....	193
SIMPONI SUBCUTANEOUS SOLUTION		TAVALISSE .....	268
PREFILLED SYRINGE .....	247	TAVNEOS .....	269
SIRTURO .....	249	TAZVERIK .....	199
SIVEXTRO .....	170, 198	TENCON ORAL TABLET 50-325 MG .....	114
SKYCLARYS .....	250	TEPMETKO .....	199
SKYRIZI PEN .....	251	<i>teriparatide subcutaneous solution pen-injector</i>	
SKYRIZI SUBCUTANEOUS .....	251	<i>560 mcg/2.24ml</i> .....	270
SKYTROFA .....	252	<i>testosterone cypionate intramuscular solution</i>	
<i>sodium oxybate</i> .....	321	<i>100 mg/ml, 200 mg/ml</i> .....	271



<i>testosterone enanthate intramuscular solution</i>	271	<i>ustekinumab subcutaneous</i>	176
<i>testosterone transdermal gel 10 mg/act (2%), 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i>	271	<i>ustekinumab-ttwe subcutaneous</i>	176
<i>testosterone transdermal solution</i>	271	VABOMERE	170
<i>tetrabenazine</i>	273	VALCHLOR	275
THALOMID ORAL CAPSULE 100 MG, 50 MG	199	VALTOCO 10 MG DOSE	6
TIBSOVO	199	VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML	6
TLANDO	271	VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML	6
TOBI PODHALER	127	VALTOCO 5 MG DOSE	6
<i>tolvaptan</i>	138, 274	VANFLYTA	199
TORPENZ	199	VECAMYL	288
TRACLEER	277	VELSIPITY	289
TRELSTAR MIXJECT	171	VENCLEXTA	199
TREMFYA CROHNS INDUCTION	278	VENCLEXTA STARTING PACK	199
TREMFYA ONE-PRESS	278	VEOZAH	290
TREMFYA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/2ML	278	VERKAZIA	291
TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE	278	VERQUVO	292
<i>tretinoin external</i>	276	VERZENIO	199
<i>tretinoin microsphere external gel 0.04 %, 0.1 %</i>	276	VESICARE	209
<i>tretinoin microsphere pump external gel 0.08 %</i>	276	VFEND IV	212
<i>trientine hcl oral capsule 500 mg</i>	311	VICTOZA SUBCUTANEOUS SOLUTION PEN- INJECTOR	173
TRIKAFTA	280	VIGAFYDE	293
TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR	218	VIJOICE	294
TRUQAP ORAL TABLET 200 MG	199	VITRAKVI	199
TRYNGOLZA	281	VIVELLE-DOT	117
TRYVIO	282	VIVJOA	295
TUKYSA	199	VIZIMPRO	199
TURALIO ORAL CAPSULE 125 MG	199	VONJO	199
TWYNEO	276	VOQUEZNA	297
TYENNE SUBCUTANEOUS	220	VOQUEZNA DUAL PAK	296
TYKERB	199	VOQUEZNA TRIPLE PAK	296
TYMLOS	283	VORANIGO	199
TYVASO DPI MAINTENANCE KIT INHALATION POWDER 16 MCG, 32 MCG, 48 MCG, 64 MCG	285	<i>voriconazole intravenous</i>	212
TYVASO DPI TITRATION KIT INHALATION POWDER 16 & 32 & 48 MCG	285	VOSEVI	174
UBRELVY	286	VOTRIENT	199
UNDECATREX	271	VOWST	299
UPTRAVI ORAL	287	VOXZOGO	300
UPTRAVI TITRATION	287	VOYDEYA	301
		VRAYLAR ORAL CAPSULE	302
		VTAMA	303
		VUITY	304
		VYNDAMAX	262
		VYNDAQEL	262
		VYVANSE	305

VYVGART HYTRULO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE.....	306	ZELBORAF.....	199
WAINUA.....	307	ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG.....	236
WAKIX.....	309	ZEMDRI.....	170
WEGOVY.....	310	ZEPATIER.....	174
WELIREG.....	199	ZEPBOUND SUBCUTANEOUS SOLUTION AUTO-INJECTOR.....	326
WEZLANA SUBCUTANEOUS.....	176	ZEPOSIA.....	327
WINREVAIR.....	255	ZEPOSIA 7-DAY STARTER PACK.....	327
XALKORI.....	199	ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG &0.46MG 0.92MG(21).....	327
XDEMVI.....	312	ZERBAXA.....	170
XELJANZ.....	313	ZIANA.....	276
XELJANZ XR.....	313	ZILBRYSQ.....	328
XENAZINE.....	314	ZOLINZA.....	199
XERMELO.....	315	<i>zolpidem tartrate er oral tablet extended release 12.5 mg.....</i>	119
XGEVA.....	316	<i>zolpidem tartrate oral capsule.....</i>	119
XIFAXAN ORAL TABLET 550 MG.....	317	<i>zolpidem tartrate oral tablet 10 mg.....</i>	119
XOLAIR.....	318	<i>zolpidem tartrate sublingual tablet sublingual 3.5 mg.....</i>	119
XOLREMDI.....	320	ZOMACTON.....	107
XOSPATA.....	199	ZORYVE.....	329, 330, 331
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG.....	199	ZTALMY.....	332
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG.....	199	ZTLIDO.....	212
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG.....	199	ZURZUVAE.....	333
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG.....	199	ZYCLARA PUMP.....	334
XPOVIO (60 MG TWICE WEEKLY).....	199	ZYDELIG.....	199
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG.....	199	ZYKADIA ORAL TABLET.....	199
XPOVIO (80 MG TWICE WEEKLY).....	199	ZYMFENTRA (2 PEN).....	335
XTAMPZA ER.....	3, 111	ZYMFENTRA (2 SYRINGE).....	335
XTANDI.....	199	ZYPREXA ORAL TABLET 2.5 MG, 20 MG, 5 MG..	36
XULTOPHY.....	173	ZYTIGA.....	199
XYOSTED.....	271		
XYREM.....	321		
XYWAV.....	322		
YARGESA.....	324		
YESINTEK SUBCUTANEOUS.....	221		
YONSA.....	199		
YORVIPATH.....	323		
YUFLYMA (1 PEN).....	7		
YUFLYMA (2 SYRINGE).....	7		
YUFLYMA-CD/UC/HS STARTER.....	7		
ZAVESCA.....	324		
ZAVZPRET.....	325		
ZEJULA ORAL TABLET.....	199		