

2026 **Priority**Medicare® Dual Premier (HMO D-SNP)

Prior Authorization Criteria

An alphabetical index by drug name appears after the drug criteria listings.

Last updated: September 2025

ID: 26328, Version 7

ACTHAR

Products Affected

- Acthar
- Acthar Gel

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ACTIMMUNE

Products Affected

Actimmune

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient's body surface area (BSA)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ADALIMUMAB-ADAZ

Products Affected

- adalimumab-adaz subcutaneous solution auto-injector 40 mg/0.4ml, 80 mg/0.8ml
- adalimumab-adaz subcutaneous solution prefilled syringe 10 mg/0.1ml, 20

mg/0.2ml, 40 mg/0.4ml

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment. For approvals of shortened-interval dosing in Crohn's disease and ulcerative colitis, documentation of the following: (1) Two of the following: symptoms, imaging showing active disease, fecal calprotecin greater than 120, CRP greater than or equal to 300, and (2) inadequate drug trough levels, and (3) initial response to therapy.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ADEMPAS

Products Affected

Adempas

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR PULMONARY ARTERIAL HYPERTENSION (PAH): Documentation that the patient has pulmonary arterial hypertension (WHO Group 1) confirmed by right heart catheterization must be provided. FOR CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION (CTEPH): Documentation that the patient has CTEPH (WHO Group 4) - and - CTEPH is classified as inoperable or as persistent/recurrent after pulmonary endarterectomy must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AIMOVIG

Products Affected

Aimovig

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other CGRP antagonist therapy.
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Initial: 1 year. Reauth: 2 years. Dosing must align with FDA labeling.
Other Criteria	For migraine prevention reauthorization requests: Must provide documentation of a decrease in migraine days per month with use of Aimovig.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

AKEEGA

Products Affected

Akeega

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ALECENSA

Products Affected

Alecensa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ALUNBRIG

Products Affected

- Alunbrig Oral Tablet 180 MG, 30 MG, 90 MG
- Alunbrig Oral Tablet Therapy Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ambrisentan

Products Affected

ambrisentan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Confirmed diagnosis of Pulmonary Arterial Hypertension (PAH), World Health Organization Group 1 by right heart catheterization and medical record documentation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AMITRIPTYLINE

Products Affected

amitriptyline hcl oral

PA Criteria	Criteria Details
Exclusion Criteria	The criteria only apply to patients 65 years and older.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	Coverage requires the following: (1) Prescriber acknowledges that the benefit of therapy outweighs the potential risks for this patient, and (2) Prescriber has considered therapy changes if the patient is using more than one anticholinergic drug in combination. Note: Due to safety concerns, this medication is considered potentially inappropriate in older adults, and is best avoided, prescribed at lower dose, or used with caution.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AMVUTTRA

Products Affected

Amvuttra

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with TTR stabilizers (e.g., tafamidis) or TTR-lowering agents (e.g. Onpattro).
Required Medical Information	INITIAL COVERAGE OF HATTR-PN: Medical records supporting the request must be provided and include all of the following: (1) Patient has a transthyretin (TTR) mutation (e.g., V30M) - AND - (2) Patient has a baseline polyneuropathy disability (PND) score less than or equal to IIIb - AND - (3) Patient has clinical signs and symptoms of the condition (e.g., motor disability, peripheral/autonomic neuropathy, etc.). INITIAL COVERAGE OF ATTR-CM: Documentation of the following is required: (1) Patient has had trial with failure or intolerance, or has a contraindication to tafamidis (Vyndaqel, Vyndamax) - AND (2) Patient has New York Heart Association (NYHA) class 1, 2, or 3 heart failure with current clinical manifestations or prior hospitalization for HF - AND - (3) Patient has an echocardiogram (ECHO) or cardiac magnetic resonance (CMR) imaging demonstrating cardiac involvement (i.e., increased left ventricular wall thickness) - AND - (4) diagnosis confirmed by tissue biopsy, genetic testing, or radionuclide imaging (99mTc-PYP, 99mTc-DPD, or 99mTc-HMDP scan) - AND - (5) if the diagnosis was confirmed by radionuclide imaging, coverage also requires documentation of Grade 2 or 3 cardiac uptake.
Age Restrictions	Must be age 18 or older.
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.

PA Criteria	Criteria Details
Other Criteria	Amvuttra will not be approved if the patient has primary (light-chain) amyloidosis. REAUTHORIZATION OF HATTR-PN: Documentation demonstrating a positive clinical response to Amvuttra compared to baseline must be provided (e.g., improved neuropathy symptoms, motor function, quality of life, slowing of disease progression). REAUTHORIZATION OF ATTR-CM: Documentation demonstrating a positive clinical response to Amvuttra compared to baseline must be provided (e.g., reduced cardiovascular-related hospitalizations, improved function, improved quality of life).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Antihistamines – 2nd Generation

Products Affected

- cetirizine hcl childrens oral solution 5 mg/5ml
- · cetirizine hcl oral tablet chewable

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Allergy to the preferred medications, OR Contraindication or drug to drug interaction with the preferred medications, OR History of unacceptable side effects with the preferred medications, OR Trial and failure on one preferred second-generation antihistamine or clinical rationale why they cannot be tried
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	The preferred products (No Prior Authorization required) in this class are: cetirizine tablets, cetirizine 1mg/ml solution, fexofenadine tablets, levocetirizine tablets, loratadine/ loratadine ODT
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anti-Obesity Agents

Products Affected

- Adipex-P Oral Tablet
- benzphetamine hcl oral tablet 50 mg
- · diethylpropion hcl er
- diethylpropion hcl oral
- Lomaira
- orlistat oral
- phendimetrazine tartrate
- phendimetrazine tartrate er
- phentermine hcl oral capsule

- phentermine hcl oral tablet 37.5 mg
- · phentermine-topiramate er
- Saxenda
- Wegovy Subcutaneous Solution Auto-Injector 0.25 MG/0.5ML, 0.5 MG/0.5ML, 1 MG/0.5ML, 1.7 MG/0.75ML, 2.4 MG/0.75ML
- Xenical
- Zepbound Subcutaneous Solution

PA Criteria	Criteria Details
Exclusion Criteria	Prescriber attests that the patient will not use more than one weight loss medication in this drug class concurrently, AND Prescriber attests that the patient will not use an anti-obesity GLP-1 agonist (Wegovy, Saxenda or Zepbound) concurrently with a DPP4 inhibitor, AND For patients with an eating disorder, prescriber attests that treatment has been optimized and confirms the safety and appropriateness of this anti-obesity treatments, AND Prescriber attests that metabolic or other reason(s) for obesity/symptoms have been ruled out or diagnosed and treated (e.g., thyroid dysfunction, diabetes, sleep apnea, etc.), AND Prescriber attests to patient's absence of any contraindications to use of the requested product, including pregnancy, lactation, a personal or family history of medullary thyroid cancer or multiple endocrine neoplasia type II AND

PA Criteria	Criteria Details
Required Medical Information	Patient 12 years to less than 18 years of age must have an initial BMI per CDC growth charts at the 95th percentile or greater for age and sex (obesity), OR Patient aged 12 years to less than 18 years with BMI in the 85th - 94th percentile (overweight) per CDC growth charts and has at least one of the following weight-related coexisting conditions: diabetes, sleep apnea, hypertension, or dyslipidemia, OR Patient aged 18 years and older must have an initial body mass index [BMI] greater than or equal to 30 kg/m2, OR Patient aged 18 years and older must have an initial body mass index [BMI] greater than or equal to 27 kg/m2 but less than 30 kg/m2 and at least one of the following: hypertension, coronary artery disease, diabetes, dyslipidemia, or sleep apnea, OR This medication is being prescribed for cardiovascular risk reduction in members with prior myocardial infarction, prior stroke, or peripheral arterial disease (Wegovy), AND, Prescriber attests medication therapy is part of a total treatment plan including diet and exercise/activity as appropriate for the patient's ability, AND Prescriber attests that patient has been informed weight may return with cessation of medication unless healthy lifestyle diet and activity changes, as appropriate for the patient's ability, are permanently adopted.
Age Restrictions	Patient aged 12 years and older (phentermine/topiramate, Wegovy, Xenical, Saxenda), OR Patient aged 17 years and older (phentermine), OR Patient aged 18 years and older (benzphetamine, diethylpropion, phendimetrazine, Zepbound)
Prescriber Restrictions	
Coverage Duration	6 months for both initial and reauthorization
Other Criteria	Renewal Criteria: For adults aged greater than or equal to 18 years, prescriber provides clinical documentation showing that the patient has maintained a weight loss of greater than or equal to 5% from baseline weight at initiation of therapy, OR For patients aged 12 years to less than 18 years, prescriber provides clinical documentation showing that the patient has maintained or improved BMI percentile per CDC growth charts from baseline weight at initiation of therapy.
Indications	All FDA-approved Indications.
	1

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

aprepitant

Products Affected

aprepitant

PA Criteria	Criteria Details
Exclusion Criteria	Aprepitant is not covered in the following situations: (1)treatment of established nausea and vomiting, and (2) for chronic continuous use.
Required Medical Information	For post-op nausea/vomiting: Provide date of surgery.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Plan year authorization with limit of one 30-day fill for post-op nausea/vomiting
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ARCALYST

Products Affected

Arcalyst

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For the treatment of recurrent pericarditis: Must have documentation supporting a trial and failure (defined as inadequate response) with an NSAID in combination with colchicine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ARIKAYCE

Products Affected

Arikayce

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For initial review, sputum culture supporting the diagnosis of Mycobacterium avium complex (MAC) lung disease must be submitted.
Age Restrictions	
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	Initial approval for 6 months. Reauthorization for 12 months.
Other Criteria	For initial review, documentation of failure to obtain negative sputum cultures after a minimum of 6 months of a multidrug background regimen therapy for MAC lung disease must be provided. For reauthorization, documentation of a negative sputum culture obtained within the last 30 days must be provided. Criteria will be applied consistent with current ATS/IDSA guidelines.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

aripiprazole odt

Products Affected

· aripiprazole oral tablet dispersible

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ARIPIPRAZOLE ORAL SOLUTION

Products Affected

· aripiprazole oral solution

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have tried and have a documented intolerance or contraindication to aripiprazole TABLET and either olanzapine ODT or risperidone ODT.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

armodafinil

Products Affected

armodafinil

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

asenapine

Products Affected

asenapine maleate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as an inadequate response) with two of the following generic drugs used for at least 28 days each: aripiprazole, olanzapine, quetiapine, risperidone, ziprasidone, or lurasidone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

AUGTYRO

Products Affected

Augtyro Oral Capsule 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AUSTEDO

Products Affected

Austedo Oral Tablet 12 MG, 6 MG, 9 MG

18 & 24 & 30 MG

- Austedo XR
- Austedo XR Patient Titration Oral Tablet Extended Release Therapy Pack 12 &

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with tetrabenazine or Ingrezza.
Required Medical Information	TARDIVE DYSKINESIA (TD) INITIAL REQUESTS: (1) the patient is using Austedo for TD that is not associated with dopamine receptor blocking, OR (2) the patient is using Austedo for TD associated with the use of dopamine receptor blocking agents and symptoms have persisted despite stopping or reducing the dose of the dopamine blocking agent, OR (3) stopping or reducing the dose of the dopamine blocking agent is not possible.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Initial: 1 year. Reauth: 2 years.
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AUVELITY

Products Affected

Auvelity

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of prior therapies and responses to treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	Must try and fail (defined as an inability to improve depressive symptoms after at least 4 weeks of treatment) with an SSRI or SNRI and 1 atypical antidepressant (e.g., bupropion, mirtazapine).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

AVMAPKI-FAKZYNJA

Products Affected

Avmapki Fakzynja Co-Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AVONEX

Products Affected

- Avonex Pen Intramuscular Auto-Injector Kit
- Avonex Prefilled Intramuscular Prefilled Syringe Kit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

AYVAKIT

Products Affected

Ayvakit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BALVERSA

Products Affected

• Balversa Oral Tablet 3 MG, 4 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BENLYSTA

Products Affected

Benlysta Subcutaneous

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used with another biologic drug or Lupkynis.
Required Medical Information	For SLE initial requests: Must have a SELENA-SLEDAI score of 6 or more before starting Benlysta AND either an anti-dsDNA antibody greater than 30 IU/ml or ANA greater than 1:80. For LN initial requests: Must have a confirmed diagnosis of SLE AND a kidney biopsy confirming class 3, 4, and/or 5 disease.
Age Restrictions	
Prescriber Restrictions	Prescriber must be a specialist in treating the condition or have consulted with a specialist.
Coverage Duration	1 year initial. 2 years reauthorization.
Other Criteria	For SLE initial requests: Must be taking two of the following drugs together for at least 12 weeks each: a steroid, immunosuppressant, and/or hydroxychloroquine - AND - For SLE reauthorization: Must have evidence of clinical improvement with Benlysta. For lupus nephritis (LN) initial requests: Must be receiving standard therapy for LN (e.g., mycophenolate or azathioprine plus a steroid) - AND - For LN reauthorization: Must have evidence of clinical improvement with Benlysta, including improved or stable eGFR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

BESREMI

Products Affected

Besremi

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	Must trial and fail hydroxyurea (defined as an intolerance and/or persistence or recurrence of disease).
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

BETASERON

Products Affected

• Betaseron Subcutaneous Kit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

bexarotene

Products Affected

bexarotene oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BEXAROTENE GEL

Products Affected

bexarotene external

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Must first try tazarotene.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

bosentan

Products Affected

bosentan oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Confirmed diagnosis of Pulmonary Arterial Hypertension (PAH), World Health Organization Group 1 by right heart catheterization and medical record documentation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BOSULIF

Products Affected

- Bosulif Oral Capsule 100 MG, 50 MGBosulif Oral Tablet 100 MG, 400 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BRAFTOVI

Products Affected

• Braftovi Oral Capsule 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have documentation of BRAF V600 mutation status.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

BRIVIACT

Products Affected

- · Briviact Oral Solution
- Briviact Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate seizure control) with generic levetiracetam and at least 1 other generic anticonvulsant for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

BRUKINSA

Products Affected

Brukinsa Oral Capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	For CLL/SLL, marginal zone lymphoma, mantle cell lymphoma, and Waldenström Macroglobulinemia where NCCN Guidelines give the same category of recommendation: Your prescriber must provide rationale supporting why Calquence or Imbruvica cannot be used in place of Brukinsa.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CABOMETYX

Products Affected

Cabometyx

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

calcipotriene/betamethasone suspension

Products Affected

 calcipotriene-betameth diprop external suspension

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure with a generic topical steroid for the scalp (such as fluocinonide solution, clobetasol solution, clobetasol shampoo) in combination with generic calcipotriene solution. Failure is defined as an inadequate response in treating the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

CALQUENCE

Products Affected

Calquence Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CAPLYTA

Products Affected

Caplyta

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	Must be age 18 or older.
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	For schizophrenia: Patient must have tried and failed (defined as taking the medication as prescribed without an adequate response or with intolerance) two of the following generic atypical antipsychotics: aripiprazole, ziprasidone, olanzapine, risperidone, quetiapine. For depressive episodes associated with bipolar 1 disorder: Patient must have tried and failed (defined above) one of the following generic products: quetiapine or olanzapine (with fluoxetine) - AND - Patient must have tried and failed (defined above) generic lurasidone. For depressive episodes associated with bipolar 2 disorder: Patient must have tried and failed (defined above) quetiapine.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

CAPRELSA

Products Affected

· Caprelsa Oral Tablet 100 MG, 300 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CARGLUMIC ACID

Products Affected

· carglumic acid oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CAYSTON

Products Affected

Cayston

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

clobazam

Products Affected

- clobazam oral suspension 2.5 mg/mlclobazam oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Patient must first try one generic anticonvulsant. Clobazam suspension may only be used in patients where tablets are contraindicated (e.g., dysphagia).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

CLOZAPINE ODT

Products Affected

· clozapine oral tablet dispersible

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient has had prior trial AND a documented contraindication (e.g. dysphagia) to generic clozapine tablet.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

COBENFY

Products Affected

- CobenfyCobenfy Starter Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as an inadequate response) with two generic atypical antipsychotics used for at least 28 days each.
Age Restrictions	Must be age 18 or older.
Prescriber Restrictions	Must be prescribed by, or in consultation with, a specialist for the condition being treated.
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

colistimethate sodium

Products Affected

colistimethate sodium (cba)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) The drug is being used intravenously (IV) or intramuscularly (IM). Administration through nebulization is not covered (CMS-approved compendia do not support inhalation/nebulization of colistimethate), AND (2) the infection is proven, or strongly suspected, to be caused by susceptible bacteria based on the following required documentation: 1) culture and susceptibility information, OR 2) local epidemiology and susceptibility patterns.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by or in consultation with an infectious disease specialist.
Coverage Duration	One year.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

COMETRIQ

Products Affected

- Cometriq (100 MG Daily Dose) Oral Kit
 Cometriq (60 MG Daily Dose) 80 & 20 MG
- Cometriq (140 MG Daily Dose) Oral Kit 3 x 20 MG & 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

COPIKTRA

Products Affected

Copiktra

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CORTROPHIN

Products Affected

Cortrophin

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes

COSENTYX

Products Affected

- Cosentyx (300 MG Dose)
- Cosentyx Sensoready (300 MG)
- Cosentyx Subcutaneous Solution Prefilled Syringe 75 MG/0.5ML

Cosentyx UnoReady

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	For ankylosing spondylitis and non-radiographic axial spondyloarthritis (NRAS): Must try and fail (defined above) one nonsteroidal antiinflammatory drug (NSAID). For psoriasis: Must try and fail (defined above) one traditional non-biologic immunomodulator drug (e.g., methotrexate, cyclosporine, acitretin). For ERA: Must try and fail (defined above) one other drug for the condition (e.g., methotrexate, sulfasalazine, NSAID) - or - have aggressive disease that necessitates initial biologic therapy. For hidradenitis suppurativa: Must try and fail (defined above) one other drug for the condition (e.g., prednisone, clindamycin, erythromycin).
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

COTELLIC

Products Affected

Cotellic

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CRESEMBA

Products Affected

· Cresemba Oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	For invasive aspergillosis, documentation to support an inability to use generic voriconazole for the condition must be provided.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CYSTADROPS

Products Affected

Cystadrops

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

CYSTARAN

Products Affected

Cystaran

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DALFAMPRIDINE ER

Products Affected

· dalfampridine er

PA Criteria	Criteria Details
Exclusion Criteria	Patient must not have history of seizure and creatinine clearance must be greater than 50 ml per min.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	UNDER CMS REVIEW
Other Criteria	Baseline timed 25-foot walk (T25FW), patient must be currently ambulatory. Reauthorization requires documentation of stability and/or improvement in walking speed.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DANZITEN

Products Affected

Danziten

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DASATINIB

Products Affected

 dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DAURISMO

Products Affected

Daurismo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Diabetic Supplies

Products Affected

- assure id insulin safety syr 29g x 1/2" 1
 ml
- bd autoshield duo
- bd pen needle 29g x 12mm
- · bd pen needle micro u/f
- · bd pen needle micro ultrafine
- · bd pen needle mini u/f
- bd pen needle mini ultrafine
- bd pen needle nano 2nd gen
- bd pen needle nano u/f
- · bd pen needle nano ultrafine
- bd pen needle orig ultrafine
- bd pen needle original u/f
- bd pen needle short u/f

- · bd pen needle short ultrafine
- comfort assist insulin syringe 29g x 1/2"
 1 ml
- cvs gauze sterile pad 2"x2"
- embecta autoshield duo
- embecta pen needle nano
- · embecta pen needle nano 2 gen
- · embecta pen needle ultrafine
- · global alcohol prep ease
- novofine pen needle
- · novofine plus pen needle
- preferred plus insulin syringe 28g x 1/2"
 0.5 ml
- · reli-on insulin syringe 29g 0.3 ml

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Approve if the prescriber confirms that the medical supply is being requested for a use that is directly associated with delivering insulin to the body.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

DIACOMIT

Products Affected

Diacomit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) Patient has a diagnosis of seizures associated with Dravet syndrome AND (2) Patient is not currently controlled on current therapy (defined as experiencing generalized tonic clonic or clonic seizures within the past 28 days) AND (3) Patient taking concomitant clobazam therapy.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by or in consultation with a specialist (i.e. neurologist, epileptologist).
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DICHLORPHENAMIDE

Products Affected

dichlorphenamide

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

dihydroergotamine nasal spray

Products Affected

· dihydroergotamine mesylate nasal

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation to support (1) a trial and failure (defined as inability to improve symptoms or condition) of one non-oral triptan drug (e.g., sumatriptan nasal spray or injection) AND (2) a trial and failure (defined above) of Nurtec ODT.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

dimethyl fumarate

- dimethyl fumarate oral
- dimethyl fumarate starter pack oral capsule delayed release therapy pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

DRIZALMA

Products Affected

 Drizalma Sprinkle Oral Capsule Delayed Release Sprinkle 20 MG, 30 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

droxidopa

Products Affected

droxidopa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.
Other Criteria	Patient must first try midodrine. For reauthorization: Must have documentation of a positive clinical response (e.g., sustained decrease in dizziness).
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

DUPIXENT

- Dupixent Subcutaneous Solution Auto-Injector 200 MG/1.14ML, 300 MG/2ML
- Dupixent Subcutaneous Solution Pen-Injector 200 MG/1.14ML, 300 MG/2ML
- Dupixent Subcutaneous Solution Prefilled Syringe 100 MG/0.67ML, 200 MG/1.14ML, 300 MG/2ML

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs or Janus Kinase Inhibitor (JAKis).
Required Medical Information	INITIAL COVERAGE OF ASTHMA: Documentation of the following: (1) Patient has oral corticosteroid-dependent asthma, OR (2) patient has an eosinophilic phenotype defined by an elevated blood eosinophil count of 150 or more cells per microliter at therapy initiation or 300 or more cells per microliter in the past 12 months, AND (3) Patient has tried and failed 1 ICS/LABA inhaler in the past 6 months (failure is defined as an inability to improve the condition on the required therapy for at least 4 weeks). REAUTHORIZATION OF ASTHMA: Must have documentation of clinical benefit compared to baseline (e.g., decrease in exacerbations, improvement in symptoms, decrease in oral steroid use). INITIAL COVERAGE OF EOSINOPHILIC ESOPHAGITIS (EOE): Documentation of the following: (1) Patient has a diagnosis confirmed by esophageal biopsy defined by at least 15 eosinophils per high power field (HPF), AND (2) patient's current weight is at least 15 kg, AND (3) Patient has symptoms of esophageal dysfunction, AND (4) Patient has tried and failed (defined as an inadequate response) a proton pump inhibitor or a swallowed topical steroid (e.g., fluticasone, budesonide) for at least 2 months. REAUTHORIZATION OF EOE: Must have documentation of a positive response including a reduction in eosinophil count or esophageal symptoms (e.g., less dysphagia).
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	1 year initial and 2 years reauth. Dose must follow the FDA-approved labeling.

PA Criteria	Criteria Details
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EBGLYSS

Products Affected

Ebglyss

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs or Janus Kinase Inhibitors (JAKis) for the condition.
Required Medical Information	For initial coverage of atopic dermatitis, documentation of the following is required: (1) Confirmation of moderate to severe atopic dermatitis - AND - (2) Trial and failure (defined as an inadequate response) to Rinvoq - AND - (3) Trial and failure (defined as an inadequate response) to Dupixent.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Initial: 1 year limited to 4 doses the first month and 2 doses each month thereafter. 2-year reauth.
Other Criteria	For reauthorization of atopic dermatitis, documentation of the following is required: (1) Positive clinical response compared to baseline (e.g., less exacerbations, improved symptoms, less steroid use) - AND - Patient is using Ebglyss at the maintenance dose of every 4 weeks or patient is using Ebglyss every 2 weeks due to an inadequate response with dosing every 4 weeks.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ELTROMBOPAG

- eltrombopag olamine oral packet 12.5 mg, 25 mg
- eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg

PA Criteria	Criteria Details
Exclusion Criteria	Use of eltrombopag to normalize platelet counts is not covered.
Required Medical Information	Documentation supporting the request including current platelet count must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes

EMGALITY

- EmgalityEmgality (300 MG Dose)

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other CGRP antagonist therapy.
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 year. Cluster reauth: 1 year. Migraine reauth: 2 years. Dosing must align with FDA labeling.
Other Criteria	For migraine prevention reauthorization requests: Must provide documentation of a decrease in migraine days per month with use of Emgality. For cluster headache reauthorization requests: Must provide documentation of a decrease in the frequency or intensity of cluster headaches with Emgality.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EMSAM

Products Affected

• Emsam

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation supporting the trial and failure (defined as an inadequate improvement in depressive symptoms) with two of the following generic antidepressants is required: SNRIs, SSRIs, mirtazapine, or bupropion.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ENBREL

- Enbrel Subcutaneous Solution 25 MG/0.5ML
- Enbrel Subcutaneous Solution Prefilled Syringe 25 MG/0.5ML, 50 MG/ML
- Enbrel SureClick Subcutaneous Solution Auto-Injector

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	UNDER CMS REVIEW
Other Criteria	For RA: Must try and fail (defined as an intolerance or inability to improve symptoms) one traditional non-biologic immunomodulator drug (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine). For ankylosing spondylitis: Must try and fail (defined above) one nonsteroidal anti-inflammatory drug (NSAID). For psoriasis: Must try and fail (defined above) one traditional non-biologic immunomodulator drug (e.g., methotrexate, cyclosporine, acitretin). For hidradenitis suppurativa: Must try and fail (defined above) one other drug for the condition (e.g., prednisone, clindamycin, erythromycin). For Juvenile Idiopathic Arthritis: Must try and fail (defined above) one other drug for the condition (e.g., methotrexate, sulfasalazine, NSAID) - or - the patient will be starting Enbrel concurrently with methotrexate, sulfasalazine, or leflunomide - or - the patient has aggressive disease, as determined by the prescribing physician.
Indications	All Medically-accepted Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ENBREL MINI

Products Affected

• Enbrel Mini

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	UNDER CMS REVIEW
Other Criteria	For RA: Must try and fail (defined as an intolerance or inability to improve symptoms) one traditional non-biologic immunomodulator drug (e.g., methotrexate, leflunomide, hydroxychloroquine, sulfasalazine). For ankylosing spondylitis: Must try and fail (defined above) one nonsteroidal anti-inflammatory drug (NSAID). For psoriasis: Must try and fail (defined above) one traditional non-biologic immunomodulator drug (e.g., methotrexate, cyclosporine, acitretin). For hidradenitis suppurativa: Must try and fail (defined above) one other drug for the condition (e.g., prednisone, clindamycin, erythromycin). For Juvenile Idiopathic Arthritis: Must try and fail (defined above) one other drug for the condition (e.g., methotrexate, sulfasalazine, NSAID) - or - the patient will be starting Enbrel concurrently with methotrexate, sulfasalazine, or leflunomide - or - the patient has aggressive disease, as determined by the prescribing physician.
Indications	All Medically-accepted Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ENDARI

Products Affected

• Endari

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Must try and fail hydroxyurea. Fail is defined as continuing to have pain episodes despite appropriately dosed hydroxyurea or having any intolerance to hydroxyurea.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EOHILIA

Products Affected

Eohilia

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) Diagnosis of EOE confirmed by esophageal biopsy, defined as at least 15 eosinophils per high power field (HPF) - and - (2) Must have continued symptoms of EOE despite trial of a proton pump inhibitor for at least 2 months - and (3) - Trial with one topical generic corticosteroid (i.e., fluticasone, budesonide) for at least 2 months with continued symptoms.
Age Restrictions	Must be age 11 years or older.
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated (gastroenterologist, allergist)
Coverage Duration	1 year authorization with a limit of 12 weeks of treatment.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EPCLUSA

- Epclusa Oral Packet 150-37.5 MG, 200-50 MG
- Epclusa Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have chronic hepatitis C infection.
Age Restrictions	For pellets only, must be age 3 - 21 years old.
Prescriber Restrictions	
Coverage Duration	Duration of therapy will be applied consistent with current AASLD/IDSA guidance.
Other Criteria	Must have documentation to support that the use of Epclusa is consistent with current AASLD/IDSA guidance.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

EPIDIOLEX

Products Affected

• Epidiolex

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure with at least 2 generic anticonvulsants for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EPRONTIA

Products Affected

Eprontia

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure with generic topiramate sprinkles and at least 1 other generic anticonvulsant for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ERIVEDGE

Products Affected

Erivedge

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ERLEADA

Products Affected

• Erleada Oral Tablet 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

erlotinib

Products Affected

 erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ESLICARBAZEPINE

Products Affected

 eslicarbazepine acetate oral tablet 200 mg, 400 mg, 600 mg, 800 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate seizure control) with at least 2 generic anticonvulsants for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EUCRISA

Products Affected

Eucrisa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Approve in patients who have tried and failed a prescription strength topical steroid for the current condition being treated. If a topical steroid is not appropriate for the patient, approve in patients who have tried a generic topical calcineurin inhibitor for the current condition being treated.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EULEXIN

Products Affected

Eulexin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	Coverage requires a trial with generic flutamide or bicalutamide.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

EVENITY

Products Affected

Evenity

PA Criteria	Criteria Details
Exclusion Criteria	Cumulative use of Evenity of more than 12 months is not covered.
Required Medical Information	Documentation supporting one of the following: (1) Trial and failure, intolerance, or contraindication to alendronate, risedronate, or ibandronate - AND - either zoledronic acid or Prolia, OR (2) a very high risk of fracture defined as a T-score of -3.0 or less, a T-score of -2.5 or less with a fragility fracture, or a history of severe or multiple fragility fractures regardless of T-score.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by endocrinologist.
Coverage Duration	Up to 12 months total therapy. Dosing must follow FDA-approved labeling.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

everolimus

- everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg
- everolimus oral tablet soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

EVRYSDI

Products Affected

Evrysdi Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For spinal muscular atrophy (SMA), documentation of the genetic test confirming the diagnosis must be provided.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by a neurologist or in consultation with a neurologist with experience treating SMA.
Coverage Duration	Initial - 12 months, reauthorization - 12 months
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FANAPT

- Fanapt
- Fanapt Titration Pack A
- Fanapt Titration Pack B Oral Tablet
- Fanapt Titration Pack C Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as an inadequate response) with two of the following generic drugs that have support for the requested condition and each used for at least 28 days: aripiprazole, olanzapine, quetiapine, risperidone, ziprasidone, or lurasidone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FASENRA

- Fasenra Pen
- Fasenra Subcutaneous Solution Prefilled Syringe 10 MG/0.5ML, 30 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs.
Required Medical Information	For initial coverage of severe eosinophilic asthma, documentation of the following is required: (1) An elevated blood eosinophil count of greater than or equal to 150 cells per microliter within 6 weeks (prior to the immediate start of treatment with Fasenra) - OR - greater than or equal to 300 cells per microliter in the previous 12 months, AND (2) Trial with failure of 1 ICS/LABA inhaler in the past 6 months (failure is defined as an inability to improve the condition on the required therapy for at least 4 weeks). For reauthorization of severe eosinophilic asthma: (1) Must have documentation of clinical benefit with Fasenra compared to baseline (e.g., decrease in exacerbations, improvement in symptoms, decrease in oral steroid use). For initial coverage of eosinophilic granulomatosis with polyangiitis (EGPA): Documentation supporting the patient has non-severe EGPA (defined as absence of life or organ-threatening manifestations) must be provided. For reauthorization of EGPA, must have documentation of clinical benefit with Fasenra compared to baseline (e.g., decrease in exacerbations, improvement in symptoms, decrease in oral steroid use).
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	1 year initial and 2 years reauth. Dosing must follow the FDA-approved labeling.
Other Criteria	Diagnosis and administration information will be reviewed to determine if coverage is available as a Medicare Part B or Part D benefit.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FINGOLIMOD

Products Affected

fingolimod hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FINTEPLA

Products Affected

Fintepla

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate seizure control) with two of the following: clobazam, valproic acid, topiramate.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

FOTIVDA

Products Affected

Fotivda

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FRUZAQLA

Products Affected

• Fruzaqla Oral Capsule 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

FYCOMPA

- Fycompa Oral SuspensionFycompa Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate seizure control) with at least 2 generic anticonvulsants for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

GATTEX

Products Affected

Gattex

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

GAVRETO

Products Affected

Gavreto

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GEFITINIB

Products Affected

gefitinib

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GILOTRIF

Products Affected

Gilotrif

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

glatiramer

Products Affected

 glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GLATOPA

Products Affected

 Glatopa Subcutaneous Solution Prefilled Syringe 20 MG/ML, 40 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GOMEKLI

Products Affected

Gomekli

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

GROWTH HORMONE

- Norditropin FlexPro Subcutaneous Solution Pen-Injector
- Omnitrope Subcutaneous Solution Cartridge
- Omnitrope Subcutaneous Solution Reconstituted

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR CHILDREN: must submit an untreated growth velocity curve with a minimum of 1 year of growth data showing a growth velocity of less that 10th % for bone age and gender, growth plates must be open, bone age must be a minimum of 1 year behind chronological age (unless GHD is related to pituitary surgery, radiation therapy, or with precocious puberty), must have a documented GH deficiency via 2 growth hormone stimulation tests below 10ng/ml or GH stimulation test level less than 15 ng/ml + IGF-1 and IGF-PB3 levels below normal for bone age and sex, decreased muscle tone by exam. FOR ADULTS with a diagnosis of GHD: Must have confirmation of GHD by meeting one of the following: (1) A suboptimal response using an appropriate GH-stimulation test, (2) Child-onset GHD with confirmed persistent GHD, or (3) patient has all the following: (a) documented pituitary or hypothalamic disease (e.g., brain tumor with previous brain irradiation), (b)greater than or equal to 3 pituitary hormone deficiencies (thyroid-stimulating hormone (TSH), corticotropin (ACTH), and gonadotropins), and (c) low insulin-like growth factor-1 (IGF-1). If IGF-1 value is indeterminate, a suboptimal response on an appropriate GH-stimulation test required.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by an endocrinologist, gastroenterologist, or nephrologist.
Coverage Duration	One year

PA Criteria	Criteria Details
Other Criteria	FOR CHILDREN: Diagnosis of Growth Hormone Deficiency-height must be less than the 5th% fir age/sex. Diagnosis of Turner's syndrome-height must be less than 10th%. Diagnosis of Pretransplant chronic renal insufficiency-height must be less than 5th% for age/sex and patient must be receiving weekly dialysis or SCR less than 2 mg/dL. FOR CHILDREN: must not have constitutional growth delay, or acute or chronic catabolic illness. FOR ADULTS, the following conditions are not covered: treatment of reduced growth hormone related to aging, Turner's syndrome or cystinosis. For reauthorization in adults and children: Above normal IGF-1 level requires provider attestation that dose will be decreased and therapy will be managed to obtain a level within normal range.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HADLIMA

Products Affected

- Hadlima PushTouch Subcutaneous Solution Auto-Injector 40 MG/0.4ML, 40 MG/0.8ML
- · Hadlima Subcutaneous Solution Prefilled

Syringe 40 MG/0.4ML, 40 MG/0.8ML

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment. For approvals of shortened-interval dosing in Crohn's disease and ulcerative colitis, documentation of the following: (1) Two of the following: symptoms, imaging showing active disease, fecal calprotecin greater than 120, CRP greater than or equal to 300, and (2) inadequate drug trough levels, and (3) initial response to therapy.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	UNDER CMS REVIEW
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Haegarda

Products Affected

Haegarda

PA Criteria	Criteria Details
Exclusion Criteria	Haegarda is not covered if any of the following are met: (1) use in combination with an angiotensin-converting enzyme inhibitor (ACEI), (2) use in combination with other preventative therapies for HAE (e.g., Orladeyo, Takhyzro), and/or (3) used for the treatment of acute attacks.
Required Medical Information	Requires submission of C4, C1-INH protein, and C1-INH function lab results confirming diagnosis.
Age Restrictions	Must be age 6 or older.
Prescriber Restrictions	Prescriber is an allergist, immunologist, hematologist, or other specialist experienced in treating HAE.
Coverage Duration	1 year initial and reauth
Other Criteria	For reauthorization: Must also have documentation showing a decrease in the frequency of attacks.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

HUMIRA

- Humira (2 Pen)
- Humira (2 Syringe) Subcutaneous Prefilled Syringe Kit 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML
- Humira Pen Subcutaneous Pen-Injector Kit
- Humira Subcutaneous Prefilled Syringe Kit 40 MG/0.8ML
- Humira-CD/UC/HS Starter
- Humira-Ped>/=40kg UC Starter
- Humira-Psoriasis/Uveit Starter

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment. Dosing must follow the FDA-approved labeling. For approvals of shortened-interval dosing in Crohn's disease and ulcerative colitis, documentation of the following: (1) Two of the following: symptoms, imaging showing active disease, fecal calprotecin greater than 120, CRP greater than or equal to 300, and (2) inadequate drug trough levels, and (3) initial response to therapy.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

IBRANCE

Products Affected

Ibrance

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

icatibant acetate

- icatibant acetate subcutaneous solution prefilled syringe
- Sajazir Subcutaneous Solution Prefilled Syringe

PA Criteria	Criteria Details
Exclusion Criteria	Concurrent use of an angiotensin-converting enzyme inhibitor (ACEI) is not covered.
Required Medical Information	Documentation of C4, C1-INH protein, and C1-INH function lab results confirming diagnosis.
Age Restrictions	Must be age 18 or older.
Prescriber Restrictions	Prescriber is an allergist, immunologist, hematologist, or other specialist experienced in treating HAE.
Coverage Duration	6 months, initial and reauthorization.
Other Criteria	For reauthorization: Must have documentation showing use of previously approved syringes AND a favorable clinical response (decrease in the duration of attacks, quick onset of symptom relief, resolution of symptoms, decrease in attack frequency or severity).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ICLUSIG

Products Affected

Iclusig

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IDHIFA

Products Affected

IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of IDH2 (isocitrate dehydrogenase-2) mutation must be submitted.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

imatinib mesylate

Products Affected

imatinib mesylate oral tablet 100 mg, 400 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMBRUVICA

- Imbruvica Oral Capsule
- Imbruvica Oral Suspension
- Imbruvica Oral Tablet 140 MG, 280 MG, 420 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	Criteria will be applied consistent with current NCCN guidance. Reauthorization for GVHD: Must have documentation of clinical benefit.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMKELDI

Products Affected

• imkeldi

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Coverage requires that the patient is unable to swallow or appropriately use the generic imatinib tablet formulation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IMPAVIDO

Products Affected

Impavido

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One month
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INCRELEX

Products Affected

Increlex

PA Criteria	Criteria Details
Exclusion Criteria	Increlex is not covered in patients with closed epiphyses.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INLYTA

Products Affected

Inlyta

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

INQOVI

Products Affected

Inqovi

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	Yes
Prerequisite Therapy Required	No

INREBIC

Products Affected

• Inrebic

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Must have tried and failed (defined as an intolerance or inability to improve the condition) Jakafi.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ITOVEBI

Products Affected

• Itovebi Oral Tablet 3 MG, 9 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

IVIG

- Gammagard Injection Solution 2.5 GM/25ML
- Gammagard S/D Less IgAGamunex-C

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) A current weight and requested dose, AND (2) Dosing must follow FDA-approved labeling, or have documentation supporting that the requested dose follows accepted standards of medical practice, AND (3) Patient's dose has been weight-adjusted if the BMI is 30 or more or the actual body weight is 20% higher than the member's ideal body weight, AND (4) Medical records supporting the request, including support for the diagnosis and dose have been provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	Diagnosis and administration information will be reviewed to determine if coverage is available as a Medicare Part B or Part D benefit. FOR MYASTHENIA GRAVIS: Patient must be experiencing acute myasthenic crisis with decompensation. Use of IVIG for chronic or routine use is not covered (there is a lack of evidence to support use of IVIG in stable MG).
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

IWILFIN

Products Affected

Iwilfin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

JAKAFI

Products Affected

Jakafi

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Criteria will be applied consistent with current NCCN guidance. Reauthorization for GVHD: Must have documentation of clinical benefit.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

JAYPIRCA

Products Affected

Jaypirca

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical records supporting that the use of Jaypirca follows current NCCN recommendations must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Use of Jaypirca must follow current NCCN recommendations.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

JYLAMVO

Products Affected

Jylamvo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

JYNARQUE

Products Affected

Jynarque Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR HYPONATREMIA: (1) Documentation that confirms the patient has hypervolemic or euvolemic hyponatremia defined as a serum sodium less than 125 mEq/L or less-marked hyponatremia that is symptomatic and nonresponsive to fluid restriction (including patients with SIADH or heart failure), and (2) Jynarque is being used at a quantity of up to 60 mg per day in line with the FDA-approved labeling. FOR AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE (ADPKD): (1) Patient is at risk of rapidly progressing, and (2) Jynarque is being used at a quantity of up to 120 mg per day in line with the FDA-approved labeling.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Hyponatremia: 30 days, ADPKD: 2 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

KALYDECO

Products Affected

Kalydeco

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have laboratory confirmation of ivacaftor-responsive mutation in the CFTR gene.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

KERENDIA

Products Affected

Kerendia

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For initial treatment, eGFR greater than or equal to 25ml/min/1.73m2.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

KISQALI

- Kisqali (200 MG Dose)Kisqali (400 MG Dose)Kisqali (600 MG Dose)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

KISQALI FEMARA

- Kisqali Femara (200 MG Dose)Kisqali Femara (400 MG Dose)
- Kisqali Femara (600 MG Dose)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

KOSELUGO

Products Affected

Koselugo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

KRAZATI

Products Affected

krazati

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical records supporting that the use of Krazati follows current NCCN recommendations must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Use of Krazati must follow current NCCN recommendations.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

lapatinib

Products Affected

lapatinib ditosylate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LAZCLUZE

Products Affected

• Lazcluze Oral Tablet 240 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LENALIDOMIDE

Products Affected

lenalidomide

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LENVIMA

Products Affected

- Lenvima (10 MG Daily Dose)
- Lenvima (12 MG Daily Dose)
- Lenvima (14 MG Daily Dose)
- Lenvima (18 MG Daily Dose)
- Lenvima (20 MG Daily Dose)
- Lenvima (24 MG Daily Dose)
- Lenvima (4 MG Daily Dose)
- Lenvima (8 MG Daily Dose)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LIDOCAINE PATCH

Products Affected

- lidocaine external patch 5 %
- Lidocan
- Lidocan III
- Tridacaine II

- Tridacaine III
- Tridacaine XL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Medically accepted indications for lidocaine 5% patch include relief of pain associated with postherpetic neuralgia (PHN), diabetic neuropathy, and cancer-related neuropathic pain.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LIVTENCITY

Products Affected

Livtencity

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Baseline CMV DNA level confirming diagnosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	8 weeks
Other Criteria	Must not be used concomitantly with other CMV antivirals (e.g., ganciclovir, valganciclovir). Dosing must follow FDA-approved labeling. Must have documented trial and failure with ganciclovir, valganciclovir, cidofovir or foscarnet. For reauthorization, documentation of response (e.g., CMV DNA level) must be provided.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

LONSURF

Products Affected

Lonsurf

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LORBRENA

Products Affected

Lorbrena

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LUMAKRAS

Products Affected

 Lumakras Oral Tablet 120 MG, 240 MG, 320 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LUPRON DEPOT

Products Affected

- Lupron Depot (1-Month) Intramuscular Kit 3.75 MG
- Lupron Depot (3-Month) Intramuscular Kit 11.25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LYNPARZA

Products Affected

Lynparza Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

LYTGOBI

Products Affected

- Lytgobi (12 MG Daily Dose)Lytgobi (16 MG Daily Dose)Lytgobi (20 MG Daily Dose)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MARPLAN

Products Affected

Marplan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation supporting the trial and failure (defined as an inadequate improvement in depressive symptoms) with two of the following generic antidepressants is required: SNRIs, SSRIs, mirtazapine, or bupropion.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

MATULANE

Products Affected

Matulane

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MEKINIST

Products Affected

Mekinist Oral Tablet 0.5 MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MEKINIST ORAL SOLUTION

Products Affected

· Mekinist Oral Solution Reconstituted

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Coverage requires that the patient is unable to swallow the tablet formulation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MEKTOVI

Products Affected

Mektovi

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have documentation of BRAF V600 mutation status
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MERCAPTOPURINE

Products Affected

· mercaptopurine oral suspension

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

MIFEPRISTONE

Products Affected

mifepristone oral tablet 300 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	Must be prescribed by an endocrinologist.
Coverage Duration	One year.
Other Criteria	For reauthorization of previously approved requests: Must provide documentation of improvement in hyperglycemia control with mifepristone.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

modafinil

Products Affected

modafinil oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

MOUNJARO

Products Affected

 Mounjaro Subcutaneous Solution Auto-Injector

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

Nasal Corticosteroids

Products Affected

- allergy relief nasal budesonide nasal

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Allergy to the preferred medications, OR contraindication or drug to drug interaction with the preferred medications, OR history of unacceptable side effects with the preferred medications, OR therapeutic failure with a one-month trial with a preferred medication.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	The preferred product (No Prior Authorization required) in this class is fluticasone (Rx).
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NAYZILAM

Products Affected

Nayzilam

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NERLYNX

Products Affected

Nerlynx

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months total therapy
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NEXLETOL

Products Affected

Nexletol

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used along with PCSK9 inhibitors (e.g., Repatha), Juxtapid.
Required Medical Information	Must submit most recent LDL-C level. Must submit documentation of prior therapies and responses to treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Patient must meet the following: (1) Patient has tried one high-intensity statin (or if a high-intensity strength statin is not tolerated, a maximally-tolerated statin is acceptable), along with ezetimibe for at least 4 weeks and LDL-C remains greater than or equal to 70mg/dL OR (2) Patient has tried ezetimibe for at least 4 weeks with LDL-C greater than or equal to 70mg/dL and is statin intolerant defined as trying at least two different statins and experiencing statin-related symptoms on both agents.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NEXLIZET

Products Affected

Nexlizet

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used along with PCSK9 inhibitors (e.g., Repatha), Juxtapid.
Required Medical Information	Must submit most recent LDL-C level. Must submit documentation of prior therapies and responses to treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Patient must meet the following: (1) Patient has tried one high-intensity statin (or if a high-intensity strength statin is not tolerated, a maximally-tolerated statin is acceptable), along with ezetimibe for at least 4 weeks and LDL-C remains greater than or equal to 70mg/dL OR (2) Patient has tried ezetimibe for at least 4 weeks with LDL-C greater than or equal to 70mg/dL and is statin intolerant defined as trying at least two different statins and experiencing statin-related symptoms on both agents.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

NINLARO

Products Affected

Ninlaro

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

nitisinone

Products Affected

nitisinone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NIVESTYM

Products Affected

 Nivestym Injection Solution Prefilled Syringe

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NORTRIPTYLINE

Products Affected

nortriptyline hcl oral

PA Criteria	Criteria Details
Exclusion Criteria	The criteria only apply to patients 65 years and older.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	Coverage requires the following: (1) Prescriber acknowledges that the benefit of therapy outweighs the potential risks for this patient and (2) Prescriber has considered therapy changes if the patient is using more than one anticholinergic drug in combination. Note: Due to safety concerns, this medication is considered potentially inappropriate in older adults, and is best avoided, prescribed at lower dose, or used with caution.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NUBEQA

Products Affected

Nubeqa

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NUEDEXTA

Products Affected

Nuedexta

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical records supporting the request, including documentation of the diagnosis, must be provided.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by a neurologist.
Coverage Duration	Two years
Other Criteria	Coverage requires a diagnosis of pseudobulbar affect caused by an underlying neurological condition (ex. amyotrophic lateral sclerosis, multiple sclerosis, stroke). For reauthorization, documentation that Nuedexta caused a decrease in the number of episodes of laughing or crying compared to baseline must be provided.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NULIBRY

Products Affected

Nulibry

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Confirmed diagnosis of MoCD Type A by genetic testing. Documentation of genetic testing results must be submitted.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by, or in consultation with a physician who specializes in the treatment of inherited metabolic disorders.
Coverage Duration	Initial 1 year. Reauthorization 2 years
Other Criteria	For reauthorization requests, must also provide documentation demonstrating a beneficial response to therapy compared to pretreatment baseline in one or more of the following: neurological function, gross motor function, and/or developmental milestones.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NUPLAZID

Products Affected

- Nuplazid Oral CapsuleNuplazid Oral Tablet 10 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

NURTEC

Products Affected

Nurtec

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other CGRP antagonist therapy.
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Initial: 1 year. Reauth: 1 year. Dosing must align with FDA labeling.
Other Criteria	FOR EPISODICE MIGRAINE PREVENTION REAUTHORIZATION: (1) Must have at least 4 but less than 15 migraine headache days per month, AND (2) Must provide documentation of a decrease in migraine days per month with use of Nurtec ODT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

OCALIVA

Products Affected

Ocaliva

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation supporting the following is required: (1) a diagnosis of primary biliary cholangitis (PBC) that includes an alkaline phosphatase (ALP) level at least 1.5 times the upper limit of normal (ULN) AND the presence of antimitochondrial antibodies (AMA) at a titer of 1:40 or more, AND (2) a trial of ursodiol at a dose of 13 to 15 mg/kg/day for at least 12 months without normalization of alkaline phosphatase (ALP) or an intolerance to ursodiol therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ODOMZO

Products Affected

Odomzo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OFEV

Products Affected

Ofev

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For all indications, must have documentation of High Resolution Computed Tomography (HRCT) confirming diagnosis.
Age Restrictions	
Prescriber Restrictions	UNDER CMS REVIEW
Coverage Duration	One year initial. Two years reauth. Dosing must follow the FDA-approved labeling.
Other Criteria	FOR IDIOPATHIC PULMONARY FIBROSIS (IPF): Prescriber must rule out other known causes of interstitial lung disease - AND - must have presence of a UIP pattern on HRCT in patients not subjected to surgical lung biopsy. FOR CHRONIC FIBROSING INTERSTITIAL LUNG DISEASE WITH PROGRESSIVE PHENOTYPE: Forced Vital Capacity (FVC) decline must be at least 10% - OR - at least 5% with one of the following: worsening respiratory symptoms OR worsening fibrosis on imaging. FOR REAUTHORIZATION OF ALL PREVIOUSLY APPROVED INDICATIONS: Must have documentation of improvement in condition.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

OGSIVEO

Products Affected

 Ogsiveo Oral Tablet 100 MG, 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OJEMDA

- Ojemda Oral Suspension Reconstituted
 Ojemda Oral Tablet 100 MG, 100 MG (16 pack), 100 MG (24 pack)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For oral suspension, coverage requires that patient is unable to swallow the tablet formulation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year. Limited to 1 box per 28 days, based on requested strength.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OJJAARA

Products Affected

ojjaara

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Criteria will be applied consistent with current NCCN guidance.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ONUREG

Products Affected

Onureg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ophthalmic Antihistamines

Products Affected

Zaditor Ophthalmic Solution 0.035 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Allergy to the preferred medications, OR contraindication or drug to drug interaction with the preferred medications, OR history of unacceptable side effects with the preferred medications, OR therapeutic failure with a one-month trial with one preferred medication
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	The preferred products (No Prior Authorization required) in this class are: azelastine, ketotifen fumarate (OTC Only)
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OPIPZA

Products Affected

• Opipza Oral Film 10 MG, 2 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation to support an inability to use generic aripiprazole orally disintegrating tablet (ODT) and generic aripiprazole oral solution in place of Opipza must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OPSUMIT

Products Affected

Opsumit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR PULMONARY ARTERIAL HYPERTENSION (PAH): Documentation that the patient has pulmonary arterial hypertension (WHO Group 1) confirmed by right heart catheterization must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OPSYNVI

Products Affected

Opsynvi

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR PULMONARY ARTERIAL HYPERTENSION (PAH): Documentation that the patient has pulmonary arterial hypertension (WHO Group 1) confirmed by right heart catheterization must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ORENITRAM

- Orenitram
- Orenitram Month 1
- Orenitram Month 2
- Orenitram Month 3

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR PULMONARY ARTERIAL HYPERTENSION (PAH): Documentation that the patient has pulmonary arterial hypertension (WHO Group 1) confirmed by right heart catheterization must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ORGOVYX

Products Affected

Orgovyx

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	Yes
Prerequisite Therapy Required	No

ORKAMBI

- · Orkambi Oral Packet
- Orkambi Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have laboratory confirmation of homozygous F508del mutation in the cystic fibrosis transmembrane regulator (CFTR) gene
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ORSERDU

Products Affected

Orserdu Oral Tablet 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Medical records supporting that the use of Orserdu follows current NCCN recommendations must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Use of Orserdu must follow current NCCN recommendations.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OTEZLA

- Otezla Oral Tablet
- Otezla Oral Tablet Therapy Pack

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	For PsO: Must try and fail (defined as an intolerance or inability to improve symptoms) one traditional non-biologic immunomodulator drug (e.g. methotrexate, cyclosporine, acitretin). For oral ulcers associated with Behcet's disease: Must try and fail (defined above) one other systemic therapy (e.g., colchicine, thalidomide, interferon alpha, tumor necrosis factor inhibitors) for the condition.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

OXERVATE

Products Affected

Oxervate

PA Criteria	Criteria Details
Exclusion Criteria	More than 8-weeks of treatment per lifetime will not be covered.
Required Medical Information	Documentation confirming diagnosis of Stage 2 (persistent epithelial defect) or stage 3 (corneal ulcer) neurotrophic keratitis such as through slit lamp examination.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by, or in consultation with, an ophthalmologist.
Coverage Duration	8 weeks total treatment. Dosing must follow the FDA-approved labeling.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

OZEMPIC

- Ozempic (0.25 or 0.5 MG/DOSE)
 Subcutaneous Solution Pen-Injector 2 MG/3ML
- Ozempic (1 MG/DOSE) Subcutaneous
- Solution Pen-Injector 4 MG/3ML
- Ozempic (2 MG/DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

PANRETIN

Products Affected

Panretin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Must first try and fail (defined as an intolerance or inability to improve the condition) with imiquimod 5% cream.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

PAROXETINE

Products Affected

paroxetine hcl

PA Criteria	Criteria Details
Exclusion Criteria	The criteria only apply to patients 65 years and older.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	Coverage requires the following: (1) Prescriber acknowledges that the benefit of therapy outweighs the potential risks for this patient, and (2) Prescriber has considered therapy changes if the patient is using more than one anticholinergic drug in combination. Note: Due to safety concerns, this medication is considered potentially inappropriate in older adults, and is best avoided, prescribed at lower dose, or used with caution.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PAROXETINE MESYLATE

Products Affected

paroxetine mesylate

PA Criteria	Criteria Details
Exclusion Criteria	The criteria only apply to patients 65 years and older.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	Coverage requires the following: (1) Prescriber acknowledges that the benefit of therapy outweighs the potential risks for this patient, and (2) Prescriber has considered therapy changes if the patient is using more than one anticholinergic drug in combination. Note: Due to safety concerns, this medication is considered potentially inappropriate in older adults, and is best avoided, prescribed at lower dose, or used with caution.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PAZOPANIB

Products Affected

pazopanib hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PEMAZYRE

Products Affected

Pemazyre

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

penicillamine

Products Affected

penicillamine oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	For cystinuria, documentation that treatment with conservative measures (e.g. high fluid intake, sodium and protein restriction, urinary alkalization) were ineffective, not tolerated, or contraindicated. Quantity limited to dosage as supported by the FDA-approved label.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PERAMPANEL

Products Affected

perampanel

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

PHENOBARBITAL

- phenobarbital oral elixir
- phenobarbital oral tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PIQRAY

- Piqray (200 MG Daily Dose)Piqray (250 MG Daily Dose)Piqray (300 MG Daily Dose)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PIRFENIDONE

- pirfenidone oral capsule pirfenidone oral tablet 267 mg, 801 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For all indications, must have documentation of High Resolution Computed Tomography (HRCT) confirming diagnosis.
Age Restrictions	
Prescriber Restrictions	Prescriber is or has consulted with a pulmonologist.
Coverage Duration	Two years
Other Criteria	For idiopathic pulmonary fibrosis (IPF): (1) The patient's diagnosis must be confirmed by a surgical lung biopsy or by the presence of a UIP pattern on a HRCT, and (2) the prescriber must rule out other known causes of interstitial lung disease. For reauthorization requests: Documentation of improvement in condition with use of pirfenidone must be provided.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PLEGRIDY

- PlegridyPlegridy Starter Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

POMALYST

Products Affected

Pomalyst

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PREVYMIS

- Prevymis Oral PacketPrevymis Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	200 days
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PROLASTIN-C

Products Affected

Prolastin-C Intravenous Solution

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have an FEV1 less than 80 percent predicted - AND - a serum AAT level less than 11 micromoles per liter (80 milligrams per deciliter if measured by radial immunodiffusion or 50 milligrams per deciliter if measure by nephelometry).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

PROMACTA

- Promacta Oral Packet 12.5 MG, 25 MG
- Promacta Oral Tablet 12.5 MG, 25 MG, 50 MG, 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	Use of Promacta to normalize platelet counts is not covered.
Required Medical Information	Documentation supporting the request including current platelet count must be provided.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months
Other Criteria	FOR ITP INITIAL REQUESTS: (1) Must have a platelet count less than 30,000/mcL - OR - less than 50,000/mcL with bleeding or risk factor(s) for bleeding (e.g., history of bleeding, conditions that increase bleeding risk like peptic ulcer disease, history of falling, anticoagulation therapy), AND (2) Must have an inadequate response or intolerance to steroids or immunoglobulins, AND (3) Must have an inadequate response or intolerance to rituximab or splenectomy. FOR THROMBOCYTOPENIA FROM HEPATITIS C INITIAL REQUESTS: Degree of thrombocytopenia prevents the initiation of interferon therapy OR limits the ability to maintain optimal interferon-based therapy. FOR APLASTIC ANEMIA INITIAL REQUESTS: Must be used with standard immunosuppressive therapy (antithymocyte globulin and cyclosporine) for first-line treatment or must have had an insufficient response to cyclosporine for second-line or subsequent treatment. FOR REAUTHORIZATION OF ALL PREVIOUSLY APPROVED REQUESTS: (1) Documentation that current platelet count is less than 400 x 109/L, AND (2) Documentation that supports patient is positively responding to therapy.

PA Criteria	Criteria Details
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Proton Pump Inhibitors

- omeprazole magnesium oral capsule delayed release
- omeprazole oral tablet delayed release

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Allergy to the preferred medications, OR contraindication or drug to drug interaction with the preferred medications, OR history of unacceptable side effects with the preferred medications, OR therapeutic failure after one-month trial with one preferred medication
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	The preferred products (No Prior Authorization required) in this class are: omeprazole (Rx) capsules, pantoprazole (Rx) tablets
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

protriptyline

Products Affected

protriptyline hcl

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate response) with 2 of the following generic antidepressants: SSRIs, SNRIs, bupropion, mirtazapine, or trazodone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

QINLOCK

Products Affected

Qinlock

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RADICAVA ORS

Products Affected

- Radicava ORS
- · Radicava ORS Starter Kit

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months. Limited to 70 mLs the first 28 days and 50 mLs every 28 days thereafter.
Other Criteria	For initial requests, documentation of the following is required: (1) A diagnosis of definite or probable amyotrophic lateral sclerosis (ALS) as defined by the revised El Escorial/Arlie House criteria, AND (2) a diagnosis of ALS for 2 years or less (please provide date of diagnosis), AND (3) retention of most activities of daily living defined as having a baseline score of at least 2 points on each of the 12 items of the revised ALS Functional Rating Scale (ALSFRS-R) (i.e., a minimum score of 24), AND (4) normal respiratory function defined as a percent-predicted forced vital capacity (% FVC) greater than or equal to 80%. For reauthorization requests, documentation of the following is required: (1) Radicava is slowing the progression of ALS as determined by an improved or stable ALFRS-R score or other supporting clinical documentation.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	No

RALDESY

Products Affected

Raldesy

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Coverage requires that the patient meet the following: (1) the patient is unable to swallow the generic trazodone tablet - and - (2) the patient has tried and failed (defined as depression symptoms not improving) at least one generic oral solution for depression (such as escitalopram oral solution, sertraline oral concentrate, nortriptyline oral solution).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RELISTOR

Products Affected

- Relistor Oral
- · Relistor Subcutaneous Solution

PA Criteria	Criteria Details
Exclusion Criteria	Patient must not have mechanical gastrointestinal obstruction.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	UNDER CMS REVIEW
Other Criteria	Must try and fail (defined as an inadequate response or intolerance) to lactulose.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

REPATHA

Products Affected

- Repatha
- Repatha Pushtronex SystemRepatha SureClick

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must submit most recent LDL-C level.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Patient must meet one of the following: (1) Patient has tried a high intensity statin (i.e., atorvastatin 40 mg to 80 mg daily or rosuvastatin 20 mg to 40 mg daily) and LDL-C remains above 70mg/dL, OR (2) if a high-intensity strength statin is not tolerated, the patient has tried a the maximally tolerated statin dose and LDL-C remains above 70mg/dL, OR (3) Patient has tried two different statins and experienced statin-related symptoms on both agents.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RETEVMO

Products Affected

 Retevmo Oral Tablet 120 MG, 160 MG, 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REVCOVI

Products Affected

Revcovi

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must provide trough plasma ADA activity and trough dAXP levels. Must provide patient's current weight and requested dose.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.
Other Criteria	Provider attestation that treatment will follow FDA-approved labeling with dose adjusted to maintain trough ADA activity over 30 mmol/hr/L, trough dAXP level under 0.02 mmol/L, and/or to maintain adequate immune reconstitution based on clinical assessment of the patient.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REVUFORJ

Products Affected

 Revuforj Oral Tablet 110 MG, 160 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REXULTI

Products Affected

Rexulti

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

REZDIFFRA

Products Affected

Rezdiffra

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For initial requests, documentation supporting the following is required: (1) A diagnosis of metabolic dysfunction-associated steatohepatitis (MASH), AND (2) moderate to advanced liver fibrosis that is consistent with a fibrosis stage of F2 or F3 confirmed by biopsy or non-invasive tests (NITs), AND (3) current weight, AND (4) the patient is using Rezdiffra at a dose aligned with the FDA-approved labeling (i.e., 80 mg/day if weight is less than 100 kg, and 100 mg/day if weight is 100 kg or more), AND (5) a provider attestation that Rezdiffra will be used in conjunction with diet and exercise as per its FDA labeling.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by, or in consultation, with a gastroenterologist or hepatologist.
Coverage Duration	One year initial and reauthorization.
Other Criteria	For reauthorization, documentation supporting the following is required: (1) current ALT and/or fibrosis score supporting that the patient's liver disease has not worsened (worsening of liver disease is defined as a consistent increase in ALT or fibrosis progression assessed by biopsy or NITs), AND (2) current weight, AND (3) the patient is using Rezdiffra at a dose aligned with the FDA-approved labeling (i.e., 80 mg/day if weight is less than 100 kg, and 100 mg/day if weight is 100 kg or more), AND (4) a provider attestation that Rezdiffra will be used in conjunction with diet and exercise as per its FDA labeling.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REZLIDHIA

Products Affected

Rezlidhia

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

REZUROCK

Products Affected

Rezurock

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year initial and continuation.
Other Criteria	Other criteria will be applied consistent with current NCCN guidance. Reauthorization for GVHD: Must have documentation of clinical benefit.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RINVOQ

Products Affected

- Rinvoq LQ
- Rinvoq Oral Tablet Extended Release 24 Hour 15 MG, 30 MG, 45 MG

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	1 year initial (AD). 2 year initial (others). 2 year reauth (all). Dose must follow FDA labeling
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ROMVIMZA

Products Affected

Romvimza

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ROZLYTREK

Products Affected

Rozlytrek Oral Capsule 100 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ROZLYTREK PELLET PACK

Products Affected

Rozlytrek Oral Packet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient has had prior trial with AND is unable to use Rozlytrek oral capsule formulation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RUBRACA

Products Affected

Rubraca

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as an intolerance or inadequate response) with Lynparza.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

RUFINAMIDE

Products Affected

rufinamide

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

RYBELSUS

Products Affected

- RybelsusRybelsus (Formulation R2)

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

RYDAPT

Products Affected

Rydapt

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For diagnosis of acute myeloid leukemia (AML), patient must have FLT3 mutation-positive disease as detected by an FDA-approved test.
Age Restrictions	Must be age 18 or older
Prescriber Restrictions	
Coverage Duration	One year.
Other Criteria	For diagnosis of AML, patient must be using Rydapt in combination with standard cytarabine and daunorubicin induction and cytarabine consolidation chemotherapy.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SCEMBLIX

Products Affected

 Scemblix Oral Tablet 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For PH+ CML-CP with T315I mutation, documentation confirming mutation must be provided.
Age Restrictions	Must be 18 years of age or older.
Prescriber Restrictions	Must be prescribed by or in consultation with an oncologist or hematologist.
Coverage Duration	1 year. 20mg limit to 60 tabs per 30 days. 40mg limit to 240 tabs per 30 days.
Other Criteria	For PH+ CML-CP with T315I mutation, your prescriber must provide rationale supporting why Iclusig cannot be used in place of Scemblix.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SECUADO

Products Affected

Secuado

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as an inadequate response) with two of the following generic drugs used for at least 28 days each: aripiprazole, olanzapine, quetiapine, risperidone, ziprasidone, or lurasidone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

SELARSDI

Products Affected

 Selarsdi Subcutaneous Solution Prefilled Syringe 45 MG/0.5ML, 90 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

SIGNIFOR

Products Affected

Signifor

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Patient must be too ill for pituitary surgery or patient must have had surgery that failed to completely removed the tumor. Patient must have a documented trial with ketoconazole to reduce cortisol secretion.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

SILDENAFIL CITRATE

Products Affected

sildenafil citrate oral tablet 20 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Confirmed diagnosis of Pulmonary Arterial Hypertension (PAH), World Health Organization Group 1 by right heart catheterization and medical record documentation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SIRTURO

Products Affected

Sirturo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 weeks
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SKYRIZI

Products Affected

Skyrizi Pen

- Syringe
- Skyrizi Subcutaneous Solution Cartridge 180 MG/1.2ML, 360 MG/2.4ML
- Skyrizi Subcutaneous Solution Prefilled

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

SODIUM OXYBATE

Products Affected

Sodium Oxybate

PA Criteria	Criteria Details
Exclusion Criteria	Patient must not be receiving sedative hypnotics with sodium oxybate. Patient must not suffer from succinic semialdehyde dehydrogenase deficiency.
Required Medical Information	Documentation of prior therapies and responses to treatment. Documentation of MSLT and polysomnography confirming diagnosis of narcolepsy.
Age Restrictions	
Prescriber Restrictions	Prescriber must be a sleep specialist or neurologist.
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

SOMAVERT

Products Affected

Somavert

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SORAFENIB

Products Affected

sorafenib tosylate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SPRITAM

Products Affected

 Spritam Oral Tablet Disintegrating Soluble 1000 MG, 250 MG, 500 MG, 750 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure with generic levetiracetam and at least 1 other generic anticonvulsant for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

STELARA

Products Affected

- Stelara Subcutaneous Solution 45 MG/0.5ML
- Stelara Subcutaneous Solution Prefilled Syringe 45 MG/0.5ML, 90 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

STIVARGA

Products Affected

Stivarga

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SUNITINIB MALATE

Products Affected

· sunitinib malate

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SYMDEKO

Products Affected

Symdeko

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have laboratory confirmation of homozygous F508del mutation or have at least one tezacaftor/ivacaftor-responsive mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene.
Age Restrictions	Must be age 6 or older.
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

SYMPAZAN

Products Affected

Sympazan

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient has had prior trial with AND has a documented contraindication (e.g. dysphagia) to BOTH generic clobazam tablet AND clobazam oral suspension.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TABRECTA

Products Affected

Tabrecta

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

tadalafil 2.5mg and 5mg (Cialis)

Products Affected

• tadalafil oral tablet 2.5 mg, 5 mg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Patient must have tried and failed either 6 months of finasteride or 3 months of dutasteride and must have tried and failed 28 days of alfuzosin, doxazosin, tamsulosin, or terazosin.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

tadalafil 20mg (Adcirca)

Products Affected

tadalafil (pah)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Confirmed diagnosis of Pulmonary Arterial Hypertension (PAH), World Health Organization Group 1 by right heart catheterization and medical record documentation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TAFINLAR

Products Affected

Tafinlar Oral Capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TAFINLAR TABLET FOR ORAL SUPSENSION

Products Affected

· Tafinlar Oral Tablet Soluble

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Coverage requires that the patient is unable to swallow the tablet formulation.
Age Restrictions	Must be less than 18 years old.
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TAGRISSO

Products Affected

Tagrisso

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TALZENNA

Products Affected

Talzenna

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TASIGNA

Products Affected

Tasigna

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TASIMELTEON

Products Affected

tasimelteon

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

TAVNEOS

Products Affected

Tavneos

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	Must be 18 years of age or older.
Prescriber Restrictions	Must be prescribed by or in consultation with a specialist for the condition.
Coverage Duration	Initial 6 months. Reauthorization 12 months.
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

tazarotene cream

Products Affected

tazarotene external cream 0.1 %

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TAZVERIK

Products Affected

Tazverik

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TEPMETKO

Products Affected

Tepmetko

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TERIFLUNOMIDE

Products Affected

teriflunomide

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TERIPARATIDE

Products Affected

 Teriparatide Subcutaneous Solution Pen-Injector 560 MCG/2.24ML

PA Criteria	Criteria Details
Exclusion Criteria	UNDER CMS REVIEW
Required Medical Information	Documentation supporting one of the following: (1) Trial and failure, intolerance, or contraindication to alendronate, risedronate, or ibandronate - AND - zoledronic acid, OR (2) a very high risk of fracture defined as a T-score of -3.0 or less, a T-score of -2.5 or less with a fragility fracture, or a history of severe or multiple fragility fractures regardless of T-score.
Age Restrictions	
Prescriber Restrictions	Must be prescribed by endocrinologist.
Coverage Duration	UNDER CMS REVIEW
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	Yes
Prerequisite Therapy Required	Yes

testosterone gel

Products Affected

testosterone transdermal gel 1.62 %,
12.5 mg/act (1%), 20.25 mg/1.25gm
(1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%),
50 mg/5gm (1%)

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	Yes
Prerequisite Therapy Required	No

testosterone solution

Products Affected

· testosterone transdermal solution

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	Yes
Prerequisite Therapy Required	No

tetrabenazine

Products Affected

tetrabenazine oral tablet 12.5 mg, 25 mg

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with Austedo or Ingrezza.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	CYP2D6 genotype must be provided for doses greater than 50mg/day.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

THALOMID

Products Affected

• Thalomid Oral Capsule 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TIBSOVO

Products Affected

Tibsovo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must have documentation of IDH1 mutation status
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

tolvaptan

Products Affected

- tolvaptan oral tablet
- tolvaptan oral tablet therapy pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	FOR HYPONATREMIA: (1) Documentation that confirms the patient has hypervolemic or euvolemic hyponatremia defined as a serum sodium less than 125 mEq/L or less-marked hyponatremia that is symptomatic and nonresponsive to fluid restriction (including patients with SIADH or heart failure), and (2) tolvaptan is being used at a quantity of up to 60 mg per day in line with the FDA-approved labeling. FOR AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE (ADPKD): (1) Patient is at risk of rapidly progressing, and (2) tolvaptan is being used at a quantity of up to 120 mg per day in line with the FDA-approved labeling.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Hyponatremia: 30 days, ADPKD: 2 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TOPIRAMATE SOLUTION

Products Affected

· topiramate oral solution

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRELSTAR

Products Affected

Trelstar Mixject

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate response) with Eligard or leuprolide 22.5 mg depot.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRETINOIN CAPSULES

Products Affected

tretinoin oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRIKAFTA

Products Affected

- Trikafta Oral Tablet Therapy PackTrikafta Oral Therapy Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For diagnosis of cystic fibrosis, must provide documentation of a F508del mutation or at least one mutation responsive to Trikafta.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

trimipramine maleate

Products Affected

· trimipramine maleate oral

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate response) with 2 of the following generic antidepressants: SSRIs, SNRIs, bupropion, mirtazapine, or trazodone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRULICITY

Products Affected

 Trulicity Subcutaneous Solution Auto-Injector

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

TRUQAP

Products Affected

Truqap Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	For PIK3CA mutations, must first try Piqray.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

TRYNGOLZA

Products Affected

Tryngolza

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

TUKYSA

Products Affected

Tukysa Oral Tablet 150 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TURALIO

Products Affected

Turalio Oral Capsule 125 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

TYENNE

Products Affected

Tyenne Subcutaneous

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, Janus Kinase Inhibitor (JAKis), or Ofev.
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided. For systemic sclerosis- related interstitial lung disease (SSc-ILD), must also have documentation of High Resolution Computed Tomography (HRCT) confirming diagnosis.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow FDA-approved labeling.
Other Criteria	For RA and JIA: Must have documentation supporting a trial and failure of (defined as an intolerance or inability to improve symptoms) two of the following: a preferred adalimumab product, Rinvoq, Xeljanz/Xeljanz XR, or Enbrel. For systemic sclerosis-related interstitial lung disease (SSc-ILD) reauthorization: Must have documentation of improvement in condition.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

USTEKINUMAB

Products Affected

- · ustekinumab subcutaneous solution
- ustekinumab subcutaneous solution prefilled syringe 45 mg/0.5ml, 90 mg/ml

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VALCHLOR

Products Affected

Valchlor

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	For limited/localized skin involvement, must have tried topical steroids and either topical tazarotene or topical imiquimod. For generalized skin involvement, must have tried topical steroids.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VALTOCO

Products Affected

- · Valtoco 10 MG Dose
- · Valtoco 15 MG Dose
- · Valtoco 20 MG Dose
- Valtoco 5 MG Dose

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VANFLYTA

Products Affected

Vanflyta

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VENCLEXTA

Products Affected

- Venclexta
- Venclexta Starting Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VERQUVO

Products Affected

Verquvo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided. Documentation of an ejection fraction less than 45% assessed within the past 12 months must be provided.
Age Restrictions	Must be at least 18 years old.
Prescriber Restrictions	Must be prescribed by, or in consultation with, a cardiologist.
Coverage Duration	Two years
Other Criteria	Patient has symptomatic worsening chronic heart failure (NYHA class 2 to 4) - AND - has been hospitalized for heart failure in the past 6 months or treated with outpatient IV diuretic therapy for heart failure in the past 3 months AND - has tried and failed (defined as an intolerance or inability to improve symptoms) maximally tolerated doses of the following medications in combination: an ACEI, ARB, or ARNi (such as enalapril or Entresto) - AND - bisoprolol, carvedilol or metoprolol ER - AND - spironolactone or other diuretic.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VERSACLOZ

Products Affected

Versacloz

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The patient has had prior trial with AND has a documented contraindication (e.g. dysphagia) to BOTH generic clozapine tablet AND generic clozapine orally disintegrating tablet (ODT).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years.
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VERZENIO

Products Affected

Verzenio

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

vigabatrin

Products Affected

vigabatrin

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For refractory complex partial seizures: Must have documentation supporting a trial and failure (defined as inadequate seizure control) with at least 2 other generic anticonvulsants for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

vigadrone

Products Affected

vigadrone

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For refractory complex partial seizures: Must have documentation supporting a trial and failure (defined as inadequate seizure control) with at least 2 other generic anticonvulsants for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VIGAFYDE

Products Affected

Vigafyde

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	Must be 2 years of age or younger (max age 2 years).
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VITRAKVI

Products Affected

- Vitrakvi Oral Capsule 100 MG, 25 MGVitrakvi Oral Solution

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VIZIMPRO

Products Affected

Vizimpro

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VONJO

Products Affected

Vonjo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Criteria will be applied consistent with current NCCN guidance.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VORANIGO

Products Affected

Voranigo Oral Tablet 10 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

voriconazole

Products Affected

· voriconazole intravenous

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VOWST

Products Affected

Vowst

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of at least 2 recurrent episodes of CDI (3 or more total CDI episodes) after failure of appropriate antibiotic treatments.
Age Restrictions	Patient must be 18 years of age or older.
Prescriber Restrictions	
Coverage Duration	1 year. Limited to 1 treatment course (12 capsules over 3 days).
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VOYDEYA

Products Affected

Voydeya

PA Criteria	Criteria Details
Exclusion Criteria	Voydeya is not covered in combination with Fabhalta or Empaveli.
Required Medical Information	UNDER CMS REVIEW
Age Restrictions	Must be 18 years of age or older.
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.
Other Criteria	For reauthorization: (1) must be actively receiving treatment with Ultomiris/Soliris, AND (2) must have documentation of improvement in EVH symptoms (e.g., fatigue, dyspnea), AND (3) must have a sustained increase in hemoglobin levels, improvement in hemolysis, or reduced transfusions compared to baseline.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

VRAYLAR

Products Affected

Vraylar Oral Capsule

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as an inadequate response) with two of the following generic drugs that have support for the requested condition and each used for at least 28 days: aripiprazole, olanzapine, quetiapine, risperidone, ziprasidone, or lurasidone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

VYNDAMAX

Products Affected

Vyndamax

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with TTR-lowering agents (e.g., Amvuttra, Onpattro).
Required Medical Information	INITIAL COVERAGE OF ATTR-CM: Documentation of the following: (1) New York Heart Association (NYHA) class 1, 2, or 3 heart failure, AND (2) an echocardiogram (ECHO) or cardiac magnetic resonance (CMR) imaging demonstrating cardiac involvement (i.e., increased left ventricular wall thickness), AND (3) diagnosis confirmed by tissue biopsy, genetic testing, or radionuclide imaging (99mTc-PYP, 99mTc-DPD, or 99mTc-HMDP scan), AND (4) if the diagnosis was confirmed by radionuclide imaging, coverage also requires documentation of Grade 2 or 3 cardiac uptake.
Age Restrictions	Must be age 18 or older.
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.
Other Criteria	Vyndamax will not be approved if the patient has primary (light-chain) amyloidosis. FOR REAUTHORIZATION OF ATTR-CM: Coverage requires documentation of a positive clinical response to Vyndamax compared to baseline (e.g., reduced cardiovascular-related hospitalizations, improved function, improved quality of life).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

VYNDAQEL

Products Affected

Vyndaqel

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with TTR-lowering agents (e.g., Amvuttra, Onpattro).
Required Medical Information	INITIAL COVERAGE OF ATTR-CM: Documentation of the following: (1) New York Heart Association (NYHA) class 1, 2, or 3 heart failure, AND (2) an echocardiogram (ECHO) or cardiac magnetic resonance (CMR) imaging demonstrating cardiac involvement (i.e., increased left ventricular wall thickness), AND (3) diagnosis confirmed by tissue biopsy, genetic testing, or radionuclide imaging (99mTc-PYP, 99mTc-DPD, or 99mTc-HMDP scan), AND (4) if the diagnosis was confirmed by radionuclide imaging, coverage also requires documentation of Grade 2 or 3 cardiac uptake.
Age Restrictions	Must be age 18 or older.
Prescriber Restrictions	
Coverage Duration	One year initial and reauthorization.
Other Criteria	Vyndaqel will not be approved if the patient has primary (light-chain) amyloidosis. FOR REAUTHORIZATION OF ATTR-CM: Coverage requires documentation of a positive clinical response to Vyndaqel compared to baseline (e.g., reduced cardiovascular-related hospitalizations, improved function, improved quality of life).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

WELIREG

Products Affected

Welireg

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

WINREVAIR

Products Affected

Winrevair

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For initial requests, documentation of the following is required: (1) Must have a confirmed diagnosis of Pulmonary Arterial Hypertension (PAH), World Health Organization Group 1, by right heart catheterization, AND (2) Must have WHO functional class II or III symptoms, AND (3) Must have tried and failed (defined as an inability to improve the condition) of dual therapy with a phosphodiesterase inhibitor (e.g., sildenafil or tadalafil) AND an endothelin receptor antagonist (e.g., ambrisentan or bosentan), AND (4) Winrevair will be initiated as add on therapy to at least 2 other PAH agents (e.g. ERA, PDE5i, Prostaglandins).
Age Restrictions	Must be 18 years of age or older.
Prescriber Restrictions	Must be prescribed by or in consultation with a specialist for the condition.
Coverage Duration	One year initial. Two years reauthorization.
Other Criteria	For reauthorization requests: Documentation must be provided demonstrating that the patient has had a beneficial response to Winrevair compared to pretreatment baseline in one or more of the following: improvement in WHO functional class, risk status, or 6MWD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

XALKORI

Products Affected

- Xalkori Oral Capsule
 Xalkori Oral Capsule Sprinkle 150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

XATMEP

Products Affected

Xatmep

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Must try and fail (defined as an intolerance or inability to improve the condition) generic methotrexate.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XCOPRI

Products Affected

- Xcopri (250 MG Daily Dose) Oral Tablet Therapy Pack 100 & 150 MG
- Xcopri (350 MG Daily Dose)
- Xcopri Oral Tablet 100 MG, 150 MG, 200

MG, 25 MG, 50 MG

Xcopri Oral Tablet Therapy Pack

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Must have documentation supporting a trial and failure (defined as inadequate seizure control) with at least 2 generic anticonvulsants for the condition.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XDEMVY

Products Affected

Xdemvy

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of Demodex blepharitis confirmed by the presence of mites on examination by light microscopy or presence of collarettes on slit lamp examination.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	One year.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

XELJANZ

Products Affected

Xeljanz Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XELJANZ SOLUTION

Products Affected

Xeljanz Oral Solution

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XELJANZ XR

Products Affected

Xeljanz XR

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XERMELO

Products Affected

Xermelo

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Patient must be experiencing 4 or more bowel movements per day.
Age Restrictions	Must be 18 years of age or older.
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XGEVA

Products Affected

Xgeva

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	For all medically-accepted indications (except for Giant Cell Tumor of the bone, and for bone metastases from breast, prostate, and lung cancer), must first try zoledronic acid. Diagnosis and administration information will be reviewed to determine if coverage is available as a Medicare Part B or Part D benefit.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	Yes
Prerequisite Therapy Required	No

XIFAXAN

Products Affected

• Xifaxan Oral Tablet 200 MG, 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	For IBS-D, no more than a total of three, 14-day treatment courses are covered. Xifaxan COVERAGE FOR SMALL INTESTINAL BACTERIAL OVER-GROWTH (SIBO) IS NOT PROVIDED.
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	End of plan year (all). IBS-D limited to three, 14-day treatment courses. TD limited to three days.
Other Criteria	For travelers diarrhea (TD): Coverage requires a trial and failure (defined as an intolerance or inability to improve the condition) with azithromycin. For hepatic encephalopathy: Coverage requires a trial and failure (defined above) with lactulose.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XOLAIR

Products Affected

Xolair

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs.
Required Medical Information	Diagnosis and administration information will be reviewed to determine if coverage is available as a Medicare Part B or Part D benefit. INITIAL COVERAGE OF ASTHMA: Documentation of the following is required: (1) A baseline IgE level of at least 30 IU/mL (baseline is defined as before treatment with Xolair or another therapy that lowers IgE levels), AND (2) a baseline (defined above) positive skin test or in vitro reactivity to a perennial aeroallergen, AND (3) Patient's current weight, AND (4) Trial and failure of 1 ICS/LABA inhaler in the past 6 months (failure is defined as an inability to improve the condition on the required therapy for at least 4 weeks). REAUTHORIZATION OF ASTHMA: (1) Must have documentation of clinical benefit with Xolair compared to baseline (e.g., decrease in exacerbations, improvement in symptoms, decrease in oral steroid use), AND (2) the patient's current weight and baseline IgE level must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	1 year initial and 2 years reauth. Dosing must follow the FDA-approved labeling.

PA Criteria Criteria Detai Other Criteria INITIAL COVE	RAGE OF FOOD ALLERGY REQUESTS:
Other Criteria INITIAL COVE	PAGE OF FOOD ALLERGY REQUESTS:
Documentation diagnosis of an positive in vitro skin prick test history of a sig (3) Patient has defined as bef lowers IgE lever food allergen-a (6) Patient is an FOOD ALLER in conjunction patient's curre INITIAL COVE Documentation confirmed diagnoccurring for mas an inability REAUTHORIZ clinical benefit symptoms). IN Documentation baseline IgE leads before treatment levels), AND (3) (defined as an intranasal stering steroid along with REQUESTS: (steroid along with clinical benefit steroid along with real	in of the following is required: (1) Patient has a in IgE-mediated food allergy confirmed by both a breat for IgE to the specified foods AND a positive to the specified foods, AND (2) Patient has a clinical inficant allergic reaction to the specified foods, AND a baseline IgE level of at least 30 IU/mL (baseline is ore treatment with Xolair or another therapy that els), AND (4) Xolair will be used in conjunction with a avoidant diet, AND (5) Patient's current weight, AND to least 1 year of age. REAUTHORIZATION OF GY REQUESTS: (1) Xolair must continue to be used with a food allergen-avoidant diet, AND (2) the not weight and baseline IgE level must be provided. RAGE OF CHRONIC URTICARIA (CU): not five following is required: (1) Patient has a sunosis of chronic urticaria defined as urticaria dore than 6 weeks, AND (2) Trial and failure (defined to improve symptoms) with one H1 antihistamine. ATION OF CU: (1) Must have documentation of with Xolair compared to baseline (e.g., improved ITIAL COVERAGE OF NASAL POLYP REQUESTS: not five following is required: (1) Patient has a evel of at least 30 IU/mL (baseline is defined as int with Xolair or another therapy that lowers IgE 2) Patient's current weight, AND (3) trial and failure inability to adequately improve symptoms) with an oid, AND (4) Patient will continue to use an intranasal with Xolair. REAUTHORIZATION OF NASAL POLYP 1) The patient will continue to use an intranasal with Xolair, AND (2) Must have documentation of with Xolair compared to baseline (e.g., decrease in improvement in symptoms, decrease in oral steroid
use), AND (3) must be provid	the patient's current weight and baseline IgE level led.
Indications All FDA-appro	ved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

XOSPATA

Products Affected

Xospata

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

XPOVIO

Products Affected

- Xpovio (100 MG Once Weekly) Oral Tablet Therapy Pack 50 MG
- Xpovio (40 MG Once Weekly) Oral Tablet Therapy Pack 10 MG, 40 MG
- Xpovio (40 MG Twice Weekly) Oral Tablet Therapy Pack 40 MG
- Xpovio (60 MG Once Weekly) Oral Tablet Therapy Pack 60 MG
- Xpovio (60 MG Twice Weekly)
- Xpovio (80 MG Once Weekly) Oral Tablet Therapy Pack 40 MG
- Xpovio (80 MG Twice Weekly)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

XTANDI

Products Affected

- Xtandi Oral Capsule Xtandi Oral Tablet 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

YESINTEK

Products Affected

- Yesintek Subcutaneous Solution
- Yesintek Subcutaneous Solution Prefilled Syringe 45 MG/0.5ML, 90 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	Must not be used in combination with other biologic drugs, Otezla, or Janus Kinase Inhibitor (JAKis).
Required Medical Information	Documentation of prior therapies and responses to treatment must be provided.
Age Restrictions	
Prescriber Restrictions	Prescriber is a specialist or has consulted with a specialist for the condition being treated.
Coverage Duration	Two years. Dosing must follow the FDA-approved labeling.
Other Criteria	UNDER CMS REVIEW
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

YORVIPATH

Products Affected

 Yorvipath Subcutaneous Solution Pen-Injector 168 MCG/0.56ML, 294 MCG/0.98ML, 420 MCG/1.4ML

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	Pending CMS Review
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZEJULA

Products Affected

Zejula Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZELBORAF

Products Affected

Zelboraf

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZOLINZA

Products Affected

Zolinza

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZONISADE

Products Affected

Zonisade

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For doses above 400 mg per day, documentation confirming need for further seizure reduction is required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	Must have tried generic zonisamide capsules with inability to swallow capsule - AND - must have tried and failed (defined as an inability to improve the condition) one other generic antiseizure medication.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ZTALMY

Products Affected

Ztalmy

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	(1) Must provide confirmation of CDKL5 deficiency based on genetic testing, (2) Must provide patient's current weight.
Age Restrictions	Must be 2 years of age or older.
Prescriber Restrictions	Must be prescribed by a neurologist.
Coverage Duration	Two years
Other Criteria	UNDER CMS REVIEW
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

ZURZUVAE

Products Affected

 Zurzuvae Oral Capsule 20 MG, 25 MG, 30 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Confirmation of diagnosis of postpartum depression.
Age Restrictions	Must be 18 years of age or older.
Prescriber Restrictions	
Coverage Duration	One year. Limited to one treatment course per year.
Other Criteria	Must follow current ACOG recommendations which require the patient to be in the postpartum period (ie, within 12 months postpartum) for depression that has onset in the third trimester or within 4 weeks postpartum.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZYDELIG

Products Affected

Zydelig

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

ZYKADIA

Products Affected

Zykadia Oral Tablet

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Two years
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

D. Index of Covered Drugs

In this section, you can find a drug by searching for its name alphabetically. This will tell you the page number where you can find additional coverage information for your drug.

Acthar2	Avonex Prefilled Intramuscular	
Acthar Gel2	Prefilled Syringe Kit	. 29
Actimmune3	Ayvakit	
adalimumab-adaz subcutaneous	Balversa Oral Tablet 3 MG, 4 MG, 5	
solution auto-injector 40 mg/0.4ml, 80	MG	31
mg/0.8ml4	bd autoshield duo	. 68
adalimumab-adaz subcutaneous	bd pen needle 29g x 12mm	68
solution prefilled syringe 10 mg/0.1ml,	bd pen needle micro u/f	
20 mg/0.2ml, 40 mg/0.4ml4	bd pen needle micro ultrafine	
Adempas5	bd pen needle mini u/f	
Adipex-P Oral Tablet15	bd pen needle mini ultrafine	
Aimovig6	bd pen needle nano 2nd gen	
Akeega7	bd pen needle nano u/f	
Alecensa8	bd pen needle nano ultrafine	
allergy relief nasal167	bd pen needle orig ultrafine	
Alunbrig Oral Tablet 180 MG, 30 MG,	bd pen needle original u/f	
90 MG9	bd pen needle short u/f	
Alunbrig Oral Tablet Therapy Pack 9	bd pen needle short ultrafine	
ambrisentan10	Benlysta Subcutaneous	
amitriptyline hcl oral11	benzphetamine hcl oral tablet 50 mg	
Amvuttra12	Besremi	
aprepitant18	Betaseron Subcutaneous Kit	
Arcalyst19	bexarotene external	
Arikayce20	bexarotene oral	
aripiprazole oral solution22	bosentan oral tablet	
aripiprazole oral tablet dispersible21	Bosulif Oral Capsule 100 MG, 50 MG.	
armodafinil23	Bosulif Oral Tablet 100 MG, 400 MG,	
asenapine maleate24	500 MG	39
assure id insulin safety syr 29g x 1/2" 1	Braftovi Oral Capsule 75 MG	
ml68	Briviact Oral Solution	
Augtyro Oral Capsule 160 MG, 40 MG25	Briviact Oral Tablet	
Austedo Oral Tablet 12 MG, 6 MG, 9	Brukinsa Oral Capsule	
MG26	budesonide nasal	
Austedo XR	Cabometyx	
Austedo XR Patient Titration Oral	calcipotriene-betameth diprop external	
Tablet Extended Release Therapy	suspension	
Pack 12 & 18 & 24 & 30 MG26	Calquence Oral Tablet	
Auvelity	Caplyta	
Avmapki Fakzynja Co-Pack28	Caprelsa Oral Tablet 100 MG, 300 MG	
Avonex Pen Intramuscular Auto-	carglumic acid oral tablet soluble	
Injector Kit29	Cayston	
,	, - · · · · · · · · · · · · · · · · ·	

cetirizine hcl childrens oral solution 5	Dupixent Subcutaneous Solution Auto-
mg/5ml14	Injector 200 MG/1.14ML, 300 MG/2ML.76
cetirizine hcl oral tablet chewable14	Dupixent Subcutaneous Solution Pen-
clobazam oral suspension 2.5 mg/ml 51	Injector 200 MG/1.14ML, 300 MG/2ML.76
clobazam oral tablet51	Dupixent Subcutaneous Solution
clozapine oral tablet dispersible 52	Prefilled Syringe 100 MG/0.67ML, 200
Cobenfy53	MG/1.14ML, 300 MG/2ML76
Cobenfy Starter Pack53	Ebglyss78
colistimethate sodium (cba)54	eltrombopag olamine oral packet 12.5
Cometriq (100 MG Daily Dose) Oral Kit	mg, 25 mg79
80 & 20 MG 55	eltrombopag olamine oral tablet 12.5
Cometriq (140 MG Daily Dose) Oral Kit	mg, 25 mg, 50 mg, 75 mg79
3 x 20 MG & 80 MG55	embecta autoshield duo68
Cometriq (60 MG Daily Dose)55	embecta pen needle nano68
comfort assist insulin syringe 29g x	embecta pen needle nano 2 gen 68
1/2" 1 ml	embecta pen needle ultrafine68
Copiktra56	Emgality80
Cortrophin57	Emgality (300 MG Dose)80
Cosentyx (300 MG Dose)58	Emsam 81
Cosentyx Sensoready (300 MG)58	Enbrel Mini84
Cosentyx Subcutaneous Solution	Enbrel Subcutaneous Solution 25
Prefilled Syringe 75 MG/0.5ML58	MG/0.5ML82
Cosentyx UnoReady58	Enbrel Subcutaneous Solution
Cotellic60	Prefilled Syringe 25 MG/0.5ML, 50
Cresemba Oral61	MG/ML82
cvs gauze sterile pad 2"x2"68	Enbrel SureClick Subcutaneous
Cystadrops62	Solution Auto-Injector82
Cystaran63	Endari86
dalfampridine er64	Eohilia87
Danziten65	Epclusa Oral Packet 150-37.5 MG,
dasatinib oral tablet 100 mg, 140 mg,	200-50 MG88
20 mg, 50 mg, 70 mg, 80 mg66	Epclusa Oral Tablet88
Daurismo67	Epidiolex89
Diacomit70	Eprontia90
dichlorphenamide71	Erivedge91
diethylpropion hcl er15	Erleada Oral Tablet 240 MG, 60 MG92
diethylpropion hcl oral15	erlotinib hcl oral tablet 100 mg, 150
dihydroergotamine mesylate nasal72	mg, 25 mg93
dimethyl fumarate oral73	eslicarbazepine acetate oral tablet 200
dimethyl fumarate starter pack oral	mg, 400 mg, 600 mg, 800 mg94
capsule delayed release therapy pack 73	Eucrisa95
Drizalma Sprinkle Oral Capsule	Eulexin96
Delayed Release Sprinkle 20 MG, 30	Evenity97
MG, 60 MG74	everolimus oral tablet 10 mg, 2.5 mg, 5
droxidopa75	mg, 7.5 mg98

everolimus oral tablet soluble98	Humira Pen Subcutaneous Pen-	
Evrysdi Oral Tablet99	Injector Kit	119
Fanapt 100	Humira Subcutaneous Prefilled	
Fanapt Titration Pack A100	Syringe Kit 40 MG/0.8ML	. 119
Fanapt Titration Pack B Oral Tablet 100	Humira-CD/UC/HS Starter	119
Fanapt Titration Pack C Oral Tablet 100	Humira-Ped>/=40kg UC Starter	. 119
Fasenra Pen101	Humira-Psoriasis/Uveit Starter	. 119
Fasenra Subcutaneous Solution	Ibrance	120
Prefilled Syringe 10 MG/0.5ML, 30	icatibant acetate subcutaneous	
MG/ML101	solution prefilled syringe	121
fingolimod hcl103	Iclusig	
Fintepla104	IDHIFA	123
Fotivda105	imatinib mesylate oral tablet 100 mg,	
Fruzaqla Oral Capsule 1 MG, 5 MG 106	400 mg	124
Fycompa Oral Suspension 107	Imbruvica Oral Capsule	125
Fycompa Oral Tablet107	Imbruvica Oral Suspension	. 125
Gammagard Injection Solution 2.5	Imbruvica Oral Tablet 140 MG, 280	
GM/25ML133	MG, 420 MG	125
Gammagard S/D Less IgA133	imkeldi	. 126
Gamunex-C	Impavido	127
Gattex108	Increlex	128
Gavreto109	Inlyta	129
gefitinib110	Inqovi	130
Gilotrif 111	Inrebic	131
glatiramer acetate subcutaneous	Itovebi Oral Tablet 3 MG, 9 MG	132
solution prefilled syringe 20 mg/ml, 40	lwilfin	135
mg/ml112	Jakafi	. 136
Glatopa Subcutaneous Solution	Jaypirca	. 137
Prefilled Syringe 20 MG/ML, 40	Jylamvo	. 138
MG/ML113	Jynarque Oral Tablet	139
global alcohol prep ease68	Kalydeco	140
Gomekli114	Kerendia	
Hadlima PushTouch Subcutaneous	Kisqali (200 MG Dose)	. 142
Solution Auto-Injector 40 MG/0.4ML,	Kisqali (400 MG Dose)	. 142
40 MG/0.8ML117	Kisqali (600 MG Dose)	. 142
Hadlima Subcutaneous Solution	Kisqali Femara (200 MG Dose)	143
Prefilled Syringe 40 MG/0.4ML, 40	Kisqali Femara (400 MG Dose)	143
MG/0.8ML117	Kisqali Femara (600 MG Dose)	143
Haegarda118	Koselugo	
Humira (2 Pen)119	krazati	
Humira (2 Syringe) Subcutaneous	lapatinib ditosylate	
Prefilled Syringe Kit 10 MG/0.1ML, 20	Lazcluze Oral Tablet 240 MG, 80 MG	
MG/0.2ML, 40 MG/0.4ML, 40	lenalidomide	
MG/0.8ML119	Lenvima (10 MG Daily Dose)	
	Lenvima (12 MG Daily Dose)	. 149

Lenvima (14 MG Daily Dose) 149	novofine plus pen needle68
Lenvima (18 MG Daily Dose)149	Nubeqa176
Lenvima (20 MG Daily Dose)149	Nuedexta177
Lenvima (24 MG Daily Dose)149	Nulibry 178
Lenvima (4 MG Daily Dose)149	Nuplazid Oral Capsule179
Lenvima (8 MG Daily Dose)149	Nuplazid Oral Tablet 10 MG179
lidocaine external patch 5 %150	Nurtec180
Lidocan150	Ocaliva181
Lidocan III150	Odomzo182
Livtencity151	Ofev183
Lomaira	Ogsiveo Oral Tablet 100 MG, 150 MG,
Lonsurf152	50 MG185
Lorbrena153	Ojemda Oral Suspension
Lumakras Oral Tablet 120 MG, 240	Reconstituted186
MG, 320 MG154	Ojemda Oral Tablet 100 MG, 100 MG
Lupron Depot (1-Month) Intramuscular	(16 pack), 100 MG (24 pack)186
Kit 3.75 MG155	ojjaara187
Lupron Depot (3-Month) Intramuscular	omeprazole magnesium oral capsule
Kit 11.25 MG155	delayed release216
Lynparza Oral Tablet156	omeprazole oral tablet delayed release
Lytgobi (12 MG Daily Dose) 157	216
Lytgobi (16 MG Daily Dose) 157	Omnitrope Subcutaneous Solution
Lytgobi (20 MG Daily Dose) 157	Cartridge115
Marplan158	Omnitrope Subcutaneous Solution
Matulane159	Reconstituted115
Mekinist Oral Solution Reconstituted161	Onureg188
Mekinist Oral Tablet 0.5 MG, 2 MG 160	Opipza Oral Film 10 MG, 2 MG, 5 MG 190
Mektovi162	Opsumit191
mercaptopurine oral suspension 163	Opsynvi192
mifepristone oral tablet 300 mg 164	Orenitram193
modafinil oral165	Orenitram Month 1193
Mounjaro Subcutaneous Solution	Orenitram Month 2193
Auto-Injector166	Orenitram Month 3193
Nayzilam168	Orgovyx194
Nerlynx 169	Orkambi Oral Packet195
Nexletol170	Orkambi Oral Tablet195
Nexlizet171	orlistat oral15
Ninlaro 172	Orserdu Oral Tablet 345 MG, 86 MG. 196
nitisinone	Otezla Oral Tablet197
Nivestym Injection Solution Prefilled	Otezla Oral Tablet Therapy Pack 197
Syringe 174	Oxervate198
Norditropin FlexPro Subcutaneous	Ozempic (0.25 or 0.5 MG/DOSE)
Solution Pen-Injector115	Subcutaneous Solution Pen-Injector 2
nortriptyline hcl oral175	MG/3ML199
novofine pen needle 68	

Ozempic (1 MG/DOSE) Subcutaneous	Repatha SureClick223
Solution Pen-Injector 4 MG/3ML 19	99 Retevmo Oral Tablet 120 MG, 160
Ozempic (2 MG/DOSE)19	99 MG, 40 MG, 80 MG224
Panretin2	00 Revcovi225
paroxetine hcl2	01 Revuforj Oral Tablet 110 MG, 160 MG,
paroxetine mesylate2	02 25 MG226
pazopanib hcl2	
Pemazyre2	04 Rezdiffra228
penicillamine oral tablet2	05 Rezlidhia230
perampanel2	
phendimetrazine tartrate	
phendimetrazine tartrate er	·
phenobarbital oral elixir2	07 24 Hour 15 MG, 30 MG, 45 MG 232
phenobarbital oral tablet2	07 Romvimza233
phentermine hcl oral capsule	15 Rozlytrek Oral Capsule 100 MG, 200
phentermine hcl oral tablet 37.5 mg	
phentermine-topiramate er	
Piqray (200 MG Daily Dose)2	
Piqray (250 MG Daily Dose)2	
Piqray (300 MG Daily Dose)2	
pirfenidone oral capsule2	
pirfenidone oral tablet 267 mg, 801 mg	Rydapt239
2	09 Sajazir Subcutaneous Solution
Plegridy2	-
Plegridy Starter Pack2	
Pomalyst2	
preferred plus insulin syringe 28g x	40 MG240
1/2" 0.5 ml	68 Secuado241
Prevymis Oral Packet2	
Prevymis Oral Tablet2	
Prolastin-C Intravenous Solution2	
Promacta Oral Packet 12.5 MG, 25	Signifor243
MG2	
Promacta Oral Tablet 12.5 MG, 25	Sirturo245
MG, 50 MG, 75 MG2	14 Skyrizi Pen246
protriptyline hcl2	•
Qinlock2	18 Cartridge 180 MG/1.2ML, 360
Radicava ORS2	
Radicava ORS Starter Kit2	19 Skyrizi Subcutaneous Solution
Raldesy2	-
reli-on insulin syringe 29g 0.3 ml	
Relistor Oral2	
Relistor Subcutaneous Solution 2	
Repatha2	
Repatha Pushtronex System2	

Spritam Oral Tablet Disintegrating		Tridacaine III	.150
Soluble 1000 MG, 250 MG, 500 MG,		Tridacaine XL	150
750 MG	.250	Trikafta Oral Tablet Therapy Pack	.280
Stelara Subcutaneous Solution 45		Trikafta Oral Therapy Pack	.280
MG/0.5ML	.251	trimipramine maleate oral	
Stelara Subcutaneous Solution		Trulicity Subcutaneous Solution Auto-	
Prefilled Syringe 45 MG/0.5ML, 90		Injector	
MG/ML	.251	Truqap Oral Tablet	
Stivarga	. 252	Tryngolza	
sunitinib malate		Tukysa Oral Tablet 150 MG, 50 MG	
Symdeko		Turalio Oral Capsule 125 MG	
Sympazan		Tyenne Subcutaneous	
Tabrecta		ustekinumab subcutaneous solution	
tadalafil (pah)		ustekinumab subcutaneous solution	
tadalafil oral tablet 2.5 mg, 5 mg		prefilled syringe 45 mg/0.5ml, 90	
Tafinlar Oral Capsule		mg/ml	.288
Tafinlar Oral Tablet Soluble		Valchlor	
Tagrisso		Valtoco 10 MG Dose	
Talzenna		Valtoco 15 MG Dose	
Tasigna		Valtoco 20 MG Dose	
tasimelteon		Valtoco 5 MG Dose	
Tavneos		Vanflyta	
tazarotene external cream 0.1 %		Venclexta	
Tazverik		Venclexta Starting Pack	
Tepmetko		Verquvo	
teriflunomide		Versacloz	
Teriparatide Subcutaneous Solution		Verzenio	
Pen-Injector 560 MCG/2.24ML	.270	vigabatrin	
testosterone transdermal gel 1.62 %,		vigadrone	
12.5 mg/act (1%), 20.25 mg/1.25gm		Vigafyde	
(1.62%), 20.25 mg/act (1.62%), 25		Vitrakvi Oral Capsule 100 MG, 25 MG	
mg/2.5gm (1%), 40.5 mg/2.5gm		Vitrakvi Oral Solution	
(1.62%), 50 mg/5gm (1%)	. 271	Vizimpro	
testosterone transdermal solution		Vonjo	
tetrabenazine oral tablet 12.5 mg, 25		Voranigo Oral Tablet 10 MG, 40 MG	
mg	273	voriconazole intravenous	
Thalomid Oral Capsule 100 MG, 50		Vowst	
MG	.274	Voydeya	
Tibsovo		Vraylar Oral Capsule	
tolvaptan oral tablet		Vyndamax	
tolvaptan oral tablet therapy pack		Vyndaqel	
topiramate oral solution		Wegovy Subcutaneous Solution Auto-	
Trelstar Mixject		Injector 0.25 MG/0.5ML, 0.5	
tretinoin oral		MG/0.5ML, 1 MG/0.5ML, 1.7	
Tridacaine II		MG/0.75ML, 2.4 MG/0.75ML	15

Welireg	
Winrevair	312
Xalkori Oral Capsule	
Xalkori Oral Capsule Sprinkle 150 MG	,
20 MG, 50 MG	
Xatmep	315
Xcopri (250 MG Daily Dose) Oral	
Tablet Therapy Pack 100 & 150 MG	
Xcopri (350 MG Daily Dose)	.316
Xcopri Oral Tablet 100 MG, 150 MG,	
200 MG, 25 MG, 50 MG	
Xcopri Oral Tablet Therapy Pack	
Xdemvy	
Xeljanz Oral Solution	
Xeljanz Oral Tablet	
Xeljanz XR	
Xenical	
Xermelo	
Xgeva	
Xifaxan Oral Tablet 200 MG, 550 MG.	
Xolair	
Xospata	327
Xpovio (100 MG Once Weekly) Oral	
Tablet Therapy Pack 50 MG	.328
Xpovio (40 MG Once Weekly) Oral	
Tablet Therapy Pack 10 MG, 40 MG	.328
Xpovio (40 MG Twice Weekly) Oral	
Tablet Therapy Pack 40 MG	.328
Xpovio (60 MG Once Weekly) Oral	
Tablet Therapy Pack 60 MG	
Xpovio (60 MG Twice Weekly)	
Xpovio (80 MG Once Weekly) Oral	
Tablet Therapy Pack 40 MG	
Xpovio (80 MG Twice Weekly)	
Xtandi Oral Capsule	
Xtandi Oral Tablet 40 MG, 80 MG	
Yesintek Subcutaneous Solution	.330
Yesintek Subcutaneous Solution	
Prefilled Syringe 45 MG/0.5ML, 90	000
MG/ML	
Yorvipath Subcutaneous Solution Pen	-
Injector 168 MCG/0.56ML, 294	004
MCG/0.98ML, 420 MCG/1.4ML	
Zaditor Ophthalmic Solution 0.035 %	
Zejula Oral Tablet	332

∠elborat	333
Zepbound Subcutaneous Solution	15
Zolinza	334
Zonisade	335
Ztalmy	336
Zurzuvae Oral Capsule 20 MG, 25	
MG, 30 MG	337
Zydelig	338
Zykadia Oral Tablet	339