

# **Comprehensive Formulary**

## (List of Covered Drugs)

**2022**



### **Wellcare Value Script (PDP)**

Plan in all states.



**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS  
WE COVER IN THIS PLAN**

**HPMS Approved Formulary File Submission ID 22388, Version Number 18**

**This formulary was updated on 12/01/2022.** For more recent information or other questions, please contact Wellcare Member Services at **1-888-550-5252** (TTY users should call, **711**), between October 1 and March 31, representatives are available Monday–Sunday, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m., or visit [www.wellcare.com/PDP](http://www.wellcare.com/PDP).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us” or “our,” it means Wellcare. When it refers to “plan” or “our plan,” it means Wellcare Value Script (PDP).

This document includes a list of the drugs (formulary) for our plan which is current as of 12/01/2022. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the inside front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2022, and from time to time during the year.

## **What is the Wellcare Value Script (PDP) Formulary?**

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Wellcare Value Script (PDP)’s Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary; or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
  - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Wellcare Value Script (PDP)’s Formulary?”

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2022 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2022 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 12/01/2022. To get updated information about the drugs covered by our plan please contact us. Our contact information appears on the inside front and back cover pages.

The formulary will be updated monthly and posted on our website. To get an updated printed formulary or to get information about the drugs covered by our plan, please visit our website or call Member Services at our contact information on the inside front and back cover pages.

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category “Cardiovascular.” If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page INDEX-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## **What are generic drugs?**

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides 18 tablets per prescription for rizatriptan 5mg. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the inside front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Wellcare Value Script (PDP) formulary?" on page IV for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Wellcare Value Script (PDP)'s Formulary?**

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you experience a level of care change (such as being discharged or admitted to a long-term care facility), your physician or pharmacy can call our Provider Service Center and request a one-time override. This one-time override will be up to a 31-day supply (unless you have a prescription written for fewer days).

## **For more information**

For more detailed information about your plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the inside front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Our plan's Formulary

The formulary below provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page INDEX-1.

The first column of the chart lists the drug name. Brand name drugs are **capitalized** (e.g., ELIQUIS) and generic drugs are listed in lower-case **italics** (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

- **NM** means the drug is not available via your monthly mail service benefit. This is noted in the Requirements/ Limits column of your formulary. You may be able to receive more than one month's supply of most of the drugs on your formulary via mail service at a reduced cost share. Please see Chapter 3 of your Evidence of Coverage for more information.
- **SSM** stands for Senior Savings Model: If you are not receiving Extra Help to pay for your prescriptions, the amount you pay when you fill a prescription for select insulins will be a reduced, fixed amount during the deductible, initial coverage, and coverage gap phases of the Part D benefit. Please refer to your Evidence of Coverage for more information about this coverage.
- **PA** stands for Prior Authorization: Please see page III for details.
- **PA-NS** stands for Prior Authorization for New Starts: This means that if this drug is new to you, you will need to get approval from us before you fill your prescription. If you are taking this drug at the time of enrollment, you will not be required to meet criteria for approval.
- **B/D** stands for Covered under Medicare B or D: This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from us to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, we may not cover this drug.
- **QL** stands for Quantity Limits: Please see page III for details.
- **LA** stands for Limited Access medication. This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Service **1-888-550-5252** (TTY users should call, **711**), between October 1 and March 31, representatives are available Monday–Sunday, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m., or visit **www.wellcare.com/PDP**.
- **ST** stands for Step Therapy: Please see page III for details.
- ^ = Drug may be available for up to a 30-day supply only.

## **Drug tier co-payment/coinsurance amounts**

Prescription drugs are grouped into one of five tiers. To find out which tier your drug is in, look in the Drug Tier column of the formulary that begins on page 1. For more detailed information about your out-of-pocket costs for prescriptions, including any deductible that may apply, please refer to your Evidence of Coverage and other plan materials.

- **Tier 1 (Preferred Generic Drugs)** includes preferred generic drugs and may include some brand drugs.
  - **Preferred** copayment: \$0
  - **Standard** copayment: \$8
- **Tier 2 (Generic Drugs)** includes generic drugs and may include some brand drugs.
  - **Preferred** copayment: \$4
  - **Standard** copayment: \$15
- **Tier 3 (Preferred Brand Drugs)** includes preferred brand drugs and may include some generic drugs.
  - **Preferred** copayment: \$42
  - **Standard** copayment: \$47
  - **Preferred** select insulins copayment: \$35
  - **Standard** select insulins copayment: \$35
- **Tier 4 (Non-Preferred Drugs)** includes non-preferred brand and non-preferred generic drugs.
  - **Preferred** coinsurance: 47%
  - **Standard** coinsurance: 50%
- **Tier 5 (Specialty Tier)** includes high cost brand and generic drugs. Drugs in this tier are not eligible for exceptions for payment at a lower tier.
  - **Preferred** coinsurance: 25%
  - **Standard** coinsurance: 25%

Consult your Evidence of Coverage or Summary of Benefits for your applicable co-pays/coinsurance and amounts.

## Table of Contents

|                              |    |
|------------------------------|----|
| ANALGESICS.....              | 3  |
| ANESTHETICS.....             | 5  |
| ANTI-INFECTIVES.....         | 6  |
| ANTINEOPLASTIC AGENTS.....   | 17 |
| CARDIOVASCULAR.....          | 26 |
| CENTRAL NERVOUS SYSTEM.....  | 34 |
| ENDOCRINE AND METABOLIC..... | 50 |
| GASTROINTESTINAL.....        | 65 |
| GENITOURINARY.....           | 68 |
| HEMATOLOGIC.....             | 69 |
| IMMUNOLOGIC AGENTS.....      | 71 |
| NUTRITIONAL/SUPPLEMENTS..... | 77 |
| OPHTHALMIC.....              | 80 |
| OTIC.....                    | 83 |
| RESPIRATORY.....             | 83 |
| TOPICAL.....                 | 88 |



| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                         |  |  |
|--|--|-------------------------|--|--|
| <b>ANALGESICS</b>  |  |                         |  |  |
| <b>GOUT</b>  |  |                         |  |  |
| <i>allopurinol oral tablet 100 mg, 300 mg</i>                                  | 1                                      |                         |  |  |
| <i>colchicine oral tablet 0.6 mg</i>   | 4                                      | QL (120 EA per 30 days) |  |  |
| <i>colchicine-probenecid oral tablet 0.5-500 mg</i>                            | 3                                      |                         |  |  |
| <i>febuxostat oral tablet 40 mg, 80 mg</i>                                     | 4                                      | PA                      |  |  |
| <i>MITIGARE ORAL CAPSULE 0.6 MG</i>  | 3                                      | QL (60 EA per 30 days)  |  |  |
| <i>probenecid oral tablet 500 mg</i>   | 3                                      |                         |  |  |
| <b>NSAIDS</b>  |  |                         |  |  |
| <i>celecoxib oral capsule 100 mg</i>   | 3                                      | QL (120 EA per 30 days) |  |  |
| <i>celecoxib oral capsule 200 mg</i>   | 3                                      | QL (60 EA per 30 days)  |  |  |
| <i>celecoxib oral capsule 400 mg</i>   | 3                                      | QL (30 EA per 30 days)  |  |  |
| <i>celecoxib oral capsule 50 mg</i>  | 3                                      | QL (240 EA per 30 days) |  |  |
| <i>diclofenac potassium oral tablet 50 mg</i>                                  | 3                                      | QL (120 EA per 30 days) |  |  |
| <i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>        | 3                                      |                         |  |  |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>       | 2                                      |                         |  |  |
| <i>diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg</i> | 4                                      |                         |  |  |
| <i>diflunisal oral tablet 500 mg</i>   | 3                                      |                         |  |  |
| <i>DUEXIS ORAL TABLET 800-26.6 MG</i>  | 5^                                     | PA                      |  |  |
| <i>ec-naproxen oral tablet delayed release 375 mg</i>                          | 2                                      | QL (120 EA per 30 days) |  |  |
| <i>ec-naproxen oral tablet delayed release 500 mg</i>                          | 4                                      | QL (90 EA per 30 days)  |  |  |
| <i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i> | 2                                      |                         |  |  |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                    | 2                                      |                         |  |  |
| <i>etodolac oral tablet 400 mg, 500 mg</i>                                     | 2                                      |                         |  |  |
| <i>flurbiprofen oral tablet 100 mg</i>   | 3                                      |                         |  |  |
| <i>ibu oral tablet 600 mg, 800 mg</i>  | 1                                      |                         |  |  |
| <i>ibuprofen oral suspension 100 mg/5ml</i>                                    | 3                                      |                         |  |  |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                            | 1                                      |                         |  |  |
| <i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>                            | 4                                      | PA                      |  |  |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                     | 1                                      |                         |  |  |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                   | 2                                      |                         |  |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| naproxen oral tablet 250 mg, 375 mg, 500 mg  | 1                                      |
| naproxen oral tablet delayed release 375 mg  | 2 QL (120 EA per 30 days)              |
| naproxen oral tablet delayed release 500 mg  | 4 QL (90 EA per 30 days)               |
| naproxen sodium oral tablet 275 mg, 550 mg   | 3                                      |
| oxaprozin oral tablet 600 mg   | 4                                      |
| piroxicam oral capsule 10 mg, 20 mg  | 3                                      |
| sulindac oral tablet 150 mg, 200 mg  | 2                                      |
| <b>OPIOID ANALGESICS, LONG-ACTING</b>  |  |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr            | 4 PA; QL (10 EA per 30 days)           |
| HYSINGLA ER ORAL TABLET ER 24 HOUR ABUSE-DETERRENT 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | 3 PA; QL (30 EA per 30 days)           |
| methadone hcl intensol oral concentrate 10 mg/ml   | 3 PA; QL (90 ML per 30 days)           |
| methadone hcl oral solution 10 mg/5ml, 5 mg/5ml  | 3 PA; QL (450 ML per 30 days)          |
| methadone hcl oral tablet 10 mg, 5 mg  | 3 PA; QL (90 EA per 30 days)           |
| morphine sulfate er oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg                 | 3 PA; QL (90 EA per 30 days)           |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG     | 4 PA; QL (60 EA per 30 days)           |
| <b>OPIOID ANALGESICS, SHORT-ACTING</b>   |  |
| acetaminophen-codeine #3 oral tablet 300-30 mg   | 3 QL (360 EA per 30 days)              |
| acetaminophen-codeine oral solution 120-12 mg/5ml  | 3 QL (2700 ML per 30 days)             |
| acetaminophen-codeine oral tablet 300-15 mg  | 3 QL (400 EA per 30 days)              |
| acetaminophen-codeine oral tablet 300-60 mg  | 3 QL (180 EA per 30 days)              |
| butorphanol tartrate injection solution 1 mg/ml, 2 mg/ml   | 4                                      |
| endocet oral tablet 10-325 mg  | 3 QL (180 EA per 30 days)              |
| endocet oral tablet 2.5-325 mg, 5-325 mg   | 3 QL (360 EA per 30 days)              |
| endocet oral tablet 7.5-325 mg   | 3 QL (240 EA per 30 days)              |
| fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 400 mcg, 600 mcg, 800 mcg            | 5^ PA; QL (120 EA per 30 days)         |
| fentanyl citrate buccal lozenge on a handle 200 mcg  | 4 PA; QL (120 EA per 30 days)          |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml  | 4 QL (2700 ML per 30 days)             |
| hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg  | 3 QL (180 EA per 30 days)              |
| hydrocodone-acetaminophen oral tablet 5-325 mg   | 3 QL (240 EA per 30 days)              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| hydrocodone-ibuprofen oral tablet 7.5-200 mg  | 3                | QL (150 EA per 30 days)      |
| hydromorphone hcl oral liquid 1 mg/ml   | 4                | QL (600 ML per 30 days)      |
| hydromorphone hcl oral tablet 2 mg, 4 mg, 8 mg  | 3                | QL (180 EA per 30 days)      |
| morphine sulfate (concentrate) oral solution 100 mg/5ml, 20 mg/ml                     | 3                | QL (180 ML per 30 days)      |
| MORPHINE SULFATE (PF) INJECTION SOLUTION 10 MG/ML, 2 MG/ML, 4 MG/ML, 5 MG/ML, 8 MG/ML | 4                | B/D                          |
| MORPHINE SULFATE (PF) INTRAVENOUS SOLUTION 10 MG/ML, 2 MG/ML                          | 4                | B/D                          |
| morphine sulfate (pf) intravenous solution 4 mg/ml, 8 mg/ml                           | 4                | B/D                          |
| MORPHINE SULFATE (PF) SOLUTION 4 MG/ML INTRAVENOUS 4 MG/ML                            | 4                | B/D                          |
| MORPHINE SULFATE (PF) SOLUTION 8 MG/ML INTRAVENOUS 8 MG/ML                            | 4                | B/D                          |
| morphine sulfate intravenous solution 1 mg/ml, 10 mg/ml, 4 mg/ml, 8 mg/ml             | 4                | B/D                          |
| morphine sulfate oral solution 10 mg/5ml, 20 mg/5ml                                   | 3                | QL (900 ML per 30 days)      |
| morphine sulfate oral tablet 15 mg, 30 mg   | 3                | QL (180 EA per 30 days)      |
| nalbuphine hcl injection solution 10 mg/ml, 20 mg/ml                                  | 4                |                              |
| oxycodone hcl oral capsule 5 mg   | 4                | QL (180 EA per 30 days)      |
| oxycodone hcl oral concentrate 100 mg/5ml   | 4                | QL (180 ML per 30 days)      |
| oxycodone hcl oral solution 5 mg/5ml  | 4                | QL (900 ML per 30 days)      |
| oxycodone hcl oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg                            | 3                | QL (180 EA per 30 days)      |
| oxycodone-acetaminophen oral tablet 10-325 mg   | 3                | QL (180 EA per 30 days)      |
| oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg                              | 3                | QL (360 EA per 30 days)      |
| oxycodone-acetaminophen oral tablet 7.5-325 mg  | 3                | QL (240 EA per 30 days)      |
| tramadol hcl oral tablet 50 mg  | 2                | QL (240 EA per 30 days)      |
| tramadol-acetaminophen oral tablet 37.5-325 mg  | 3                | QL (240 EA per 30 days)      |
| <b>ANESTHETICS</b>  |                  |                              |
| <b>LOCAL ANESTHETICS</b>  |                  |                              |
| lidocaine hcl (pf) injection solution 0.5 %, 1 %, 1.5 %                               | 3                | B/D                          |
| lidocaine hcl injection solution 0.5 %, 1 %, 2 %                                      | 3                | B/D                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name | Drug Tier Requirements / Limits |
|-----------|---------------------------------|
|-----------|---------------------------------|

## ANTI-INFECTIVES

### ANTIFUNGALS

|   |    |                             |
|---|----|-----------------------------|
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML  | 4  | B/D                         |
| AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED 50 MG   | 5^ | B/D                         |
| <i>amphotericin b intravenous solution reconstituted 50 mg</i>                                    | 4  | B/D                         |
| <i>amphotericin b liposome intravenous suspension reconstituted 50 mg</i>                         | 5^ | B/D                         |
| <i>caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg</i>                        | 4  |                             |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i> | 3  |                             |
| <i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i>                               | 3  |                             |
| <i>fluconazole oral tablet 100 mg, 200 mg, 50 mg</i>  | 3  |                             |
| <i>fluconazole oral tablet 150 mg</i>   | 2  |                             |
| <i>flucytosine oral capsule 250 mg, 500 mg</i>  | 5^ | PA                          |
| <i>griseofulvin microsize oral suspension 125 mg/5ml</i>  | 4  |                             |
| <i>griseofulvin microsize oral tablet 500 mg</i>  | 4  |                             |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>                                     | 4  |                             |
| <i>itraconazole oral capsule 100 mg</i>   | 4  | PA                          |
| <i>ketoconazole oral tablet 200 mg</i>  | 3  | PA                          |
| <i>micafungin sodium intravenous solution reconstituted 100 mg, 50 mg</i>                         | 5^ |                             |
| NOXAFIL ORAL SUSPENSION 40 MG/ML  | 5^ | PA; QL (630 ML per 30 days) |
| <i>nystatin oral tablet 500000 unit</i>   | 3  |                             |
| <i>posaconazole oral tablet delayed release 100 mg</i>  | 5^ | PA; QL (93 EA per 30 days)  |
| <i>terbinafine hcl oral tablet 250 mg</i>   | 1  | QL (90 EA per 365 days)     |
| <i>voriconazole intravenous solution reconstituted 200 mg</i>                                     | 5^ | PA                          |
| <i>voriconazole oral suspension reconstituted 40 mg/ml</i>  | 5^ | PA                          |
| <i>voriconazole oral tablet 200 mg</i>  | 4  | PA; QL (120 EA per 30 days) |
| <i>voriconazole oral tablet 50 mg</i>   | 4  | PA; QL (480 EA per 30 days) |
| <b>ANTI-INFECTIVES - MISCELLANEOUS</b>  |    |                             |
| <i>albendazole oral tablet 200 mg</i>   | 5^ |                             |
| <i>amikacin sulfate injection solution 1 gm/4ml, 500 mg/2ml</i>                                   | 4  |                             |
| <i>atovaquone oral suspension 750 mg/5ml</i>  | 4  |                             |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |  |  |
|--|--|--|--|
| <i>aztreonam injection solution reconstituted 1 gm, 2 gm</i>   | 4                                      |  |  |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG  | 5^                                     | PA; LA   |  |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>  | 2                                      |  |  |
| <i>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</i>   | 4                                      |  |  |
| <i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>                                   | 4                                      |  |  |
| CLINDAMYCIN PHOSPHATE IN NACL INTRAVENOUS SOLUTION 300-0.9 MG/50ML-%, 600-0.9 MG/50ML-%, 900-0.9 MG/50ML-%                       | 4                                      |  |  |
| <i>clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml, 9000 mg/60ml</i>                                 | 3                                      |  |  |
| <i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i>   | 4                                      |  |  |
| <i>dapsone oral tablet 100 mg, 25 mg</i>   | 3                                      |  |  |
| <i>daptomycin intravenous solution reconstituted 350 mg, 500 mg</i>  | 5^                                     |  |  |
| DAPTO MYCIN SOLUTION RECONSTITUTED 350 MG INTRAVENOUS 350 MG   | 5^                                     |  |  |
| EMVERM ORAL TABLET CHEWABLE 100 MG   | 5^                                     | QL (12 EA per 365 days)                                  |  |
| <i>ertapenem sodium injection solution reconstituted 1 gm</i>  | 4                                      |  |  |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%, 2-0.9 mg/ml-%</i> | 3                                      |  |  |
| <i>gentamicin sulfate injection solution 10 mg/ml, 40 mg/ml</i>  | 3                                      |  |  |
| <i>imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg</i>   | 4                                      |  |  |
| <i>ivermectin oral tablet 3 mg</i>   | 3                                      | PA-NS; Quantity versus Time QL of 12 tablets per 75 days |  |
| <i>linezolid in sodium chloride intravenous solution 600-0.9 mg/300ml-%</i>  | 4                                      |  |  |
| <i>linezolid intravenous solution 600 mg/300ml</i>   | 4                                      |  |  |
| <i>linezolid oral suspension reconstituted 100 mg/5ml</i>  | 5^                                     | QL (1800 ML per 30 days)                                 |  |
| <i>linezolid oral tablet 600 mg</i>  | 4                                      | QL (60 EA per 30 days)                                   |  |
| <i>meropenem intravenous solution reconstituted 1 gm, 500 mg</i>   | 4                                      |  |  |
| <i>methenamine hippurate oral tablet 1 gm</i>  | 4                                      |  |  |
| <i>metronidazole intravenous solution 500 mg/100ml</i>   | 3                                      |  |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                          |
|---|--|--------------------------|
| <i>metronidazole oral tablet 250 mg, 500 mg</i>   | 1                                      |                          |
| <i>neomycin sulfate oral tablet 500 mg</i>  | 2                                      |                          |
| <i>nitazoxanide oral tablet 500 mg</i>  | 5^                                     | QL (6 EA per 30 days)    |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>   | 3                                      |                          |
| <i>nitrofurantoin monohyd macro oral capsule 100 mg</i>   | 3                                      |                          |
| <i>paromomycin sulfate oral capsule 250 mg</i>  | 4                                      |                          |
| <i>pentamidine isethionate inhalation solution reconstituted 300 mg</i>                               | 4                                      | B/D                      |
| <i>pentamidine isethionate injection solution reconstituted 300 mg</i>                                | 4                                      |                          |
| <i>praziquantel oral tablet 600 mg</i>  | 4                                      |                          |
| SIVEXTRO INTRAVENOUS SOLUTION RECONSTITUTED 200 MG  | 5^                                     |                          |
| SIVEXTRO ORAL TABLET 200 MG   | 5^                                     |                          |
| <i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i>                                 | 4                                      |                          |
| SULFADIAZINE ORAL TABLET 500 MG   | 4                                      |                          |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5ml</i>                               | 4                                      |                          |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>                                    | 3                                      |                          |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>                                | 1                                      |                          |
| SYNERCID INTRAVENOUS SOLUTION RECONSTITUTED 150-350 MG  | 5^                                     |                          |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i>   | 5^                                     | PA                       |
| <i>tobramycin sulfate injection solution 1.2 gm/30ml, 10 mg/ml, 2 gm/50ml, 80 mg/2ml</i>              | 3                                      |                          |
| <i>trimethoprim oral tablet 100 mg</i>  | 2                                      |                          |
| VANCOMYCIN HCL IN NAACL INTRAVENOUS SOLUTION 1-0.9 GM/200ML-%, 500-0.9 MG/100ML-%, 750-0.9 MG/150ML-% | 4                                      |                          |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 5 gm, 500 mg, 750 mg</i>            | 4                                      |                          |
| <i>vancomycin hcl oral capsule 125 mg</i>   | 4                                      | QL (80 EA per 180 days)  |
| <i>vancomycin hcl oral capsule 250 mg</i>   | 4                                      | QL (160 EA per 180 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name | Drug Tier Requirements / Limits |
|-----------|---------------------------------|
|-----------|---------------------------------|

### **ANTIMALARIALS**

|  |      |
|--|------|
| <i>atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg</i> | 4    |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>            | 4    |
| <b>COARTEM ORAL TABLET 20-120 MG</b>                               | 4    |
| <i>mefloquine hcl oral tablet 250 mg</i>                           | 3    |
| <b>PRIMAQUINE PHOSPHATE ORAL TABLET 26.3 (15 BASE) MG</b>          | 3    |
| <i>primaquine phosphate oral tablet 26.3 mg</i>                    | 3    |
| <i>quinine sulfate oral capsule 324 mg</i>                         | 4 PA |

### **ANTIRETROVIRAL AGENTS**

|   |    |
|---|----|
| <i>abacavir sulfate oral solution 20 mg/ml</i>                | 4  |
| <i>abacavir sulfate oral tablet 300 mg</i>                    | 3  |
| <b>APTIVUS ORAL CAPSULE 250 MG</b>                            | 5^ |
| <i>atazanavir sulfate oral capsule 150 mg, 200 mg, 300 mg</i> | 4  |
| <b>EDURANT ORAL TABLET 25 MG</b>                              | 5^ |
| <i>efavirenz oral capsule 200 mg, 50 mg</i>                   | 4  |
| <i>efavirenz oral tablet 600 mg</i>                           | 4  |
| <i>emtricitabine oral capsule 200 mg</i>                      | 3  |
| <b>EMTRIVA ORAL SOLUTION 10 MG/ML</b>                         | 4  |
| <i>etravirine oral tablet 100 mg, 200 mg</i>                  | 5^ |
| <i>fosamprenavir calcium oral tablet 700 mg</i>               | 5^ |
| <b>FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG</b>       | 5^ |
| <b>INTELENCE ORAL TABLET 25 MG</b>                            | 4  |
| <b>INVIRASE ORAL TABLET 500 MG</b>                            | 5^ |
| <b>ISENTRESS HD ORAL TABLET 600 MG</b>                        | 5^ |
| <b>ISENTRESS ORAL PACKET 100 MG</b>                           | 3  |
| <b>ISENTRESS ORAL TABLET 400 MG</b>                           | 5^ |
| <b>ISENTRESS ORAL TABLET CHEWABLE 100 MG</b>                  | 5^ |
| <b>ISENTRESS ORAL TABLET CHEWABLE 25 MG</b>                   | 3  |
| <i>lamivudine oral solution 10 mg/ml</i>                      | 3  |
| <i>lamivudine oral tablet 150 mg, 300 mg</i>                  | 3  |
| <b>LEXIVA ORAL SUSPENSION 50 MG/ML</b>                        | 4  |
| <i>maraviroc oral tablet 150 mg, 300 mg</i>                   | 5^ |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                         |
|--|--|-------------------------|
| <i>nevirapine er oral tablet extended release 24 hour 100 mg,<br/>400 mg</i> | 4                                      |                         |
| <i>nevirapine oral suspension 50 mg/5ml</i>                                  | 4                                      |                         |
| <i>nevirapine oral tablet 200 mg</i>   | 2                                      |                         |
| <b>NORVIR ORAL PACKET 100 MG</b>   | 4                                      |                         |
| <b>NORVIR ORAL SOLUTION 80 MG/ML</b>   | 4                                      |                         |
| <b>PIFELTRO ORAL TABLET 100 MG</b>   | 5^                                     |                         |
| <b>PREZISTA ORAL SUSPENSION 100 MG/ML</b>                                    | 5^                                     | QL (400 ML per 30 days) |
| <b>PREZISTA ORAL TABLET 150 MG</b>   | 5^                                     | QL (240 EA per 30 days) |
| <b>PREZISTA ORAL TABLET 600 MG</b>   | 5^                                     | QL (60 EA per 30 days)  |
| <b>PREZISTA ORAL TABLET 75 MG</b>  | 4                                      | QL (480 EA per 30 days) |
| <b>PREZISTA ORAL TABLET 800 MG</b>   | 5^                                     | QL (30 EA per 30 days)  |
| <b>REYATAZ ORAL PACKET 50 MG</b>   | 5^                                     |                         |
| <i>ritonavir oral tablet 100 mg</i>  | 3                                      |                         |
| <b>RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG</b>                   | 5^                                     |                         |
| <b>SELZENTRY ORAL SOLUTION 20 MG/ML</b>                                      | 5^                                     |                         |
| <b>SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG</b>                           | 5^                                     |                         |
| <b>SELZENTRY ORAL TABLET 25 MG</b>   | 3                                      |                         |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>                     | 4                                      |                         |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i>                      | 3                                      |                         |
| <b>TIVICAY ORAL TABLET 10 MG</b>   | 3                                      |                         |
| <b>TIVICAY ORAL TABLET 25 MG, 50 MG</b>                                      | 5^                                     |                         |
| <b>TIVICAY PD ORAL TABLET SOLUBLE 5 MG</b>                                   | 3                                      |                         |
| <b>TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33ML</b>                           | 5^                                     | LA                      |
| <b>TYBOST ORAL TABLET 150 MG</b>   | 3                                      |                         |
| <b>VIRACEPT ORAL TABLET 250 MG, 625 MG</b>                                   | 5^                                     |                         |
| <b>VIREAD ORAL POWDER 40 MG/GM</b>   | 5^                                     |                         |
| <b>VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG</b>                             | 5^                                     |                         |
| <i>zidovudine oral capsule 100 mg</i>  | 4                                      |                         |
| <i>zidovudine oral syrup 50 mg/5ml</i>                                       | 4                                      |                         |
| <i>zidovudine oral tablet 300 mg</i>   | 3                                      |                         |
| <b>ANTIRETROVIRAL COMBINATION AGENTS</b>                                     |  |                         |
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>                    | 3                                      |                         |
| <i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>             | 5^                                     |                         |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG  | 5^                                     |
| CIMDUO ORAL TABLET 300-300 MG  | 5^                                     |
| COMPLERA ORAL TABLET 200-25-300 MG   | 5^                                     |
| DELSTRIGO ORAL TABLET 100-300-300 MG   | 5^                                     |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG   | 5^                                     |
| DOVATO ORAL TABLET 50-300 MG   | 5^                                     |
| <i>efavirenz-emtricitab-tenofovir oral tablet 600-200-300 mg</i>                                 | 5^                                     |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg,<br/>600-300-300 mg</i>             | 5^                                     |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200<br/>mg, 167-250 mg, 200-300 mg</i> | 5^ QL (30 EA per 30 days)              |
| EVOTAZ ORAL TABLET 300-150 MG  | 5^                                     |
| GENVOYA ORAL TABLET 150-150-200-10 MG  | 5^                                     |
| JULUCA ORAL TABLET 50-25 MG  | 5^                                     |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>  | 4                                      |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i>  | 4                                      |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i>   | 4                                      |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i>   | 5^                                     |
| ODEFSEY ORAL TABLET 200-25-25 MG   | 5^                                     |
| PREZCOBIX ORAL TABLET 800-150 MG   | 5^                                     |
| STRIBILD ORAL TABLET 150-150-200-300 MG  | 5^                                     |
| SYMTUZA ORAL TABLET 800-150-200-10 MG  | 5^                                     |
| TEMIXYS ORAL TABLET 300-300 MG   | 5^                                     |
| TRIUMEQ ORAL TABLET 600-50-300 MG  | 5^                                     |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG  | 5^                                     |
| TRIZIVIR ORAL TABLET 300-150-300 MG  | 5^                                     |
| <b>ANTITUBERCULAR AGENTS</b>   |  |
| <i>cycloserine oral capsule 250 mg</i>   | 5^                                     |
| <i>ethambutol hcl oral tablet 100 mg, 400 mg</i>   | 3                                      |
| <i>isoniazid oral syrup 50 mg/5ml</i>  | 4                                      |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>  | 1                                      |
| PASER ORAL PACKET 4 GM   | 4                                      |
| PRIFTIN ORAL TABLET 150 MG   | 4                                      |
| <i>pyrazinamide oral tablet 500 mg</i>   | 4                                      |
| <i>rifabutin oral capsule 150 mg</i>   | 4                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                            |
|---|--|----------------------------|
| rifampin intravenous solution reconstituted 600 mg                    | 4                                      |                            |
| rifampin oral capsule 150 mg, 300 mg                                  | 3                                      |                            |
| SIRTURO ORAL TABLET 100 MG, 20 MG                                     | 5^                                     | PA; LA                     |
| TRECATOR ORAL TABLET 250 MG   | 4                                      |                            |
| <b>ANTIVIRALS</b>   |  |                            |
| acyclovir oral capsule 200 mg   | 2                                      |                            |
| acyclovir oral suspension 200 mg/5ml                                  | 4                                      |                            |
| acyclovir oral tablet 400 mg, 800 mg                                  | 2                                      |                            |
| acyclovir sodium intravenous solution 50 mg/ml                        | 4                                      | B/D                        |
| adefovir dipivoxil oral tablet 10 mg                                  | 5^                                     |                            |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML                                    | 5^                                     |                            |
| entecavir oral tablet 0.5 mg, 1 mg                                    | 4                                      |                            |
| EPCLUSA ORAL PACKET 150-37.5 MG, 200-50 MG                            | 5^                                     | PA                         |
| EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG                             | 5^                                     | PA                         |
| EPIVIR HBV ORAL SOLUTION 5 MG/ML                                      | 4                                      |                            |
| famciclovir oral tablet 125 mg, 250 mg, 500 mg                        | 3                                      |                            |
| ganciclovir sodium intravenous solution reconstituted 500 mg          | 4                                      | B/D                        |
| HARVONI ORAL PACKET 33.75-150 MG, 45-200 MG                           | 5^                                     | PA                         |
| HARVONI ORAL TABLET 45-200 MG, 90-400 MG                              | 5^                                     | PA                         |
| lamivudine oral tablet 100 mg   | 4                                      |                            |
| MAVYRET ORAL PACKET 50-20 MG  | 5^                                     | PA                         |
| MAVYRET ORAL TABLET 100-40 MG   | 5^                                     | PA                         |
| oseltamivir phosphate oral capsule 30 mg                              | 3                                      | QL (168 EA per 365 days)   |
| oseltamivir phosphate oral capsule 45 mg, 75 mg                       | 3                                      | QL (84 EA per 365 days)    |
| oseltamivir phosphate oral suspension reconstituted 6 mg/ml           | 3                                      | QL (1080 ML per 365 days)  |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML                              | 5^                                     | PA                         |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML         | 5^                                     | PA                         |
| PREVYMIS ORAL TABLET 240 MG, 480 MG                                   | 5^                                     | PA; QL (28 EA per 28 days) |
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/ACT | 3                                      | QL (120 EA per 365 days)   |
| ribavirin oral capsule 200 mg   | 3                                      |                            |
| ribavirin oral tablet 200 mg  | 4                                      |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |    |  |
|--|--|----|--|
| <i>rimantadine hcl oral tablet 100 mg</i>  | 4                                      |    |  |
| SOVALDI ORAL TABLET 400 MG   | 5^                                     | PA |  |
| <i>valacyclovir hcl oral tablet 1 gm, 500 mg</i>                                       | 3                                      |    |  |
| <i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i>                         | 5^                                     |    |  |
| <i>valganciclovir hcl oral tablet 450 mg</i>   | 3                                      |    |  |
| VEMLIDY ORAL TABLET 25 MG  | 5^                                     | PA |  |
| VOSEVI ORAL TABLET 400-100-100 MG  | 5^                                     | PA |  |
| <b>CEPHALOSPORINS</b>  |  |    |  |
| CEFACLOR ER ORAL TABLET EXTENDED RELEASE 12 HOUR<br>500 MG                             | 4                                      |    |  |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>  | 3                                      |    |  |
| <i>cefaclor oral suspension reconstituted 125 mg/5ml, 250<br/>mg/5ml, 375 mg/5ml</i>   | 4                                      |    |  |
| <i>cefadroxil oral capsule 500 mg</i>  | 2                                      |    |  |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500<br/>mg/5ml</i>             | 3                                      |    |  |
| <i>cefazolin sodium injection solution reconstituted 1 gm, 10<br/>gm, 2 gm, 500 mg</i> | 3                                      |    |  |
| <i>cefazolin sodium intravenous solution reconstituted 1 gm</i>                        | 3                                      |    |  |
| CEFAZOLIN SODIUM-DEXTROSE INTRAVENOUS SOLUTION<br>1-4 GM/50ML-%, 2-4 GM/100ML-%        | 4                                      |    |  |
| <i>cefdinir oral capsule 300 mg</i>  | 2                                      |    |  |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250<br/>mg/5ml</i>               | 3                                      |    |  |
| <i>cefepime hcl injection solution reconstituted 1 gm, 2 gm</i>                        | 4                                      |    |  |
| <i>cefepime hcl intravenous solution reconstituted 2 gm</i>                            | 4                                      |    |  |
| <i>cefixime oral suspension reconstituted 100 mg/5ml, 200<br/>mg/5ml</i>               | 4                                      |    |  |
| <i>cefoxitin sodium intravenous solution reconstituted 1 gm,<br/>10 gm, 2 gm</i>       | 4                                      |    |  |
| <i>cefpodoxime proxetil oral suspension reconstituted 100<br/>mg/5ml, 50 mg/5ml</i>    | 4                                      |    |  |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>                                 | 3                                      |    |  |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250<br/>mg/5ml</i>              | 3                                      |    |  |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>  | 3                                      |    |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| CEFTAZIDIME AND DEXTROSE INTRAVENOUS SOLUTION RECONSTITUTED 1-5 GM-%(50ML), 2-5 GM-%(50ML) | 4                                      |
| <i>ceftazidime injection solution reconstituted 1 gm, 6 gm</i>                             | 4                                      |
| <i>ceftazidime intravenous solution reconstituted 2 gm</i>                                 | 4                                      |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg</i>      | 4                                      |
| <i>ceftriaxone sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>             | 4                                      |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>  | 3                                      |
| <i>cefuroxime sodium injection solution reconstituted 750 mg</i>                           | 3                                      |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>                         | 3                                      |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>  | 1                                      |
| <i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                     | 3                                      |
| <i>tazicef injection solution reconstituted 1 gm</i>                                       | 4                                      |
| <i>tazicef intravenous solution reconstituted 1 gm, 2 gm, 6 gm</i>                         | 4                                      |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG                                  | 5^                                     |
| <b>ERYTHROMYCINS/MACROLIDES</b>  |  |
| <i>azithromycin intravenous solution reconstituted 500 mg</i>                              | 3                                      |
| <i>azithromycin oral packet 1 gm</i>   | 3                                      |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>                   | 3                                      |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i>   | 1                                      |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>                       | 3                                      |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                 | 4                                      |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>   | 3                                      |
| DIFCID ORAL SUSPENSION RECONSTITUTED 40 MG/ML  | 5^                                     |
| DIFCID ORAL TABLET 200 MG  | 5^                                     |
| <i>e.e.s. 400 oral tablet 400 mg</i>   | 4                                      |
| <i>ery-tab oral tablet delayed release 250 mg, 333 mg, 500 mg</i>                          | 4                                      |
| ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG                          | 5^                                     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| erythrocin stearate oral tablet 250 mg  | 4                                      |
| erythromycin base oral capsule delayed release particles 250 mg   | 4                                      |
| erythromycin base oral tablet 250 mg, 500 mg  | 4                                      |
| erythromycin base oral tablet delayed release 250 mg, 333 mg, 500 mg                                      | 4                                      |
| erythromycin ethylsuccinate oral tablet 400 mg  | 4                                      |
| erythromycin lactobionate intravenous solution reconstituted 500 mg                                       | 5^                                     |
| erythromycin oral tablet delayed release 250 mg, 333 mg   | 4                                      |
| <b>FLUOROQUINOLONES</b>   |  |
| CIPRO ORAL SUSPENSION RECONSTITUTED 500 MG/5ML (10%)  | 4                                      |
| ciprofloxacin hcl oral tablet 100 mg  | 4                                      |
| ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg  | 1                                      |
| ciprofloxacin in d5w intravenous solution 200 mg/100ml, 400 mg/200ml                                      | 3                                      |
| levofloxacin in d5w intravenous solution 250 mg/50ml, 500 mg/100ml, 750 mg/150ml                          | 3                                      |
| levofloxacin intravenous solution 25 mg/ml  | 4                                      |
| levofloxacin oral solution 25 mg/ml   | 4                                      |
| levofloxacin oral tablet 250 mg, 500 mg, 750 mg   | 1                                      |
| moxifloxacin hcl oral tablet 400 mg   | 4                                      |
| <b>PENICILLINS</b>  |  |
| amoxicillin oral capsule 250 mg, 500 mg   | 1                                      |
| amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml                  | 1                                      |
| amoxicillin oral tablet 500 mg, 875 mg  | 1                                      |
| amoxicillin oral tablet chewable 125 mg, 250 mg   | 2                                      |
| amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg                          | 4                                      |
| amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml | 3                                      |
| amoxicillin-pot clavulanate oral suspension reconstituted 250-62.5 mg/5ml                                 | 4                                      |
| amoxicillin-pot clavulanate oral tablet 250-125 mg  | 3                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>  | 2                                      |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg, 400-57 mg</i>                                 | 4                                      |
| <i>ampicillin oral capsule 500 mg</i>  | 2                                      |
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg, 2 gm, 250 mg, 500 mg</i>                   | 4                                      |
| <i>ampicillin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i>                                  | 4                                      |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm</i>                 | 4                                      |
| <i>ampicillin-sulbactam sodium intravenous solution reconstituted 1.5 (1-0.5) gm, 15 (10-5) gm, 3 (2-1) gm</i> | 4                                      |
| <b>BICILLIN L-A INTRAMUSCULAR SUSPENSION 2400000 UNIT/4ML</b>  | 4                                      |
| <b>BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 600000 UNIT/ML</b>                | 4                                      |
| <i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>  | 3                                      |
| <i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i>  | 4                                      |
| <i>nafcillin sodium intravenous solution reconstituted 1 gm, 2 gm</i>  | 4                                      |
| <i>nafcillin sodium intravenous solution reconstituted 10 gm</i>   | 5^                                     |
| <i>oxacillin sodium injection solution reconstituted 1 gm, 2 gm</i>  | 4                                      |
| <b>PENICILLIN G POT IN DEXTROSE INTRAVENOUS SOLUTION 40000 UNIT/ML, 60000 UNIT/ML</b>                          | 4                                      |
| <i>penicillin g potassium injection solution reconstituted 20000000 unit, 5000000 unit</i>                     | 4                                      |
| <b>PENICILLIN G PROCAINE INTRAMUSCULAR SUSPENSION 600000 UNIT/ML</b>   | 4                                      |
| <i>penicillin g sodium injection solution reconstituted 5000000 unit</i>                                       | 4                                      |
| <i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>                               | 2                                      |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>   | 1                                      |
| <i>pfizerpen injection solution reconstituted 20000000 unit, 5000000 unit</i>                                  | 4                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b> | <b>Drug Tier Requirements / Limits</b> |  |
|------------------|--|--|
|------------------|--|--|

*piperacillin sod-tazobactam so intravenous solution  
reconstituted 13.5 (12-1.5) gm, 2.25 (2-0.25) gm, 3.375 (3-  
0.375) gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm*

4

#### **TETRACYCLINES**

*doxy 100 intravenous solution reconstituted 100 mg*

4

*doxycycline hyclate intravenous solution reconstituted 100  
mg*

4

*doxycycline hyclate oral capsule 100 mg, 50 mg*

3

*doxycycline hyclate oral tablet 100 mg, 20 mg*

3

*doxycycline hyclate oral tablet delayed release 100 mg, 150  
mg, 50 mg, 75 mg*

4 PA

*doxycycline monohydrate oral capsule 100 mg, 50 mg*

2

*doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg*

3

*minocycline hcl oral capsule 100 mg, 50 mg, 75 mg*

3

**NUZYRA INTRAVENOUS SOLUTION RECONSTITUTED 100  
MG**

5^ LA

**NUZYRA ORAL TABLET 150 MG**

5^ LA

*tetracycline hcl oral capsule 250 mg, 500 mg*

4 PA

**TIGECYCLINE INTRAVENOUS SOLUTION RECONSTITUTED 50  
MG**

5^

*tigecycline solution reconstituted 50 mg intravenous 50 mg*

4

#### **ANTINEOPLASTIC AGENTS**

##### **ALKYLATING AGENTS**

**BENDEKA INTRAVENOUS SOLUTION 100 MG/4ML**

5^ B/D

*carboplatin intravenous solution 150 mg/15ml, 450  
mg/45ml, 50 mg/5ml, 600 mg/60ml*

3 B/D

*cisplatin intravenous solution 100 mg/100ml, 200  
mg/200ml, 50 mg/50ml*

3 B/D

*cyclophosphamide injection solution reconstituted 1 gm, 2  
gm, 500 mg*

5^ B/D

**CYCLOPHOSPHAMIDE INTRAVENOUS SOLUTION 1 GM/5ML,  
2 GM/10ML, 500 MG/2.5ML**

5^ B/D

*cyclophosphamide oral capsule 25 mg, 50 mg*

3 B/D

**CYCLOPHOSPHAMIDE ORAL TABLET 25 MG, 50 MG**

4 B/D

**LEUKERAN ORAL TABLET 2 MG**

4

*oxaliplatin intravenous solution 100 mg/20ml, 200  
mg/40ml, 50 mg/10ml*

4 B/D

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |           |
|---|--|-----------|
| <i>oxaliplatin intravenous solution reconstituted 100 mg, 50 mg</i>                           | 5^                                     | B/D       |
| <i>paraplatin intravenous solution 1000 mg/100ml</i>  | 3                                      | B/D       |
| <b>ANTIBIOTICS</b>  |  |           |
| <i>adriamycin intravenous solution 2 mg/ml</i>  | 4                                      | B/D       |
| <i>doxorubicin hcl intravenous solution 2 mg/ml</i>   | 4                                      | B/D       |
| <i>doxorubicin hcl liposomal intravenous injectable 2 mg/ml</i>                               | 5^                                     | B/D       |
| <i>epirubicin hcl intravenous solution 200 mg/100ml, 50 mg/25ml</i>                           | 4                                      | B/D       |
| <b>ANTIMETABOLITES</b>  |  |           |
| <i>ALIMTA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 500 MG</i>                               | 5^                                     | B/D       |
| <i>azacitidine injection suspension reconstituted 100 mg</i>                                  | 5^                                     | B/D       |
| <i>cytarabine injection solution 20 mg/ml</i>   | 3                                      | B/D       |
| <i>fluorouracil intravenous solution 1 gm/20ml, 2.5 gm/50ml, 5 gm/100ml, 500 mg/10ml</i>      | 3                                      | B/D       |
| <i>gemcitabine hcl intravenous solution 1 gm/26.3ml, 2 gm/52.6ml, 200 mg/5.26ml</i>           | 4                                      | B/D       |
| <i>gemcitabine hcl intravenous solution reconstituted 1 gm, 2 gm, 200 mg</i>                  | 4                                      | B/D       |
| <i>INQOVI ORAL TABLET 35-100 MG</i>   | 5^                                     | PA-NS; LA |
| <i>LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG</i>   | 5^                                     | PA-NS     |
| <i>mercaptopurine oral tablet 50 mg</i>   | 3                                      |           |
| <i>methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml, 50 mg/2ml</i>          | 3                                      | B/D       |
| <i>methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml</i>                          | 3                                      | B/D       |
| <i>methotrexate sodium injection solution reconstituted 1 gm</i>                              | 3                                      | B/D       |
| <i>ONUREG ORAL TABLET 200 MG, 300 MG</i>  | 5^                                     | PA-NS; LA |
| <i>pemetrexed disodium intravenous solution reconstituted 100 mg, 1000 mg, 500 mg, 750 mg</i> | 5^                                     | B/D       |
| <i>PURIXAN ORAL SUSPENSION 2000 MG/100ML</i>  | 5^                                     |           |
| <i>TABLOID ORAL TABLET 40 MG</i>  | 4                                      |           |
| <b>HORMONAL ANTINEOPLASTIC AGENTS</b>   |  |           |
| <i>abiraterone acetate oral tablet 250 mg, 500 mg</i>   | 5^                                     | PA-NS     |
| <i>anastrozole oral tablet 1 mg</i>   | 2                                      |           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

**Drug Name** **Drug Tier Requirements / Limits**

|  |    |                                   |
|--|----|-----------------------------------|
| <i>bicalutamide oral tablet 50 mg</i>  | 2  |                                   |
| <i>EMCYT ORAL CAPSULE 140 MG</i>   | 5^ |                                   |
| <i>ERLEADA ORAL TABLET 60 MG</i>   | 5^ | PA-NS; LA                         |
| <i>EULEXIN ORAL CAPSULE 125 MG</i>   | 5^ |                                   |
| <i>exemestane oral tablet 25 mg</i>  | 4  |                                   |
| <i>flutamide oral capsule 125 mg</i>   | 3  |                                   |
| <i>fulvestrant intramuscular solution prefilled syringe 250 mg/5ml</i>           | 5^ | B/D                               |
| <i>letrozole oral tablet 2.5 mg</i>  | 2  |                                   |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i>                               | 4  | PA-NS                             |
| <i>LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG</i>                          | 5^ | PA-NS                             |
| <i>LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG</i>                         | 5^ | PA-NS                             |
| <i>LYSODREN ORAL TABLET 500 MG</i>   | 5^ |                                   |
| <i>megestrol acetate oral tablet 20 mg, 40 mg</i>                                | 3  |                                   |
| <i>nilutamide oral tablet 150 mg</i>   | 5^ |                                   |
| <i>NUBEQA ORAL TABLET 300 MG</i>   | 5^ | PA-NS; LA                         |
| <i>ORGOVYX ORAL TABLET 120 MG</i>  | 5^ | PA-NS; LA                         |
| <i>SOLTAMOX ORAL SOLUTION 10 MG/5ML</i>  | 5^ |                                   |
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>                                | 2  |                                   |
| <i>toremifene citrate oral tablet 60 mg</i>                                      | 5^ |                                   |
| <i>TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG, 3.75 MG</i> | 5^ | PA-NS                             |
| <i>XTANDI ORAL CAPSULE 40 MG</i>   | 5^ | PA-NS; LA                         |
| <i>XTANDI ORAL TABLET 40 MG, 80 MG</i>   | 5^ | PA-NS; LA                         |
| <b>IMMUNOMODULATORS</b>  |    |                                   |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 5 mg</i>                      | 5^ | PA-NS; LA; QL (28 EA per 28 days) |
| <i>lenalidomide oral capsule 20 mg, 25 mg</i>                                    | 5^ | PA-NS; LA; QL (21 EA per 28 days) |
| <i>POMALYST ORAL CAPSULE 1 MG, 2 MG</i>  | 5^ | PA-NS; LA; QL (21 EA per 21 days) |
| <i>POMALYST ORAL CAPSULE 3 MG, 4 MG</i>  | 5^ | PA-NS; LA; QL (21 EA per 28 days) |
| <i>REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG</i>                          | 5^ | PA-NS; LA; QL (28 EA per 28 days) |
| <i>REVLIMID ORAL CAPSULE 20 MG, 25 MG</i>  | 5^ | PA-NS; LA; QL (21 EA per 28 days) |
| <i>THALOMID ORAL CAPSULE 100 MG, 50 MG</i>                                       | 5^ | PA-NS; QL (28 EA per 28 days)     |
| <i>THALOMID ORAL CAPSULE 150 MG, 200 MG</i>                                      | 5^ | PA-NS; QL (56 EA per 28 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier Requirements / Limits |  |
|-----------|---------------------------------|--|
|-----------|---------------------------------|--|

### **MISCELLANEOUS**

|  |    |                               |
|--|----|-------------------------------|
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE<br>500 MCG/ML                              | 5^ | PA-NS; LA                     |
| <i>bexarotene oral capsule 75 mg</i>   | 5^ | PA-NS                         |
| <i>hydroxyurea oral capsule 500 mg</i>   | 2  |                               |
| <i>irinotecan hcl intravenous solution 100 mg/5ml, 300 mg/15ml, 40 mg/2ml, 500 mg/25ml</i> | 4  | B/D                           |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY<br>PACK 200 & 2.5 MG                      | 5^ | PA-NS; QL (70 EA per 28 days) |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY<br>PACK 200 & 2.5 MG                      | 5^ | PA-NS; QL (91 EA per 28 days) |
| KISQALI FEMARA(200 MG DOSE) ORAL TABLET THERAPY<br>PACK 200 & 2.5 MG                       | 5^ | PA-NS; QL (49 EA per 28 days) |
| MATULANE ORAL CAPSULE 50 MG  | 5^ | LA                            |
| SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED 3.5 MG   | 5^ | PA-NS                         |
| <i>tretinoi oral capsule 10 mg</i>   | 5^ |                               |
| WELIREG ORAL TABLET 40 MG  | 5^ | PA-NS; LA                     |

### **MITOTIC INHIBITORS**

|  |    |     |
|--|----|-----|
| ABRAXANE INTRAVENOUS SUSPENSION RECONSTITUTED<br>100 MG                                      | 5^ | B/D |
| DOCETAXEL CONCENTRATE 160 MG/8ML INTRAVENOUS<br>160 MG/8ML                                   | 5^ | B/D |
| DOCETAXEL CONCENTRATE 80 MG/4ML INTRAVENOUS 80 MG/4ML  | 5^ | B/D |
| <i>docetaxel intravenous concentrate 160 mg/8ml, 80 mg/4ml</i>                               | 5^ | B/D |
| <i>docetaxel intravenous concentrate 20 mg/ml</i>  | 4  | B/D |
| <i>docetaxel intravenous solution 160 mg/16ml, 20 mg/2ml, 80 mg/8ml</i>                      | 5^ | B/D |
| DOCETAXEL SOLUTION 160 MG/16ML INTRAVENOUS 160 MG/16ML                                       | 5^ | B/D |
| DOCETAXEL SOLUTION 20 MG/2ML INTRAVENOUS 20 MG/2ML   | 5^ | B/D |
| DOCETAXEL SOLUTION 80 MG/8ML INTRAVENOUS 80 MG/8ML   | 5^ | B/D |
| <i>etoposide intravenous solution 100 mg/5ml, 500 mg/25ml</i>                                | 3  | B/D |
| <i>paclitaxel intravenous concentrate 100 mg/16.7ml, 150 mg/25ml, 30 mg/5ml, 300 mg/50ml</i> | 4  | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b> | <b>Drug Tier Requirements / Limits</b> |  |
|------------------|--|--|
|------------------|--|--|

|  |    |     |
|--|----|-----|
| <i>paclitaxel protein-bound part intravenous suspension reconstituted 100 mg</i> | 5^ | B/D |
| <i>toposar intravenous solution 1 gm/50ml, 100 mg/5ml</i>                        | 3  | B/D |
| <i>vincristine sulfate intravenous solution 1 mg/ml</i>                          | 2  | B/D |
| <i>vinorelbine tartrate intravenous solution 10 mg/ml, 50 mg/5ml</i>             | 4  | B/D |

#### **MOLECULAR TARGET AGENTS**

|   |    |                                   |
|---|----|-----------------------------------|
| AFINITOR DISPERZ ORAL TABLET SOLUBLE 2 MG                 | 5^ | PA-NS; QL (150 EA per 30 days)    |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE 3 MG                 | 5^ | PA-NS; QL (90 EA per 30 days)     |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE 5 MG                 | 5^ | PA-NS; QL (60 EA per 30 days)     |
| AFINITOR ORAL TABLET 10 MG                                | 5^ | PA-NS; QL (30 EA per 30 days)     |
| ALECENSA ORAL CAPSULE 150 MG                              | 5^ | PA-NS; LA                         |
| ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG                 | 5^ | PA-NS; LA                         |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG             | 5^ | PA-NS; LA                         |
| AVASTIN INTRAVENOUS SOLUTION 100 MG/4ML, 400 MG/16ML      | 5^ | PA-NS; LA                         |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG  | 5^ | PA-NS; LA; QL (30 EA per 30 days) |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG                     | 5^ | PA-NS; LA                         |
| BORTEZOMIB INJECTION SOLUTION RECONSTITUTED 1 MG, 2.5 MG  | 5^ | PA-NS                             |
| <i>bortezomib injection solution reconstituted 3.5 mg</i> | 5^ | PA-NS                             |
| BORTEZOMIB INTRAVENOUS SOLUTION RECONSTITUTED 3.5 MG      | 5^ | PA-NS                             |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG                | 5^ | PA-NS                             |
| BRAFTOVI ORAL CAPSULE 75 MG                               | 5^ | PA-NS; LA                         |
| BRUKINSA ORAL CAPSULE 80 MG                               | 5^ | PA-NS; LA                         |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG                 | 5^ | PA-NS; LA; QL (30 EA per 30 days) |
| CALQUENCE ORAL CAPSULE 100 MG                             | 5^ | PA-NS; LA; QL (60 EA per 30 days) |
| CALQUENCE ORAL TABLET 100 MG                              | 5^ | PA-NS; LA; QL (60 EA per 30 days) |
| CAPRELSA ORAL TABLET 100 MG, 300 MG                       | 5^ | PA-NS; LA                         |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG          | 5^ | PA-NS; LA                         |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG   | 5^ | PA-NS; LA                         |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG                | 5^ | PA-NS; LA                         |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                        | 5^ | PA-NS; LA                         |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name  | Drug Tier | Requirements / Limits              |
|--|-----------|------------------------------------|
| COTELLIC ORAL TABLET 20 MG                                   | 5^        | PA-NS; LA                          |
| DAURISMO ORAL TABLET 100 MG, 25 MG                           | 5^        | PA-NS; LA                          |
| ERIVEDGE ORAL CAPSULE 150 MG                                 | 5^        | PA-NS; LA                          |
| <i>erlotinib hcl oral tablet 100 mg, 150 mg</i>              | 5^        | PA-NS; QL (30 EA per 30 days)      |
| <i>erlotinib hcl oral tablet 25 mg</i>                       | 5^        | PA-NS; QL (90 EA per 30 days)      |
| <i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>    | 5^        | PA-NS; QL (30 EA per 30 days)      |
| <i>everolimus oral tablet soluble 2 mg</i>                   | 5^        | PA-NS; QL (150 EA per 30 days)     |
| <i>everolimus oral tablet soluble 3 mg</i>                   | 5^        | PA-NS; QL (90 EA per 30 days)      |
| <i>everolimus oral tablet soluble 5 mg</i>                   | 5^        | PA-NS; QL (60 EA per 30 days)      |
| EXKIVITY ORAL CAPSULE 40 MG                                  | 5^        | PA-NS; LA                          |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                        | 5^        | PA-NS; LA; QL (21 EA per 28 days)  |
| GAVRETO ORAL CAPSULE 100 MG                                  | 5^        | PA-NS; LA                          |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                     | 5^        | PA-NS; LA                          |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600-10000 MG-UNT/5ML | 5^        | PA-NS                              |
| HERCEPTIN INTRAVENOUS SOLUTION RECONSTITUTED 150 MG          | 5^        | PA-NS                              |
| HERZUMA INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG    | 5^        | PA-NS                              |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                   | 5^        | PA-NS; LA; QL (21 EA per 28 days)  |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                    | 5^        | PA-NS; LA; QL (21 EA per 28 days)  |
| ICLUSIG ORAL TABLET 10 MG                                    | 5^        | PA-NS; LA; QL (60 EA per 30 days)  |
| ICLUSIG ORAL TABLET 15 MG, 30 MG, 45 MG                      | 5^        | PA-NS; LA; QL (30 EA per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50 MG                             | 5^        | PA-NS; LA; QL (30 EA per 30 days)  |
| <i>imatinib mesylate oral tablet 100 mg</i>                  | 5^        | PA-NS; QL (90 EA per 30 days)      |
| <i>imatinib mesylate oral tablet 400 mg</i>                  | 5^        | PA-NS; QL (60 EA per 30 days)      |
| IMBRUVICA ORAL CAPSULE 140 MG                                | 5^        | PA-NS; LA; QL (120 EA per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                 | 5^        | PA-NS; LA; QL (30 EA per 30 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                           | 5^        | PA-NS; LA; QL (216 ML per 27 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG         | 5^        | PA-NS; LA; QL (30 EA per 30 days)  |
| INLYTA ORAL TABLET 1 MG                                      | 5^        | PA-NS; LA; QL (180 EA per 30 days) |
| INLYTA ORAL TABLET 5 MG                                      | 5^        | PA-NS; LA; QL (120 EA per 30 days) |
| INREBIC ORAL CAPSULE 100 MG                                  | 5^        | PA-NS; LA                          |
| IRESSA ORAL TABLET 250 MG                                    | 5^        | PA-NS; LA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>       |
|---|------------------|------------------------------------|
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                   | 5^               | PA-NS; LA; QL (60 EA per 30 days)  |
| KADCYLA INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 160 MG             | 5^               | B/D                                |
| KANJINTI INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG            | 5^               | PA-NS                              |
| KEYTRUDA INTRAVENOUS SOLUTION 100 MG/4ML                              | 5^               | PA-NS                              |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                 | 5^               | PA-NS; QL (21 EA per 28 days)      |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                 | 5^               | PA-NS; QL (42 EA per 28 days)      |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                 | 5^               | PA-NS; QL (63 EA per 28 days)      |
| <i>lapatinib ditosylate oral tablet 250 mg</i>                        | 5^               | PA-NS                              |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG            | 5^               | PA-NS; LA; QL (30 EA per 30 days)  |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG         | 5^               | PA-NS; LA; QL (90 EA per 30 days)  |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG        | 5^               | PA-NS; LA; QL (60 EA per 30 days)  |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | 5^               | PA-NS; LA; QL (90 EA per 30 days)  |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG        | 5^               | PA-NS; LA; QL (60 EA per 30 days)  |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | 5^               | PA-NS; LA; QL (90 EA per 30 days)  |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG              | 5^               | PA-NS; LA; QL (30 EA per 30 days)  |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG          | 5^               | PA-NS; LA; QL (60 EA per 30 days)  |
| LORBRENA ORAL TABLET 100 MG, 25 MG                                    | 5^               | PA-NS; LA                          |
| LUMAKRAS ORAL TABLET 120 MG   | 5^               | PA-NS; LA                          |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                   | 5^               | PA-NS; LA; QL (120 EA per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG                                     | 5^               | PA-NS; LA                          |
| MEKTOVI ORAL TABLET 15 MG   | 5^               | PA-NS; LA                          |
| MONJUVI INTRAVENOUS SOLUTION RECONSTITUTED 200 MG                     | 5^               | PA-NS; LA                          |
| MVASI INTRAVENOUS SOLUTION 100 MG/4ML, 400 MG/16ML                    | 5^               | PA-NS; LA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>       |
|---|------------------|------------------------------------|
| NERLYNX ORAL TABLET 40 MG   | 5^               | PA-NS; LA                          |
| NEXAVAR ORAL TABLET 200 MG  | 5^               | PA-NS; LA; QL (120 EA per 30 days) |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG   | 5^               | PA-NS; QL (3 EA per 28 days)       |
| ODOMZO ORAL CAPSULE 200 MG  | 5^               | PA-NS; LA                          |
| OGIVRI INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG                                | 5^               | PA-NS                              |
| ONTRUZANT INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG                             | 5^               | PA-NS                              |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG  | 5^               | PA-NS; LA                          |
| PHESGO SUBCUTANEOUS SOLUTION 60-60-2000 MG-MG-U/ML, 80-40-2000 MG-MG-U/ML               | 5^               | PA-NS; LA                          |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG                              | 5^               | PA-NS                              |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG                         | 5^               | PA-NS                              |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG                          | 5^               | PA-NS                              |
| QINLOCK ORAL TABLET 50 MG   | 5^               | PA-NS; LA                          |
| RETEVMO ORAL CAPSULE 40 MG, 80 MG   | 5^               | PA-NS; LA                          |
| RIABNI INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML                                    | 5^               | PA-NS; LA                          |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400-23400 MG -UT/11.7ML, 1600-26800 MG -UT/13.4ML | 5^               | PA-NS; LA                          |
| RITUXAN INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML                                   | 5^               | PA-NS; LA                          |
| ROZLYTREK ORAL CAPSULE 100 MG, 200 MG   | 5^               | PA-NS; LA                          |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG  | 5^               | PA-NS; LA; QL (120 EA per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML                                  | 5^               | PA-NS                              |
| RYDAPT ORAL CAPSULE 25 MG   | 5^               | PA-NS                              |
| SCEMBLIX ORAL TABLET 20 MG  | 5^               | PA-NS; QL (60 EA per 30 days)      |
| SCEMBLIX ORAL TABLET 40 MG  | 5^               | PA-NS; QL (300 EA per 30 days)     |
| <i>sorafenib tosylate oral tablet 200 mg</i>  | 5^               | PA-NS; QL (120 EA per 30 days)     |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG                          | 5^               | PA-NS                              |
| STIVARGA ORAL TABLET 40 MG  | 5^               | PA-NS; LA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

**Drug Name** **Drug Tier Requirements / Limits**

|  |    |                                    |
|--|----|------------------------------------|
| sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg       | 5^ | PA-NS; QL (30 EA per 30 days)      |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                | 5^ | PA-NS                              |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                 | 5^ | PA-NS; LA                          |
| TAGRISSO ORAL TABLET 40 MG, 80 MG                                  | 5^ | PA-NS; LA; QL (30 EA per 30 days)  |
| TALZENNA ORAL CAPSULE 0.25 MG                                      | 5^ | PA-NS; LA; QL (90 EA per 30 days)  |
| TALZENNA ORAL CAPSULE 0.5 MG, 0.75 MG, 1 MG                        | 5^ | PA-NS; LA; QL (30 EA per 30 days)  |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG                         | 5^ | PA-NS                              |
| TAZVERIK ORAL TABLET 200 MG  | 5^ | PA-NS; LA                          |
| TECENTRIQ INTRAVENOUS SOLUTION 1200 MG/20ML, 840 MG/14ML           | 5^ | PA-NS; LA                          |
| TEPMETKO ORAL TABLET 225 MG  | 5^ | PA-NS; LA                          |
| TIBSOVO ORAL TABLET 250 MG   | 5^ | PA-NS; LA                          |
| TRAZIMERA INTRAVENOUS SOLUTION RECONSTITUTED 150 MG, 420 MG        | 5^ | PA-NS                              |
| TRUSELTIQ (100MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 MG      | 5^ | PA-NS; LA                          |
| TRUSELTIQ (125MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 100 & 25 MG | 5^ | PA-NS; LA                          |
| TRUSELTIQ (50MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG        | 5^ | PA-NS; LA                          |
| TRUSELTIQ (75MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 25 MG        | 5^ | PA-NS; LA                          |
| TRUXIMA INTRAVENOUS SOLUTION 100 MG/10ML, 500 MG/50ML              | 5^ | PA-NS                              |
| TUKYSA ORAL TABLET 150 MG, 50 MG                                   | 5^ | PA-NS; LA                          |
| TURALIO ORAL CAPSULE 200 MG  | 5^ | PA-NS; LA                          |
| VELCADE INJECTION SOLUTION RECONSTITUTED 3.5 MG                    | 5^ | PA-NS                              |
| VENCLEXTA ORAL TABLET 10 MG  | 4  | PA-NS; LA; QL (112 EA per 28 days) |
| VENCLEXTA ORAL TABLET 100 MG                                       | 5^ | PA-NS; LA; QL (180 EA per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG  | 5^ | PA-NS; LA; QL (112 EA per 28 days) |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG  | 5^ | PA-NS; LA; QL (42 EA per 28 days)  |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                 | 5^ | PA-NS; LA; QL (56 EA per 28 days)  |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG                                | 5^ | PA-NS; LA                          |
| VITRAKVI ORAL SOLUTION 20 MG/ML                                    | 5^ | PA-NS; LA                          |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>       |
|--|------------------|------------------------------------|
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG   | 5^               | PA-NS; LA                          |
| VONJO ORAL CAPSULE 100 MG  | 5^               | PA-NS; LA; QL (120 EA per 30 days) |
| VOTRIENT ORAL TABLET 200 MG  | 5^               | PA-NS; LA                          |
| XALKORI ORAL CAPSULE 200 MG, 250 MG  | 5^               | PA-NS; LA                          |
| XOSPATA ORAL TABLET 40 MG  | 5^               | PA-NS; LA                          |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG, 50 MG                                     | 5^               | PA-NS; LA                          |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG, 40 MG                                      | 5^               | PA-NS; LA                          |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG, 40 MG                                     | 5^               | PA-NS; LA                          |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG, 60 MG                                      | 5^               | PA-NS; LA                          |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG  | 5^               | PA-NS; LA                          |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG, 40 MG                                      | 5^               | PA-NS; LA                          |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY<br>PACK 20 MG  | 5^               | PA-NS; LA                          |
| ZEJULA ORAL CAPSULE 100 MG   | 5^               | PA-NS; LA; QL (90 EA per 30 days)  |
| ZELBORA ORAL TABLET 240 MG   | 5^               | PA-NS; LA                          |
| ZIRABEV INTRAVENOUS SOLUTION 100 MG/4ML, 400<br>MG/16ML  | 5^               | PA-NS                              |
| ZOLINZA ORAL CAPSULE 100 MG  | 5^               | PA-NS                              |
| ZYDELIG ORAL TABLET 100 MG, 150 MG   | 5^               | PA-NS; LA                          |
| ZYKADIA ORAL TABLET 150 MG   | 5^               | PA-NS; LA                          |
| <b>PROTECTIVE AGENTS</b>   |                  |                                    |
| leucovorin calcium injection solution 500 mg/50ml  | 4                | B/D                                |
| leucovorin calcium injection solution reconstituted 100 mg,<br>200 mg, 350 mg, 50 mg, 500 mg             | 4                | B/D                                |
| leucovorin calcium oral tablet 10 mg, 5 mg   | 3                |                                    |
| leucovorin calcium oral tablet 15 mg, 25 mg  | 4                |                                    |
| MESNEX ORAL TABLET 400 MG  | 5^               |                                    |
| <b>CARDIOVASCULAR</b>  |                  |                                    |
| <b>ACE INHIBITOR COMBINATIONS</b>  |                  |                                    |
| amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-<br>40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg | 2                | QL (30 EA per 30 days)             |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                        |
|---|--|------------------------|
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>                       | 1                                      |                        |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>  | 1                                      |                        |
| <i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>  | 1                                      |                        |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                                  | 1                                      |                        |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                                   | 1                                      |                        |
| <b>ACE INHIBITORS</b>   |  |                        |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>   | 1                                      |                        |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>  | 1                                      |                        |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>   | 1                                      |                        |
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>  | 1                                      |                        |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>  | 1                                      |                        |
| <i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>  | 1                                      |                        |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>  | 1                                      |                        |
| <i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>  | 1                                      |                        |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>   | 1                                      |                        |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>  | 1                                      |                        |
| <b>ALDOSTERONE RECEPTOR ANTAGONISTS</b>   |  |                        |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>  | 3                                      |                        |
| <i>KERENDIA ORAL TABLET 10 MG, 20 MG</i>  | 3                                      | QL (30 EA per 30 days) |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>  | 1                                      |                        |
| <b>ALPHA BLOCKERS</b>   |  |                        |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>  | 2                                      |                        |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>   | 3                                      |                        |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>   | 2                                      |                        |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONIST COMBINATIONS</b>  |  |                        |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>                           | 1                                      | QL (30 EA per 30 days) |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>                                       | 3                                      | QL (30 EA per 30 days) |
| <i>amlodipine-valsartan-hctz oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | 1                                      | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| candesartan cilexetil-hctz oral tablet 16-12.5 mg   | 3                | QL (60 EA per 30 days)       |
| candesartan cilexetil-hctz oral tablet 32-12.5 mg, 32-25 mg   | 3                | QL (30 EA per 30 days)       |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG   | 4                | QL (30 EA per 30 days)       |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG  | 3                |                              |
| irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg                                       | 1                | QL (30 EA per 30 days)       |
| losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg                                    | 1                |                              |
| olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg                                    | 3                | QL (30 EA per 30 days)       |
| olmesartan-amlodipine-hctz oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg | 1                | QL (30 EA per 30 days)       |
| telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg                                   | 1                | QL (30 EA per 30 days)       |
| telmisartan-hctz oral tablet 40-12.5 mg, 80-25 mg   | 3                | QL (30 EA per 30 days)       |
| telmisartan-hctz oral tablet 80-12.5 mg   | 3                | QL (60 EA per 30 days)       |
| valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg      | 2                | QL (30 EA per 30 days)       |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONISTS</b>  |                  |                              |
| candesartan cilexetil oral tablet 16 mg, 4 mg, 8 mg   | 3                | QL (60 EA per 30 days)       |
| candesartan cilexetil oral tablet 32 mg   | 3                | QL (30 EA per 30 days)       |
| EDARBI ORAL TABLET 40 MG, 80 MG   | 4                | QL (30 EA per 30 days)       |
| irbesartan oral tablet 150 mg, 300 mg, 75 mg  | 1                | QL (30 EA per 30 days)       |
| losartan potassium oral tablet 100 mg, 25 mg, 50 mg   | 1                |                              |
| olmesartan medoxomil oral tablet 20 mg, 40 mg   | 2                | QL (30 EA per 30 days)       |
| olmesartan medoxomil oral tablet 5 mg   | 2                | QL (60 EA per 30 days)       |
| telmisartan oral tablet 20 mg, 40 mg, 80 mg   | 1                | QL (30 EA per 30 days)       |
| valsartan oral tablet 160 mg, 40 mg, 80 mg  | 2                | QL (60 EA per 30 days)       |
| valsartan oral tablet 320 mg  | 2                | QL (30 EA per 30 days)       |
| <b>ANTIARRHYTHMICS</b>  |                  |                              |
| amiodarone hcl intravenous solution 150 mg/3ml, 450 mg/9ml, 900 mg/18ml                                   | 4                |                              |
| amiodarone hcl oral tablet 100 mg, 400 mg   | 4                |                              |
| amiodarone hcl oral tablet 200 mg   | 1                |                              |
| disopyramide phosphate oral capsule 100 mg, 150 mg  | 4                |                              |
| dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg   | 4                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| flecainide acetate oral tablet 100 mg, 150 mg, 50 mg                               | 3                                      |
| MULTAQ ORAL TABLET 400 MG  | 4                                      |
| NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR<br>100 MG, 150 MG                 | 4                                      |
| pacerone oral tablet 100 mg, 400 mg  | 4                                      |
| pacerone oral tablet 200 mg  | 1                                      |
| propafenone hcl er oral capsule extended release 12 hour<br>225 mg, 325 mg, 425 mg | 4                                      |
| propafenone hcl oral tablet 150 mg, 225 mg, 300 mg                                 | 3                                      |
| quinidine sulfate oral tablet 200 mg, 300 mg                                       | 2                                      |
| sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg                                   | 2                                      |
| sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg                                 | 3                                      |
| sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg                              | 2                                      |
| <b>ANTI-LIPEMICS, FIBRATES</b>   |  |
| fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg                          | 3                                      |
| fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg                               | 3                                      |
| fenofibric acid oral capsule delayed release 135 mg, 45 mg                         | 3                                      |
| gemfibrozil oral tablet 600 mg   | 1                                      |
| <b>ANTI-LIPEMICS, HMG-COA REDUCTASE INHIBITORS</b>                                 |  |
| atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg                        | 1 QL (30 EA per 30 days)               |
| EZALLOR SPRINKLE ORAL CAPSULE SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG                   | 4 ST; QL (30 EA per 30 days)           |
| fluvastatin sodium er oral tablet extended release 24 hour<br>80 mg                | 1 QL (30 EA per 30 days)               |
| fluvastatin sodium oral capsule 20 mg, 40 mg                                       | 1 QL (60 EA per 30 days)               |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG  | 4 ST; QL (30 EA per 30 days)           |
| lovastatin oral tablet 10 mg, 20 mg, 40 mg   | 1 QL (60 EA per 30 days)               |
| pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg                          | 1 QL (30 EA per 30 days)               |
| rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg                         | 2 QL (30 EA per 30 days)               |
| simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg                           | 1 QL (30 EA per 30 days)               |
| ZYPITAMAG ORAL TABLET 2 MG, 4 MG   | 4 ST; QL (30 EA per 30 days)           |
| <b>ANTI-LIPEMICS, MISCELLANEOUS</b>  |  |
| cholestyramine light oral packet 4 gm  | 3                                      |
| cholestyramine light oral powder 4 gm/dose   | 3                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                        |
|--|--|------------------------|
| <i>cholestyramine oral packet 4 gm</i>   | 3                                      |                        |
| <i>cholestyramine oral powder 4 gm/dose</i>  | 3                                      |                        |
| <i>colesevelam hcl oral packet 3.75 gm</i>   | 4                                      |                        |
| <i>colesevelam hcl oral tablet 625 mg</i>  | 4                                      |                        |
| <i>colestipol hcl oral granules 5 gm</i>   | 4                                      |                        |
| <i>colestipol hcl oral packet 5 gm</i>   | 4                                      |                        |
| <i>colestipol hcl oral tablet 1 gm</i>   | 3                                      |                        |
| <i>ezetimibe oral tablet 10 mg</i>   | 3                                      |                        |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>                  | 1                                      |                        |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i>       | 3                                      | QL (60 EA per 30 days) |
| <b>PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 75 MG/ML</b>                          | 3                                      | PA                     |
| <i>prevalite oral packet 4 gm</i>  | 3                                      |                        |
| <i>prevalite oral powder 4 gm/dose</i>   | 3                                      |                        |
| <i>VASCEPA ORAL CAPSULE 0.5 GM, 1 GM</i>   | 4                                      |                        |
| <b>BETA-BLOCKER/DIURETIC COMBINATIONS</b>  |  |                        |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>                                   | 2                                      |                        |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>             | 2                                      |                        |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>                 | 3                                      |                        |
| <b>BETA-BLOCKERS</b>   |  |                        |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i>  | 3                                      |                        |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>   | 1                                      |                        |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>   | 2                                      |                        |
| <i>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 5 MG</i>  | 4                                      | QL (30 EA per 30 days) |
| <i>BYSTOLIC ORAL TABLET 20 MG</i>  | 4                                      | QL (60 EA per 30 days) |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                  | 1                                      |                        |
| <i>carvedilol phosphate er oral capsule extended release 24 hour 10 mg, 20 mg, 40 mg, 80 mg</i>  | 4                                      |                        |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>  | 2                                      |                        |
| <i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i> | 2                                      |                        |
| <i>metoprolol tartrate intravenous solution 5 mg/5ml</i>   | 4                                      |                        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg  | 1                                      |
| nadolol oral tablet 20 mg, 40 mg, 80 mg   | 4                                      |
| nebivolol hcl oral tablet 10 mg, 2.5 mg, 5 mg   | 3 QL (30 EA per 30 days)               |
| nebivolol hcl oral tablet 20 mg   | 3 QL (60 EA per 30 days)               |
| pindolol oral tablet 10 mg, 5 mg  | 3                                      |
| propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg                       | 3                                      |
| propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml  | 3                                      |
| propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg   | 2                                      |
| timolol maleate oral tablet 10 mg, 20 mg, 5 mg  | 4                                      |
| <b>CALCIUM CHANNEL BLOCKERS</b>   |  |
| amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg   | 1                                      |
| cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg                              | 2                                      |
| diltiazem hcl er beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | 2                                      |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg          | 2                                      |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 360 mg                                  | 4                                      |
| diltiazem hcl er coated beads oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg   | 3                                      |
| diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg                                 | 4                                      |
| diltiazem hcl intravenous solution 125 mg/25ml, 25 mg/5ml, 50 mg/10ml                                       | 3                                      |
| diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg   | 2                                      |
| dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg  | 3                                      |
| felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg                                      | 2                                      |
| isradipine oral capsule 2.5 mg, 5 mg  | 3                                      |
| matzim la oral tablet extended release 24 hour 180 mg, 240 mg, 300 mg, 360 mg, 420 mg                       | 3                                      |
| nicardipine hcl oral capsule 20 mg, 30 mg   | 4                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg                                 | 3                                      |
| nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg                 | 3                                      |
| nimodipine oral capsule 30 mg  | 4                                      |
| nisoldipine er oral tablet extended release 24 hour 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg | 4                                      |
| NYMALIZE ORAL SOLUTION 6 MG/ML   | 5^                                     |
| taztia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg                 | 2                                      |
| tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg        | 2                                      |
| verapamil hcl er oral capsule extended release 24 hour 100 mg, 200 mg, 300 mg, 360 mg                  | 4                                      |
| verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg                          | 3                                      |
| verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg                                   | 2                                      |
| verapamil hcl intravenous solution 2.5 mg/ml   | 4                                      |
| verapamil hcl oral tablet 120 mg, 40 mg, 80 mg   | 1                                      |
| <b>DIURETICS</b>   |  |
| acetazolamide er oral capsule extended release 12 hour 500 mg  | 4                                      |
| acetazolamide oral tablet 125 mg, 250 mg   | 3                                      |
| amiloride hcl oral tablet 5 mg   | 2                                      |
| amiloride-hydrochlorothiazide oral tablet 5-50 mg  | 2                                      |
| bumetanide injection solution 0.25 mg/ml   | 3                                      |
| bumetanide oral tablet 0.5 mg, 1 mg, 2 mg  | 3                                      |
| chlorthalidone oral tablet 25 mg, 50 mg  | 2                                      |
| furosemide injection solution 10 mg/ml, 10 mg/ml (4ml syringe)   | 3                                      |
| furosemide oral solution 10 mg/ml, 8 mg/ml   | 2                                      |
| furosemide oral tablet 20 mg, 40 mg, 80 mg   | 1                                      |
| hydrochlorothiazide oral capsule 12.5 mg   | 1                                      |
| hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg  | 1                                      |
| indapamide oral tablet 1.25 mg, 2.5 mg   | 2                                      |
| methazolamide oral tablet 25 mg, 50 mg   | 4                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 3                                      |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>  | 3                                      |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>  | 2                                      |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i>  | 1                                      |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>   | 1                                      |
| <b>MISCELLANEOUS</b>   |  |
| <i>ADRENALIN INJECTION SOLUTION 1 MG/ML</i>  | 4                                      |
| <i>aliskiren fumarate oral tablet 150 mg, 300 mg</i>   | 4                                      |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 1                                      |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>  | 1                                      |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>  | 4                                      |
| <i>CORLANOR ORAL SOLUTION 5 MG/5ML</i>   | 4                                      |
| <i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>   | 4                                      |
| <i>digitek oral tablet 125 mcg, 250 mcg</i>  | 2     QL (30 EA per 30 days)           |
| <i>digoxin injection solution 0.25 mg/ml</i>   | 4                                      |
| <i>digoxin oral solution 0.05 mg/ml</i>  | 4                                      |
| <i>digoxin oral tablet 125 mcg, 250 mcg</i>  | 2     QL (30 EA per 30 days)           |
| <i>droxidopa oral capsule 100 mg</i>   | 5^    PA; QL (90 EA per 30 days)       |
| <i>droxidopa oral capsule 200 mg, 300 mg</i>   | 5^    PA; QL (180 EA per 30 days)      |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i>   | 3     PA; PA if 70 years and older     |
| <i>hydralazine hcl injection solution 20 mg/ml</i>   | 4                                      |
| <i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>   | 2                                      |
| <i>metyrosine oral capsule 250 mg</i>  | 5^    PA                               |
| <i>midodrine hcl oral tablet 10 mg</i>   | 4                                      |
| <i>midodrine hcl oral tablet 2.5 mg, 5 mg</i>  | 3                                      |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>   | 2                                      |
| <i>ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg</i>  | 4                                      |
| <b>NITRATES</b>  |  |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>  | 3                                      |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i>   | 1                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  |    | <b>Drug Tier Requirements / Limits</b>             |
|---|----|--|
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                    | 2  |  |
| NITRO-BID TRANSDERMAL OINTMENT 2 %  | 3  |  |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>                  | 3  |  |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 3  |  |
| <b>PULMONARY ARTERIAL HYPERTENSION</b>  |    |  |
| ADCIRCA ORAL TABLET 20 MG   | 5^ | PA-NS; QL (60 EA per 30 days)                      |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                                    | 5^ | PA-NS; LA; QL (90 EA per 30 days)                  |
| <i>alyq oral tablet 20 mg</i>   | 5^ | PA-NS; QL (60 EA per 30 days)                      |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>  | 5^ | PA-NS; LA; QL (30 EA per 30 days)                  |
| OPSUMIT ORAL TABLET 10 MG   | 5^ | PA-NS; LA; QL (30 EA per 30 days)                  |
| <i>sildenafil citrate oral tablet 20 mg</i>   | 3  | PA-NS; generic for Revatio; QL (90 EA per 30 days) |
| <i>tadalafil (pah) oral tablet 20 mg</i>  | 5^ | PA-NS; generic for Adcirca; QL (60 EA per 30 days) |
| <i>treprostinil injection solution 100 mg/20ml, 20 mg/20ml, 200 mg/20ml, 50 mg/20ml</i>   | 5^ | PA-NS; LA  |
| VENTAVIS INHALATION SOLUTION 10 MCG/ML, 20 MCG/ML   | 5^ | PA-NS  |
| <b>CENTRAL NERVOUS SYSTEM</b>   |    |  |
| <b>ANTIANXIETY</b>  |    |  |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                                 | 2  | QL (150 EA per 30 days)                            |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 5 mg</i>                                       | 1  |  |
| <i>buspirone hcl oral tablet 30 mg, 7.5 mg</i>  | 3  |  |
| <i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i>                               | 3  |  |
| <i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i>                                      | 2  |  |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i>  | 3  | QL (150 ML per 30 days)                            |
| <i>lorazepam oral concentrate 2 mg/ml</i>   | 3  | QL (150 ML per 30 days)                            |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 2  | QL (150 EA per 30 days)                            |
| <b>ANTICONVULSANTS</b>  |    |  |
| APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG   | 5^ | QL (60 EA per 30 days)                             |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5ML   | 4  | PA-NS  |
| BRIVIACT ORAL SOLUTION 10 MG/ML   | 5^ | PA-NS; QL (600 ML per 30 days)                     |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                                   | 5^ | PA-NS; QL (60 EA per 30 days)                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b>                         |
|--|--|
| <i>carbamazepine er oral capsule extended release 12 hour<br/>100 mg, 200 mg, 300 mg</i> | 4  |
| <i>carbamazepine er oral tablet extended release 12 hour 100<br/>mg, 200 mg, 400 mg</i>  | 4  |
| <i>carbamazepine oral suspension 100 mg/5ml</i>  | 4  |
| <i>carbamazepine oral tablet 200 mg</i>  | 3  |
| <i>carbamazepine oral tablet chewable 100 mg</i>   | 3  |
| <b>CELONTIN ORAL CAPSULE 300 MG</b>  | 4  |
| <i>clobazam oral suspension 2.5 mg/ml</i>  | 4 PA-NS; QL (480 ML per 30 days)                               |
| <i>clobazam oral tablet 10 mg, 20 mg</i>   | 4 PA-NS; QL (60 EA per 30 days)                                |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i>   | 2 QL (90 EA per 30 days)                                       |
| <i>clonazepam oral tablet 2 mg</i>   | 2 QL (300 EA per 30 days)                                      |
| <i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5<br/>mg, 1 mg</i>            | 3 QL (90 EA per 30 days)                                       |
| <i>clonazepam oral tablet dispersible 2 mg</i>   | 3 QL (300 EA per 30 days)                                      |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>                        | 4 PA-NS; PA if 65 years and older; QL<br>(180 EA per 30 days)  |
| <b>DIACOMIT ORAL CAPSULE 250 MG</b>  | 5^ PA-NS; LA; QL (360 EA per 30 days)                          |
| <b>DIACOMIT ORAL CAPSULE 500 MG</b>  | 5^ PA-NS; LA; QL (180 EA per 30 days)                          |
| <b>DIACOMIT ORAL PACKET 250 MG</b>   | 5^ PA-NS; LA; QL (360 EA per 30 days)                          |
| <b>DIACOMIT ORAL PACKET 500 MG</b>   | 5^ PA-NS; LA; QL (180 EA per 30 days)                          |
| <i>diazepam injection solution 5 mg/ml</i>   | 4  |
| <i>diazepam intensol oral concentrate 5 mg/ml</i>  | 3 PA-NS; PA if 65 years and older; QL<br>(240 ML per 30 days)  |
| <i>diazepam oral concentrate 5 mg/ml</i>   | 3 PA-NS; PA if 65 years and older; QL<br>(240 ML per 30 days)  |
| <i>diazepam oral solution 5 mg/5ml</i>   | 3 PA-NS; PA if 65 years and older; QL<br>(1200 ML per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>  | 2 PA-NS; PA if 65 years and older; QL<br>(120 EA per 30 days)  |
| <i>diazepam rectal gel 10 mg, 2.5 mg, 20 mg</i>  | 4  |
| <b>DILANTIN INFATABS ORAL TABLET CHEWABLE 50 MG</b>                                      | 4  |
| <b>DILANTIN ORAL CAPSULE 100 MG, 30 MG</b>   | 4  |
| <b>DILANTIN ORAL SUSPENSION 125 MG/5ML</b>   | 4  |
| <i>divalproex sodium er oral tablet extended release 24 hour<br/>250 mg, 500 mg</i>      | 3  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                                    |
|--|--|------------------------------------|
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>                                    | 4                                      |                                    |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>                              | 3                                      |                                    |
| <b>EPIDIOLEX ORAL SOLUTION 100 MG/ML</b>   | 5^                                     | PA-NS; LA; QL (600 ML per 30 days) |
| <i>epitol oral tablet 200 mg</i>   | 3                                      |                                    |
| <b>EPRONTIA ORAL SOLUTION 25 MG/ML</b>   | 4                                      |                                    |
| <i>ethosuximide oral capsule 250 mg</i>  | 4                                      |                                    |
| <i>ethosuximide oral solution 250 mg/5ml</i>   | 3                                      |                                    |
| <i>felbamate oral suspension 600 mg/5ml</i>  | 5^                                     |                                    |
| <i>felbamate oral tablet 400 mg, 600 mg</i>  | 4                                      |                                    |
| <b>FINTEPLA ORAL SOLUTION 2.2 MG/ML</b>  | 5^                                     | PA-NS; LA; QL (360 ML per 30 days) |
| <b>FYCOMPA ORAL SUSPENSION 0.5 MG/ML</b>   | 5^                                     | PA-NS; QL (720 ML per 30 days)     |
| <b>FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG</b>  | 5^                                     | PA-NS; QL (30 EA per 30 days)      |
| <b>FYCOMPA ORAL TABLET 2 MG</b>  | 4                                      | PA-NS; QL (60 EA per 30 days)      |
| <b>FYCOMPA ORAL TABLET 4 MG, 6 MG</b>  | 5^                                     | PA-NS; QL (60 EA per 30 days)      |
| <i> gabapentin oral capsule 100 mg</i>   | 2                                      | QL (1080 EA per 30 days)           |
| <i> gabapentin oral capsule 300 mg</i>   | 2                                      | QL (360 EA per 30 days)            |
| <i> gabapentin oral capsule 400 mg</i>   | 2                                      | QL (270 EA per 30 days)            |
| <i> gabapentin oral solution 250 mg/5ml</i>  | 3                                      | QL (2160 ML per 30 days)           |
| <i> gabapentin oral tablet 600 mg</i>  | 2                                      | QL (180 EA per 30 days)            |
| <i> gabapentin oral tablet 800 mg</i>  | 2                                      | QL (120 EA per 30 days)            |
| <i> lacosamide intravenous solution 200 mg/20ml</i>  | 5^                                     |                                    |
| <i> lacosamide oral solution 10 mg/ml</i>  | 4                                      | QL (1200 ML per 30 days)           |
| <i> lacosamide oral tablet 100 mg, 150 mg, 200 mg</i>  | 4                                      | QL (60 EA per 30 days)             |
| <i> lacosamide oral tablet 50 mg</i>   | 4                                      | QL (120 EA per 30 days)            |
| <i> lamotrigine er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | 4                                      |                                    |
| <i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>  | 1                                      |                                    |
| <i> lamotrigine oral tablet chewable 25 mg, 5 mg</i>   | 3                                      |                                    |
| <i> lamotrigine oral tablet dispersible 100 mg, 200 mg, 25 mg, 50 mg</i>                                 | 4                                      |                                    |
| <i> levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg</i>                             | 3                                      |                                    |
| <i> levetiracetam in nacl intravenous solution 1000 mg/100ml, 1500 mg/100ml, 500 mg/100ml</i>            | 4                                      |                                    |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                                 |
|--|--|---------------------------------|
| <i>levetiracetam intravenous solution 500 mg/5ml</i>   | 4                                      |                                 |
| <i>levetiracetam oral solution 100 mg/ml</i>   | 3                                      |                                 |
| <i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>                                 | 3                                      |                                 |
| <b>NAYZILAM NASAL SOLUTION 5 MG/0.1ML</b>  | 4                                      |                                 |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i>  | 4                                      |                                 |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>  | 3                                      |                                 |
| <i>phenobarbital oral elixir 20 mg/5ml</i>   | 4                                      | PA-NS; PA if 70 years and older |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 3                                      | PA-NS; PA if 70 years and older |
| <i>phenobarbital sodium injection solution 130 mg/ml, 65 mg/ml</i>                               | 4                                      | PA-NS; PA if 70 years and older |
| <b>PHENYTEK ORAL CAPSULE 200 MG, 300 MG</b>  | 4                                      |                                 |
| <i>phenytoin oral suspension 125 mg/5ml</i>  | 3                                      |                                 |
| <i>phenytoin oral tablet chewable 50 mg</i>  | 3                                      |                                 |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>                             | 2                                      |                                 |
| <i>phenytoin sodium injection solution 50 mg/ml</i>  | 3                                      |                                 |
| <i>pregabalin oral capsule 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                               | 3                                      | QL (120 EA per 30 days)         |
| <i>pregabalin oral capsule 200 mg</i>  | 3                                      | QL (90 EA per 30 days)          |
| <i>pregabalin oral capsule 225 mg, 300 mg</i>  | 3                                      | QL (60 EA per 30 days)          |
| <i>pregabalin oral solution 20 mg/ml</i>   | 4                                      | QL (900 ML per 30 days)         |
| <i>primidone oral tablet 250 mg, 50 mg</i>   | 2                                      |                                 |
| <i>roweepra oral tablet 500 mg</i>   | 3                                      |                                 |
| <i>rufinamide oral suspension 40 mg/ml</i>   | 5^                                     | PA-NS; QL (2300 ML per 28 days) |
| <i>rufinamide oral tablet 200 mg</i>   | 5^                                     | PA-NS; QL (480 EA per 30 days)  |
| <i>rufinamide oral tablet 400 mg</i>   | 5^                                     | PA-NS; QL (240 EA per 30 days)  |
| <b>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG</b>  | 4                                      | QL (90 EA per 30 days)          |
| <b>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 250 MG</b>   | 4                                      | QL (360 EA per 30 days)         |
| <b>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 500 MG</b>   | 4                                      | QL (180 EA per 30 days)         |
| <b>SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 750 MG</b>   | 4                                      | QL (120 EA per 30 days)         |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>                                       | 1                                      |                                 |
| <b>SYMPAZAN ORAL FILM 10 MG, 20 MG</b>   | 5^                                     | PA-NS; QL (60 EA per 30 days)   |
| <b>SYMPAZAN ORAL FILM 5 MG</b>   | 4                                      | PA-NS; QL (60 EA per 30 days)   |
| <i>tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>  | 4                                      |                                 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| <i>topiramate oral capsule sprinkle 15 mg, 25 mg</i>   | 3                                      |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>   | 2                                      |
| <i>valproate sodium intravenous solution 100 mg/ml</i>   | 4                                      |
| <i>valproic acid oral capsule 250 mg</i>   | 3                                      |
| <i>valproic acid oral solution 250 mg/5ml</i>  | 3                                      |
| <b>VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML</b>   | 4                                      |
| <b>VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 7.5 MG/0.1ML</b>                                   | 4                                      |
| <b>VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 10 MG/0.1ML</b>                                    | 4                                      |
| <b>VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML</b>   | 4                                      |
| <i>vigabatrin oral packet 500 mg</i>   | 5^ PA-NS; LA; QL (180 EA per 30 days)  |
| <i>vigabatrin oral tablet 500 mg</i>   | 5^ PA-NS; LA; QL (180 EA per 30 days)  |
| <i>vigadronate oral packet 500 mg</i>  | 5^ PA-NS; LA; QL (180 EA per 30 days)  |
| <b>VIMPAT INTRAVENOUS SOLUTION 200 MG/20ML</b>   | 5^                                     |
| <b>VIMPAT ORAL SOLUTION 10 MG/ML</b>   | 5^ QL (1200 ML per 30 days)            |
| <b>XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 &amp; 150 MG</b>                        | 5^ QL (56 EA per 28 days)              |
| <b>XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 &amp; 200 MG</b>                        | 5^ QL (56 EA per 28 days)              |
| <b>XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG</b>   | 5^ QL (60 EA per 30 days)              |
| <b>XCOPRI ORAL TABLET 50 MG</b>  | 5^ QL (90 EA per 30 days)              |
| <b>XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG &amp; 14 X 25 MG</b>                               | 4 QL (28 EA per 28 days)               |
| <b>XCOPRI ORAL TABLET THERAPY PACK 14 X 150 MG &amp; 14 X 200 MG, 14 X 50 MG &amp; 14 X 100 MG</b> | 5^ QL (28 EA per 28 days)              |
| <b>ZONISADE ORAL SUSPENSION 100 MG/5ML</b>   | 4 PA-NS; QL (900 ML per 30 days)       |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>  | 2                                      |
| <b>ZTALMY ORAL SUSPENSION 50 MG/ML</b>   | 5^ PA-NS; LA; QL (1100 ML per 30 days) |
| <b>ANTIDEMENTIA</b>  |  |
| <i>donepezil hcl oral tablet 10 mg</i>   | 2                                      |
| <i>donepezil hcl oral tablet 5 mg</i>  | 2 QL (30 EA per 30 days)               |
| <i>donepezil hcl oral tablet dispersible 10 mg</i>   | 2                                      |
| <i>donepezil hcl oral tablet dispersible 5 mg</i>  | 2 QL (30 EA per 30 days)               |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i>        | 3 QL (30 EA per 30 days)               |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| galantamine hydrobromide oral solution 4 mg/ml  | 4                                      |
| galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg                                | 3 QL (60 EA per 30 days)               |
| memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg      | 4 PA; PA if < 30 yrs                   |
| memantine hcl oral solution 2 mg/ml   | 4 PA; PA if < 30 yrs                   |
| memantine hcl oral tablet 10 mg, 5 mg   | 3 PA; PA if < 30 yrs                   |
| NAMZARIC ORAL CAPSULE ER 24 HOUR THERAPY PACK 7 & 14 & 21 &28 -10 MG                  | 4                                      |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG  | 4                                      |
| rivastigmine tartrate oral capsule 1.5 mg, 3 mg                                       | 3 QL (90 EA per 30 days)               |
| rivastigmine tartrate oral capsule 4.5 mg, 6 mg                                       | 3 QL (60 EA per 30 days)               |
| rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr         | 4 QL (30 EA per 30 days)               |
| <b>ANTIDEPRESSANTS</b>  |  |
| amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg              | 4                                      |
| amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg                                    | 3                                      |
| bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg     | 3                                      |
| bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg             | 3                                      |
| bupropion hcl oral tablet 100 mg, 75 mg   | 3                                      |
| citalopram hydrobromide oral solution 10 mg/5ml                                       | 3                                      |
| citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg                               | 1                                      |
| clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg                                     | 4 PA-NS                                |
| desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg                | 4                                      |
| desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg | 4 PA-NS; QL (30 EA per 30 days)        |
| doxepin hcl oral capsule 10 mg, 100 mg, 25 mg, 50 mg, 75 mg                           | 3                                      |
| doxepin hcl oral capsule 150 mg   | 4                                      |
| doxepin hcl oral concentrate 10 mg/ml   | 3                                      |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG    | 4 PA-NS; QL (60 EA per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|--|------------------|-------------------------------|
| duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg      | 2                | QL (60 EA per 30 days)        |
| duloxetine hcl oral capsule delayed release particles 40 mg                    | 4                | QL (60 EA per 30 days)        |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR               | 5^               | PA-NS; QL (30 EA per 30 days) |
| escitalopram oxalate oral solution 5 mg/5ml                                    | 4                |                               |
| escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg                            | 2                |                               |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 80 MG                    | 4                | PA-NS; QL (30 EA per 30 days) |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 20 MG, 40 MG                     | 4                | PA-NS; QL (60 EA per 30 days) |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG              | 4                | PA-NS                         |
| fluoxetine hcl oral capsule 10 mg, 20 mg                                       | 1                |                               |
| fluoxetine hcl oral capsule 40 mg  | 2                |                               |
| fluoxetine hcl oral solution 20 mg/5ml   | 3                |                               |
| imipramine hcl oral tablet 10 mg, 25 mg, 50 mg                                 | 2                |                               |
| imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg                  | 4                |                               |
| MARPLAN ORAL TABLET 10 MG  | 4                | QL (180 EA per 30 days)       |
| mirtazapine oral tablet 15 mg, 30 mg, 45 mg                                    | 2                |                               |
| mirtazapine oral tablet 7.5 mg   | 3                |                               |
| mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg                        | 3                |                               |
| nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg               | 4                |                               |
| nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg                      | 2                |                               |
| nortriptyline hcl oral solution 10 mg/5ml                                      | 4                |                               |
| paroxetine hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg | 4                | QL (60 EA per 30 days)        |
| paroxetine hcl oral suspension 10 mg/5ml                                       | 4                | QL (900 ML per 30 days)       |
| paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg                          | 2                |                               |
| PAXIL ORAL SUSPENSION 10 MG/5ML  | 4                | QL (900 ML per 30 days)       |
| phenelzine sulfate oral tablet 15 mg   | 3                |                               |
| protriptyline hcl oral tablet 10 mg, 5 mg                                      | 4                |                               |
| sertraline hcl oral concentrate 20 mg/ml                                       | 3                |                               |
| sertraline hcl oral tablet 100 mg, 25 mg, 50 mg                                | 1                |                               |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                                |
|--|--|--------------------------------|
| <i>tranylcypromine sulfate oral tablet 10 mg</i>                                       | 4                                      |                                |
| <i>trazodone hcl oral tablet 100 mg, 150 mg, 50 mg</i>                                 | 1                                      |                                |
| <i>trimipramine maleate oral capsule 100 mg</i>  | 4                                      | QL (60 EA per 30 days)         |
| <i>trimipramine maleate oral capsule 25 mg</i>   | 4                                      | QL (240 EA per 30 days)        |
| <i>trimipramine maleate oral capsule 50 mg</i>   | 4                                      | QL (120 EA per 30 days)        |
| <b>TRINTELLIX ORAL TABLET 10 MG</b>  | 4                                      | QL (60 EA per 30 days)         |
| <b>TRINTELLIX ORAL TABLET 20 MG</b>  | 4                                      | QL (30 EA per 30 days)         |
| <b>TRINTELLIX ORAL TABLET 5 MG</b>   | 4                                      | QL (120 EA per 30 days)        |
| <i>venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg</i> | 2                                      |                                |
| <i>venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                | 3                                      |                                |
| <b>VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG</b>   | 4                                      | QL (30 EA per 30 days)         |
| <b>VIIBRYD STARTER PACK ORAL KIT 10 &amp; 20 MG</b>                                    | 4                                      |                                |
| <i>vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg</i>                                  | 4                                      | QL (30 EA per 30 days)         |
| <b>ANTIPARKINSONIAN AGENTS</b>   |  |                                |
| <i>amantadine hcl oral capsule 100 mg</i>  | 3                                      | QL (120 EA per 30 days)        |
| <i>amantadine hcl oral solution 50 mg/5ml</i>  | 3                                      |                                |
| <i>amantadine hcl oral tablet 100 mg</i>   | 4                                      |                                |
| <b>APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE 30 MG/3ML</b>                                | 5^                                     | PA; LA; QL (60 ML per 30 days) |
| <i>apomorphine hcl subcutaneous solution cartridge 30 mg/3ml</i>                       | 5^                                     | PA; QL (60 ML per 30 days)     |
| <i>benztropine mesylate injection solution 1 mg/ml</i>                                 | 4                                      |                                |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>                             | 4                                      | PA; PA if 70 years and older   |
| <i>bromocriptine mesylate oral capsule 5 mg</i>  | 4                                      |                                |
| <i>bromocriptine mesylate oral tablet 2.5 mg</i>                                       | 4                                      |                                |
| <i>carbidopa oral tablet 25 mg</i>   | 4                                      |                                |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>         | 3                                      |                                |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>                  | 2                                      |                                |
| <i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i>      | 4                                      |                                |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                              |
|---|--|------------------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 4                                      |                              |
| <i>entacapone oral tablet 200 mg</i>  | 4                                      |                              |
| <i>KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG</i>  | 5^                                     | PA; QL (150 EA per 30 days)  |
| <i>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR</i>  | 4                                      |                              |
| <i>pramipexole dihydrochloride er oral tablet extended release 24 hour 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i>              | 4                                      |                              |
| <i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>   | 1                                      |                              |
| <i>rasagiline mesylate oral tablet 0.5 mg</i>   | 4                                      | QL (60 EA per 30 days)       |
| <i>rasagiline mesylate oral tablet 1 mg</i>   | 4                                      | QL (30 EA per 30 days)       |
| <i>ropinirole hcl er oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>   | 4                                      |                              |
| <i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>   | 2                                      |                              |
| <i>selegiline hcl oral capsule 5 mg</i>   | 3                                      |                              |
| <i>selegiline hcl oral tablet 5 mg</i>  | 3                                      |                              |
| <i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>  | 3                                      | PA; PA if 70 years and older |
| <i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>   | 3                                      | PA; PA if 70 years and older |
| <b>ANTIPSYCHOTICS</b>   |  |                              |
| <i>ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG</i>  | 5^                                     | QL (1 EA per 28 days)        |
| <i>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG</i>  | 5^                                     | QL (1 EA per 28 days)        |
| <i>ariPIPRAZOLE oral solution 1 mg/ml</i>   | 4                                      | QL (900 ML per 30 days)      |
| <i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>  | 4                                      | QL (30 EA per 30 days)       |
| <i>ariPIPRAZOLE oral tablet dispersible 10 mg, 15 mg</i>  | 4                                      | QL (60 EA per 30 days)       |
| <i>ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML</i>   | 5^                                     |                              |
| <i>ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML</i>   | 5^                                     | QL (3.9 ML per 56 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                                |
|--|--|--------------------------------|
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 441 MG/1.6ML  | 5^                                     | QL (1.6 ML per 28 days)        |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 662 MG/2.4ML  | 5^                                     | QL (2.4 ML per 28 days)        |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 882 MG/3.2ML  | 5^                                     | QL (3.2 ML per 28 days)        |
| <i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i>                              | 4                                      | QL (60 EA per 30 days)         |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG   | 4                                      | PA-NS; QL (30 EA per 30 days)  |
| <i>chlorpromazine hcl injection solution 25 mg/ml, 50 mg/2ml</i>                                       | 4                                      |                                |
| CHLORPROMAZINE HCL ORAL CONCENTRATE 100 MG/ML, 30 MG/ML  | 4                                      |                                |
| <i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>                              | 4                                      |                                |
| <i>clozapine oral tablet 100 mg</i>  | 4                                      | QL (270 EA per 30 days)        |
| <i>clozapine oral tablet 200 mg</i>  | 4                                      | QL (135 EA per 30 days)        |
| <i>clozapine oral tablet 25 mg, 50 mg</i>  | 3                                      |                                |
| <i>clozapine oral tablet dispersible 100 mg</i>  | 4                                      | PA-NS; QL (270 EA per 30 days) |
| <i>clozapine oral tablet dispersible 12.5 mg, 25 mg</i>  | 4                                      | PA-NS                          |
| <i>clozapine oral tablet dispersible 150 mg</i>  | 4                                      | PA-NS; QL (180 EA per 30 days) |
| <i>clozapine oral tablet dispersible 200 mg</i>  | 5^                                     | PA-NS; QL (135 EA per 30 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG  | 5^                                     | PA-NS; QL (60 EA per 30 days)  |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG   | 4                                      | PA-NS                          |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>  | 4                                      |                                |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>   | 4                                      |                                |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>   | 4                                      |                                |
| <i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>   | 4                                      |                                |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>  | 4                                      |                                |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml, 50 mg/ml(1ml)</i> | 3                                      |                                |
| <i>haloperidol lactate injection solution 5 mg/ml</i>  | 3                                      |                                |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>  | 3                                      |                                |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                  | 3                                      |                                |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML                               | 5^                                     | QL (0.75 ML per 28 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>      |
|---|------------------|-----------------------------------|
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 156 MG/ML              | 5^               | QL (1 ML per 28 days)             |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 234 MG/1.5ML           | 5^               | QL (1.5 ML per 28 days)           |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML           | 4                | QL (0.25 ML per 28 days)          |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 78 MG/0.5ML            | 5^               | QL (0.5 ML per 28 days)           |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML            | 5^               | QL (0.88 ML per 90 days)          |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 410 MG/1.32ML            | 5^               | QL (1.32 ML per 90 days)          |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 546 MG/1.75ML            | 5^               | QL (1.75 ML per 90 days)          |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 819 MG/2.63ML            | 5^               | QL (2.63 ML per 90 days)          |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG                                    | 4                | QL (30 EA per 30 days)            |
| LATUDA ORAL TABLET 80 MG  | 4                | QL (60 EA per 30 days)            |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                  | 3                |                                   |
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>                               | 4                |                                   |
| NUPLAZID ORAL CAPSULE 34 MG   | 5^               | PA-NS; LA; QL (30 EA per 30 days) |
| NUPLAZID ORAL TABLET 10 MG  | 5^               | PA-NS; LA; QL (30 EA per 30 days) |
| <i>olanzapine intramuscular solution reconstituted 10 mg</i>                      | 4                | QL (3 EA per 1 day)               |
| <i>olanzapine oral tablet 10 mg, 2.5 mg, 5 mg</i>                                 | 2                | QL (60 EA per 30 days)            |
| <i>olanzapine oral tablet 15 mg, 20 mg, 7.5 mg</i>                                | 2                | QL (30 EA per 30 days)            |
| <i>olanzapine oral tablet dispersible 10 mg</i>                                   | 4                | QL (60 EA per 30 days)            |
| <i>olanzapine oral tablet dispersible 15 mg, 20 mg, 5 mg</i>                      | 4                | QL (30 EA per 30 days)            |
| <i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i>    | 4                | QL (30 EA per 30 days)            |
| <i>paliperidone er oral tablet extended release 24 hour 6 mg</i>                  | 4                | QL (60 EA per 30 days)            |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                           | 3                |                                   |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG                             | 5^               | QL (1 EA per 30 days)             |
| <i>pimozide oral tablet 1 mg, 2 mg</i>  | 4                |                                   |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg</i> | 4                | PA-NS; QL (30 EA per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>   |
|--|------------------|--------------------------------|
| quetiapine fumarate er oral tablet extended release 24 hour<br>300 mg, 400 mg, 50 mg                           | 4                | PA-NS; QL (60 EA per 30 days)  |
| quetiapine fumarate oral tablet 100 mg, 150 mg, 200 mg,<br>25 mg, 300 mg, 400 mg, 50 mg                        | 3                |                                |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG  | 4                | QL (60 EA per 30 days)         |
| REXULTI ORAL TABLET 3 MG, 4 MG   | 4                | QL (30 EA per 30 days)         |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED ER 12.5 MG, 25 MG                                   | 4                | QL (2 EA per 28 days)          |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED ER 37.5 MG, 50 MG                                   | 5^               | QL (2 EA per 28 days)          |
| risperidone oral solution 1 mg/ml  | 3                | QL (240 ML per 30 days)        |
| risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4<br>mg   | 2                |                                |
| risperidone oral tablet dispersible 0.25 mg, 0.5 mg  | 4                | QL (90 EA per 30 days)         |
| risperidone oral tablet dispersible 1 mg, 2 mg, 3 mg, 4 mg   | 4                | QL (60 EA per 30 days)         |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR,<br>5.7 MG/24HR, 7.6 MG/24HR                                     | 4                | QL (30 EA per 30 days)         |
| thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg   | 3                |                                |
| thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg   | 4                |                                |
| trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg  | 3                |                                |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML   | 5^               | PA-NS; QL (600 ML per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG  | 5^               | QL (60 EA per 30 days)         |
| VRAYLAR ORAL CAPSULE 3 MG, 4.5 MG, 6 MG  | 5^               | QL (30 EA per 30 days)         |
| VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG   | 4                |                                |
| ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg  | 4                | QL (60 EA per 30 days)         |
| ziprasidone mesylate intramuscular solution reconstituted<br>20 mg   | 4                | QL (6 EA per 3 days)           |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED 210 MG  | 4                | PA-NS; QL (2 EA per 28 days)   |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED 300 MG  | 5^               | PA-NS; QL (2 EA per 28 days)   |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED 405 MG  | 5^               | PA-NS; QL (1 EA per 28 days)   |
| <b>ATTENTION DEFICIT HYPERACTIVITY DISORDER</b>  |                  |                                |
| amphetamine-dextroamphetamine oral capsule extended<br>release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg | 4                | PA; QL (30 EA per 30 days)     |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|--|------------------|---|
| amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 30 mg, 5 mg, 7.5 mg | 3                | PA; QL (60 EA per 30 days)  |
| amphetamine-dextroamphetamine oral tablet 20 mg                                      | 3                | PA; QL (90 EA per 30 days)  |
| atomoxetine hcl oral capsule 10 mg, 18 mg, 25 mg                                     | 4                | QL (120 EA per 30 days)   |
| atomoxetine hcl oral capsule 100 mg, 60 mg, 80 mg                                    | 4                | QL (30 EA per 30 days)  |
| atomoxetine hcl oral capsule 40 mg   | 4                | QL (60 EA per 30 days)  |
| dexamphetamine hcl oral tablet 10 mg   | 3                | PA; QL (60 EA per 30 days)  |
| dexamphetamine hcl oral tablet 2.5 mg, 5 mg  | 3                | PA; QL (120 EA per 30 days)   |
| dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg, 5 mg       | 4                | PA; QL (150 EA per 30 days)   |
| dextroamphetamine sulfate er oral capsule extended release 24 hour 15 mg             | 4                | PA; QL (120 EA per 30 days)   |
| guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg        | 3                | PA; PA if 70 years and older; QL (30 EA per 30 days)  |
| metadate er oral tablet extended release 20 mg                                       | 4                | PA; QL (90 EA per 30 days)  |
| methylphenidate hcl er oral tablet extended release 10 mg, 20 mg                     | 4                | PA; QL (90 EA per 30 days)  |
| methylphenidate hcl oral solution 10 mg/5ml  | 4                | PA; QL (900 ML per 30 days)   |
| methylphenidate hcl oral solution 5 mg/5ml   | 4                | PA; QL (1800 ML per 30 days)  |
| methylphenidate hcl oral tablet 10 mg, 5 mg  | 3                | PA; QL (180 EA per 30 days)   |
| methylphenidate hcl oral tablet 20 mg  | 3                | PA; QL (90 EA per 30 days)  |
| methylphenidate hcl oral tablet chewable 10 mg, 2.5 mg, 5 mg                         | 4                | PA; QL (180 EA per 30 days)   |
| VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG   | 4                | PA; QL (60 EA per 30 days)  |
| VYVANSE ORAL CAPSULE 40 MG, 50 MG, 60 MG, 70 MG                                      | 4                | PA; QL (30 EA per 30 days)  |
| VYVANSE ORAL TABLET CHEWABLE 10 MG, 20 MG, 30 MG                                     | 4                | PA; QL (60 EA per 30 days)  |
| VYVANSE ORAL TABLET CHEWABLE 40 MG, 50 MG, 60 MG                                     | 4                | PA; QL (30 EA per 30 days)  |
| <b>HYPNOTICS</b>   |                  |   |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG                                       | 3                | QL (30 EA per 30 days)  |
| doxepin hcl oral tablet 3 mg, 6 mg   | 3                | QL (30 EA per 30 days)  |
| eszopiclone oral tablet 1 mg, 2 mg, 3 mg   | 4                | PA; PA applies if 70 years and older after a 90 day supply in a calendar year; QL (30 EA per 30 days) |
| HETLIOZ ORAL CAPSULE 20 MG   | 5^               | PA; LA; QL (30 EA per 30 days)  |
| temazepam oral capsule 15 mg   | 4                | PA; PA applies if 65 years and older after a 90 day supply in a calendar year; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name  | Drug Tier | Requirements / Limits   |
|--|-----------|---|
| temazepam oral capsule 30 mg   | 4         | PA; PA if 65 years and older; QL (30 EA per 30 days)  |
| temazepam oral capsule 7.5 mg  | 4         | PA; PA applies if 65 years and older after a 90 day supply in a calendar year; QL (30 EA per 30 days) |
| zolpidem tartrate oral tablet 10 mg, 5 mg                                | 2         | PA; PA applies if 70 years and older after a 90 day supply in a calendar year; QL (30 EA per 30 days) |
| <b>MIGRAINE</b>  |           |   |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML, 70 MG/ML          | 3         | PA; QL (1 ML per 30 days)   |
| dihydroergotamine mesylate injection solution 1 mg/ml                    | 5^        |   |
| dihydroergotamine mesylate nasal solution 4 mg/ml                        | 5^        | PA; QL (8 ML per 30 days)   |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 5^        | PA; QL (3 ML per 30 days)   |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML                   | 3         | PA; QL (2 ML per 30 days)   |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML               | 3         | PA; QL (2 ML per 30 days)   |
| ergotamine-caffeine oral tablet 1-100 mg                                 | 3         | PA; QL (40 EA per 28 days)  |
| naratriptan hcl oral tablet 1 mg, 2.5 mg                                 | 3         | QL (12 EA per 30 days)  |
| NURTEC ORAL TABLET DISPERSIBLE 75 MG                                     | 5^        | PA; QL (16 EA per 30 days)  |
| rizatriptan benzoate oral tablet 10 mg, 5 mg                             | 3         | QL (18 EA per 30 days)  |
| rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg                 | 3         | QL (18 EA per 30 days)  |
| sumatriptan nasal solution 20 mg/act                                     | 4         | QL (12 EA per 30 days)  |
| sumatriptan nasal solution 5 mg/act                                      | 4         | QL (24 EA per 30 days)  |
| sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg                   | 2         | QL (12 EA per 30 days)  |
| sumatriptan succinate refill subcutaneous solution cartridge 4 mg/0.5ml  | 4         | QL (9 ML per 30 days)   |
| sumatriptan succinate refill subcutaneous solution cartridge 6 mg/0.5ml  | 4         | QL (6 ML per 30 days)   |
| sumatriptan succinate subcutaneous solution 6 mg/0.5ml                   | 4         | QL (6 ML per 30 days)   |
| sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml     | 4         | QL (9 ML per 30 days)   |
| sumatriptan succinate subcutaneous solution auto-injector 6 mg/0.5ml     | 4         | QL (6 ML per 30 days)   |
| sumatriptan-naproxen sodium oral tablet 85-500 mg                        | 4         | PA; QL (9 EA per 30 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>   |
|--|------------------|--------------------------------|
| UBRELVY ORAL TABLET 100 MG, 50 MG  | 5^               | PA; QL (16 EA per 30 days)     |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>                               | 4                | QL (12 EA per 30 days)         |
| <i>zolmitriptan oral tablet dispersible 2.5 mg, 5 mg</i>                   | 4                | QL (12 EA per 30 days)         |
| <b>MISCELLANEOUS</b>   |                  |                                |
| AUSTEDO ORAL TABLET 12 MG, 9 MG  | 5^               | PA; QL (120 EA per 30 days)    |
| AUSTEDO ORAL TABLET 6 MG   | 5^               | PA; QL (60 EA per 30 days)     |
| GRALISE ORAL TABLET 300 MG   | 4                | PA; QL (180 EA per 30 days)    |
| GRALISE ORAL TABLET 600 MG   | 4                | PA; QL (90 EA per 30 days)     |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                  | 5^               | PA; LA; QL (30 EA per 30 days) |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG                              | 5^               | PA; LA; QL (28 EA per 28 days) |
| <i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i>    | 2                |                                |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>               | 1                |                                |
| <i>lithium carbonate oral tablet 300 mg</i>                                | 2                |                                |
| LITHIUM ORAL SOLUTION 8 MEQ/5ML  | 4                |                                |
| LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HOUR 165 MG, 330 MG, 82.5 MG     | 3                | PA; QL (60 EA per 30 days)     |
| NUEDEXTA ORAL CAPSULE 20-10 MG   | 4                | PA; QL (60 EA per 30 days)     |
| <i>pyridostigmine bromide oral tablet 60 mg</i>                            | 3                |                                |
| <i>riluzole oral tablet 50 mg</i>  | 4                |                                |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG                          | 4                | PA; QL (60 EA per 30 days)     |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG                              | 4                | PA                             |
| <i>tetrabenazine oral tablet 12.5 mg</i>                                   | 5^               | PA; QL (90 EA per 30 days)     |
| <i>tetrabenazine oral tablet 25 mg</i>                                     | 5^               | PA; QL (120 EA per 30 days)    |
| <b>MULTIPLE SCLEROSIS AGENTS</b>   |                  |                                |
| BETASERON SUBCUTANEOUS KIT 0.3 MG  | 5^               | PA-NS; QL (14 EA per 28 days)  |
| <i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>         | 3                | PA                             |
| GILENYA ORAL CAPSULE 0.5 MG  | 5^               | PA-NS; QL (28 EA per 28 days)  |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml</i> | 5^               | PA-NS; QL (30 ML per 30 days)  |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml</i> | 5^               | PA-NS; QL (12 ML per 28 days)  |
| <i>glatopa subcutaneous solution prefilled syringe 20 mg/ml</i>            | 5^               | PA-NS; QL (30 ML per 30 days)  |
| <i>glatopa subcutaneous solution prefilled syringe 40 mg/ml</i>            | 5^               | PA-NS; QL (12 ML per 28 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>       |
|---|------------------|------------------------------------|
| OCREVUS INTRAVENOUS SOLUTION 300 MG/10ML  | 5^               | PA-NS; LA                          |
| TECFIDERA ORAL 120 & 240 MG   | 5^               | PA-NS; LA                          |
| TECFIDERA ORAL CAPSULE DELAYED RELEASE 120 MG                                       | 5^               | PA-NS; LA; QL (14 EA per 7 days)   |
| TECFIDERA ORAL CAPSULE DELAYED RELEASE 240 MG                                       | 5^               | PA-NS; LA; QL (60 EA per 30 days)  |
| VUMERITY ORAL CAPSULE DELAYED RELEASE 231 MG  | 5^               | PA-NS; LA; QL (120 EA per 30 days) |
| <b>MUSCULOSKELETAL THERAPY AGENTS</b>   |                  |                                    |
| <i>baclofen oral tablet 10 mg, 20 mg</i>  | 3                |                                    |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg</i>                                  | 4                | PA; PA if 70 years and older       |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg</i>                          | 4                |                                    |
| <i>tizanidine hcl oral tablet 2 mg, 4 mg</i>  | 2                |                                    |
| <b>NARCOLEPSY/CATAPLEXY</b>   |                  |                                    |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i>                               | 3                | PA; QL (30 EA per 30 days)         |
| <i>armodafinil oral tablet 50 mg</i>  | 3                | PA; QL (90 EA per 30 days)         |
| <i>modafinil oral tablet 100 mg</i>   | 4                | PA; QL (30 EA per 30 days)         |
| <i>modafinil oral tablet 200 mg</i>   | 4                | PA; QL (60 EA per 30 days)         |
| XYREM ORAL SOLUTION 500 MG/ML   | 5^               | PA; LA; QL (540 ML per 30 days)    |
| <b>PSYCHOTHERAPEUTIC-MISC</b>   |                  |                                    |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i>                       | 4                |                                    |
| <i>buprenorphine hcl sublingual tablet sublingual 2 mg, 8 mg</i>                    | 3                | PA; QL (90 EA per 30 days)         |
| <i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg</i>                       | 4                | QL (60 EA per 30 days)             |
| <i>buprenorphine hcl-naloxone hcl sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>      | 4                | QL (90 EA per 30 days)             |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg</i> | 2                | QL (90 EA per 30 days)             |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i>   | 3                |                                    |
| CHANTIX STARTING MONTH PAK ORAL TABLET THERAPY<br>PACK 0.5 MG X 11 & 1 MG X 42      | 4                |                                    |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>  | 3                |                                    |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i>                         | 2                |                                    |
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>                          | 2                |                                    |
| <i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i>                   | 2                |                                    |
| <i>naloxone hcl nasal liquid 4 mg/0.1ml</i>   | 3                |                                    |
| <i>naltrexone hcl oral tablet 50 mg</i>   | 3                |                                    |
| NICOTROL INHALATION INHALER 10 MG   | 4                |                                    |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| NICOTROL NS NASAL SOLUTION 10 MG/ML   | 4                |                              |
| VARENICLINE TARTRATE ORAL TABLET 0.5 MG, 1 MG   | 4                | QL (56 EA per 28 days)       |
| <i>varenicline tartrate oral tablet therapy pack 0.5 mg x 11 &amp; 1 mg x 42</i>                | 4                |                              |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED<br>380 MG                                       | 5^               |                              |
| <b>ENDOCRINE AND METABOLIC</b>  |                  |                              |
| <b>ANDROGENS</b>  |                  |                              |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24HR,<br>4 MG/24HR                                     | 4                | PA; QL (30 EA per 30 days)   |
| <i>oxandrolone oral tablet 10 mg</i>  | 4                | PA; QL (60 EA per 30 days)   |
| <i>oxandrolone oral tablet 2.5 mg</i>   | 3                | PA; QL (120 EA per 30 days)  |
| <i>testosterone cypionate intramuscular solution 100 mg/ml,<br/>200 mg/ml, 200 mg/ml (1 ml)</i> | 3                |                              |
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i>                                  | 3                |                              |
| <i>testosterone transdermal gel 12.5 mg/act (1%), 25<br/>mg/2.5gm (1%), 50 mg/5gm (1%)</i>      | 4                | PA; QL (300 GM per 30 days)  |
| <i>testosterone transdermal gel 20.25 mg/act (1.62%)</i>  | 4                | PA; QL (150 GM per 30 days)  |
| <b>ANTIDIABETICS, INSULINS</b>  |                  |                              |
| ALCOHOL SWABS PAD 70 %  | 3                |                              |
| BASAGLAR KWIKPEN SUBCUTANEOUS SOLUTION PEN-<br>INJECTOR 100 UNIT/ML                             | 3                | SSM                          |
| FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-<br>INJECTOR 100 UNIT/ML                              | 3                | SSM                          |
| FIASP INJECTION SOLUTION 100 UNIT/ML  | 3                | SSM                          |
| FIASP PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100<br>UNIT/ML                                    | 3                | SSM                          |
| GAUZE PADS 2" X 2" PAD 2"X2"  | 3                |                              |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML                             | 5^               | B/D                          |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION<br>PEN-INJECTOR 500 UNIT/ML                       | 5^               |                              |
| INSULIN PEN NEEDLE 29G X 12MM   | 2                |                              |
| INSULIN SYRINGE (DISP) U-100 0.3 ML 29G 0.3 ML  | 2                |                              |
| INSULIN SYRINGE (DISP) U-100 1 ML 29G X 1/2" 1 ML   | 2                |                              |
| INSULIN SYRINGE (DISP) U-100 1/2 ML 28G X 1/2" 0.5 ML   | 2                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>    |
|--|------------------|---------------------------------|
| LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                   | 3                | SSM                             |
| LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML  | 3                | SSM                             |
| NEEDLES, INSULIN DISP., SAFETY 29G X 1/2" 1 ML                                     | 2                |                                 |
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML     | 3                | (brand RELION not covered); SSM |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                          | 3                | (brand RELION not covered); SSM |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML                 | 3                | (brand RELION not covered); SSM |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML                                      | 3                | (brand RELION not covered); SSM |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML                      | 3                | (brand RELION not covered); SSM |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML   | 3                | (brand RELION not covered); SSM |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                     | 3                | (brand RELION not covered); SSM |
| NOVOLOG INJECTION SOLUTION 100 UNIT/ML   | 3                | (brand RELION not covered); SSM |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3                | (brand RELION not covered); SSM |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                      | 3                | (brand RELION not covered); SSM |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML                        | 3                | (brand RELION not covered); SSM |
| OMNIPOD 5 G6 INTRO (GEN 5) KIT   | 4                | PA; QL (1 EA per 365 days)      |
| OMNIPOD 5 G6 POD (GEN 5)   | 4                | PA; QL (3 EA per 30 days)       |
| OMNIPOD CLASSIC PDM (GEN 3) KIT  | 4                | PA; QL (1 EA per 365 days)      |
| OMNIPOD CLASSIC PODS (GEN 3)   | 4                | PA; QL (3 EA per 30 days)       |
| OMNIPOD DASH INTRO (GEN 4) KIT   | 4                | PA; QL (1 EA per 365 days)      |
| OMNIPOD DASH PODS (GEN 4)  | 4                | PA; QL (3 EA per 30 days)       |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML                       | 3                | SSM; QL (30 ML per 30 days)     |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML      | 3                | SSM                             |
| TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML  | 3                | SSM                             |
| V-GO 20 KIT  | 4                | PA; QL (30 EA per 30 days)      |
| V-GO 30 KIT  | 4                | PA; QL (30 EA per 30 days)      |
| V-GO 40 KIT  | 4                | PA; QL (30 EA per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                             |
|---|--|-----------------------------|
| XULTOPHY SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-3.6 UNIT-MG/ML                        | 3                                      | SSM; QL (15 ML per 30 days) |
| <b>ANTIDIABETICS</b>  |  |                             |
| acarbose oral tablet 100 mg, 25 mg, 50 mg   | 3                                      |                             |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85ML                                 | 3                                      | QL (3.4 ML per 28 days)     |
| BYETTA 10 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 10 MCG/0.04ML                    | 4                                      | QL (2.4 ML per 30 days)     |
| BYETTA 5 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 5 MCG/0.02ML                      | 4                                      | QL (1.2 ML per 30 days)     |
| FARXIGA ORAL TABLET 10 MG, 5 MG   | 3                                      | QL (30 EA per 30 days)      |
| FORTAMET ORAL TABLET EXTENDED RELEASE 24 HOUR 1000 MG                                 | 5^                                     | PA; QL (60 EA per 30 days)  |
| FORTAMET ORAL TABLET EXTENDED RELEASE 24 HOUR 500 MG                                  | 5^                                     | PA; QL (120 EA per 30 days) |
| glimepiride oral tablet 1 mg, 2 mg  | 2                                      | QL (90 EA per 30 days)      |
| glimepiride oral tablet 4 mg  | 2                                      | QL (60 EA per 30 days)      |
| glipizide er oral tablet extended release 24 hour 10 mg                               | 1                                      | QL (60 EA per 30 days)      |
| glipizide er oral tablet extended release 24 hour 2.5 mg, 5 mg                        | 1                                      | QL (90 EA per 30 days)      |
| glipizide oral tablet 10 mg   | 1                                      | QL (120 EA per 30 days)     |
| glipizide oral tablet 5 mg  | 1                                      | QL (240 EA per 30 days)     |
| glipizide xl oral tablet extended release 24 hour 10 mg                               | 1                                      | QL (60 EA per 30 days)      |
| glipizide xl oral tablet extended release 24 hour 2.5 mg, 5 mg                        | 1                                      | QL (90 EA per 30 days)      |
| glipizide-metformin hcl oral tablet 2.5-250 mg  | 1                                      | QL (240 EA per 30 days)     |
| glipizide-metformin hcl oral tablet 2.5-500 mg, 5-500 mg                              | 1                                      | QL (120 EA per 30 days)     |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG   | 3                                      | QL (30 EA per 30 days)      |
| INVOKAMET ORAL TABLET 150-1000 MG, 150-500 MG, 50-1000 MG                             | 4                                      | QL (60 EA per 30 days)      |
| INVOKAMET ORAL TABLET 50-500 MG   | 4                                      | QL (120 EA per 30 days)     |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150-1000 MG, 150-500 MG, 50-1000 MG | 4                                      | QL (60 EA per 30 days)      |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-500 MG                           | 4                                      | QL (120 EA per 30 days)     |
| INVOKANA ORAL TABLET 100 MG   | 4                                      | QL (60 EA per 30 days)      |
| INVOKANA ORAL TABLET 300 MG   | 4                                      | QL (30 EA per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name   | Drug Tier | Requirements / Limits                               |
|---|-----------|---|
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG                                   | 3         | QL (60 EA per 30 days)                              |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG                 | 3         | QL (30 EA per 30 days)                              |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG       | 3         | QL (60 EA per 30 days)                              |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG                                    | 3         | QL (30 EA per 30 days)                              |
| JARDIANCE ORAL TABLET 10 MG   | 3         | QL (60 EA per 30 days)                              |
| JARDIANCE ORAL TABLET 25 MG   | 3         | QL (30 EA per 30 days)                              |
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG, 2.5-850 MG                  | 3         | QL (60 EA per 30 days)                              |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG              | 3         | QL (60 EA per 30 days)                              |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 5-1000 MG                | 3         | QL (30 EA per 30 days)                              |
| <i>metformin hcl er (osm) oral tablet extended release 24 hour 1000 mg</i>  | 2         | PA; (generic of FORTAMET); QL (60 EA per 30 days)   |
| <i>metformin hcl er (osm) oral tablet extended release 24 hour 500 mg</i>   | 2         | PA; (generic of FORTAMET); QL (120 EA per 30 days)  |
| <i>metformin hcl er oral tablet extended release 24 hour 500 mg</i>         | 1         | (generic of GLUCOPHAGE XR); QL (120 EA per 30 days) |
| <i>metformin hcl er oral tablet extended release 24 hour 750 mg</i>         | 1         | (generic of GLUCOPHAGE XR); QL (60 EA per 30 days)  |
| <i>metformin hcl oral tablet 1000 mg</i>                                    | 1         | QL (75 EA per 30 days)                              |
| <i>metformin hcl oral tablet 500 mg</i>                                     | 1         | QL (150 EA per 30 days)                             |
| <i>metformin hcl oral tablet 850 mg</i>                                     | 1         | QL (90 EA per 30 days)                              |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                | 1         | QL (90 EA per 30 days)                              |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML | 3         | QL (1.5 ML per 28 days)                             |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML, 4 MG/3ML | 3         | QL (3 ML per 28 days)                               |
| OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML             | 3         | QL (3 ML per 28 days)                               |
| <i>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</i>                     | 1         | QL (30 EA per 30 days)                              |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                 | 1         | QL (120 EA per 30 days)                             |
| <i>repaglinide oral tablet 2 mg</i>   | 1         | QL (240 EA per 30 days)                             |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG                                      | 3         | QL (30 EA per 30 days)                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                            |
|---|--|----------------------------|
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR<br>2700 MCG/2.7ML                                    | 5^                                     | PA                         |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR<br>1500 MCG/1.5ML                                     | 5^                                     | PA                         |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-<br>1000 MG   | 3                                      | QL (60 EA per 30 days)     |
| SYNJARDY ORAL TABLET 5-500 MG   | 3                                      | QL (120 EA per 30 days)    |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR<br>10-1000 MG, 12.5-1000 MG, 5-1000 MG               | 3                                      | QL (60 EA per 30 days)     |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR<br>25-1000 MG  | 3                                      | QL (30 EA per 30 days)     |
| TRADJENTA ORAL TABLET 5 MG  | 3                                      | QL (30 EA per 30 days)     |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR<br>10-5-1000 MG, 25-5-1000 MG                        | 3                                      | QL (30 EA per 30 days)     |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR<br>12.5-2.5-1000 MG, 5-2.5-1000 MG                   | 3                                      | QL (60 EA per 30 days)     |
| TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75<br>MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML | 3                                      | QL (2 ML per 28 days)      |
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18<br>MG/3ML   | 3                                      | QL (9 ML per 30 days)      |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-<br>1000 MG, 10-500 MG                              | 3                                      | QL (30 EA per 30 days)     |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-<br>1000 MG, 5-1000 MG, 5-500 MG                   | 3                                      | QL (60 EA per 30 days)     |
| <b>CALCIUM REGULATORS</b>   |  |                            |
| ACTONEL ORAL TABLET 150 MG, 35 MG   | 4                                      |                            |
| <i>alendronate sodium oral solution 70 mg/75ml</i>  | 4                                      |                            |
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 70 mg</i>   | 1                                      |                            |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i>  | 3                                      | B/D                        |
| FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 600<br>MCG/2.4ML  | 5^                                     | PA                         |
| FOSAMAX PLUS D ORAL TABLET 70-2800 MG-UNIT, 70-5600<br>MG-UNIT  | 4                                      | ST                         |
| <i>ibandronate sodium intravenous solution 3 mg/3ml</i>   | 4                                      | B/D; QL (3 ML per 90 days) |
| <i>ibandronate sodium oral tablet 150 mg</i>  | 3                                      | B/D                        |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG, 25 MCG,<br>50 MCG, 75 MCG                                     | 5^                                     | PA                         |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                        |
|---|--|------------------------|
| pamidronate disodium intravenous solution 30 mg/10ml, 90 mg/10ml                    | 3                                      | B/D                    |
| PAMIDRONATE DISODIUM INTRAVENOUS SOLUTION 6 MG/ML                                   | 3                                      | B/D                    |
| pamidronate disodium intravenous solution reconstituted 30 mg, 90 mg                | 3                                      | B/D                    |
| PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML                             | 4                                      | QL (1 ML per 180 days) |
| risedronate sodium oral tablet 150 mg, 35 mg, 35 mg (12 pack), 35 mg (4 pack), 5 mg | 3                                      |                        |
| risedronate sodium oral tablet 30 mg  | 4                                      |                        |
| risedronate sodium oral tablet delayed release 35 mg                                | 4                                      |                        |
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML                           | 5^                                     | PA                     |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML  | 5^                                     | PA                     |
| zoledronic acid intravenous concentrate 4 mg/5ml                                    | 4                                      | B/D                    |
| zoledronic acid intravenous solution 4 mg/100ml, 5 mg/100ml                         | 4                                      | B/D                    |
| <b>CHELATING AGENTS</b>   |  |                        |
| CHEMET ORAL CAPSULE 100 MG  | 4                                      |                        |
| deferasirox granules oral packet 180 mg, 360 mg, 90 mg                              | 5^                                     | PA                     |
| deferasirox oral tablet 180 mg, 360 mg, 90 mg                                       | 5^                                     | PA                     |
| LOKELMA ORAL PACKET 10 GM, 5 GM   | 3                                      |                        |
| penicillamine oral tablet 250 mg  | 5^                                     |                        |
| sodium polystyrene sulfonate oral powder  | 3                                      |                        |
| sps oral suspension 15 gm/60ml  | 3                                      |                        |
| trientine hcl oral capsule 250 mg   | 5^                                     | PA                     |
| VELTASSA ORAL PACKET 16.8 GM, 25.2 GM, 8.4 GM                                       | 3                                      |                        |
| <b>CONTRACEPTIVES</b>   |  |                        |
| afirmelle oral tablet 0.1-20 mg-mcg   | 2                                      |                        |
| altavera oral tablet 0.15-30 mg-mcg   | 2                                      |                        |
| alyacen 1/35 oral tablet 1-35 mg-mcg  | 2                                      |                        |
| alyacen 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg                                      | 2                                      |                        |
| apri oral tablet 0.15-30 mg-mcg   | 2                                      |                        |
| aranelle oral tablet 0.5/1/0.5-35 mg-mcg  | 3                                      |                        |
| aubra eq oral tablet 0.1-20 mg-mcg  | 2                                      |                        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| aurovela 1/20 oral tablet 1-20 mg-mcg                              | 2                                      |
| aurovela fe 1.5/30 oral tablet 1.5-30 mg-mcg                       | 2                                      |
| aurovela fe 1/20 oral tablet 1-20 mg-mcg                           | 2                                      |
| aviane oral tablet 0.1-20 mg-mcg                                   | 2                                      |
| ayuna oral tablet 0.15-30 mg-mcg                                   | 2                                      |
| azurette oral tablet 0.15-0.02/0.01 mg (21/5)                      | 3                                      |
| balziva oral tablet 0.4-35 mg-mcg                                  | 3                                      |
| blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg                        | 2                                      |
| briellyn oral tablet 0.4-35 mg-mcg                                 | 3                                      |
| camila oral tablet 0.35 mg   | 2                                      |
| chateal oral tablet 0.15-30 mg-mcg                                 | 2                                      |
| cryselle-28 oral tablet 0.3-30 mg-mcg                              | 2                                      |
| cyred eq oral tablet 0.15-30 mg-mcg                                | 2                                      |
| dasetta 1/35 oral tablet 1-35 mg-mcg                               | 2                                      |
| dasetta 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg                     | 2                                      |
| deblitane oral tablet 0.35 mg                                      | 2                                      |
| desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5) | 3                                      |
| desogestrel-ethinyl estradiol oral tablet 0.15-30 mg-mcg           | 2                                      |
| drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg    | 3                                      |
| elinest oral tablet 0.3-30 mg-mcg                                  | 2                                      |
| ELLA ORAL TABLET 30 MG   | 3                                      |
| eluryng vaginal ring 0.12-0.015 mg/24hr                            | 4                                      |
| emoquette oral tablet 0.15-30 mg-mcg                               | 2                                      |
| enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg                    | 2                                      |
| enskyce oral tablet 0.15-30 mg-mcg                                 | 2                                      |
| errin oral tablet 0.35 mg  | 2                                      |
| estarrylla oral tablet 0.25-35 mg-mcg                              | 2                                      |
| ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg              | 2                                      |
| ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg              | 3                                      |
| etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24hr     | 4                                      |
| falmina oral tablet 0.1-20 mg-mcg                                  | 2                                      |
| femynor oral tablet 0.25-35 mg-mcg                                 | 2                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| hailey 1.5/30 oral tablet 1.5-30 mg-mcg   | 2                                      |
| heather oral tablet 0.35 mg   | 2                                      |
| iclevia oral tablet 0.15-0.03 mg  | 3                                      |
| incassia oral tablet 0.35 mg  | 2                                      |
| introvale oral tablet 0.15-0.03 mg  | 3                                      |
| isibloom oral tablet 0.15-30 mg-mcg   | 2                                      |
| jasmiel oral tablet 3-0.02 mg   | 3                                      |
| jolessa oral tablet 0.15-0.03 mg  | 3                                      |
| juleber oral tablet 0.15-30 mg-mcg  | 2                                      |
| junel 1.5/30 oral tablet 1.5-30 mg-mcg  | 2                                      |
| junel 1/20 oral tablet 1-20 mg-mcg  | 2                                      |
| junel fe 1.5/30 oral tablet 1.5-30 mg-mcg   | 2                                      |
| junel fe 1/20 oral tablet 1-20 mg-mcg   | 2                                      |
| kariva oral tablet 0.15-0.02/0.01 mg (21/5)   | 3                                      |
| kelnor 1/35 oral tablet 1-35 mg-mcg   | 2                                      |
| kelnor 1/50 oral tablet 1-50 mg-mcg   | 3                                      |
| kurvelo oral tablet 0.15-30 mg-mcg  | 2                                      |
| larin 1.5/30 oral tablet 1.5-30 mg-mcg  | 2                                      |
| larin 1/20 oral tablet 1-20 mg-mcg  | 2                                      |
| larin fe 1.5/30 oral tablet 1.5-30 mg-mcg   | 2                                      |
| larin fe 1/20 oral tablet 1-20 mg-mcg   | 2                                      |
| larissia oral tablet 0.1-20 mg-mcg  | 2                                      |
| leena oral tablet 0.5/1/0.5-35 mg-mcg   | 3                                      |
| lessina oral tablet 0.1-20 mg-mcg   | 2                                      |
| levonest oral tablet 50-30/75-40/ 125-30 mcg  | 2                                      |
| levonorgestrel estrad 91-day oral tablet 0.15-0.03 mg                                 | 3                                      |
| levonorgestrel-ethynodiol dihydrogenetic oral tablet 0.1-20 mg-mcg,<br>0.15-30 mg-mcg | 2                                      |
| levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-<br>30 mcg                 | 2                                      |
| levora 0.15/30 (28) oral tablet 0.15-30 mg-mcg  | 2                                      |
| lillow oral tablet 0.15-30 mg-mcg   | 2                                      |
| loestrin 1.5/30 (21) oral tablet 1.5-30 mg-mcg  | 2                                      |
| loestrin 1/20 (21) oral tablet 1-20 mg-mcg  | 2                                      |
| loestrin fe 1.5/30 oral tablet 1.5-30 mg-mcg  | 2                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| <i>loestrin fe 1/20 oral tablet 1-20 mg-mcg</i>   | 2                                      |
| <i>loryna oral tablet 3-0.02 mg</i>   | 3                                      |
| <i>low-ogestrel oral tablet 0.3-30 mg-mcg</i>   | 2                                      |
| <i>lutera oral tablet 0.1-20 mg-mcg</i>   | 2                                      |
| <i>lyleq oral tablet 0.35 mg</i>  | 2                                      |
| <i>lyza oral tablet 0.35 mg</i>   | 2                                      |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>  | 2                                      |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>                   | 3                                      |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i> | 3                                      |
| <i>microgestin 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                     | 2                                      |
| <i>microgestin 1/20 oral tablet 1-20 mg-mcg</i>   | 2                                      |
| <i>microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg</i>                                  | 2                                      |
| <i>microgestin fe 1/20 oral tablet 1-20 mg-mcg</i>                                      | 2                                      |
| <i>mili oral tablet 0.25-35 mg-mcg</i>  | 2                                      |
| <i>mono-linyah oral tablet 0.25-35 mg-mcg</i>   | 2                                      |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>                                      | 2                                      |
| <i>nikki oral tablet 3-0.02 mg</i>  | 3                                      |
| <i>nora-be oral tablet 0.35 mg</i>  | 2                                      |
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg</i>                               | 2                                      |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>            | 2                                      |
| <i>norethindrone oral tablet 0.35 mg</i>  | 2                                      |
| <i>norethindron-ethinyl estrad-fe oral tablet 1-20/1-30/1-35 mg-mcg</i>                 | 4                                      |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>                            | 2                                      |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</i>             | 3                                      |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</i>             | 2                                      |
| <i>norlyroc oral tablet 0.35 mg</i>   | 2                                      |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>                                    | 2                                      |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>  | 2                                      |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>  | 2                                      |
| <i>nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg</i>                                   | 2                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| nylia 1/35 oral tablet 1-35 mg-mcg                      | 2                                      |
| nylia 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg            | 2                                      |
| nymyo oral tablet 0.25-35 mg-mcg                        | 2                                      |
| ocella oral tablet 3-0.03 mg                            | 3                                      |
| orsythia oral tablet 0.1-20 mg-mcg                      | 2                                      |
| philith oral tablet 0.4-35 mg-mcg                       | 3                                      |
| pimtrexa oral tablet 0.15-0.02/0.01 mg (21/5)           | 3                                      |
| pirmella 1/35 oral tablet 1-35 mg-mcg                   | 2                                      |
| portia-28 oral tablet 0.15-30 mg-mcg                    | 2                                      |
| reclipsen oral tablet 0.15-30 mg-mcg                    | 2                                      |
| setlakin oral tablet 0.15-0.03 mg                       | 3                                      |
| sharobel oral tablet 0.35 mg                            | 2                                      |
| simliya oral tablet 0.15-0.02/0.01 mg (21/5)            | 3                                      |
| sprintec 28 oral tablet 0.25-35 mg-mcg                  | 2                                      |
| sronyx oral tablet 0.1-20 mg-mcg                        | 2                                      |
| syeda oral tablet 3-0.03 mg                             | 3                                      |
| tarina fe 1/20 eq oral tablet 1-20 mg-mcg               | 2                                      |
| tilia fe oral tablet 1-20/1-30/1-35 mg-mcg              | 4                                      |
| tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg    | 2                                      |
| tri-legest fe oral tablet 1-20/1-30/1-35 mg-mcg         | 4                                      |
| tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg        | 2                                      |
| tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg | 3                                      |
| tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg     | 3                                      |
| tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg       | 3                                      |
| tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg   | 3                                      |
| tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg          | 2                                      |
| tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg         | 2                                      |
| tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg      | 2                                      |
| trivora (28) oral tablet 50-30/75-40/ 125-30 mcg        | 2                                      |
| tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg    | 3                                      |
| tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg       | 2                                      |
| velivet oral tablet 0.1/0.125/0.15 -0.025 mg            | 2                                      |
| vestura oral tablet 3-0.02 mg                           | 3                                      |
| vienva oral tablet 0.1-20 mg-mcg                        | 2                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| <i>viorele oral tablet 0.15-0.02/0.01 mg (21/5)</i>   | 3                                      |
| <i>vyfemla oral tablet 0.4-35 mg-mcg</i>  | 3                                      |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i>   | 2                                      |
| <i>wera oral tablet 0.5-35 mg-mcg</i>   | 2                                      |
| <i>xulane transdermal patch weekly 150-35 mcg/24hr</i>  | 4                                      |
| <i>zafemy transdermal patch weekly 150-35 mcg/24hr</i>  | 4                                      |
| <i>zovia 1/35 (28) oral tablet 1-35 mg-mcg</i>  | 2                                      |
| <i>zumandimine oral tablet 3-0.03 mg</i>  | 3                                      |
| <b>ENDOMETRIOSIS</b>  |  |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>   | 4                                      |
| <i>SYNAREL NASAL SOLUTION 2 MG/ML</i>   | 5^                                     |
| <b>ESTROGENS</b>  |  |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>   | 3                                      |
| <i>DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML</i>   | 4                                      |
| <i>dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>             | 3                                      |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 2                                      |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>         | 3                                      |
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 3                                      |
| <i>estradiol vaginal cream 0.1 mg/gm</i>  | 3                                      |
| <i>estradiol vaginal tablet 10 mcg</i>  | 4                                      |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>  | 4                                      |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>  | 3                                      |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>   | 3                                      |
| <i>IMVEXXY MAINTENANCE PACK VAGINAL INSERT 10 MCG, 4 MCG</i>  | 3                                      |
| <i>IMVEXXY STARTER PACK VAGINAL INSERT 10 MCG, 4 MCG</i>  | 3                                      |
| <i>jinteli oral tablet 1-5 mg-mcg</i>   | 3                                      |
| <i>lyllana transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>           | 3                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| <i>mimvey oral tablet 1-0.5 mg</i>  | 3                                      |
| <i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>                                       | 3                                      |
| <i>PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG</i>  | 3                                      |
| <i>PREMARIN VAGINAL CREAM 0.625 MG/GM</i>   | 3                                      |
| <i>PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG</i>                                    | 3                                      |
| <i>yuvafem vaginal tablet 10 mcg</i>  | 4                                      |
| <b>GLUCOCORTICOIDS</b>  |  |
| <i>DEXAMETHASONE INTENSOL ORAL CONCENTRATE 1 MG/ML</i>  | 4                                      |
| <i>dexamethasone oral elixir 0.5 mg/5ml</i>   | 3                                      |
| <i>dexamethasone oral solution 0.5 mg/5ml</i>   | 3                                      |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                                | 3                                      |
| <i>dexamethasone sod phosphate pf injection solution 10 mg/ml</i>   | 3                                      |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 100 mg/10ml, 120 mg/30ml, 20 mg/5ml, 4 mg/ml</i> | 3                                      |
| <i>fludrocortisone acetate oral tablet 0.1 mg</i>   | 2                                      |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>  | 3                                      |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>                                       | 3                                      |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>  | 3                                      |
| <i>methylprednisolone oral tablet therapy pack 4 mg</i>   | 2                                      |
| <i>methylprednisolone sodium succ injection solution reconstituted 1000 mg, 125 mg, 40 mg</i>                   | 3                                      |
| <i>prednisolone oral solution 15 mg/5ml</i>   | 2                                      |
| <i>prednisolone sodium phosphate oral solution 15 mg/5ml</i>  | 2                                      |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml, 6.7 (5 base) mg/5ml</i>                               | 3                                      |
| <i>prednisolone sodium phosphate oral tablet dispersible 10 mg, 15 mg, 30 mg</i>                                | 2                                      |
| <i>PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML</i>   | 4                                      |
| <i>prednisone oral solution 5 mg/5ml</i>  | 4                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                              |
|---|--|------------------------------|
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                   |  | 2                            |
| <i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i> |  | 3                            |
| SOLU-CORTEF INJECTION SOLUTION RECONSTITUTED 100 MG, 1000 MG, 250 MG, 500 MG            |  | 4                            |
| <b>GLUCOSE ELEVATING AGENTS</b>   |  |                              |
| <i>diazoxide oral suspension 50 mg/ml</i>   | 5^                                     |                              |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML       |  | 3                            |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML  |  | 3                            |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 0.5 MG/0.1ML, 1 MG/0.2ML              |  | 3                            |
| <b>MISCELLANEOUS</b>  |  |                              |
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5ML  | 5^                                     | PA; LA                       |
| <i>betaine oral powder</i>  | 5^                                     | LA                           |
| <i>cabergoline oral tablet 0.5 mg</i>   |  | 3                            |
| CARBAGLU ORAL TABLET SOLUBLE 200 MG   | 5^                                     | PA; LA                       |
| <i>carglumic acid oral tablet soluble 200 mg</i>  | 5^                                     | PA; LA                       |
| CERDELGA ORAL CAPSULE 84 MG   | 5^                                     | PA                           |
| CEREZYME INTRAVENOUS SOLUTION RECONSTITUTED 400 UNIT                                    | 5^                                     | PA; LA                       |
| <i>cinacalcet hcl oral tablet 30 mg</i>   | 4                                      | B/D; QL (120 EA per 30 days) |
| <i>cinacalcet hcl oral tablet 60 mg</i>   | 5^                                     | B/D; QL (60 EA per 30 days)  |
| <i>cinacalcet hcl oral tablet 90 mg</i>   | 5^                                     | B/D; QL (120 EA per 30 days) |
| CYSTADANE ORAL POWDER   | 5^                                     | LA                           |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG   | 4                                      | PA; LA                       |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i>                              | 4                                      |                              |
| <i>desmopressin acetate injection solution 4 mcg/ml</i>                                 | 5^                                     |                              |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>                                  | 3                                      |                              |
| <i>desmopressin acetate pf injection solution 4 mcg/ml</i>                              | 5^                                     |                              |
| <i>desmopressin acetate spray nasal solution 0.01 %</i>                                 | 4                                      |                              |
| FABRAZYME INTRAVENOUS SOLUTION RECONSTITUTED 35 MG, 5 MG                                | 5^                                     | PA; LA                       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                            |
|--|--|----------------------------|
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE 0.2 MG, 0.4 MG, 0.6 MG, 0.8 MG, 1 MG, 1.2 MG, 1.4 MG, 1.6 MG, 1.8 MG, 2 MG | 5^                                     | PA                         |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG, 5 MG  | 5^                                     | PA                         |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML   | 5^                                     | PA; LA                     |
| <i>javygtor oral packet 100 mg</i>   | 5^                                     | PA; LA                     |
| <i>javygtor oral tablet 100 mg</i>   | 5^                                     | PA; LA                     |
| KORLYM ORAL TABLET 300 MG  | 5^                                     | PA; LA                     |
| <i>levocarnitine oral solution 1 gm/10ml</i>   | 4                                      | B/D                        |
| <i>levocarnitine oral tablet 330 mg</i>  | 3                                      | B/D                        |
| LUMIZYME INTRAVENOUS SOLUTION RECONSTITUTED 50 MG  | 5^                                     | PA; LA                     |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG   | 5^                                     | PA                         |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG (PED), 30 MG (PED)   | 5^                                     | PA                         |
| <i>miglustat oral capsule 100 mg</i>   | 5^                                     | PA; QL (90 EA per 30 days) |
| NAGLAZYME INTRAVENOUS SOLUTION 1 MG/ML   | 5^                                     | PA; LA                     |
| <i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i>   | 5^                                     | PA                         |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>   | 4                                      | PA                         |
| <i>octreotide acetate injection solution 1000 mcg/ml, 500 mcg/ml</i>   | 5^                                     | PA                         |
| <i>octreotide acetate subcutaneous solution prefilled syringe 100 mcg/ml, 50 mcg/ml</i>  | 4                                      | PA                         |
| <i>octreotide acetate subcutaneous solution prefilled syringe 500 mcg/ml</i>   | 5^                                     | PA                         |
| <i>raloxifene hcl oral tablet 60 mg</i>  | 3                                      |                            |
| <i>sapropterin dihydrochloride oral packet 100 mg, 500 mg</i>  | 5^                                     | PA                         |
| <i>sapropterin dihydrochloride oral tablet 100 mg</i>  | 5^                                     | PA                         |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML   | 5^                                     | PA; LA                     |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i>  | 5^                                     | PA                         |
| <i>sodium phenylbutyrate oral tablet 500 mg</i>  | 5^                                     | PA                         |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 120 MG/0.5ML  | 5^                                     | PA-NS                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                         |
|--|--|-------------------------|
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 60 MG/0.2ML, 90 MG/0.3ML  | 5^                                     | PA                      |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG   | 5^                                     | PA; LA                  |
| <i>tolvaptan oral tablet 15 mg, 30 mg</i>  | 5^                                     | PA                      |
| <b>PHOSPHATE BINDER AGENTS</b>   |  |                         |
| calcium acetate (phos binder) oral capsule 667 mg  | 3                                      | QL (360 EA per 30 days) |
| calcium acetate oral tablet 667 mg   | 3                                      | QL (360 EA per 30 days) |
| sevelamer carbonate oral packet 0.8 gm   | 5^                                     | QL (540 EA per 30 days) |
| sevelamer carbonate oral packet 2.4 gm   | 4                                      | QL (180 EA per 30 days) |
| sevelamer carbonate oral tablet 800 mg   | 4                                      | QL (540 EA per 30 days) |
| VELPHORO ORAL TABLET CHEWABLE 500 MG   | 4                                      |                         |
| <b>PROGESTINS</b>  |  |                         |
| <i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i>   | 1                                      |                         |
| megestrol acetate oral suspension 40 mg/ml   | 3                                      |                         |
| megestrol acetate oral suspension 625 mg/5ml   | 4                                      | PA                      |
| norethindrone acetate oral tablet 5 mg   | 3                                      |                         |
| <b>THYROID AGENTS</b>  |  |                         |
| <i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>                      | 1                                      |                         |
| <i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>               | 1                                      |                         |
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1                                      |                         |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>                       | 1                                      |                         |
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>   | 3                                      |                         |
| <i>methimazole oral tablet 10 mg, 5 mg</i>   | 1                                      |                         |
| <i>propylthiouracil oral tablet 50 mg</i>  | 3                                      |                         |
| <i>SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG</i>            | 4                                      |                         |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b> | <b>Drug Tier Requirements / Limits</b> |  |
|------------------|--|--|
|------------------|--|--|

|   |   |
|---|---|
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 |
|---|---|

#### **VITAMIN D ANALOGS**

|   |    |     |
|---|----|-----|
| <i>calcitriol intravenous solution 1 mcg/ml</i>             | 4  | B/D |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>            | 2  | B/D |
| <i>calcitriol oral solution 1 mcg/ml</i>                    | 4  | B/D |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i> | 4  | B/D |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>        | 4  | B/D |
| <b>RAYALDEE ORAL CAPSULE EXTENDED RELEASE 30 MCG</b>        | 5^ |     |

#### **GASTROINTESTINAL**

##### **ANTIEMETICS**

|  |   |                              |
|--|---|------------------------------|
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 &amp; 125 mg, 80 mg</i> | 4 | B/D                          |
| <i>compro rectal suppository 25 mg</i>                               | 4 |                              |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>                   | 4 | B/D; QL (60 EA per 30 days)  |
| <i>gransetron hcl intravenous solution 1 mg/ml</i>                   | 3 |                              |
| <i>gransetron hcl intravenous solution 4 mg/4ml</i>                  | 4 |                              |
| <i>gransetron hcl oral tablet 1 mg</i>                               | 4 | B/D                          |
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i>                      | 2 |                              |
| <i>metoclopramide hcl injection solution 5 mg/ml</i>                 | 3 |                              |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i>                     | 3 |                              |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>                    | 1 |                              |
| <i>ondansetron hcl injection solution 4 mg/2ml, 40 mg/20ml</i>       | 3 |                              |
| <i>ondansetron hcl injection solution prefilled syringe 4 mg/2ml</i> | 3 |                              |
| <i>ondansetron hcl oral solution 4 mg/5ml</i>                        | 4 |                              |
| <i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>                 | 2 |                              |
| <i>ondansetron oral tablet dispersible 4 mg, 8 mg</i>                | 3 |                              |
| <i>prochlorperazine edisylate injection solution 10 mg/2ml</i>       | 4 |                              |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>              | 2 |                              |
| <i>prochlorperazine rectal suppository 25 mg</i>                     | 4 |                              |
| <i>promethazine hcl injection solution 25 mg/ml, 50 mg/ml</i>        | 3 | PA; PA if 70 years and older |
| <i>promethazine hcl oral syrup 6.25 mg/5ml</i>                       | 3 | PA; PA if 70 years and older |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>            | 3 | PA; PA if 70 years and older |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  |    | <b>Drug Tier Requirements / Limits</b>               |
|---|----|--|
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i>             | 4  | PA; PA if 70 years and older; QL (10 EA per 30 days) |
| <b>ANTISPASMODICS</b>   |    |  |
| <i>dicyclomine hcl oral capsule 10 mg</i>                           | 3  |  |
| <i>dicyclomine hcl oral solution 10 mg/5ml</i>                      | 4  |  |
| <i>dicyclomine hcl oral tablet 20 mg</i>                            | 3  |  |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>                        | 3  |  |
| <b>H2-RECEPTOR ANTAGONISTS</b>                                      |    |  |
| <i>famotidine (pf) intravenous solution 20 mg/2ml</i>               | 3  |  |
| <i>famotidine intravenous solution 200 mg/20ml, 40 mg/4ml</i>       | 3  |  |
| <i>famotidine oral suspension reconstituted 40 mg/5ml</i>           | 4  | QL (300 ML per 30 days)                              |
| <i>famotidine oral tablet 20 mg</i>                                 | 1  | QL (120 EA per 30 days)                              |
| <i>famotidine oral tablet 40 mg</i>                                 | 1  | QL (60 EA per 30 days)                               |
| <i>famotidine premixed intravenous solution 20-0.9 mg/50ml-%</i>    | 3  |  |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>                       | 4  |  |
| <b>INFLAMMATORY BOWEL DISEASE</b>                                   |    |  |
| <i>balsalazide disodium oral capsule 750 mg</i>                     | 3  |  |
| <i>budesonide er oral tablet extended release 24 hour 9 mg</i>      | 5^ | PA   |
| <i>budesonide oral capsule delayed release particles 3 mg</i>       | 4  | PA   |
| <i>hydrocortisone rectal enema 100 mg/60ml</i>                      | 4  |  |
| <i>mesalamine er oral capsule extended release 24 hour 0.375 gm</i> | 4  | QL (120 EA per 30 days)                              |
| <i>mesalamine er oral capsule extended release 500 mg</i>           | 5^ | QL (240 EA per 30 days)                              |
| <i>mesalamine oral capsule delayed release 400 mg</i>               | 4  | QL (180 EA per 30 days)                              |
| <i>mesalamine oral tablet delayed release 1.2 gm, 800 mg</i>        | 4  |  |
| <i>mesalamine rectal enema 4 gm</i>                                 | 4  |  |
| <i>mesalamine rectal suppository 1000 mg</i>                        | 4  |  |
| <i>mesalamine-cleanser rectal kit 4 gm</i>                          | 4  |  |
| <i>PENTASA ORAL CAPSULE EXTENDED RELEASE 250 MG</i>                 | 4  | QL (480 EA per 30 days)                              |
| <i>PENTASA ORAL CAPSULE EXTENDED RELEASE 500 MG</i>                 | 5^ | QL (240 EA per 30 days)                              |
| <i>sulfasalazine oral tablet 500 mg</i>                             | 2  |  |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>             | 3  |  |
| <b>LAXATIVES</b>  |    |  |
| <i>constulose oral solution 10 gm/15ml</i>                          | 3  |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| <i>enulose oral solution 10 gm/15ml</i>                                  | 3                                      |
| <i>gavilyte-c oral solution reconstituted 240 gm</i>                     | 2                                      |
| <i>gavilyte-g oral solution reconstituted 236 gm</i>                     | 2                                      |
| <i>gavilyte-n with flavor pack oral solution reconstituted 420 gm</i>    | 2                                      |
| <i>generlac oral solution 10 gm/15ml</i>                                 | 3                                      |
| <b>GOLYTELY ORAL SOLUTION RECONSTITUTED 236 GM</b>                       | 3                                      |
| <i>lactulose encephalopathy oral solution 10 gm/15ml</i>                 | 3                                      |
| <i>lactulose oral solution 10 gm/15ml</i>                                | 3                                      |
| <i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml</i> | 4                                      |
| <b>NULYTELY LEMON-LIME ORAL SOLUTION RECONSTITUTED 420 GM</b>            | 3                                      |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>    | 2                                      |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>          | 2                                      |
| <b>PLENUV ORAL SOLUTION RECONSTITUTED 140 GM</b>                         | 4                                      |
| <b>SUPREP BOWEL PREP KIT ORAL SOLUTION 17.5-3.13-1.6 GM/177ML</b>        | 4                                      |
| <b>MISCELLANEOUS</b>   |  |
| <i>alosetron hcl oral tablet 0.5 mg</i>                                  | 4 PA; QL (60 EA per 30 days)           |
| <i>alosetron hcl oral tablet 1 mg</i>                                    | 5^ PA; QL (60 EA per 30 days)          |
| <b>AMITIZA ORAL CAPSULE 24 MCG</b>                                       | 4 QL (60 EA per 30 days)               |
| <b>AMITIZA ORAL CAPSULE 8 MCG</b>  | 4 QL (180 EA per 30 days)              |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>                       | 4                                      |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i>               | 4                                      |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>                   | 3                                      |
| <b>GATTEX SUBCUTANEOUS KIT 5 MG</b>                                      | 5^ PA; LA                              |
| <b>LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG</b>                     | 4 QL (30 EA per 30 days)               |
| <i>loperamide hcl oral capsule 2 mg</i>                                  | 3                                      |
| <i>lubiprostone oral capsule 24 mcg</i>                                  | 4 QL (60 EA per 30 days)               |
| <i>lubiprostone oral capsule 8 mcg</i>                                   | 4 QL (180 EA per 30 days)              |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i>                          | 3                                      |
| <b>MOVANTIK ORAL TABLET 12.5 MG</b>                                      | 3 QL (60 EA per 30 days)               |
| <b>MOVANTIK ORAL TABLET 25 MG</b>  | 3 QL (30 EA per 30 days)               |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                                |  |
|---|--|--------------------------------|--|
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 12 MG/0.6ML (0.6ML SYRINGE), 8 MG/0.4ML   | 5^                                     | PA                             |  |
| <i>sucralfate oral tablet 1 gm</i>  | 3                                      |                                |  |
| <i>ursodiol oral capsule 300 mg</i>   | 3                                      |                                |  |
| <i>ursodiol oral tablet 250 mg, 500 mg</i>  | 4                                      |                                |  |
| XERMELO ORAL TABLET 250 MG  | 5^                                     | PA; LA; QL (90 EA per 30 days) |  |
| XIFAXAN ORAL TABLET 550 MG  | 5^                                     | PA                             |  |
| <b>PANCREATIC ENZYMES</b>   |  |                                |  |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT                                       | 3                                      |                                |  |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT | 4                                      |                                |  |
| <b>PROTON PUMP INHIBITORS</b>   |  |                                |  |
| <i>dexlansoprazole oral capsule delayed release 30 mg, 60 mg</i>  | 4                                      |                                |  |
| <i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i>   | 4                                      | ST                             |  |
| <i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i>   | 3                                      |                                |  |
| <i>lansoprazole oral tablet delayed release dispersible 15 mg, 30 mg</i>  | 4                                      | ST                             |  |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>  | 1                                      |                                |  |
| <i>pantoprazole sodium intravenous solution reconstituted 40 mg</i>   | 3                                      |                                |  |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>   | 2                                      |                                |  |
| PRILOSEC ORAL PACKET 10 MG, 2.5 MG  | 4                                      |                                |  |
| <i>rabeprazole sodium oral tablet delayed release 20 mg</i>   | 3                                      |                                |  |
| <b>GENITOURINARY</b>  |  |                                |  |
| <b>BENIGN PROSTATIC HYPERPLASIA</b>   |  |                                |  |
| <i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>  | 2                                      | QL (30 EA per 30 days)         |  |
| <i>dutasteride oral capsule 0.5 mg</i>  | 3                                      | QL (30 EA per 30 days)         |  |
| <i>dutasteride-tamsulosin hcl oral capsule 0.5-0.4 mg</i>   | 4                                      | QL (30 EA per 30 days)         |  |
| <i>finasteride oral tablet 5 mg</i>   | 2                                      |                                |  |
| <i>silodosin oral capsule 4 mg, 8 mg</i>  | 3                                      | QL (30 EA per 30 days)         |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| tamsulosin hcl oral capsule 0.4 mg  | 2                                      |
| <b>MISCELLANEOUS</b>  |  |
| acetic acid irrigation solution 0.25 %  | 2                                      |
| bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg  | 3                                      |
| potassium citrate er oral tablet extended release 10 meq<br>(1080 mg), 15 meq (1620 mg), 5 meq (540 mg) | 4                                      |
| <b>URINARY ANTISPASMODICS</b>   |  |
| darifenacin hydrobromide er oral tablet extended release 24 hour 15 mg, 7.5 mg                          | 4 ST; QL (30 EA per 30 days)           |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML  | 4 QL (300 ML per 28 days)              |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG   | 4 QL (30 EA per 30 days)               |
| oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg                                | 3 QL (60 EA per 30 days)               |
| oxybutynin chloride er oral tablet extended release 24 hour 5 mg  | 3 QL (30 EA per 30 days)               |
| oxybutynin chloride oral syrup 5 mg/5ml   | 3                                      |
| oxybutynin chloride oral tablet 5 mg  | 3                                      |
| solifenacin succinate oral tablet 10 mg, 5 mg   | 4 QL (30 EA per 30 days)               |
| tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg                                | 4 ST; QL (30 EA per 30 days)           |
| tolterodine tartrate oral tablet 1 mg, 2 mg   | 4 ST; QL (60 EA per 30 days)           |
| TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG  | 3 QL (30 EA per 30 days)               |
| trospium chloride oral tablet 20 mg   | 3 QL (60 EA per 30 days)               |
| <b>VAGINAL ANTI-INFECTIVES</b>  |  |
| clindamycin phosphate vaginal cream 2 %   | 3                                      |
| metronidazole vaginal gel 0.75 %  | 3                                      |
| terconazole vaginal cream 0.4 %, 0.8 %  | 3                                      |
| terconazole vaginal suppository 80 mg   | 3                                      |
| vandazole vaginal gel 0.75 %  | 3                                      |
| <b>HEMATOLOGIC</b>  |  |
| <b>ANTICOAGULANTS</b>   |  |
| dabigatran etexilate mesylate oral capsule 150 mg, 75 mg  | 4 QL (60 EA per 30 days)               |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY<br>PACK 5 MG   | 3                | QL (74 EA per 30 days)       |
| ELIQUIS ORAL TABLET 2.5 MG   | 3                | QL (60 EA per 30 days)       |
| ELIQUIS ORAL TABLET 5 MG   | 3                | QL (74 EA per 30 days)       |
| <i>enoxaparin sodium injection solution 300 mg/3ml</i>   | 4                |                              |
| <i>enoxaparin sodium injection solution prefilled syringe 100<br/>mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40<br/>mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i> | 4                |                              |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5<br/>mg/0.4ml, 7.5 mg/0.6ml</i>   | 5^               |                              |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>  | 4                |                              |
| HEPARIN (PORCINE) IN NAACL INTRAVENOUS SOLUTION<br>25000-0.45 UT/250ML-%, 25000-0.45 UT/500ML-%  | 3                |                              |
| <i>heparin sod (porcine) in d5w intravenous solution 100<br/>unit/ml, 25000-5 ut/500ml-%, 40-5 unit/ml-%</i>   | 3                |                              |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml,<br/>10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>  | 3                | B/D                          |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg,<br/>5 mg, 6 mg, 7.5 mg</i>  | 1                |                              |
| PRADAXA ORAL CAPSULE 110 MG  | 4                | QL (120 EA per 30 days)      |
| PRADAXA ORAL CAPSULE 150 MG, 75 MG   | 4                | QL (60 EA per 30 days)       |
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3<br/>mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>   | 1                |                              |
| XARELTO ORAL SUSPENSION RECONSTITUTED 1 MG/ML  | 3                | QL (620 ML per 30 days)      |
| XARELTO ORAL TABLET 10 MG, 20 MG   | 3                | QL (30 EA per 30 days)       |
| XARELTO ORAL TABLET 15 MG, 2.5 MG  | 3                | QL (60 EA per 30 days)       |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 &<br>20 MG  | 3                | QL (51 EA per 30 days)       |
| <b>HEMATOPOIETIC GROWTH FACTORS</b>  |                  |                              |
| PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000<br>UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML  | 3                | PA                           |
| PROCRIT INJECTION SOLUTION 20000 UNIT/ML, 40000<br>UNIT/ML   | 5^               | PA                           |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300<br>MCG/0.5ML, 480 MCG/0.8ML  | 5^               | PA                           |
| <b>MISCELLANEOUS</b>   |                  |                              |
| <i>anagrelide hcl oral capsule 0.5 mg, 1 mg</i>  | 4                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                                 |
|--|--|---------------------------------|
| BERINERT INTRAVENOUS KIT 500 UNIT  | 5^                                     | PA; LA; QL (24 EA per 30 days)  |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                    | 2                                      |                                 |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT                            | 5^                                     | PA; LA; QL (20 EA per 30 days)  |
| DOPTELET ORAL TABLET 20 MG, 20 MG (10 PACK), 20 MG(15 PACK)                    | 5^                                     | PA; LA                          |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG                                     | 3                                      |                                 |
| ENDARI ORAL PACKET 5 GM  | 5^                                     | PA; LA                          |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT                         | 5^                                     | PA; LA; QL (30 EA per 30 days)  |
| HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 3000 UNIT                         | 5^                                     | PA; LA; QL (20 EA per 30 days)  |
| <i>icatibant acetate subcutaneous solution 30 mg/3ml</i>                       | 5^                                     | PA; QL (27 ML per 30 days)      |
| <i>pentoxifylline er oral tablet extended release 400 mg</i>                   | 2                                      |                                 |
| PROMACTA ORAL PACKET 12.5 MG   | 5^                                     | PA; LA; QL (360 EA per 30 days) |
| PROMACTA ORAL PACKET 25 MG   | 5^                                     | PA; LA; QL (180 EA per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG  | 5^                                     | PA; LA; QL (30 EA per 30 days)  |
| PROMACTA ORAL TABLET 50 MG, 75 MG  | 5^                                     | PA; LA; QL (60 EA per 30 days)  |
| <i>sajazir subcutaneous solution 30 mg/3ml</i>                                 | 5^                                     | PA; QL (27 ML per 30 days)      |
| <i>tranexamic acid intravenous solution 1000 mg/10ml</i>                       | 4                                      |                                 |
| <i>tranexamic acid oral tablet 650 mg</i>                                      | 3                                      |                                 |
| <b>PLATELET AGGREGATION INHIBITORS</b>   |  |                                 |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i> | 4                                      |                                 |
| BRILINTA ORAL TABLET 60 MG, 90 MG  | 3                                      |                                 |
| <i>clopidogrel bisulfate oral tablet 75 mg</i>                                 | 2                                      |                                 |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>                            | 3                                      | PA; PA if 70 years and older    |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i>                                   | 3                                      |                                 |
| <b>IMMUNOLOGIC AGENTS</b>  |  |                                 |
| <b>AUTOIMMUNE AGENTS</b>   |  |                                 |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML                           | 5^                                     | PA; QL (8 ML per 28 days)       |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML                                       | 5^                                     | PA; QL (8 ML per 28 days)       |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML           | 5^                                     | PA; QL (8 ML per 28 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                              |
|--|--|------------------------------|
| ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED 25 MG   | 5^                                     | PA; QL (16 EA per 28 days)   |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML  | 5^                                     | PA; QL (8 ML per 28 days)    |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML | 5^                                     | PA                           |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML                                      | 5^                                     | PA; QL (6 EA per 28 days)    |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML   | 5^                                     | PA; QL (4 EA per 28 days)    |
| HUMIRA PEN-CD/UC/HS STARTER SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML                     | 5^                                     | PA                           |
| HUMIRA PEN-PEDIATRIC UC START SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML                                | 5^                                     | PA                           |
| HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML                               | 5^                                     | PA                           |
| HUMIRA PEN-PSOR/UVEIT STARTER SUBCUTANEOUS PEN-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML                   | 5^                                     | PA                           |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML                                     | 5^                                     | PA; QL (2 EA per 28 days)    |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML, 40 MG/0.8ML                                     | 5^                                     | PA; QL (6 EA per 28 days)    |
| INFliximab INTRAVENOUS SOLUTION RECONSTITUTED 100 MG   | 5^                                     | PA; LA                       |
| OTEZLA ORAL TABLET 30 MG   | 5^                                     | PA; QL (60 EA per 30 days)   |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG  | 5^                                     | PA; QL (110 EA per 365 days) |
| REMICADE INTRAVENOUS SOLUTION RECONSTITUTED 100 MG   | 5^                                     | PA                           |
| RENFLEXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG  | 5^                                     | PA; LA                       |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG   | 5^                                     | PA; QL (30 EA per 30 days)   |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 45 MG  | 5^                                     | PA; QL (112 EA per 365 days) |
| SKYRIZI (150 MG DOSE) SUBCUTANEOUS PREFILLED SYRINGE KIT 75 MG/0.83ML                                  | 5^                                     | PA; QL (7 EA per 365 days)   |
| SKYRIZI INTRAVENOUS SOLUTION 600 MG/10ML   | 5^                                     | PA; QL (60 ML per 365 days)  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR<br>150 MG/ML   | 5^ PA; QL (7 ML per 365 days)          |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360<br>MG/2.4ML  | 5^ PA; QL (16.8 ML per 365 days)       |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150<br>MG/ML   | 5^ PA; QL (7 ML per 365 days)          |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML  | 5^ PA; LA; QL (1 ML per 28 days)       |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE<br>45 MG/0.5ML   | 5^ PA; QL (0.5 ML per 28 days)         |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE<br>90 MG/ML  | 5^ PA; QL (1 ML per 28 days)           |
| TALTZ SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80<br>MG/ML  | 5^ PA; LA; QL (3 ML per 28 days)       |
| TALTZ SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 80<br>MG/ML  | 5^ PA; LA; QL (3 ML per 28 days)       |
| XELJANZ ORAL SOLUTION 1 MG/ML  | 5^ PA; QL (240 ML per 24 days)         |
| XELJANZ ORAL TABLET 10 MG, 5 MG  | 5^ PA; QL (60 EA per 30 days)          |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11<br>MG, 22 MG  | 5^ PA; QL (30 EA per 30 days)          |
| <b>DISEASE-MODIFYING ANTI-RHEUMATIC DRUGS (DMARDs)</b>   |  |
| hydroxychloroquine sulfate oral tablet 200 mg  | 3                                      |
| leflunomide oral tablet 10 mg, 20 mg   | 3 QL (30 EA per 30 days)               |
| methotrexate oral tablet 2.5 mg  | 3                                      |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG   | 4                                      |
| XATMEP ORAL SOLUTION 2.5 MG/ML   | 4                                      |
| <b>IMMUNOGLOBULINS</b>   |  |
| BIVIGAM INTRAVENOUS SOLUTION 10 GM/100ML   | 5^ PA; LA                              |
| BIVIGAM INTRAVENOUS SOLUTION 5 GM/50ML   | 5^ PA                                  |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10<br>GM/100ML, 10 GM/200ML, 2.5 GM/50ML, 20 GM/200ML,<br>20 GM/400ML, 5 GM/100ML, 5 GM/50ML | 5^ PA                                  |
| GAMASTAN INTRAMUSCULAR INJECTABLE  | 4 B/D                                  |
| GAMMAGARD INJECTION SOLUTION 1 GM/10ML, 10<br>GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 30 GM/300ML,<br>5 GM/50ML                      | 5^ PA                                  |
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION<br>RECONSTITUTED 10 GM, 5 GM   | 5^ PA                                  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                           |
|--|--|---------------------------|
| GAMMAKED INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 20 GM/200ML, 5 GM/50ML   | 5^                                     | PA                        |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 20 GM/400ML, 5 GM/100ML, 5 GM/50ML   | 5^                                     | PA                        |
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML  | 5^                                     | PA                        |
| OCTAGAM INTRAVENOUS SOLUTION 1 GM/20ML, 10 GM/100ML, 10 GM/200ML, 2 GM/20ML, 2.5 GM/50ML, 20 GM/200ML, 25 GM/500ML, 30 GM/300ML, 5 GM/100ML, 5 GM/50ML | 5^                                     | PA                        |
| PANZYGA INTRAVENOUS SOLUTION 1 GM/10ML, 10 GM/100ML, 2.5 GM/25ML, 20 GM/200ML, 30 GM/300ML, 5 GM/50ML  | 5^                                     | PA                        |
| PRIVIGEN INTRAVENOUS SOLUTION 10 GM/100ML, 20 GM/200ML, 40 GM/400ML, 5 GM/50ML   | 5^                                     | PA                        |
| <b>IMMUNOMODULATORS</b>  |  |                           |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 2000000 UNIT/0.5ML   | 5^                                     | PA-NS; LA                 |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG  | 5^                                     | PA                        |
| INTRON A INJECTION SOLUTION 10000000 UNIT/ML, 6000000 UNIT/ML  | 5^                                     | B/D                       |
| INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT  | 3                                      | B/D                       |
| INTRON A INJECTION SOLUTION RECONSTITUTED 18000000 UNIT  | 4                                      | B/D                       |
| INTRON A INJECTION SOLUTION RECONSTITUTED 50000000 UNIT  | 5^                                     | B/D                       |
| <b>IMMUNOSUPPRESSANTS</b>  |  |                           |
| <i>azathioprine oral tablet 50 mg</i>  | 3                                      | B/D                       |
| BENLYSTA INTRAVENOUS SOLUTION RECONSTITUTED 120 MG, 400 MG   | 5^                                     | PA                        |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML   | 5^                                     | PA; QL (8 ML per 28 days) |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML   | 5^                                     | PA; QL (8 ML per 28 days) |
| <i>cyclosporine intravenous solution 50 mg/ml</i>  | 4                                      | B/D                       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg                           | 4                | B/D                          |
| cyclosporine modified oral solution 100 mg/ml                                     | 4                | B/D                          |
| cyclosporine oral capsule 100 mg, 25 mg   | 4                | B/D                          |
| everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg                             | 5^               | B/D                          |
| gengraf oral capsule 100 mg, 25 mg  | 4                | B/D                          |
| gengraf oral solution 100 mg/ml   | 4                | B/D                          |
| mycophenolate mofetil oral capsule 250 mg   | 3                | B/D                          |
| mycophenolate mofetil oral suspension reconstituted 200 mg/ml                     | 5^               | B/D                          |
| mycophenolate mofetil oral tablet 500 mg  | 3                | B/D                          |
| mycophenolate sodium oral tablet delayed release 180 mg, 360 mg                   | 4                | B/D                          |
| NULOJIX INTRAVENOUS SOLUTION RECONSTITUTED 250 MG                                 | 5^               | B/D                          |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG  | 4                | B/D                          |
| REZUROCK ORAL TABLET 200 MG   | 5^               | PA-NS; LA                    |
| SANDIMMUNE ORAL SOLUTION 100 MG/ML  | 3                | B/D                          |
| sirolimus oral solution 1 mg/ml   | 5^               | B/D                          |
| sirolimus oral tablet 0.5 mg, 1 mg, 2 mg  | 4                | B/D                          |
| tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg  | 4                | B/D                          |
| ZORTRESS ORAL TABLET 1 MG   | 5^               | B/D                          |
| <b>VACCINES</b>   |                  |                              |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED                                       | 3                | NM                           |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5 | 3                | NM                           |
| BCG VACCINE INJECTION SOLUTION RECONSTITUTED 50 MG                                | 3                | NM                           |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                | 3                | NM                           |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5                           | 3                | NM                           |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5         | 3                | NM                           |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5   | 3                | NM                           |
| DENGVAXIA SUBCUTANEOUS SUSPENSION RECONSTITUTED                                   | 3                | NM                           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| DIPHTHERIA-TETANUS TOXOIDS DT INTRAMUSCULAR SUSPENSION 25-5 LFU/0.5ML                    | 3                | B/D; NM                      |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML   | 3                | B/D; NM                      |
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML                 | 3                | B/D; NM                      |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION  | 3                | NM                           |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                    | 3                | NM                           |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML                             | 3                | NM                           |
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG  | 3                | NM                           |
| IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML                         | 3                | B/D; NM                      |
| INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10   | 3                | NM                           |
| IPOP INJECTION INJECTABLE  | 3                | NM                           |
| IXIARO INTRAMUSCULAR SUSPENSION  | 3                | NM                           |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML                                 | 3                | NM                           |
| MENACTRA INTRAMUSCULAR SOLUTION  | 3                | NM                           |
| MENQUADFI INTRAMUSCULAR SOLUTION   | 3                | NM                           |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED  | 3                | NM                           |
| M-M-R II INJECTION SOLUTION RECONSTITUTED  | 3                | NM                           |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE                                      | 3                | NM                           |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML  | 3                | NM                           |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED , (96-30-68-1-80-2-16-3-64-20 VAR UNITS) | 3                | NM                           |
| PREHEVBRIOD INTRAMUSCULAR SUSPENSION 10 MCG/ML   | 3                | B/D; NM                      |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED  | 3                | NM                           |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED  | 3                | NM                           |
| QUADRACEL INTRAMUSCULAR SUSPENSION , (58 UNT/ML)   | 3                | NM                           |
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML                              | 3                | NM                           |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED  | 3                | B/D; NM                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                            |
|---|--|----------------------------|
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML                            | 3                                      | B/D; NM                    |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML                     | 3                                      | B/D; NM                    |
| ROTARIX ORAL SUSPENSION RECONSTITUTED   | 3                                      | NM                         |
| ROTATEQ ORAL SOLUTION   | 3                                      | NM                         |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML                                    | 3                                      | NM; QL (2 EA per 999 days) |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF/0.5ML   | 3                                      | B/D; NM                    |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION)                                   | 3                                      | B/D; NM                    |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML, 2.4 MCG/0.5ML                | 3                                      | NM                         |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE   | 3                                      | NM                         |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML                            | 3                                      | NM                         |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML   | 3                                      | NM                         |
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML                                 | 3                                      | NM                         |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML | 3                                      | NM                         |
| VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML  | 3                                      | NM                         |
| YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE)                                 | 3                                      | NM                         |
| <b>NUTRITIONAL/SUPPLEMENTS</b>  |  |                            |
| <b>ELECTROLYTES/MINERALS, INJECTABLE</b>  |  |                            |
| DEXTROSE 5%/ELECTROLYTE #48 INTRAVENOUS SOLUTION  | 4                                      |                            |
| <i>dextrose in lactated ringers intravenous solution 5 %</i>                                    | 3                                      |                            |
| DEXTROSE-NACL INTRAVENOUS SOLUTION 10-0.2 %, 2.5-0.45 %   | 3                                      |                            |
| <i>dextrose-nacl intravenous solution 10-0.45 %, 5-0.2 %, 5-0.45 %, 5-0.9 %</i>                 | 3                                      |                            |
| <i>dextrose-sodium chloride intravenous solution 2.5-0.45 %, 5-0.225 %, 5-0.3 %</i>             | 3                                      |                            |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION   | 4                                      |                            |
| ISOLYTE-S INTRAVENOUS SOLUTION  | 4                                      |                            |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| ISOLYTE-S PH 7.4 INTRAVENOUS SOLUTION   | 4                                      |
| <i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%</i> | 3                                      |
| KCL IN DEXTROSE-NACL INTRAVENOUS SOLUTION 40-5-0.9 MEQ/L-%  | 4                                      |
| <i>lactated ringers intravenous solution</i>  | 3                                      |
| <i>magnesium sulfate in d5w intravenous solution 1-5 gm/100ml-%</i>   | 3                                      |
| MAGNESIUM SULFATE IN D5W SOLUTION 1-5 GM/100ML-% INTRAVENOUS 1-5 GM/100ML-%   | 3                                      |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>   | 3                                      |
| <i>magnesium sulfate intravenous solution 2 gm/50ml, 20 gm/500ml, 4 gm/100ml, 4 gm/50ml, 40 gm/1000ml</i>   | 3                                      |
| MAGNESIUM SULFATE SOLUTION 2 GM/50ML INTRAVENOUS 2 GM/50ML  | 3                                      |
| MAGNESIUM SULFATE SOLUTION 20 GM/500ML INTRAVENOUS 20 GM/500ML  | 3                                      |
| MAGNESIUM SULFATE SOLUTION 4 GM/100ML INTRAVENOUS 4 GM/100ML  | 3                                      |
| MAGNESIUM SULFATE SOLUTION 4 GM/50ML INTRAVENOUS 4 GM/50ML  | 3                                      |
| MAGNESIUM SULFATE SOLUTION 40 GM/1000ML INTRAVENOUS 40 GM/1000ML  | 3                                      |
| PLASMA-LYTE 148 INTRAVENOUS SOLUTION  | 4                                      |
| PLASMA-LYTE A INTRAVENOUS SOLUTION  | 4                                      |
| <i>potassium chloride in dextrose intravenous solution 20-5 meq/l-%</i>   | 3                                      |
| POTASSIUM CHLORIDE IN NACL INTRAVENOUS SOLUTION 20-0.45 MEQ/L-%, 40-0.9 MEQ/L-%   | 4                                      |
| <i>potassium chloride in nacl intravenous solution 20-0.9 meq/l-%</i>   | 3                                      |
| <i>potassium chloride in nacl solution 20-0.45 meq/l-% intravenous 20-0.45 meq/l-%</i>  | 3                                      |
| <i>potassium chloride intravenous solution 10 meq/100ml, 20 meq/100ml, 40 meq/100ml</i>   | 4                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name  | Drug Tier Requirements / Limits |
|--|---------------------------------|
| POTASSIUM CHLORIDE INTRAVENOUS SOLUTION 10 MEQ/50ML, 20 MEQ/50ML                     | 4                               |
| potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)                   | 3                               |
| sodium chloride injection solution 2.5 meq/ml  | 3                               |
| sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %                         | 3                               |
| TPN ELECTROLYTES INTRAVENOUS CONCENTRATE   | 4 B/D                           |
| <b>ELECTROLYTES/MINERALS/VITAMINS, ORAL</b>  |                                 |
| klor-con 10 oral tablet extended release 10 meq                                      | 2                               |
| klor-con m10 oral tablet extended release 10 meq                                     | 2                               |
| klor-con m15 oral tablet extended release 15 meq                                     | 3                               |
| klor-con m20 oral tablet extended release 20 meq                                     | 2                               |
| klor-con oral packet 20 meq  | 4                               |
| klor-con oral tablet extended release 8 meq  | 2                               |
| M-NATAL PLUS ORAL TABLET 27-1 MG   | 3                               |
| potassium chloride crys er oral tablet extended release 10 meq, 20 meq               | 2                               |
| potassium chloride crys er oral tablet extended release 15 meq                       | 3                               |
| potassium chloride er oral capsule extended release 10 meq, 8 meq                    | 3                               |
| potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq             | 2                               |
| potassium chloride oral packet 20 meq  | 4                               |
| potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)                | 4                               |
| PRENATAL VITAMIN PLUS LOW IRON ORAL TABLET 27-1 MG                                   | 3                               |
| PRENATAL VITAMIN WITH FOLIC ACID GREATER THAN 0.8 MG ORAL TABLET ORAL TABLET 27-1 MG | 3                               |
| sodium fluoride chew, tab, 1.1 (0.5 f) mg/ml soln oral tablet 2.2 (1 f) mg           | 2                               |
| TRICARE ORAL TABLET  | 3                               |
| <b>IV NUTRITION</b>  |                                 |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25 %                              | 4 B/D                           |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25 %                               | 4 B/D                           |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>                                       | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5 %      | 4                | B/D                          |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5 %      | 4                | B/D                          |
| CLINIMIX/DEXTROSE (6/5) INTRAVENOUS SOLUTION 6 %       | 4                | B/D                          |
| CLINIMIX/DEXTROSE (8/10) INTRAVENOUS SOLUTION 8 %      | 4                | B/D                          |
| CLINIMIX/DEXTROSE (8/14) INTRAVENOUS SOLUTION 8 %      | 4                | B/D                          |
| <i>clinisol sf intravenous solution 15 %</i>           | 4                | B/D                          |
| CLINOLIPID INTRAVENOUS EMULSION 20 %                   | 4                | B/D                          |
| <i>dextrose intravenous solution 10 %, 5 %</i>         | 3                |                              |
| <i>dextrose intravenous solution 50 %, 70 %</i>        | 3                | B/D                          |
| FREAMINE III INTRAVENOUS SOLUTION 10 %                 | 4                | B/D                          |
| <i>hepatamine intravenous solution 8 %</i>             | 4                | B/D                          |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %             | 4                | B/D                          |
| NUTRILIPID INTRAVENOUS EMULSION 20 %                   | 4                | B/D                          |
| <i>plenamine intravenous solution 15 %</i>             | 4                | B/D                          |
| PREMASOL INTRAVENOUS SOLUTION 10 %                     | 4                | B/D                          |
| PROCALAMINE INTRAVENOUS SOLUTION 3 %                   | 4                | B/D                          |
| PROSOL INTRAVENOUS SOLUTION 20 %                       | 4                | B/D                          |
| TRAVASOL INTRAVENOUS SOLUTION 10 %                     | 4                | B/D                          |
| TROPHAMINE INTRAVENOUS SOLUTION 10 %                   | 4                | B/D                          |
| <b>OPHTHALMIC</b>                                      |                  |                              |
| <b>ANTIALLERGICS</b>                                   |                  |                              |
| <i>azelastine hcl ophthalmic solution 0.05 %</i>       | 3                |                              |
| BEPREVE OPHTHALMIC SOLUTION 1.5 %                      | 3                |                              |
| <i>cromolyn sodium ophthalmic solution 4 %</i>         | 1                |                              |
| LASTACAFT OPHTHALMIC SOLUTION 0.25 %                   | 4                |                              |
| <i>olopatadine hcl ophthalmic solution 0.1 %</i>       | 3                |                              |
| ZERVIATE OPHTHALMIC SOLUTION 0.24 %                    | 4                |                              |
| <b>ANTIGLAUCOMA</b>                                    |                  |                              |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 %                   | 3                |                              |
| AZOPT OPHTHALMIC SUSPENSION 1 %                        | 4                |                              |
| <i>betaxolol hcl ophthalmic solution 0.5 %</i>         | 3                |                              |
| BETOPTIC-S OPHTHALMIC SUSPENSION 0.25 %                | 3                |                              |
| <i>brimonidine tartrate ophthalmic solution 0.15 %</i> | 4                |                              |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i>  | 1                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |
|--|--|
| <i>carteolol hcl ophthalmic solution 1 %</i>                           | 2                                      |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 %                                 | 3                                      |
| <i>dorzolamide hcl ophthalmic solution 2 %</i>                         | 2                                      |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 22.3-6.8 mg/ml</i>  | 2                                      |
| <i>latanoprost ophthalmic solution 0.005 %</i>                         | 2                                      |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i>                       | 2                                      |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 %                                     | 3                                      |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>               | 3                                      |
| RHOPRESSA OPHTHALMIC SOLUTION 0.02 %                                   | 3                                      |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 %                             | 4                                      |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %                                | 3                                      |
| <i>timolol maleate (once-daily) ophthalmic solution 0.5 %</i>          | 4                                      |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>   | 4                                      |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i>               | 1                                      |
| <i>travoprost (bak free) ophthalmic solution 0.004 %</i>               | 4                                      |
| VYZULTA OPHTHALMIC SOLUTION 0.024 %                                    | 4                                      |
| <b>ANTI-INFECTIVE/ANTI-INFLAMMATORY</b>                                |  |
| <i>bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>           | 3                                      |
| BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 %                         | 4                                      |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>   | 2                                      |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | 2                                      |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>         | 4                                      |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i>        | 2                                      |
| TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 %                                 | 3                                      |
| TOBRADEX ST OPHTHALMIC SUSPENSION 0.3-0.05 %                           | 3                                      |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>        | 4                                      |
| ZYLET OPHTHALMIC SUSPENSION 0.5-0.3 %                                  | 3                                      |
| <b>ANTI-INFECTIVES</b>   |  |
| <i>bacitracin ophthalmic ointment 500 unit/gm</i>                      | 3                                      |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i>    | 2                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |
|---|--|
| BESIVANCE OPHTHALMIC SUSPENSION 0.6 %                             | 3                                      |
| CILOXAN OPHTHALMIC OINTMENT 0.3 %                                 | 3                                      |
| ciprofloxacin hcl ophthalmic solution 0.3 %                       | 2                                      |
| erythromycin ophthalmic ointment 5 mg/gm                          | 2                                      |
| gatifloxacin ophthalmic solution 0.5 %                            | 2                                      |
| gentak ophthalmic ointment 0.3 %                                  | 3                                      |
| gentamicin sulfate ophthalmic solution 0.3 %                      | 2                                      |
| moxifloxacin hcl ophthalmic solution 0.5 %                        | 3                                      |
| NATACYN OPHTHALMIC SUSPENSION 5 %                                 | 4                                      |
| neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000    | 3                                      |
| neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025 | 3                                      |
| ofloxacin ophthalmic solution 0.3 %                               | 2                                      |
| polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%  | 1                                      |
| sulfacetamide sodium ophthalmic ointment 10 %                     | 3                                      |
| sulfacetamide sodium ophthalmic solution 10 %                     | 3                                      |
| tobramycin ophthalmic solution 0.3 %                              | 1                                      |
| trifluridine ophthalmic solution 1 %                              | 4                                      |
| ZIRGAN OPHTHALMIC GEL 0.15 %                                      | 4                                      |
| <b>ANTI-INFLAMMATORIES</b>  |  |
| ALREX OPHTHALMIC SUSPENSION 0.2 %                                 | 3                                      |
| bromfenac sodium (once-daily) ophthalmic solution 0.09 %          | 4                                      |
| BROMSITE OPHTHALMIC SOLUTION 0.075 %                              | 4                                      |
| dexamethasone sodium phosphate ophthalmic solution 0.1 %          | 3                                      |
| diclofenac sodium ophthalmic solution 0.1 %                       | 2                                      |
| diluprednate ophthalmic emulsion 0.05 %                           | 3                                      |
| FLAREX OPHTHALMIC SUSPENSION 0.1 %                                | 4                                      |
| fluorometholone ophthalmic suspension 0.1 %                       | 3                                      |
| flurbiprofen sodium ophthalmic solution 0.03 %                    | 3                                      |
| ILEVRO OPHTHALMIC SUSPENSION 0.3 %                                | 3                                      |
| ketorolac tromethamine ophthalmic solution 0.4 %                  | 3                                      |
| ketorolac tromethamine ophthalmic solution 0.5 %                  | 2                                      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                          |
|--|--|--------------------------|
| LOTEMAX OPHTHALMIC OINTMENT 0.5 %  | 3                                      |                          |
| <i>loteprednol etabonate ophthalmic suspension 0.5 %</i>                 | 4                                      |                          |
| NEVANAC OPHTHALMIC SUSPENSION 0.1 %                                      | 4                                      |                          |
| <i>prednisolone acetate ophthalmic suspension 1 %</i>                    | 3                                      |                          |
| PREDNISOLONE SODIUM PHOSPHATE OPHTHALMIC SOLUTION 1 %                    | 3                                      |                          |
| PROLENSA OPHTHALMIC SOLUTION 0.07 %                                      | 3                                      |                          |
| <b>MISCELLANEOUS</b>   |  |                          |
| ATROPINE SULFATE OPHTHALMIC SOLUTION 1 %                                 | 3                                      |                          |
| <i>atropine sulfate solution 1 % ophthalmic 1 %</i>                      | 3                                      |                          |
| CYSTADROPS OPHTHALMIC SOLUTION 0.37 %                                    | 5^                                     | PA; LA                   |
| CYSTARAN OPHTHALMIC SOLUTION 0.44 %                                      | 5^                                     | PA; LA                   |
| ISOPTO ATROPINE OPHTHALMIC SOLUTION 1 %                                  | 3                                      |                          |
| <i>proparacaine hcl ophthalmic solution 0.5 %</i>                        | 3                                      |                          |
| RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 %                            | 3                                      |                          |
| RESTASIS OPHTHALMIC EMULSION 0.05 %                                      | 3                                      |                          |
| XIIDRA OPHTHALMIC SOLUTION 5 %   | 3                                      |                          |
| <b>OTIC</b>  |  |                          |
| <b>OTIC AGENTS</b>   |  |                          |
| <i>acetic acid otic solution 2 %</i>                                     | 3                                      |                          |
| CIPRO HC OTIC SUSPENSION 0.2-1 %   | 4                                      |                          |
| CIPRODEX OTIC SUSPENSION 0.3-0.1 %                                       | 3                                      |                          |
| <i>flac otic oil 0.01 %</i>  | 2                                      |                          |
| <i>fluocinolone acetonide otic oil 0.01 %</i>                            | 2                                      |                          |
| <i>neomycin-polymyxin-hc otic solution 1 %</i>                           | 3                                      |                          |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i>                 | 3                                      |                          |
| <i>ofloxacin otic solution 0.3 %</i>                                     | 4                                      |                          |
| <b>RESPIRATORY</b>   |  |                          |
| <b>ANTICHOLINERGIC/BETA AGONIST COMBINATIONS</b>                         |  |                          |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT | 3                                      | QL (60 EA per 30 days)   |
| BEVESPI AEROSPHERE INHALATION AEROSOL 9-4.8 MCG/ACT                      | 3                                      | QL (10.7 GM per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>  |
|--|------------------|---|
| BREZTRI AEROSPHERE AEROSOL 160-9-4.8 MCG/ACT<br>INHALATION 160-9-4.8 MCG/ACT   | 3                | Institutional Pack (5.9g inhaler containing 28 inhalations); QL (23.6 GM per 28 days)           |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT  | 3                | Retail Inhalation Canister (10.7g inhaler containing 120 inhalations); QL (10.7 GM per 30 days) |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT  | 4                | QL (8 GM per 30 days)   |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>  | 3                | B/D   |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT                              | 3                | QL (60 EA per 30 days)  |
| <b>ANTICHOLINERGICS</b>  |                  |   |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT  | 4                | QL (25.8 GM per 30 days)  |
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT  | 3                | QL (30 EA per 30 days)  |
| <i>ipratropium bromide inhalation solution 0.02 %</i>  | 2                | B/D   |
| <i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i>   | 3                |   |
| <b>ANTIHISTAMINES</b>  |                  |   |
| <i>azelastine hcl nasal solution 0.1 %, 0.15 %</i>   | 3                |   |
| <i>cetirizine hcl oral solution 1 mg/ml</i>  | 2                |   |
| <i>cyproheptadine hcl oral syrup 2 mg/5ml</i>  | 3                | PA; PA if 70 years and older  |
| <i>cyproheptadine hcl oral tablet 4 mg</i>   | 3                | PA; PA if 70 years and older  |
| <i>desloratadine oral tablet 5 mg</i>  | 3                |   |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i>   | 3                |   |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>   | 4                | PA; PA if 70 years and older  |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i>  | 3                | PA; PA if 70 years and older  |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>   | 2                | PA; PA if 70 years and older  |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>   | 2                | PA; PA if 70 years and older  |
| <i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i>   | 4                |   |
| <i>levocetirizine dihydrochloride oral tablet 5 mg</i>   | 3                |   |
| <i>olopatadine hcl nasal solution 0.6 %</i>  | 4                |   |
| <b>BETA AGONISTS</b>   |                  |   |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act inhalation aerosol solution 108 (90 base) mcg/act</i> | 3                | (generic of Proair HFA); QL (17 GM per 30 days)   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements / Limits</b>                         |
|--|------------------|--|
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act inhalation aerosol solution 108 (90 base) mcg/act (nda020503)</i> | 3                | (generic of Proventil HFA); QL (13.4 GM per 30 days) |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act inhalation aerosol solution 108 (90 base) mcg/act (nda020983)</i> | 3                | (generic of Ventolin HFA); QL (36 GM per 30 days)    |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%</i>  | 2                | B/D  |
| <i>albuterol sulfate inhalation nebulization solution 0.63 mg/3ml, 1.25 mg/3ml, 2.5 mg/0.5ml</i>   | 3                | B/D  |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i>   | 2                |  |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>  | 4                |  |
| <i>arformoterol tartrate inhalation nebulization solution 15 mcg/2ml</i>   | 4                | B/D  |
| <b>BROVANA INHALATION NEBULIZATION SOLUTION 15 MCG/2ML</b>   | 5^               | B/D  |
| <i>levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml</i>                                | 4                | B/D  |
| <i>levalbuterol tartrate inhalation aerosol 45 mcg/act</i>   | 3                | QL (30 GM per 30 days)                               |
| <b>SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT</b>   | 3                | QL (60 EA per 30 days)                               |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>  | 4                |  |
| <b>VENTOLIN HFA AEROSOL SOLUTION 108 (90 BASE) MCG/ACT INHALATION 108 (90 BASE) MCG/ACT</b>  | 3                | QL (48 GM per 30 days)                               |
| <b>VENTOLIN HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT</b>  | 3                | QL (36 GM per 30 days)                               |
| <b>LEUKOTRIENE MODULATORS</b>  |                  |  |
| <i>montelukast sodium oral packet 4 mg</i>   | 4                |  |
| <i>montelukast sodium oral tablet 10 mg</i>  | 1                |  |
| <i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>  | 3                |  |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i>  | 3                |  |
| <b>MISCELLANEOUS</b>   |                  |  |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>   | 3                | B/D  |
| <b>ARALAST NP INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG, 500 MG</b>   | 5^               | PA; LA   |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i>  | 3                | B/D  |
| <b>DALIRESP ORAL TABLET 250 MCG, 500 MCG</b>   | 4                |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| Drug Name   | Drug Tier | Requirements / Limits          |
|---|-----------|--------------------------------|
| <i>epinephrine injection solution 0.3 mg/0.3ml</i>                                  | 3         | (generic of Adrenaclick)       |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml</i>                  | 3         | (generic of Adrenaclick)       |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml,<br/>0.3 mg/0.3ml</i> | 3         | (generic of EpiPen)            |
| ESBRIET ORAL CAPSULE 267 MG   | 5^        | PA; QL (270 EA per 30 days)    |
| ESBRIET ORAL TABLET 267 MG  | 5^        | PA; QL (270 EA per 30 days)    |
| ESBRIET ORAL TABLET 801 MG  | 5^        | PA; QL (90 EA per 30 days)     |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR<br>30 MG/ML                         | 5^        | PA; LA                         |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE<br>30 MG/ML                         | 5^        | PA; LA                         |
| KALYDECO ORAL PACKET 25 MG, 50 MG, 75 MG  | 5^        | PA; QL (56 EA per 28 days)     |
| KALYDECO ORAL TABLET 150 MG   | 5^        | PA; QL (60 EA per 30 days)     |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100<br>MG/ML                             | 5^        | PA; LA                         |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE<br>100 MG/ML, 40 MG/0.4ML            | 5^        | PA; LA                         |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100<br>MG                                | 5^        | PA; LA                         |
| OFEV ORAL CAPSULE 100 MG, 150 MG  | 5^        | PA; QL (60 EA per 30 days)     |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG  | 5^        | PA; QL (56 EA per 28 days)     |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG  | 5^        | PA; QL (112 EA per 28 days)    |
| <i>pirfenidone oral tablet 267 mg</i>   | 5^        | PA; QL (270 EA per 30 days)    |
| <i>pirfenidone oral tablet 534 mg, 801 mg</i>                                       | 5^        | PA; QL (90 EA per 30 days)     |
| PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML                                       | 5^        | PA; LA                         |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED<br>1000 MG                           | 5^        | PA; LA                         |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML  | 5^        | PA                             |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG,<br>50-75 & 75 MG                 | 5^        | PA; LA; QL (56 EA per 28 days) |
| THEO-24 ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100<br>MG, 200 MG, 300 MG, 400 MG     | 4         |                                |
| <i>theophylline er oral tablet extended release 12 hour 300<br/>mg, 450 mg</i>      | 4         |                                |
| <i>theophylline er oral tablet extended release 24 hour 400<br/>mg, 600 mg</i>      | 3         |                                |
| <i>theophylline oral elixir 80 mg/15ml</i>  | 4         |                                |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier Requirements / Limits</b> |                                |  |
|---|--|--------------------------------|--|
| <i>theophylline oral solution 80 mg/15ml</i>  | 4                                      |                                |  |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG, 50-25-37.5 & 75 MG                                | 5^                                     | PA; LA; QL (84 EA per 28 days) |  |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML                                   | 5^                                     | PA; LA                         |  |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG   | 5^                                     | PA; LA                         |  |
| ZEMAIRA INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG  | 5^                                     | PA; LA                         |  |
| <b>NASAL STEROIDS</b>   |  |                                |  |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>   | 3                                      | QL (75 ML per 30 days)         |  |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>   | 2                                      | QL (16 GM per 30 days)         |  |
| <i>mometasone furoate nasal suspension 50 mcg/act</i>   | 4                                      | QL (34 GM per 30 days)         |  |
| OMNARIS NASAL SUSPENSION 50 MCG/ACT   | 4                                      | QL (12.5 GM per 30 days)       |  |
| <b>STEROID INHALANTS</b>  |  |                                |  |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT         | 3                                      | QL (30 EA per 30 days)         |  |
| <i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml</i>   | 4                                      | B/D                            |  |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 250 MCG/ACT                      | 3                                      | QL (240 EA per 30 days)        |  |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT                                    | 3                                      | QL (180 EA per 30 days)        |  |
| FLOVENT HFA INHALATION AEROSOL 110 MCG/ACT, 220 MCG/ACT   | 3                                      | QL (24 GM per 30 days)         |  |
| FLOVENT HFA INHALATION AEROSOL 44 MCG/ACT   | 3                                      | QL (21.2 GM per 30 days)       |  |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 180 MCG/ACT                              | 4                                      | QL (2 EA per 30 days)          |  |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 90 MCG/ACT                               | 4                                      | QL (3 EA per 30 days)          |  |
| <b>STEROID/BETA-AGONIST COMBINATIONS</b>  |  |                                |  |
| ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/ACT, 250-50 MCG/ACT, 500-50 MCG/ACT | 3                                      | QL (60 EA per 30 days)         |  |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT                             | 3                                      | QL (12 GM per 30 days)         |  |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT                  | 3                                      | QL (60 EA per 30 days)         |  |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                            |
|--|--|----------------------------|
| SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT | 3                                      | QL (10.2 GM per 30 days)   |
| <b>TOPICAL</b>   |  |                            |
| <b>DERMATOLOGY, ACNE</b>                                     |  |                            |
| accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg             | 4                                      | PA                         |
| amnesteem oral capsule 10 mg, 20 mg, 40 mg                   | 4                                      | PA                         |
| avita external cream 0.025 %                                 | 4                                      | PA; QL (45 GM per 30 days) |
| avita external gel 0.025 %                                   | 4                                      | PA; QL (45 GM per 30 days) |
| benzoyl peroxide-erythromycin external gel 5-3 %             | 4                                      | QL (46.6 GM per 30 days)   |
| claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg             | 4                                      | PA                         |
| clindamycin phosphate external gel 1 %                       | 4                                      | QL (75 GM per 30 days)     |
| clindamycin phosphate external lotion 1 %                    | 3                                      | QL (60 ML per 30 days)     |
| clindamycin phosphate external solution 1 %                  | 3                                      | QL (60 ML per 30 days)     |
| ery external pad 2 %   | 3                                      | QL (60 EA per 30 days)     |
| erythromycin external solution 2 %                           | 3                                      | QL (60 ML per 30 days)     |
| isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg         | 4                                      | PA                         |
| myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg             | 4                                      | PA                         |
| sulfacetamide sodium (acne) external lotion 10 %             | 4                                      | QL (118 ML per 30 days)    |
| tretinoin external cream 0.025 %, 0.05 %, 0.1 %              | 4                                      | PA; QL (45 GM per 30 days) |
| tretinoin external gel 0.01 %, 0.025 %                       | 4                                      | PA; QL (45 GM per 30 days) |
| zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg             | 4                                      | PA                         |
| <b>DERMATOLOGY, ANTIBIOTICS</b>                              |  |                            |
| gentamicin sulfate external cream 0.1 %                      | 4                                      | QL (30 GM per 30 days)     |
| gentamicin sulfate external ointment 0.1 %                   | 3                                      | QL (30 GM per 30 days)     |
| mupirocin external ointment 2 %                              | 2                                      | QL (220 GM per 30 days)    |
| silver sulfadiazine external cream 1 %                       | 2                                      |                            |
| ssd external cream 1 %                                       | 2                                      |                            |
| SULFAMYLON EXTERNAL CREAM 85 MG/GM                           | 4                                      | QL (453.6 GM per 30 days)  |
| <b>DERMATOLOGY, ANTIFUNGALS</b>                              |  |                            |
| ciclopirox olamine external cream 0.77 %                     | 3                                      | QL (90 GM per 30 days)     |
| ciclopirox olamine external suspension 0.77 %                | 3                                      | QL (60 ML per 30 days)     |
| clotrimazole external cream 1 %                              | 3                                      | QL (45 GM per 30 days)     |
| clotrimazole external solution 1 %                           | 2                                      | QL (30 ML per 30 days)     |
| clotrimazole-betamethasone external cream 1-0.05 %           | 3                                      | QL (45 GM per 30 days)     |
| JUBLIA EXTERNAL SOLUTION 10 %                                | 5^                                     | QL (8 ML per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|---|------------------|------------------------------|
| ketoconazole external cream 2 %                         | 3                | QL (60 GM per 30 days)       |
| nyamyc external powder 100000 unit/gm                   | 3                | QL (60 GM per 30 days)       |
| nystatin external cream 100000 unit/gm                  | 3                | QL (30 GM per 30 days)       |
| nystatin external ointment 100000 unit/gm               | 3                | QL (30 GM per 30 days)       |
| nystatin external powder 100000 unit/gm                 | 3                | QL (60 GM per 30 days)       |
| nystop external powder 100000 unit/gm                   | 3                | QL (60 GM per 30 days)       |
| oxiconazole nitrate external cream 1 %                  | 4                | PA; QL (90 GM per 30 days)   |
| <b>DERMATOLOGY, ANTIPSORIATICS</b>                      |                  |                              |
| acitretin oral capsule 10 mg, 17.5 mg, 25 mg            | 4                | PA                           |
| calcipotriene external ointment 0.005 %                 | 4                | PA; QL (120 GM per 30 days)  |
| calcipotriene external solution 0.005 %                 | 4                | PA; QL (120 ML per 30 days)  |
| calcitrene external ointment 0.005 %                    | 4                | PA; QL (120 GM per 30 days)  |
| tazarotene external cream 0.1 %                         | 3                | PA; QL (60 GM per 30 days)   |
| TAZORAC EXTERNAL CREAM 0.05 %                           | 4                | PA; QL (60 GM per 30 days)   |
| <b>DERMATOLOGY, ANTISEBORRHEICS</b>                     |                  |                              |
| ketoconazole external shampoo 2 %                       | 2                | QL (120 ML per 30 days)      |
| selenium sulfide external lotion 2.5 %                  | 2                |                              |
| <b>DERMATOLOGY, CORTICOSTEROIDS</b>                     |                  |                              |
| ala-cort external cream 1 %                             | 1                |                              |
| ala-cort external cream 2.5 %                           | 2                |                              |
| alclometasone dipropionate external cream 0.05 %        | 3                | QL (60 GM per 30 days)       |
| alclometasone dipropionate external ointment 0.05 %     | 3                | QL (60 GM per 30 days)       |
| APEXICON E EXTERNAL CREAM 0.05 %                        | 5^               | QL (60 GM per 30 days)       |
| betamethasone dipropionate aug external cream 0.05 %    | 2                | QL (120 GM per 30 days)      |
| betamethasone dipropionate aug external gel 0.05 %      | 4                | QL (120 GM per 30 days)      |
| betamethasone dipropionate aug external lotion 0.05 %   | 4                | QL (120 ML per 30 days)      |
| betamethasone dipropionate aug external ointment 0.05 % | 4                | QL (120 GM per 30 days)      |
| betamethasone dipropionate external cream 0.05 %        | 3                | QL (120 GM per 30 days)      |
| betamethasone dipropionate external lotion 0.05 %       | 3                | QL (120 ML per 30 days)      |
| betamethasone dipropionate external ointment 0.05 %     | 4                | QL (120 GM per 30 days)      |
| betamethasone valerate external cream 0.1 %             | 3                | QL (120 GM per 30 days)      |
| betamethasone valerate external lotion 0.1 %            | 3                | QL (120 ML per 30 days)      |
| betamethasone valerate external ointment 0.1 %          | 3                | QL (120 GM per 30 days)      |
| clobetasol prop emollient base external cream 0.05 %    | 4                | QL (60 GM per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| <b>Drug Name</b>                                   | <b>Drug Tier</b> | <b>Requirements / Limits</b> |
|--|------------------|------------------------------|
| clobetasol propionate e external cream 0.05 %      | 4                | QL (60 GM per 30 days)       |
| clobetasol propionate external cream 0.05 %        | 4                | QL (60 GM per 30 days)       |
| clobetasol propionate external foam 0.05 %         | 4                | QL (100 GM per 30 days)      |
| clobetasol propionate external gel 0.05 %          | 4                | QL (60 GM per 30 days)       |
| clobetasol propionate external liquid 0.05 %       | 4                | QL (125 ML per 30 days)      |
| clobetasol propionate external lotion 0.05 %       | 4                | QL (118 ML per 30 days)      |
| clobetasol propionate external ointment 0.05 %     | 4                | QL (60 GM per 30 days)       |
| clobetasol propionate external shampoo 0.05 %      | 4                | QL (118 ML per 30 days)      |
| clobetasol propionate external solution 0.05 %     | 4                | QL (50 ML per 30 days)       |
| clodan external shampoo 0.05 %                     | 4                | QL (118 ML per 30 days)      |
| desonide external cream 0.05 %                     | 3                | QL (60 GM per 30 days)       |
| desonide external lotion 0.05 %                    | 4                | QL (118 ML per 30 days)      |
| desonide external ointment 0.05 %                  | 4                | QL (60 GM per 30 days)       |
| diflorasone diacetate external cream 0.05 %        | 4                | PA; QL (60 GM per 30 days)   |
| diflorasone diacetate external ointment 0.05 %     | 4                | PA; QL (60 GM per 30 days)   |
| ENSTILAR EXTERNAL FOAM 0.005-0.064 %               | 4                | PA; QL (120 GM per 30 days)  |
| fluocinolone acetonide body external oil 0.01 %    | 3                | QL (118.28 ML per 30 days)   |
| fluocinolone acetonide external cream 0.01 %       | 4                | QL (60 GM per 30 days)       |
| fluocinolone acetonide external cream 0.025 %      | 4                | QL (120 GM per 30 days)      |
| fluocinolone acetonide external ointment 0.025 %   | 3                | QL (120 GM per 30 days)      |
| fluocinolone acetonide external solution 0.01 %    | 4                | QL (90 ML per 30 days)       |
| fluocinolone acetonide scalp external oil 0.01 %   | 3                | QL (118.28 ML per 30 days)   |
| fluocinonide emulsified base external cream 0.05 % | 3                | QL (120 GM per 30 days)      |
| fluocinonide external cream 0.05 %                 | 3                | QL (120 GM per 30 days)      |
| fluocinonide external gel 0.05 %                   | 4                | QL (60 GM per 30 days)       |
| fluocinonide external ointment 0.05 %              | 4                | QL (60 GM per 30 days)       |
| fluocinonide external solution 0.05 %              | 3                | QL (60 ML per 30 days)       |
| fluticasone propionate external cream 0.05 %       | 3                |                              |
| fluticasone propionate external ointment 0.005 %   | 3                |                              |
| halcinonide external cream 0.1 %                   | 4                | PA; QL (240 GM per 30 days)  |
| halobetasol propionate external cream 0.05 %       | 4                | QL (50 GM per 30 days)       |
| halobetasol propionate external ointment 0.05 %    | 4                | QL (50 GM per 30 days)       |
| HALOG EXTERNAL CREAM 0.1 %                         | 4                | PA; QL (240 GM per 30 days)  |
| hydrocortisone external cream 1 %                  | 1                |                              |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>   | <b>Drug Tier Requirements / Limits</b> |                               |
|--|--|-------------------------------|
| <i>hydrocortisone external cream 2.5 %</i>                             | 2                                      |                               |
| <i>hydrocortisone external lotion 2.5 %</i>                            | 2                                      |                               |
| <i>hydrocortisone external ointment 2.5 %</i>                          | 2                                      |                               |
| <i>mometasone furoate external cream 0.1 %</i>                         | 3                                      |                               |
| <i>mometasone furoate external ointment 0.1 %</i>                      | 3                                      |                               |
| <i>mometasone furoate external solution 0.1 %</i>                      | 3                                      |                               |
| <b>PSORCON EXTERNAL CREAM 0.05 %</b>                                   | 4                                      | PA; QL (60 GM per 30 days)    |
| <i>triamcinolone acetonide external cream 0.025 %, 0.5 %</i>           | 2                                      |                               |
| <i>triamcinolone acetonide external cream 0.1 %</i>                    | 2                                      | QL (454 GM per 30 days)       |
| <i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i>          | 3                                      |                               |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i> | 2                                      |                               |
| <i>triderm external cream 0.5 %</i>                                    | 2                                      |                               |
| <b>DERMATOLOGY, LOCAL ANESTHETICS</b>                                  |  |                               |
| <i>glydo external prefilled syringe 2 %</i>                            | 4                                      | PA; QL (60 ML per 30 days)    |
| <i>lidocaine external ointment 5 %</i>                                 | 4                                      | PA; QL (50 GM per 30 days)    |
| <i>lidocaine external patch 5 %</i>                                    | 3                                      | PA; QL (3 EA per 1 day)       |
| <i>lidocaine hcl external solution 4 %</i>                             | 3                                      | PA; QL (50 ML per 30 days)    |
| <i>lidocaine hcl urethral/mucosal external gel 2 %</i>                 | 4                                      | PA; QL (30 ML per 30 days)    |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i>                   | 3                                      | PA; QL (30 GM per 30 days)    |
| <b>DERMATOLOGY, MISCELLANEOUS SKIN AND MUCOUS MEMBRANE</b>             |  |                               |
| <i>ammonium lactate external cream 12 %</i>                            | 2                                      |                               |
| <i>ammonium lactate external lotion 12 %</i>                           | 3                                      |                               |
| <i>azelaic acid external gel 15 %</i>                                  | 4                                      | QL (50 GM per 30 days)        |
| <i>bexarotene external gel 1 %</i>                                     | 5^                                     | PA-NS; QL (60 GM per 30 days) |
| <i>diclofenac sodium external gel 1 %</i>                              | 3                                      | QL (1000 GM per 30 days)      |
| <b>FINACEA EXTERNAL FOAM 15 %</b>                                      | 4                                      | QL (50 GM per 30 days)        |
| <i>fluorouracil external cream 5 %</i>                                 | 4                                      | QL (40 GM per 30 days)        |
| <i>fluorouracil external solution 2 %, 5 %</i>                         | 3                                      | QL (10 ML per 30 days)        |
| <i>hydrocortisone (perianal) external cream 2.5 %</i>                  | 2                                      |                               |
| <i>imiquimod external cream 5 %</i>                                    | 3                                      | QL (24 EA per 30 days)        |
| <i>metronidazole external cream 0.75 %</i>                             | 4                                      | QL (45 GM per 30 days)        |
| <i>metronidazole external gel 0.75 %</i>                               | 3                                      | QL (45 GM per 30 days)        |
| <i>metronidazole external lotion 0.75 %</i>                            | 4                                      | QL (59 ML per 30 days)        |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements / Limits</b>      |
|---|------------------|-----------------------------------|
| PANRETIN EXTERNAL GEL 0.1 %                                 | 5^               | PA-NS; QL (60 GM per 30 days)     |
| <i>podofilox external solution 0.5 %</i>                    | 3                | QL (7 ML per 28 days)             |
| <i>procto-med hc external cream 2.5 %</i>                   | 3                |                                   |
| <i>procto-pak external cream 1 %</i>                        | 3                |                                   |
| <i>proctosol hc external cream 2.5 %</i>                    | 3                |                                   |
| <i>proctozone-hc external cream 2.5 %</i>                   | 3                |                                   |
| RECTIV RECTAL OINTMENT 0.4 %                                | 4                | QL (30 GM per 30 days)            |
| <i>rosadan external cream 0.75 %</i>                        | 4                | QL (45 GM per 30 days)            |
| <i>tacrolimus external ointment 0.03 %, 0.1 %</i>           | 4                | QL (100 GM per 30 days)           |
| TARGRETIN EXTERNAL GEL 1 %                                  | 5^               | PA-NS; QL (60 GM per 30 days)     |
| VALCHLOR EXTERNAL GEL 0.016 %                               | 5^               | PA-NS; LA; QL (60 GM per 30 days) |
| <b>DERMATOLOGY, SCABICIDES AND PEDICULIDES</b>              |                  |                                   |
| <i>malathion external lotion 0.5 %</i>                      | 4                | QL (59 ML per 30 days)            |
| <i>permethrin external cream 5 %</i>                        | 3                | QL (60 GM per 30 days)            |
| <b>DERMATOLOGY, WOUND CARE AGENTS</b>                       |                  |                                   |
| REGRANEX EXTERNAL GEL 0.01 %                                | 5^               | PA; QL (30 GM per 30 days)        |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM                        | 4                | QL (180 GM per 30 days)           |
| <i>sodium chloride irrigation solution 0.9 %</i>            | 3                |                                   |
| <i>sterile water for irrigation irrigation solution</i>     | 2                |                                   |
| <b>MOUTH/THROAT/DENTAL AGENTS</b>                           |                  |                                   |
| <i>cevimeline hcl oral capsule 30 mg</i>                    | 4                |                                   |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i> | 1                |                                   |
| <i>clotrimazole mouth/throat troche 10 mg</i>               | 4                | QL (150 EA per 30 days)           |
| <i>lidocaine viscous hcl mouth/throat solution 2 %</i>      | 2                |                                   |
| <i>nystatin mouth/throat suspension 100000 unit/ml</i>      | 3                |                                   |
| <i>periogard mouth/throat solution 0.12 %</i>               | 1                |                                   |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>             | 3                |                                   |
| <i>triamcinolone acetonide mouth/throat paste 0.1 %</i>     | 3                |                                   |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

12/01/2022

## Index of Drugs

|  |        |                                       |        |                                 |        |
|--|--------|---------------------------------------|--------|---------------------------------|--------|
| <i>abacavir sulfate</i>  | 9      | ALIMTA                                | 18     | APOKYN                          | 41     |
| <i>abacavir sulfate-lamivudine</i>   | 10     | <i>aliskiren fumarate</i>             | 33     | <i>apomorphine hcl</i>          | 41     |
| <i>abacavir-lamivudine-zidovudine</i>  | 10     | <i>allopurinol</i>                    | 3      | <i>aprepitant</i>               | 65     |
| ABELCET  | 6      | <i>alosetron hcl</i>                  | 67     | <i>apri</i>                     | 55     |
| ABILIFY MAINTENA   | 42     | ALPHAGAN P                            | 80     | APTIOM                          | 34     |
| <i>abiraterone acetate</i>   | 18     | <i>alprazolam</i>                     | 34     | APTIVUS                         | 9      |
| ABRAXANE   | 20     | ALREX                                 | 82     | ARALAST NP                      | 85     |
| <i>acamprosate calcium</i>   | 49     | <i>altavera</i>                       | 55     | <i>aranelle</i>                 | 55     |
| <i>acarbose</i>  | 52     | ALUNBRIG                              | 21     | ARCALYST                        | 74     |
| <i>accutane</i>  | 88     | <i>alyacen 1/35</i>                   | 55     | <i>arformoterol tartrate</i>    | 85     |
| <i>acebutolol hcl</i>  | 30     | <i>alyacen 7/7/7</i>                  | 55     | <i>ariPIPRAZOLE</i>             | 42     |
| <i>acetaminophen-codeine</i>   | 4      | <i>alyq</i>                           | 34     | ARISTADA                        | 42, 43 |
| <i>acetaminophen-codeine #3</i>  | 4      | <i>amabelz</i>                        | 60     | ARISTADA INITIO                 | 42     |
| <i>acetazolamide</i>   | 32     | <i>amantadine hcl</i>                 | 41     | <i>armodafinil</i>              | 49     |
| <i>acetazolamide er</i>  | 32     | AMBISOME                              | 6      | ARNUITY ELLIPTA                 | 87     |
| <i>acetic acid</i>   | 69, 83 | <i>ambrisentan</i>                    | 34     | <i>asenapine maleate</i>        | 43     |
| <i>acetylcysteine</i>  | 85     | <i>amikacin sulfate</i>               | 6      | <i>aspirin-dipyridamole er</i>  | 71     |
| <i>acitretin</i>   | 89     | <i>amiloride hcl</i>                  | 32     | <i>atazanavir sulfate</i>       | 9      |
| ACTHIB   | 75     | <i>amiloride-hydrochlorothiazide</i>  | 32     | <i>atenolol</i>                 | 30     |
| ACTIMMUNE  | 74     | <i>amiodarone hcl</i>                 | 28     | <i>atenolol-chlorthalidone</i>  | 30     |
| ACTONEL  | 54     | AMITIZA                               | 67     | <i>atomoxetine hcl</i>          | 46     |
| <i>acyclovir</i>   | 12     | <i>amitriptyline hcl</i>              | 39     | <i>atorvastatin calcium</i>     | 29     |
| <i>acyclovir sodium</i>  | 12     | <i>amlodipine besy-benazepril hcl</i> | 26     | <i>atovaquone</i>               | 6      |
| ADACEL   | 75     | <i>amlodipine besylate</i>            | 31     | <i>atovaquone-proguanil hcl</i> | 9      |
| ADCIRCA  | 34     | <i>amlodipine besylate-valsartan</i>  | 27     | ATROPINE SULFATE                | 83     |
| <i>adefoviro dipivoxil</i>   | 12     | <i>amlodipine-atorvastatin</i>        | 33     | <i>atropine sulfate</i>         | 83     |
| ADEMPAS  | 34     | <i>amlodipine-olmesartan</i>          | 27     | ATROVENT HFA                    | 84     |
| ADRENALIN  | 33     | <i>amlodipine-valsartan-hctz</i>      | 27     | <i>aura eq</i>                  | 55     |
| <i>adriamycin</i>  | 18     | <i>ammonium lactate</i>               | 91     | <i>aurovela 1/20</i>            | 56     |
| ADVAIR DISKUS  | 87     | <i>amnesteem</i>                      | 88     | <i>aurovela fe 1.5/30</i>       | 56     |
| ADVAIR HFA   | 87     | <i>amoxapine</i>                      | 39     | <i>aurovela fe 1/20</i>         | 56     |
| AFINITOR   | 21     | <i>amoxicillin</i>                    | 15     | AUSTEDO                         | 48     |
| AFINITOR DISPERZ   | 21     | <i>amoxicillin-pot clavulanate</i>    | 15, 16 | AVASTIN                         | 21     |
| <i>afirmelle</i>   | 55     | <i>amoxicillin-pot clavulanate er</i> | 15     | <i>aviane</i>                   | 56     |
| AIMOVIG  | 47     | <i>amphetamine-dextroamphetamine</i>  | 45     | <i>avita</i>                    | 88     |
| <i>ala-cort</i>  | 89     | <i>amphotericin b</i>                 | 6      | <i>ayuna</i>                    | 56     |
| <i>albendazole</i>   | 6      | <i>amphotericin b liposome</i>        | 6      | AYVAKIT                         | 21     |
| <i>albuterol sulfate</i>   | 85     | <i>ampicillin</i>                     | 16     | <i>azacitidine</i>              | 18     |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i> | 84, 85 | <i>ampicillin sodium</i>              | 16     | <i>azathioprine</i>             | 74     |
| <i>alclometasone dipropionate</i>  | 89     | <i>ampicillin-sulbactam sodium</i>    | 16     | <i>azelaic acid</i>             | 91     |
| ALCOHOL SWABS  | 50     | <i>anagrelide hcl</i>                 | 70     | <i>azelastine hcl</i>           | 80, 84 |
| ALDURAZYME   | 62     | <i>anastrozole</i>                    | 18     | <i>azithromycin</i>             | 14     |
| ALECENSA   | 21     | ANDRODERM                             | 50     | AZOPT                           | 80     |
| <i>alendronate sodium</i>  | 54     | ANORO ELLIPTA                         | 83     | <i>aztreonam</i>                | 7      |
| <i>alfuzosin hcl er</i>  | 68     | APEXICON E                            | 89     | <i>azurette</i>                 | 56     |
|  |        |                                       |        | <i>bacitracin</i>               | 81     |
|  |        |                                       |        | <i>bacitracin-polymyxin b</i>   | 81     |

|                                       |        |                                       |        |                                  |    |
|---------------------------------------|--------|---------------------------------------|--------|----------------------------------|----|
| <i>bacitra-neomycin-polymyxin-hc.</i> | 81     | <i>brimonidine tartrate</i>           | 80     | <i>cartia xt</i>                 | 31 |
| <i>baclofen</i>                       | 49     | <i>BRIVIACT</i>                       | 34     | <i>carvedilol</i>                | 30 |
| <i>balsalazide disodium</i>           | 66     | <i>bromfenac sodium (once-daily)</i>  | 82     | <i>carvedilol phosphate er</i>   | 30 |
| <i>BALVERSA</i>                       | 21     | <i>bromocriptine mesylate</i>         | 41     | <i>caspofungin acetate</i>       | 6  |
| <i>balziva</i>                        | 56     | <i>BROMSITE</i>                       | 82     | <i>CAYSTON</i>                   | 7  |
| <i>BARACLUDE</i>                      | 12     | <i>BROVANA</i>                        | 85     | <i>cefaclor</i>                  | 13 |
| <i>BASAGLAR KWIKPEN</i>               | 50     | <i>BRUKINSA</i>                       | 21     | <i>CEFACLOR ER</i>               | 13 |
| <i>BCG VACCINE</i>                    | 75     | <i>budesonide</i>                     | 66, 87 | <i>cefadroxil</i>                | 13 |
| <i>BELSOMRA</i>                       | 46     | <i>budesonide er</i>                  | 66     | <i>cefazolin sodium</i>          | 13 |
| <i>benazepril hcl</i>                 | 27     | <i>bumetanide</i>                     | 32     | <i>CEFAZOLIN SODIUM-DEXTROSE</i> | 13 |
| <i>benazepril-hydrochlorothiazide</i> | 27     | <i>buprenorphine hcl</i>              | 49     | <i>cedinir</i>                   | 13 |
| <i>BENDEKA</i>                        | 17     | <i>buprenorphine hcl-naloxone hcl</i> | 49     | <i>cefepime hcl</i>              | 13 |
| <i>BENLYSTA</i>                       | 74     | <i>bupropion hcl</i>                  | 39     | <i>cefixime</i>                  | 13 |
| <i>benzoyl peroxide-erythromycin</i>  | 88     | <i>bupropion hcl er (smoking det)</i> | 49     | <i>cefoxitin sodium</i>          | 13 |
| <i>benztropine mesylate</i>           | 41     | <i>bupropion hcl er (sr)</i>          | 39     | <i>cefodoxime proxetil</i>       | 13 |
| <i>BEPREVE</i>                        | 80     | <i>bupropion hcl er (xl)</i>          | 39     | <i>cefprozil</i>                 | 13 |
| <i>BERINERT</i>                       | 71     | <i>buspirone hcl</i>                  | 34     | <i>ceftazidime</i>               | 14 |
| <i>BESIVANCE</i>                      | 82     | <i>butorphanol tartrate</i>           | 4      | <i>CEFTAZIDIME AND DEXTROSE</i>  | 14 |
| <i>BESREMI</i>                        | 20     | <i>BYDUREON BCISE</i>                 | 52     | <i>ceftriaxone sodium</i>        | 14 |
| <i>betaine</i>                        | 62     | <i>BYETTA 10 MCG PEN</i>              | 52     | <i>cefuroxime axetil</i>         | 14 |
| <i>betamethasone dipropionate</i>     | 89     | <i>BYETTA 5 MCG PEN</i>               | 52     | <i>cefuroxime sodium</i>         | 14 |
| <i>betamethasone dipropionate aug</i> | 89     | <i>BYSTOLIC</i>                       | 30     | <i>celecoxib</i>                 | 3  |
| <i>betamethasone valerate</i>         | 89     | <i>cabergoline</i>                    | 62     | <i>CELONTIN</i>                  | 35 |
| <i>BETASERON</i>                      | 48     | <i>CABOMETYX</i>                      | 21     | <i>cephalexin</i>                | 14 |
| <i>betaxolol hcl</i>                  | 80     | <i>calcipotriene</i>                  | 89     | <i>CERDELGA</i>                  | 62 |
| <i>bethanechol chloride</i>           | 69     | <i>calcitonin (salmon)</i>            | 54     | <i>CEREZYME</i>                  | 62 |
| <i>BETOPTIC-S</i>                     | 80     | <i>calcitrene</i>                     | 89     | <i>cetirizine hcl</i>            | 84 |
| <i>BEVESPI AEROSPHERE</i>             | 83     | <i>calcitriol</i>                     | 65     | <i>cevimeline hcl</i>            | 92 |
| <i>bevarotene</i>                     | 20, 91 | <i>calcium acetate</i>                | 64     | <i>CHANTIX STARTING MONTH</i>    |    |
| <i>BEXSERO</i>                        | 75     | <i>calcium acetate (phos binder)</i>  | 64     | <i>PAK</i>                       | 49 |
| <i>bicalutamide</i>                   | 19     | <i>CALQUENCE</i>                      | 21     | <i>chateal</i>                   | 56 |
| <i>BICILLIN L-A</i>                   | 16     | <i>camila</i>                         | 56     | <i>CHEMET</i>                    | 55 |
| <i>BIKTARVY</i>                       | 11     | <i>candesartan cilexetil</i>          | 28     | <i>chlorhexidine gluconate</i>   | 92 |
| <i>bisoprolol fumarate</i>            | 30     | <i>candesartan cilexetil-hctz</i>     | 28     | <i>chloroquine phosphate</i>     | 9  |
| <i>bisoprolol-hydrochlorothiazide</i> | 30     | <i>CAPLYTA</i>                        | 43     | <i>chlorpromazine hcl</i>        | 43 |
| <i>BIVIGAM</i>                        | 73     | <i>CAPRELSA</i>                       | 21     | <i>CHLORPROMAZINE HCL</i>        | 43 |
| <i>BLEPHAMIDE S.O.P.</i>              | 81     | <i>captopril</i>                      | 27     | <i>chlorthalidone</i>            | 32 |
| <i>blisovi fe 1.5/30</i>              | 56     | <i>CARBAGLU</i>                       | 62     | <i>cholestyramine</i>            | 30 |
| <i>BOOSTRIX</i>                       | 75     | <i>carbamazepine</i>                  | 35     | <i>cholestyramine light</i>      | 29 |
| <i>BORTEZOMIB</i>                     | 21     | <i>carbamazepine er</i>               | 35     | <i>ciclopirox olamine</i>        | 88 |
| <i>bortezomib</i>                     | 21     | <i>carbidopa</i>                      | 41     | <i>cilostazol</i>                | 71 |
| <i>BOSULIF</i>                        | 21     | <i>carbidopa-levodopa</i>             | 41     | <i>CILOXAN</i>                   | 82 |
| <i>BRAFTOVI</i>                       | 21     | <i>carbidopa-levodopa er</i>          | 41     | <i>CIMDUO</i>                    | 11 |
| <i>BREO ELLIPTA</i>                   | 87     | <i>carbidopa-levodopa-</i>            |        | <i>cinacalcet hcl</i>            | 62 |
| <i>BREZTRI AEROSPHERE</i>             | 84     | <i>entacapone</i>                     | 42     | <i>CINRYZE</i>                   | 71 |
| <i>briellyn</i>                       | 56     | <i>carboplatin</i>                    | 17     | <i>CIPRO</i>                     | 15 |
| <i>BRILINTA</i>                       | 71     | <i>carglumic acid</i>                 | 62     | <i>CIPRO HC</i>                  | 83 |
|                                       |        | <i>carteolol hcl</i>                  | 81     | <i>CIPRODEX</i>                  | 83 |

|                                      |           |                                    |            |                                      |           |
|--------------------------------------|-----------|------------------------------------|------------|--------------------------------------|-----------|
| ciprofloxacin hcl.....               | 15, 82    | COMETRIQ (60 MG DAILY DOSE).....   | 21         | desmopressin acetate pf.....         | 62        |
| ciprofloxacin in d5w.....            | 15        | COMPLERA.....                      | 11         | desmopressin acetate spray.....      | 62        |
| cisplatin.....                       | 17        | compro.....                        | 65         | desogestrel-ethinyl estradiol.....   | 56        |
| citalopram hydrobromide .....        | 39        | constulose.....                    | 66         | desonide.....                        | 90        |
| claravis.....                        | 88        | COPIKTRA.....                      | 21         | desvenlafaxine succinate er.....     | 39        |
| clarithromycin .....                 | 14        | CORLANOR.....                      | 33         | dexamethasone .....                  | 61        |
| clarithromycin er.....               | 14        | COTELLIC.....                      | 22         | DEXAMETHASONE INTENSOL....           | 61        |
| clindamycin hcl.....                 | 7         | CREON.....                         | 68         | dexamethasone sod phosphate pf.....  | 61        |
| clindamycin palmitate hcl.....       | 7         | cromolyn sodium.....               | 67, 80, 85 | dexamethasone sodium phosphate ..... | 61, 82    |
| clindamycin phosphate.....           | 7, 69, 88 | cryselle-28.....                   | 56         | dexlansoprazole .....                | 68        |
| clindamycin phosphate in d5w .....   | 7         | cyclobenzaprine hcl.....           | 49         | dexamethylphenidate hcl.....         | 46        |
| CLINDAMYCIN PHOSPHATE IN NACL.....   | 7         | cyclophosphamide .....             | 17         | dextroamphetamine sulfate er...      | 46        |
| CLINIMIX/DEXTROSE (4.25/10)...       | 79        | CYCLOPHOSPHAMIDE.....              | 17         | dextrose .....                       | 80        |
| CLINIMIX/DEXTROSE (4.25/5)....       | 79        | cycloserine .....                  | 11         | DEXTROSE 5%/ELECTROLYTE #48.....     | 77        |
| CLINIMIX/DEXTROSE (5/15).....        | 80        | cyclosporine .....                 | 74, 75     | dextrose in lactated ringers.....    | 77        |
| CLINIMIX/DEXTROSE (5/20).....        | 80        | cyclosporine modified.....         | 75         | DEXTROSE-NACL.....                   | 77        |
| CLINIMIX/DEXTROSE (6/5).....         | 80        | cyproheptadine hcl.....            | 84         | dextrose-nacl.....                   | 77        |
| CLINIMIX/DEXTROSE (8/10).....        | 80        | cyred eq.....                      | 56         | dextrose-sodium chloride .....       | 77        |
| CLINIMIX/DEXTROSE (8/14).....        | 80        | CYSTADANE.....                     | 62         | DIACOMIT.....                        | 35        |
| clinisol sf.....                     | 80        | CYSTADROPS.....                    | 83         | diazepam.....                        | 35        |
| CLINOLIPID.....                      | 80        | CYSTAGON.....                      | 62         | diazepam intensol.....               | 35        |
| clobazam.....                        | 35        | CYSTARAN.....                      | 83         | diazoxide .....                      | 62        |
| clobetasol prop emollient base ..... | 89        | cytarabine .....                   | 18         | diclofenac potassium .....           | 3         |
| clobetasol propionate .....          | 90        | dabigatran etexilate mesylate .... | 69         | diclofenac sodium .....              | 3, 82, 91 |
| clobetasol propionate e .....        | 90        | dalfampridine er.....              | 48         | diclofenac sodium er.....            | 3         |
| clodan.....                          | 90        | DALIRESP.....                      | 85         | diclofenac-misoprostol .....         | 3         |
| clomipramine hcl.....                | 39        | danazol.....                       | 60         | dicloxacillin sodium .....           | 16        |
| clonazepam.....                      | 35        | dantrolene sodium .....            | 49         | dicyclomine hcl.....                 | 66        |
| clonidine.....                       | 33        | dapsone .....                      | 7          | DIFICID.....                         | 14        |
| clonidine hcl.....                   | 33        | DAPTACEL.....                      | 75         | diflorasone diacetate .....          | 90        |
| clopidogrel bisulfate .....          | 71        | daptomycin .....                   | 7          | diflunisal .....                     | 3         |
| clorazepate dipotassium .....        | 35        | DAPTO MYCIN.....                   | 7          | difluprednate .....                  | 82        |
| clotrimazole .....                   | 88, 92    | darifenacin hydrobromide er.....   | 69         | digitek .....                        | 33        |
| clotrimazole-betamethasone .....     | 88        | dasetta 1/35.....                  | 56         | digoxin .....                        | 33        |
| clozapine.....                       | 43        | dasetta 7/7/7.....                 | 56         | dihydroergotamine mesylate .....     | 47        |
| COARTEM.....                         | 9         | DAURISMO.....                      | 22         | DILANTIN .....                       | 35        |
| colchicine.....                      | 3         | deblitane .....                    | 56         | DILANTIN INFATABS.....               | 35        |
| colchicine-probenecid .....          | 3         | deferasirox .....                  | 55         | diltiazem hcl .....                  | 31        |
| colesevelam hcl.....                 | 30        | deferasirox granules .....         | 55         | diltiazem hcl er .....               | 31        |
| colestipol hcl.....                  | 30        | DELESTROGEN.....                   | 60         | diltiazem hcl er beads .....         | 31        |
| colistimethate sodium (cba).....     | 7         | DELSTRIGO.....                     | 11         | diltiazem hcl er coated beads .....  | 31        |
| COMBIGAN .....                       | 81        | DENGVAXIA.....                     | 75         | dilt-xr .....                        | 31        |
| COMBIVENT RESPIMAT .....             | 84        | DESCOVY.....                       | 11         | diphenhydramine hcl .....            | 84        |
| COMETRIQ (100 MG DAILY DOSE).....    | 21        | desipramine hcl.....               | 39         | diphenoxylate-atropine .....         | 67        |
| COMETRIQ (140 MG DAILY DOSE).....    | 21        | desloratadine .....                | 84         |                                      |           |
|                                      |           | desmopressin ace spray refrig .... | 62         |                                      |           |
|                                      |           | desmopressin acetate .....         | 62         |                                      |           |

|                                      |  |  |   |
|--------------------------------------|--|--|---|
| DIPHTHERIA-TETANUS TOXOIDS           |  | EMGALITY (300 MG DOSE).....47                | <i>estarrylla</i> .....56                     |
| DT.....76                            |  | <i>emoquette</i> .....56                     | <i>estradiol</i> .....60                      |
| dipyridamole.....71                  |  | EMSAM.....40                                 | <i>estradiol valerate</i> .....60             |
| disopyramide phosphate.....28        |  | <i>emtricitabine</i> .....9                  | <i>estradiol-norethindrone acet</i> .....60   |
| disulfiram.....49                    |  | <i>emtricitabine-tenofovir df</i> .....11    | <i>eszopiclone</i> .....46                    |
| divalproex sodium.....36             |  | EMTRIVA.....9                                | <i>ethambutol hcl</i> .....11                 |
| divalproex sodium er.....35          |  | EMVERM.....7                                 | <i>ethosuximide</i> .....36                   |
| DOCETAXEL.....20                     |  | <i>enalapril maleate</i> .....27             | <i>ethynodiol diac-eth estradiol</i> .....56  |
| docetaxel.....20                     |  | <i>enalapril-hydrochlorothiazide</i> .....27 | <i>etodolac</i> .....3                        |
| dofetilide.....28                    |  | ENBREL.....71, 72                            | <i>etodolac er</i> .....3                     |
| donepezil hcl.....38                 |  | ENBREL MINI.....71                           | <i>etonogestrel-ethinyl estradiol</i> .....56 |
| DOPTELET.....71                      |  | ENBREL SURECLICK.....72                      | <i>etoposide</i> .....20                      |
| dorzolamide hcl.....81               |  | ENDARI.....71                                | <i>etravirine</i> .....9                      |
| dorzolamide hcl-timolol mal.....81   |  | <i>endocet</i> .....4                        | EULEXIN.....19                                |
| dotti.....60                         |  | ENGERIX-B.....76                             | <i>euthyrox</i> .....64                       |
| DOVATO.....11                        |  | <i>enoxaparin sodium</i> .....70             | <i>everolimus</i> .....22, 75                 |
| doxazosin mesylate.....27            |  | enpresse-28.....56                           | EVOTAZ.....11                                 |
| doxepin hcl.....39, 46               |  | <i>enskyce</i> .....56                       | <i>exemestane</i> .....19                     |
| doxercalciferol.....65               |  | ENSTILAR.....90                              | EXKIVITY.....22                               |
| doxorubicin hcl.....18               |  | <i>entacapone</i> .....42                    | EZALLOR SPRINKLE.....29                       |
| doxorubicin hcl liposomal.....18     |  | <i>entecavir</i> .....12                     | <i>ezetimibe</i> .....30                      |
| doxy 100.....17                      |  | ENTRESTO.....28                              | <i>ezetimibe-simvastatin</i> .....30          |
| doxycycline hyclate.....17           |  | <i>enulose</i> .....67                       | FABRAZYME.....62                              |
| doxycycline monohydrate.....17       |  | EPCLUSA.....12                               | <i>falmina</i> .....56                        |
| DRIZALMA SPRINKLE.....39             |  | EPIDIOLEX.....36                             | <i>famciclovir</i> .....12                    |
| dronabinol.....65                    |  | <i>epinephrine</i> .....86                   | <i>famotidine</i> .....66                     |
| drospirenone-ethinyl estradiol....56 |  | <i>epirubicin hcl</i> .....18                | <i>famotidine (pf)</i> .....66                |
| DROXIA.....71                        |  | <i>epitol</i> .....36                        | <i>famotidine premixed</i> .....66            |
| droxidopa.....33                     |  | EPIVIR HBV.....12                            | FANAPT.....43                                 |
| DUEXIS.....3                         |  | <i>eplerenone</i> .....27                    | FANAPT TITRATION PACK.....43                  |
| duloxetine hcl.....40                |  | EPRONTIA.....36                              | FARXIGA.....52                                |
| dutasteride.....68                   |  | <i>ergotamine-caffeine</i> .....47           | FASENRA.....86                                |
| dutasteride-tamsulosin hcl.....68    |  | ERIVEDGE.....22                              | FASENRA PEN.....86                            |
| e.e.s. 400.....14                    |  | ERLEADA.....19                               | <i>febuxostat</i> .....3                      |
| ec-naproxen.....3                    |  | <i>erlotinib hcl</i> .....22                 | <i>felbamate</i> .....36                      |
| EDARBI.....28                        |  | <i>errin</i> .....56                         | <i>felodipine er</i> .....31                  |
| EDARBYCLOR.....28                    |  | <i>ertapenem sodium</i> .....7               | <i>femynor</i> .....56                        |
| EDURANT.....9                        |  | <i>ery</i> .....88                           | <i>fenofibrate</i> .....29                    |
| efavirenz.....9                      |  | <i>ery-tab</i> .....14                       | <i>fenofibrate micronized</i> .....29         |
| efavirenz-emtricitab-tenofovir....11 |  | ERYTHROCIN LACTOBIONATE....14                | <i>fenofibric acid</i> .....29                |
| efavirenz-lamivudine-tenofovir...11  |  | <i>erythrocin stearate</i> .....15           | <i>fentanyl</i> .....4                        |
| elinest.....56                       |  | <i>erythromycin</i> .....15, 82, 88          | <i>fentanyl citrate</i> .....4                |
| ELIQUIS.....70                       |  | <i>erythromycin base</i> .....15             | FETZIMA.....40                                |
| ELIQUIS DVT/PE STARTER PACK..70      |  | <i>erythromycin ethylsuccinate</i> .....15   | FETZIMA TITRATION.....40                      |
| ELLA.....56                          |  | <i>erythromycin lactobionate</i> .....15     | FIASP.....50                                  |
| eluryng.....56                       |  | ESBRIET.....86                               | FIASP FLEXTOUCH.....50                        |
| EMCYT.....19                         |  | <i>escitalopram oxalate</i> .....40          | FIASP PENFILL.....50                          |
| EMGALITY.....47                      |  | <i>esomeprazole magnesium</i> .....68        | FINACEA.....91                                |

|                                |        |                             |           |                              |                |
|--------------------------------|--------|-----------------------------|-----------|------------------------------|----------------|
| finasteride                    | 68     | GAMMAGARD                   | 73        | halcinonide                  | 90             |
| FINTEPLA                       | 36     | GAMMAGARD S/D LESS IGA      | 73        | halobetasol propionate       | 90             |
| flac                           | 83     | GAMMAKED                    | 74        | HALOG                        | 90             |
| FLAREX                         | 82     | GAMMAPLEX                   | 74        | haloperidol                  | 43             |
| FLEBOGAMMA DIF.                | 73     | GAMUNEX-C                   | 74        | haloperidol decanoate        | 43             |
| flecainide acetate             | 29     | ganciclovir sodium          | 12        | haloperidol lactate          | 43             |
| FLOVENT DISKUS                 | 87     | GARDASIL 9                  | 76        | HARVONI                      | 12             |
| FLOVENT HFA                    | 87     | gatifloxacin                | 82        | HAVRIX                       | 76             |
| fluconazole                    | 6      | GATTEX                      | 67        | heather                      | 57             |
| fluconazole in sodium chloride | 6      | GAUZE PADS 2" X 2"          | 50        | HEPARIN (PORCINE) IN NACL    | 70             |
| flucytosine                    | 6      | gavilyte-c                  | 67        | heparin sod (porcine) in d5w | 70             |
| fludrocortisone acetate        | 61     | gavilyte-g                  | 67        | heparin sodium (porcine)     | 70             |
| flunisolide                    | 87     | gavilyte-n with flavor pack | 67        | hepatamine                   | 80             |
| fluocinolone acetonide         | 83, 90 | GAVRETO                     | 22        | HERCEPTIN                    | 22             |
| fluocinolone acetonide body    | 90     | gemcitabine hcl             | 18        | HERCEPTIN HYLECTA            | 22             |
| fluocinolone acetonide scalp   | 90     | gemfibrozil                 | 29        | HERZUMA                      | 22             |
| fluocinonide                   | 90     | generlac                    | 67        | HETLIOZ                      | 46             |
| fluocinonide emulsified base   | 90     | gengraf                     | 75        | HIBERIX                      | 76             |
| fluorometholone                | 82     | GENOTROPIN                  | 63        | HUMIRA                       | 72             |
| fluorouracil                   | 18, 91 | GENOTROPIN MINIQUICK        | 63        | HUMIRA PEDIATRIC CROHNS      |                |
| fluoxetine hcl                 | 40     | gentak                      | 82        | START                        | 72             |
| fluphenazine decanoate         | 43     | gentamicin in saline        | 7         | HUMIRA PEN                   | 72             |
| fluphenazine hcl               | 43     | gentamicin sulfate          | 7, 82, 88 | HUMIRA PEN-CD/UC/HS          |                |
| flurbiprofen                   | 3      | GENVOYA                     | 11        | STARTER                      | 72             |
| flurbiprofen sodium            | 82     | GILENYA                     | 48        | HUMIRA PEN-PEDIATRIC UC      |                |
| flutamide                      | 19     | GILOTRIF                    | 22        | START                        | 72             |
| fluticasone propionate         | 87, 90 | glatiramer acetate          | 48        | HUMIRA PEN-PS/UV/ADOL HS     |                |
| fluvastatin sodium             | 29     | glatopa                     | 48        | START                        | 72             |
| fluvastatin sodium er          | 29     | glimepiride                 | 52        | HUMIRA PEN-PSOR/UVEIT        |                |
| fluvoxamine maleate            | 34     | glipizide                   | 52        | STARTER                      | 72             |
| fondaparinux sodium            | 70     | glipizide er                | 52        | HUMULIN R U-500              |                |
| FORTAMET                       | 52     | glipizide xl                | 52        | (CONCENTRATED)               | 50             |
| FORTEO                         | 54     | glipizide-metformin hcl     | 52        | HUMULIN R U-500 KWIKPEN      | 50             |
| FOSAMAX PLUS D                 | 54     | glycopyrrolate              | 66        | hydralazine hcl              | 33             |
| fosamprenavir calcium          | 9      | glydo                       | 91        | hydrochlorothiazide          | 32             |
| fosinopril sodium              | 27     | GLYXAMBI                    | 52        | hydrocodone-acetaminophen    | 4              |
| fosinopril sodium-hctz         | 27     | GOLYTELY                    | 67        | hydrocodone-ibuprofen        | 5              |
| FOTIVDA                        | 22     | GRALISE                     | 48        | hydrocortisone               | 61, 66, 90, 91 |
| FREAMINE III                   | 80     | gransetron hcl              | 65        | hydrocortisone (perianal)    | 91             |
| fulvestrant                    | 19     | griseofulvin microsize      | 6         | hydromorphone hcl            | 5              |
| furosemide                     | 32     | griseofulvin ultramicrosize | 6         | hydroxychloroquine sulfate   | 73             |
| FUZEON                         | 9      | guanfacine hcl              | 33        | hydroxyurea                  | 20             |
| fyavolv                        | 60     | guanfacine hcl er           | 46        | hydroxyzine hcl              | 84             |
| FYCOMPA                        | 36     | GVOKE HYPOPEN 2-PACK        | 62        | hydroxyzine pamoate          | 84             |
| gabapentin                     | 36     | GVOKE KIT                   | 62        | HYSINGLA ER                  | 4              |
| galantamine hydrobromide       | 39     | GVOKE PFS                   | 62        | ibandronate sodium           | 54             |
| galantamine hydrobromide er    | 38     | HAEGARDA                    | 71        | IBRANCE                      | 22             |
| GAMASTAN                       | 73     | hailey 1.5/30               | 57        | ibu                          | 3              |

|  |        |                                  |       |                                 |       |
|--|--------|----------------------------------|-------|---------------------------------|-------|
| <i>ibuprofen</i>                       | 3      | IRESSA                           | 22    | KEYTRUDA                        | 23    |
| <i>ibuprofen-famotidine</i>            | 3      | <i>irinotecan hcl</i>            | 20    | KINRIX                          | 76    |
| <i>icatibant acetate</i>               | 71     | ISENTRESS                        | 9     | KISQALI (200 MG DOSE)           | 23    |
| <i>iclevia</i>                         | 57     | ISENTRESS HD                     | 9     | KISQALI (400 MG DOSE)           | 23    |
| ICLUSIG                                | 22     | <i>isibloom</i>                  | 57    | KISQALI (600 MG DOSE)           | 23    |
| IDHIFA                                 | 22     | ISOLYTE-P IN D5W                 | 77    | KISQALI FEMARA (400 MG          |       |
| ILEVRO                                 | 82     | ISOLYTE-S                        | 77    | DOSE)                           | 20    |
| <i>imatinib mesylate</i>               | 22     | ISOLYTE-S PH 7.4                 | 78    | KISQALI FEMARA (600 MG          |       |
| IMBRUVICA                              | 22     | <i>isoniazid</i>                 | 11    | DOSE)                           | 20    |
| <i>imipenem-cilastatin</i>             | 7      | ISOPTO ATROPINE                  | 83    | KISQALI FEMARA(200 MG           |       |
| <i>imipramine hcl</i>                  | 40     | <i>isosorbide dinitrate</i>      | 33    | DOSE)                           | 20    |
| <i>imipramine pamoate</i>              | 40     | <i>isosorbide mononitrate</i>    | 34    | <i>klor-con</i>                 | 79    |
| <i>imiquimod</i>                       | 91     | <i>isosorbide mononitrate er</i> | 33    | <i>klor-con 10</i>              | 79    |
| IMOVAZ RABIES                          | 76     | <i>isotretinoin</i>              | 88    | <i>klor-con m10</i>             | 79    |
| IMVEXXY MAINTENANCE PACK..             | 60     | <i>isradipine</i>                | 31    | <i>klor-con m15</i>             | 79    |
| IMVEXXY STARTER PACK                   | 60     | <i>itraconazole</i>              | 6     | <i>klor-con m20</i>             | 79    |
| <i>incassia</i>                        | 57     | <i>ivermectin</i>                | 7     | KORLYM                          | 63    |
| INCRELEX                               | 63     | IXIARO                           | 76    | <i>kurvelo</i>                  | 57    |
| INCRUSE ELLIPTA                        | 84     | JAKAFI                           | 23    | KYNMOBI                         | 42    |
| <i>indapamide</i>                      | 32     | <i>jantoven</i>                  | 70    | <i>labetalol hcl</i>            | 30    |
| INFANRIX                               | 76     | JANUMET                          | 53    | <i>lacosamide</i>               | 36    |
| INFILXIMAB                             | 72     | JANUMET XR                       | 53    | <i>lactated ringers</i>         | 78    |
| INGREZZA                               | 48     | JANUVIA                          | 53    | <i>lactulose</i>                | 67    |
| INLYTA                                 | 22     | JARDIANCE                        | 53    | <i>lactulose encephalopathy</i> | 67    |
| INQOVI                                 | 18     | <i>jasmiel</i>                   | 57    | <i>lamivudine</i>               | 9, 12 |
| INREBIC                                | 22     | <i>javygtor</i>                  | 63    | <i>lamivudine-zidovudine</i>    | 11    |
| INSULIN PEN NEEDLE                     | 50     | JENTADUETO                       | 53    | <i>lamotrigine</i>              | 36    |
| INSULIN SYRINGE (DISP) U-100<br>0.3 ML | 50     | JENTADUETO XR                    | 53    | <i>lamotrigine er</i>           | 36    |
| INSULIN SYRINGE (DISP) U-100<br>1 ML   | 50     | <i>jinteli</i>                   | 60    | <i>lansoprazole</i>             | 68    |
| INSULIN SYRINGE (DISP) U-100<br>1/2 ML | 50     | <i>jolessa</i>                   | 57    | <i>lapatinib ditosylate</i>     | 23    |
| INTELENCE                              | 9      | JUBLIA                           | 88    | <i>larin 1.5/30</i>             | 57    |
| INTRALIPID                             | 80     | <i>juleber</i>                   | 57    | <i>larin 1/20</i>               | 57    |
| INTRON A                               | 74     | JULUCA                           | 11    | <i>larin fe 1.5/30</i>          | 57    |
| <i>introvale</i>                       | 57     | <i>junel 1.5/30</i>              | 57    | <i>larin fe 1/20</i>            | 57    |
| INVEGA SUSTENNA                        | 43, 44 | <i>junel 1/20</i>                | 57    | <i>larissia</i>                 | 57    |
| INVEGA TRINZA                          | 44     | <i>junel fe 1.5/30</i>           | 57    | LASTACAFT                       | 80    |
| INVIRASE                               | 9      | <i>junel fe 1/20</i>             | 57    | <i>latanoprost</i>              | 81    |
| INVOKAMET                              | 52     | KADCYLA                          | 23    | LATUDA                          | 44    |
| INVOKAMET XR                           | 52     | KALYDECO                         | 86    | <i>leena</i>                    | 57    |
| INVOKANA                               | 52     | KANJINTI                         | 23    | <i>leflunomide</i>              | 73    |
| IPOL                                   | 76     | <i>kariva</i>                    | 57    | <i>lenalidomide</i>             | 19    |
| <i>ipratropium bromide</i>             | 84     | <i>kcl in dextrose-nacl</i>      | 78    | LENVIMA (10 MG DAILY DOSE)      | 23    |
| <i>ipratropium-albuterol</i>           | 84     | KCL IN DEXTROSE-NACL             | 78    | LENVIMA (12 MG DAILY DOSE)      | 23    |
| <i>irbesartan</i>                      | 28     | <i>kelnor 1/35</i>               | 57    | LENVIMA (14 MG DAILY DOSE)      | 23    |
| <i>irbesartan-hydrochlorothiazide</i>  | 28     | <i>kelnor 1/50</i>               | 57    | LENVIMA (18 MG DAILY DOSE)      | 23    |
|  |        | KERENDIA                         | 27    | LENVIMA (20 MG DAILY DOSE)      | 23    |
|  |        | <i>ketoconazole</i>              | 6, 89 | LENVIMA (24 MG DAILY DOSE)      | 23    |
|  |        | <i>ketorolac tromethamine</i>    | 82    | LENVIMA (4 MG DAILY DOSE)       | 23    |

|   |       |  |        |   |              |
|---|-------|--|--------|---|--------------|
| LENVIMA (8 MG DAILY DOSE).....              | 23    | LOKELMA.....                             | 55     | MEKINIST.....                               | 23           |
| <i>lessina</i> .....                        | 57    | LONSURF.....                             | 18     | MEKTOVI.....                                | 23           |
| <i>letrozole</i> .....                      | 19    | <i>loperamide hcl</i> .....              | 67     | <i>meloxicam</i> .....                      | 3            |
| <i>leucovorin calcium</i> .....             | 26    | <i>lopinavir-ritonavir</i> .....         | 11     | <i>memantine hcl</i> .....                  | 39           |
| LEUKERAN.....                               | 17    | <i>lorazepam</i> .....                   | 34     | <i>memantine hcl er</i> .....               | 39           |
| <i>leuprolide acetate</i> .....             | 19    | <i>lorazepam intensol</i> .....          | 34     | MENACTRA.....                               | 76           |
| <i>levalbuterol hcl</i> .....               | 85    | LORBRENA.....                            | 23     | MENQUADFI.....                              | 76           |
| <i>levalbuterol tartrate</i> .....          | 85    | <i>loryna</i> .....                      | 58     | MENVEO.....                                 | 76           |
| LEVEMIR.....                                | 51    | <i>losartan potassium</i> .....          | 28     | <i>mercaptopurine</i> .....                 | 18           |
| LEVEMIR FLEXTOUCH.....                      | 51    | <i>losartan potassium-hctz</i> .....     | 28     | <i>meropenem</i> .....                      | 7            |
| <i>levetiracetam</i> .....                  | 37    | LOTEMAX.....                             | 83     | <i>mesalamine</i> .....                     | 66           |
| <i>levetiracetam er</i> .....               | 36    | <i>loteprednol etabonate</i> .....       | 83     | <i>mesalamine er</i> .....                  | 66           |
| <i>levetiracetam in nacl</i> .....          | 36    | <i>lovastatin</i> .....                  | 29     | <i>mesalamine-cleanser</i> .....            | 66           |
| <i>levobunolol hcl</i> .....                | 81    | <i>low-ogestrel</i> .....                | 58     | MESNEX.....                                 | 26           |
| <i>levocarnitine</i> .....                  | 63    | <i>loxapine succinate</i> .....          | 44     | <i>metadate er</i> .....                    | 46           |
| <i>levocetirizine dihydrochloride</i> ..... | 84    | <i>lubiprostone</i> .....                | 67     | <i>metformin hcl</i> .....                  | 53           |
| <i>levofloxacin</i> .....                   | 15    | LUMAKRAS.....                            | 23     | <i>metformin hcl er</i> .....               | 53           |
| <i>levofloxacin in d5w</i> .....            | 15    | LUMIGAN.....                             | 81     | <i>metformin hcl er (osm)</i> .....         | 53           |
| <i>levonest</i> .....                       | 57    | LUMIZYME.....                            | 63     | <i>methadone hcl</i> .....                  | 4            |
| <i>levonorgest-eth estrad 91-day</i> ....   | 57    | LUPRON DEPOT (1-MONTH).....              | 19     | <i>methadone hcl intensol</i> .....         | 4            |
| <i>levonorgestrel-ethinyl estrad</i> .....  | 57    | LUPRON DEPOT (3-MONTH).....              | 19     | <i>methazolamide</i> .....                  | 32           |
| <i>levonorg-eth estrad triphasic</i> .....  | 57    | LUPRON DEPOT-PED (1-MONTH).....          | 63     | <i>methenamine hippurate</i> .....          | 7            |
| <i>levora 0.15/30 (28)</i> .....            | 57    | LUPRON DEPOT-PED (3-MONTH).....          | 63     | <i>methimazole</i> .....                    | 64           |
| <i>levo-t</i> .....                         | 64    | <i>ltera</i> .....                       | 58     | <i>methotrexate</i> .....                   | 73           |
| <i>levothyroxine sodium</i> .....           | 64    | <i>lyeq</i> .....                        | 58     | <i>methotrexate sodium</i> .....            | 18           |
| <i>levoxyl</i> .....                        | 64    | <i>lyllana</i> .....                     | 60     | <i>methotrexate sodium (pf)</i> .....       | 18           |
| LEXIVA.....                                 | 9     | LYNPARZA.....                            | 23     | <i>methylphenidate hcl</i> .....            | 46           |
| <i>lidocaine</i> .....                      | 91    | LYRICA CR.....                           | 48     | <i>methylphenidate hcl er</i> .....         | 46           |
| <i>lidocaine hcl</i> .....                  | 5, 91 | LYSODREN.....                            | 19     | <i>methylprednisolone</i> .....             | 61           |
| <i>lidocaine hcl (pf)</i> .....             | 5     | <i>lyza</i> .....                        | 58     | <i>methylprednisolone acetate</i> .....     | 61           |
| <i>lidocaine hcl urethral/mucosal</i> ...   | 91    | <i>magnesium sulfate</i> .....           | 78     | <i>methylprednisolone sodium succ</i> ..... | 61           |
| <i>lidocaine viscous hcl</i> .....          | 92    | MAGNESIUM SULFATE.....                   | 78     | <i>metoclopramide hcl</i> .....             | 65           |
| <i>lidocaine-prilocaine</i> .....           | 91    | <i>magnesium sulfate in d5w</i> .....    | 78     | <i>metolazone</i> .....                     | 33           |
| <i>lillow</i> .....                         | 57    | MAGNESIUM SULFATE IN D5W ..              | 78     | <i>metoprolol succinate er</i> .....        | 30           |
| <i>linezolid</i> .....                      | 7     | malathion.....                           | 92     | <i>metoprolol tartrate</i> .....            | 30, 31       |
| <i>linezolid in sodium chloride</i> .....   | 7     | maraviroc.....                           | 9      | <i>metoprolol-hydrochlorothiazide</i> ..    | 30           |
| LINZESS.....                                | 67    | <i>marlissa</i> .....                    | 58     | <i>metronidazole</i> .....                  | 7, 8, 69, 91 |
| <i>liothyronine sodium</i> .....            | 64    | MARPLAN.....                             | 40     | <i>metyrosine</i> .....                     | 33           |
| <i>lisinopril</i> .....                     | 27    | MATULANE.....                            | 20     | <i>micafungin sodium</i> .....              | 6            |
| <i>lisinopril-hydrochlorothiazide</i> ....  | 27    | <i>matzim la</i> .....                   | 31     | <i>microgestin 1.5/30</i> .....             | 58           |
| LITHIUM.....                                | 48    | MAVYRET.....                             | 12     | <i>microgestin 1/20</i> .....               | 58           |
| <i>lithium carbonate</i> .....              | 48    | <i>meclizine hcl</i> .....               | 65     | <i>microgestin fe 1.5/30</i> .....          | 58           |
| <i>lithium carbonate er</i> .....           | 48    | <i>medroxyprogesterone acetate</i> ..... | 58, 64 | <i>microgestin fe 1/20</i> .....            | 58           |
| LIVALO.....                                 | 29    | <i>mefloquine hcl</i> .....              | 9      | <i>midodrine hcl</i> .....                  | 33           |
| <i>loestrin 1.5/30 (21)</i> .....           | 57    | <i>megestrol acetate</i> .....           | 19, 64 | <i>miglustat</i> .....                      | 63           |
| <i>loestrin 1/20 (21)</i> .....             | 57    |  |        | <i>mili</i> .....                           | 58           |
| <i>loestrin fe 1.5/30</i> .....             | 57    |  |        | <i>mimvey</i> .....                         | 61           |
| <i>loestrin fe 1/20</i> .....               | 58    |  |        |   |              |

|                                       |        |                                       |        |                             |           |
|---------------------------------------|--------|---------------------------------------|--------|-----------------------------|-----------|
| <i>minocycline hcl</i>                | 17     | <i>nefazodone hcl</i>                 | 40     | NOVOLIN 70/30               | 51        |
| <i>minoxidil</i>                      | 33     | <i>neomycin sulfate</i>               | 8      | NOVOLIN 70/30 FLEXPEN       | 51        |
| <i>mirtazapine</i>                    | 40     | <i>neomycin-bacitracin zn-</i>        |        | NOVOLIN N                   | 51        |
| <i>misoprostol</i>                    | 67     | <i>polymyx</i>                        | 82     | NOVOLIN N FLEXPEN           | 51        |
| <i>MITIGARE</i>                       | 3      | <i>neomycin-polymyxin-dexameth</i>    | 81     | NOVOLIN R                   | 51        |
| <i>M-M-R II</i>                       | 76     | <i>neomycin-polymyxin-gramicidin</i>  | 82     | NOVOLIN R FLEXPEN           | 51        |
| <i>M-NATAL PLUS</i>                   | 79     | <i>neomycin-polymyxin-hc</i>          | 81, 83 | NOVOLOG                     | 51        |
| <i>modafinil</i>                      | 49     | <i>NERLYNX</i>                        | 24     | NOVOLOG FLEXPEN             | 51        |
| <i>moexipril hcl</i>                  | 27     | <i>NEUPRO</i>                         | 42     | NOVOLOG MIX 70/30           | 51        |
| <i>molindone hcl</i>                  | 44     | <i>NEVANAC</i>                        | 83     | NOVOLOG MIX 70/30 FLEXPEN   | 51        |
| <i>mometasone furoate</i>             | 87, 91 | <i>nevirapine</i>                     | 10     | NOVOLOG PENFILL             | 51        |
| <i>MONJUVI</i>                        | 23     | <i>nevirapine er</i>                  | 10     | NOXAFIL                     | 6         |
| <i>mono-linyah</i>                    | 58     | <i>NEXAVAR</i>                        | 24     | NUBEQA                      | 19        |
| <i>montelukast sodium</i>             | 85     | <i>niacin er (antihyperlipidemic)</i> | 30     | NUCALA                      | 86        |
| <i>morphine sulfate</i>               | 5      | <i>nicardipine hcl</i>                | 31     | NUEDEXTA                    | 48        |
| <i>morphine sulfate (concentrate)</i> | 5      | <i>NICOTROL</i>                       | 49     | NULOJIX                     | 75        |
| <i>MORPHINE SULFATE (PF)</i>          | 5      | <i>NICOTROL NS</i>                    | 50     | NULYTELY LEMON-LIME         | 67        |
| <i>morphine sulfate (pf)</i>          | 5      | <i>nifedipine er</i>                  | 32     | NUPLAZID                    | 44        |
| <i>morphine sulfate er</i>            | 4      | <i>nifedipine er osmotic release</i>  | 32     | NURTEC                      | 47        |
| <i>MOVANTIK</i>                       | 67     | <i>nikki</i>                          | 58     | NUTRILIPID                  | 80        |
| <i>moxifloxacin hcl</i>               | 15, 82 | <i>nilutamide</i>                     | 19     | NUZYRA                      | 17        |
| <i>MULTAQ</i>                         | 29     | <i>nimodipine</i>                     | 32     | nyamyc                      | 89        |
| <i>mupirocin</i>                      | 88     | <i>NINLARO</i>                        | 24     | nylia 1/35                  | 59        |
| <i>MVASI</i>                          | 23     | <i>nisoldipine er</i>                 | 32     | nylia 7/7/7                 | 59        |
| <i>mycophenolate mofetil</i>          | 75     | <i>nitazoxanide</i>                   | 8      | NYMALIZE                    | 32        |
| <i>mycophenolate sodium</i>           | 75     | <i>nitisinone</i>                     | 63     | nymyo                       | 59        |
| <i>myorisan</i>                       | 88     | <i>NITRO-BID</i>                      | 34     | nystatin                    | 6, 89, 92 |
| <i>MYRBETRIQ</i>                      | 69     | <i>nitrofurantoin macrocrystal</i>    | 8      | nystop                      | 89        |
| <i>na sulfate-k sulfate-mg sulf</i>   | 67     | <i>nitrofurantoin monohyd macro</i>   | 8      | ocella                      | 59        |
| <i>nabumetone</i>                     | 3      | <i>nitroglycerin</i>                  | 34     | OCREVUS                     | 49        |
| <i>nadolol</i>                        | 31     | <i>nizatidine</i>                     | 66     | OCTAGAM                     | 74        |
| <i>nafcillin sodium</i>               | 16     | <i>nora-be</i>                        | 58     | octreotide acetate          | 63        |
| <i>NAGLAZYME</i>                      | 63     | <i>norethin ace-eth estrad-fe</i>     | 58     | ODEFSEY                     | 11        |
| <i>nalbuphine hcl</i>                 | 5      | <i>norethindrone</i>                  | 58     | ODOMZO                      | 24        |
| <i>naloxone hcl</i>                   | 49     | <i>norethindrone acetate</i>          | 64     | OFEV                        | 86        |
| <i>naltrexone hcl</i>                 | 49     | <i>norethindrone acet-ethinyl est</i> | 58     | ofloxacin                   | 82, 83    |
| <i>NAMZARIC</i>                       | 39     | <i>norethindrone-eth estradiol</i>    | 61     | OGIVRI                      | 24        |
| <i>naproxen</i>                       | 4      | <i>norethindron-ethinyl estrad-fe</i> | 58     | olanzapine                  | 44        |
| <i>naproxen sodium</i>                | 4      | <i>norgestimate-eth estradiol</i>     | 58     | olmesartan medoxomil        | 28        |
| <i>naratriptan hcl</i>                | 47     | <i>norgestim-eth estrad triphasic</i> | 58     | olmesartan medoxomil-hctz   | 28        |
| <i>NATACYN</i>                        | 82     | <i>norlyroc</i>                       | 58     | olmesartan-amlodipine-hctz  | 28        |
| <i>nateglinide</i>                    | 53     | <i>NORPACE CR</i>                     | 29     | olopatadine hcl             | 80, 84    |
| <i>NATPARA</i>                        | 54     | <i>nortrel 0.5/35 (28)</i>            | 58     | omeprazole                  | 68        |
| <i>NAYZILAM</i>                       | 37     | <i>nortrel 1/35 (21)</i>              | 58     | OMNARIS                     | 87        |
| <i>nebivolol hcl</i>                  | 31     | <i>nortrel 1/35 (28)</i>              | 58     | OMNIPOD 5 G6 INTRO (GEN 5)  | 51        |
| <i>necon 0.5/35 (28)</i>              | 58     | <i>nortrel 7/7/7</i>                  | 58     | OMNIPOD 5 G6 POD (GEN 5)    | 51        |
| <i>NEEDLES, INSULIN DISP., SAFETY</i> | 51     | <i>nortriptyline hcl</i>              | 40     | OMNIPOD CLASSIC PDM (GEN 3) | 51        |
|                                       |        | <i>NORVIR</i>                         | 10     |                             |           |

|  |        |   |        |   |        |
|--|--------|---|--------|---|--------|
| OMNIPOD CLASSIC PODS (GEN 3).....          | 51     | peg-3350/electrolytes .....                 | 67     | POMALYST .....                              | 19     |
| OMNIPOD DASH INTRO (GEN 4).....            | 51     | PEGASYS .....                               | 12     | portia-28 .....                             | 59     |
| OMNIPOD DASH PODS (GEN 4) .....            | 51     | PEMAZYRE .....                              | 24     | posaconazole .....                          | 6      |
| <i>ondansetron</i> .....                   | 65     | <i>pemetrexed disodium</i> .....            | 18     | <i>potassium chloride</i> .....             | 78, 79 |
| <i>ondansetron hcl</i> .....               | 65     | <i>penicillamine</i> .....                  | 55     | POTASSIUM CHLORIDE .....                    | 79     |
| ONTRUZANT .....                            | 24     | <i>penicillin g potassium</i> .....         | 16     | <i>potassium chloride crys er</i> .....     | 79     |
| ONUREG .....                               | 18     | <i>penicillin G PROCAINE</i> .....          | 16     | <i>potassium chloride er</i> .....          | 79     |
| OPSUMIT .....                              | 34     | <i>penicillin g sodium</i> .....            | 16     | <i>potassium chloride in dextrose</i> ..... | 78     |
| ORGOVYX .....                              | 19     | <i>penicillin v potassium</i> .....         | 16     | POTASSIUM CHLORIDE IN NACL .....            | 78     |
| ORKAMBI .....                              | 86     | PENTACEL .....                              | 76     | <i>potassium chloride in nacl</i> .....     | 78     |
| <i>orsythia</i> .....                      | 59     | <i>pentamidine isethionate</i> .....        | 8      | <i>potassium citrate er</i> .....           | 69     |
| <i>oseltamivir phosphate</i> .....         | 12     | PENTASA .....                               | 66     | PRADAXA .....                               | 70     |
| OTEZLA .....                               | 72     | <i>pentoxifylline er</i> .....              | 71     | PRALUENT .....                              | 30     |
| <i>oxacillin sodium</i> .....              | 16     | <i>perindopril erbumine</i> .....           | 27     | <i>pramipexole dihydrochloride</i> .....    | 42     |
| <i>oxaliplatin</i> .....                   | 17, 18 | <i>periogard</i> .....                      | 92     | <i>pramipexole dihydrochloride er</i> ..... | 42     |
| <i>oxandrolone</i> .....                   | 50     | <i>permethrin</i> .....                     | 92     | <i>prasugrel hcl</i> .....                  | 71     |
| <i>oxaprozin</i> .....                     | 4      | <i>perphenazine</i> .....                   | 44     | <i>pravastatin sodium</i> .....             | 29     |
| <i>oxcarbazepine</i> .....                 | 37     | PERSERIS .....                              | 44     | <i>praziquantel</i> .....                   | 8      |
| <i>oxiconazole nitrate</i> .....           | 89     | <i>pfizerpen</i> .....                      | 16     | <i>prazosin hcl</i> .....                   | 27     |
| <i>oxybutynin chloride</i> .....           | 69     | <i>phenelzine sulfate</i> .....             | 40     | <i>prednisolone</i> .....                   | 61     |
| <i>oxybutynin chloride er</i> .....        | 69     | <i>phenobarbital</i> .....                  | 37     | <i>prednisolone acetate</i> .....           | 83     |
| <i>oxycodone hcl</i> .....                 | 5      | <i>phenobarbital sodium</i> .....           | 37     | PREDNISOLONE SODIUM .....                   |        |
| <i>oxycodone-acetaminophen</i> .....       | 5      | PHENYTEK .....                              | 37     | PHOSPHATE .....                             | 83     |
| OXYCONTIN .....                            | 4      | <i>phenytoin</i> .....                      | 37     | <i>prednisone</i> .....                     | 61, 62 |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) .....        | 53     | <i>phenytoin sodium</i> .....               | 37     | PREDNISONE INTENSOL .....                   | 61     |
| OZEMPIC (1 MG/DOSE) .....                  | 53     | <i>phenytoin sodium extended</i> .....      | 37     | <i>pregabalin</i> .....                     | 37     |
| OZEMPIC (2 MG/DOSE) .....                  | 53     | PHESGO .....                                | 24     | PREHEVBARIO .....                           | 76     |
| <i>pacerone</i> .....                      | 29     | <i>philith</i> .....                        | 59     | PREMARIN .....                              | 61     |
| <i>paclitaxel</i> .....                    | 20     | PIFELTRO .....                              | 10     | PREMASOL .....                              | 80     |
| <i>paclitaxel protein-bound part</i> ..... | 21     | <i>pilocarpine hcl</i> .....                | 81, 92 | PREMPRO .....                               | 61     |
| <i>paliperidone er</i> .....               | 44     | <i>pimozide</i> .....                       | 44     | PRENATAL VITAMIN PLUS LOW .....             |        |
| <i>pamidronate disodium</i> .....          | 55     | <i>pimtrea</i> .....                        | 59     | IRON .....                                  | 79     |
| PAMIDRONATE DISODIUM .....                 | 55     | <i>pindolol</i> .....                       | 31     | PRENATAL VITAMIN WITH .....                 |        |
| PANRETIN .....                             | 92     | <i>pioglitazone hcl</i> .....               | 53     | FOLIC ACID GREATER THAN 0.8 .....           |        |
| <i>pantoprazole sodium</i> .....           | 68     | <i>piperacillin sod-tazobactam so</i> ..... | 17     | MG ORAL TABLET .....                        | 79     |
| PANZYGA .....                              | 74     | PIQRAY (200 MG DAILY DOSE) .....            | 24     | prevalite .....                             | 30     |
| <i>paraplatin</i> .....                    | 18     | PIQRAY (250 MG DAILY DOSE) .....            | 24     | PREVYMIS .....                              | 12     |
| <i>paricalcitol</i> .....                  | 65     | PIQRAY (300 MG DAILY DOSE) .....            | 24     | PREZCOBIX .....                             | 11     |
| <i>paromomycin sulfate</i> .....           | 8      | <i>pirfenidone</i> .....                    | 86     | PREZISTA .....                              | 10     |
| <i>paroxetine hcl</i> .....                | 40     | <i>pirmella 1/35</i> .....                  | 59     | PRIFTIN .....                               | 11     |
| <i>paroxetine hcl er</i> .....             | 40     | <i>piroxicam</i> .....                      | 4      | PRILOSEC .....                              | 68     |
| PASER .....                                | 11     | PLASMA-LYTE 148 .....                       | 78     | PRIMAQUINE PHOSPHATE .....                  | 9      |
| PAXIL .....                                | 40     | PLASMA-LYTE A .....                         | 78     | <i>primaquine phosphate</i> .....           | 9      |
| PEDIARIX .....                             | 76     | <i>plenamine</i> .....                      | 80     | <i>primidone</i> .....                      | 37     |
| PEDVAX HIB .....                           | 76     | PLENU .....                                 | 67     | PRIORIX .....                               | 76     |
| <i>peg 3350-kcl-na bicarb-nacl</i> .....   | 67     | <i>podofilox</i> .....                      | 92     | PRIVIGEN .....                              | 74     |
|  |        | <i>polymyxin b-trimethoprim</i> .....       | 82     | <i>probenecid</i> .....                     | 3      |

|                               |        |                       |    |                                |        |
|-------------------------------|--------|-----------------------|----|--------------------------------|--------|
| PROCALAMINE                   | 80     | REGRANEX              | 92 | sapropterin dihydrochloride    | 63     |
| prochlorperazine              | 65     | RELENZA DISKHALER     | 12 | SAVELLA                        | 48     |
| prochlorperazine edisylate    | 65     | RELISTOR              | 68 | SAVELLA TITRATION PACK         | 48     |
| prochlorperazine maleate      | 65     | REMICADE              | 72 | SCEMBLIX                       | 24     |
| PROCERIT                      | 70     | RENFLEXIS             | 72 | scopolamine                    | 66     |
| proto-med hc                  | 92     | repaglinide           | 53 | SECUADO                        | 45     |
| proto-pak                     | 92     | RESTASIS              | 83 | selegiline hcl                 | 42     |
| proctosol hc                  | 92     | RESTASIS MULTIDOSE    | 83 | selenium sulfide               | 89     |
| protozone-hc                  | 92     | RETEVMO               | 24 | SELZENTRY                      | 10     |
| PROGRAF                       | 75     | REVLIMID              | 19 | SEREVENT DISKUS                | 85     |
| PROLASTIN-C                   | 86     | REXULTI               | 45 | sertraline hcl                 | 40     |
| PROLENSA                      | 83     | REYATAZ               | 10 | setlakin                       | 59     |
| PROLIA                        | 55     | REZUROCK              | 75 | sevelamer carbonate            | 64     |
| PROMACTA                      | 71     | RHOPRESSA             | 81 | sharobel                       | 59     |
| promethazine hcl              | 65     | RIABNI                | 24 | SHINGRIX                       | 77     |
| propafenone hcl               | 29     | ribavirin             | 12 | SIGNIFOR                       | 63     |
| propafenone hcl er            | 29     | rifabutin             | 11 | sildenafil citrate             | 34     |
| proparacaine hcl              | 83     | rifampin              | 12 | silodosin                      | 68     |
| propranolol hcl               | 31     | riluzole              | 48 | silver sulfadiazine            | 88     |
| propranolol hcl er            | 31     | rimantadine hcl       | 13 | SIMBRINZA                      | 81     |
| propylthiouracil              | 64     | RINVOQ                | 72 | simliya                        | 59     |
| PROQUAD                       | 76     | risedronate sodium    | 55 | simvastatin                    | 29     |
| PROSOL                        | 80     | RISPERDAL CONSTA      | 45 | sirolimus                      | 75     |
| protriptyline hcl             | 40     | risperidone           | 45 | SIRTURO                        | 12     |
| PSORCON                       | 91     | ritonavir             | 10 | SIVEXTRO                       | 8      |
| PULMICORT FLEXHALER           | 87     | RITUXAN               | 24 | SKYRIZI                        | 72, 73 |
| PULMOZYME                     | 86     | RITUXAN HYCELA        | 24 | SKYRIZI (150 MG DOSE)          | 72     |
| PURIXAN                       | 18     | rivastigmine          | 39 | SKYRIZI PEN                    | 73     |
| pyrazinamide                  | 11     | rivastigmine tartrate | 39 | sodium chloride                | 79, 92 |
| pyridostigmine bromide        | 48     | rizatriptan benzoate  | 47 | sodium fluoride chew, tab, 1.1 |        |
| QINLOCK                       | 24     | ROCKLATAN             | 81 | (0.5 f) mg/ml soln             | 79     |
| QUADRACEL                     | 76     | ropinirole hcl        | 42 | sodium phenylbutyrate          | 63     |
| quetiapine fumarate           | 45     | ropinirole hcl er     | 42 | sodium polystyrene sulfonate   | 55     |
| quetiapine fumarate er        | 44, 45 | rosadan               | 92 | solifenacin succinate          | 69     |
| quinapril hcl                 | 27     | rosuvastatin calcium  | 29 | SOLIQUA                        | 51     |
| quinapril-hydrochlorothiazide | 27     | ROTARIX               | 77 | SOLTAMOX                       | 19     |
| quinidine sulfate             | 29     | ROTATEQ               | 77 | SOLU-CORTEF                    | 62     |
| quinine sulfate               | 9      | roweepra              | 37 | SOMATULINE DEPOT               | 63, 64 |
| RABAVERT                      | 76     | ROZLYTREK             | 24 | SOMAVERT                       | 64     |
| rabeprozole sodium            | 68     | RUBRACA               | 24 | sorafenib tosylate             | 24     |
| raloxifene hcl                | 63     | rufinamide            | 37 | sorine                         | 29     |
| ramipril                      | 27     | RUKOBIA               | 10 | sotalol hcl                    | 29     |
| ranolazine er                 | 33     | RUXIENCE              | 24 | sotalol hcl (af)               | 29     |
| rasagiline mesylate           | 42     | RYBELSUS              | 53 | SOVALDI                        | 13     |
| RAYALDEE                      | 65     | RYDAPT                | 24 | spironolactone                 | 27     |
| reclipsen                     | 59     | sajazir               | 71 | spironolactone-hctz            | 33     |
| RECOMBIVAX HB                 | 77     | SANDIMMUNE            | 75 | sprintec 28                    | 59     |
| RECTIV                        | 92     | SANTYL                | 92 | SPRITAM                        | 37     |

|                                    |        |                                    |        |                               |        |
|------------------------------------|--------|------------------------------------|--------|-------------------------------|--------|
| SPRYCEL.....                       | 24     | tamsulosin hcl.....                | 69     | TOBRADEX.....                 | 81     |
| sps.....                           | 55     | TARGRETIN.....                     | 92     | TOBRADEX ST.....              | 81     |
| sronyx.....                        | 59     | tarina fe 1/20 eq.....             | 59     | tobramycin.....               | 8, 82  |
| ssd.....                           | 88     | TASIGNA.....                       | 25     | tobramycin sulfate.....       | 8      |
| stavudine.....                     | 10     | tazarotene.....                    | 89     | tobramycin-dexamethasone..... | 81     |
| STELARA.....                       | 73     | tazicef.....                       | 14     | tolterodine tartrate.....     | 69     |
| sterile water for irrigation.....  | 92     | TAZORAC.....                       | 89     | tolterodine tartrate er.....  | 69     |
| STIVARGA.....                      | 24     | taztia xt.....                     | 32     | tolvaptan.....                | 64     |
| streptomycin sulfate.....          | 8      | TAZVERIK.....                      | 25     | topiramate.....               | 38     |
| STRIBILD.....                      | 11     | TDVAX.....                         | 77     | toposar.....                  | 21     |
| subvenite.....                     | 37     | TECENTRIQ.....                     | 25     | toremifene citrate.....       | 19     |
| sucralfate.....                    | 68     | TECFIDERA.....                     | 49     | torsemide.....                | 33     |
| sulfacetamide sodium.....          | 82     | TEFLARO.....                       | 14     | TOVIAZ.....                   | 69     |
| sulfacetamide sodium (acne).....   | 88     | telmisartan.....                   | 28     | TPN ELECTROLYTES.....         | 79     |
| sulfacetamide-prednisolone.....    | 81     | telmisartan-amlodipine.....        | 28     | TRADJENTA.....                | 54     |
| SULFADIAZINE.....                  | 8      | telmisartan-hctz.....              | 28     | tramadol hcl.....             | 5      |
| sulfamethoxazole-trimethoprim..... | 8      | temazepam.....                     | 46, 47 | tramadol-acetaminophen.....   | 5      |
| SULFAMYRON.....                    | 88     | TEMIXYS.....                       | 11     | trandolapril.....             | 27     |
| sulfasalazine.....                 | 66     | TENIVAC.....                       | 77     | tranexamic acid.....          | 71     |
| sulindac.....                      | 4      | tenofovir disoproxil fumarate..... | 10     | tranylcyromine sulfate.....   | 41     |
| sumatriptan.....                   | 47     | TEPMETKO.....                      | 25     | TRAVASOL.....                 | 80     |
| sumatriptan succinate.....         | 47     | terazosin hcl.....                 | 27     | travoprost (bak free).....    | 81     |
| sumatriptan succinate refill.....  | 47     | terbinafine hcl.....               | 6      | TRAZIMERA.....                | 25     |
| sumatriptan-naproxen sodium.....   | 47     | terbutaline sulfate.....           | 85     | trazodone hcl.....            | 41     |
| sunitinib malate.....              | 25     | terconazole.....                   | 69     | TRECATOR.....                 | 12     |
| SUPREP BOWEL PREP KIT.....         | 67     | testosterone.....                  | 50     | TRELEGY ELLIPTA.....          | 84     |
| syeda.....                         | 59     | testosterone cypionate.....        | 50     | TRELSTAR MIXJECT.....         | 19     |
| SYMBICORT.....                     | 88     | testosterone enanthate.....        | 50     | treprostinil.....             | 34     |
| SYMDEKO.....                       | 86     | tetrabenazine.....                 | 48     | TRESIBA.....                  | 51     |
| SYMLINPEN 120.....                 | 54     | tetracycline hcl.....              | 17     | TRESIBA FLEXTOUCH.....        | 51     |
| SYMLINPEN 60.....                  | 54     | THALOMID.....                      | 19     | tretinoin.....                | 20, 88 |
| SYMPAZAN.....                      | 37     | THEO-24.....                       | 86     | TREXALL.....                  | 73     |
| SYMTUZA.....                       | 11     | theophylline.....                  | 86, 87 | triamcinolone acetonide.....  | 91, 92 |
| SYNAREL.....                       | 60     | theophylline er.....               | 86     | triamterene-hctz.....         | 33     |
| SYNERCID.....                      | 8      | thioridazine hcl.....              | 45     | TRICARE.....                  | 79     |
| SYNJARDY.....                      | 54     | thiothixene.....                   | 45     | triderm.....                  | 91     |
| SYNJARDY XR.....                   | 54     | tiadylt er.....                    | 32     | trientine hcl.....            | 55     |
| SYNRIBO.....                       | 20     | tiagabine hcl.....                 | 37     | tri-estarrylla.....           | 59     |
| SYNTROID.....                      | 64     | TIBSOVO.....                       | 25     | trifluoperazine hcl.....      | 45     |
| TABLOID.....                       | 18     | TICOVAC.....                       | 77     | trifluridine.....             | 82     |
| TABRECTA.....                      | 25     | TIGECYCLINE.....                   | 17     | trihexyphenidyl hcl.....      | 42     |
| tacrolimus.....                    | 75, 92 | tigecycline.....                   | 17     | TRIARDY XR.....               | 54     |
| tadalafil (pah).....               | 34     | tilia fe.....                      | 59     | TRIKAFTA.....                 | 87     |
| TAFINLAR.....                      | 25     | timolol maleate.....               | 31, 81 | tri-legest fe.....            | 59     |
| TAGRISSO.....                      | 25     | timolol maleate (once-daily).....  | 81     | tri-linyah.....               | 59     |
| TALTZ.....                         | 73     | TIVICAY.....                       | 10     | tri-lo-estarrylla.....        | 59     |
| TALZENNA.....                      | 25     | TIVICAY PD.....                    | 10     | tri-lo-marzia.....            | 59     |
| tamoxifen citrate.....             | 19     | tizanidine hcl.....                | 49     | tri-lo-mili.....              | 59     |

|                                      |    |                             |    |                              |    |
|--------------------------------------|----|-----------------------------|----|------------------------------|----|
| <i>tri-lo-sprintec</i>               | 59 | VAQTA                       | 77 | VYVANSE                      | 46 |
| <i>trimethoprim</i>                  | 8  | VARENICLINE TARTRATE        | 50 | VYZULTA                      | 81 |
| <i>tri-mili</i>                      | 59 | <i>varenicline tartrate</i> | 50 | <i>warfarin sodium</i>       | 70 |
| <i>trimipramine maleate</i>          | 41 | VARIVAX                     | 77 | WELIREG                      | 20 |
| TRINTELLIX                           | 41 | VASCEPA                     | 30 | <i>wera</i>                  | 60 |
| <i>tri-nymyo</i>                     | 59 | VELCADE                     | 25 | XALKORI                      | 26 |
| <i>tri-sprintec</i>                  | 59 | <i>velivet</i>              | 59 | XARELTO                      | 70 |
| TRIUMEQ                              | 11 | VELPHORO                    | 64 | XARELTO STARTER PACK         | 70 |
| TRIUMEQ PD                           | 11 | VELTASSA                    | 55 | XATMEP                       | 73 |
| <i>trivora (28)</i>                  | 59 | VEMLIDY                     | 13 | XCOPRI                       | 38 |
| <i>tri-vylibra</i>                   | 59 | VENCLEXTA                   | 25 | XCOPRI (250 MG DAILY DOSE)   | 38 |
| <i>tri-vylibra lo</i>                | 59 | VENCLEXTA STARTING PACK     | 25 | XCOPRI (350 MG DAILY DOSE)   | 38 |
| TRIZIVIR                             | 11 | <i>venlafaxine hcl</i>      | 41 | XELJANZ                      | 73 |
| TROGARZO                             | 10 | <i>venlafaxine hcl er</i>   | 41 | XELJANZ XR                   | 73 |
| TROPHAMINE                           | 80 | VENTAVIS                    | 34 | XERMELO                      | 68 |
| <i>trospium chloride</i>             | 69 | VENTOLIN HFA                | 85 | XGEVA                        | 55 |
| TRULICITY                            | 54 | <i>verapamil hcl</i>        | 32 | XIFAXAN                      | 68 |
| TRUMENBA                             | 77 | <i>verapamil hcl er</i>     | 32 | XIGDUO XR                    | 54 |
| TRUSELTIQ (100MG DAILY DOSE)         | 25 | VERSACLOZ                   | 45 | XIIDRA                       | 83 |
| TRUSELTIQ (125MG DAILY DOSE)         | 25 | VERZENIO                    | 25 | XOLAIR                       | 87 |
| TRUSELTIQ (50MG DAILY DOSE)          | 25 | <i>vestura</i>              | 59 | XOSPATA                      | 26 |
| TRUSELTIQ (75MG DAILY DOSE)          | 25 | V-GO 20                     | 51 | XPOVIO (100 MG ONCE WEEKLY)  | 26 |
| TRUXIMA                              | 25 | V-GO 30                     | 51 | XPOVIO (40 MG ONCE WEEKLY)   | 26 |
| TUKYSA                               | 25 | V-GO 40                     | 51 | XPOVIO (40 MG TWICE WEEKLY)  | 26 |
| TURALIO                              | 25 | VICTOZA                     | 54 | XPOVIO (60 MG ONCE WEEKLY)   | 26 |
| TWINRIX                              | 77 | <i>vienna</i>               | 59 | XPOVIO (60 MG TWICE WEEKLY)  | 26 |
| TYBOST                               | 10 | <i>vigabatrin</i>           | 38 | XPOVIO (80 MG ONCE WEEKLY)   | 26 |
| TYMLOS                               | 55 | <i>vigadron</i>             | 38 | XPOVIO (80 MG TWICE WEEKLY)  | 26 |
| TYPHIM VI                            | 77 | VIIBRYD                     | 41 | XPOVIO (80 MG TWICE WEEKLY)  | 26 |
| UBRELVY                              | 48 | VIIBRYD STARTER PACK        | 41 | XPOVIO (100 MG ONCE WEEKLY)  | 26 |
| <i>unithroid</i>                     | 65 | <i>vilazodone hcl</i>       | 41 | XPOVIO (100 MG TWICE WEEKLY) | 26 |
| <i>ursodiol</i>                      | 68 | VIMPAT                      | 38 | XWELL                        | 19 |
| <i>valacyclovir hcl</i>              | 13 | <i>vincristine sulfate</i>  | 21 | XTANDI                       | 60 |
| VALCHLOR                             | 92 | <i>vinorelbine tartrate</i> | 21 | xulane                       | 52 |
| <i>valganciclovir hcl</i>            | 13 | <i>viorele</i>              | 60 | XULTOPHY                     | 49 |
| <i>valproate sodium</i>              | 38 | VIRACEPT                    | 10 | XYREM                        | 77 |
| <i>valproic acid</i>                 | 38 | VIREAD                      | 10 | YF-VAX                       | 61 |
| <i>valsartan</i>                     | 28 | VITRAKVI                    | 25 | yuvalfem                     | 60 |
| <i>valsartan-hydrochlorothiazide</i> | 28 | VIVITROL                    | 50 | zafemy                       | 85 |
| VALTOCO 10 MG DOSE                   | 38 | VIZIMPRO                    | 26 | zafirlukast                  | 26 |
| VALTOCO 15 MG DOSE                   | 38 | VONJO                       | 26 | ZARXIO                       | 87 |
| VALTOCO 20 MG DOSE                   | 38 | <i>voriconazole</i>         | 6  | ZEJULA                       | 88 |
| VALTOCO 5 MG DOSE                    | 38 | VOSEVI                      | 13 | ZELBORAF                     | 68 |
| <i>vancomycin hcl</i>                | 8  | VOTRIENT                    | 26 | ZEMAIRA                      | 60 |
| VANCOMYCIN HCL IN NACL               | 8  | VRAYLAR                     | 45 | zenatane                     | 80 |
| <i>vandazole</i>                     | 69 | VUMERTY                     | 49 | ZENPEP                       | 10 |
|                                      |    | <i>vyfemla</i>              | 60 | ZERVIADE                     | 10 |
|                                      |    | <i>vylibra</i>              | 60 | zidovudine                   | 10 |

|                                   |    |
|-----------------------------------|----|
| <i>ziprasidone hcl</i> .....      | 45 |
| <i>ziprasidone mesylate</i> ..... | 45 |
| ZIRABEV .....                     | 26 |
| ZIRGAN .....                      | 82 |
| <i>zoledronic acid</i> .....      | 55 |
| ZOLINZA.....                      | 26 |
| <i>zolmitriptan</i> .....         | 48 |
| <i>zolpidem tartrate</i> .....    | 47 |
| ZONISADE.....                     | 38 |
| <i>zonisamide</i> .....           | 38 |
| ZORTRESS.....                     | 75 |
| <i>zovia 1/35 (28)</i> .....      | 60 |
| ZTALMY .....                      | 38 |
| <i>zumandimine</i> .....          | 60 |
| ZYDELIG .....                     | 26 |
| ZYKADIA.....                      | 26 |
| ZYLET .....                       | 81 |
| ZYPITAMAG .....                   | 29 |
| ZYPREXA RELPREVV .....            | 45 |

'Ohana Health Plan, a plan offered by WellCare Health Insurance of Arizona, Inc.

Our plans use a formulary. The formulary may change at any time. You will receive notice when necessary. Please contact your plan for details.

## **For MAPD plans that offer preferred pharmacies**

WellCare's pharmacy network includes limited lower-cost, preferred pharmacies in rural areas of MO and NE. The lower costs advertised in our plan materials for these pharmacies may not be available at the pharmacy you use. For up-to-date information about our network pharmacies, including whether there are any lower-cost preferred pharmacies in your area, please call **1-833-444-9088 (TTY 711)** for Wellcare No Premium (HMO) and Wellcare Giveback (HMO) in MO or consult the online pharmacy directory at **www.wellcare.com/medicare**, and **1-833-542-0693 (TTY 711)** for Wellcare No Premium (HMO), Wellcare Giveback (HMO) and Wellcare No Premium Open (PPO) in NE or consult the online pharmacy directory at **www.wellcare.com/NE**.

## **For NM Dual Eligible Plans**

For Allwell New Mexico D-SNP members: Such services are funded in part with the state of New Mexico.

## **For LA Dual Eligible Plans**

For Louisiana D-SNP members: As a WellCare HMO D-SNP member, you have coverage from both Medicare and Medicaid. You receive your Medicare health care and prescription drug coverage through WellCare and are also eligible to receive additional health care services and coverage through Louisiana Medicaid. Learn more about providers who participate in Louisiana Medicaid by visiting **https://www.myplan.healthy.la.gov/myaccount/choose/find-provider**. For detailed information about Louisiana Medicaid benefits, please visit the Medicaid website at **https://ldh.la.gov/medicaid** and select the "Learn about Medicaid Services" link.

## **For TN Dual Eligible plans**

Notice: TennCare is not responsible for payment for these benefits, except for appropriate cost sharing amounts. TennCare is not responsible for guaranteeing the availability or quality of these benefits.

ATENCIÓN: Si habla español, contamos con servicios de asistencia lingüística que se encuentran disponibles para usted de manera gratuita. Llame al 1-877-374-4056 (TTY: 711).

注意：如果您說中文，您可以免費獲得語言援助服務。請致電 1-877-374-4056 (TTY : 711)。

Chú ý: Nếu quý vị nói tiếng Việt, dịch vụ hỗ trợ ngôn ngữ có sẵn miễn phí dành cho quý vị. Hãy gọi số 1-877-374-4056 (TTY: 711).

주의사항: 한국어를 구사할 경우, 언어 보조 서비스를 무료로 이용 가능합니다.  
1-877-374-4056 (TTY: 711) 번으로 연락해 주십시오.

Atensyon: Kung nagsasalita ka ng Tagalog, may mga available na libreng tulong sa wika para sa iyo. Tumawag sa 1-877-374-4056 (TTY: 711).

Dumngeg: No agsasau ka iti Ilokano, dagiti tulong nga serbisio, a libre, ket available para kaniam. Awagan ti 1-877-374-4056 (TTY: 711).

La Silafia: Afai e te tautala i le gagana Sāmoa, gagana ‘au’au naga fesoasoani, fai fua leai se totogi, o lo’o avanoa ia te ‘oe. Vala’au le 1-877-374-4056 (TTY: 711).

Maliu: Inā ‘ōlelo Hawai‘i ‘oe, he lawelawe māhele ‘ōlelo, manuahi, i lako iā ‘oe. E kelepona iā 1-877-374-4056 (TTY: 711).

**This formulary was updated on 12/01/2022.**

For more recent information or other questions, please contact Wellcare Member Services at **1-888-550-5252** (TTY users should call, **711**), between October 1 and March 31, representatives are available Monday–Sunday, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m., or visit **[www.wellcare.com/PDP](http://www.wellcare.com/PDP)**.

**12/01/2022**

**MedicareRx**  
Prescription Drug Coverage