

Wellcare Absolute Total Care Dual Align, HMO D-SNP 2026 List of Covered Drugs (*Drug List* or Formulary)

05



**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID 26329, Version Number 15

This *Drug List* was updated on 06/01/2026. For more recent information or other questions, contact us at **1-833-998-5063 (TTY 711)**, between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. or visit **go.wellcare.com/ATC**.



By



**absolute
total care.**

Introduction

This document is called the *List of Covered Drugs* (also known as the *Drug List*). It tells you which drugs and over-the-counter (OTC) drugs and non-drug products and items are covered by Wellcare Absolute Total Care Dual Align (HMO D-SNP). The *Drug List* also tells you if there are any special rules or restrictions on any drugs covered by Wellcare Absolute Total Care Dual Align (HMO D-SNP). Key terms and their definitions appear in the last chapter of the *Member Handbook*.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

Table of Contents

| | |
|---|----|
| A. Disclaimers..... | 4 |
| B. Frequently Asked Questions (FAQ)..... | 8 |
| B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the <i>Drug List</i> for short)..... | 8 |
| B2. Does the <i>Drug List</i> ever change?..... | 8 |
| B3. What happens when there’s a change to the <i>Drug List</i> ?..... | 10 |
| B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?..... | 12 |
| B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?..... | 12 |
| B6. What happens if Wellcare Absolute Total Care Dual Align (HMO D-SNP) changes their rules about how they cover some drugs (for example, prior authorization, quantity limits, and/or step therapy restrictions)?..... | 13 |
| B7. How can I find a drug on the <i>Drug List</i> ?..... | 13 |
| B8. What if the drug I want to take isn’t on the <i>Drug List</i> ?..... | 14 |
| B9. What if I’m a new Wellcare Absolute Total Care Dual Align (HMO D-SNP) member and can’t find my drug on the <i>Drug List</i> or have a problem getting my drug?..... | 14 |
| B10. Can I ask for an exception to cover my drug?..... | 15 |
| B11. How can I ask for an exception?..... | 16 |
| B12. How long does it take to get an exception?..... | 16 |
| B13. What are generic drugs?..... | 17 |
| B14. What are original biological products and how are they related to biosimilars?.... | 17 |
| B15. What are OTC drugs?..... | 18 |

This section is continued on the next page.

| | |
|---|---------|
| B16. Does Wellcare Absolute Total Care Dual Align (HMO D-SNP) cover non-drug OTC products?..... | 18 |
| B17. Does Wellcare Absolute Total Care Dual Align (HMO D-SNP) cover long-term supplies of prescriptions?..... | 18 |
| B18. Can I get prescriptions delivered to my home from my local pharmacy?..... | 18 |
| B19. What’s my copay?..... | 19 |
| C. Overview of the <i>List of Covered Drugs</i> | 20 |
| C1. List of Drugs by by Medical Condition..... | 21 |
| D. Index of Covered Drugs..... | INDEX-1 |



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information,** visit go.wellcare.com/ATC.

A. Disclaimers

This is a list of drugs that members can get in Wellcare Absolute Total Care Dual Align (HMO D-SNP).

- ❖ Wellcare Absolute Total Care Dual Align (HMO D-SNP) is a health plan that contracts with both Medicare and South Carolina Healthy Connections Medicaid to provide benefits of both programs to enrollees.
- ❖ You can always check Wellcare Absolute Total Care Dual Align (HMO D-SNP)'s up-to-date *List of Covered Drugs* online at go.wellcare.com/ATC or by calling Member Services at the numbers in the footer of this document. This call is free.
- ❖ You can get this document for free in other formats, such as large print, braille, or audio. Call Member Services at the numbers in the footer of this document. The call is free.
- ❖ ATTENTION: If you speak a language other than English, free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-833-998-5063 (TTY: 711).

Español ATENCIÓN: Contamos con servicios de asistencia lingüística que se encuentran disponibles para usted de manera gratuita. También se encuentran disponibles de manera gratuita ayudas y servicios auxiliares adecuados para proporcionar información en formatos accesibles. Llame al 1-833-998-5063 (TTY: 711).

Deutsch ACHTUNG: Sprachdienstleistungen stehen Ihnen kostenlos zur Verfügung. Geeignete zusätzliche Unterstützung und Dienstleistungen für Informationen in zugänglichen Formaten stehen Ihnen ebenfalls kostenlos zur Verfügung. Rufen Sie folgende Nummer an: 1-833-998-5063 (TTY: 711).

This section is continued on the next page.

简体中文 注意：我们为您提供免费的语言协助服务，同时也可免费提供适当的辅助设施与服务，以便提供无障碍格式的信息。请致电 1-833-998-5063（TTY：711）。

繁體中文 注意：我們為您提供免費的語言協助服務，還免費提供適當的輔助工具和服務，以無障礙格式提供資訊。請致電 1-833-998-5063 (TTY：711)

。

Français REMARQUE : des services d'assistance linguistique gratuits sont à votre disposition. Des services et aides pour obtenir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-833-998-5063 (TTY : 711).

Français cadien COMMUNIQUE: Des services d'aide linguistique sans frais sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations en formats accessibles sont également proposés sans frais. Composez le 1-833-998-5063 (TTY : 711).

Русский ВНИМАНИЕ! Вам доступны бесплатные услуги языковой поддержки. Вы также можете бесплатно получить соответствующие вспомогательные средства и услуги, направленные на предоставление информации в доступных форматах. Позвоните по номеру 1-833-998-5063 (TTY: 711).

Tagalog ATENSYON: May mga libreng serbisyo ng tulong sa wika na available para sa inyo. Available din nang libre ang mga naaangkop na karagdagang tulong at serbisyo para makapagbigay ng impormasyon sa mga accessible na format. Tumawag sa 1-833-998-5063 (TTY: 711).

Português ATENÇÃO: estão disponíveis serviços de assistência gratuitos no seu idioma. Também estão disponíveis apoios auxiliares e serviços adequados que oferecem informações em formatos acessíveis e sem custos. Ligue para 1-833-998-5063 (TTY: 711).

This section is continued on the next page.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

Tiếng Việt LƯU Ý: Chúng tôi có cung cấp dịch vụ hỗ trợ ngôn ngữ miễn phí. Các dịch vụ và trợ giúp bổ trợ phù hợp để cung cấp thông tin ở các định dạng có thể truy cập cũng được cung cấp miễn phí. Gọi 1-833-998-5063 (TTY: 711).

ગુજરાતી ધ્યાન આપવાની જરૂર છે: તમારા માટે ભાષા સંબંધી સહાયતાની મફત સેવાઓ ઉપલબ્ધ છે. એક્સેસ કરી શકાય તેવાં ફોર્મેટમાં માહિતી પ્રદાન કરવા માટે યોગ્ય સહાયક સહાય અને સેવાઓ પણ મફતમાં ઉપલબ્ધ છે. 1-833-998-5063 (TTY: 711) પર કોલ કરો.

Українська УВАГА! Вам доступні безкоштовні послуги мовної допомоги. Відповідні допоміжні засоби та послуги для надання інформації у доступних форматах також доступні безкоштовно. Зателефонуйте за номером 1-833-998-5063 (TTY: 711).

العربية انتباه: تتوفر لك خدمات مساعدة لغوية مجانية. تتوفر كذلك مجاناً مساعدات وخدمات إضافية ملائمة لتزويد المعلومات بتنسيقات قابلة للوصول إليها. اتصل على الرقم 1-833-998-5063 (TTY: 711).

한국어 주의: 무료 언어 지원 서비스를 이용하실 수 있습니다. 정보 제공을 위해 적합한 보조 도구 및 서비스 또한 액세스 가능한 형식으로 무료 이용이 가능합니다. 1-833-998-5063 (TTY: 711)번으로 전화해 주십시오.

हर्दी ध्यान दें: आपके लिए नशुल्क भाषा सहायता सेवाएं उपलब्ध हैं. एक्सेस करने योग्य फॉर्मेट में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएं भी नशुल्क उपलब्ध हैं. 1-833-998-5063 (TTY: 711) पर कॉल करें.

Italiano ATTENZIONE: sono disponibili servizi di assistenza linguistica gratuiti. Sono inoltre disponibili supporti e servizi ausiliari gratuiti adatti a fornire le informazioni in formati accessibili. Chiamare il numero 1-833-998-5063 (TTY: 711).

This section is continued on the next page.

- ❖ This document is available for free in Spanish.
- ❖ If you would like to request an alternate format (large print, audio, accessible electronic formats, other formats) or another preferred language, call Member Services at the numbers in the footer of this document.
 - To always get this document and other material in another language or format, now and in the future, please call Member Services. If you later want to change the language and/or format choice, please call Member Services at the numbers in the footer of this document.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs (Drug List)*. You can read all of the FAQ to learn more, or look for a question and answer.

B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the *Drug List* for short)

The drugs on the *Drug List* that starts in **Section C1** are the drugs covered by Wellcare Absolute Total Care Dual Align (HMO D-SNP). The drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- Wellcare Absolute Total Care Dual Align (HMO D-SNP) will cover all medically necessary drugs on the *Drug List* if:
 - your doctor or other prescriber says you need them to get better or stay healthy,
 - Wellcare Absolute Total Care Dual Align (HMO D-SNP) agrees that the drug is medically necessary for you, **and**
 - you fill the prescription at a Wellcare Absolute Total Care Dual Align (HMO D-SNP) network pharmacy.
- In some cases, you have to do something before you can get a drug. Refer to question B4 for more information.

You can also find an up-to-date list of drugs that we cover on our website at go.wellcare.com/ATC or by calling Member Services at the numbers in the footer of this document.

B2. Does the *Drug List* ever change?

Yes, and Wellcare Absolute Total Care Dual Align (HMO D-SNP) must follow Medicare and South Carolina Healthy Connections Medicaid rules when making changes. We may add or remove drugs on the *Drug List* during the year.

This section is continued on the next page.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior authorization for a drug. (Prior authorization is permission from Wellcare Absolute Total Care Dual Align (HMO D-SNP) before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we'll cover another drug.)

For more information on these drug rules, refer to question B4.

If you're taking a drug that was covered at the **beginning** of the year, we'll generally not remove or change coverage of that drug **during the rest of the year** unless:

- a new, cheaper drug comes on the market that works as well as a drug on the *Drug List* now, **or**
- we learn that a drug isn't safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the *Drug List* changes.

- You can always check Wellcare Absolute Total Care Dual Align (HMO D-SNP)'s up-to-date *Drug List* online at go.wellcare.com/ATC. Updates to the *Drug List* are posted on the website monthly.
- You can also call Member Services at the numbers in the footer of this document to check the current *Drug List*.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

B3. What happens when there's a change to the *Drug List*?

Some changes to the *Drug List* will happen **immediately**. For example:

- **Substitutions of certain new versions of drugs.** We may immediately remove the drugs from the *Drug List* if we replace them with certain new versions of that drug, but your cost for the new drug will appear on the same or lower cost-sharing tier with the same or fewer restrictions. When we add a new version of a drug, we may also decide to keep the brand name drug or original biological product on the list but change its coverage rules or limits.
 - We may not tell you before we make this change, but we'll send you information about the specific change we made once it happens.
 - We can make these changes only if the drug we're adding:
 - is a new generic version of a brand name drug, or
 - is a certain new biosimilar version of original biological products on the *Drug List* (for example, adding an interchangeable biosimilar that can be substituted for an original biological product without a new prescription).
 - Some of these drug types may be new to you. For more information, refer to **Section B14**.
 - You or your provider can ask for an exception from these changes. We'll send you a notice with the steps you can take to ask for an exception. Please refer to questions B10-B12 for more information on exceptions.
- **Remove unsafe drugs and other drugs that are taken off the market.** Sometimes a drug may be found unsafe or taken off the market for another reason. If this happens, we may immediately take it off the *Drug List*. If you're taking the drug, we'll send you a notice after we make the change. Please talk to your doctor or other prescriber to help you decide if there's a similar drug on the *Drug List* that you can take instead.

This section is continued on the next page.

We may make other changes that affect the drugs you take. We'll tell you in advance about these other changes to the *Drug List*. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.
- We remove a brand name drug from the *Drug List* when adding a generic drug that isn't new to the market, or
- we remove an original biological product when adding a biosimilar, or
- we change the coverage rules or limits for the brand name drug.

When these changes happen, we'll:

- tell you at least 30 days before we make the change to the *Drug List* **or**
- let you know and give you a 30-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- if there's a similar drug on the *Drug List* you can take instead **or**
- whether to ask for an exception from these changes. To learn more about exceptions, refer to questions B10-B12.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information,** visit go.wellcare.com/ATC.

B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior Authorization:** For some drugs, you or your doctor or other prescriber must get authorization from Wellcare Absolute Total Care Dual Align (HMO D-SNP) before you fill your prescription. Prior authorization is different from a referral. Wellcare Absolute Total Care Dual Align (HMO D-SNP) may not cover the drug if you don't get prior authorization.
- **Quantity limits:** Sometimes Wellcare Absolute Total Care Dual Align (HMO D-SNP) limits the amount of a drug you can get.
- **Step therapy:** Sometimes Wellcare Absolute Total Care Dual Align (HMO D-SNP) requires you to do step therapy. This means you'll have to try drugs in a certain order for your medical condition. You might have to try one drug before we'll cover another drug. If your prescriber thinks the first drug doesn't work for you, then we'll cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables in **Section C1**. You can also get more information by visiting our website at go.wellcare.com/ATC. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there's a similar drug on the *Drug List* you can take instead or whether to ask for an exception. Refer to questions B10-B12 for more information about exceptions.

B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?

The table in the section titled "List of Drugs by Medical Condition" has a column labeled "Necessary actions, restrictions, or limits on use."

B6. What happens if Wellcare Absolute Total Care Dual Align (HMO D-SNP) changes their rules about how they cover some drugs (for example, prior authorization, quantity limits, and/or step therapy restrictions)?

In some cases, we'll tell you in advance if we add or change prior authorization, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the *Drug List* change.

B7. How can I find a drug on the *Drug List*?

There are two ways to find a drug:

- you can search alphabetically, **or**
- you can search by medical condition.

To search **alphabetically**, look for your drug in the Index of Covered Drugs section. You can find it if you know how the drug name is spelled. The Index of Covered Drugs is an alphabetical list of all of the drugs included in the *Drug List*. Brand name drugs and generic drugs as well as over-the-counter (OTC) drugs are listed in the index.

To search **by medical condition**, find **Section C1** labeled "List of Drugs by Medical Condition." The drugs in this section are grouped into categories depending on the type of medical conditions they're used to treat. For example, if you have a heart condition, you should look in CARDIOVASCULAR, HYPERTENSION / LIPIDS category. That's where you'll find drugs that treat heart conditions.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

B8. What if the drug I want to take isn't on the *Drug List*?

If you don't find your drug on the *Drug List*, call Member Services at the numbers in the footer of this document and ask about it. If you learn that Wellcare Absolute Total Care Dual Align (HMO D-SNP) won't cover the drug, you can do one of these things:

- Ask Member Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the *Drug List* that's like the one you want to take. **Or**
- Ask Wellcare Absolute Total Care Dual Align (HMO D-SNP) to make an exception to cover your drug. Refer to questions B10–B12 for more information about exceptions.

B9. What if I'm a new Wellcare Absolute Total Care Dual Align (HMO D-SNP) member and can't find my drug on the *Drug List* or have a problem getting my drug?

We can help. We may cover a temporary 30-day supply of your drug during the first 90 days you're a member of Wellcare Absolute Total Care Dual Align (HMO D-SNP). This will give you time to talk to your doctor or other prescriber. They can help you decide if there's a similar drug on the *Drug List* you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we'll allow multiple refills to provide up to a maximum of 30 days of medication.

We'll cover a 30-day supply of your drug if:

- you're taking a drug that isn't on our *Drug List*, **or**
- Wellcare Absolute Total Care Dual Align (HMO D-SNP) rules don't let you get the amount ordered by your prescriber, **or**
- the drug requires prior authorization by Wellcare Absolute Total Care Dual Align (HMO D-SNP), **or**
- you're taking a drug that's part of a step therapy restriction.

This section is continued on the next page.

If you're in a nursing home or other long-term care facility and need a drug that isn't on the *Drug List* or if you can't easily get the drug you need, we can help. If you've been in the plan for more than 180 days, live in a long-term care facility, and need a supply right away:

- We'll cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you're a new Wellcare Absolute Total Care Dual Align (HMO D-SNP) member.
- This is in addition to the temporary supply during the first 90 days you're a member of Wellcare Absolute Total Care Dual Align (HMO D-SNP).

If your level of care changes (such as moving to or from a long-term care facility or hospital), we'll cover one temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a total of a 30-day supply.

B10. Can I ask for an exception to cover my drug?

Yes. You can ask Wellcare Absolute Total Care Dual Align (HMO D-SNP) to make an exception to cover a drug that isn't on the *Drug List*.

You can also ask us to change the rules on your drug.

- For example, Wellcare Absolute Total Care Dual Align (HMO D-SNP) may limit the amount of a drug we'll cover. If your drug has a limit, you can ask us to change the limit and cover more.
- Other examples: You can ask us to drop step therapy restrictions or prior authorization requirements.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

B11. How can I ask for an exception?

To ask for an exception, call Member Services. A member services representative will work with you and your prescriber to help you ask for an exception. You can also read **Chapter 9, Section G** of the *Member Handbook* to learn more about exceptions.

B12. How long does it take to get an exception?

After we get a statement from your prescriber supporting your request for an exception, we'll give you a decision within 72 hours.

When requesting an exception, please provide the "supporting statement." Your prescriber must give us a statement explaining the medical reasons for asking for an exception. (We call this the "supporting statement.") Your prescriber can fax or mail the statement to us. Or your prescriber can tell us on the phone and follow up by faxing or mailing a written statement if necessary. We must accept any written request. An online form is available on our website at go.wellcare.com/ATC to submit electronically by you or your doctor or someone you have authorized to act on your behalf.

- **CALL/TTY:** 1-833-998-5063, TTY 711, between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. The call is free.
- **FAX:** 1-877-941-0480
- **WRITE:**
Wellcare Absolute Total Care Dual Align (HMO D-SNP)
Medicare Pharmacy Prior Authorization Department
P.O. Box 31397
Tampa, FL 33631-3397
- **WEBSITE:** go.wellcare.com/ATC

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, we'll give you a decision within 24 hours of getting your prescriber's supporting statement.

B13. What are generic drugs?

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and generally work just as well. They usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA). There are generic drugs available for many brand name drugs. Generic drugs usually can be substituted for brand name drugs at the pharmacy without a new prescription---depending on state laws.

Wellcare Absolute Total Care Dual Align (HMO D-SNP) covers both brand name drugs and generic drugs.

B14. What are original biological products and how are they related to biosimilars?

When we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have forms that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For more information on drug types, refer to **Chapter 5** of the *Member Handbook*.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

B15. What are OTC drugs?

OTC stands for “over-the-counter”. Wellcare Absolute Total Care Dual Align (HMO D-SNP) covers some OTC drugs when they’re written as prescriptions by your provider.

You can read the Wellcare Absolute Total Care Dual Align (HMO D-SNP) *Drug List* to find what OTC drugs are covered.

B16. Does Wellcare Absolute Total Care Dual Align (HMO D-SNP) cover non-drug OTC products?

Wellcare Absolute Total Care Dual Align (HMO D-SNP) covers some non-drug OTC products when they’re written as prescriptions by your provider.

Examples of non-drug OTC products include lubricating eye ointment.

You can read the Wellcare Absolute Total Care Dual Align (HMO D-SNP) *Drug List* to find what non-drug OTC products are covered.

B17. Does Wellcare Absolute Total Care Dual Align (HMO D-SNP) cover long-term supplies of prescriptions?

- **Mail-Order Programs.** We offer a mail-order program that allows you to get a 35 to 100-day supply of your drugs sent directly to your home.
- **100-Day Retail Pharmacy Programs.** Some retail pharmacies may also offer up to a 100-day supply of covered drugs.

B18. Can I get prescriptions delivered to my home from my local pharmacy?

Your local pharmacy may be able to deliver your prescription to your home. You can call your pharmacy to find out if they offer home delivery.

B19. What's my copay?

Wellcare Absolute Total Care Dual Align (HMO D-SNP) members have no copays on applicable tiers for prescription and OTC drugs and non-drug products as long as the member follows the plan's rules. Refer to questions B15 and B16 for more information about OTC drugs and non-drug products.

Tiers are groups of drugs on our *Drug List*.

- **Tier 0 (Non-Medicare Rx/OTC Drugs)** includes some prescription and over-the-counter (OTC) drugs.
- **Tier 1 (Preferred Generic)** includes preferred generic drugs and may include some brand drugs.
- **Tier 2 (Generic)** includes generic drugs and may include some brand drugs.
- **Tier 3 (Preferred Brand)** includes preferred brand drugs and may include some generic drugs.
- **Tier 4 (Non-Preferred Drug)** includes non-preferred brand and non-preferred generic drugs.
- **Tier 5 (Specialty Tier)** includes high-cost brand and generic drugs. Drugs in this tier are not eligible for exceptions for payment at a lower tier.
- **Tier 6 (Select Care Drugs)** includes some generic and brand drugs commonly used to treat specific chronic conditions or to prevent disease (vaccines).

All tiers have \$0 copay.

OTCs have a \$0 copay.

If you have questions, call Member Services at the numbers in the footer of this document.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

C. Overview of the *List of Covered Drugs*

The *List of Covered Drugs* gives you information about the drugs covered by Wellcare Absolute Total Care Dual Align (HMO D-SNP). If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins in **Section D**. The index alphabetically lists all drugs covered by Wellcare Absolute Total Care Dual Align (HMO D-SNP).

- **NM** means the drug isn't available via your monthly mail service benefit. This is noted in the Necessary actions, restrictions, or limits on use column of your formulary.
- **PA** stands for Prior Authorization. Refer to question B4.
- **PA-NS** stands for Prior Authorization for New Starts. This means that if this drug is new to you, you'll need to get approval from us before you fill your prescription. If you're taking this drug at the time of enrollment, you will not be required to meet criteria for approval.
- **B/D** stands for Covered under Medicare B or D. This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from us to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, we may not cover this drug.
- **QL** stands for Quantity Limits. Refer to question B4.
- **LA** stands for Limited Access medication. This prescription may be available only at certain pharmacies. For more information consult your Provider and Pharmacy Directory or call Member Services at the numbers in the footer of this document.
- **ST** stands for Step Therapy. Refer to question B4.
- **^** stands for Drug may be available for up to a 30-day supply only.

This section is continued on the next page.

Note: The NT next to a drug means the drug isn't a "Part D drug." These drugs have different rules for appeals.

- An appeal is a formal way of asking us to review a decision we made about your coverage and to change it if you think we made a mistake.
- For example, we might decide that a drug that you want isn't covered or is no longer covered by Medicare or Healthy Connections Medicaid.
- If you or your prescriber disagrees with our decision, you can appeal. To ask for instructions on how to appeal, call Member Services at the numbers in the footer of this document.
- You can also read **Chapter 9**, of the *Member Handbook* to learn how to appeal a decision.

C1. List of Drugs by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, CARDIOVASCULAR, HYPERTENSION / LIPIDS. That is where you'll find drugs that treat heart conditions.

The first column of the table lists the name of the drug. Generic drugs are listed in lower-case italics (for example, *simvastatin*), brand name drugs are capitalized (for example, ELIQUIS), and OTC drugs and non-drug products are listed in lower case (for example, loratadine 10mg). The information in the "Necessary actions, restrictions, or limits on use" column tells you if Wellcare Absolute Total Care Dual Align (HMO D-SNP) has any rules for covering your drug.



If you have questions, please call Wellcare Absolute Total Care Dual Align (HMO D-SNP) at 1-833-998-5063 (TTY 711), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. **For more information**, visit go.wellcare.com/ATC.

Table of Contents

| | |
|--|------------|
| ANTI - INFECTIVES..... | 24 |
| ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS..... | 45 |
| AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH..... | 71 |
| CARDIOVASCULAR, HYPERTENSION / LIPIDS..... | 106 |
| DERMATOLOGICALS/TOPICAL THERAPY..... | 123 |
| DIAGNOSTICS / MISCELLANEOUS AGENTS..... | 134 |
| EAR, NOSE / THROAT MEDICATIONS..... | 139 |
| ENDOCRINE/DIABETES..... | 140 |
| GASTROENTEROLOGY..... | 153 |
| IMMUNOLOGY, VACCINES / BIOTECHNOLOGY..... | 160 |
| MISCELLANEOUS SUPPLIES..... | 168 |
| MUSCULOSKELETAL / RHEUMATOLOGY..... | 169 |
| OBSTETRICS / GYNECOLOGY..... | 173 |
| OPHTHALMOLOGY..... | 187 |
| OVER THE COUNTER (OTC) AND RX AGENTS..... | 193 |
| RESPIRATORY AND ALLERGY..... | 201 |
| UROLOGICALS..... | 208 |
| VITAMINS, HEMATINICS / ELECTROLYTES..... | 210 |

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

ANTI - INFECTIVES

ANTIFUNGAL AGENTS

| | | |
|--|-----------------------|-----|
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | \$0 (4) | B/D |
| <i>amphotericin b injection recon soln 50 mg</i> | \$0 (2) | B/D |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> | \$0 (5 [^]) | B/D |
| <i>caspofungin intravenous recon soln 50 mg, 70 mg</i> | \$0 (4) | |
| <i>clotrimazole mucous membrane troche 10 mg</i> | \$0 (4) | |
| CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG | \$0 (5 [^]) | PA |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml</i> | \$0 (4) | |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i> | \$0 (2) | |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> | \$0 (2) | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | \$0 (2) | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> | \$0 (5 [^]) | PA |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | \$0 (4) | |
| <i>griseofulvin microsize oral tablet 500 mg</i> | \$0 (4) | |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i> | \$0 (4) | |
| <i>itraconazole oral capsule 100 mg</i> | \$0 (4) | PA; QL (120 EA per 30 days) |
| <i>ketoconazole oral tablet 200 mg</i> | \$0 (4) | PA |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i> | \$0 (4) | |
| <i>nystatin oral suspension 100,000 unit/ml</i> | \$0 (4) | |
| <i>nystatin oral tablet 500,000 unit</i> | \$0 (4) | |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> | \$0 (5 [^]) | PA; QL (96 EA per 30 days) |
| <i>terbinafine hcl oral tablet 250 mg</i> | \$0 (1) | |
| <i>voriconazole intravenous recon soln 200 mg</i> | \$0 (5 [^]) | PA |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> | \$0 (5 [^]) | PA |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> | \$0 (4) | PA |
| <i>voriconazole-hpbcd intravenous recon soln 200 mg</i> | \$0 (5 [^]) | PA |

ANTIVIRALS

| | | |
|--|---------|--|
| <i>abacavir oral solution 20 mg/ml</i> | \$0 (4) | |
|--|---------|--|

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>abacavir oral tablet 300 mg</i> | \$0 (4) | |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> | \$0 (4) | |
| <i>acyclovir oral capsule 200 mg</i> | \$0 (4) | |
| <i>acyclovir oral suspension 200 mg/5 ml, 200 mg/5 ml (5 ml)</i> | \$0 (4) | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | \$0 (4) | |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | \$0 (4) | B/D |
| <i>adefovir oral tablet 10 mg</i> | \$0 (4) | |
| <i>amantadine hcl oral capsule 100 mg</i> | \$0 (2) | |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | \$0 (2) | |
| <i>amantadine hcl oral tablet 100 mg</i> | \$0 (4) | |
| APTIVUS ORAL CAPSULE 250 MG | \$0 (5 [^]) | |
| <i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> | \$0 (4) | |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML | \$0 (5 [^]) | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | \$0 (5 [^]) | |
| CIMDUO ORAL TABLET 300-300 MG | \$0 (5 [^]) | |
| <i>darunavir oral tablet 600 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>darunavir oral tablet 800 mg</i> | \$0 (5 [^]) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| DELSTRIGO ORAL TABLET 100-300-300 MG | \$0 (5 [^]) | |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | \$0 (5 [^]) | QL (30 EA per 30 days) |
| DOVATO ORAL TABLET 50-300 MG | \$0 (5 [^]) | |
| EDURANT ORAL TABLET 25 MG | \$0 (5 [^]) | |
| EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG | \$0 (5 [^]) | |
| <i>efavirenz oral tablet 600 mg</i> | \$0 (4) | |
| <i>efavirenz-emtricitabin-tenofof oral tablet 600-200-300 mg</i> | \$0 (4) | |
| <i>efavirenz-lamivu-tenofof disop oral tablet 400-300-300 mg, 600-300-300 mg</i> | \$0 (5 [^]) | |
| <i>emtricitabine oral capsule 200 mg</i> | \$0 (4) | |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 167-250 mg, 200-300 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>emtricitabine-tenofovir (tdf) oral tablet 133-200 mg</i> | \$0 (5 [^]) | QL (30 EA per 30 days) |
| <i>emtricitabine-rilpivirine-tenofof df oral tablet 200-25-300 mg</i> | \$0 (5 [^]) | |
| EMTRIVA ORAL SOLUTION 10 MG/ML | \$0 (4) | |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> | \$0 (4) | |
| <i>etravirine oral tablet 100 mg, 200 mg</i> | \$0 (5 [^]) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| EVOTAZ ORAL TABLET 300-150 MG | \$0 (5 [^]) | |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | \$0 (2) | |
| <i>fosamprenavir oral tablet 700 mg</i> | \$0 (4) | |
| <i>ganciclovir sodium intravenous recon soln 500 mg</i> | \$0 (4) | B/D |
| GENVOYA ORAL TABLET 150-150-200-10 MG | \$0 (5 [^]) | |
| INTELENCE ORAL TABLET 25 MG | \$0 (3) | |
| ISENTRESS HD ORAL TABLET 600 MG | \$0 (5 [^]) | |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | \$0 (5 [^]) | |
| ISENTRESS ORAL TABLET 400 MG | \$0 (5 [^]) | |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | \$0 (5 [^]) | |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | \$0 (3) | |
| JULUCA ORAL TABLET 50-25 MG | \$0 (5 [^]) | |
| KALETRA ORAL SOLUTION 400-100 MG/5 ML | \$0 (4) | |
| <i>lamivudine oral solution 10 mg/ml</i> | \$0 (4) | |
| <i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i> | \$0 (4) | |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| LEDIPASVIR-SOFOSBUVIR ORAL TABLET 90-400 MG | \$0 (5 [^]) | PA; QL (28 EA per 28 days) |
| LIVTENCITY ORAL TABLET 200 MG | \$0 (5 [^]) | PA; LA; QL (120 EA per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i> | \$0 (4) | |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> | \$0 (5 [^]) | |
| <i>nevirapine oral suspension 50 mg/5 ml</i> | \$0 (2) | |
| <i>nevirapine oral tablet 200 mg</i> | \$0 (2) | |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i> | \$0 (4) | |
| NORVIR ORAL POWDER IN PACKET 100 MG | \$0 (3) | |
| ODEFSEY ORAL TABLET 200-25-25 MG | \$0 (5 [^]) | |
| <i>oseltamivir oral capsule 30 mg</i> | \$0 (4) | QL (168 EA per 365 days) |
| <i>oseltamivir oral capsule 45 mg, 75 mg</i> | \$0 (4) | QL (84 EA per 365 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> | \$0 (4) | QL (1080 ML per 365 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10) | \$0 (3) | QL (20 EA per 90 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5) | \$0 (3) | QL (11 EA per 90 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG | \$0 (3) | QL (30 EA per 90 days) |
| PIFELTRO ORAL TABLET 100 MG | \$0 (5^) | |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | \$0 (5^) | PA; QL (28 EA per 28 days) |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG | \$0 (5^) | |
| PREZISTA ORAL SUSPENSION 100 MG/ML | \$0 (5^) | QL (400 ML per 30 days) |
| PREZISTA ORAL TABLET 150 MG | \$0 (4) | QL (240 EA per 30 days) |
| PREZISTA ORAL TABLET 75 MG | \$0 (4) | QL (480 EA per 30 days) |
| REYATAZ ORAL POWDER IN PACKET 50 MG | \$0 (5^) | |
| <i>ribavirin oral capsule 200 mg</i> | \$0 (3) | |
| <i>ribavirin oral tablet 200 mg</i> | \$0 (3) | |
| <i>rilpivirine hcl oral tablet 25 mg</i> | \$0 (5^) | |
| <i>rimantadine oral tablet 100 mg</i> | \$0 (4) | |
| <i>ritonavir oral tablet 100 mg</i> | \$0 (3) | |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | \$0 (5^) | |
| SELZENTRY ORAL SOLUTION 20 MG/ML | \$0 (5^) | |
| SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG | \$0 (5^) | PA; QL (28 EA per 28 days) |
| STRIBILD ORAL TABLET 150-150-200-300 MG | \$0 (5^) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK) | \$0 (5 [^]) | |
| SYMTUZA ORAL TABLET 800-150-200-10 MG | \$0 (5 [^]) | |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> | \$0 (2) | |
| TIVICAY ORAL TABLET 10 MG | \$0 (3) | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | \$0 (5 [^]) | |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | \$0 (5 [^]) | |
| TRIUMEQ ORAL TABLET 600-50-300 MG | \$0 (5 [^]) | |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG | \$0 (4) | |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | \$0 (5 [^]) | LA |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> | \$0 (2) | |
| <i>valganciclovir oral recon soln 50 mg/ml</i> | \$0 (5 [^]) | |
| <i>valganciclovir oral tablet 450 mg</i> | \$0 (3) | |
| VEMLIDY ORAL TABLET 25 MG | \$0 (5 [^]) | |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | \$0 (5 [^]) | |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | \$0 (5 [^]) | |
| VIREAD ORAL TABLET 150 MG, 250 MG | \$0 (5 [^]) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| VIREAD ORAL TABLET 200 MG | \$0 (3) | |
| <i>zidovudine oral capsule 100 mg</i> | \$0 (4) | |
| <i>zidovudine oral syrup 10 mg/ml</i> | \$0 (4) | |
| <i>zidovudine oral tablet 300 mg</i> | \$0 (2) | |
| CEPHALOSPORINS | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | \$0 (4) | |
| <i>cefaclor oral suspension for reconstitution 250 mg/5 ml</i> | \$0 (4) | |
| <i>cefadroxil oral capsule 500 mg</i> | \$0 (2) | |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml</i> | \$0 (4) | |
| <i>cefadroxil oral suspension for reconstitution 500 mg/5 ml</i> | \$0 (2) | |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml</i> | \$0 (4) | |
| <i>cefazolin injection recon soln 1 gram, 100 gram, 300 gram, 500 mg</i> | \$0 (4) | |
| <i>cefazolin intravenous recon soln 1 gram, 10 gram</i> | \$0 (4) | |
| <i>cefdinir oral capsule 300 mg</i> | \$0 (4) | |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>cefepime in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/100 ml</i> | \$0 (3) | |
| <i>cefepime injection recon soln 1 gram, 2 gram</i> | \$0 (3) | |
| <i>cefixime oral capsule 400 mg</i> | \$0 (4) | |
| <i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | \$0 (4) | |
| <i>cefloxitin in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | \$0 (4) | |
| <i>cefloxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> | \$0 (4) | |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | \$0 (4) | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | \$0 (4) | |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | \$0 (4) | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | \$0 (4) | |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> | \$0 (4) | |
| <i>ceftriaxone in dextrose, iso-os intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | \$0 (4) | |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>ceftriaxone intravenous recon soln 1 gram, 2 gram</i> | \$0 (4) | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | \$0 (2) | |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | \$0 (4) | |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram</i> | \$0 (4) | |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | \$0 (1) | |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | \$0 (2) | |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | \$0 (5 [^]) | |
| <i>ERYTHROMYCINS / OTHER MACROLIDES</i> | | |
| <i>azithromycin intravenous recon soln 500 mg</i> | \$0 (4) | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | \$0 (2) | |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i> | \$0 (1) | |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | \$0 (4) | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>clarithromycin oral tablet extended release 24 hr 500 mg</i> | \$0 (4) | |
| <i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i> | \$0 (4) | |
| <i>erythromycin oral capsule, delayed release(dr/ec) 250 mg</i> | \$0 (4) | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | \$0 (4) | |
| <i>erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i> | \$0 (2) | |
| <i>fidaxomicin oral tablet 200 mg</i> | \$0 (5 [^]) | QL (20 EA per 10 days) |
| MISCELLANEOUS ANTIINFECTIVES | | |
| <i>albendazole oral tablet 200 mg</i> | \$0 (4) | |
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | \$0 (4) | |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML | \$0 (5 [^]) | PA; LA |
| <i>atovaquone oral suspension 750 mg/5 ml</i> | \$0 (3) | |
| <i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i> | \$0 (4) | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | \$0 (5 [^]) | PA; LA; QL (84 ML per 56 days) |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | \$0 (4) | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> | \$0 (2) | |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> | \$0 (4) | |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml), 150 mg/ml</i> | \$0 (4) | |
| COARTEM ORAL TABLET 20-120 MG | \$0 (4) | |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> | \$0 (5 [^]) | QL (30 EA per 10 days) |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | \$0 (2) | |
| <i>daptomycin intravenous recon soln 500 mg</i> | \$0 (5 [^]) | |
| EMVERM ORAL TABLET,CHEWABLE 100 MG | \$0 (5 [^]) | |
| <i>ertapenem injection recon soln 1 gram</i> | \$0 (4) | QL (14 EA per 14 days) |
| <i>ethambutol oral tablet 100 mg, 400 mg</i> | \$0 (4) | |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| <i>gentamicin injection solution 40 mg/ml</i> | \$0 (4) |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | \$0 (4) |
| <i>hydroxychloroquine oral tablet 200 mg</i> | \$0 (2) |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | \$0 (3) |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> | \$0 (4) |
| IMPAVIDO ORAL CAPSULE 50 MG | \$0 (5 [^]) PA |
| <i>isoniazid oral solution 50 mg/5 ml</i> | \$0 (2) |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | \$0 (2) |
| <i>ivermectin oral tablet 3 mg</i> | \$0 (3) PA; QL (20 EA per 30 days) |
| <i>ivermectin oral tablet 6 mg</i> | \$0 (3) PA; QL (8 EA per 30 days) |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> | \$0 (4) |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> | \$0 (5 [^]) QL (1800 ML per 30 days) |
| <i>linezolid oral tablet 600 mg</i> | \$0 (4) QL (60 EA per 30 days) |
| <i>linezolid-0.9% sodium chloride intravenous parenteral solution 600 mg/300 ml</i> | \$0 (4) |
| <i>mefloquine oral tablet 250 mg</i> | \$0 (2) |
| <i>meropenem intravenous recon soln 1 gram</i> | \$0 (3) QL (30 EA per 10 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>meropenem intravenous recon soln 500 mg</i> | \$0 (3) | QL (10 EA per 10 days) |
| <i>metro i.v. intravenous piggyback 500 mg/100 ml</i> | \$0 (4) | |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> | \$0 (4) | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | \$0 (2) | |
| <i>neomycin oral tablet 500 mg</i> | \$0 (2) | |
| <i>nitazoxanide oral tablet 500 mg</i> | \$0 (5 [^]) | QL (12 EA per 30 days) |
| <i>pentamidine inhalation recon soln 300 mg</i> | \$0 (4) | B/D; QL (1 EA per 28 days) |
| <i>pentamidine injection recon soln 300 mg</i> | \$0 (4) | |
| <i>praziquantel oral tablet 600 mg</i> | \$0 (4) | |
| PRIFTIN ORAL TABLET 150 MG | \$0 (4) | |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE) | \$0 (4) | |
| <i>pyrazinamide oral tablet 500 mg</i> | \$0 (4) | |
| <i>pyrimethamine oral tablet 25 mg</i> | \$0 (5 [^]) | PA |
| <i>quinine sulfate oral capsule 324 mg</i> | \$0 (4) | PA |
| <i>rifabutin oral capsule 150 mg</i> | \$0 (4) | |
| <i>rifampin intravenous recon soln 600 mg</i> | \$0 (4) | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | \$0 (4) | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | \$0 (5 [^]) | PA; LA |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| STREPTOMYCIN INTRAMUSCULAR RECON SOLN 1 GRAM | \$0 (5 [^]) | QL (60 EA per 30 days) |
| <i>tigecycline intravenous recon soln 50 mg</i> | \$0 (4) | |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | \$0 (4) | |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> | \$0 (5 [^]) | PA; QL (280 ML per 28 days) |
| <i>tobramycin sulfate injection recon soln 1.2 gram</i> | \$0 (4) | |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i> | \$0 (4) | |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML | \$0 (3) | QL (4000 ML per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML | \$0 (3) | QL (1000 ML per 10 days) |
| VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML | \$0 (3) | QL (4050 ML per 10 days) |
| <i>vancomycin intravenous recon soln 1,000 mg</i> | \$0 (4) | QL (20 EA per 10 days) |
| <i>vancomycin intravenous recon soln 1.25 gram</i> | \$0 (4) | QL (16 EA per 10 days) |
| <i>vancomycin intravenous recon soln 1.5 gram</i> | \$0 (4) | QL (14 EA per 10 days) |
| <i>vancomycin intravenous recon soln 10 gram, 5 gram</i> | \$0 (4) | QL (2 EA per 10 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>vancomycin intravenous recon soln 500 mg</i> | \$0 (4) | QL (10 EA per 10 days) |
| <i>vancomycin intravenous recon soln 750 mg</i> | \$0 (4) | QL (27 EA per 10 days) |
| <i>vancomycin oral capsule 125 mg</i> | \$0 (4) | QL (40 EA per 10 days) |
| <i>vancomycin oral capsule 250 mg</i> | \$0 (4) | QL (80 EA per 10 days) |
| XIFAXAN ORAL TABLET 550 MG | \$0 (5 [^]) | PA; QL (90 EA per 30 days) |
| <i>PENICILLINS</i> | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | \$0 (1) | |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | \$0 (1) | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | \$0 (1) | |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | \$0 (2) | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i> | \$0 (2) | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i> | \$0 (4) | |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> | \$0 (4) | |
| <i>ampicillin oral capsule 500 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | \$0 (4) | |
| <i>ampicillin sodium intravenous recon soln 1 gram, 2 gram</i> | \$0 (4) | |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> | \$0 (4) | |
| <i>ampicillin-sulbactam intravenous recon soln 1.5 gram, 3 gram</i> | \$0 (4) | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | \$0 (4) | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | \$0 (4) | |
| <i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i> | \$0 (4) | |
| <i>nafcillin injection recon soln 1 gram, 2 gram</i> | \$0 (4) | |
| <i>nafcillin injection recon soln 10 gram</i> | \$0 (5 [^]) | |
| <i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i> | \$0 (4) | |
| PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML | \$0 (4) | |
| <i>penicillin g potassium injection recon soln 20 million unit, 5 million unit</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>penicillin g sodium injection recon soln 5 million unit</i> | \$0 (4) | |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | \$0 (2) | |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | \$0 (1) | |
| <i>pfizerpen-g injection recon soln 20 million unit, 5 million unit</i> | \$0 (4) | |
| <i>piperacillin-tazobactam intravenous recon soln 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | \$0 (4) | |
| QUINOLONES | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | \$0 (1) | |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | \$0 (4) | |
| <i>ciprofloxacin oral suspension, microcapsule recon 500 mg/5 ml</i> | \$0 (4) | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i> | \$0 (4) | |
| <i>levofloxacin intravenous solution 25 mg/ml</i> | \$0 (2) | |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | \$0 (1) | |
| <i>moxifloxacin oral tablet 400 mg</i> | \$0 (4) | |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> | \$0 (2) | |
| SULFA'S / RELATED AGENTS | | |
| <i>sulfadiazine oral tablet 500 mg</i> | \$0 (4) | |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i> | \$0 (4) | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> | \$0 (2) | |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i> | \$0 (1) | |
| TETRACYCLINES | | |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i> | \$0 (4) | |
| <i>doxy-100 intravenous recon soln 100 mg</i> | \$0 (4) | |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> | \$0 (4) | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> | \$0 (2) | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | \$0 (2) | |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i> | \$0 (2) | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | \$0 (4) | |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i> | \$0 (4) | |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | \$0 (4) | |
| URINARY TRACT AGENTS | | |
| <i>fosfomycin tromethamine oral packet 3 gram</i> | \$0 (4) | |
| <i>methenamine hippurate oral tablet 1 gram</i> | \$0 (4) | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg</i> | \$0 (4) | |
| <i>nitrofurantoin macrocrystal oral capsule 50 mg</i> | \$0 (2) | |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> | \$0 (4) | |
| <i>trimethoprim oral tablet 100 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What Necessary actions, the drug will cost you (tier level) restrictions, or limits on use |
|--------------|--|
|--------------|--|

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

ADJUNCTIVE AGENTS

| | |
|---|---------------------------|
| BOMYNTRA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | \$0 (5 [^]) B/D |
| BOMYNTRA SUBCUTANEOUS SYRINGE 120 MG/1.7 ML (70 MG/ML) | \$0 (5 [^]) B/D |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | \$0 (4) |
| <i>mesna oral tablet 400 mg</i> | \$0 (5 [^]) |
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | \$0 (5 [^]) B/D |

ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS

| | |
|--|--|
| <i>abiraterone oral tablet 250 mg</i> | \$0 (5 [^]) PA-NS; QL (120 EA per 30 days) |
| <i>abirtega oral tablet 250 mg</i> | \$0 (4) PA-NS; QL (120 EA per 30 days) |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | \$0 (5 [^]) PA-NS; LA; QL (60 EA per 30 days) |
| ALECENSA ORAL CAPSULE 150 MG | \$0 (5 [^]) PA-NS; LA; QL (240 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23) | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 180 days) |
| <i>anastrozole oral tablet 1 mg</i> | \$0 (2) | |
| AUGTYRO ORAL CAPSULE 160 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| AUGTYRO ORAL CAPSULE 40 MG | \$0 (5 [^]) | PA-NS; QL (240 EA per 30 days) |
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG | \$0 (5 [^]) | PA-NS; QL (66 EA per 28 days) |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> | \$0 (5 [^]) | B/D |
| <i>azathioprine oral tablet 50 mg</i> | \$0 (2) | B/D |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG | \$0 (5 [^]) | PA-NS; LA |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML | \$0 (5 [^]) | B/D |
| <i>bexarotene oral capsule 75 mg</i> | \$0 (5 [^]) | PA-NS |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>bexarotene topical gel 1 %</i> | \$0 (5 [^]) | PA-NS; QL (60 GM per 30 days) |
| <i>bicalutamide oral tablet 50 mg</i> | \$0 (2) | |
| BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG | \$0 (5 [^]) | B/D |
| <i>bortezomib injection recon soln 3.5 mg</i> | \$0 (5 [^]) | B/D |
| BOSULIF ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; QL (180 EA per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG | \$0 (5 [^]) | PA-NS; QL (330 EA per 30 days) |
| BOSULIF ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| BRUKINSA ORAL TABLET 160 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| CAPRELSA ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| CAPRELSA ORAL TABLET 300 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| <i>carboplatin intravenous solution 10 mg/ml</i> | \$0 (4) | B/D |
| <i>cisplatin intravenous solution 1 mg/ml</i> | \$0 (4) | B/D |
| COLUMVI INTRAVENOUS SOLUTION 1 MG/ML | \$0 (5 [^]) | B/D |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | \$0 (5 [^]) | PA-NS; LA; QL (56 EA per 28 days) |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | \$0 (5 [^]) | PA-NS; LA; QL (112 EA per 28 days) |
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | \$0 (5 [^]) | PA-NS; LA; QL (84 EA per 28 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | \$0 (5 [^]) | PA-NS; LA; QL (56 EA per 28 days) |
| COTELLIC ORAL TABLET 20 MG | \$0 (5 [^]) | PA-NS; LA; QL (63 EA per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> | \$0 (4) | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | \$0 (3) | B/D |
| CYCLOPHOSPHAMIDE ORAL TABLET 50 MG | \$0 (4) | B/D |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i> | \$0 (4) | B/D |
| <i>cyclosporine modified oral solution 100 mg/ml</i> | \$0 (4) | B/D |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> | \$0 (4) | B/D |
| <i>cytarabine injection solution 20 mg/ml</i> | \$0 (2) | B/D |
| DANZITEN ORAL TABLET 71 MG, 95 MG | \$0 (5 [^]) | PA-NS; QL (112 EA per 28 days) |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 80 mg</i> | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| <i>dasatinib oral tablet 20 mg</i> | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| <i>dasatinib oral tablet 70 mg</i> | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| DAURISMO ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| DAURISMO ORAL TABLET 25 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i> | \$0 (5^) | B/D |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> | \$0 (4) | B/D |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> | \$0 (5^) | B/D |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | \$0 (3) | |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | \$0 (3) | PA-NS |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | \$0 (3) | PA-NS |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | \$0 (3) | PA-NS |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | \$0 (3) | PA-NS |
| ELLENCES INTRAVENOUS SOLUTION 200 MG/100 ML, 50 MG/25 ML | \$0 (4) | B/D |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML | \$0 (5^) | PA-NS |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| ENSACOVE ORAL CAPSULE 100 MG, 25 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG | \$0 (3) | B/D |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML | \$0 (5 [^]) | B/D |
| ERIVEDGE ORAL CAPSULE 150 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| ERLEADA ORAL TABLET 240 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| ERLEADA ORAL TABLET 60 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| <i>erlotinib oral tablet 100 mg, 150 mg</i> | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| <i>erlotinib oral tablet 25 mg</i> | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| <i>etoposide intravenous solution 20 mg/ml</i> | \$0 (4) | B/D |
| EULEXIN ORAL CAPSULE 125 MG | \$0 (5 [^]) | |
| <i>everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg</i> | \$0 (5 [^]) | PA-NS; QL (150 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>everolimus (antineoplastic) oral tablet for suspension 3 mg</i> | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 5 mg</i> | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| <i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> | \$0 (3) | B/D |
| <i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i> | \$0 (5 [^]) | B/D |
| <i>exemestane oral tablet 25 mg</i> | \$0 (4) | |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | \$0 (5 [^]) | PA-NS |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | \$0 (4) | PA-NS |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml</i> | \$0 (4) | B/D |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | \$0 (5 [^]) | PA-NS; LA; QL (21 EA per 28 days) |
| FRUZAQLA ORAL CAPSULE 1 MG | \$0 (5 [^]) | PA-NS; QL (84 EA per 28 days) |
| FRUZAQLA ORAL CAPSULE 5 MG | \$0 (5 [^]) | PA-NS; QL (21 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> | \$0 (5 [^]) | B/D |
| GAVRETO ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| <i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i> | \$0 (4) | B/D |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | \$0 (4) | B/D |
| GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML | \$0 (4) | B/D |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | \$0 (4) | B/D |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| GOMEKLI ORAL CAPSULE 1 MG | \$0 (5 [^]) | PA-NS; QL (126 EA per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG | \$0 (5 [^]) | PA-NS; QL (84 EA per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG | \$0 (5 [^]) | PA-NS; QL (168 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| HERNEXEOS ORAL TABLET 60 MG | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| <i>hydroxyurea oral capsule 500 mg</i> | \$0 (2) | |
| HYRNUO ORAL TABLET 10 MG | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | \$0 (5 [^]) | PA-NS; LA; QL (21 EA per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | \$0 (5 [^]) | PA-NS; LA; QL (21 EA per 28 days) |
| IBTROZI ORAL CAPSULE 200 MG | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| IDHIFA ORAL TABLET 100 MG, 50 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| <i>imatinib oral tablet 100 mg</i> | \$0 (4) | PA-NS; QL (180 EA per 30 days) |
| <i>imatinib oral tablet 400 mg</i> | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | \$0 (5 [^]) | PA-NS; LA; QL (28 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | \$0 (5 [^]) | PA-NS; LA; QL (324 ML per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG | \$0 (5 [^]) | PA-NS; QL (28 EA per 28 days) |
| IMBRUVICA ORAL TABLET 420 MG | \$0 (5 [^]) | PA-NS; LA; QL (28 EA per 28 days) |
| IMKELDI ORAL SOLUTION 80 MG/ML | \$0 (5 [^]) | PA-NS; QL (280 ML per 28 days) |
| INLURIYO ORAL TABLET 200 MG | \$0 (5 [^]) | PA-NS |
| INLYTA ORAL TABLET 1 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| INLYTA ORAL TABLET 5 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | \$0 (5 [^]) | PA-NS; LA; QL (5 EA per 28 days) |
| INREBIC ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml</i> | \$0 (5 [^]) | B/D |
| ITOVEBI ORAL TABLET 3 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| ITOVEBI ORAL TABLET 9 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| IWILFIN ORAL TABLET 192 MG | \$0 (5 [^]) | PA-NS; LA; QL (240 EA per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| JAYPIRCA ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| JAYPIRCA ORAL TABLET 50 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| JYLAMVO ORAL SOLUTION 2 MG/ML | \$0 (3) | |
| KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG | \$0 (5 [^]) | B/D |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | \$0 (5 [^]) | PA-NS |
| KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML | \$0 (5 [^]) | PA-NS |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | \$0 (5 [^]) | PA-NS; QL (21 EA per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | \$0 (5 [^]) | PA-NS; QL (42 EA per 28 days) |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | \$0 (5 [^]) | PA-NS; QL (63 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| KOMZIFTI ORAL CAPSULE 200 MG | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| KOSELUGO ORAL CAPSULE 10 MG, 25 MG | \$0 (5 [^]) | PA-NS |
| KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG | \$0 (5 [^]) | PA-NS |
| KRAZATI ORAL TABLET 200 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> | \$0 (5 [^]) | PA-NS |
| <i>lapatinib oral tablet 250 mg</i> | \$0 (5 [^]) | PA-NS; QL (180 EA per 30 days) |
| LAZCLUZE ORAL TABLET 240 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| LAZCLUZE ORAL TABLET 80 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> | \$0 (5 [^]) | PA-NS; LA; QL (28 EA per 28 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1) | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| <i>letrozole oral tablet 2.5 mg</i> | \$0 (4) | |
| LEUKERAN ORAL TABLET 2 MG | \$0 (5 [^]) | |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | \$0 (4) | PA-NS |
| <i>lomustine oral capsule 10 mg</i> | \$0 (4) | |
| <i>lomustine oral capsule 100 mg, 40 mg</i> | \$0 (5 [^]) | |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG | \$0 (5 [^]) | PA-NS; LA |
| LORBRENA ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| LORBRENA ORAL TABLET 25 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| LUMAKRAS ORAL TABLET 120 MG | \$0 (5 [^]) | PA-NS; LA; QL (240 EA per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG | \$0 (5 [^]) | PA-NS |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| LYNPARZA ORAL TABLET 100 MG, 150 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| LYSODREN ORAL TABLET 500 MG | \$0 (5 [^]) | |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3) | \$0 (5 [^]) | PA-NS; QL (84 EA per 28 days) |
| LYTGOBI ORAL TABLET 16 MG/DAY (4 MG X 4) | \$0 (5 [^]) | PA-NS; QL (112 EA per 28 days) |
| LYTGOBI ORAL TABLET 20 MG/DAY (4 MG X 5) | \$0 (5 [^]) | PA-NS; QL (140 EA per 28 days) |
| MATULANE ORAL CAPSULE 50 MG | \$0 (5 [^]) | LA |
| <i>megestrol oral suspension 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> | \$0 (4) | PA |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | \$0 (4) | |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML | \$0 (5 [^]) | PA-NS; QL (1260 ML per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| MEKINIST ORAL TABLET 2 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| <i>mercaptapurine oral suspension 20 mg/ml</i> | \$0 (5 [^]) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>mercaptopurine oral tablet 50 mg</i> | \$0 (2) | |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | \$0 (2) | B/D |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | \$0 (2) | B/D |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | \$0 (2) | B/D |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | \$0 (1) | |
| MODEYSO ORAL CAPSULE 125 MG | \$0 (5 [^]) | PA-NS; QL (20 EA per 28 days) |
| MONJUVI INTRAVENOUS RECON SOLN 200 MG | \$0 (5 [^]) | PA-NS; LA |
| <i>mycophenolate mofetil oral capsule 250 mg</i> | \$0 (2) | B/D |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> | \$0 (5 [^]) | B/D |
| <i>mycophenolate mofetil oral tablet 500 mg</i> | \$0 (2) | B/D |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> | \$0 (4) | B/D |
| <i>mycophenolic acid dr 180 mg tb</i> | \$0 (4) | B/D; mycophenolate sodium = mycophenolic acid |
| <i>mycophenolic acid dr 360 mg tb</i> | \$0 (4) | B/D; mycophenolate sodium = mycophenolic acid |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| NERLYNX ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; LA |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg</i> | \$0 (5 [^]) | PA-NS; QL (112 EA per 28 days) |
| <i>nilotinib hcl oral capsule 50 mg</i> | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> | \$0 (5 [^]) | |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | \$0 (5 [^]) | PA-NS; QL (3 EA per 28 days) |
| NUBEQA ORAL TABLET 300 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | \$0 (5 [^]) | B/D |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i> | \$0 (5 [^]) | PA |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | \$0 (4) | PA |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i> | \$0 (4) | PA |
| <i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i> | \$0 (5 [^]) | PA |
| ODOMZO ORAL CAPSULE 200 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| OGSIVEO ORAL TABLET 100 MG, 150 MG | \$0 (5 [^]) | PA-NS; QL (56 EA per 28 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML | \$0 (5 [^]) | PA-NS; QL (96 ML per 28 days) |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4) | \$0 (5 [^]) | PA-NS; QL (16 EA per 28 days) |
| OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5) | \$0 (5 [^]) | PA-NS; QL (20 EA per 28 days) |
| OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6) | \$0 (5 [^]) | PA-NS; QL (24 EA per 28 days) |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| ONUREG ORAL TABLET 200 MG, 300 MG | \$0 (5 [^]) | PA-NS; LA; QL (14 EA per 28 days) |
| ORGOVYX ORAL TABLET 120 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 28 days) |
| ORSERDU ORAL TABLET 345 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| ORSERDU ORAL TABLET 86 MG | \$0 (5 [^]) | PA-NS; QL (90 EA per 30 days) |
| <i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i> | \$0 (4) | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i> | \$0 (4) | B/D |
| <i>paclitaxel intravenous concentrate 6 mg/ml</i> | \$0 (4) | B/D |
| <i>pazopanib oral tablet 200 mg</i> | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | \$0 (5 [^]) | PA-NS; LA; QL (28 EA per 28 days) |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg, 750 mg</i> | \$0 (5 [^]) | B/D |
| <i>pemetrexed disodium intravenous recon soln 100 mg</i> | \$0 (4) | B/D |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | \$0 (5 [^]) | PA-NS; QL (28 EA per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | \$0 (5 [^]) | PA-NS; QL (56 EA per 28 days) |
| <i>pomalidomide oral capsule 1 mg, 2 mg, 3 mg, 4 mg</i> | \$0 (5 [^]) | PA-NS; QL (21 EA per 28 days) |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | \$0 (4) | B/D |
| QINLOCK ORAL TABLET 50 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| RETEVMO ORAL CAPSULE 80 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| RETEVMO ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| REVUFORJ ORAL TABLET 110 MG | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| REVUFORJ ORAL TABLET 160 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| REVUFORJ ORAL TABLET 25 MG | \$0 (5 [^]) | PA-NS; QL (240 EA per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG | \$0 (5 [^]) | PA-NS; QL (8 EA per 28 days) |
| ROZLYTREK ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (150 EA per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG | \$0 (5 [^]) | PA-NS; QL (336 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML | \$0 (5 [^]) | PA-NS |
| RYDAPT ORAL CAPSULE 25 MG | \$0 (5 [^]) | PA-NS; QL (224 EA per 28 days) |
| SCEMBLIX ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| SCEMBLIX ORAL TABLET 20 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| SCEMBLIX ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; QL (300 EA per 30 days) |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | \$0 (5 [^]) | PA; LA |
| <i>sirolimus oral solution 1 mg/ml</i> | \$0 (4) | B/D |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | \$0 (4) | B/D |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | \$0 (5 [^]) | |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML | \$0 (5 [^]) | PA-NS |
| <i>sorafenib oral tablet 200 mg</i> | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| STIVARGA ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; LA; QL (84 EA per 28 days) |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | \$0 (5 [^]) | PA-NS; QL (28 EA per 28 days) |
| TABLOID ORAL TABLET 40 MG | \$0 (4) | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | \$0 (5 [^]) | PA-NS |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> | \$0 (4) | B/D |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG | \$0 (5 [^]) | PA-NS; QL (840 EA per 28 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML | \$0 (5 [^]) | PA-NS |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | \$0 (2) | |
| TAZVERIK ORAL TABLET 200 MG | \$0 (5 [^]) | PA-NS; LA |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML) | \$0 (5 [^]) | B/D; LA |
| TEPMETKO ORAL TABLET 225 MG | \$0 (5 [^]) | PA-NS; LA |
| THALOMID ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; QL (112 EA per 28 days) |
| THALOMID ORAL CAPSULE 200 MG | \$0 (5 [^]) | PA-NS; QL (56 EA per 28 days) |
| THALOMID ORAL CAPSULE 50 MG | \$0 (5 [^]) | PA-NS; QL (28 EA per 28 days) |
| TIBSOVO ORAL TABLET 250 MG | \$0 (5 [^]) | PA-NS; LA |
| <i>toremifene oral tablet 60 mg</i> | \$0 (5 [^]) | |
| TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG | \$0 (5 [^]) | B/D |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | \$0 (5 [^]) | |
| TRUQAP ORAL TABLET 160 MG, 200 MG | \$0 (5 [^]) | PA-NS; QL (64 EA per 28 days) |
| TUKYSA ORAL TABLET 150 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| TUKYSA ORAL TABLET 50 MG | \$0 (5 [^]) | PA-NS; LA; QL (300 EA per 30 days) |
| TURALIO ORAL CAPSULE 125 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | \$0 (5 [^]) | PA-NS; QL (56 EA per 28 days) |
| VENCLEXTA ORAL TABLET 10 MG | \$0 (3) | PA-NS; LA; QL (14 EA per 7 days) |
| VENCLEXTA ORAL TABLET 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | \$0 (5 [^]) | PA-NS; LA; QL (7 EA per 7 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (42 EA per 180 days) |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| <i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> | \$0 (2) | B/D |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> | \$0 (4) | B/D |
| VITRAKVI ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | \$0 (5 [^]) | PA-NS; LA; QL (300 ML per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| VONJO ORAL CAPSULE 100 MG | \$0 (5 [^]) | PA-NS; LA; QL (120 EA per 30 days) |
| VORANIGO ORAL TABLET 10 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| VORANIGO ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; QL (30 EA per 30 days) |
| WELIREG ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; LA |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| XALKORI ORAL PELLETT 150 MG | \$0 (5 [^]) | PA-NS; QL (180 EA per 30 days) |
| XALKORI ORAL PELLETT 20 MG, 50 MG | \$0 (5 [^]) | PA-NS; QL (120 EA per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML | \$0 (3) | |
| XERMELO ORAL TABLET 250 MG | \$0 (5 [^]) | PA; LA; QL (84 EA per 28 days) |
| XOSPATA ORAL TABLET 40 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK) | \$0 (5^ [^]) PA-NS; LA |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4) | \$0 (5^ [^]) PA-NS |
| XTANDI ORAL CAPSULE 40 MG | \$0 (5^ [^]) PA-NS; LA; QL (120 EA per 30 days) |
| XTANDI ORAL TABLET 40 MG | \$0 (5^ [^]) PA-NS; LA; QL (120 EA per 30 days) |
| XTANDI ORAL TABLET 80 MG | \$0 (5^ [^]) PA-NS; LA; QL (60 EA per 30 days) |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG | \$0 (5^ [^]) PA-NS; LA; QL (30 EA per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | \$0 (5^ [^]) PA-NS; QL (224 EA per 28 days) |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | \$0 (5^ [^]) B/D |
| ZOLINZA ORAL CAPSULE 100 MG | \$0 (5^ [^]) PA-NS; QL (120 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| ZYDELIG ORAL TABLET 100 MG, 150 MG | \$0 (5 [^]) | PA-NS; LA; QL (60 EA per 30 days) |
| ZYKADIA ORAL TABLET 150 MG | \$0 (5 [^]) | PA-NS; LA; QL (90 EA per 30 days) |
| AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH | | |
| ANTICONVULSANTS | | |
| <i>brivaracetam oral solution 10 mg/ml</i> | \$0 (5 [^]) | QL (600 ML per 30 days) |
| <i>brivaracetam oral tablet 10 mg, 100 mg, 25 mg, 50 mg, 75 mg</i> | \$0 (5 [^]) | QL (60 EA per 30 days) |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML | \$0 (5 [^]) | QL (600 ML per 30 days) |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> | \$0 (4) | |
| <i>carbamazepine oral suspension 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml</i> | \$0 (4) | |
| <i>carbamazepine oral tablet 200 mg</i> | \$0 (2) | |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> | \$0 (4) | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | \$0 (2) | |
| <i>clobazam oral suspension 2.5 mg/ml</i> | \$0 (4) | PA-NS; QL (480 ML per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>clobazam oral tablet 10 mg, 20 mg</i> | \$0 (4) | PA-NS; QL (60 EA per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> | \$0 (4) | QL (90 EA per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> | \$0 (4) | QL (300 EA per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | \$0 (4) | QL (90 EA per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | \$0 (4) | QL (300 EA per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG | \$0 (5 [^]) | PA-NS; LA; QL (360 EA per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG | \$0 (5 [^]) | PA-NS; LA; QL (360 EA per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i> | \$0 (4) | |
| DILANTIN EXTENDED ORAL CAPSULE 100 MG | \$0 (4) | |
| DILANTIN INFATABS ORAL TABLET, CHEWABLE 50 MG | \$0 (4) | |
| DILANTIN ORAL CAPSULE 30 MG | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML | \$0 (4) | |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> | \$0 (4) | |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> | \$0 (4) | |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> | \$0 (2) | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | \$0 (5^) | PA-NS; LA |
| <i>epitol oral tablet 200 mg</i> | \$0 (2) | |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg, 600 mg, 800 mg</i> | \$0 (5^) | QL (60 EA per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> | \$0 (3) | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> | \$0 (3) | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | \$0 (4) | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> | \$0 (4) | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | \$0 (5^) | PA-NS; LA; QL (360 ML per 30 days) |
| <i>gabapentin oral capsule 100 mg, 400 mg</i> | \$0 (2) | QL (270 EA per 30 days) |
| <i>gabapentin oral capsule 300 mg</i> | \$0 (2) | QL (360 EA per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i> | \$0 (2) | QL (2160 ML per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>gabapentin oral tablet 600 mg</i> | \$0 (2) | QL (180 EA per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> | \$0 (2) | QL (120 EA per 30 days) |
| <i>gabapentin oral tablet extended release 24 hr 300 mg</i> | \$0 (4) | PA; QL (180 EA per 30 days) |
| <i>gabapentin oral tablet extended release 24 hr 600 mg</i> | \$0 (4) | PA; QL (90 EA per 30 days) |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> | \$0 (5 [^]) | QL (1200 ML per 30 days) |
| <i>lacosamide oral solution 10 mg/ml</i> | \$0 (4) | QL (1200 ML per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>lacosamide oral tablet 50 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | \$0 (1) | |
| <i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> | \$0 (4) | |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> | \$0 (2) | |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i> | \$0 (4) | |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> | \$0 (4) | |
| <i>levetiracetam oral solution 100 mg/ml, 500 mg/5 ml (5 ml)</i> | \$0 (4) | |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> | \$0 (4) | |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> | \$0 (4) | |
| LEVETIRACETAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG | \$0 (3) | |
| <i>methsuximide oral capsule 300 mg</i> | \$0 (4) | |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | \$0 (3) | PA-NS; QL (10 EA per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> | \$0 (4) | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> | \$0 (4) | |
| <i>perampanel oral suspension 0.5 mg/ml</i> | \$0 (5 [^]) | QL (720 ML per 30 days) |
| <i>perampanel oral tablet 10 mg, 12 mg, 4 mg, 6 mg, 8 mg</i> | \$0 (5 [^]) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>perampanel oral tablet 2 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | \$0 (4) | PA-NS |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | \$0 (2) | PA-NS |
| <i>phenobarbital sodium injection solution 130 mg/ml, 65 mg/ml</i> | \$0 (4) | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | \$0 (4) | |
| <i>phenytoin oral tablet, chewable 50 mg</i> | \$0 (2) | |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i> | \$0 (2) | |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i> | \$0 (2) | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| <i>pregabalin oral capsule 200 mg</i> | \$0 (4) | QL (90 EA per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> | \$0 (4) | QL (900 ML per 30 days) |
| PRIMIDONE ORAL TABLET 125 MG | \$0 (4) | |
| <i>primidone oral tablet 250 mg, 50 mg</i> | \$0 (2) | |
| <i>roweepra oral tablet 500 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>rufinamide oral suspension 40 mg/ml</i> | \$0 (5 [^]) | PA-NS; QL (2760 ML per 30 days) |
| <i>rufinamide oral tablet 200 mg</i> | \$0 (4) | PA-NS; QL (480 EA per 30 days) |
| <i>rufinamide oral tablet 400 mg</i> | \$0 (5 [^]) | PA-NS; QL (240 EA per 30 days) |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG | \$0 (3) | |
| SUBVENITE ORAL SUSPENSION 10 MG/ML | \$0 (5 [^]) | |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG | \$0 (5 [^]) | PA-NS; QL (60 EA per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> | \$0 (4) | |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> | \$0 (2) | |
| <i>topiramate oral solution 25 mg/ml</i> | \$0 (3) | PA-NS |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> | \$0 (2) | |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> | \$0 (4) | |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>valproic acid oral capsule 250 mg</i> | \$0 (2) | |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | \$0 (3) | PA-NS; QL (10 EA per 30 days) |
| <i>vigabatrin oral powder in packet 500 mg</i> | \$0 (5 [^]) | PA-NS; LA; QL (150 EA per 25 days) |
| <i>vigabatrin oral tablet 500 mg</i> | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> | \$0 (5 [^]) | PA-NS; LA; QL (150 EA per 25 days) |
| <i>vigadrone oral tablet 500 mg</i> | \$0 (5 [^]) | PA-NS; LA; QL (180 EA per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | \$0 (5 [^]) | QL (56 EA per 28 days) |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG | \$0 (5 [^]) | QL (30 EA per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | \$0 (5 [^]) | QL (60 EA per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14) | \$0 (4) | QL (28 EA per 180 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | \$0 (5^) | QL (28 EA per 180 days) |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML | \$0 (5^) | PA-NS |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i> | \$0 (2) | |
| ZTALMY ORAL SUSPENSION 50 MG/ML | \$0 (5^) | PA-NS; QL (1100 ML per 30 days) |
| ANTIPARKINSONISM AGENTS | | |
| <i>benztropine injection solution 1 mg/ml</i> | \$0 (4) | |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | \$0 (4) | PA |
| <i>bromocriptine oral capsule 5 mg</i> | \$0 (4) | |
| <i>bromocriptine oral tablet 2.5 mg</i> | \$0 (4) | |
| <i>carbidopa oral tablet 25 mg</i> | \$0 (4) | |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> | \$0 (2) | |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | \$0 (2) | |
| <i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | \$0 (4) | |
| <i>entacapone oral tablet 200 mg</i> | \$0 (4) | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | \$0 (5 [^]) | PA; QL (300 EA per 30 days) |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | \$0 (4) | |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | \$0 (1) | |
| <i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg</i> | \$0 (4) | |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> | \$0 (4) | |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | \$0 (2) | |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | \$0 (4) | |
| <i>selegiline hcl oral capsule 5 mg</i> | \$0 (3) | |
| <i>selegiline hcl oral tablet 5 mg</i> | \$0 (3) | |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

MIGRAINE / CLUSTER HEADACHE THERAPY

| | | |
|--|-----------------------|----------------------------|
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML | \$0 (3) | PA; QL (1 ML per 30 days) |
| <i>dihydroergotamine injection solution 1 mg/ml</i> | \$0 (5 [^]) | |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> | \$0 (5 [^]) | QL (8 ML per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | \$0 (3) | PA; QL (2 ML per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | \$0 (3) | PA; QL (2 ML per 30 days) |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i> | \$0 (2) | QL (40 EA per 28 days) |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> | \$0 (4) | QL (18 EA per 28 days) |
| NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG | \$0 (5 [^]) | PA; QL (16 EA per 30 days) |
| <i>rizatriptan oral tablet 10 mg, 5 mg</i> | \$0 (2) | QL (18 EA per 28 days) |
| <i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i> | \$0 (2) | QL (18 EA per 28 days) |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i> | \$0 (4) | QL (18 EA per 28 days) |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> | \$0 (4) | QL (18 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> | \$0 (2) | QL (8 ML per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> | \$0 (2) | QL (8 ML per 28 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> | \$0 (2) | QL (8 ML per 28 days) |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> | \$0 (4) | QL (18 EA per 28 days) |
| <i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> | \$0 (4) | QL (18 EA per 28 days) |
| MISCELLANEOUS NEUROLOGICAL THERAPY | | |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> | \$0 (3) | PA; QL (60 EA per 30 days) |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> | \$0 (4) | PA; QL (56 EA per 28 days) |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | \$0 (4) | PA; QL (120 EA per 180 days) |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> | \$0 (5 [^]) | PA; QL (60 EA per 30 days) |
| <i>donepezil oral tablet 10 mg, 5 mg</i> | \$0 (2) | |
| <i>donepezil oral tablet 23 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>fingolimod oral capsule 0.5 mg</i> | \$0 (5 [^]) | PA; QL (30 EA per 30 days) |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | \$0 (4) | QL (200 ML per 30 days) |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | \$0 (5 [^]) | PA; QL (30 ML per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> | \$0 (5 [^]) | PA; QL (12 ML per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> | \$0 (5 [^]) | PA; QL (30 ML per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> | \$0 (5 [^]) | PA; QL (12 ML per 28 days) |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21) | \$0 (5 [^]) | PA; LA; QL (28 EA per 180 days) |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG | \$0 (5 [^]) | PA; LA; QL (30 EA per 30 days) |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> | \$0 (4) | PA |
| <i>memantine oral solution 2 mg/ml</i> | \$0 (4) | PA |
| <i>memantine oral tablet 10 mg, 5 mg</i> | \$0 (2) | PA |
| NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG | \$0 (3) | |
| NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| NUEDEXTA ORAL CAPSULE 20-10 MG | \$0 (3) PA; QL (60 EA per 30 days) |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | \$0 (5^) PA; QL (20 ML per 180 days) |
| RADICAVA ORS ORAL SUSPENSION 105 MG/5 ML | \$0 (5^) PA |
| RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION 105 MG/5 ML | \$0 (5^) PA |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | \$0 (4) QL (60 EA per 30 days) |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> | \$0 (4) QL (30 EA per 30 days) |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> | \$0 (5^) PA; QL (30 EA per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg</i> | \$0 (4) PA; QL (240 EA per 30 days) |
| <i>tetrabenazine oral tablet 25 mg</i> | \$0 (5^) PA; QL (120 EA per 30 days) |
| MUSCLE RELAXANTS / ANTISPASMODIC THERAPY | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | \$0 (2) |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | \$0 (4) PA |
| <i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i> | \$0 (4) |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | \$0 (2) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What Necessary actions, the drug will cost you (tier level) restrictions, or limits on use |
|--|--|
| <i>tizanidine oral tablet 2 mg, 4 mg</i> | \$0 (2) |

NARCOTIC ANALGESICS

| | |
|---|---------------------------------------|
| <i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml</i> | \$0 (2) QL (2700 ML per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | \$0 (2) QL (360 EA per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | \$0 (2) QL (180 EA per 30 days) |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | \$0 (2) |
| <i>endocet oral tablet 10-325 mg</i> | \$0 (4) QL (180 EA per 30 days) |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> | \$0 (4) QL (360 EA per 30 days) |
| <i>endocet oral tablet 7.5-325 mg</i> | \$0 (4) QL (240 EA per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 400 mcg, 800 mcg</i> | \$0 (5^A) PA; QL (120 EA per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | \$0 (4) PA; QL (10 EA per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml</i> | \$0 (4) QL (2700 ML per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i> | \$0 (4) QL (180 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> | \$0 (4) | QL (240 EA per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i> | \$0 (4) | QL (150 EA per 30 days) |
| <i>hydromorphone oral liquid 1 mg/ml</i> | \$0 (2) | QL (600 ML per 30 days) |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> | \$0 (2) | QL (180 EA per 30 days) |
| <i>methadone intensol oral concentrate 10 mg/ml</i> | \$0 (4) | PA; QL (90 ML per 30 days) |
| <i>methadone oral concentrate 10 mg/ml</i> | \$0 (4) | PA; QL (90 ML per 30 days) |
| <i>methadone oral solution 10 mg/5 ml, 5 mg/5 ml</i> | \$0 (4) | PA; QL (450 ML per 30 days) |
| <i>methadone oral tablet 10 mg, 5 mg</i> | \$0 (2) | PA; QL (90 EA per 30 days) |
| <i>morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml (1 mg/ml)</i> | \$0 (4) | B/D |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | \$0 (2) | QL (180 ML per 30 days) |
| <i>morphine injection syringe 4 mg/ml</i> | \$0 (4) | |
| <i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 50 mg/ml</i> | \$0 (4) | |
| <i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml)</i> | \$0 (2) | QL (900 ML per 30 days) |
| <i>morphine oral tablet 15 mg, 30 mg</i> | \$0 (2) | QL (180 EA per 30 days) |
| <i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> | \$0 (4) | PA; QL (90 EA per 30 days) |
| <i>oxycodone oral capsule 5 mg</i> | \$0 (2) | QL (180 EA per 30 days) |
| <i>oxycodone oral concentrate 20 mg/ml</i> | \$0 (2) | QL (180 ML per 30 days) |
| <i>oxycodone oral solution 5 mg/5 ml</i> | \$0 (2) | QL (900 ML per 30 days) |
| <i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> | \$0 (2) | QL (180 EA per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> | \$0 (4) | QL (180 EA per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> | \$0 (4) | QL (360 EA per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> | \$0 (4) | QL (240 EA per 30 days) |
| NON-NARCOTIC ANALGESICS | | |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> | \$0 (4) | |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>butorphanol injection solution 1 mg/ml, 2 mg/ml</i> | \$0 (4) | |
| <i>butorphanol nasal spray, non-aerosol 10 mg/ml</i> | \$0 (4) | QL (10 ML per 28 days) |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> | \$0 (4) | |
| <i>diclofenac potassium oral tablet 50 mg</i> | \$0 (2) | |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | \$0 (4) | |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i> | \$0 (2) | |
| <i>diclofenac sodium topical drops 1.5 %</i> | \$0 (2) | QL (300 ML per 28 days) |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg, 75-200 mg-mcg</i> | \$0 (4) | |
| <i>diflunisal oral tablet 500 mg</i> | \$0 (4) | |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | \$0 (2) | |
| <i>etodolac oral tablet 400 mg, 500 mg</i> | \$0 (2) | |
| <i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i> | \$0 (4) | |
| <i>flurbiprofen oral tablet 100 mg</i> | \$0 (4) | |
| <i>ibu oral tablet 600 mg, 800 mg</i> | \$0 (1) | |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | \$0 (1) | |
| JOURNAVX ORAL TABLET 50 MG | \$0 (3) | QL (30 EA per 90 days) |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | \$0 (4) | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | \$0 (1) | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | \$0 (2) | |
| <i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i> | \$0 (3) | |
| <i>naloxone injection solution 0.4 mg/ml</i> | \$0 (2) | |
| <i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i> | \$0 (2) | |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> | \$0 (4) | Only naloxone NDCs starting 00093 are covered under Medicare Part D |
| <i>naltrexone oral tablet 50 mg</i> | \$0 (2) | |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i> | \$0 (1) | |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> | \$0 (2) | |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | \$0 (4) | |
| <i>oxaprozin oral tablet 600 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>piroxicam oral capsule 10 mg, 20 mg</i> | \$0 (2) | |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | \$0 (2) | |
| <i>tramadol oral tablet 50 mg</i> | \$0 (2) | QL (240 EA per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | \$0 (2) | QL (240 EA per 30 days) |
| PSYCHOTHERAPEUTIC DRUGS | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML | \$0 (5^) | QL (2.4 ML per 56 days) |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML | \$0 (5^) | QL (3.2 ML per 56 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG | \$0 (5^) | QL (1 EA per 28 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG | \$0 (5^) | QL (1 EA per 28 days) |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | \$0 (4) | QL (150 EA per 30 days) |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | \$0 (4) | |
| <i>aripiprazole oral solution 1 mg/ml</i> | \$0 (4) | QL (900 ML per 30 days) |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 10 mg, 15 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML | \$0 (5 [^]) | QL (4.8 ML per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML | \$0 (5 [^]) | QL (3.9 ML per 56 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML | \$0 (5 [^]) | QL (1.6 ML per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML | \$0 (5 [^]) | QL (2.4 ML per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML | \$0 (5 [^]) | QL (3.2 ML per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i> | \$0 (4) | PA; QL (30 EA per 30 days) |
| <i>armodafinil oral tablet 50 mg</i> | \$0 (4) | PA; QL (60 EA per 30 days) |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG | \$0 (5 [^]) | ST; QL (60 EA per 30 days) |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | \$0 (2) | |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg</i> | \$0 (2) | QL (90 EA per 30 days) |
| <i>bupropion hcl oral tablet extended release 24 hr 300 mg</i> | \$0 (2) | QL (30 EA per 30 days) |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>chlorpromazine injection solution 25 mg/ml</i> | \$0 (4) | |
| <i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i> | \$0 (4) | |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i> | \$0 (4) | |
| <i>citalopram oral solution 10 mg/5 ml</i> | \$0 (4) | |
| <i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> | \$0 (1) | |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> | \$0 (4) | PA-NS |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | \$0 (4) | PA-NS; QL (180 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | \$0 (4) | PA-NS; QL (90 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | \$0 (4) | PA-NS; QL (360 EA per 30 days) |
| <i>clozapine oral tablet 100 mg, 200 mg</i> | \$0 (4) | |
| <i>clozapine oral tablet 25 mg, 50 mg</i> | \$0 (2) | |
| <i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG | \$0 (3) | QL (60 EA per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG | \$0 (3) | QL (56 EA per 180 days) |
| <i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | \$0 (4) | |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>dexmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | \$0 (2) | QL (30 EA per 30 days) |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg, 5 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i> | \$0 (2) | QL (180 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 15 mg</i> | \$0 (2) | QL (120 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 20 mg</i> | \$0 (2) | QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>dextroamphetamine sulfate oral tablet 30 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 20 mg</i> | \$0 (4) | QL (90 EA per 30 days) |
| <i>diazepam injection solution 5 mg/ml</i> | \$0 (2) | |
| <i>diazepam injection syringe 5 mg/ml</i> | \$0 (2) | |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> | \$0 (4) | PA-NS; QL (240 ML per 30 days) |
| <i>diazepam oral concentrate 5 mg/ml</i> | \$0 (4) | PA-NS; QL (240 ML per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml)</i> | \$0 (4) | PA-NS; QL (1200 ML per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> | \$0 (4) | PA-NS; QL (120 EA per 30 days) |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | \$0 (4) | |
| <i>doxepin oral concentrate 10 mg/ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>doxepin oral tablet 3 mg, 6 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG | \$0 (4) | QL (60 EA per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 40 mg, 60 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | \$0 (5^) | QL (30 EA per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | \$0 (4) | |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> | \$0 (4) | |
| EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG | \$0 (5^) | ST; QL (30 EA per 30 days) |
| EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 18.2 MG (32 TABS) | \$0 (5^) | ST; QL (32 EA per 180 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | \$0 (5^) | ST; QL (60 EA per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)-4MG(2)-6MG(2) | \$0 (4) | ST; QL (8 EA per 180 days) |
| FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | \$0 (4) | ST; QL (12 EA per 180 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2) | \$0 (4) | ST; QL (8 EA per 180 days) |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | \$0 (3) | QL (28 EA per 180 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> | \$0 (2) | |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | \$0 (2) | |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | \$0 (4) | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | \$0 (4) | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | \$0 (4) | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | \$0 (4) | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | \$0 (4) | |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 4 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>guanfacine oral tablet extended release 24 hr 3 mg</i> | \$0 (4) | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> | \$0 (4) | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | \$0 (4) | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | \$0 (4) | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | \$0 (2) | |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | \$0 (4) | |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | \$0 (5 [^]) | QL (3.5 ML per 180 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | \$0 (5 [^]) | QL (5 ML per 180 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | \$0 (5 [^]) | QL (0.75 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | \$0 (5 [^]) | QL (1 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | \$0 (5 [^]) | QL (1.5 ML per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | \$0 (3) | QL (0.25 ML per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|--|--|
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | \$0 (5^ [^]) QL (0.5 ML per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | \$0 (5^ [^]) QL (0.88 ML per 90 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | \$0 (5^ [^]) QL (1.32 ML per 90 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | \$0 (5^ [^]) QL (1.75 ML per 90 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | \$0 (5^ [^]) QL (2.63 ML per 90 days) |
| <i>lisdexamfetamine oral capsule 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg</i> | \$0 (4) QL (30 EA per 30 days) |
| <i>lisdexamfetamine oral tablet, chewable 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | \$0 (4) QL (30 EA per 30 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | \$0 (1) |
| <i>lithium carbonate oral tablet 300 mg</i> | \$0 (2) |
| <i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i> | \$0 (2) |
| <i>lithium citrate oral solution 8 meq/5 ml</i> | \$0 (2) |
| <i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> | \$0 (2) |
| <i>lorazepam injection syringe 2 mg/ml</i> | \$0 (2) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> | \$0 (4) | QL (150 ML per 30 days) |
| <i>lorazepam oral concentrate 2 mg/ml</i> | \$0 (4) | QL (150 ML per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> | \$0 (2) | QL (150 EA per 30 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | \$0 (4) | |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>lurasidone oral tablet 80 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | \$0 (5^) | QL (30 EA per 30 days) |
| MARPLAN ORAL TABLET 10 MG | \$0 (4) | |
| <i>methylphenidate hcl oral solution 10 mg/5 ml</i> | \$0 (4) | QL (900 ML per 30 days) |
| <i>methylphenidate hcl oral solution 5 mg/5 ml</i> | \$0 (4) | QL (1800 ML per 30 days) |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> | \$0 (2) | QL (90 EA per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i> | \$0 (4) | QL (90 EA per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 18 mg (bx rating), 27 mg, 27 mg (bx rating), 36 mg, 36 mg (bx rating), 54 mg, 54 mg (bx rating)</i> | \$0 (2) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | QL (180 EA per 30 days) |
| <i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg</i> | \$0 (2) | |
| <i>mirtazapine oral tablet 7.5 mg</i> | \$0 (4) | |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> | \$0 (2) | |
| <i>modafinil oral tablet 100 mg</i> | \$0 (2) | PA; QL (30 EA per 30 days) |
| <i>modafinil oral tablet 200 mg</i> | \$0 (2) | PA; QL (60 EA per 30 days) |
| <i>molindone oral tablet 10 mg, 25 mg, 5 mg</i> | \$0 (4) | |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | \$0 (4) | |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> | \$0 (2) | |
| <i>nortriptyline oral solution 10 mg/5 ml</i> | \$0 (4) | |
| NUPLAZID ORAL CAPSULE 34 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | \$0 (5 [^]) | PA-NS; LA; QL (30 EA per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> | \$0 (3) | QL (3 EA per 1 day) |
| <i>olanzapine oral tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>olanzapine oral tablet 15 mg, 20 mg, 7.5 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>olanzapine oral tablet, disintegrating 10 mg</i> | \$0 (4) | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>olanzapine oral tablet, disintegrating 15 mg, 20 mg, 5 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| OPIPZA ORAL FILM 10 MG | \$0 (4) | QL (90 EA per 30 days) |
| OPIPZA ORAL FILM 2 MG | \$0 (4) | QL (30 EA per 30 days) |
| OPIPZA ORAL FILM 5 MG | \$0 (4) | QL (180 EA per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> | \$0 (4) | QL (900 ML per 30 days) |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i> | \$0 (2) | QL (30 EA per 30 days) |
| <i>paroxetine hcl oral tablet 30 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | \$0 (4) | |
| <i>phenelzine oral tablet 15 mg</i> | \$0 (3) | |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | \$0 (4) | |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | \$0 (4) | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| QUETIAPINE ORAL TABLET 150 MG | \$0 (4) | |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| RALDESY ORAL SOLUTION 10 MG/ML | \$0 (5^) | ST |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> | \$0 (4) | QL (2 EA per 28 days) |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | \$0 (5^) | QL (2 EA per 28 days) |
| <i>risperidone oral solution 1 mg/ml</i> | \$0 (2) | |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | \$0 (2) | |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>risperidone oral tablet, disintegrating 4 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | \$0 (5^) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>sertraline oral concentrate 20 mg/ml</i> | \$0 (2) | |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> | \$0 (1) | |
| <i>sodium oxybate oral solution 500 mg/ml</i> | \$0 (5 [^]) | PA; LA; QL (540 ML per 30 days) |
| <i>temazepam oral capsule 15 mg</i> | \$0 (4) | PA; QL (60 EA per 30 days) |
| <i>temazepam oral capsule 30 mg, 7.5 mg</i> | \$0 (4) | PA; QL (30 EA per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | \$0 (4) | |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | \$0 (4) | |
| <i>tranylcypromine oral tablet 10 mg</i> | \$0 (4) | |
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i> | \$0 (1) | |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | \$0 (4) | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | \$0 (4) | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | \$0 (2) | |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | \$0 (5 [^]) | PA-NS; QL (600 ML per 30 days) |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| VRAYLAR ORAL CAPSULE 0.5 MG, 0.75 MG, 1.5 MG, 3 MG, 4.5 MG, 6 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> | \$0 (4) | |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> | \$0 (2) | QL (30 EA per 30 days) |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG | \$0 (5 [^]) | PA-NS; QL (28 EA per 365 days) |
| ZURZUVAE ORAL CAPSULE 30 MG | \$0 (5 [^]) | PA-NS; QL (14 EA per 365 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG, 300 MG | \$0 (4) | PA-NS; QL (2 EA per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | \$0 (4) | PA-NS; QL (1 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

CARDIOVASCULAR, HYPERTENSION / LIPIDS

ANTIARRHYTHMIC AGENTS

amiodarone intravenous solution 50 mg/ml \$0 (2)

amiodarone oral tablet 100 mg, 400 mg \$0 (2)

amiodarone oral tablet 200 mg \$0 (1)

disopyramide phosphate oral capsule 100 mg, 150 mg \$0 (4)

dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg \$0 (4)

flecainide oral tablet 100 mg, 150 mg, 50 mg \$0 (2)

mexiletine oral capsule 150 mg, 200 mg, 250 mg \$0 (4)

MULTAQ ORAL TABLET 400 MG \$0 (3)

pacerone oral tablet 100 mg, 400 mg \$0 (4)

pacerone oral tablet 200 mg \$0 (1)

propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg \$0 (4)

propafenone oral tablet 150 mg, 225 mg, 300 mg \$0 (2)

quinidine sulfate oral tablet 200 mg \$0 (2)

quinidine sulfate oral tablet 300 mg \$0 (4)

sotalol af oral tablet 120 mg, 160 mg, 80 mg \$0 (2)

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> | \$0 (1) | |
| ANTIHYPERTENSIVE THERAPY | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | \$0 (2) | |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> | \$0 (4) | |
| <i>amiloride oral tablet 5 mg</i> | \$0 (2) | |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | \$0 (2) | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (1) | |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> | \$0 (6) | |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> | \$0 (1) | |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i> | \$0 (1) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | \$0 (6) | |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i> | \$0 (6) | |
| <i>betaxolol oral tablet 10 mg, 20 mg</i> | \$0 (2) | |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | \$0 (2) | |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> | \$0 (2) | |
| <i>bumetanide injection solution 0.25 mg/ml</i> | \$0 (4) | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | \$0 (4) | |
| <i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>candesartan oral tablet 32 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | \$0 (6) | |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i> | \$0 (6) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | \$0 (2) | |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> | \$0 (1) | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | \$0 (1) | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | \$0 (1) | |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr</i> | \$0 (4) | |
| <i>diltiazem hcl intravenous solution 5 mg/ml</i> | \$0 (2) | |
| <i>diltiazem hcl oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> | \$0 (2) | |
| <i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i> | \$0 (4) | |
| <i>diltiazem hcl oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | \$0 (2) | |
| <i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | \$0 (2) | |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | \$0 (4) | |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> | \$0 (2) | |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> | \$0 (1) | |
| EDARBI ORAL TABLET 40 MG, 80 MG | \$0 (3) | QL (30 EA per 30 days) |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | \$0 (6) | |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | \$0 (6) | |
| <i>epplerenone oral tablet 25 mg, 50 mg</i> | \$0 (2) | |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i> | \$0 (2) | |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | \$0 (6) | |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | \$0 (6) | |
| <i>furosemide injection solution 10 mg/ml</i> | \$0 (2) | |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | \$0 (1) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> | \$0 (1) | |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | \$0 (4) | |
| <i>hydralazine injection solution 20 mg/ml</i> | \$0 (2) | |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | \$0 (2) | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | \$0 (1) | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | \$0 (1) | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | \$0 (1) | |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>irbesartan-hydrochlorothiazide oral tablet 300-12.5 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i> | \$0 (4) | |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | \$0 (2) | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | \$0 (6) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | \$0 (6) | |
| <i>losartan oral tablet 100 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>losartan oral tablet 25 mg, 50 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>losartan-hydrochlorothiazide oral tablet 50-12.5 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | \$0 (4) | |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (2) | |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> | \$0 (2) | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i> | \$0 (2) | |
| <i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> | \$0 (2) | |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | \$0 (1) | |
| <i>metyrosine oral capsule 250 mg</i> | \$0 (5 [^]) | PA |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | \$0 (2) | |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | \$0 (6) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | \$0 (4) | |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | \$0 (4) | |
| <i>nicardipine oral capsule 20 mg, 30 mg</i> | \$0 (4) | |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> | \$0 (2) | |
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> | \$0 (2) | |
| <i>nimodipine oral capsule 30 mg</i> | \$0 (4) | |
| <i>olmesartan oral tablet 20 mg, 40 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>olmesartan oral tablet 5 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | \$0 (6) | |
| <i>pindolol oral tablet 10 mg, 5 mg</i> | \$0 (2) | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> | \$0 (4) | |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | \$0 (2) | |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | \$0 (2) | |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | \$0 (6) | |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | \$0 (6) | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> | \$0 (6) | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | \$0 (1) | |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> | \$0 (2) | |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-25 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>telmisartan-hydrochlorothiazid oral tablet 80-12.5 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | \$0 (2) | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | \$0 (2) | |
| <i>torseamide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | \$0 (2) | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | \$0 (6) | |
| <i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> | \$0 (5^) | PA; LA |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | \$0 (1) | |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i> | \$0 (1) | |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | \$0 (5^) | PA; LA; QL (60 EA per 30 days) |
| UPTRAVI ORAL TABLETS, DOSE PACK 200 MCG (140)- 800 MCG (60) | \$0 (5^) | PA; LA; QL (200 EA per 180 days) |
| <i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>valsartan oral tablet 320 mg</i> | \$0 (6) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>verapamil intravenous solution 2.5 mg/ml</i> | \$0 (2) | |
| <i>verapamil intravenous syringe 2.5 mg/ml</i> | \$0 (2) | |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> | \$0 (4) | |
| <i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> | \$0 (2) | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | \$0 (1) | |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> | \$0 (2) | |
| COAGULATION THERAPY | | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | \$0 (4) | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | \$0 (2) | |
| <i>clopidogrel oral tablet 75 mg</i> | \$0 (1) | |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|--|--|
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG | \$0 (5^ [^]) PA; LA |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | \$0 (5^ [^]) PA; LA |
| DOPTELET (30 TAB PACK) ORAL TABLET 20 MG | \$0 (5^ [^]) PA; LA |
| DOPTELET SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG | \$0 (5^ [^]) PA; LA |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | \$0 (3) QL (74 EA per 180 days) |
| ELIQUIS ORAL TABLET 2.5 MG | \$0 (3) QL (60 EA per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | \$0 (3) QL (74 EA per 30 days) |
| ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG | \$0 (3) QL (140 EA per 28 days) |
| ELIQUIS ORAL TABLET FOR SUSPENSION 1.5 MG (0.5 MG X 3) | \$0 (3) QL (420 EA per 28 days) |
| ELIQUIS ORAL TABLET FOR SUSPENSION 2 MG (0.5 MG X 4) | \$0 (3) QL (560 EA per 28 days) |
| ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG | \$0 (3) QL (70 EA per 28 days) |
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> | \$0 (5^ [^]) PA; QL (360 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>eltrombopag olamine oral powder in packet 25 mg</i> | \$0 (5 [^]) | PA; QL (180 EA per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg, 25 mg</i> | \$0 (5 [^]) | PA; QL (30 EA per 30 days) |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> | \$0 (5 [^]) | PA; QL (60 EA per 30 days) |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> | \$0 (4) | |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> | \$0 (4) | |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i> | \$0 (2) | |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | \$0 (3) | |
| HEPARIN(PORCINE) IN 0.45% NAACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i> | \$0 (4) | |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | \$0 (1) | |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | \$0 (2) | |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> | \$0 (2) | |
| <i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> | \$0 (2) | |
| <i>rivaroxaban oral tablet 2.5 mg</i> | \$0 (2) | |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> | \$0 (3) | |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | \$0 (1) | |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9) | \$0 (3) | QL (51 EA per 180 days) |
| XARELTO ORAL TABLET 10 MG, 20 MG | \$0 (3) | QL (30 EA per 30 days) |
| XARELTO ORAL TABLET 15 MG, 2.5 MG | \$0 (3) | QL (60 EA per 30 days) |

LIPID/CHOLESTEROL LOWERING AGENTS

| | | |
|--|---------|------------------------|
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
|--|---------|------------------------|

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>cholestyramine (with sugar) oral powder 4 gram</i> | \$0 (4) | |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> | \$0 (4) | |
| <i>cholestyramine light oral powder 4 gram</i> | \$0 (4) | |
| <i>cholestyramine light oral powder in packet 4 gram</i> | \$0 (4) | |
| <i>cholestyramine oral powder 4 gram</i> | \$0 (4) | |
| <i>cholestyramine oral powder in packet 4 gram</i> | \$0 (4) | |
| <i>colesevelam oral powder in packet 3.75 gram</i> | \$0 (4) | |
| <i>colesevelam oral tablet 625 mg</i> | \$0 (4) | |
| <i>colestipol oral granules 5 gram</i> | \$0 (4) | |
| <i>colestipol oral packet 5 gram</i> | \$0 (4) | |
| <i>colestipol oral tablet 1 gram</i> | \$0 (4) | |
| <i>ezetimibe oral tablet 10 mg</i> | \$0 (1) | |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i> | \$0 (2) | |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> | \$0 (2) | |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | \$0 (2) | |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> | \$0 (2) | |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>gemfibrozil oral tablet 600 mg</i> | \$0 (1) | |
| <i>icosapent ethyl oral capsule 0.5 gram, 1 gram</i> | \$0 (4) | |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| NEXLETOL ORAL TABLET 180 MG | \$0 (3) | PA |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | \$0 (4) | |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML | \$0 (3) | PA |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>prevalite oral powder 4 gram</i> | \$0 (4) | |
| <i>prevalite oral powder in packet 4 gram</i> | \$0 (4) | |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM | \$0 (4) | |
| MISCELLANEOUS CARDIOVASCULAR AGENTS | | |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | \$0 (3) | QL (450 ML per 30 days) |
| <i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i> | \$0 (2) | |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg)</i> | \$0 (2) | QL (60 EA per 30 days) |
| ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG | \$0 (3) | QL (240 EA per 30 days) |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> | \$0 (3) | QL (60 EA per 30 days) |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> | \$0 (3) | QL (60 EA per 30 days) |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | \$0 (3) | QL (30 EA per 30 days) |
| NITRATES | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | \$0 (2) | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | \$0 (2) | |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | \$0 (1) | |
| <i>nitro-bid transdermal ointment 2 %</i> | \$0 (4) | |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> | \$0 (2) | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | \$0 (2) | |
| DERMATOLOGICALS/TOPICAL THERAPY | | |
| ANTIPSORIATIC / ANTISEBORRHEIC | | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | \$0 (4) | |
| <i>calcipotriene scalp solution 0.005 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>calcipotriene topical ointment 0.005 %</i> | \$0 (4) | QL (120 GM per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | \$0 (5^ [^]) PA; QL (10 ML per 28 days) |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | \$0 (5^ [^]) PA; QL (10 ML per 28 days) |
| COSENTYX PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML | \$0 (5^ [^]) PA; QL (10 ML per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML | \$0 (5^ [^]) PA; QL (10 ML per 28 days) |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | \$0 (5^ [^]) PA; QL (2.5 ML per 28 days) |
| COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | \$0 (5^ [^]) PA; QL (10 ML per 28 days) |
| <i>selenium sulfide topical lotion 2.5 %</i> | \$0 (2) |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML | \$0 (5^ [^]) PA; QL (6 ML per 365 days) |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML | \$0 (5^ [^]) PA; QL (6 ML per 365 days) |
| STEQEYMA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | \$0 (3) PA; QL (0.5 ML per 28 days) |
| STEQEYMA SUBCUTANEOUS SYRINGE 90 MG/ML | \$0 (5^ [^]) PA; QL (1 ML per 28 days) |
| TREMFYA ONE-PRESS SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | \$0 (5^ [^]) PA; QL (2 ML per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| TREMIFYA PEN INDUCTION PK(2PEN) SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML | \$0 (5^ [^]) PA; QL (12 ML per 180 days) |
| TREMIFYA PEN SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 200 MG/2 ML | \$0 (5^ [^]) PA; QL (2 ML per 28 days) |
| TREMIFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | \$0 (5^ [^]) PA; QL (2 ML per 28 days) |
| TREMIFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML | \$0 (5^ [^]) PA; QL (2 ML per 28 days) |
| USTEKINUMAB-AEKN SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | \$0 (3) PA; QL (0.5 ML per 28 days) |
| USTEKINUMAB-AEKN SUBCUTANEOUS SYRINGE 90 MG/ML | \$0 (5^ [^]) PA; QL (1 ML per 28 days) |
| USTEKINUMAB-TTWE SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | \$0 (3) PA; QL (0.5 ML per 28 days) |
| USTEKINUMAB-TTWE SUBCUTANEOUS SYRINGE 45 MG/0.5 ML | \$0 (3) PA; QL (0.5 ML per 28 days) |
| USTEKINUMAB-TTWE SUBCUTANEOUS SYRINGE 90 MG/ML | \$0 (5^ [^]) PA; QL (1 ML per 28 days) |
| MISCELLANEOUS DERMATOLOGICALS | |
| <i>ammonium lactate topical cream 12 %</i> | \$0 (2) |
| <i>ammonium lactate topical lotion 12 %</i> | \$0 (4) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|--|--|
| <i>dermacinrx lidocan topical adhesive patch, medicated 5 %</i> | \$0 (3) PA; QL (90 EA per 30 days) |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML | \$0 (5^A) PA; QL (4.56 ML per 28 days) |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | \$0 (5^A) PA; QL (8 ML per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | \$0 (5^A) PA; QL (1.34 ML per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | \$0 (5^A) PA; QL (4.56 ML per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML | \$0 (5^A) PA; QL (8 ML per 28 days) |
| EUCRISA TOPICAL OINTMENT 2 % | \$0 (4) PA; QL (120 GM per 30 days) |
| <i>fluorouracil topical cream 5 %</i> | \$0 (4) QL (40 GM per 30 days) |
| <i>fluorouracil topical solution 2 %, 5 %</i> | \$0 (4) QL (10 ML per 30 days) |
| <i>glydo mucous membrane jelly in applicator 2 %</i> | \$0 (4) QL (66 ML per 33 days) |
| <i>imiquimod topical cream in packet 5 %</i> | \$0 (2) QL (24 EA per 28 days) |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i> | \$0 (2) |
| <i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> | \$0 (2) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>lidocaine hcl laryngotracheal solution 4 %</i> | \$0 (4) | QL (50 ML per 30 days) |
| <i>lidocaine hcl mucous membrane jelly 2 %</i> | \$0 (4) | QL (60 ML per 30 days) |
| <i>lidocaine hcl mucous membrane solution 2 %</i> | \$0 (2) | |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | \$0 (4) | QL (50 ML per 30 days) |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | \$0 (4) | PA; QL (90 EA per 30 days) |
| <i>lidocaine topical ointment 5 %</i> | \$0 (4) | QL (50 GM per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> | \$0 (2) | |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | \$0 (2) | QL (30 GM per 30 days) |
| <i>lidocan iii topical adhesive patch,medicated 5 %</i> | \$0 (3) | PA; QL (90 EA per 30 days) |
| <i>lidocan iv topical adhesive patch,medicated 5 %</i> | \$0 (3) | PA; QL (90 EA per 30 days) |
| <i>lidocan v topical adhesive patch,medicated 5 %</i> | \$0 (3) | PA; QL (90 EA per 30 days) |
| PANRETIN TOPICAL GEL 0.1 % | \$0 (5 [^]) | PA-NS; QL (60 GM per 30 days) |
| <i>pimecrolimus topical cream 1 %</i> | \$0 (4) | QL (100 GM per 30 days) |
| <i>podofilox topical solution 0.5 %</i> | \$0 (4) | QL (7 ML per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | \$0 (3) | QL (180 GM per 30 days) |
| <i>silver sulfadiazine topical cream 1 %</i> | \$0 (2) | |
| <i>ssd topical cream 1 %</i> | \$0 (2) | |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> | \$0 (4) | QL (100 GM per 30 days) |
| <i>tridacaine ii topical adhesive patch,medicated 5 %</i> | \$0 (4) | PA; QL (90 EA per 30 days) |
| VALCHLOR TOPICAL GEL 0.016 % | \$0 (5 [^]) | PA-NS; LA; QL (60 GM per 30 days) |
| THErapy FOR ACNE | | |
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | \$0 (4) | |
| <i>adapalene topical cream 0.1 %</i> | \$0 (4) | QL (45 GM per 30 days) |
| <i>adapalene topical gel 0.3 %</i> | \$0 (4) | QL (45 GM per 30 days) |
| <i>adapalene topical gel with pump 0.3 %</i> | \$0 (4) | QL (45 GM per 30 days) |
| <i>amnesteem oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | \$0 (4) | |
| <i>azelaic acid topical gel 15 %</i> | \$0 (4) | QL (50 GM per 30 days) |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | \$0 (4) | |
| <i>clindamycin phosphate topical gel 1 %</i> | \$0 (4) | QL (120 GM per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>clindamycin phosphate topical gel, once daily 1 %</i> | \$0 (4) | QL (75 ML per 30 days) |
| <i>clindamycin phosphate topical lotion 1 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>clindamycin phosphate topical solution 1 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>clindamycin phosphate topical swab 1 %</i> | \$0 (2) | QL (120 EA per 30 days) |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> | \$0 (2) | QL (45 GM per 30 days) |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> | \$0 (2) | QL (50 GM per 30 days) |
| <i>clindamycin-benzoyl peroxide topical gel with pump 1-5 %</i> | \$0 (2) | QL (50 GM per 30 days) |
| <i>ery pads topical swab 2 %</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>erythromycin with ethanol topical solution 2 %</i> | \$0 (2) | QL (60 ML per 30 days) |
| <i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> | \$0 (2) | |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i> | \$0 (4) | |
| <i>metronidazole topical cream 0.75 %</i> | \$0 (4) | QL (45 GM per 30 days) |
| <i>metronidazole topical gel 0.75 %</i> | \$0 (4) | QL (45 GM per 30 days) |
| <i>metronidazole topical lotion 0.75 %</i> | \$0 (4) | QL (59 ML per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | \$0 (4) | |
| <i>neuac topical gel 1.2 %(1 % base) -5 %</i> | \$0 (2) | QL (45 GM per 30 days) |
| <i>tazarotene topical cream 0.1 %</i> | \$0 (3) | PA; QL (60 GM per 30 days) |
| <i>tazarotene topical gel 0.05 %, 0.1 %</i> | \$0 (4) | PA; QL (100 GM per 30 days) |
| <i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> | \$0 (4) | PA; QL (50 GM per 30 days) |
| <i>tretinoin microspheres topical gel with pump 0.04 %, 0.1 %</i> | \$0 (4) | PA; QL (50 GM per 30 days) |
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> | \$0 (4) | PA; QL (45 GM per 30 days) |
| <i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i> | \$0 (4) | PA; QL (45 GM per 30 days) |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | \$0 (4) | |
| TOPICAL ANTIBACTERIALS | | |
| <i>gentamicin topical cream 0.1 %</i> | \$0 (4) | QL (60 GM per 30 days) |
| <i>gentamicin topical ointment 0.1 %</i> | \$0 (4) | QL (60 GM per 30 days) |
| <i>mupirocin topical ointment 2 %</i> | \$0 (2) | QL (44 GM per 30 days) |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> | \$0 (4) | |
| TOPICAL ANTIFUNGALS | | |
| <i>ciclopirox topical cream 0.77 %</i> | \$0 (4) | QL (90 GM per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>ciclopirox topical gel 0.77 %</i> | \$0 (4) | QL (100 GM per 28 days) |
| <i>ciclopirox topical suspension 0.77 %</i> | \$0 (4) | QL (60 ML per 28 days) |
| <i>clotrimazole topical cream 1 %</i> | \$0 (4) | QL (45 GM per 28 days) |
| <i>clotrimazole topical solution 1 %</i> | \$0 (2) | QL (30 ML per 28 days) |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | \$0 (4) | QL (45 GM per 28 days) |
| <i>clotrimazole-betamethasone topical lotion 1-0.05 %</i> | \$0 (4) | QL (60 ML per 28 days) |
| <i>ketconazole topical cream 2 %</i> | \$0 (2) | QL (60 GM per 28 days) |
| <i>ketconazole topical shampoo 2 %</i> | \$0 (2) | QL (120 ML per 28 days) |
| <i>klayesta topical powder 100,000 unit/gram</i> | \$0 (2) | QL (120 GM per 30 days) |
| <i>naftifine topical cream 1 %</i> | \$0 (4) | QL (90 GM per 28 days) |
| <i>naftifine topical cream 2 %</i> | \$0 (4) | QL (60 GM per 28 days) |
| <i>naftifine topical gel 2 %</i> | \$0 (4) | QL (60 GM per 28 days) |
| <i>nyamyc topical powder 100,000 unit/gram</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>nystatin topical cream 100,000 unit/gram</i> | \$0 (2) | QL (30 GM per 28 days) |
| <i>nystatin topical ointment 100,000 unit/gram</i> | \$0 (2) | QL (30 GM per 28 days) |
| <i>nystatin topical powder 100,000 unit/gram</i> | \$0 (2) | QL (120 GM per 30 days) |
| <i>nystop topical powder 100,000 unit/gram</i> | \$0 (4) | QL (120 GM per 30 days) |
| TOPICAL CORTICOSTEROIDS | | |
| <i>ala-cort topical cream 1 %</i> | \$0 (1) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>alclometasone topical cream 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>alclometasone topical ointment 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | \$0 (4) | QL (135 GM per 30 days) |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | \$0 (4) | QL (135 GM per 30 days) |
| <i>betamethasone valerate topical cream 0.1 %</i> | \$0 (4) | QL (135 GM per 30 days) |
| <i>betamethasone valerate topical lotion 0.1 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>betamethasone valerate topical ointment 0.1 %</i> | \$0 (4) | QL (135 GM per 30 days) |
| <i>betamethasone, augmented topical cream 0.05 %</i> | \$0 (2) | QL (150 GM per 30 days) |
| <i>betamethasone, augmented topical gel 0.05 %</i> | \$0 (4) | QL (150 GM per 30 days) |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>betamethasone, augmented topical ointment 0.05 %</i> | \$0 (4) | QL (150 GM per 30 days) |
| <i>clobetasol scalp solution 0.05 %</i> | \$0 (4) | QL (100 ML per 28 days) |
| <i>clobetasol topical cream 0.05 %</i> | \$0 (4) | QL (120 GM per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>clobetasol topical gel 0.05 %</i> | \$0 (4) | QL (120 GM per 28 days) |
| <i>clobetasol topical ointment 0.05 %</i> | \$0 (4) | QL (120 GM per 28 days) |
| <i>clobetasol topical shampoo 0.05 %</i> | \$0 (4) | QL (236 ML per 28 days) |
| <i>clobetasol-emollient topical cream 0.05 %</i> | \$0 (4) | QL (120 GM per 28 days) |
| <i>clodan topical shampoo 0.05 %</i> | \$0 (4) | QL (236 ML per 28 days) |
| <i>desonide topical cream 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>desonide topical lotion 0.05 %</i> | \$0 (4) | QL (118 ML per 30 days) |
| <i>desonide topical ointment 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluocinolone and shower cap scalp oil 0.01 %</i> | \$0 (4) | QL (118.28 ML per 30 days) |
| <i>fluocinolone topical cream 0.01 %, 0.025 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluocinolone topical oil 0.01 %</i> | \$0 (4) | QL (118.28 ML per 30 days) |
| <i>fluocinolone topical ointment 0.025 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluocinolone topical solution 0.01 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>fluocinonide topical cream 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluocinonide topical gel 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluocinonide topical ointment 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluocinonide topical solution 0.05 %</i> | \$0 (4) | QL (120 ML per 30 days) |
| <i>fluocinonide-emollient topical cream 0.05 %</i> | \$0 (4) | QL (120 GM per 30 days) |
| <i>fluticasone propionate topical cream 0.05 %</i> | \$0 (2) | |
| <i>halobetasol propionate topical cream 0.05 %</i> | \$0 (4) | QL (100 GM per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>halobetasol propionate topical ointment 0.05 %</i> | \$0 (4) | QL (100 GM per 30 days) |
| <i>hydrocortisone topical cream 1 %, 2.5 %</i> | \$0 (2) | |
| <i>hydrocortisone topical lotion 2.5 %</i> | \$0 (2) | |
| <i>hydrocortisone topical ointment 2.5 %</i> | \$0 (2) | |
| <i>mometasone topical cream 0.1 %</i> | \$0 (2) | |
| <i>mometasone topical ointment 0.1 %</i> | \$0 (2) | |
| <i>mometasone topical solution 0.1 %</i> | \$0 (2) | |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i> | \$0 (2) | |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | \$0 (2) | |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | \$0 (2) | |
| <i>triderm topical cream 0.5 %</i> | \$0 (2) | |
| TOPICAL SCABICIDES / PEDICULICIDES | | |
| <i>malathion topical lotion 0.5 %</i> | \$0 (4) | |
| <i>permethrin topical cream 5 %</i> | \$0 (2) | QL (60 GM per 30 days) |
| DIAGNOSTICS / MISCELLANEOUS AGENTS | | |
| MISCELLANEOUS AGENTS | | |
| <i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>acetic acid irrigation solution 0.25 %</i> | \$0 (2) | |
| <i>anagrelide oral capsule 0.5 mg, 1 mg</i> | \$0 (4) | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> | \$0 (5 [^]) | PA; LA |
| <i>cevimeline oral capsule 30 mg</i> | \$0 (4) | |
| CHEMET ORAL CAPSULE 100 MG | \$0 (3) | |
| <i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i> | \$0 (2) | |
| <i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i> | \$0 (4) | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | \$0 (2) | |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | \$0 (2) | |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> | \$0 (4) | PA |
| <i>deferasirox oral tablet 90 mg</i> | \$0 (3) | PA |
| <i>deferasirox oral tablet, dispersible 125 mg</i> | \$0 (4) | PA |
| <i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> | \$0 (5 [^]) | PA |
| <i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i> | \$0 (4) | |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | \$0 (4) | |
| <i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i> | \$0 (4) | |
| <i>dextrose 5 %-lactated ringers intravenous parenteral solution</i> | \$0 (4) | |
| <i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i> | \$0 (2) | |
| <i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i> | \$0 (4) | |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> | \$0 (4) | |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i> | \$0 (4) | |
| <i>dextrose 70 % in water (d70w) intravenous parenteral solution</i> | \$0 (4) | |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | \$0 (3) | |
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> | \$0 (5 [^]) PA | |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | \$0 (5 [^]) PA; LA | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i> | \$0 (4) | |
| <i>kionex oral suspension 15 gram/60 ml</i> | \$0 (4) | |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> | \$0 (4) | |
| <i>levocarnitine oral solution 100 mg/ml</i> | \$0 (4) | |
| <i>levocarnitine oral tablet 330 mg</i> | \$0 (4) | |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM | \$0 (3) | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> | \$0 (5 [^]) | PA |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> | \$0 (4) | |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML | \$0 (5 [^]) | PA; LA |
| REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML) | \$0 (5 [^]) | PA; LA |
| REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG | \$0 (5 [^]) | PA; QL (30 EA per 30 days) |
| <i>riluzole oral tablet 50 mg</i> | \$0 (4) | |
| <i>risedronate oral tablet 30 mg</i> | \$0 (4) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | \$0 (2) | |
| <i>sodium chloride 0.9 % intravenous piggyback</i> | \$0 (2) | |
| <i>sodium chloride irrigation solution 0.9 %</i> | \$0 (2) | |
| <i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> | \$0 (5 [^]) | PA |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> | \$0 (5 [^]) | PA |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i> | \$0 (4) | |
| <i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i> | \$0 (3) | |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | \$0 (3) | |
| <i>sps (with sorbitol) rectal enema 30-40 gram/120 ml</i> | \$0 (3) | |
| <i>trientine oral capsule 250 mg</i> | \$0 (5 [^]) | PA |
| <i>water for irrigation, sterile irrigation solution</i> | \$0 (4) | |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

SMOKING DETERRENTS

| | | |
|--|---------|------------------------|
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML | \$0 (4) | |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg, 1 mg (56 pack)</i> | \$0 (4) | |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> | \$0 (4) | |

EAR, NOSE / THROAT MEDICATIONS

MISCELLANEOUS AGENTS

| | | |
|--|---------|------------------------|
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %), 205.5 mcg (0.15 %)</i> | \$0 (4) | QL (60 ML per 30 days) |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | \$0 (1) | |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i> | \$0 (2) | QL (30 ML per 30 days) |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i> | \$0 (2) | QL (30 ML per 20 days) |
| <i>kourzeq dental paste 0.1 %</i> | \$0 (3) | |
| <i>olopatadine nasal spray, non-aerosol 0.6 %</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>periogard mucous membrane mouthwash 0.12 %</i> | \$0 (1) | |
| <i>triamcinolone acetonide dental paste 0.1 %</i> | \$0 (4) | |
| MISCELLANEOUS OTIC PREPARATIONS | | |
| <i>acetic acid otic (ear) solution 2 %</i> | \$0 (2) | |
| <i>flac otic oil otic (ear) drops 0.01 %</i> | \$0 (2) | |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> | \$0 (2) | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | \$0 (4) | |
| OTIC STEROID / ANTIBIOTIC | | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> | \$0 (4) | QL (7.5 ML per 7 days) |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | \$0 (4) | |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | \$0 (4) | |
| ENDOCRINE/DIABETES | | |
| ADRENAL HORMONES | | |
| <i>dexamethasone intensol oral drops 1 mg/ml</i> | \$0 (4) | |
| <i>dexamethasone oral elixir 0.5 mg/5 ml</i> | \$0 (2) | |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | \$0 (2) | |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | \$0 (2) | |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | \$0 (4) | |
| <i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i> | \$0 (4) | |
| <i>fludrocortisone oral tablet 0.1 mg</i> | \$0 (2) | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> | \$0 (2) | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> | \$0 (4) | |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | \$0 (2) | B/D |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> | \$0 (2) | |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | \$0 (2) | |
| <i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i> | \$0 (2) | |
| <i>prednisolone oral solution 15 mg/5 ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 15 mg/5 ml (5 ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | \$0 (4) | |
| <i>prednisone intensol oral concentrate 5 mg/ml</i> | \$0 (4) | |
| <i>prednisone oral solution 5 mg/5 ml</i> | \$0 (4) | |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | \$0 (1) | |
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | \$0 (2) | |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML | \$0 (4) | |
| ANTITHYROID AGENTS | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | \$0 (1) | |
| <i>propylthiouracil oral tablet 50 mg</i> | \$0 (2) | |
| DIABETES THERAPY | | |
| <i>acarbose oral tablet 100 mg</i> | \$0 (6) | QL (90 EA per 30 days) |
| <i>acarbose oral tablet 25 mg</i> | \$0 (6) | QL (360 EA per 30 days) |
| <i>acarbose oral tablet 50 mg</i> | \$0 (6) | QL (180 EA per 30 days) |
| <i>alcohol pads topical pads, medicated</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>dapagliflozin oral tablet 10 mg, 5 mg</i> | \$0 (3) | QL (30 EA per 30 days) |
| <i>dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 10-1,000 mg, 10-500 mg</i> | \$0 (3) | QL (30 EA per 30 days) |
| <i>dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 5-1,000 mg, 5-500 mg</i> | \$0 (3) | QL (60 EA per 30 days) |
| <i>diazoxide oral suspension 50 mg/ml</i> | \$0 (5 [^]) | |
| FARXIGA ORAL TABLET 10 MG, 5 MG | \$0 (3) | QL (30 EA per 30 days) |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | \$0 (3) | |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | \$0 (3) | |
| <i>glimepiride oral tablet 1 mg</i> | \$0 (6) | QL (240 EA per 30 days) |
| <i>glimepiride oral tablet 2 mg</i> | \$0 (6) | QL (120 EA per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | \$0 (6) | QL (60 EA per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | \$0 (6) | QL (120 EA per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | \$0 (6) | QL (240 EA per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | \$0 (6) | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>glipizide oral tablet extended release 24hr 2.5 mg</i> | \$0 (6) | QL (240 EA per 30 days) |
| <i>glipizide oral tablet extended release 24hr 5 mg</i> | \$0 (6) | QL (120 EA per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | \$0 (6) | QL (240 EA per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | \$0 (6) | QL (120 EA per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | \$0 (3) | QL (30 EA per 30 days) |
| GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | \$0 (3) | |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | \$0 (3) | |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | \$0 (3) | |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | \$0 (3) | |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML | \$0 (3) | |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| INSULIN GLARGINE U-300 CONC SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML) | \$0 (3) | |
| INSULIN GLARGINE-YFGN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |
| INSULIN GLARGINE-YFGN SUBCUTANEOUS SOLUTION 100 UNIT/ML | \$0 (3) | |
| INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG | \$0 (3) | QL (60 EA per 30 days) |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG | \$0 (3) | QL (60 EA per 30 days) |
| INVOKANA ORAL TABLET 100 MG | \$0 (3) | QL (60 EA per 30 days) |
| INVOKANA ORAL TABLET 300 MG | \$0 (3) | QL (30 EA per 30 days) |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG | \$0 (3) | QL (60 EA per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | \$0 (3) | QL (30 EA per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | \$0 (3) | QL (60 EA per 30 days) |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | \$0 (3) | QL (30 EA per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | \$0 (3) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|--|
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | \$0 (3) | QL (60 EA per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | \$0 (3) | QL (60 EA per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | \$0 (3) | QL (30 EA per 30 days) |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | \$0 (3) | |
| MERILOG SOLOSTAR SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |
| MERILOG SUBCUTANEOUS SOLUTION 100 UNIT/ML | \$0 (3) | |
| <i>metformin oral tablet 1,000 mg</i> | \$0 (6) | QL (75 EA per 30 days) |
| <i>metformin oral tablet 500 mg</i> | \$0 (6) | QL (150 EA per 30 days) |
| <i>metformin oral tablet 850 mg</i> | \$0 (6) | QL (90 EA per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | \$0 (6) | Generic for Glucophage XR; QL (120 EA per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | \$0 (6) | Generic for Glucophage XR; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | \$0 (3) | PA; QL (2 ML per 28 days) |
| <i>nateglinide oral tablet 120 mg</i> | \$0 (6) | QL (90 EA per 30 days) |
| <i>nateglinide oral tablet 60 mg</i> | \$0 (6) | QL (180 EA per 30 days) |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | \$0 (3) | |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | \$0 (3) | |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | \$0 (3) | |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML | \$0 (3) | |
| NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) | \$0 (3) | |
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | \$0 (3) | |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | \$0 (3) | |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML | \$0 (3) | |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | \$0 (3) | PA; QL (3 ML per 28 days) |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i> | \$0 (6) | QL (30 EA per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> | \$0 (6) | QL (90 EA per 30 days) |
| <i>repaglinide oral tablet 0.5 mg</i> | \$0 (6) | QL (960 EA per 30 days) |
| <i>repaglinide oral tablet 1 mg</i> | \$0 (6) | QL (480 EA per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | \$0 (6) | QL (240 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG | \$0 (3) | PA; QL (30 EA per 30 days) |
| <i>saxagliptin oral tablet 2.5 mg, 5 mg</i> | \$0 (3) | QL (30 EA per 30 days) |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | \$0 (3) | QL (15 ML per 25 days) |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | \$0 (3) | QL (60 EA per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | \$0 (3) | QL (30 EA per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | \$0 (3) | QL (60 EA per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | \$0 (3) | QL (30 EA per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | \$0 (3) | QL (30 EA per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | \$0 (3) | QL (60 EA per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | \$0 (3) | PA; QL (2 ML per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG | \$0 (3) | QL (30 EA per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG | \$0 (3) | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

MISCELLANEOUS HORMONES

| | | |
|--|----------|-------------------------|
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML | \$0 (5^) | PA |
| <i>cabergoline oral tablet 0.5 mg</i> | \$0 (2) | |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i> | \$0 (4) | |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | \$0 (2) | |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> | \$0 (2) | |
| <i>calcitriol oral solution 1 mcg/ml</i> | \$0 (2) | |
| <i>cinacalcet oral tablet 30 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>cinacalcet oral tablet 60 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>cinacalcet oral tablet 90 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | \$0 (4) | |
| <i>desmopressin injection solution 4 mcg/ml</i> | \$0 (5^) | |
| <i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i> | \$0 (4) | |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | \$0 (4) | |
| <i>desmopressin oral tablet 0.1 mg</i> | \$0 (2) | |
| <i>desmopressin oral tablet 0.2 mg</i> | \$0 (4) | |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG | \$0 (5 [^]) | PA |
| LUMIZYME INTRAVENOUS RECON SOLN 50 MG | \$0 (5 [^]) | PA |
| <i>mifepristone oral tablet 300 mg</i> | \$0 (5 [^]) | PA |
| NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML | \$0 (5 [^]) | PA; LA |
| <i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i> | \$0 (2) | |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i> | \$0 (4) | |
| <i>sapropterin oral powder in packet 100 mg</i> | \$0 (5 [^]) | PA |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | \$0 (5 [^]) | PA; LA |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i> | \$0 (2) | |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | \$0 (4) | |
| <i>testosterone transdermal gel 50 mg/5 gram (1 %)</i> | \$0 (4) | PA; QL (300 GM per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> | \$0 (4) | PA; QL (300 GM per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | \$0 (4) | PA; QL (150 GM per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> | \$0 (4) | PA; QL (300 GM per 30 days) |
| <i>tolvaptan (polycys kidney dis) oral tablet 15 mg, 30 mg</i> | \$0 (5 [^]) | PA |
| <i>tolvaptan oral tablet 15 mg, 30 mg</i> | \$0 (5 [^]) | PA |
| <i>zoledronic acid intravenous solution 4 mg/5 ml</i> | \$0 (4) | B/D |
| THYROID HORMONES | | |
| <i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | \$0 (1) | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | \$0 (1) | |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | \$0 (1) | |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> | \$0 (2) | |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | \$0 (3) |
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | \$0 (1) |
| GASTROENTEROLOGY | |
| ANTIDIARRHEALS / ANTISPASMODICS | |
| <i>dicyclomine oral capsule 10 mg</i> | \$0 (4) |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | \$0 (4) |
| <i>dicyclomine oral tablet 20 mg</i> | \$0 (4) |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i> | \$0 (4) |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | \$0 (4) |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | \$0 (2) |
| <i>loperamide oral capsule 2 mg</i> | \$0 (2) |
| MISCELLANEOUS GASTROINTESTINAL AGENTS | |
| <i>alosetron oral tablet 0.5 mg</i> | \$0 (4) PA; QL (60 EA per 30 days) |
| <i>alosetron oral tablet 1 mg</i> | \$0 (5^A) PA; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i> | \$0 (4) | B/D |
| <i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i> | \$0 (4) | B/D |
| <i>balsalazide oral capsule 750 mg</i> | \$0 (4) | |
| <i>betaine oral powder 1 gram/scoop</i> | \$0 (5^) | LA |
| <i>budesonide oral capsule,delayed,extend.release 3 mg</i> | \$0 (4) | |
| <i>budesonide oral tablet,delayed and ext.release 9 mg</i> | \$0 (5^) | PA; QL (30 EA per 30 days) |
| <i>compro rectal suppository 25 mg</i> | \$0 (4) | |
| <i>constulose oral solution 10 gram/15 ml</i> | \$0 (2) | |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000-180,000 UNIT, 6,000-19,000 -30,000 UNIT | \$0 (3) | |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> | \$0 (4) | |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> | \$0 (4) | PA; QL (60 EA per 30 days) |
| <i>enulose oral solution 10 gram/15 ml</i> | \$0 (2) | |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 - 5.84 gram</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>gavilyte-g oral recon soln 236-22.74-6.74 - 5.86 gram</i> | \$0 (2) | |
| <i>generlac oral solution 10 gram/15 ml</i> | \$0 (2) | |
| <i>granisetron (pf) intravenous solution 1 mg/ml (1 ml)</i> | \$0 (4) | |
| <i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i> | \$0 (4) | |
| <i>granisetron hcl oral tablet 1 mg</i> | \$0 (4) | B/D |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> | \$0 (2) | |
| <i>hydrocortisone topical cream with perineal applicator 1 %, 2.5 %</i> | \$0 (2) | |
| INFLECTRA INTRAVENOUS RECON SOLN 100 MG | \$0 (5 [^]) | PA; QL (20 EA per 30 days) |
| INFLIXIMAB INTRAVENOUS RECON SOLN 100 MG | \$0 (5 [^]) | PA; QL (20 EA per 30 days) |
| <i>lactulose oral solution 10 gram/15 ml</i> | \$0 (4) | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | \$0 (3) | QL (30 EA per 30 days) |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>meclizine oral tablet 12.5 mg, 25 mg</i> | \$0 (2) | |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> | \$0 (4) | |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram, 800 mg</i> | \$0 (4) | |
| <i>mesalamine rectal enema 4 gram/60 ml</i> | \$0 (4) | |
| <i>mesalamine rectal suppository 1,000 mg</i> | \$0 (4) | |
| <i>mesalamine with cleansing wipe rectal enema kit 4 gram/60 ml</i> | \$0 (4) | |
| <i>metoclopramide hcl injection solution 5 mg/ml</i> | \$0 (2) | |
| <i>metoclopramide hcl injection syringe 5 mg/ml</i> | \$0 (2) | |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | \$0 (2) | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> | \$0 (2) | |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | \$0 (3) | QL (30 EA per 30 days) |
| <i>nitroglycerin rectal ointment 0.4 % (w/w)</i> | \$0 (3) | QL (30 GM per 30 days) |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | \$0 (2) | |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i> | \$0 (2) | |
| <i>ondansetron hcl intravenous solution 2 mg/ml</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | \$0 (2) | |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | \$0 (2) | |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | \$0 (2) | |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> | \$0 (2) | |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> | \$0 (2) | |
| PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM | \$0 (3) | |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | \$0 (4) | |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> | \$0 (2) | |
| <i>prochlorperazine rectal suppository 25 mg</i> | \$0 (4) | |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> | \$0 (2) | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> | \$0 (4) | |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> | \$0 (2) | |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> | \$0 (4) | PA; QL (10 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML | \$0 (5 [^]) | PA; QL (30 ML per 180 days) |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML) | \$0 (5 [^]) | PA; QL (1.2 ML per 56 days) |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | \$0 (5 [^]) | PA; QL (2.4 ML per 56 days) |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram, 17.5-3.13-1.6 gram 2 pack (480ml)</i> | \$0 (3) | |
| <i>sulfasalazine oral tablet 500 mg</i> | \$0 (2) | |
| <i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> | \$0 (2) | |
| <i>ursodiol oral capsule 300 mg</i> | \$0 (3) | |
| <i>ursodiol oral tablet 250 mg, 500 mg</i> | \$0 (4) | |
| VOWST ORAL CAPSULE 1 X 10EXP6 TO 3 X 10EXP7 CELL | \$0 (5 [^]) | PA; LA |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600-252,600 UNIT | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

ULCER THERAPY

| | | |
|--|---------|------------------------|
| <i>dexlansoprazole oral capsule,biphase delayed releas 30 mg, 60 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg, 40 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i> | \$0 (2) | |
| <i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i> | \$0 (2) | |
| <i>famotidine intravenous solution 10 mg/ml</i> | \$0 (2) | |
| <i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i> | \$0 (2) | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | \$0 (1) | |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg, 30 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | \$0 (2) | |
| <i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> | \$0 (1) | QL (60 EA per 30 days) |
| <i>pantoprazole intravenous recon soln 40 mg</i> | \$0 (2) | |
| <i>pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg</i> | \$0 (1) | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> | \$0 (2) | QL (60 EA per 30 days) |
| <i>sucralfate oral suspension 100 mg/ml</i> | \$0 (4) | |
| <i>sucralfate oral tablet 1 gram</i> | \$0 (2) | |
| IMMUNOLOGY, VACCINES / BIOTECHNOLOGY | | |
| BIOTECHNOLOGY DRUGS | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | \$0 (5^) | PA; LA |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | \$0 (5^) | PA; LA |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | \$0 (5^) | PA-NS; LA |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | \$0 (5^) | PA; QL (14 EA per 28 days) |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | \$0 (5^) | PA |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | \$0 (5^) | PA |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | \$0 (5^) | PA |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | \$0 (5^) | PA |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | \$0 (5^) | PA |
| OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG | \$0 (5^) | PA |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | \$0 (5^) | PA; QL (4 ML per 28 days) |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | \$0 (5^) | PA; QL (2 ML per 28 days) |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | \$0 (3) | PA |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | \$0 (5^) | PA |
| VACCINES / MISCELLANEOUS IMMUNOLOGICALS | | |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML | \$0 (6) | NM; IRA \$0 for age 19 and older |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | \$0 (6) | NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | \$0 (6) | NM |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | \$0 (6) | NM |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML | \$0 (6) | NM; IRA \$0 for age 50 and older only |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | \$0 (6) | NM |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | \$0 (6) | NM |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML | \$0 (6) | NM |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML | \$0 (6) | NM |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML | \$0 (6) | NM |
| DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | \$0 (6) | NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | \$0 (6) | B/D; NM |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | \$0 (6) | B/D; NM |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | \$0 (6) | B/D; NM |
| GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE | \$0 (3) | NM |
| GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) | \$0 (5 [^]) | PA; NM |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | \$0 (6) | NM; IRA \$0 up to age 45 |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | \$0 (6) | NM; IRA \$0 up to age 45 |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | \$0 (6) | NM |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | \$0 (6) | B/D; NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | \$0 (6) | NM |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | \$0 (6) | B/D; NM |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | \$0 (6) | NM |
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | \$0 (6) | NM |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | \$0 (6) | NM |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | \$0 (6) | B/D; NM |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | \$0 (6) | NM |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | \$0 (6) | NM |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | \$0 (6) | NM |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | \$0 (6) | NM |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR SOLUTION 10-5 MCG/0.5 ML | \$0 (6) | NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | \$0 (6) | NM |
| MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML | \$0 (6) | NM; IRA \$0 for age 50 and older only |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | \$0 (6) | NM |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | \$0 (6) | NM |
| PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML | \$0 (6) | NM |
| PENMENVY MEN A-B-C-W-Y (PF) INTRAMUSCULAR KIT 0.5 ML | \$0 (6) | NM |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-20MCG-5LF- 62 DU/0.5 ML | \$0 (6) | NM |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2-3.3CCID50/0.5ML | \$0 (6) | NM |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5 | \$0 (6) | NM |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML | \$0 (6) | NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|--|
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML | \$0 (6) | NM |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | \$0 (6) | B/D; NM |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | \$0 (6) | B/D; NM |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | \$0 (6) | B/D; NM |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML | \$0 (6) | NM |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | \$0 (6) | NM |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | \$0 (6) | NM; A third dose may be considered in post-transplant members (PA required).; QL (2 EA per 999 days) |
| SHINGRIX (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML | \$0 (6) | NM; A third dose may be considered in post-transplant members (PA required).; QL (2 ML per 999 days) |
| STAMARIL (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,000 UNIT/0.5 ML | \$0 (6) | NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | \$0 (6) | NM |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | \$0 (6) | NM |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML | \$0 (6) | NM |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | \$0 (6) | NM |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | \$0 (6) | NM |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | \$0 (6) | NM |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | \$0 (6) | NM |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML | \$0 (6) | NM |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML | \$0 (6) | NM |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | \$0 (6) | NM |
| VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT | \$0 (6) | NM |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML | \$0 (6) | NM |
| VIVOTIF ORAL CAPSULE, DELAYED RELEASE(DR/EC) 2 BILLION UNIT | \$0 (6) | NM |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | \$0 (6) | NM |
| MISCELLANEOUS SUPPLIES | | |
| <i>MISCELLANEOUS SUPPLIES</i> | | |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | \$0 (2) | |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 " | \$0 (3) | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE | \$0 (2) | BD or Embecta preferred |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE | \$0 (3) | PA; QL (15 EA per 30 days) |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE | \$0 (3) | PA; QL (1 EA per 365 days) |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | \$0 (3) | PA; QL (15 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| OMNIPOD 5 INTRO(G6/LIBRE2PLUS) SUBCUTANEOUS CARTRIDGE | \$0 (3) | PA; QL (1 EA per 365 days) |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | \$0 (3) | PA; QL (1 EA per 365 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | \$0 (3) | PA; QL (15 EA per 30 days) |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | \$0 (2) | BD or Embecta preferred |
| MUSCULOSKELETAL / RHEUMATOLOGY | | |
| GOUT THERAPY | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | \$0 (1) | |
| <i>colchicine oral capsule 0.6 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| <i>colchicine oral tablet 0.6 mg</i> | \$0 (4) | QL (120 EA per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> | \$0 (4) | |
| <i>probenecid oral tablet 500 mg</i> | \$0 (4) | |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | \$0 (4) | |
| OSTEOPOROSIS THERAPY | | |
| <i>alendronate oral solution 70 mg/75 ml</i> | \$0 (2) | QL (300 ML per 28 days) |
| <i>alendronate oral tablet 10 mg</i> | \$0 (1) | QL (30 EA per 30 days) |
| <i>alendronate oral tablet 35 mg, 70 mg</i> | \$0 (1) | QL (4 EA per 28 days) |
| BONSITY SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (560MCG/2.24ML) | \$0 (5 [^]) | PA; QL (2.48 ML per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|--|
| CONEXXENCE SUBCUTANEOUS SYRINGE 60 MG/ML | \$0 (4) | QL (1 ML per 180 days) |
| <i>ibandronate intravenous solution 3 mg/3 ml</i> | \$0 (4) | QL (3 ML per 90 days) |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> | \$0 (4) | QL (3 ML per 90 days) |
| <i>ibandronate oral tablet 150 mg</i> | \$0 (2) | QL (1 EA per 30 days) |
| <i>raloxifene oral tablet 60 mg</i> | \$0 (2) | |
| <i>risedronate oral tablet 150 mg</i> | \$0 (2) | QL (1 EA per 30 days) |
| <i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i> | \$0 (2) | QL (4 EA per 28 days) |
| <i>risedronate oral tablet 5 mg</i> | \$0 (2) | QL (30 EA per 30 days) |
| <i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> | \$0 (4) | QL (4 EA per 28 days) |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML | \$0 (4) | QL (1 ML per 180 days) |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> | \$0 (5 [^]) | PA; Only Teriparatide NDC 47781065289 is covered; QL (2.48 ML per 28 days) |
| OTHER RHEUMATOLOGICALS | | |
| ADALIMUMAB-AATY SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML | \$0 (5 [^]) | PA; QL (4 EA per 28 days) |
| ADALIMUMAB-AATY SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML | \$0 (5 [^]) | PA; QL (2 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|--|--|
| ADALIMUMAB-AATY SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML | \$0 (5^ [^]) PA; QL (2 EA per 28 days) |
| ADALIMUMAB-AATY SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | \$0 (5^ [^]) PA; QL (4 EA per 28 days) |
| ADALIMUMAB-AATY(CF) AI CROHNS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML | \$0 (5^ [^]) PA; QL (3 EA per 180 days) |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | \$0 (5^ [^]) PA; QL (8 ML per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | \$0 (5^ [^]) PA; QL (8 ML per 28 days) |
| CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML | \$0 (5^ [^]) PA; QL (4 EA per 28 days) |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | \$0 (5^ [^]) PA; QL (2 EA per 28 days) |
| CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML, 40 MG/0.8 ML | \$0 (5^ [^]) PA; QL (4 EA per 28 days) |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | \$0 (5^ [^]) PA; QL (8 ML per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | \$0 (5^ [^]) PA; QL (8 ML per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | \$0 (5^ [^]) PA; QL (8 ML per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | \$0 (5^ [^]) PA; QL (8 ML per 28 days) |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | \$0 (5^ [^]) PA; QL (20.1 ML per 30 days) |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> | \$0 (4) QL (30 EA per 30 days) |
| OTEZLA ORAL TABLET 20 MG, 30 MG | \$0 (5^ [^]) PA; QL (60 EA per 30 days) |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) | \$0 (5^ [^]) PA; QL (55 EA per 180 days) |
| OTEZLA XR INITIATION ORAL TABLET AND TABLET ER DOSE PACK 10-20-30-75 MG | \$0 (5^ [^]) PA; QL (41 EA per 180 days) |
| OTEZLA XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG | \$0 (5^ [^]) PA; QL (30 EA per 30 days) |
| <i>penicillamine oral tablet 250 mg</i> | \$0 (5^ [^]) |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML | \$0 (5^ [^]) PA; QL (360 ML per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG | \$0 (5^ [^]) PA; QL (30 EA per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG | \$0 (5^ [^]) PA; QL (84 EA per 180 days) |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | \$0 (3) QL (60 EA per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | \$0 (3) QL (55 EA per 180 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) Necessary actions, restrictions, or limits on use |
|---|--|
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | \$0 (5^ [^]) PA; QL (3.6 ML per 28 days) |
| TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | \$0 (5^ [^]) PA; QL (3.6 ML per 28 days) |
| YUFLYMA(CF) AI CROHN'S-UC-HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML | \$0 (5^ [^]) PA; QL (3 EA per 180 days) |
| YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML | \$0 (5^ [^]) PA; QL (4 EA per 28 days) |
| YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML | \$0 (5^ [^]) PA; QL (2 EA per 28 days) |
| YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML | \$0 (5^ [^]) PA; QL (2 EA per 28 days) |
| YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | \$0 (5^ [^]) PA; QL (4 EA per 28 days) |

OBSTETRICS / GYNECOLOGY

ESTROGENS / PROGESTINS

| | |
|--|---------|
| <i>abigale lo oral tablet 0.5-0.1 mg</i> | \$0 (4) |
| <i>abigale oral tablet 1-0.5 mg</i> | \$0 (4) |
| <i>camila oral tablet 0.35 mg</i> | \$0 (2) |
| <i>deblitane oral tablet 0.35 mg</i> | \$0 (2) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML | \$0 (3) | |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | \$0 (4) | QL (8 EA per 28 days) |
| <i>emzahh oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>errin oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> | \$0 (4) | |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | \$0 (4) | QL (8 EA per 28 days) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | \$0 (4) | QL (4 EA per 28 days) |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> | \$0 (4) | |
| <i>estradiol vaginal tablet 10 mcg</i> | \$0 (4) | |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | \$0 (4) | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | \$0 (4) | |
| <i>gallifrey oral tablet 5 mg</i> | \$0 (2) | |
| <i>heather oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>incassia oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>jinteli oral tablet 1-5 mg-mcg</i> | \$0 (4) | |
| <i>lyleq oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | \$0 (4) | QL (8 EA per 28 days) |
| <i>lyza oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> | \$0 (2) | |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> | \$0 (2) | |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> | \$0 (1) | |
| <i>meleya oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>mimvey oral tablet 1-0.5 mg</i> | \$0 (4) | |
| <i>nora-be oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>norethindrone acetate oral tablet 5 mg</i> | \$0 (2) | |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | \$0 (4) | |
| <i>orquidea oral tablet 0.35 mg</i> | \$0 (2) | |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | \$0 (3) | |
| <i>progesterone intramuscular oil 50 mg/ml</i> | \$0 (2) | |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> | \$0 (2) | |
| <i>sharobel oral tablet 0.35 mg</i> | \$0 (2) | |
| <i>yuvafem vaginal tablet 10 mcg</i> | \$0 (4) | |
| MISCELLANEOUS OB/GYN | | |
| <i>clindamycin phosphate vaginal cream 2 %</i> | \$0 (4) | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | \$0 (3) | |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | \$0 (3) | |
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG | \$0 (3) | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> | \$0 (4) | |
| NEXPLANON SUBDERMAL IMPLANT 68 MG | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | \$0 (3) | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | \$0 (2) | |
| <i>terconazole vaginal suppository 80 mg</i> | \$0 (4) | |
| <i>tranexamic acid oral tablet 650 mg</i> | \$0 (2) | |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | \$0 (3) | |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> | \$0 (3) | |
| ORAL CONTRACEPTIVES / RELATED AGENTS | | |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> | \$0 (2) | |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | \$0 (2) | |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | \$0 (2) | |
| <i>apri oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i> | \$0 (4) | |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | \$0 (2) | |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | \$0 (2) | |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | \$0 (2) | |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i> | \$0 (2) | |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (2) | |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | \$0 (2) | |
| <i>camrese lo oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | \$0 (2) | |
| <i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | \$0 (4) | |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | \$0 (2) | |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i> | \$0 (2) | |
| <i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | \$0 (4) | |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | \$0 (2) | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>dolishale oral tablet 90-20 mcg (28)</i> | \$0 (2) | |
| <i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i> | \$0 (2) | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i> | \$0 (2) | |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> | \$0 (2) | |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>estarylla oral tablet 0.25-0.035 mg</i> | \$0 (2) | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i> | \$0 (2) | |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> | \$0 (2) | |
| <i>finzala oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (2) | |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (2) | |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | \$0 (2) | |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | \$0 (3) | |
| <i>isibloom oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i> | \$0 (4) | |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | \$0 (2) | |
| <i>juleber oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | \$0 (2) | |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | \$0 (2) | |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (2) | |
| <i>kaitlib fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i> | \$0 (2) | |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | \$0 (2) | |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | \$0 (2) | |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>l norgest/e.estradiol-e.estradiol oral tablets, dose pack, 3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | \$0 (4) | |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | \$0 (2) | |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | \$0 (2) | |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (4) | |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (4) | |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (4) | |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | \$0 (2) | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28)</i> | \$0 (2) | |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | \$0 (2) | |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | \$0 (2) | |
| <i>loryna (28) oral tablet 3-0.02 mg</i> | \$0 (2) | |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> | \$0 (2) | |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>mibelas 24 fe oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i> | \$0 (2) | |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | \$0 (2) | |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> | \$0 (2) | |
| <i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (2) | |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>mili oral tablet 0.25-0.035 mg</i> | \$0 (2) | |
| <i>mono-linyah oral tablet 0.25-0.035 mg</i> | \$0 (2) | |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | \$0 (2) | |
| <i>nikki (28) oral tablet 3-0.02 mg</i> | \$0 (2) | |
| <i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> | \$0 (2) | |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | \$0 (2) | |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7)</i> | \$0 (2) | |
| <i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i> | \$0 (2) | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg, 0.18/0.215/0.25 mg-0.035mg (28), 0.25-0.035 mg</i> | \$0 (2) | |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i> | \$0 (4) | |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> | \$0 (4) | |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i> | \$0 (4) | |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> | \$0 (2) | |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i> | \$0 (2) | |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> | \$0 (2) | |
| <i>ocella oral tablet 3-0.03 mg</i> | \$0 (2) | |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | \$0 (2) | |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | \$0 (4) | |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> | \$0 (2) | |
| <i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | \$0 (2) | |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | \$0 (2) | |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i> | \$0 (2) | |
| <i>syeda oral tablet 3-0.03 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | \$0 (4) | |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | \$0 (4) | |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | \$0 (4) | |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | \$0 (2) | |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | \$0 (4) | |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | \$0 (2) | |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | \$0 (2) | |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | \$0 (2) | |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | \$0 (4) | |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | \$0 (2) | |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | \$0 (2) | |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | \$0 (2) | |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> | \$0 (2) | |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | \$0 (2) | |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i> | \$0 (3) | |
| <i>valtya oral tablet 1-35 mg-mcg</i> | \$0 (2) | |
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | \$0 (4) | |
| <i>vestura (28) oral tablet 3-0.02 mg</i> | \$0 (2) | |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | \$0 (2) | |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | \$0 (2) | |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i> | \$0 (2) | |
| <i>vylibra oral tablet 0.25-0.035 mg</i> | \$0 (2) | |
| <i>wera (28) oral tablet 0.5-35 mg-mcg</i> | \$0 (2) | |
| <i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | \$0 (4) | |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> | \$0 (2) | |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> | \$0 (2) | |
| OPHTHALMOLOGY | | |
| ANTIBIOTICS | | |
| <i>ak-poly-bac ophthalmic (eye) ointment 500-10,000 unit/gram</i> | \$0 (2) | |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | \$0 (4) | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> | \$0 (2) | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> | \$0 (1) | |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | \$0 (2) | |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> | \$0 (2) | |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> | \$0 (2) | |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | \$0 (2) | |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>moxifloxacin ophthalmic (eye) drops, viscous 0.5 %</i> | \$0 (4) | |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | \$0 (4) | |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | \$0 (4) | |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> | \$0 (4) | |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> | \$0 (2) | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | \$0 (1) | |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | \$0 (2) | |
| ANTIVIRALS | | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | \$0 (4) | |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | \$0 (4) | |
| BETA-BLOCKERS | | |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i> | \$0 (4) | |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | \$0 (2) | |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | \$0 (2) | |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> | \$0 (1) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> | \$0 (2) | |
| MISCELLANEOUS OPHTHALMOLOGICS | | |
| <i>atropine ophthalmic (eye) drops 1 %</i> | \$0 (4) | |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | \$0 (4) | |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | \$0 (2) | |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> | \$0 (3) | QL (60 EA per 30 days) |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | \$0 (5 [^]) | PA; LA |
| OXERVATE OPHTHALMIC (EYE) DROPS 0.002 % | \$0 (5 [^]) | PA |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> | \$0 (4) | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | \$0 (4) | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | \$0 (2) | |
| XDEMVIY OPHTHALMIC (EYE) DROPS 0.25 % | \$0 (5 [^]) | PA; QL (10 ML per 42 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

NON-STEROIDAL ANTI-INFLAMMATORY AGENTS

| | | |
|--|---------|--|
| <i>bromfenac ophthalmic (eye) drops 0.075 %, 0.09 %</i> | \$0 (4) | |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | \$0 (2) | |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | \$0 (4) | |
| <i>ketorolac ophthalmic (eye) drops 0.4 %, 0.5 %</i> | \$0 (4) | |
| PROLENSA OPHTHALMIC (EYE) DROPS 0.07 % | \$0 (3) | |

ORAL DRUGS FOR GLAUCOMA

| | | |
|--|---------|--|
| <i>acetazolamide oral capsule, extended release 500 mg</i> | \$0 (4) | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | \$0 (4) | |
| <i>methazolamide oral tablet 25 mg, 50 mg</i> | \$0 (4) | |

OTHER GLAUCOMA DRUGS

| | | |
|---|---------|--|
| <i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> | \$0 (4) | |
| COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % | \$0 (3) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | \$0 (2) | |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> | \$0 (2) | |
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> | \$0 (1) | |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | \$0 (3) | |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | \$0 (3) | |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 % | \$0 (3) | |
| <i>travoprost ophthalmic (eye) drops 0.004 %</i> | \$0 (4) | |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 % | \$0 (4) | |
| STEROID-ANTIBIOTIC COMBINATIONS | | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | \$0 (4) | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | \$0 (2) | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | \$0 (2) | |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 % | \$0 (3) | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> | \$0 (4) | |
| STEROIDS | | |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> | \$0 (4) | |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> | \$0 (4) | |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> | \$0 (4) | |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> | \$0 (4) | |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> | \$0 (2) | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i> | \$0 (4) | |
| SYMPATHOMIMETICS | | |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 % | \$0 (3) | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | \$0 (4) | |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i> | \$0 (2) | |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | \$0 (1) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

OVER THE COUNTER (OTC) AND RX AGENTS

OVER THE COUNTER (OTC) AND RX AGENTS

| | | |
|---|---------|--|
| 24hr allergy(levocetirzn) 5 mg | \$0 (0) | |
| alaway 0.025% eye drops 0.025 % (0.035 %) | \$0 (0) | |
| all day allergy 10 mg tablet | \$0 (0) | |
| all day allergy 10 mg tablet indoor/outdoor 24 hr | \$0 (0) | |
| allergy (loratadine) 10 mg tab | \$0 (0) | |
| allergy relief 10 mg tablet | \$0 (0) | |
| allergy rlf (cetzn) 10 mg tab | \$0 (0) | |
| allergy rlf (cetzn) 5 mg tab | \$0 (0) | |
| arthritis pain (diclofenac) topical gel 1 % | \$0 (0) | |
| benzoyl peroxide 10% wash (otc) | \$0 (0) | |
| benzoyl peroxide 5% wash (otc) | \$0 (0) | |
| cetirizine hcl 1 mg/ml soln (otc) | \$0 (0) | |
| cetirizine hcl 1 mg/ml soln children, grape (otc) | \$0 (0) | |
| cetirizine hcl 1 mg/ml soln children's (otc) | \$0 (0) | |
| cetirizine hcl 10 mg tablet | \$0 (0) | |
| cetirizine hcl 10 mg tablet f/c,u-d,10x10,inner | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| cetirizine hcl 10 mg tablet f/c,u-d,10x10,outer | \$0 (0) | |
| cetirizine hcl 10 mg tablet indoor & outdoor | \$0 (0) | |
| cetirizine hcl 10 mg tablet indoor-outdoor,24hr | \$0 (0) | |
| cetirizine hcl 10 mg tablet inner | \$0 (0) | |
| cetirizine hcl 10 mg tablet outer | \$0 (0) | |
| cetirizine hcl 5 mg tablet | \$0 (0) | |
| cetirizine hcl 5 mg tablet indoor & outdoor | \$0 (0) | |
| cetirizine hcl 5 mg/5 ml solution cup inner | \$0 (0) | |
| cetirizine hcl 5 mg/5 ml solution cup outer | \$0 (0) | |
| child all day allergy 1 mg/ml | \$0 (0) | |
| child all day allergy 1 mg/ml bubble gum | \$0 (0) | |
| child allergy relief 1 mg/ml | \$0 (0) | |
| child cetirizine hcl 1 mg/ml | \$0 (0) | |
| child loratadine 5 mg tab chew | \$0 (0) | |
| child's alaway 0.025% eye drop 0.025 % (0.035 %) | \$0 (0) | |
| clearlax oral powder 17 gram/dose | \$0 (0) | |
| clearlax powder packet 17 gram | \$0 (0) | |
| diclofenac sodium 1% gel (otc) | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| differin 0.1% gel (otc) | \$0 (0) | |
| eye allergy itch rlf 0.2% drop | \$0 (0) | |
| eye itch relief 0.025% drops 0.025 % (0.035 %) | \$0 (0) | |
| ft ad allergy (cetrzn) 10 mg tb | \$0 (0) | |
| ft ad allergy (lorat) 10 mg tb | \$0 (0) | |
| ft allergy (cetrzn) 10 mg tab | \$0 (0) | |
| ft allergy (lorat) 10 mg tab | \$0 (0) | |
| ft child all day aller 1 mg/ml | \$0 (0) | |
| ft child allergy rlf 1 mg/ml | \$0 (0) | |
| ft child allergy rlf 5 mg chew | \$0 (0) | |
| ft eye allergy itch rlf 0.2% | \$0 (0) | |
| ft naloxone hcl 4 mg nasal spr (otc) 4 mg/actuation | \$0 (0) | |
| ft nicotine 2 mg chewing gum | \$0 (0) | |
| ft nicotine 2 mg lozenge | \$0 (0) | |
| ft nicotine 2 mg mini lozenge | \$0 (0) | |
| ft nicotine 4 mg chewing gum | \$0 (0) | |
| ft nicotine 4 mg lozenge | \$0 (0) | |
| ft nicotine 4 mg mini lozenge | \$0 (0) | |
| gavilax powder 14 day 17 gram/dose | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| gavilax powder 30 day 17 gram/dose | \$0 (0) | |
| gnp allergy relief 5 mg tablet | \$0 (0) | |
| gnp diclofenac sodium 1% gel (otc) | \$0 (0) | |
| gnp loratadine 10 mg odt | \$0 (0) | |
| gnp loratadine 10 mg tablet | \$0 (0) | |
| gnp naloxone hcl 4 mg nasal sp (otc) 4 mg/actuation | \$0 (0) | |
| gnp nicotine 2 mg chewing gum | \$0 (0) | |
| gnp nicotine 2 mg lozenge outer | \$0 (0) | |
| gnp nicotine 2 mg mini lozenge | \$0 (0) | |
| gnp nicotine 2 mg mini lozenge outer | \$0 (0) | |
| gnp nicotine 4 mg chewing gum | \$0 (0) | |
| gnp nicotine 4 mg lozenge outer | \$0 (0) | |
| gnp nicotine 4 mg mini lozenge | \$0 (0) | |
| gnp olopatadine 0.2% eye drop (otc) | \$0 (0) | |
| gs all day allergy 10 mg tab | \$0 (0) | |
| gs allergy relief 10 mg tablet | \$0 (0) | |
| gs allergy relief 10 mg tablet non-drowsy | \$0 (0) | |
| gs child all day aller 1 mg/ml | \$0 (0) | |
| gs lice killing 1 % crm rinse | \$0 (0) | |
| gs nicotine 2 mg chewing gum | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| gs nicotine 2 mg chewing gum original | \$0 (0) | |
| gs nicotine 2 mg lozenge | \$0 (0) | |
| gs nicotine 2 mg mini lozenge | \$0 (0) | |
| gs nicotine 4 mg chewing gum | \$0 (0) | |
| gs nicotine 4 mg chewing gum original | \$0 (0) | |
| gs nicotine 4 mg lozenge | \$0 (0) | |
| gs nicotine 4 mg mini lozenge | \$0 (0) | |
| healthylax powder packet inner 17 gram | \$0 (0) | |
| healthylax powder packet outer 17 gram | \$0 (0) | |
| hm allergy relief 10 mg tablet | \$0 (0) | |
| hm child all day aller 1 mg/ml | \$0 (0) | |
| hm loratadine 10 mg tablet | \$0 (0) | |
| hm nicotine 4 mg mini lozenge | \$0 (0) | |
| humulin 70-30 vial 100 unit/ml (70-30) | \$0 (0) | |
| instalax powder 17 gram/dose | \$0 (0) | |
| ketotifen 0.025% (0.035%) drop (otc) | \$0 (0) | |
| levocetirizine 5 mg tablet (otc) | \$0 (0) | |
| lice treatment 1% creme rinse 1 nit removal comb | \$0 (0) | |
| lintera 10% wash | \$0 (0) | |
| loratadine 10 mg odt | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| loratadine 10 mg tablet | \$0 (0) | |
| loratadine 10 mg tablet 10x10, outer | \$0 (0) | |
| loratadine 10 mg tablet 10x10,u-d,outer | \$0 (0) | |
| loratadine 10 mg tablet inner | \$0 (0) | |
| loratadine 10 mg tablet outer | \$0 (0) | |
| magnesium citrate oral solution | \$0 (0) | |
| naloxone hcl 4 mg nasal spray inner (otc) 4 mg/actuation | \$0 (0) | |
| naloxone hcl 4 mg nasal spray outer (otc) 4 mg/actuation | \$0 (0) | |
| narcan 4 mg nasal spray (otc) 4 mg/actuation | \$0 (0) | |
| nicotine (polacrilex) buccal gum 4 mg | \$0 (0) | |
| nicotine (polacrilex) buccal lozenge 4 mg | \$0 (0) | |
| nicotine 2 mg chewing gum | \$0 (0) | |
| nicotine 2 mg chewing gum coated fruit | \$0 (0) | |
| nicotine 2 mg chewing gum coated, outer | \$0 (0) | |
| nicotine 2 mg chewing gum outer | \$0 (0) | |
| nicotine 2 mg lozenge | \$0 (0) | |
| nicotine 2 mg lozenge inner | \$0 (0) | |
| nicotine 2 mg lozenge outer | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| nicotine 2 mg mini lozenge | \$0 (0) | |
| nicotine 2 mg mini lozenge inner | \$0 (0) | |
| nicotine 2 mg mini lozenge mini,mint,3 quittube | \$0 (0) | |
| nicotine 2 mg mini lozenge outer | \$0 (0) | |
| nicotine 4 mg chewing gum | \$0 (0) | |
| nicotine 4 mg chewing gum coated | \$0 (0) | |
| nicotine 4 mg chewing gum coated fruit | \$0 (0) | |
| nicotine 4 mg chewing gum outer | \$0 (0) | |
| nicotine 4 mg chewing gum refill. outer | \$0 (0) | |
| nicotine 4 mg chewing gum starter kit, outer | \$0 (0) | |
| nicotine 4 mg lozenge | \$0 (0) | |
| nicotine 4 mg lozenge inner | \$0 (0) | |
| nicotine 4 mg lozenge mint, 3 quittube | \$0 (0) | |
| nicotine 4 mg lozenge outer | \$0 (0) | |
| nicotine 4 mg mini lozenge | \$0 (0) | |
| nicotine 4 mg mini lozenge inner | \$0 (0) | |
| nicotine 4 mg mini lozenge outer | \$0 (0) | |
| nicotine transdermal patch 24 hour 14 mg/24 hr, 21 mg/24 hr, 7 mg/24 hr | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| nicotine transdermal system step 1,2,3 21-14-7 mg/24 hr | \$0 (0) | |
| olopatadine hcl 0.2% eye drop (otc) | \$0 (0) | |
| olopatadine hcl 0.7% eye drops | \$0 (0) | |
| olopatadine ophthalmic (eye) drops 0.2 % | \$0 (0) | |
| polyethylene glycol 3350 powd (otc) 17 gram/dose | \$0 (0) | |
| polyethylene glycol 3350 powd 14 once-daily doses (otc) 17 gram/dose | \$0 (0) | |
| polyethylene glycol 3350 powd 17 grams pkt,inner (otc) | \$0 (0) | |
| polyethylene glycol 3350 powd 17 grams pkts,outer (otc) | \$0 (0) | |
| polyethylene glycol 3350 powd 30 once-daily doses (otc) 17 gram/dose | \$0 (0) | |
| polyethylene glycol 3350 powd 7 once-daily doses (otc) 17 gram/dose | \$0 (0) | |
| polyethylene glycol 3350 powd inner (otc) 17 gram | \$0 (0) | |
| polyethylene glycol 3350 powd outer (otc) 17 gram | \$0 (0) | |
| qc allergy (cetrzn) 10 mg tab | \$0 (0) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|---|--|
| qc allergy (lorat) 10 mg tab | \$0 (0) | |
| sm all day allergy 10 mg tab | \$0 (0) | |
| sm all day allergy 10 mg tab | \$0 (0) | |
| sm child all day aller 1 mg/ml cherry | \$0 (0) | |
| sm nicotine 2 mg chewing gum | \$0 (0) | |
| sm nicotine 2 mg lozenge | \$0 (0) | |
| sm nicotine 4 mg chewing gum | \$0 (0) | |
| sm nicotine 4 mg lozenge | \$0 (0) | |
| true laxative peg 3350 powder 17 gram/dose | \$0 (0) | |
| zaditor 0.025% (0.035%) drops up to 12 hrs (otc) | \$0 (0) | |
| RESPIRATORY AND ALLERGY | | |
| ANTIHISTAMINE / ANTIALLERGENIC AGENTS | | |
| <i>adrenalin injection solution 1 mg/ml (1 ml)</i> | \$0 (4) | |
| <i>cetirizine oral solution 1 mg/ml</i> | \$0 (1) | |
| <i>cyproheptadine oral tablet 4 mg</i> | \$0 (4) | PA |
| <i>desloratadine oral tablet 5 mg</i> | \$0 (2) | |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|--|
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i> | \$0 (2) | |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i> | \$0 (3) | Only Epinephrine NDCs starting with 00093 and 49502 are covered; QL (4 EA per 30 days) |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | \$0 (4) | PA |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> | \$0 (4) | PA |
| <i>levocetirizine oral solution 2.5 mg/5 ml</i> | \$0 (2) | |
| <i>levocetirizine oral tablet 5 mg</i> | \$0 (2) | |
| <i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> | \$0 (4) | |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | \$0 (4) | PA |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | \$0 (4) | PA |
| PULMONARY AGENTS | | |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | \$0 (4) | B/D |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | \$0 (5 [^]) | PA; LA; QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION | \$0 (3) | QL (12 GM per 30 days) |
| AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION | \$0 (3) | QL (32.1 GM per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> | \$0 (4) | 8.5 gm inhaler; QL (17 GM per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> | \$0 (4) | 6.7 gm inhaler; QL (13.4 GM per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | \$0 (4) | B/D |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | \$0 (4) | |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i> | \$0 (4) | |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> | \$0 (5 [^]) | PA; LA; QL (30 EA per 30 days) |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | \$0 (3) | QL (60 EA per 30 days) |
| <i>arformoterol inhalation solution for nebulization 15 mcg/2 ml</i> | \$0 (4) | B/D; QL (120 ML per 30 days) |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | \$0 (3) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|--|
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | \$0 (4) | QL (25.8 GM per 30 days) |
| BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG | \$0 (3) | QL (10.7 GM per 30 days) |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> | \$0 (5 [^]) | PA; LA; QL (60 EA per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE | \$0 (3) | QL (60 EA per 30 days) |
| <i>breyana inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> | \$0 (3) | Breyana is generic for Symbicort; QL (30.9 GM per 30 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | \$0 (3) | QL (10.7 GM per 30 days) |
| BRINSUPRI ORAL TABLET 10 MG, 25 MG | \$0 (5 [^]) | PA |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | \$0 (4) | B/D |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | \$0 (3) | QL (8 GM per 30 days) |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | \$0 (3) | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML | \$0 (5 [^]) | PA; QL (1 ML per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML | \$0 (5 [^]) | PA; QL (0.5 ML per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | \$0 (5 [^]) | PA; QL (1 ML per 28 days) |
| <i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i> | \$0 (2) | QL (50 ML per 30 days) |
| <i>fluticasone propionate nasal spray, suspension 50 mcg/actuation</i> | \$0 (2) | QL (16 GM per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i> | \$0 (3) | B/D; QL (120 ML per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT | \$0 (5 [^]) | PA; LA; QL (30 EA per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT | \$0 (5 [^]) | PA; LA; QL (20 EA per 30 days) |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> | \$0 (5 [^]) | PA; QL (27 ML per 30 days) |
| INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION | \$0 (3) | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>ipratropium bromide inhalation solution 0.02 %</i> | \$0 (2) | B/D |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | \$0 (4) | B/D |
| <i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i> | \$0 (4) | B/D |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> | \$0 (4) | QL (34 GM per 30 days) |
| <i>montelukast oral granules in packet 4 mg</i> | \$0 (2) | |
| <i>montelukast oral tablet 10 mg</i> | \$0 (1) | |
| <i>montelukast oral tablet,chewable 4 mg, 5 mg</i> | \$0 (2) | |
| OFEV ORAL CAPSULE 100 MG, 150 MG | \$0 (5^) | PA; LA; QL (60 EA per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> | \$0 (5^) | PA; QL (270 EA per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> | \$0 (5^) | PA; QL (90 EA per 30 days) |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | \$0 (5^) | B/D |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> | \$0 (4) | QL (30 EA per 30 days) |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | \$0 (3) | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> | \$0 (2) | PA; generic for Revatio; QL (90 EA per 30 days) |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION | \$0 (4) | QL (4 GM per 30 days) |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> | \$0 (4) | PA; generic for Adcirca; QL (60 EA per 30 days) |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | \$0 (4) | |
| THEO-24 ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 200 MG, 300 MG, 400 MG | \$0 (4) | |
| <i>theophylline oral elixir 80 mg/15 ml</i> | \$0 (4) | |
| <i>theophylline oral solution 80 mg/15 ml</i> | \$0 (4) | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> | \$0 (4) | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | \$0 (3) | |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG | \$0 (3) | QL (60 EA per 30 days) |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) | \$0 (5^) | PA; QL (56 EA per 28 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) | \$0 (5^) | PA; LA; QL (84 EA per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION | \$0 (3) | 18 gm inhaler; QL (36 GM per 30 days) |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2) | \$0 (5^) | PA; QL (1 EA per 21 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML | \$0 (5^) | PA; QL (8 ML per 28 days) |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML | \$0 (5^) | PA; QL (1 ML per 28 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | \$0 (5^) | PA; LA; QL (8 EA per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML | \$0 (5^) | PA; LA; QL (8 ML per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML | \$0 (5^) | PA; QL (8 ML per 28 days) |
| XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | \$0 (5^) | PA; LA; QL (1 ML per 28 days) |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> | \$0 (4) | |
| UROLOGICALS | | |
| ANTICHOLINERGICS / ANTISPASMODICS | | |
| <i>mirabegron oral tablet extended release 24 hr 25 mg, 50 mg</i> | \$0 (3) | QL (30 EA per 30 days) |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | \$0 (2) | QL (600 ML per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>oxybutynin chloride oral tablet 5 mg</i> | \$0 (2) | QL (120 EA per 30 days) |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>oxybutynin chloride oral tablet extended release 24hr 5 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| <i>trospium oral capsule, extended release 24hr 60 mg</i> | \$0 (4) | QL (30 EA per 30 days) |
| <i>trospium oral tablet 20 mg</i> | \$0 (4) | QL (60 EA per 30 days) |
| BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> | \$0 (2) | |
| <i>dutasteride oral capsule 0.5 mg</i> | \$0 (2) | |
| <i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> | \$0 (4) | |
| <i>finasteride oral tablet 5 mg</i> | \$0 (1) | |
| <i>tamsulosin oral capsule 0.4 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--------------|--|---|
|--------------|--|---|

MISCELLANEOUS UROLOGICALS

| | | |
|---|---------|----------------------------|
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | \$0 (2) | |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | \$0 (4) | PA; LA |
| ELMIRON ORAL CAPSULE 100 MG | \$0 (3) | |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i> | \$0 (4) | |
| <i>tadalafil oral tablet 2.5 mg</i> | \$0 (4) | PA; QL (60 EA per 30 days) |
| <i>tadalafil oral tablet 5 mg</i> | \$0 (4) | PA; QL (30 EA per 30 days) |

VITAMINS, HEMATINICS / ELECTROLYTES

ELECTROLYTES

| | | |
|--|---------|--|
| <i>klor-con 10 oral tablet extended release 10 meq</i> | \$0 (2) | |
| <i>klor-con 8 oral tablet extended release 8 meq</i> | \$0 (2) | |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> | \$0 (4) | |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> | \$0 (4) | |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>klor-con oral packet 20 meq</i> | \$0 (4) | |
| <i>lactated ringers intravenous parenteral solution</i> | \$0 (4) | |
| MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML | \$0 (3) | |
| <i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i> | \$0 (4) | |
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i> | \$0 (4) | |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i> | \$0 (4) | |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i> | \$0 (4) | |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i> | \$0 (4) | |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | \$0 (4) | |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>potassium chloride in water intravenous piggyback 10 meq/50 ml, 20 meq/50 ml</i> | \$0 (4) | |
| <i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i> | \$0 (2) | |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | \$0 (4) | |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | \$0 (2) | |
| <i>potassium chloride oral packet 20 meq</i> | \$0 (2) | |
| <i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> | \$0 (2) | |
| <i>potassium chloride oral tablet extended release 8 meq</i> | \$0 (4) | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq, 20 meq</i> | \$0 (2) | |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> | \$0 (4) | |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i> | \$0 (4) | |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i> | \$0 (4) | |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | \$0 (4) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|---|--|---|
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | \$0 (2) | |
| <i>sodium chloride 3 % hypertonic intravenous parenteral solution 3 %</i> | \$0 (2) | |
| <i>sodium chloride 5 % hypertonic intravenous parenteral solution 5 %</i> | \$0 (2) | |
| <i>sodium chloride intravenous solution 2.5 meq/ml, 4 meq/ml</i> | \$0 (4) | |
| MISCELLANEOUS NUTRITION PRODUCTS | | |
| <i>electrolyte-148 intravenous parenteral solution</i> | \$0 (2) | |
| <i>electrolyte-48 in d5w intravenous parenteral solution</i> | \$0 (4) | |
| <i>electrolyte-a intravenous parenteral solution</i> | \$0 (2) | |
| PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 % | \$0 (4) | B/D |
| <i>premasol 10 % intravenous parenteral solution 10 %</i> | \$0 (4) | B/D |
| <i>travasol 10 % intravenous parenteral solution 10 %</i> | \$0 (4) | B/D |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | \$0 (4) | B/D |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

| Name of Drug | What the drug will cost you (tier level) | Necessary actions, restrictions, or limits on use |
|--|--|---|
| <i>VITAMINS / HEMATINICS</i> | | |
| <i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i> | \$0 (2) | |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> | \$0 (2) | |

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

You can find information on what the symbols and abbreviations in this table mean by going to Section C.

06/01/2026

D. Index of Covered Drugs

In this section, you can find a drug by searching for its name alphabetically. This will tell you the page number where you can find additional coverage information for your drug.

| | | | | | | |
|---|----------|--|--------------------|---|-------|--------------------|
| 24hr allergy relief..... | 193 | <i>adapalene</i> | 128 | allergy relief (loratadine) | | 193, 195, 196, 201 |
| <i>abacavir</i> | 25, 26 | <i>adefovir</i> | 26 | <i>allopurinol</i> | | 169 |
| <i>abacavir-lamivudine</i> | 26 | ADEMPAS..... | 202 | <i>alosetron</i> | | 153 |
| ABELCET..... | 24 | <i>adrenalin</i> | 201 | ALPHAGAN P..... | | 192 |
| <i>abigale</i> | 173 | ADVAIR HFA..... | 203 | <i>alprazolam</i> | | 90 |
| <i>abigale lo</i> | 173 | AIMOVIG | | <i>altavera (28)</i> | | 177 |
| ABILIFY ASIMTUFII..... | 90 | AUTOINJECTOR..... | 81 | ALUNBRIG..... | | 46 |
| ABILIFY MAINTENA..... | 90 | AIRSUPRA..... | 203 | <i>alyacen 1/35 (28)</i> | | 177 |
| <i>abiraterone</i> | 45 | AKEEGA..... | 45 | <i>alyacen 7/7/7 (28)</i> | | 177 |
| <i>abirtega</i> | 45 | <i>ak-poly-bac</i> | 187 | <i>amantadine hcl</i> | | 26 |
| ABRYSVO (PF)..... | 161 | <i>ala-cort</i> | 131 | <i>ambrisentan</i> | | 203 |
| <i>acamprosate</i> | 134 | <i>alaway</i> | 193 | <i>amethia</i> | | 177 |
| <i>acarbose</i> | 142 | <i>albendazole</i> | 35 | <i>amikacin</i> | | 35 |
| <i>accutane</i> | 128 | <i>albuterol sulfate</i> | 203 | <i>amiloride</i> | | 107 |
| <i>acebutolol</i> | 107 | <i>alclometasone</i> | 132 | <i>amiloride-</i> <i>hydrochlorothiazide</i> | | 107 |
| <i>acetaminophen-</i> <i>codeine</i> | 85 | <i>alcohol pads</i> | 142 | <i>amiodarone</i> | | 106 |
| <i>acetazolamide</i> | 190 | ALDURAZYME..... | 150 | <i>amitriptyline</i> | | 90 |
| <i>acetic acid</i> | 135, 140 | ALECENSA..... | 45 | <i>amlodipine</i> | | 107 |
| <i>acetylcysteine</i> | 202 | <i>alendronate</i> | 169 | <i>amlodipine-</i> <i>atorvastatin</i> | | 119 |
| <i>acitretin</i> | 123 | <i>alfuzosin</i> | 209 | <i>amlodipine-benazepril</i> | | 107 |
| ACTHIB (PF)..... | 161 | <i>aliskiren</i> | 107 | <i>amlodipine-</i> <i>olmesartan</i> | | 107 |
| ACTIMMUNE..... | 160 | all day allergy (cetirizine) | | <i>amlodipine-valsartan</i> . | | 107 |
| <i>acyclovir</i> | 26 | | 193, 195, 196, 201 | <i>amlodipine-valsartan-</i> <i>hcthiaid</i> | | 107 |
| <i>acyclovir sodium</i> | 26 | allergy relief (cetirizine) | | <i>ammonium lactate</i> | | 125 |
| ADACEL(TDAP | | | 193, 195, 197, 200 | <i>amnesteem</i> | | 128 |
| ADOLESN/ADULT)(PF) | 162 | allergy relief (levocetirizin)..... | 196 | | | |
| ADALIMUMAB-AATY | | | | | | |
| | 170, 171 | | | | | |
| ADALIMUMAB- | | | | | | |
| AATY(CF) AI CROHNS.. | 171 | | | | | |

| | | | | | |
|----------------------------------|-----|---------------------------------|----------|-----------------------------------|----------|
| <i>amoxapine</i> | 91 | <i>atenolol-</i> | | <i>benazepril-</i> | |
| <i>amoxicillin</i> | 40 | <i>chlorthalidone</i> | 107 | <i>hydrochlorothiazide</i> | 108 |
| <i>amoxicillin-pot</i> | | <i>atomoxetine</i> | 92 | BENDEKA..... | 46 |
| <i>clavulanate</i> | 40 | <i>atorvastatin</i> | 120 | BENLYSTA..... | 171 |
| <i>amphotericin b</i> | 24 | <i>atovaquone</i> | 35 | benzoyl peroxide..... | 193 |
| <i>amphotericin b</i> | | <i>atovaquone-proguanil</i> .. | 35 | <i>benztropine</i> | 79 |
| <i>liposome</i> | 24 | <i>atropine</i> | 189 | BESREMI..... | 160 |
| <i>ampicillin</i> | 40 | ATROVENT HFA..... | 204 | <i>betaine</i> | 154 |
| <i>ampicillin sodium</i> | 41 | <i>aubra eq</i> | 177 | <i>betamethasone</i> | |
| <i>ampicillin-sulbactam</i> | 41 | AUGTYRO..... | 46 | <i>dipropionate</i> | 132 |
| <i>anagrelide</i> | 135 | <i>aurovela fe 1.5/30 (28)</i> | | <i>betamethasone</i> | |
| <i>anastrozole</i> | 46 | | 178 | <i>valerate</i> | 132 |
| ANORO ELLIPTA..... | 203 | <i>aurovela fe 1-20 (28)</i> .. | 178 | <i>betamethasone,</i> | |
| <i>apraclonidine</i> | 192 | AUVELITY..... | 92 | <i>augmented</i> | 132 |
| <i>aprepitant</i> | 154 | <i>aviane</i> | 178 | BETASERON..... | 160 |
| <i>apri</i> | 177 | AVMAPKI-FAKZYNJA.... | 46 | <i>betaxolol</i> | 108, 188 |
| APTIVUS..... | 26 | AYVAKIT..... | 46 | <i>bethanechol chloride</i> .. | 210 |
| <i>aranelle (28)</i> | 177 | <i>azacitidine</i> | 46 | BEVESPI AEROSPHERE | 204 |
| ARCALYST..... | 160 | <i>azathioprine</i> | 46 | <i>bexarotene</i> | 46, 47 |
| AREXVY (PF)..... | 162 | <i>azelaic acid</i> | 128 | BEXSERO..... | 162 |
| <i>arformoterol</i> | 203 | <i>azelastine</i> | 139, 189 | <i>bicalutamide</i> | 47 |
| ARIKAYCE..... | 35 | <i>azithromycin</i> | 34 | BICILLIN L-A..... | 41 |
| <i>aripiprazole</i> | 91 | <i>aztreonam</i> | 35 | BIKTARVY..... | 26 |
| ARISTADA..... | 91 | <i>azurette (28)</i> | 178 | <i>bisoprolol fumarate</i> | 108 |
| ARISTADA INITIO..... | 91 | <i>bacitracin</i> | 187 | <i>bisoprolol-</i> | |
| <i>armodafinil</i> | 92 | <i>bacitracin-polymyxin b</i> | | <i>hydrochlorothiazide</i> | 108 |
| ARNUITY ELLIPTA..... | 203 | | 187 | <i>blisovi 24 fe</i> | 178 |
| arthritis pain | | <i>baclofen</i> | 84 | <i>blisovi fe 1.5/30 (28)</i> ... | 178 |
| (diclofenac)..... | 193 | <i>balsalazide</i> | 154 | <i>blisovi fe 1/20 (28)</i> | 178 |
| <i>asenapine maleate</i> | 92 | BALVERSA..... | 46 | BOMYNTRA..... | 45 |
| <i>ashlyna</i> | 177 | <i>balziva (28)</i> | 178 | BONSITY..... | 169 |
| <i>aspirin-dipyridamole</i> .. | 116 | BARACLUDGE..... | 26 | BOOSTRIX TDAP..... | 162 |
| ASSURE ID INSULIN | | BCG VACCINE, LIVE | | BORTEZOMIB..... | 47 |
| SAFETY..... | 168 | (PF)..... | 162 | <i>bortezomib</i> | 47 |
| <i>atazanavir</i> | 26 | BELSOMRA..... | 92 | <i>bosentan</i> | 204 |
| <i>atenolol</i> | 107 | <i>benazepril</i> | 108 | BOSULIF..... | 47 |

06/01/2026

| | | | | | |
|---------------------------------|----------|---------------------------------|--------|--------------------------------------|-------------------------|
| BRAFTOVI..... | 47 | CAPLYTA..... | 93 | <i>cefuroxime axetil</i> | 34 |
| BREO ELLIPTA..... | 204 | CAPRELSA..... | 48 | <i>cefuroxime sodium</i> | 34 |
| <i>breyna</i> | 204 | <i>captopril</i> | 108 | <i>celecoxib</i> | 88 |
| BREZTRI AEROSPHERE | 204 | <i>captopril-</i> | | <i>cephalexin</i> | 34 |
| <i>briellyn</i> | 178 | <i>hydrochlorothiazide</i> | 108 | <i>cetirizine</i> | 193, 194 |
| <i>brimonidine</i> | 192 | <i>carbamazepine</i> | 71 | <i>cetirizine</i> | 201 |
| BRINSUPRI..... | 204 | <i>carbidopa</i> | 79 | <i>cevimeline</i> | 135 |
| <i>brinzolamide</i> | 190 | <i>carbidopa-levodopa</i> | 79 | CHEMET..... | 135 |
| <i>brivaracetam</i> | 71 | <i>carbidopa-levodopa-</i> | | child allergy | |
| BRIVIACT..... | 71 | <i>entacapone</i> | 80 | relief(<i>cetirizine</i>)..... | 194, 195 |
| <i>bromfenac</i> | 190 | <i>carboplatin</i> | 48 | children's alaway..... | 194 |
| <i>bromocriptine</i> | 79 | <i>carglumic acid</i> | 135 | children's allergy | |
| BRUKINSA..... | 47 | <i>carteolol</i> | 188 | relief(<i>lor</i>)..... | 195 |
| <i>budesonide</i> | 154, 204 | <i>cartia xt</i> | 109 | children's <i>cetirizine</i> | 194 |
| <i>bumetanide</i> | 108 | <i>carvedilol</i> | 109 | children's <i>loratadine</i> ...194 | |
| <i>buprenorphine hcl</i> | 85 | <i>caspofungin</i> | 24 | child's all day | |
| <i>buprenorphine-</i> | | CAYSTON..... | 36 | allergy(<i>cetir</i>) | |
| <i>naloxone</i> | 87 | <i>cefaclor</i> | 32 | | 194, 195, 196, 197, 201 |
| <i>bupropion hcl</i> | 92 | <i>cefadroxil</i> | 32 | <i>chlorhexidine</i> | |
| <i>bupropion hcl</i> | | <i>cefazolin</i> | 32 | <i>gluconate</i> | 139 |
| (<i>smoking deter</i>)..... | 139 | <i>cefazolin in dextrose</i> | | <i>chloroquine phosphate</i> .36 | |
| <i>buspirone</i> | 92 | (<i>iso-os</i>)..... | 32 | <i>chlorpromazine</i> | 93 |
| <i>butorphanol</i> | 88 | <i>cefdinir</i> | 32 | <i>chlorthalidone</i> | 109 |
| <i>cabergoline</i> | 150 | <i>cefepime</i> | 33 | <i>cholestyramine</i> | 120 |
| CABOMETYX..... | 47 | <i>cefepime in</i> | | <i>cholestyramine (with</i> | |
| <i>calcipotriene</i> | 123 | <i>dextrose,iso-osm</i> | 33 | <i>sugar</i>)..... | 120 |
| <i>calcitonin (salmon)</i> | 150 | <i>cefixime</i> | 33 | <i>cholestyramine light</i> ...120 | |
| <i>calcitriol</i> | 150 | <i>cefoxitin</i> | 33 | <i>ciclopirox</i> | 130, 131 |
| CALQUENCE | | <i>cefoxitin in dextrose,</i> | | <i>cilostazol</i> | 116 |
| (ACALABRUTINIB MAL).48 | | <i>iso-osm</i> | 33 | CIMDUO..... | 26 |
| <i>camila</i> | 173 | <i>cefpodoxime</i> | 33 | <i>cinacalcet</i> | 150 |
| <i>camrese</i> | 178 | <i>cefprozil</i> | 33 | <i>ciprofloxacin</i> | 42 |
| <i>camrese lo</i> | 178 | <i>ceftazidime</i> | 33 | <i>ciprofloxacin hcl</i>42, 187 | |
| <i>candesartan</i> | 108 | <i>ceftriaxone</i> | 33, 34 | <i>ciprofloxacin in 5 %</i> | |
| <i>candesartan-</i> | | <i>ceftriaxone in</i> | | <i>dextrose</i> | 42 |
| <i>hydrochlorothiazid</i> | 108 | <i>dextrose,iso-os</i> | 33 | | |

06/01/2026

| | | |
|------------------------------------|------------------------------------|-------------------------------------|
| <i>ciprofloxacin-</i> | <i>colistin (colistimethate</i> | <i>cytarabine</i> 49 |
| <i>dexamethasone</i> 140 | <i>na)</i> 36 | <i>d10 %-0.45 % sodium</i> |
| <i>cisplatin</i> 48 | COLUMVI..... 48 | <i>chloride</i>135 |
| <i>citalopram</i> 93 | COMBIGAN..... 190 | <i>d2.5 %-0.45 % sodium</i> |
| <i>claravis</i> 128 | COMBIVENT | <i>chloride</i>135 |
| <i>clarithromycin</i> 34, 35 | RESPIMAT..... 204 | <i>d5 % and 0.9 % sodium</i> |
| <i>clearlax</i> 194 | COMETRIQ.....48 | <i>chloride</i>135 |
| <i>clindamycin hcl</i> 36 | <i>compro</i> 154 | <i>d5 %-0.45 % sodium</i> |
| <i>clindamycin in 5 %</i> | CONEXXENCE.....170 | <i>chloride</i>135 |
| <i>dextrose</i>36 | <i>constulose</i>154 | <i>dabigatran etexilate</i> ...116 |
| <i>clindamycin phosphate</i> | COPIKTRA..... 48 | <i>dalfampridine</i> 82 |
| 36, 128, 129, 176 | CORLANOR..... 122 | <i>danazol</i> 150 |
| <i>clindamycin-benzoyl</i> | COSENTYX.....124 | <i>dantrolene</i> 84 |
| <i>peroxide</i>129 | COSENTYX (2 | DANZITEN..... 49 |
| <i>clobazam</i> 71, 72 | SYRINGES).....124 | <i>dapagliflozin</i> 143 |
| <i>clobetasol</i> 132, 133 | COSENTYX PEN..... 124 | <i>dapagliflozin-</i> |
| <i>clobetasol-emollient</i> ...133 | COSENTYX PEN (2 | <i>metformin</i> 143 |
| <i>clodan</i>133 | PENS)..... 124 | <i>dapsone</i> 36 |
| <i>clomipramine</i> 93 | COSENTYX UNOREADY | DAPTACEL (DTAP |
| <i>clonazepam</i> 72 | PEN..... 124 | PEDIATRIC) (PF)..... 162 |
| <i>clonidine</i> 109 | COTELLIC..... 48 | <i>daptomycin</i>36 |
| <i>clonidine hcl</i>109 | CREON..... 154 | <i>darunavir</i> 26 |
| <i>clopidogrel</i>116 | CRESEMBA.....24 | <i>dasatinib</i>49 |
| <i>clorazepate</i> | <i>cromolyn</i>154, 189, 204 | <i>dasetta 1/35 (28)</i>178 |
| <i>dipotassium</i> 93 | <i>cryelle (28)</i> 178 | <i>dasetta 7/7/7 (28)</i> 179 |
| <i>clotrimazole</i>24, 131 | <i>cyclobenzaprine</i>84 | DAURISMO..... 49 |
| <i>clotrimazole-</i> | <i>cyclophosphamide</i> ..48, 49 | <i>daysee</i> 179 |
| <i>betamethasone</i> 131 | CYCLOPHOSPHAMIDE...49 | <i>deblitane</i> 173 |
| <i>clozapine</i> 93 | <i>cyclosporine</i>49, 189 | <i>deferasirox</i>135 |
| COARTEM..... 36 | <i>cyclosporine modified</i> ...49 | DELSTRIGO..... 27 |
| COBENFY..... 94 | CYLTEZO(CF)..... 171 | <i>demeclocycline</i> 43 |
| COBENFY STARTER | CYLTEZO(CF) PEN.....171 | DENGVAXIA (PF)..... 162 |
| PACK..... 94 | <i>cyproheptadine</i> 201 | DEPO-SUBQ PROVERA |
| <i>colchicine</i>169 | <i>cyred eq</i> 178 | 104..... 174 |
| <i>colesevelam</i>120 | CYSTAGON.....210 | <i>dermacinrx lidocan</i>126 |
| <i>colestipol</i> 120 | CYSTARAN..... 189 | DESCOVY..... 27 |

06/01/2026

| | | |
|------------------------------------|-------------------------------------|------------------------------------|
| <i>desipramine</i>94 | <i>dextrose 50 % in water</i> | <i>docetaxel</i> 50 |
| <i>desloratadine</i> 201 | <i>(d50w)</i> 136 | <i>dofetilide</i> 106 |
| <i>desmopressin</i>150 | <i>dextrose 70 % in water</i> | <i>dolishale</i> 179 |
| <i>desog-</i> | <i>(d70w)</i> 136 | <i>donepezil</i> 82 |
| <i>e.estradiol/e.estradiol</i> 179 | DIACOMIT.....72 | DOPTELET (10 TAB |
| <i>desogestrel-ethinyl</i> | <i>diazepam</i> 72, 95 | PACK).....117 |
| <i>estradiol</i> 179 | <i>diazepam intensol</i> 95 | DOPTELET (15 TAB |
| <i>desonide</i> 133 | <i>diazoxide</i> 143 | PACK).....117 |
| <i>desvenlafaxine</i> | <i>diclofenac potassium</i>88 | DOPTELET (30 TAB |
| <i>succinate</i> 94 | <i>diclofenac sodium</i> .88, 190 | PACK).....117 |
| <i>dexamethasone</i> ..140, 141 | <i>diclofenac sodium</i> | DOPTELET SPRINKLE... 117 |
| <i>dexamethasone</i> |194, 196 | <i>dorzolamide</i>191 |
| <i>intensol</i>140 | <i>diclofenac-misoprostol</i> . 88 | <i>dorzolamide-timolol</i> ... 191 |
| <i>dexamethasone</i> | <i>dicloxacillin</i>41 | <i>dotti</i>174 |
| <i>sodium phos (pf)</i>141 | <i>dicyclomine</i>153 | DOVATO..... 27 |
| <i>dexamethasone</i> | <i>differin</i>195 | <i>doxazosin</i>110 |
| <i>sodium phosphate</i> | <i>diflunisal</i> 88 | <i>doxepin</i>95, 96 |
|141, 192 | <i>difluprednate</i>192 | <i>doxercalciferol</i> 150 |
| <i>dexlansoprazole</i> 159 | <i>digoxin</i>122 | <i>doxorubicin</i>50 |
| <i>dexmethylphenidate</i>94 | <i>dihydroergotamine</i>81 | <i>doxorubicin, peg-</i> |
| <i>dextroamphetamine</i> | DILANTIN..... 72 | <i>liposomal</i> 50 |
| <i>sulfate</i>94, 95 | DILANTIN EXTENDED.... 72 | <i>doxy-100</i>43 |
| <i>dextroamphetamine-</i> | DILANTIN INFATABS..... 72 | <i>doxycycline hyclate</i>43 |
| <i>amphetamine</i> 95 | DILANTIN-125..... 73 | <i>doxycycline</i> |
| <i>dextrose 10 % and 0.2</i> | <i>diltiazem hcl</i> 109, 110 | <i>monohydrate</i>44 |
| <i>% nacl</i> 135 | <i>dilt-xr</i> 110 | DRIZALMA SPRINKLE.... 96 |
| <i>dextrose 10 % in water</i> | <i>dimethyl fumarate</i>82 | <i>dronabinol</i> 154 |
| <i>(d10w)</i> 136 | <i>diphenhydramine hcl</i> | <i>drospirenone-</i> |
| <i>dextrose 5 % in water</i> |201, 202 | <i>e.estradiol-lm.fa</i> 179 |
| <i>(d5w)</i> 136 | <i>diphenoxylate-</i> | <i>drospirenone-ethinyl</i> |
| <i>dextrose 5 %-lactated</i> | <i>atropine</i> 153 | <i>estradiol</i> 179 |
| <i>ringers</i> 136 | <i>dipyridamole</i> 116 | DROXIA..... 50 |
| <i>dextrose 5%-0.2 % sod</i> | <i>disopyramide</i> | <i>duloxetine</i>96 |
| <i>chloride</i>136 | <i>phosphate</i>106 | DUPIXENT PEN.....126 |
| <i>dextrose 5%-0.3 %</i> | <i>disulfiram</i> 136 | DUPIXENT SYRINGE.... 126 |
| <i>sod.chloride</i> 136 | <i>divalproex</i>73 | <i>dutasteride</i> 209 |

06/01/2026

| | | |
|-----------------------------------|---------------------------------|----------------------------------|
| <i>dutasteride-tamsulosin</i> | <i>emtricitabine-tenofovir</i> | <i>erythromycin</i> |
|209 | <i>tenofovir</i> | 35, 187 |
| EDARBI..... | EMTRIVA..... | <i>erythromycin with</i> |
| 110 | 27 | <i>ethanol</i> |
| EDARBYCLOR..... | EMVERM..... | 129 |
| 110 | 36 | <i>erythromycin-benzoyl</i> |
| EDURANT..... | <i>emzahn</i> | <i>peroxide</i> |
| 27 | 174 | 129 |
| EDURANT PED..... | <i>enalapril maleate</i> | <i>escitalopram oxalate</i> |
| 27 | 110 | 96 |
| <i>efavirenz</i> | <i>enalapril-</i> | <i>eslicarbazepine</i> |
| 27 | <i>hydrochlorothiazide</i> | 73 |
| <i>efavirenz-emtricitabine-</i> | ENBREL..... | <i>esomeprazole</i> |
| <i>tenofovir</i> | 171 | <i>magnesium</i> |
| 27 | ENBREL MINI..... | 159 |
| <i>efavirenz-lamivudine-</i> | 171 | <i>estarylla</i> |
| <i>tenofovir disoproxil</i> | ENBREL SURECLICK..... | 179 |
| 27 | 172 | <i>estradiol</i> |
| <i>electrolyte-148</i> | <i>endocet</i> | 174 |
| 213 | 85 | <i>estradiol valerate</i> |
| <i>electrolyte-48 in d5w</i> .. | ENGERIX-B (PF)..... | 174 |
| 213 | 163 | <i>estradiol-</i> |
| <i>electrolyte-a</i> | ENGERIX-B PEDIATRIC | <i>norethindrone acet</i> |
| 213 | (PF)..... | 174 |
| ELIGARD..... | 163 | <i>ethambutol</i> |
| 50 | <i>enoxaparin</i> | 36 |
| ELIGARD (3 MONTH).... | 118 | <i>ethosuximide</i> |
| 50 | ENSACOVE..... | 73 |
| ELIGARD (4 MONTH).... | 51 | <i>ethynodiol diac-eth</i> |
| 50 | <i>enskyce</i> | <i>estradiol</i> |
| ELIGARD (6 MONTH).... | 179 | 179 |
| 50 | <i>entacapone</i> | <i>etodolac</i> |
| <i>elinest</i> | 80 | 88 |
| 179 | <i>entecavir</i> | <i>etonogestrel-ethinyl</i> |
| ELIQUIS..... | 27 | <i>estradiol</i> |
| 117 | ENTRESTO SPRINKLE.. | 176 |
| ELIQUIS DVT-PE TREAT | 122 | <i>etoposide</i> |
| 30D START..... | <i>enulose</i> | 51 |
| 117 | 154 | <i>etravirine</i> |
| ELIQUIS SPRINKLE..... | ENVARSUS XR..... | 27 |
| 117 | 51 | EUCRISA..... |
| ELLECE..... | 73 | 126 |
| 50 | <i>epinephrine</i> | EULEXIN..... |
| ELMIRON..... | 202 | 51 |
| 210 | <i>epitol</i> | <i>everolimus</i> |
| ELREXFIO..... | 73 | <i>(antineoplastic)</i> |
| 50 | EPKINLY..... | 51, 52 |
| <i>eltrombopag olamine</i> | 51 | <i>everolimus</i> |
| | <i>eplerenone</i> | <i>(immunosuppressive)</i> ... |
| 117, 118 | 110 | 52 |
| <i>eluryng</i> | <i>ergotamine-caffeine</i> | EVOTAZ..... |
| 176 | 81 | 28 |
| EMGALITY PEN..... | ERIVEDGE..... | <i>exemestane</i> |
| 81 | 51 | 52 |
| EMGALITY SYRINGE..... | ERLEADA..... | EXXUA..... |
| 81 | 51 | 96 |
| EMSAM..... | <i>erlotinib</i> | eye allergy itch relief.. |
| 96 | 51 | 195 |
| <i>emtricitabine</i> | <i>errin</i> | eye itch relief..... |
| 27 | 174 | 195 |
| <i>emtricitabine-tenofovir</i> | <i>ertapenem</i> | <i>ezetimibe</i> |
| <i>(tdf)</i> | 36 | 120 |
| 27 | <i>ery pads</i> | <i>ezetimibe-simvastatin</i> |
| <i>ery-tab</i> | 129 | 120 |
| 35 | <i>ery-tab</i> | |
| | 35 | |

| | | | | | |
|-------------------------------|-----|---------------------------------|----------|---------------------------------|--------------|
| FABRAZYME..... | 151 | <i>finasteride</i> | 209 | <i>formoterol fumarate</i> .. | 205 |
| <i>falmina (28)</i> | 179 | <i>finzolimod</i> | 83 | <i>fosamprenavir</i> | 28 |
| <i>famciclovir</i> | 28 | FINTEPLA..... | 73 | <i>fosfomycin</i> | |
| <i>famotidine</i> | 159 | <i>finzala</i> | 179 | <i>tromethamine</i> | 44 |
| <i>famotidine (pf)</i> | 159 | FIRMAGON KIT W | | <i>fosinopril</i> | 110 |
| <i>famotidine (pf)-nacl</i> | | DILUENT SYRINGE..... | 52 | <i>fosinopril-</i> | |
| <i>(iso-os)</i> | 159 | <i>flac otic oil</i> | 140 | <i>hydrochlorothiazide</i> | 110 |
| FANAPT..... | 96 | <i>flecainide</i> | 106 | FOTIVDA..... | 52 |
| FANAPT TITRATION | | <i>fluconazole</i> | 24 | FRUZAQLA..... | 52 |
| PACK A..... | 96 | <i>fluconazole in nacl</i> | | FULPHILA..... | 160 |
| FANAPT TITRATION | | <i>(iso-osm)</i> | 24 | <i>fulvestrant</i> | 53 |
| PACK B..... | 96 | <i>flucytosine</i> | 24 | <i>furosemide</i> | 110, 111 |
| FANAPT TITRATION | | <i>fludrocortisone</i> | 141 | <i>fyavolv</i> | 175 |
| PACK C..... | 97 | <i>flunisolide</i> | 205 | <i>gabapentin</i> | 73, 74 |
| FARXIGA..... | 143 | <i>fluocinolone</i> | 133 | <i>galantamine</i> | 83 |
| FASENRA..... | 205 | <i>fluocinolone acetonide</i> | | <i>gallifrey</i> | 175 |
| FASENRA PEN..... | 205 | <i>oil</i> | 140 | GAMASTAN..... | 163 |
| <i>febuxostat</i> | 169 | <i>fluocinolone and</i> | | GAMUNEX-C..... | 163 |
| <i>felbamate</i> | 73 | <i>shower cap</i> | 133 | <i>ganciclovir sodium</i> | 28 |
| <i>felodipine</i> | 110 | <i>fluocinonide</i> | 133 | GARDASIL 9 (PF)..... | 163 |
| <i>fenofibrate</i> | 121 | <i>fluocinonide-emollient</i> | 133 | <i>gatifloxacin</i> | 187 |
| <i>fenofibrate micronized</i> | | <i>fluoride (sodium)</i> | 214 | GAUZE PAD..... | 168 |
| | 121 | <i>fluorometholone</i> | 192 | <i>gavilax</i> | 195, 196 |
| <i>fenofibrate</i> | | <i>fluorouracil</i> | 52, 126 | <i>gavilyte-c</i> | 154 |
| <i>nanocrystallized</i> | 121 | <i>fluoxetine</i> | 97 | <i>gavilyte-g</i> | 155 |
| <i>fenofibric acid</i> | | <i>fluphenazine</i> | | GAVRETO..... | 53 |
| <i>(choline)</i> | 121 | <i>decanoate</i> | 97 | <i>gefitinib</i> | 53 |
| <i>fentanyl</i> | 85 | <i>fluphenazine hcl</i> | 97 | <i>gemcitabine</i> | 53 |
| <i>fentanyl citrate</i> | 85 | <i>flurbiprofen</i> | 88 | GEMCITABINE..... | 53 |
| FETZIMA..... | 97 | <i>flurbiprofen sodium</i> | 190 | <i>gemfibrozil</i> | 121 |
| FIASP FLEXTOUCH U- | | <i>fluticasone propionate</i> | | <i>gemmily</i> | 180 |
| 100 INSULIN..... | 143 | | 133, 205 | <i>generlac</i> | 155 |
| FIASP PENFILL U-100 | | <i>fluticasone propion-</i> | | <i>gengraf</i> | 53 |
| INSULIN..... | 143 | <i>salmeterol</i> | 205 | <i>gentak</i> | 187 |
| FIASP U-100 INSULIN.. | 143 | <i>fluvastatin</i> | 121 | <i>gentamicin</i> | 37, 130, 187 |
| <i>fidaxomicin</i> | 35 | <i>fluvoxamine</i> | 97 | | |

| | | | | | |
|--|----------|---|---------------|-------------------------------------|--------|
| <i>gentamicin in nacl (iso-osm)</i> | 36 | <i>halobetasol propionate</i> | 133, 134 | <i>ibandronate</i> | 170 |
| <i>gentamicin sulfate (ped) (pf)</i> | 37 | <i>haloperidol</i> | 98 | IBRANCE..... | 54 |
| GENVOYA..... | 28 | <i>haloperidol decanoate</i> | 98 | IBTROZI..... | 54 |
| GILOTRIF..... | 53 | <i>haloperidol lactate</i> | 98 | <i>ibu</i> | 88 |
| <i>glatiramer</i> | 83 | HAVRIX (PF)..... | 163 | <i>ibuprofen</i> | 88, 89 |
| <i>glatopa</i> | 83 | healthyax..... | 197 | <i>icatibant</i> | 205 |
| <i>glimepiride</i> | 143 | <i>heather</i> | 175 | <i>iclevia</i> | 180 |
| <i>glipizide</i> | 143, 144 | <i>heparin (porcine)</i> | 118 | ICLUSIG..... | 54 |
| <i>glipizide-metformin</i> | 144 | <i>heparin (porcine) in 5 % dex</i> | 118 | <i>icosapent ethyl</i> | 121 |
| <i>glutamine (sickle cell)</i> .. | 136 | HEPARIN(PORCINE) IN 0.45% NAACL..... | 118 | IDHIFA..... | 54 |
| <i>glycopyrrolate</i> | 153 | <i>heparin(porcine) in 0.45% nacl</i> | 119 | <i>imatinib</i> | 54 |
| <i>glydo</i> | 126 | HEPLISAV-B (PF)..... | 163 | IMBRUVICA..... | 54, 55 |
| GLYXAMBI..... | 144 | HERNEXEOS..... | 54 | <i>imipenem-cilastatin</i> | 37 |
| GOMEKLI..... | 53 | HIBERIX (PF)..... | 164 | <i>imipramine hcl</i> | 98 |
| <i>granisetron (pf)</i> | 155 | humulin 70/30 u-100 insulin..... | 197 | <i>imiquimod</i> | 126 |
| <i>granisetron hcl</i> | 155 | HUMULIN R U-500 (CONC) KWIKPEN..... | 144 | IMKELDI..... | 55 |
| <i>griseofulvin microsize</i> ... | 25 | <i>hydralazine</i> | 111 | IMOVAX RABIES VACCINE (PF)..... | 164 |
| <i>griseofulvin ultramicrosize</i> | 25 | <i>hydrochlorothiazide</i> | 111 | IMPAVIDO..... | 37 |
| <i>guanfacine</i> | 97, 111 | <i>hydrocodone-acetaminophen</i> | 85, 86 | INBRIJA..... | 80 |
| GVOKE..... | 144 | <i>hydrocodone-ibuprofen</i> | 86 | <i>incassia</i> | 175 |
| GVOKE HYPOPEN 1-PACK..... | 144 | <i>hydrocortisone</i> | 134, 141, 155 | INCRELEX..... | 136 |
| GVOKE HYPOPEN 2-PACK..... | 144 | <i>hydromorphone</i> | 86 | INCRUSE ELLIPTA..... | 205 |
| GVOKE PFS 1-PACK SYRINGE..... | 144 | <i>hydroxychloroquine</i> | 37 | <i>indapamide</i> | 111 |
| GVOKE PFS 2-PACK SYRINGE..... | 144 | <i>hydroxyurea</i> | 54 | INFANRIX (DTAP) (PF)..... | 164 |
| HAEGARDA..... | 205 | <i>hydroxyzine hcl</i> | 202 | INFLECTRA..... | 155 |
| <i>hailey 24 fe</i> | 180 | <i>hydroxyzine pamoate</i> | 202 | INFLIXIMAB..... | 155 |
| <i>hailey fe 1.5/30 (28)</i> ... | 180 | HYRNUO..... | 54 | INGREZZA..... | 83 |
| <i>hailey fe 1/20 (28)</i> | 180 | | | INGREZZA INITIATION PK(TARDIV)..... | 83 |

| | | | | | |
|--|----------|-----------------------------------|---------|---|-----|
| INSULIN GLARGINE U-300 CONC..... | 145 | IXIARO (PF)..... | 164 | <i>kionex</i> | 137 |
| INSULIN GLARGINE-YFGN..... | 145 | JAKAFI..... | 56 | <i>kionex (with sorbitol)</i> .. | 137 |
| INSULIN SYRINGE-NEEDLE U-100..... | 168 | <i>jantoven</i> | 119 | KISQALI..... | 56 |
| INTELENCE..... | 28 | JANUMET..... | 145 | <i>klayesta</i> | 131 |
| <i>introvale</i> | 180 | JANUMET XR..... | 145 | <i>klor-con</i> | 211 |
| INVEGA HAFYERA..... | 98 | JANUVIA..... | 145 | <i>klor-con 10</i> | 210 |
| INVEGA SUSTENNA.98, 99 | | JARDIANCE..... | 145 | <i>klor-con 8</i> | 210 |
| INVEGA TRINZA..... | 99 | <i>jasmiel (28)</i> | 180 | <i>klor-con m10</i> | 210 |
| INVOKAMET..... | 145 | JAYPIRCA..... | 56 | <i>klor-con m15</i> | 210 |
| INVOKAMET XR..... | 145 | JENTADUETO..... | 146 | <i>klor-con m20</i> | 210 |
| INVOKANA..... | 145 | JENTADUETO XR..... | 146 | KLOXXADO..... | 89 |
| IPOL..... | 164 | <i>jinteli</i> | 175 | KOMZIFTI..... | 57 |
| <i>ipratropium bromide</i> | | <i>jolessa</i> | 180 | KOSELUGO..... | 57 |
| | 139, 206 | JOURNAVX..... | 89 | <i>kourzeq</i> | 139 |
| <i>ipratropium-albuterol</i> .206 | | <i>juleber</i> | 180 | KRAZATI..... | 57 |
| <i>irbesartan</i> | 111 | JULUCA..... | 28 | <i>kurvelo (28)</i> | 181 |
| <i>irbesartan-hydrochlorothiazide</i> | 111 | <i>junel 1.5/30 (21)</i> | 180 | <i>l norgest/e.estradiol-e.estrad</i> | 181 |
| <i>irinotecan</i> | 55 | <i>junel 1/20 (21)</i> | 180 | <i>labetalol</i> | 111 |
| ISENTRESS..... | 28 | <i>junel fe 1.5/30 (28)</i> | 180 | <i>lacosamide</i> | 74 |
| ISENTRESS HD..... | 28 | <i>junel fe 1/20 (28)</i> | 181 | <i>lactated ringers</i> | 211 |
| <i>isibloom</i> | 180 | <i>junel fe 24</i> | 181 | <i>lactulose</i> | 155 |
| <i>isoniazid</i> | 37 | JYLAMVO..... | 56 | <i>lamivudine</i> | 28 |
| <i>isosorbide dinitrate</i> | 123 | JYNNEOS (PF)..... | 164 | <i>lamivudine-zidovudine</i> . 28 | |
| <i>isosorbide mononitrate</i> | 123 | KADCYLA..... | 56 | <i>lamotrigine</i> | 74 |
| <i>isotretinoin</i> | 129 | <i>kaitlib fe</i> | 181 | <i>lanreotide</i> | 57 |
| <i>isradipine</i> | 111 | KALETRA..... | 28 | <i>lansoprazole</i> | 159 |
| ITOVEBI..... | 55 | <i>kariva (28)</i> | 181 | LANTUS SOLOSTAR U-100 INSULIN..... | 146 |
| <i>itraconazole</i> | 25 | <i>kelnor 1/35 (28)</i> | 181 | LANTUS U-100 INSULIN..... | 146 |
| <i>ivabradine</i> | 122 | KERENDIA..... | 111 | <i>lapatinib</i> | 57 |
| <i>ivermectin</i> | 37 | <i>ketoconazole</i> | 25, 131 | <i>larin 1.5/30 (21)</i> | 181 |
| IWILFIN..... | 56 | <i>ketorolac</i> | 190 | <i>larin 1/20 (21)</i> | 181 |
| | | ketotifen fumarate.... | 197 | <i>larin 24 fe</i> | 181 |
| | | KEYTRUDA..... | 56 | <i>larin fe 1.5/30 (28)</i> | 181 |
| | | KEYTRUDA QLEX..... | 56 | | |
| | | KINERET..... | 172 | | |
| | | KINRIX (PF)..... | 164 | | |

| | | | | |
|----------------------------------|--------|-------------------------------------|---------------------------------|-----|
| <i>larin fe 1/20 (28)</i> | 181 | lice killing | LORBRENA..... | 58 |
| <i>latanoprost</i> | 191 | (permethrin)..... | <i>loryna (28)</i> | 182 |
| laxative peg 3350..... | 201 | lice treatment..... | <i>losartan</i> | 112 |
| LAZCLUZE..... | 57 | <i>lidocaine</i> | <i>losartan-</i> | |
| LEDIPASVIR- | | <i>lidocaine (pf)</i> | <i>hydrochlorothiazide</i> | 112 |
| SOFOSBUVIR..... | 29 | <i>lidocaine hcl</i> | <i>loteprednol etabonate</i> | 192 |
| <i>leflunomide</i> | 172 | <i>lidocaine viscous</i> | <i>lovastatin</i> | 121 |
| <i>lenalidomide</i> | 57 | <i>lidocaine-prilocaine</i> ... | <i>low-ogestrel (28)</i> | 182 |
| LENVIMA..... | 57, 58 | <i>lidocan iii</i> | <i>loxapine succinate</i> | 100 |
| <i>lessina</i> | 181 | <i>lidocan iv</i> | <i>lubiprostone</i> | 155 |
| <i>letrozole</i> | 58 | <i>lidocan v</i> | LUMAKRAS..... | 58 |
| <i>leucovorin calcium</i> | 45 | LILETTA..... | LUMIGAN..... | 191 |
| LEUKERAN..... | 58 | <i>linezolid</i> | LUMIZYME..... | 151 |
| <i>leuprolide</i> | 58 | <i>linezolid in dextrose</i> | LUPRON DEPOT..... | 58 |
| <i>levabuterol hcl</i> | 206 | <i>5%</i> | <i>lurasidone</i> | 100 |
| <i>levetiracetam</i> | 75 | <i>linezolid-0.9% sodium</i> | LYBALVI..... | 100 |
| LEVETIRACETAM..... | 75 | <i>chloride</i> | <i>lyleq</i> | 175 |
| <i>levetiracetam in nacl</i> | | <i>lintera</i> | <i>lyllana</i> | 175 |
| <i>(iso-os)</i> | 75 | LINZESS..... | LYNPARZA..... | 59 |
| <i>levobunolol</i> | 188 | <i>liomny</i> | LYSODREN..... | 59 |
| <i>levocarnitine</i> | 137 | <i>liothyronine</i> | LYTGOBI..... | 59 |
| <i>levocarnitine (with</i> | | <i>lisdexamfetamine</i> | <i>lyza</i> | 175 |
| <i>sugar)</i> | 137 | <i>lisinopril</i> | magnesium citrate..... | 198 |
| <i>levocetirizine</i> | 197 | <i>lisinopril-</i> | <i>magnesium sulfat</i> e..... | 211 |
| <i>levocetirizine</i> | 202 | <i>hydrochlorothiazide</i> | MAGNESIUM SULFATE | |
| <i>levofloxacin</i> | 42, 43 | <i>lithium carbonate</i> | IN D5W..... | 211 |
| <i>levofloxacin in d5w</i> | 42 | <i>lithium citrate</i> | <i>magnesium sulfat</i> e in | |
| <i>levonest (28)</i> | 182 | LIVTENCITY..... | <i>water</i> | 211 |
| <i>levonorgestrel-ethinyl</i> | | LOKELMA..... | <i>malathion</i> | 134 |
| <i>estrad</i> | 182 | <i>lomustine</i> | <i>maraviroc</i> | 29 |
| <i>levonorg-eth estrad</i> | | LONSURF..... | <i>marlissa (28)</i> | 182 |
| <i>triphasic</i> | 182 | <i>loperamide</i> | MARPLAN..... | 100 |
| <i>levo-t</i> | 152 | <i>lopinavir-ritonavir</i> | MATULANE..... | 59 |
| <i>levothyroxine</i> | 152 | <i>loratadine</i> ... 196, 197, 198 | <i>matzim la</i> | 112 |
| <i>levoxyl</i> | 152 | <i>lorazepam</i> | <i>meclizine</i> | 155 |
| | | <i>lorazepam intensol</i> | <i>medroxyprogesterone</i> | 175 |

| | | | | |
|--------------------------------|----------|---------------------------------|--------------------------------|---------------|
| <i>mefloquine</i> | 37 | <i>methylprednisolone</i> | MODEYSO..... | 60 |
| <i>megestrol</i> | 59 | <i>sodium succ</i> | <i>moexipril</i> | 112 |
| MEKINIST..... | 59 | <i>metoclopramide hcl</i> | <i>molindone</i> | 101 |
| MEKTOVI..... | 59 | <i>metolazone</i> | <i>mometasone</i> | 134, 206 |
| <i>meleya</i> | 175 | <i>metoprolol succinate</i> .. | MONJUVI..... | 60 |
| <i>meloxicam</i> | 89 | <i>metoprolol ta-</i> | <i>mono-lynyah</i> | 183 |
| <i>memantine</i> | 83 | <i>hydrochlorothiaz</i> | <i>montelukast</i> | 206 |
| MENACTRA (PF)..... | 164 | <i>metoprolol tartrate</i> | <i>morphine</i> | 86, 87 |
| MENQUADFI (PF)..... | 164 | <i>metro i.v.</i> | <i>morphine (pf)</i> | 86 |
| MENVEO A-C-Y-W- | | <i>metronidazole</i> | <i>morphine concentrate</i> .. | 86 |
| 135-DIP (PF)..... | 164 | | MOUNJARO..... | 147 |
| <i>mercaptapurine</i> | 59, 60 | <i>metronidazole in nacl</i> | MOVANTIK..... | 156 |
| MERILOG..... | 146 | <i>(iso-os)</i> | <i>moxifloxacin</i> .. | 43, 187, 188 |
| MERILOG SOLOSTAR.. | 146 | <i>metyrosine</i> | <i>moxifloxacin-</i> | |
| <i>meropenem</i> | 37, 38 | <i>mexiletine</i> | <i>sod.chloride(iso)</i> | 43 |
| <i>mesalamine</i> | 155, 156 | <i>mibelas 24 fe</i> | MRESVIA (PF)..... | 165 |
| <i>mesalamine with</i> | | <i>micafungin</i> | MULTAQ..... | 106 |
| <i>cleansing wipe</i> | 156 | <i>microgestin 1.5/30</i> | <i>mupirocin</i> | 130 |
| <i>mesna</i> | 45 | <i>(21)</i> | <i>mycophenolate mofetil</i> | 60 |
| <i>metformin</i> | 146 | <i>microgestin 1/20 (21)</i> .. | <i>mycophenolate</i> | |
| <i>methadone</i> | 86 | <i>microgestin 24 fe</i> | <i>sodium</i> | 60 |
| <i>methadone intensol</i> | 86 | <i>microgestin fe 1.5/30</i> | <i>myorisan</i> | 130 |
| <i>methazolamide</i> | 190 | <i>(28)</i> | <i>nabumetone</i> | 89 |
| <i>methenamine</i> | | <i>microgestin fe 1/20</i> | <i>nadolol</i> | 113 |
| <i>hippurate</i> | 44 | <i>(28)</i> | <i>nafcillin</i> | 41 |
| <i>methimazole</i> | 142 | <i>midodrine</i> | <i>nafcillin in dextrose</i> | |
| <i>methotrexate sodium</i> ... | 60 | <i>mifepristone</i> | <i>iso-osm</i> | 41 |
| <i>methotrexate sodium</i> | | <i>mili</i> | <i>naftifine</i> | 131 |
| <i>(pf)</i> | 60 | <i>mimvey</i> | NAGLAZYME..... | 151 |
| <i>methsuximide</i> | 75 | <i>minocycline</i> | <i>nalbuphine</i> | 89 |
| <i>methylphenidate hcl</i> | | <i>minoxidil</i> | <i>naloxone</i> | 89 |
| | 100, 101 | <i>mirabegron</i> | <i>naloxone</i> | 195, 196, 198 |
| <i>methylprednisolone</i> | 141 | <i>mirtazapine</i> | <i>naltrexone</i> | 89 |
| <i>methylprednisolone</i> | | <i>misoprostol</i> | NAMZARIC..... | 83 |
| <i>acetate</i> | 141 | M-M-R II (PF)..... | <i>naproxen</i> | 89 |
| | | <i>modafinil</i> | <i>naproxen sodium</i> | 89 |

| | | | | | |
|--------------------------------|----------|----------------------------------|----------|---------------------------------|----------|
| <i>naratriptan</i> | 81 | <i>nimodipine</i> | 113 | NOVOLIN N NPH U- | |
| <i>narcan</i> | 198 | NINLARO..... | 61 | 100 INSULIN..... | 147 |
| NATACYN..... | 188 | <i>nitazoxanide</i> | 38 | NOVOLIN R FLEXPEN.. | 147 |
| <i>nateglinide</i> | 147 | <i>nitisinone</i> | 137 | NOVOLIN R REGULAR | |
| NAYZILAM..... | 75 | <i>nitro-bid</i> | 123 | U100 INSULIN..... | 147 |
| <i>nebivolol</i> | 113 | <i>nitrofurantoin</i> | | NOVOLOG FLEXPEN U- | |
| <i>necon 0.5/35 (28)</i> | 183 | <i>macrocrystal</i> | 44 | 100 INSULIN..... | 147 |
| <i>nefazodone</i> | 101 | <i>nitrofurantoin</i> | | NOVOLOG MIX 70-30 | |
| <i>neomycin</i> | 38 | <i>monohyd/m-cryst</i> | 44 | U-100 INSULN..... | 148 |
| <i>neomycin-bacitracin-</i> | | <i>nitroglycerin</i> | 123, 156 | NOVOLOG MIX 70- | |
| <i>poly-hc</i> | 191 | NIVESTYM..... | 160 | 30FLEXPEN U-100..... | 148 |
| <i>neomycin-bacitracin-</i> | | <i>nora-be</i> | 175 | NOVOLOG PENFILL U- | |
| <i>polymyxin</i> | 188 | <i>norelgestromin-</i> | | 100 INSULIN..... | 148 |
| <i>neomycin-polymyxin b-</i> | | <i>ethin.estradiol</i> | 177 | NOVOLOG U-100 | |
| <i>dexameth</i> | 191 | <i>noreth-ethinyl</i> | | INSULIN ASPART..... | 148 |
| <i>neomycin-polymyxin-</i> | | <i>estradiol-iron</i> | 183 | NUBEQA..... | 61 |
| <i>gramicidin</i> | 188 | <i>norethindrone</i> | | NUEDEXTA..... | 84 |
| <i>neomycin-polymyxin-</i> | | <i>(contraceptive)</i> | 175 | NULOJIX..... | 61 |
| <i>hc</i> | 140, 191 | <i>norethindrone acetate</i> | 176 | NUPLAZID..... | 101 |
| NERLYNX..... | 61 | <i>norethindrone ac-eth</i> | | NURTEC ODT..... | 81 |
| <i>neuac</i> | 130 | <i>estradiol</i> | 176, 183 | <i>nyamyc</i> | 131 |
| NEUPRO..... | 80 | <i>norethindrone-</i> | | <i>nylia 1/35 (28)</i> | 184 |
| <i>nevirapine</i> | 29 | <i>e.estradiol-iron</i> | 183 | <i>nylia 7/7/7 (28)</i> | 184 |
| NEXLETOL..... | 121 | <i>norgestimate-ethinyl</i> | | <i>nymyo</i> | 184 |
| NEXPLANON..... | 176 | <i>estradiol</i> | 183 | <i>nystatin</i> | 25, 131 |
| <i>niacin</i> | 121 | <i>nortrel 0.5/35 (28)</i> | 183 | <i>nystop</i> | 131 |
| <i>nicardipine</i> | 113 | <i>nortrel 1/35 (21)</i> | 184 | NYVEPRIA..... | 160 |
| <i>nicotine</i> | 199, 200 | <i>nortrel 1/35 (28)</i> | 184 | <i>ocella</i> | 184 |
| <i>nicotine (polacrilex)</i> | | <i>nortrel 7/7/7 (28)</i> | 184 | OCREVUS..... | 84 |
| 195, 196, 197, 198, 199, | | <i>nortriptyline</i> | 101 | <i>octreotide acetate</i> | 61 |
| 201 | | NORVIR..... | 29 | ODEFSEY..... | 29 |
| NICOTROL NS..... | 139 | NOVOLIN 70/30 U-100 | | ODOMZO..... | 61 |
| <i>nifedipine</i> | 113 | INSULIN..... | 147 | OFEV..... | 206 |
| <i>nikki (28)</i> | 183 | NOVOLIN 70-30 | | <i>ofloxacin</i> | 140, 188 |
| <i>nilotinib hcl</i> | 61 | FLEXPEN U-100..... | 147 | OGSIVEO..... | 62 |
| <i>nilutamide</i> | 61 | NOVOLIN N FLEXPEN.. | 147 | OJEMDA..... | 62 |

06/01/2026

| | | | | | |
|--|----------|---|----------|--|----------|
| OJJAARA..... | 62 | OTEZLA XR..... | 172 | <i>penicillin g potassium</i> ... | 41 |
| <i>olanzapine</i> | 101, 102 | OTEZLA XR INITIATION | 172 | <i>penicillin g sodium</i> | 42 |
| <i>olmesartan</i> | 113 | <i>oxacillin</i> | 41 | <i>penicillin v potassium</i> ... | 42 |
| <i>olmesartan-amlodipin- hcthiazid</i> | 113 | <i>oxaliplatin</i> | 62, 63 | PENMENVY MEN A-B- C-W-Y (PF)..... | 165 |
| <i>olmesartan- hydrochlorothiazide</i> | 113 | <i>oxaprozin</i> | 89 | PENTACEL (PF)..... | 165 |
| <i>olopatadine</i> | 139 | <i>oxcarbazepine</i> | 75 | <i>pentamidine</i> | 38 |
| <i>olopatadine</i> | 196, 200 | OXERVATE..... | 189 | <i>pentoxifylline</i> | 119 |
| <i>omeprazole</i> | 159 | <i>oxybutynin chloride</i> | 208, 209 | <i>perampanel</i> | 75, 76 |
| OMNIPOD 5 (G6/LIBRE 2 PLUS)..... | 168 | <i>oxycodone</i> | 87 | <i>perindopril erbumine</i> .. | 113 |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5)..... | 168 | <i>oxycodone- acetaminophen</i> | 87 | <i>periogard</i> | 140 |
| OMNIPOD 5 G6-G7 PODS (GEN 5)..... | 168 | OZEMPIC..... | 148 | <i>permethrin</i> | 134 |
| OMNIPOD 5 INTRO(G6/LIBRE2PLUS)..... | 169 | <i>pacerone</i> | 106 | <i>perphenazine</i> | 102 |
| OMNIPOD DASH INTRO KIT (GEN 4)..... | 169 | <i>paclitaxel</i> | 63 | <i>pfizerpen-g</i> | 42 |
| OMNIPOD DASH PODS (GEN 4)..... | 169 | <i>paliperidone</i> | 102 | <i>phenelzine</i> | 102 |
| OMNITROPE..... | 161 | <i>pamidronate</i> | 151 | <i>phenobarbital</i> | 76 |
| <i>ondansetron</i> | 157 | PANRETIN..... | 127 | <i>phenobarbital sodium</i> .. | 76 |
| <i>ondansetron hcl</i> .. | 156, 157 | <i>pantoprazole</i> | 159 | <i>phenytoin</i> | 76 |
| <i>ondansetron hcl (pf)</i> ... | 156 | <i>paricalcitol</i> | 151 | <i>phenytoin sodium</i> | 76 |
| ONUREG..... | 62 | <i>paroxetine hcl</i> | 102 | <i>phenytoin sodium extended</i> | 76 |
| OPIPZA..... | 102 | PAXLOVID..... | 29, 30 | <i>philith</i> | 184 |
| ORGOVYX..... | 62 | <i>pazopanib</i> | 63 | PIFELTRO..... | 30 |
| <i>orquidea</i> | 176 | PEDIARIX (PF)..... | 165 | <i>pilocarpine hcl</i> | 137, 189 |
| ORSERDU..... | 62 | PEDVAX HIB (PF)..... | 165 | <i>pimecrolimus</i> | 127 |
| <i>oseltamivir</i> | 29 | <i>peg 3350-electrolytes</i> .. | 157 | <i>pimozide</i> | 102 |
| OSENVELT..... | 45 | PEGASYS..... | 161 | <i>pimtrea (28)</i> | 184 |
| OTEZLA..... | 172 | <i>peg-electrolyte soln</i> ... | 157 | <i>pindolol</i> | 113 |
| OTEZLA STARTER..... | 172 | PEMAZYRE..... | 63 | <i>pioglitazone</i> | 148 |
| | | <i>pemetrexed disodium</i> ... | 63 | <i>pioglitazone- glimepiride</i> | 148 |
| | | PEN NEEDLE, DIABETIC | 169 | <i>pioglitazone- metformin</i> | 148 |
| | | PENBRAYA (PF)..... | 165 | <i>piperacillin- tazobactam</i> | 42 |
| | | <i>penicillamine</i> | 172 | PIQRAY..... | 63 |
| | | PENICILLIN G POT IN DEXTROSE..... | 41 | | |

06/01/2026

| | | | | | |
|---------------------------------|-----|---------------------------------|----------|---------------------------------|----------|
| <i>pirfenidone</i> | 206 | <i>prednisolone acetate</i> .. | 192 | <i>propafenone</i> | 106 |
| <i>piroxicam</i> | 90 | <i>prednisolone sodium</i> | | <i>propranolol</i> | 113, 114 |
| <i>pitavastatin calcium</i> ... | 121 | <i>phosphate</i> | 142, 192 | <i>propylthiouracil</i> | 142 |
| PLENAMINE..... | 213 | <i>prednisone</i> | 142 | PROQUAD (PF)..... | 165 |
| PLENVU..... | 157 | <i>prednisone intensol</i> | 142 | <i>protriptyline</i> | 102 |
| <i>podofilox</i> | 127 | <i>pregabalin</i> | 76 | PULMOZYME..... | 206 |
| polyethylene glycol | | PREMARIN..... | 176 | <i>pyrazinamide</i> | 38 |
| 3350..... | 200 | <i>premasol 10 %</i> | 213 | <i>pyridostigmine</i> | |
| <i>polymyxin b sulf-</i> | | <i>prenatal vitamin plus</i> | | <i>bromide</i> | 84 |
| <i>trimethoprim</i> | 188 | <i>low iron</i> | 214 | <i>pyrimethamine</i> | 38 |
| <i>pomalidomide</i> | 63 | <i>prevalite</i> | 122 | QINLOCK..... | 63 |
| <i>portia 28</i> | 184 | PREVYMIS..... | 30 | QUADRACEL (PF) | 165, 166 |
| <i>posaconazole</i> | 25 | PREZCOBIX..... | 30 | <i>quetiapine</i> | 102, 103 |
| <i>potassium chlorid-d5-</i> | | PREZISTA..... | 30 | QUETIAPINE..... | 103 |
| <i>0.45%nacl</i> | 211 | PRIFTIN..... | 38 | <i>quinapril</i> | 114 |
| <i>potassium chloride</i> | 212 | PRIMAQUINE..... | 38 | <i>quinapril-</i> | |
| <i>potassium chloride in</i> | | PRIMIDONE..... | 76 | <i>hydrochlorothiazide</i> | 114 |
| <i>0.9%nacl</i> | 211 | <i>primidone</i> | 76 | <i>quinidine sulfate</i> | 106 |
| <i>potassium chloride in 5</i> | | PRIORIX (PF)..... | 165 | <i>quinine sulfate</i> | 38 |
| <i>% dex</i> | 211 | <i>probenecid</i> | 169 | RABAVERT (PF)..... | 166 |
| <i>potassium chloride in</i> | | <i>probenecid-colchicine</i> . | 169 | <i>rabeprazole</i> | 160 |
| <i>water</i> | 212 | <i>prochlorperazine</i> | 157 | RADICAVA ORS..... | 84 |
| <i>potassium chloride-</i> | | <i>prochlorperazine</i> | | RADICAVA ORS | |
| <i>0.45 % nacl</i> | 212 | <i>edisylate</i> | 157 | STARTER KIT SUSP..... | 84 |
| <i>potassium chloride-d5-</i> | | <i>prochlorperazine</i> | | RALDESY..... | 103 |
| <i>0.2%nacl</i> | 212 | <i>maleate</i> | 157 | <i>raloxifene</i> | 170 |
| <i>potassium chloride-d5-</i> | | <i>procto-med hc</i> | 157 | <i>ramipril</i> | 114 |
| <i>0.9%nacl</i> | 212 | <i>proctosol hc</i> | 157 | <i>ranolazine</i> | 122 |
| <i>potassium citrate</i> | 210 | <i>proctozone-hc</i> | 157 | <i>rasagiline</i> | 80 |
| PRALUENT PEN..... | 121 | <i>progesterone</i> | 176 | <i>reclipsen (28)</i> | 184 |
| <i>pramipexole</i> | 80 | <i>progesterone</i> | | RECOMBIVAX HB (PF). | 166 |
| <i>prasugrel hcl</i> | 119 | <i>micronized</i> | 176 | <i>repaglinide</i> | 148 |
| <i>pravastatin</i> | 122 | PROGRAF..... | 63 | RETACRIT..... | 161 |
| <i>praziquantel</i> | 38 | PROLASTIN-C..... | 137 | RETEVMO..... | 63, 64 |
| <i>prazosin</i> | 113 | PROLENSA..... | 190 | REVCIVI..... | 137 |
| <i>prednisolone</i> | 141 | <i>promethazine</i> | 202 | REVUFORJ..... | 64 |

06/01/2026

| | | | | | |
|-----------------------------------|----------|-----------------------------------|----------|----------------------------------|-----|
| REXULTI..... | 103 | RYBELSUS..... | 149 | <i>sodium phenylbutyrate</i> | |
| REYATAZ..... | 30 | RYDAPT..... | 65 | | 138 |
| REZDIFFRA..... | 137 | <i>sacubitril-valsartan</i> | 123 | <i>sodium polystyrene</i> | |
| REZLIDHIA..... | 64 | SANTYL..... | 128 | <i>sulfonate</i> | 138 |
| RHOPRESSA..... | 191 | <i>sapropterin</i> | 151 | <i>sodium,potassium,ma</i> | |
| <i>ribavirin</i> | 30 | SAVELLA..... | 172 | <i>g sulfates</i> | 158 |
| <i>rifabutin</i> | 38 | <i>saxagliptin</i> | 149 | SOFOSBUVIR- | |
| <i>rifampin</i> | 38 | SCEMBLIX..... | 65 | VELPATASVIR..... | 30 |
| <i>rilpivirine hcl</i> | 30 | <i>scopolamine base</i> | 157 | <i>solifenacin</i> | 209 |
| <i>riluzole</i> | 137 | SECUADO..... | 103 | SOLQUA 100/33..... | 149 |
| <i>rimantadine</i> | 30 | <i>selegiline hcl</i> | 80 | SOLTAMOX..... | 65 |
| RINVOQ..... | 172 | <i>selenium sulfide</i> | 124 | SOLU-CORTEF ACT-O- | |
| RINVOQ LQ..... | 172 | SELZENTRY..... | 30 | VIAL (PF)..... | 142 |
| <i>risedronate</i> | 137, 170 | SEREVENT DISKUS..... | 206 | SOMATULINE DEPOT.... | 65 |
| <i>risperidone</i> | 103 | <i>sertraline</i> | 104 | SOMAVERT..... | 151 |
| <i>risperidone</i> | | <i>setlakin</i> | 184 | <i>sorafenib</i> | 65 |
| <i>microspheres</i> | 103 | <i>sharobel</i> | 176 | <i>sotalol</i> | 107 |
| <i>ritonavir</i> | 30 | SHINGRIX (PF)..... | 166 | <i>sotalol af</i> | 106 |
| <i>rivaroxaban</i> | 119 | SIGNIFOR..... | 65 | SPIRIVA RESPIMAT..... | 207 |
| <i>rivastigmine</i> | 84 | <i>sildenafil</i> | | <i>spironolactone</i> | 114 |
| <i>rivastigmine tartrate</i> | 84 | <i>(pulm.hypertension)</i> ... | 207 | <i>spironolacton-</i> | |
| <i>rivelsa</i> | 184 | <i>silver sulfadiazine</i> | 128 | <i>hydrochlorothiaz</i> | 114 |
| <i>rizatriptan</i> | 81 | <i>simvastatin</i> | 122 | <i>sprintec (28)</i> | 184 |
| ROCKLATAN..... | 191 | <i>sirolimus</i> | 65 | SPRITAM..... | 77 |
| <i>roflumilast</i> | 206 | SIRTURO..... | 38 | <i>sps (with sorbitol)</i> | 138 |
| ROMVIMZA..... | 64 | SKYRIZI..... | 124, 158 | <i>ssd</i> | 128 |
| <i>ropinirole</i> | 80 | <i>sodium chloride</i> .. | 138, 213 | STAMARIL (PF)..... | 166 |
| <i>rosuvastatin</i> | 122 | <i>sodium chloride 0.45 %</i> | | STEQEYMA..... | 124 |
| ROTARIX..... | 166 | | 213 | STIVARGA..... | 66 |
| ROTATEQ VACCINE..... | 166 | <i>sodium chloride 0.9 %</i> | 138 | STOBOCLO..... | 170 |
| <i>rowepra</i> | 76 | <i>sodium chloride 3 %</i> | | STREPTOMYCIN..... | 39 |
| ROZLYTREK..... | 64 | <i>hypertonic</i> | 213 | STRIBILD..... | 30 |
| RUBRACA..... | 65 | <i>sodium chloride 5 %</i> | | SUBVENITE..... | 77 |
| <i>rufinamide</i> | 77 | <i>hypertonic</i> | 213 | <i>sucalfate</i> | 160 |
| RUKOBIA..... | 30 | <i>sodium oxybate</i> | 104 | <i>sulfacetamide sodium</i> | 189 |
| RUXIENCE..... | 65 | | | | |

06/01/2026

| | | | | |
|----------------------------------|---------------------------------|----------|---------------------------------|---------------|
| <i>sulfacetamide sodium</i> | TECENTRIQ..... | 67 | <i>tilia fe</i> | 185 |
| <i>(acne)</i> | TEFLARO..... | 34 | <i>timolol maleate</i> | |
| <i>sulfacetamide-</i> | <i>telmisartan</i> | 114 | | 115, 188, 189 |
| <i>prednisolone</i> | <i>telmisartan-</i> | | <i>tinidazole</i> | 39 |
| 189 | <i>amlodipine</i> | 114 | TIVICAY..... | 31 |
| <i>sulfadiazine</i> | <i>telmisartan-</i> | | TIVICAY PD..... | 31 |
| 43 | <i>hydrochlorothiazid</i> | 114 | <i>tizanidine</i> | 85 |
| <i>sulfamethoxazole-</i> | <i>temazepam</i> | 104 | TOBRADEX..... | 192 |
| <i>trimethoprim</i> | TENIVAC (PF)..... | 167 | <i>tobramycin</i> | 188 |
| 43 | <i>tenofovir disoproxil</i> | | <i>tobramycin in 0.225 %</i> | |
| <i>sulfasalazine</i> | <i>fumarate</i> | 31 | <i>nacl</i> | 39 |
| 158 | TEPMETKO..... | 67 | <i>tobramycin sulfate</i> | 39 |
| <i>sulindac</i> | <i>terazosin</i> | 114 | <i>tobramycin-</i> | |
| 90 | <i>terbinafine hcl</i> | 25 | <i>dexamethasone</i> | 192 |
| <i>sumatriptan</i> | <i>terbutaline</i> | 207 | <i>tolterodine</i> | 209 |
| 81 | <i>terconazole</i> | 177 | <i>tolvaptan</i> | 152 |
| <i>sumatriptan succinate</i> | <i>teriflunomide</i> | 84 | <i>tolvaptan (polycys</i> | |
| | <i>teriparatide</i> | 170 | <i>kidney dis)</i> | 152 |
| 81, 82 | <i>testosterone</i> | 151, 152 | <i>topiramate</i> | 77 |
| <i>sunitinib malate</i> | | 151 | <i>toremifene</i> | 67 |
| 66 | <i>testosterone</i> | | <i>torseamide</i> | 115 |
| SUNLENCA..... | <i>enantate</i> | 151 | TRADJENTA..... | 149 |
| 31 | <i>tetrabenazine</i> | 84 | <i>tramadol</i> | 90 |
| <i>syeda</i> | <i>tetracycline</i> | 44 | <i>tramadol-</i> | |
| 184 | THALOMID..... | 67 | <i>acetaminophen</i> | 90 |
| SYMPAZAN..... | THEO-24..... | 207 | <i>trandolapril</i> | 115 |
| 77 | <i>theophylline</i> | 207 | <i>tranexamic acid</i> | 177 |
| SYMTUZA..... | <i>thioridazine</i> | 104 | <i>tranylcyromine</i> | 104 |
| 31 | <i>thiothixene</i> | 104 | <i>travasol 10 %</i> | 213 |
| SYNJARDY..... | <i>tiadylt er</i> | 115 | <i>travoprost</i> | 191 |
| 149 | <i>tiagabine</i> | 77 | TRAZIMERA..... | 67 |
| SYNJARDY XR..... | TIBSOVO..... | 67 | <i>trazodone</i> | 104 |
| 149 | <i>ticagrelor</i> | 119 | TRELEGY ELLIPTA..... | 207 |
| SYNTHROID..... | TICOVAC..... | 167 | TREMFYA..... | 125 |
| 153 | <i>tigecycline</i> | 39 | TREMFYA ONE-PRESS..... | 124 |
| TABLOID..... | | | TREMFYA PEN..... | 125 |
| 66 | | | | |
| TABRECTA..... | | | | |
| 66 | | | | |
| <i>tacrolimus</i> | | | | |
| 66, 128 | | | | |
| <i>tadalafil</i> | | | | |
| 210 | | | | |
| <i>tadalafil (pulm.</i> | | | | |
| <i>hypertension)</i> | | | | |
| 207 | | | | |
| TAFINLAR..... | | | | |
| 66 | | | | |
| TAGRISSE..... | | | | |
| 66 | | | | |
| TALVEY..... | | | | |
| 66 | | | | |
| TALZENNA..... | | | | |
| 66 | | | | |
| <i>tamoxifen</i> | | | | |
| 66 | | | | |
| <i>tamsulosin</i> | | | | |
| 209 | | | | |
| <i>tarina 24 fe</i> | | | | |
| 185 | | | | |
| <i>tarina fe 1-20 eq (28)</i> .. | | | | |
| 185 | | | | |
| <i>tazarotene</i> | | | | |
| 130 | | | | |
| TAZVERIK..... | | | | |
| 66 | | | | |

06/01/2026

| | | | | |
|----------------------------------|---------------------------------|--------|-----------------------------------|----------|
| TREMFYA PEN | TROGARZO..... | 31 | <i>varenicline tartrate</i> | 139 |
| INDUCTION PK(2PEN).125 | TROPHAMINE 10 %.... | 213 | VARIVAX (PF)..... | 167 |
| <i>treprostinil sodium</i> | <i>trospium</i> | 209 | VASCEPA..... | 122 |
| <i>tretinoin</i> | TRULICITY..... | 149 | VAXCHORA VACCINE.. | 167 |
| <i>tretinoin</i> | TRUMENBA..... | 167 | <i>velivet triphasic</i> | |
| <i>(antineoplastic)</i> | TRUQAP..... | 67 | <i>regimen (28)</i> | 186 |
| <i>tretinoin microspheres</i> | TUKYSA..... | 67 | VEMLIDY..... | 31 |
| <i>triamcinolone</i> | TURALIO..... | 67 | VENCLEXTA..... | 68 |
| <i>acetonide</i> | <i>turqoz (28)</i> | 186 | VENCLEXTA STARTING | |
| <i>triamterene-</i> | TWINRIX (PF)..... | 167 | PACK..... | 68 |
| <i>hydrochlorothiazid</i> | TYENNE..... | 173 | <i>venlafaxine</i> | 104, 105 |
| <i>tridacaine ii</i> | TYENNE | | VENTOLIN HFA..... | 208 |
| <i>triderm</i> | AUTOINJECTOR..... | 173 | <i>verapamil</i> | 116 |
| <i>trientine</i> | TYPHIM VI..... | 167 | VERQUVO..... | 123 |
| <i>tri-estarylla</i> | <i>unithroid</i> | 153 | VERSACLOZ..... | 105 |
| <i>trifluoperazine</i> | UPTRAVI..... | 115 | VERZENIO..... | 68 |
| <i>trifluridine</i> | <i>ursodiol</i> | 158 | <i>vestura (28)</i> | 186 |
| <i>trihexyphenidyl</i> | USTEKINUMAB-AEKN.125 | | <i>vienva</i> | 186 |
| TRIJARDY XR..... | USTEKINUMAB-TTWE.125 | | <i>vigabatrin</i> | 78 |
| TRIKAFTA..... | <i>valacyclovir</i> | 31 | <i>vigadrone</i> | 78 |
| <i>tri-legest fe</i> | VALCHLOR..... | 128 | <i>vilazodone</i> | 105 |
| <i>tri-linyiah</i> | <i>valganciclovir</i> | 31 | VIMKUNYA..... | 168 |
| <i>tri-lo-estarylla</i> | <i>valproate sodium</i> | 77 | <i>vincristine</i> | 68 |
| <i>tri-lo-marzia</i> | <i>valproic acid</i> | 78 | <i>vinorelbine</i> | 68 |
| <i>tri-lo-mili</i> | <i>valproic acid (as</i> | | <i>viorele (28)</i> | 186 |
| <i>tri-lo-sprintec</i> | <i>sodium salt)</i> | 77 | VIRACEPT..... | 31 |
| <i>trimethoprim</i> | <i>valsartan</i> | 115 | VIREAD..... | 31, 32 |
| <i>tri-mili</i> | <i>valsartan-</i> | | VITRAKVI..... | 68 |
| <i>trimipramine</i> | <i>hydrochlorothiazide</i> | 116 | VIVOTIF..... | 168 |
| TRINTELLIX..... | VALTOCO..... | 78 | VIZIMPRO..... | 69 |
| <i>tri-nymyo</i> | <i>valtya</i> | 186 | VONJO..... | 69 |
| <i>tri-sprintec (28)</i> | <i>vancomycin</i> | 39, 40 | VORANIGO..... | 69 |
| TRIUMEQ..... | VANCOMYCIN IN 0.9 % | | <i>voriconazole</i> | 25 |
| TRIUMEQ PD..... | SODIUM CHL..... | 39 | <i>voriconazole-hpbcd</i> | 25 |
| <i>tri-vylibra</i> | VANFLYTA..... | 68 | VOWST..... | 158 |
| <i>tri-vylibra lo</i> | VAQTA (PF)..... | 167 | VRAYLAR..... | 105 |

06/01/2026

| | | | |
|--|--------|--|-----|
| <i>vyfemla (28)</i> | 186 | <i>yuvaferm</i> | 176 |
| <i>vylibra</i> | 186 | <i>zaditor</i> | 201 |
| VYZULTA..... | 191 | <i>zafemy</i> | 177 |
| <i>warfarin</i> | 119 | <i>zafirlukast</i> | 208 |
| <i>water for irrigation,</i> <i>sterile</i> | 138 | ZEJULA..... | 70 |
| WELIREG..... | 69 | ZELBORAF..... | 70 |
| <i>wera (28)</i> | 186 | <i>zenatane</i> | 130 |
| WINREVAIR..... | 208 | ZENPEP..... | 158 |
| <i>wymzya fe</i> | 186 | <i>zidovudine</i> | 32 |
| XALKORI..... | 69 | <i>ziprasidone hcl</i> | 105 |
| <i>xarah fe</i> | 187 | <i>ziprasidone mesylate</i> .. | 105 |
| XARELTO..... | 119 | ZIRABEV..... | 70 |
| XARELTO DVT-PE TREAT 30D START..... | 119 | ZIRGAN..... | 188 |
| XATMEP..... | 69 | <i>zoledronic acid</i> | 152 |
| XCOPRI..... | 78 | <i>zoledronic acid-</i> <i>mannitol-water</i> | 138 |
| XCOPRI MAINTENANCE PACK.... | 78 | ZOLINZA..... | 70 |
| XCOPRI TITRATION PACK..... | 78, 79 | <i>zolmitriptan</i> | 82 |
| XDEMVY..... | 189 | <i>zolpidem</i> | 105 |
| XERMELO..... | 69 | ZONISADE..... | 79 |
| XIFAXAN..... | 40 | <i>zonisamide</i> | 79 |
| XIGDUO XR..... | 149 | <i>zovia 1-35 (28)</i> | 187 |
| XOLAIR..... | 208 | ZTALMY..... | 79 |
| XOSPATA..... | 69 | <i>zumandimine (28)</i> | 187 |
| XPOVIO..... | 70 | ZURZUVAE..... | 105 |
| XTANDI..... | 70 | ZYDELIG..... | 71 |
| <i>xulane</i> | 177 | ZYKADIA..... | 71 |
| YF-VAX (PF)..... | 168 | ZYPREXA RELPREVV.... | 105 |
| YUFLYMA(CF)..... | 173 | | |
| YUFLYMA(CF) AI CROHN'S-UC-HS..... | 173 | | |
| YUFLYMA(CF) AUTOINJECTOR..... | 173 | | |

06/01/2026



This Drug list was updated on 06/01/2026.

For more recent information or other questions, please contact us at **1-833-998-5063** (TTY **711**), between October 1 and March 31, representatives are available seven days a week, 8 a.m. to 8 p.m., between April 1 and September 30, representatives are available Monday–Friday, 8 a.m. to 8 p.m. or visit **go.wellcare.com/ATC**.

06/01/2026

Medicare_{Rx}
Prescription Drug Coverage