



## Meridian Medicare-Medicaid Plan (MMP)

# 2025 *List of Covered Drugs*

## (*Drug List* or Formulary)

### Introduction

This document is called the *List of Covered Drugs* (also known as the *Drug List*). It tells you which prescription drugs and over-the-counter drugs and items are covered by Meridian Medicare-Medicaid Plan (MMP). The *Drug List* also tells you if there are any special rules or restrictions on any drugs covered by Meridian Medicare-Medicaid Plan (MMP). Key terms and their definitions appear in the last chapter of the *Member Handbook*.



Updated on 04/01/2025.

HPMS Approved Formulary File Submission ID 25054  
Version Number 12

For more recent information or other questions, contact us at **1-855-580-1689** (TTY users should call **711**), Monday through Friday, 8 a.m. to 8 p.m. CST. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day or visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

# Table of Contents

A. Disclaimers .....	2
B. Frequently Asked Questions (FAQ) .....	7
B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “ <i>Drug List</i> ” for short.) .....	7
B2. Does the <i>Drug List</i> ever change? .....	8
B3. What happens when there is a change to the <i>Drug List</i> ? .....	9
B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs? .....	11
B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug? ..	11
B6. What happens if Meridian Medicare-Medicaid Plan (MMP) changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)? .....	12
B7. How can I find a drug on the <i>Drug List</i> ? .....	12
B8. What if the drug I want to take is not on the <i>Drug List</i> ? .....	12
B9. What if I am a new Meridian Medicare-Medicaid Plan (MMP) member and can’t find my drug on the <i>Drug List</i> or have a problem getting my drug? .....	13
B10. Can I ask for an exception to cover my drug? .....	14
B11. How can I ask for an exception? .....	14
B12. How long does it take to get an exception? .....	14
B13. What are generic drugs? .....	14
B14. What are original biological products and how are they related to biosimilars? .....	15
B15. What are OTC drugs? .....	15
B16. Does Meridian Medicare-Medicaid Plan (MMP) cover non-drug OTC products? .....	15
B17. What is my copay? .....	16
B18. What are drug tiers? .....	16
C. Overview of the <i>List of Covered Drugs</i> .....	17
C1. Drugs Grouped by Medical Condition .....	18
D. Index of Covered Drugs.....	INDEX-1



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

## A. Disclaimers

This is a list of drugs that members can get in Meridian Medicare-Medicaid Plan (MMP).

- ❖ Meridian Medicare-Medicaid Plan (MMP) is a health plan that contracts with both Medicare and Illinois Medicaid to provide benefits of both programs to enrollees.
- ❖ We have free interpreter services to answer any questions that you may have about our health or drug plan. To get an interpreter just call us at **1-855-580-1689 (TTY: 711)**. Hours are from Monday through Friday, 8 a.m. to 8 p.m. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. Someone that speaks English/Language can help you. This is a free service.

Contamos con los servicios gratuitos de un intérprete para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o de medicamentos. Para solicitar un intérprete, llámenos al **1-855-580-1689 (TTY: 711)**. El horario de atención es de lunes a viernes, de 8 a.m. a 8 p.m. Es posible que los fines de semana y los días festivos estatales o federales le pidan que deje un mensaje. Lo llamaremos el siguiente día hábil. Alguien que hable español puede ayudarlo. Este es un servicio gratuito.

我們提供免費的口譯服務，為您解答您對我們的健康或藥物計劃可能存有的疑問。要獲得口譯員，致電 **1-855-580-1689 (TTY: 711)** 联系我们即可。我們的工作時間：周一至周五早上 8 点至晚上 8 点。周末和州/联邦节假日请留言。我们将在下一个工作日内给您回电。会讲中文（普通话）的人员可以为您提供帮助。这项服务免费。

我們提供免費的口譯服務，可解答您對我們的健康或藥物計劃可能有的任何疑問。如需口譯員服務，請致電 **1-855-580-1689 (TTY: 711)**。服務時間為週一至週五，上午 8 點至晚上 8 點。週末和州或聯邦假日，可能會要求您留言。我們將在下一個工作日内回電給您。會說廣東話的人員可以幫助您。此為免費服務。

May mga libre kaming serbisyo sa pagsasalin para sagutin ang anumang posibleng tanong ninyo tungkol sa aming planong pangkalusugan o plano sa gamot. Para makakuha ng tagasalin, tawagan lang kami sa **1-855-580-1689 (TTY: 711)**. Ang mga oras ay 8 a.m. hanggang 8 p.m. mula Lunes hanggang Biyernes. Kapag Sabado at Linggo at mga pang-estado o pederal na holiday, posibleng hilingin sa inyo na mag-iwan ng mensahe. Tatawagan kayo sa susunod na araw na may pasok. May nagsasalita ng Tagalog na makakatulong sa inyo. Isa itong libreng serbisyo.

Nous disposons de services d'interprétation gratuits pour répondre à toutes les questions que vous vous posez sur notre régime de santé ou de médicaments. Pour obtenir les services d'un interprète, il vous suffit de nous appeler au **1-855-580-1689 (TTY : 711)**. Les heures d'ouverture sont du lundi au vendredi, de 8 heures à 20 heures. Le week-end et les jours fériés nationaux ou fédéraux, il se peut que l'on vous demande de laisser un message. Vous serez rappelé le jour ouvrable suivant. Une personne parlant français pourra vous aider. Ce service est gratuit.

***This section is continued on the next page.***



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

Chúng tôi có dịch vụ thông dịch miễn phí để trả lời mọi câu hỏi quý vị có thể có về chương trình sức khỏe hoặc thuốc của chúng tôi. Để được hỗ trợ thông dịch, chỉ cần gọi cho chúng tôi theo số **1-855-580-1689 (TTY: 711)**. Giờ làm việc là từ Thứ Hai đến Thứ Sáu, từ 8 a.m. đến 8 p.m. Vào cuối tuần và ngày lễ của tiểu bang hoặc liên bang, quý vị có thể được yêu cầu để lại tin nhắn. Chúng tôi sẽ trả lời cuộc gọi của quý vị vào ngày làm việc tiếp theo. Nhân viên nói tiếng Việt có thể trợ giúp quý vị. Đây là dịch vụ miễn phí.

Wir bieten Ihnen einen kostenlosen Dolmetschservice, wenn Sie Fragen zu unseren Gesundheits- oder Medikamentenplänen haben. Um einen Dolmetscher in Anspruch zu nehmen, rufen Sie uns unter folgender Telefonnummer an: **1-855-580-1689 (TTY: 711)**. Wir sind montags bis freitags von 8 bis 20 Uhr erreichbar. An Wochenenden und an Feiertagen werden Sie möglicherweise aufgefordert, eine Nachricht zu hinterlassen. Wir rufen Sie am nächsten Werktag zurück. Ein deutschsprachiger Mitarbeiter wird Ihnen behilflich sein. Dieser Service ist kostenlos.

당사의 건강 또는 의약품 플랜과 관련해서 물어볼 수 있는 모든 질문에 답변하기 위한 무료 통역 서비스가 있습니다. 통역사가 필요한 경우, **1-855-580-1689(TTY: 711)**번으로 연락해 주십시오. 월요일부터 금요일까지 오전 8시~오후 8시에 문의하십시오. 주말 및 주 또는 연방 공휴일에는 메시지를 남길 것을 요청할 수 있습니다. 그러면 다음 영업일에 전화드리겠습니다. 한국어를 구사하는 통역사가 도움을 드릴 수 있습니다. 통역 서비스는 무료로 제공됩니다.

Если у вас возникли какие-либо вопросы о нашем плане медицинского страхования или плане с покрытием лекарственных препаратов, вам доступны бесплатные услуги переводчика. Если вам нужен переводчик, просто позвоните нам по номеру **1-855-580-1689 (TTY: 711)**. Часы работы: с понедельника по пятницу с 8 a.m. до 8 p.m. В выходные дни и государственные праздники вас могут попросить оставить сообщение. Вам перезвонят на следующий рабочий день. Вам окажет помощь сотрудник, говорящий на русском языке. Данная услуга бесплатна.

نوفر خدمات ترجمة فورية مجانية للإجابة على أي أسئلة قد تكون لديك حول خطة الصحة أو الدواء الخاصة بنا. للحصول على مترجم فوري، ما عليك سوى الاتصال بنا على الرقم **1-855-580-1689 (TTY: 711)**. من الاثنين إلى الجمعة، من الساعة 8 صباحًا وحتى الساعة 8 مساءً. قد يُطلب منك ترك رسالة في عطلات نهاية الأسبوع وفي أيام الإجازات الرسمية أو الإجازات الفيدرالية، وسنعاود الاتصال بك خلال يوم العمل التالي. يمكن أن يساعدك شخص يتحدث العربية وهذه الخدمة مجانية.

Sono disponibili servizi di interpretariato gratuiti per rispondere a qualsiasi domanda possa avere in merito al nostro piano farmacologico o sanitario. Per usufruire di un interprete, è sufficiente contattare il numero **1-855-580-1689 (TTY: 711)** dal lunedì al venerdì dalle 8:00 alle 20:00. Nei fine settimana e nei giorni festivi statali o federali potrebbe essere necessario lasciare un messaggio. La ricontatteremo entro il giorno lavorativo successivo. Qualcuno la assisterà in lingua italiana. È un servizio gratuito.

***This section is continued on the next page.***



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

Temos serviços de intérprete gratuitos para responder a quaisquer dúvidas que possa ter sobre o nosso plano de saúde ou medicação. Para obter um intérprete, contacte-nos através do número **1-855-580-1689 (TTY: 711)**. O horário é de segunda-feira a sexta-feira, das 08:00 às 20:00. Se ligar num fim de semana ou num feriado estadual ou federal, poderá ter de deixar mensagem. A sua chamada será devolvida no próximo dia útil. Um falante de português poderá ajudá-lo. Este serviço é gratuito.

Nou gen sèvis tradiksyon nan bouch gratis pou reponn nenpòt kesyon ou gendwa vle poze konsènan sante w ak plan medikaman w lan. Pou jwenn yon entèprèt pou tradui pou w, annik rele nou nan **1-855-580-1689 (TTY: 711)**. Orè a se Lendi pou Vandredi, 8 a.m. jiska 8 p.m. Nan wikenn epi pandan jou ferye Eta a oswa federal, yo gendwa mande w pou w kite yon mesaj. Y ap rele w nan landemen si biwo yo louvri. Yon moun ki pale Kreyòl Ayisyen pral ede w. Sèvis sa a gratis.

Oferujemy bezpłatną usługę tłumaczenia ustnego, która pomoże Państwu uzyskać odpowiedzi na ewentualne pytania dotyczące naszego planu leczenia lub planu refundacji leków. Aby skorzystać z usługi tłumaczenia ustnego, wystarczy zadzwonić pod numer **1-855-580-1689 (TTY: 711)** od poniedziałku do piątku w godzinach od 8:00 do 20:00. W weekendy i święta konieczne może być pozostawienie wiadomości. Oddzwonimy w następnym dniu roboczym. Zapewni to Państwu pomoc osoby mówiącej po polsku. Usługa ta jest bezpłatna.

हमारे स्वास्थ्य या ड्रग प्लान के बारे में आपके किसी भी सवाल का जवाब देने के लिए, हम मुफ्त में दुभाषिया सेवाएं देते हैं। दुभाषिया सेवा पाने के लिए, बस हमें **1-855-580-1689 (TTY: 711)** पर कॉल करें। सोमवार से शुक्रवार कार्य का समय सुबह 8 बजे से लेकर रात 8 बजे तक है। सप्ताहांत और राज्य या संघीय अवकाशों पर, आपसे संदेश छोड़ने के लिए कहा जा सकता है। आपके कॉल का जवाब अगले व्यावसायिक दिन के अंदर दिया जाएगा। हर्दी में बात करने वाला सहायक आपकी मदद करेगा। यह एक नशिल्क सेवा है।

弊社の健康や薬剤計画についてご質問がある場合は、無料の通訳サービスをご利用いただけます。通訳を利用するには、**1-855-580-1689 (TTY : 711)** にお電話ください。対応時間は月曜日～金曜日の午前8時～午後8時です。対応時間後、または週末および祝日はボイスメッセージを残してください。次の対応時間内に折り返しお電話いたします。日本語の通訳担当者が対応します。これは無料のサービスです。

*This section is continued on the next page.*



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

Διαθέτουμε δωρεάν υπηρεσίες διερμηνέων για να απαντήσουμε σε τυχόν ερωτήσεις που μπορεί να έχετε σχετικά με το πρόγραμμα υγείας ή το πρόγραμμα φαρμάκων. Για να βρείτε διερμηνέα, απλά καλέστε μας στο **1-855-580-1689 (TTY: 711)** από τις 8 π.μ. έως τις 8 μ.μ., από Δευτέρα έως Παρασκευή. Μετά το πέρας του εργάσιμου ωραρίου, τα Σαββατοκύριακα και τις αργίες, ενδέχεται να σας ζητηθεί να αφήσετε μήνυμα. Η κλήση σας θα απαντηθεί εντός της επόμενης εργάσιμης ημέρας. Κάποιος που μιλάει ελληνικά μπορεί να σας βοηθήσει. Πρόκειται για δωρεάν υπηρεσία.

અમારા હેલ્થ અથવા ડરગ પ્લાન વશિ તમને હોઈ શકે તેવા કોઈ પણ પ્રશ્નોના જવાબ આપવા માટે અમારી પાસે મફત દુભાષણીની સેવાઓ રહેલી છે. દુભાષણી મેળવવા માટે, બસ અમને **1-855-580-1689 (TTY: 711)** પર કોલ કરો. કોલ કરવાનો સમય, સોમવારથી શુક્રવાર સુધી, સવારે 8 વાગ્યાથી રાત્રે 8 વાગ્યા સુધીનો છે. શન-રવિ અને રાજ્યની કે ફેડરલ રજાઓ પર, તમને મેસેજ આપી રાખવા માટે કહેવામાં આવી શકે છે. તમારા કોલ પર વળતો કોલ કામકાજના આગલા દવિસની અંદર કરવામાં આવશે. ગુજરાતી બોલતી કોઈ વ્યક્તિમારી મદદ કરી શકે છે. આ એક મફત સેવા છે.

ہمارے صحت یا دوائی پلان کے متعلق آپ کے کسی بھی سوال کا جواب دینے کے لیے، ہم مفت ترجمان کی سروسز فراہم کرتے ہیں۔ ترجمان کی خدمت حاصل کرنے کے لیے ہمیں بس **1-855-580-1689 (TTY: 711)** پر کال کریں۔ رابطہ کرنے کے اوقات پیر تا جمعہ، صبح 8 بجے سے شام 8 بجے تک ہیں۔ ویکینڈ اور ریاستی یا وفاقی تعطیلات پر، آپ کو پیغام بھیجنے کے لیے کہا جا سکتا ہے۔ آپ کے کال کا جواب اگلے کاروباری دن میں دیا جائے گا۔ کوئی اردو میں بات کرنے والا شخص آپ کی مدد کرے گا/ کرے گی۔ یہ ایک مفت سروس ہے۔

***This section is continued on the next page.***



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

- ❖ You can get this document for free in other formats, such as large print, Braille, or CD audio formats. Call 1-855-580-1689 (TTY: 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.
- ❖ This document is available for free in Spanish.
- ❖ Meridian MMP can provide materials in languages other than English or in an alternate format. This includes large print, Braille, and audio formats. To receive materials in other languages or formats, call 1-855-580-1689 (TTY: 711). Representatives are available Monday through Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.
  - If you would like to continue to receive printed materials after you have made a request, we will work with you to supply them annually, or until a request to stop sending printed materials is given.
  - You may make a standing request, update, or change language and format preferences in your account on your Illinois Application for Benefits Eligibility (ABE) in Manage My Case at [abe.illinois.gov](http://abe.illinois.gov). Meridian MMP receives your language preference updates from ABE. Or you can call Member Services at 1-855-580-1689 (TTY: 711). Representatives are available Monday through Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

## B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more, or look for a question and answer.

### B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “*Drug List*” for short.)

The drugs on the *List of Covered Drugs* that starts in section C1 are the drugs covered by Meridian Medicare-Medicaid Plan (MMP). These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- Meridian Medicare-Medicaid Plan (MMP) will cover all medically necessary drugs on the *Drug List* if:
  - your doctor or other prescriber says you need them to get better or stay healthy, **and**
  - you fill the prescription at a Meridian Medicare-Medicaid Plan (MMP) network pharmacy.
- Meridian Medicare-Medicaid Plan (MMP) may have additional steps to access certain drugs (refer to question B4 below).

You can also find an up-to-date list of drugs that we cover on our website at <https://mmp.ilmeridian.com/pharmacy/formulary.html> or call Member Services at 1-855-580-1689 (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ilmeridian.com](https://mmp.ilmeridian.com).



## **B2. Does the *Drug List* ever change?**

Yes, and Meridian Medicare-Medicaid Plan (MMP) must follow Medicare and Medicaid rules when making changes. We may add or remove drugs on the *Drug List* during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior authorization (PA) or approval for a drug. (PA is permission from Meridian Medicare-Medicaid Plan (MMP) before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

- a new, cheaper drug comes on the market that works as well as a drug on the *Drug List* now, **or**
- we learn that a drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the *Drug List* changes.

- You can always check Meridian Medicare-Medicaid Plan (MMP)'s up to date *Drug List* online at <https://mmp.ilmeridian.com/pharmacy/formulary.html>. Updates to the *Drug List* are posted on the website monthly.
- You can also call Member Services to check the current *Drug List* at 1-855-580-1689 (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ilmeridian.com](https://mmp.ilmeridian.com).

### **B3. What happens when there is a change to the *Drug List*?**

Some changes to the *Drug List* will happen **immediately**. For example:

- **Substitutions of certain new versions of drugs.** We may immediately remove the drugs from the *Drug List* if we replace them with certain new versions of that drug, but your cost for the new drug will stay the same. When we add a new version of a drug, we may also decide to keep the brand name drug or original biological product on the list but change its coverage rules or limits.
    - We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
    - We can make these changes only if the drug we are adding:
      - Is a new generic version of a brand name drug, or
      - Is a certain new biosimilar version of original biological products on the *Drug List* (for example, adding an interchangeable biosimilar that can be substituted for an original biological product without a new prescription).

Some of these drug types may be new to you. For more information, refer to Section B14.

  - You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or effective or the drug's manufacturer takes a drug off the market, we may immediately take it off the *Drug List*. If you are taking the drug, we will send you a notice after we make the change. Please talk to your doctor or other prescriber to help you decide if there is a similar drug on the *Drug List* that you can take instead.

***This section is continued on the next page.***



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

**We may make other changes that affect the drugs you take.** We will tell you in advance about these other changes to the *Drug List*. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.
- We remove a brand name drug from the *Drug List* when adding a generic drug that is not new to the market, or
- we remove an original biological product when adding a biosimilar, or
- we change the coverage rules or limits for the brand name drug.

When these changes happen, we will:

- tell you at least 30 days before we make the change to the *Drug List* **or**
- let you know and give you a 30-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- if there is a similar drug on the *Drug List* you can take instead **or**
- whether to ask for an exception from these changes. To learn more about exceptions, refer to question B10.



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

#### **B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?**

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases, you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from Meridian Medicare-Medicaid Plan (MMP) before you fill your prescription. Meridian Medicare-Medicaid Plan (MMP) may not cover the drug if you do not get approval.
- **Quantity limits:** Sometimes Meridian Medicare-Medicaid Plan (MMP) limits the amount of a drug you can get.
- **Step therapy:** Sometimes Meridian Medicare-Medicaid Plan (MMP) requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables in section C1. You can also get more information by visiting our website at <https://mmp.ilmeridian.com/pharmacy/prior-authorization-step-therapy-and-quantity-limits.html>. We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception to these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the *Drug List* you can take instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.

#### **B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?**

The table of drugs in section C1 has a column labeled "Necessary actions, restrictions, or limits on use."



---

**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ilmeridian.com](https://mmp.ilmeridian.com).

## **B6. What happens if Meridian Medicare-Medicaid Plan (MMP) changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?**

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the *Drug List* change.

## **B7. How can I find a drug on the *Drug List*?**

There are two ways to find a drug:

- You can search alphabetically by the drug's name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section. You can find it if you know how to spell the drug. The Index of Covered Drugs is an alphabetical list of all of the drugs included in the *Drug List*. Brand name drugs, generic drugs, and over-the-counter (OTC) drugs are listed in the index.

To search **by medical condition**, find the section labeled “Drugs Grouped by Medical Condition” in section C1. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, CARDIOVASCULAR, HYPERTENSION / LIPIDS. That is where you will find drugs that treat heart conditions.

## **B8. What if the drug I want to take is not on the *Drug List*?**

If you don't find your drug on the *Drug List*, call Member Services at 1-855-580-1689, TTY 711, and ask about it. Our hours of operation are Monday through Friday, 8 a.m. to 8 p.m. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free. If you learn that Meridian Medicare-Medicaid Plan (MMP) will not cover the drug, you can do one of these things:

- Ask Member Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the *Drug List* that is like the one you want to take. **Or**
- You can ask the health plan to make an exception to cover your drug. Please refer to questions B10–B12 for more information about exceptions.



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

## **B9. What if I am a new Meridian Medicare-Medicaid Plan (MMP) member and can't find my drug on the *Drug List* or have a problem getting my drug?**

We can help. We may cover a temporary 30-day supply of your Part D drug during the first 90 days and a 180-day supply of your Medicaid drug during the first 180 days you are a member of Meridian Medicare-Medicaid Plan (MMP). This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the *Drug List* you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 30 days of medication.

We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our *Drug List*, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires PA by Meridian Medicare-Medicaid Plan (MMP), **or**
- you are taking a drug that is part of a step therapy restriction.

If you are in a nursing home or other long-term care facility, and need a drug that is not on the *Drug List* or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a long-term care facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new Meridian Medicare-Medicaid Plan (MMP) member.
- This is in addition to the temporary supply during the first 90 days you are a member of Meridian Medicare-Medicaid Plan (MMP).

If your level of care changes (such as moving to or from a long-term care facility or hospital), we will cover one temporary 30-day supply. If your prescription is written for fewer days, we will allow refills to provide up to a total of a 30-day supply.



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

## **B10. Can I ask for an exception to cover my drug?**

Yes. You can ask Meridian Medicare-Medicaid Plan (MMP) to make an exception to cover a drug that is not on the *Drug List*.

You can also ask us to change the rules on your drug.

- For example, Meridian Medicare-Medicaid Plan (MMP) may limit the amount of a drug we will cover. If your drug has a limit, you can ask us to change the limit and cover more.
- Other examples: You can ask us to drop step therapy restrictions or PA requirements.

## **B11. How can I ask for an exception?**

To ask for an exception, call Member Services. A Member Services representative will work with you and your provider to help you ask for an exception. You can also read Chapter 9 section F of the *Member Handbook* to learn more about exceptions.

## **B12. How long does it take to get an exception?**

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. You, your representative, or your doctor (or other prescriber) can call, write, or fax us to make your request. You can also access the coverage decision process through our website. For the details, go to Chapter 2, Section A of the *Member Handbook* and look for the section called “How to contact Meridian Member Services”.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, we will give you a decision within 24 hours of getting your prescriber’s supporting statement.

## **B13. What are generic drugs?**

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and generally work just as well. They usually don’t have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA). There are generic drugs available for many brand name drugs. Generic drugs usually can be substituted for brand name drugs at the pharmacy without a new prescription—depending on state laws.

Meridian Medicare-Medicaid Plan (MMP) covers both brand name drugs and generic drugs.



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

#### **B14. What are original biological products and how are they related to biosimilars?**

When we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have forms that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilars alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For more information on drug types, refer to Chapter 5 of the *Member Handbook*.

#### **B15. What are OTC drugs?**

OTC stands for “over-the-counter.” Meridian Medicare-Medicaid Plan (MMP) covers some OTC drugs when they are written as prescriptions by your provider.

You can read the Meridian Medicare-Medicaid Plan (MMP) *Drug List* to find what OTC drugs are covered.

#### **B16. Does Meridian Medicare-Medicaid Plan (MMP) cover non-drug OTC products?**

Meridian Medicare-Medicaid Plan (MMP) covers some non-drug OTC products when they are written as prescriptions by your provider.

Examples of non-drug OTC products include nasal moisturizing spray and alcohol swabs.

You can read the Meridian Medicare-Medicaid Plan (MMP) *Drug List* to find what non-drug OTC products are covered.



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).



## **B17. What is my copay?**

As a Meridian Medicare-Medicaid Plan (MMP) member, you have no copays for prescription and OTC drugs as long as you follow Meridian Medicare-Medicaid Plan (MMP)'s rules.

## **B18. What are drug tiers?**

Tiers are groups of drugs on our *Drug List*.

- Tier 1 (Generic) includes generic drugs.
- Tier 2 (Brand) includes brand drugs and may include some generic drugs.
- Tier 3 (Non-Medicare Rx/OTC Drugs) includes some prescription and over-the-counter (OTC) generic and brand drugs that are covered by Medicaid.

Copays for Tiers 1, 2 and 3 are all \$0.



**If you have questions**, call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information**, visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

## C. Overview of the *List of Covered Drugs*

The following *List of Covered Drugs* gives you information about the drugs covered by Meridian Medicare-Medicaid Plan (MMP). If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins in section D. The index alphabetically lists all drugs covered by Meridian Medicare-Medicaid Plan (MMP).

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., ELIQUIS) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the necessary actions, restrictions, or limits on use column tells you if Meridian Medicare-Medicaid Plan (MMP) has any rules for covering your drug.

- **NT** stands for Not Part D. This drug is not a “Part D drug.”
- **NM** means the drug is not available via your monthly mail service benefit. This is noted in the Necessary actions, restrictions, or limits on use column of your formulary.
- **PA** stands for Prior Authorization. Refer to question B4.
- **PA-NS** stands for Prior Authorization for New Starts. This means that if this drug is new to you, you will need to get approval from us before you fill your prescription. If you are taking this drug at the time of enrollment, you will not be required to meet criteria for approval.
- **B/D** stands for Covered under Medicare B or D. This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from us to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, we may not cover this drug.
- **QL** stands for Quantity Limits. Refer to question B4.
- **LA** stands for Limited Access medication. This prescription may be available only at certain pharmacies. For more information consult your Provider and Pharmacy Directory or call Member Services at 1-855-580-1689, TTY 711, Monday through Friday, 8 a.m. to 8 p.m. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.
- **ST** stands for Step Therapy. Refer to question B4.
- **^** stands for Drug may be available for up to a 30-day supply only.

***This section is continued on the next page.***



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

**Note:** The NT next to a drug means the drug is not a “Part D drug.” The amount you pay when you fill a prescription for this drug does not count towards your total drug costs (that is, the amount you pay does not help you qualify for catastrophic coverage).

- In addition, if you are getting Extra Help to pay for your prescriptions, you will not get any Extra Help to pay for these drugs. For more information on Extra Help, please refer to the call-out box below.

**Extra Help** is a Medicare program that helps people with limited incomes and resources reduce Medicare Part D prescription drug costs, such as premiums, deductibles, and copays. Extra Help is also called the “Low-Income Subsidy,” or “LIS.”

- These drugs also have different rules for appeals. An appeal is a formal way of asking us to review a coverage decision and to change it if you think we made a mistake. For example, we might decide that a drug that you want is not covered or is no longer covered by Medicare or Medicaid.
- If you or your prescriber disagrees with our decision, you can appeal. To ask for instructions on how to appeal, call Member Services at 1-855-580-1689, TTY 711, Monday through Friday, 8 a.m. to 8 p.m. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free. You can also read Chapter 9, of the *Member Handbook* to learn how to appeal a decision.

## **C1. Drugs Grouped by Medical Condition**

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, **CARDIOVASCULAR, HYPERTENSION / LIPIDS**. That is where you will find drugs that treat heart conditions.

You can find information on what the symbols and abbreviations in this table mean by referring to section C.



**If you have questions,** call Meridian Medicare-Medicaid Plan (MMP) at 1-855-580-1689, (TTY users should call 711). Representatives are available Monday-Friday, 8 a.m. to 8 p.m. to assist you. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day. The call is free.

**For more information,** visit [mmp.ILmeridian.com](http://mmp.ILmeridian.com).

## Table of Contents

ANTI - INFECTIVES .....	21
ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS .....	32
AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH .....	42
CARDIOVASCULAR, HYPERTENSION / LIPIDS .....	67
DERMATOLOGICALS/TOPICAL THERAPY .....	75
DIAGNOSTICS / MISCELLANEOUS AGENTS .....	81
EAR, NOSE / THROAT MEDICATIONS .....	86
ENDOCRINE/DIABETES .....	87
GASTROENTEROLOGY .....	94
IMMUNOLOGY, VACCINES / BIOTECHNOLOGY .....	107
MISCELLANEOUS SUPPLIES .....	111
MUSCULOSKELETAL / RHEUMATOLOGY .....	112
OBSTETRICS / GYNECOLOGY .....	114
OPHTHALMOLOGY .....	123
RESPIRATORY AND ALLERGY .....	125
UROLOGICALS .....	134
VITAMINS, HEMATINICS / ELECTROLYTES .....	136



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>ANTI - INFECTIVES</b>	
<b>ANTIFUNGAL AGENTS</b>	
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	\$0 (Tier 2) B/D
<i>amphotericin b injection recon soln 50 mg</i>	\$0 (Tier 1) B/D
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i>	\$0 (Tier 1)
<i>clotrimazole mucous membrane troche 10 mg</i>	\$0 (Tier 1)
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG	\$0 (Tier 2) PA; ^
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	\$0 (Tier 1)
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	\$0 (Tier 1)
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	\$0 (Tier 1)
<i>flucytosine oral capsule 250 mg, 500 mg</i>	\$0 (Tier 2) PA; ^
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	\$0 (Tier 1)
<i>griseofulvin microsize oral tablet 500 mg</i>	\$0 (Tier 1)
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	\$0 (Tier 1)
<i>itraconazole oral capsule 100 mg</i>	\$0 (Tier 1) PA; QL (120 EA per 30 days)
<i>ketoconazole oral tablet 200 mg</i>	\$0 (Tier 1) PA
<i>micafungin intravenous recon soln 100 mg, 50 mg</i>	\$0 (Tier 2)
<i>nystatin oral suspension 100,000 unit/ml</i>	\$0 (Tier 1)
<i>nystatin oral tablet 500,000 unit</i>	\$0 (Tier 1)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>	\$0 (Tier 2) PA; QL (96 EA per 30 days); ^
<i>terbinafine hcl oral tablet 250 mg</i>	\$0 (Tier 1)
<i>voriconazole intravenous recon soln 200 mg</i>	\$0 (Tier 2) PA; ^
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	\$0 (Tier 2) PA; ^
<i>voriconazole oral tablet 200 mg</i>	\$0 (Tier 1) PA; QL (120 EA per 30 days)
<i>voriconazole oral tablet 50 mg</i>	\$0 (Tier 1) PA; QL (480 EA per 30 days)
<b>ANTIVIRALS</b>	
<i>abacavir oral solution 20 mg/ml</i>	\$0 (Tier 1)
<i>abacavir oral tablet 300 mg</i>	\$0 (Tier 1)
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	\$0 (Tier 1)
<i>acyclovir oral capsule 200 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>acyclovir oral suspension 200 mg/5 ml</i>	\$0 (Tier 1)
<i>acyclovir oral tablet 400 mg, 800 mg</i>	\$0 (Tier 1)
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	\$0 (Tier 1) B/D
<i>adefovir oral tablet 10 mg</i>	\$0 (Tier 2)
<i>amantadine hcl oral capsule 100 mg</i>	\$0 (Tier 1)
<i>amantadine hcl oral solution 50 mg/5 ml</i>	\$0 (Tier 1)
<i>amantadine hcl oral tablet 100 mg</i>	\$0 (Tier 1)
APTIVUS ORAL CAPSULE 250 MG	\$0 (Tier 2) ^
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i>	\$0 (Tier 1)
BARACLUDGE ORAL SOLUTION 0.05 MG/ML	\$0 (Tier 2) ^
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	\$0 (Tier 2) ^
CIMDUO ORAL TABLET 300-300 MG	\$0 (Tier 2) ^
COMPLERA ORAL TABLET 200-25-300 MG	\$0 (Tier 2) ^
<i>darunavir oral tablet 600 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days); ^
<i>darunavir oral tablet 800 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days); ^
DELSTRIGO ORAL TABLET 100-300-300 MG	\$0 (Tier 2) ^
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	\$0 (Tier 2) QL (30 EA per 30 days); ^
DOVATO ORAL TABLET 50-300 MG	\$0 (Tier 2) ^
EDURANT ORAL TABLET 25 MG	\$0 (Tier 2) ^
<i>efavirenz oral tablet 600 mg</i>	\$0 (Tier 1)
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	\$0 (Tier 2) ^
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg, 600-300-300 mg</i>	\$0 (Tier 2) ^
<i>emtricitabine oral capsule 200 mg</i>	\$0 (Tier 1)
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i>	\$0 (Tier 2) QL (30 EA per 30 days); ^
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i>	\$0 (Tier 2) QL (30 EA per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML	\$0 (Tier 2)
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	\$0 (Tier 1)
<i>etravirine oral tablet 100 mg, 200 mg</i>	\$0 (Tier 2) ^
EVOTAZ ORAL TABLET 300-150 MG	\$0 (Tier 2) ^
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>fosamprenavir oral tablet 700 mg</i>	\$0 (Tier 2)
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	\$0 (Tier 2) ^
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	\$0 (Tier 1)
GENVOYA ORAL TABLET 150-150-200-10 MG	\$0 (Tier 2) ^
INTELENCE ORAL TABLET 25 MG	\$0 (Tier 2)
ISENTRESS HD ORAL TABLET 600 MG	\$0 (Tier 2) ^
ISENTRESS ORAL POWDER IN PACKET 100 MG	\$0 (Tier 2) ^
ISENTRESS ORAL TABLET 400 MG	\$0 (Tier 2) ^
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	\$0 (Tier 2) ^
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	\$0 (Tier 2)
JULUCA ORAL TABLET 50-25 MG	\$0 (Tier 2) ^
<i>lamivudine oral solution 10 mg/ml</i>	\$0 (Tier 1)
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	\$0 (Tier 1)
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	\$0 (Tier 1)
LEDIPASVIR-SOFOSBUVIR ORAL TABLET 90-400 MG	\$0 (Tier 2) PA; QL (28 EA per 28 days); ^
LEXIVA ORAL SUSPENSION 50 MG/ML	\$0 (Tier 2)
LIVTENCITY ORAL TABLET 200 MG	\$0 (Tier 2) PA; LA; QL (120 EA per 30 days); ^
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	\$0 (Tier 1)
<i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i>	\$0 (Tier 1)
<i>maraviroc oral tablet 150 mg, 300 mg</i>	\$0 (Tier 2) ^
<i>nevirapine oral suspension 50 mg/5 ml</i>	\$0 (Tier 1)
<i>nevirapine oral tablet 200 mg</i>	\$0 (Tier 1)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	\$0 (Tier 1)
NORVIR ORAL POWDER IN PACKET 100 MG	\$0 (Tier 2)
ODEFSEY ORAL TABLET 200-25-25 MG	\$0 (Tier 2) ^
<i>oseltamivir oral capsule 30 mg</i>	\$0 (Tier 1) QL (168 EA per 365 days)
<i>oseltamivir oral capsule 45 mg, 75 mg</i>	\$0 (Tier 1) QL (84 EA per 365 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	\$0 (Tier 1) QL (1080 ML per 365 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG	\$0 (Tier 2) QL (20 EA per 90 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	\$0 (Tier 2) QL (30 EA per 90 days)
PIFELTRO ORAL TABLET 100 MG	\$0 (Tier 2) ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
PREVYMIS ORAL TABLET 240 MG, 480 MG	\$0 (Tier 2) PA; QL (30 EA per 30 days); ^
PREZCOBIX ORAL TABLET 800-150 MG-MG	\$0 (Tier 2) ^
PREZISTA ORAL SUSPENSION 100 MG/ML	\$0 (Tier 2) QL (400 ML per 30 days); ^
PREZISTA ORAL TABLET 150 MG	\$0 (Tier 2) QL (240 EA per 30 days)
PREZISTA ORAL TABLET 75 MG	\$0 (Tier 2) QL (480 EA per 30 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	\$0 (Tier 2) QL (120 EA per 365 days)
REYATAZ ORAL POWDER IN PACKET 50 MG	\$0 (Tier 2) ^
<i>ribavirin oral capsule 200 mg</i>	\$0 (Tier 1)
<i>ribavirin oral tablet 200 mg</i>	\$0 (Tier 1)
<i>rimantadine oral tablet 100 mg</i>	\$0 (Tier 1)
<i>ritonavir oral tablet 100 mg</i>	\$0 (Tier 1)
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	\$0 (Tier 2) ^
SELZENTRY ORAL SOLUTION 20 MG/ML	\$0 (Tier 2) ^
SELZENTRY ORAL TABLET 25 MG	\$0 (Tier 2)
SELZENTRY ORAL TABLET 75 MG	\$0 (Tier 2) ^
SOFOSBUVIR-VELPATASVIR ORAL TABLET 400-100 MG	\$0 (Tier 2) PA; QL (28 EA per 28 days); ^
STRIBILD ORAL TABLET 150-150-200-300 MG	\$0 (Tier 2) ^
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	\$0 (Tier 2) ^
SYM TUZA ORAL TABLET 800-150-200-10 MG	\$0 (Tier 2)
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	\$0 (Tier 1)
TIVICAY ORAL TABLET 10 MG	\$0 (Tier 2)
TIVICAY ORAL TABLET 25 MG, 50 MG	\$0 (Tier 2) ^
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	\$0 (Tier 2) ^
TRIUMEQ ORAL TABLET 600-50-300 MG	\$0 (Tier 2) ^
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	\$0 (Tier 2)
TRIZIVIR ORAL TABLET 300-150-300 MG	\$0 (Tier 2) ^
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	\$0 (Tier 2) LA; ^
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	\$0 (Tier 1)
<i>valganciclovir oral recon soln 50 mg/ml</i>	\$0 (Tier 2) ^
<i>valganciclovir oral tablet 450 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
VEMLIDY ORAL TABLET 25 MG	\$0 (Tier 2) ^
VIRACEPT ORAL TABLET 250 MG, 625 MG	\$0 (Tier 2) ^
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	\$0 (Tier 2) ^
VIREAD ORAL TABLET 150 MG, 250 MG	\$0 (Tier 2) ^
VIREAD ORAL TABLET 200 MG	\$0 (Tier 2)
<i>zidovudine oral capsule 100 mg</i>	\$0 (Tier 1)
<i>zidovudine oral syrup 10 mg/ml</i>	\$0 (Tier 1)
<i>zidovudine oral tablet 300 mg</i>	\$0 (Tier 1)
<b>CEPHALOSPORINS</b>	
<i>cefaclor oral capsule 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>cefaclor oral suspension for reconstitution 250 mg/5 ml</i>	\$0 (Tier 1)
<i>cefadroxil oral capsule 500 mg</i>	\$0 (Tier 1)
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	\$0 (Tier 1)
<i>cefazolin in dextrose (iso-os) intravenous piggyback 1 gram/50 ml</i>	\$0 (Tier 1)
<i>cefazolin injection recon soln 1 gram, 10 gram, 100 gram, 300 gram, 500 mg</i>	\$0 (Tier 1)
<i>cefazolin intravenous recon soln 1 gram</i>	\$0 (Tier 1)
<i>cefdinir oral capsule 300 mg</i>	\$0 (Tier 1)
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	\$0 (Tier 1)
<i>cefepime in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/100 ml</i>	\$0 (Tier 1)
<i>cefepime injection recon soln 1 gram, 2 gram</i>	\$0 (Tier 1)
<i>cefixime oral capsule 400 mg</i>	\$0 (Tier 1)
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	\$0 (Tier 1)
<i>cefoxitin in dextrose, iso-osm intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	\$0 (Tier 1)
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	\$0 (Tier 1)
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	\$0 (Tier 1)
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	\$0 (Tier 1)
<i>cefprozil oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	\$0 (Tier 1)
<i>ceftriaxone in dextrose,iso-os intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	\$0 (Tier 1)
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>ceftriaxone intravenous recon soln 1 gram, 2 gram</i>	\$0 (Tier 1)
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>cefuroxime sodium injection recon soln 750 mg</i>	\$0 (Tier 1)
<i>cefuroxime sodium intravenous recon soln 1.5 gram</i>	\$0 (Tier 1)
<i>cephalexin oral capsule 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	\$0 (Tier 1)
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	\$0 (Tier 1)
<i>tazicef intravenous recon soln 1 gram, 2 gram</i>	\$0 (Tier 1)
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	\$0 (Tier 2) ^
<b>ERYTHROMYCINS / OTHER MACROLIDES</b>	
<i>azithromycin intravenous recon soln 500 mg</i>	\$0 (Tier 1)
<i>azithromycin oral packet 1 gram</i>	\$0 (Tier 1)
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	\$0 (Tier 1)
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack), 600 mg</i>	\$0 (Tier 1)
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	\$0 (Tier 1)
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	\$0 (Tier 1)
DIFICID ORAL TABLET 200 MG	\$0 (Tier 2) QL (20 EA per 10 days); ^
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 333 mg</i>	\$0 (Tier 1)
<i>erythrocin (as stearate) oral tablet 250 mg</i>	\$0 (Tier 1)
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	\$0 (Tier 2)
<i>erythromycin oral capsule, delayed release(dr/ec) 250 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>erythromycin oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i>	\$0 (Tier 1)
<b>MISCELLANEOUS ANTIINFECTIVES</b>	
<i>albendazole oral tablet 200 mg</i>	\$0 (Tier 2) ^
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	\$0 (Tier 1)
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	\$0 (Tier 2) PA; LA; ^
<i>atovaquone oral suspension 750 mg/5 ml</i>	\$0 (Tier 1)
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	\$0 (Tier 1)
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	\$0 (Tier 1)
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	\$0 (Tier 2) PA; LA; QL (84 ML per 56 days); ^
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	\$0 (Tier 1)
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	\$0 (Tier 1)
<i>clindamycin phosphate injection solution 150 mg/ml</i>	\$0 (Tier 1)
COARTEM ORAL TABLET 20-120 MG	\$0 (Tier 2)
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	\$0 (Tier 1) QL (30 EA per 10 days)
<i>cvs pinworm treatment 50 mg/ml</i>	\$0 (Tier 3) NT
<i>dapsone oral tablet 100 mg, 25 mg</i>	\$0 (Tier 1)
<i>daptomycin intravenous recon soln 500 mg</i>	\$0 (Tier 2) ^
EMVERM ORAL TABLET,CHEWABLE 100 MG	\$0 (Tier 2) ^
<i>ertapenem injection recon soln 1 gram</i>	\$0 (Tier 1) QL (14 EA per 14 days)
<i>ethambutol oral tablet 100 mg, 400 mg</i>	\$0 (Tier 1)
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml</i>	\$0 (Tier 1)
<i>gentamicin injection solution 40 mg/ml</i>	\$0 (Tier 1)
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	\$0 (Tier 1)
<i>hydroxychloroquine oral tablet 200 mg</i>	\$0 (Tier 1)
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>isoniazid oral solution 50 mg/5 ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>isoniazid oral tablet 100 mg, 300 mg</i>	\$0 (Tier 1)
<i>ivermectin oral tablet 3 mg</i>	\$0 (Tier 1) PA; QL (20 EA per 30 days)
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	\$0 (Tier 1)
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	\$0 (Tier 2) QL (1800 ML per 30 days); ^
<i>linezolid oral tablet 600 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>linezolid-0.9% sodium chloride intravenous parenteral solution 600 mg/300 ml</i>	\$0 (Tier 1)
<i>mefloquine oral tablet 250 mg</i>	\$0 (Tier 1)
<i>meropenem intravenous recon soln 1 gram</i>	\$0 (Tier 1) QL (30 EA per 10 days)
<i>meropenem intravenous recon soln 500 mg</i>	\$0 (Tier 1) QL (10 EA per 10 days)
<i>metro i.v. intravenous piggyback 500 mg/100 ml</i>	\$0 (Tier 1)
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	\$0 (Tier 1)
<i>metronidazole oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>neomycin oral tablet 500 mg</i>	\$0 (Tier 1)
<i>nitazoxanide oral tablet 500 mg</i>	\$0 (Tier 2) QL (12 EA per 30 days); ^
<i>pentamidine inhalation recon soln 300 mg</i>	\$0 (Tier 1) B/D; QL (1 EA per 28 days)
<i>pentamidine injection recon soln 300 mg</i>	\$0 (Tier 1)
<i>pinaway 50 mg/ml suspension</i>	\$0 (Tier 3) NT
<i>pinworm medicine 144 mg/ml 50 mg/ml</i>	\$0 (Tier 3) NT
<i>praziquantel oral tablet 600 mg</i>	\$0 (Tier 1)
PRIFTIN ORAL TABLET 150 MG	\$0 (Tier 2)
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)	\$0 (Tier 2)
<i>pyrazinamide oral tablet 500 mg</i>	\$0 (Tier 1)
<i>pyrimethamine oral tablet 25 mg</i>	\$0 (Tier 1) PA; ^
<i>quinine sulfate oral capsule 324 mg</i>	\$0 (Tier 1) PA
<i>reese's pinworm 144 mg/ml susp 50 mg/ml</i>	\$0 (Tier 3) NT
<i>rifabutin oral capsule 150 mg</i>	\$0 (Tier 1)
<i>rifampin intravenous recon soln 600 mg</i>	\$0 (Tier 1)
<i>rifampin oral capsule 150 mg, 300 mg</i>	\$0 (Tier 1)
SIRTURO ORAL TABLET 100 MG, 20 MG	\$0 (Tier 2) PA; LA; ^
STREPTOMYCIN INTRAMUSCULAR RECON SOLN 1 GRAM	\$0 (Tier 1) QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>tigecycline intravenous recon soln 50 mg</i>	\$0 (Tier 2) ^
<i>tinidazole oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	\$0 (Tier 2) PA; QL (280 ML per 28 days); ^
<i>tobramycin sulfate injection recon soln 1.2 gram</i>	\$0 (Tier 1)
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	\$0 (Tier 1)
TRECATOR ORAL TABLET 250 MG	\$0 (Tier 2)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 1 GRAM/200 ML	\$0 (Tier 2) QL (4000 ML per 10 days)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 500 MG/100 ML	\$0 (Tier 2) QL (1000 ML per 10 days)
VANCOMYCIN IN 0.9 % SODIUM CHL INTRAVENOUS PIGGYBACK 750 MG/150 ML	\$0 (Tier 2) QL (4050 ML per 10 days)
<i>vancomycin intravenous recon soln 1,000 mg</i>	\$0 (Tier 1) QL (20 EA per 10 days)
<i>vancomycin intravenous recon soln 1.25 gram</i>	\$0 (Tier 1) QL (16 EA per 10 days)
<i>vancomycin intravenous recon soln 1.5 gram</i>	\$0 (Tier 1) QL (14 EA per 10 days)
<i>vancomycin intravenous recon soln 10 gram, 5 gram</i>	\$0 (Tier 1) QL (2 EA per 10 days)
<i>vancomycin intravenous recon soln 500 mg</i>	\$0 (Tier 1) QL (10 EA per 10 days)
<i>vancomycin intravenous recon soln 750 mg</i>	\$0 (Tier 1) QL (27 EA per 10 days)
<i>vancomycin oral capsule 125 mg</i>	\$0 (Tier 1) QL (40 EA per 10 days)
<i>vancomycin oral capsule 250 mg</i>	\$0 (Tier 1) QL (80 EA per 10 days)
XIFAXAN ORAL TABLET 550 MG	\$0 (Tier 2) PA; QL (90 EA per 30 days); ^
<b>PENICILLINS</b>	
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	\$0 (Tier 1)
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	\$0 (Tier 1)
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	\$0 (Tier 1)
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	\$0 (Tier 1)
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	\$0 (Tier 1)
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	\$0 (Tier 1)
<i>ampicillin oral capsule 500 mg</i>	\$0 (Tier 1)
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>ampicillin sodium intravenous recon soln 1 gram, 2 gram</i>	\$0 (Tier 1)
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	\$0 (Tier 1)
<i>ampicillin-sulbactam intravenous recon soln 1.5 gram, 3 gram</i>	\$0 (Tier 1)
<b>BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML</b>	\$0 (Tier 2)
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	\$0 (Tier 1)
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	\$0 (Tier 1)
<i>nafcillin injection recon soln 10 gram</i>	\$0 (Tier 2) ^
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	\$0 (Tier 1)
<b>PENICILLIN G POT IN DEXTROSE INTRAVENOUS PIGGYBACK 2 MILLION UNIT/50 ML, 3 MILLION UNIT/50 ML</b>	\$0 (Tier 2)
<i>penicillin g potassium injection recon soln 20 million unit, 5 million unit</i>	\$0 (Tier 1)
<i>penicillin g sodium injection recon soln 5 million unit</i>	\$0 (Tier 1)
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	\$0 (Tier 1)
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>pfizerpen-g injection recon soln 20 million unit, 5 million unit</i>	\$0 (Tier 1)
<i>piperacillin-tazobactam intravenous recon soln 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	\$0 (Tier 1)
<b>QUINOLONES</b>	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	\$0 (Tier 1)
<i>ciprofloxacin oral suspension, microcapsule recon 500 mg/5 ml</i>	\$0 (Tier 1)
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	\$0 (Tier 1)
<i>levofloxacin intravenous solution 25 mg/ml</i>	\$0 (Tier 1)
<i>levofloxacin oral solution 250 mg/10 ml</i>	\$0 (Tier 1)
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	\$0 (Tier 1)
<i>moxifloxacin oral tablet 400 mg</i>	\$0 (Tier 1)
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i>	\$0 (Tier 1)
<b>SULFA'S / RELATED AGENTS</b>	
<i>sulfadiazine oral tablet 500 mg</i>	\$0 (Tier 2)
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	\$0 (Tier 1)
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	\$0 (Tier 1)
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	\$0 (Tier 1)
<b>TETRACYCLINES</b>	
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	\$0 (Tier 1)
<i>doxy-100 intravenous recon soln 100 mg</i>	\$0 (Tier 1)
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	\$0 (Tier 1)
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	\$0 (Tier 1)
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	\$0 (Tier 1)
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	\$0 (Tier 1)
<i>doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg</i>	\$0 (Tier 1)
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	\$0 (Tier 1)
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	\$0 (Tier 1)
<i>tetracycline oral capsule 250 mg, 500 mg</i>	\$0 (Tier 1)
<b>URINARY TRACT AGENTS</b>	
<i>methenamine hippurate oral tablet 1 gram</i>	\$0 (Tier 1)
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	\$0 (Tier 2)
<i>trimethoprim oral tablet 100 mg</i>	\$0 (Tier 1)
<b>ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS</b>	
<b>ADJUNCTIVE AGENTS</b>	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	\$0 (Tier 1)
<i>mesna oral tablet 400 mg</i>	\$0 (Tier 2) ^
MESNEX ORAL TABLET 400 MG	\$0 (Tier 2) ^
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	\$0 (Tier 2) B/D; ^
<b>ANTINEOPLASTIC / IMMUNOSUPPRESSANT DRUGS</b>	
<i>abiraterone oral tablet 250 mg</i>	\$0 (Tier 1) PA-NS; QL (120 EA per 30 days)
<i>abiraterone oral tablet 500 mg</i>	\$0 (Tier 1) PA-NS; QL (60 EA per 30 days)
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
ALECENSA ORAL CAPSULE 150 MG	\$0 (Tier 2) PA-NS; LA; QL (240 EA per 30 days); ^
ALUNBRIG ORAL TABLET 180 MG, 90 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
ALUNBRIG ORAL TABLET 30 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 180 days); ^
<i>anastrozole oral tablet 1 mg</i>	\$0 (Tier 1)
AUGTYRO ORAL CAPSULE 160 MG, 40 MG	\$0 (Tier 2) PA-NS; QL (240 EA per 30 days); ^
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
<i>azacitidine injection recon soln 100 mg</i>	\$0 (Tier 2) B/D; ^
<i>azathioprine oral tablet 50 mg</i>	\$0 (Tier 1) B/D
BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG	\$0 (Tier 2) PA-NS; LA; ^
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	\$0 (Tier 2) B/D; ^
<i>bexarotene oral capsule 75 mg</i>	\$0 (Tier 2) PA-NS; ^
<i>bexarotene topical gel 1 %</i>	\$0 (Tier 2) PA-NS; QL (60 GM per 30 days); ^
<i>bicalutamide oral tablet 50 mg</i>	\$0 (Tier 1)
BORTEZOMIB INJECTION RECON SOLN 1 MG, 2.5 MG	\$0 (Tier 2) B/D; ^
<i>bortezomib injection recon soln 3.5 mg</i>	\$0 (Tier 2) B/D; ^
BOSULIF ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; QL (180 EA per 30 days); ^
BOSULIF ORAL CAPSULE 50 MG	\$0 (Tier 2) PA-NS; QL (330 EA per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
BOSULIF ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; QL (90 EA per 30 days); ^
BOSULIF ORAL TABLET 400 MG, 500 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
BRAFTOVI ORAL CAPSULE 75 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
BRUKINSA ORAL CAPSULE 80 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
CALQUENCE ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
CAPRELSA ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
CAPRELSA ORAL TABLET 300 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
<i>carboplatin intravenous solution 10 mg/ml</i>	\$0 (Tier 1) B/D
<i>cisplatin intravenous solution 1 mg/ml</i>	\$0 (Tier 1) B/D
COLUMVI INTRAVENOUS SOLUTION 1 MG/ML	\$0 (Tier 2) B/D; ^
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	\$0 (Tier 2) PA-NS; LA; QL (56 EA per 28 days); ^
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	\$0 (Tier 2) PA-NS; LA; QL (112 EA per 28 days); ^
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	\$0 (Tier 2) PA-NS; LA; QL (84 EA per 28 days); ^
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
COTELLIC ORAL TABLET 20 MG	\$0 (Tier 2) PA-NS; LA; QL (63 EA per 28 days); ^
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	\$0 (Tier 2) B/D
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	\$0 (Tier 1) B/D
CYCLOPHOSPHAMIDE ORAL TABLET 25 MG, 50 MG	\$0 (Tier 2) B/D
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1) B/D
<i>cyclosporine modified oral solution 100 mg/ml</i>	\$0 (Tier 1) B/D
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	\$0 (Tier 1) B/D
<i>cytarabine injection solution 20 mg/ml</i>	\$0 (Tier 1)
DANZITEN ORAL TABLET 71 MG, 95 MG	\$0 (Tier 2) PA-NS; QL (112 EA per 28 days); ^
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 80 mg</i>	\$0 (Tier 1) PA-NS; QL (30 EA per 30 days); ^
<i>dasatinib oral tablet 20 mg, 70 mg</i>	\$0 (Tier 1) PA-NS; QL (60 EA per 30 days); ^
DAURISMO ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
DAURISMO ORAL TABLET 25 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>docetaxel intravenous solution 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	\$0 (Tier 2) B/D; ^
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	\$0 (Tier 1) B/D
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	\$0 (Tier 2) B/D; ^
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	\$0 (Tier 2)
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	\$0 (Tier 2) PA-NS
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	\$0 (Tier 2) PA-NS
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	\$0 (Tier 2) PA-NS
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	\$0 (Tier 2) PA-NS
ELLECE INTRAVENOUS SOLUTION 200 MG/100 ML, 50 MG/25 ML	\$0 (Tier 2) B/D
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	\$0 (Tier 2) PA-NS; ^
ENVARUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	\$0 (Tier 2) B/D
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	\$0 (Tier 2) B/D; ^
ERIVEDGE ORAL CAPSULE 150 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
ERLEADA ORAL TABLET 240 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
ERLEADA ORAL TABLET 60 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
<i>erlotinib oral tablet 100 mg, 150 mg</i>	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
<i>erlotinib oral tablet 25 mg</i>	\$0 (Tier 2) PA-NS; QL (90 EA per 30 days); ^
<i>etoposide intravenous solution 20 mg/ml</i>	\$0 (Tier 1) B/D
EULEXIN ORAL CAPSULE 125 MG	\$0 (Tier 2) ^
<i>everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i>	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg</i>	\$0 (Tier 2) PA-NS; QL (150 EA per 30 days); ^
<i>everolimus (antineoplastic) oral tablet for suspension 3 mg</i>	\$0 (Tier 2) PA-NS; QL (90 EA per 30 days); ^
<i>everolimus (antineoplastic) oral tablet for suspension 5 mg</i>	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i>	\$0 (Tier 2) B/D
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg</i>	\$0 (Tier 2) B/D; ^
<i>exemestane oral tablet 25 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
EXKIVITY ORAL CAPSULE 40 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	\$0 (Tier 2) PA-NS; ^
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	\$0 (Tier 2) PA-NS
<i>fluorouracil intravenous solution 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml</i>	\$0 (Tier 1)
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	\$0 (Tier 2) PA-NS; LA; QL (21 EA per 28 days); ^
FRUZAQLA ORAL CAPSULE 1 MG	\$0 (Tier 2) PA-NS; QL (84 EA per 28 days); ^
FRUZAQLA ORAL CAPSULE 5 MG	\$0 (Tier 2) PA-NS; QL (21 EA per 28 days); ^
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	\$0 (Tier 2) B/D; ^
GAVRETO ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
<i>gefitinib oral tablet 250 mg</i>	\$0 (Tier 1) PA-NS; QL (30 EA per 30 days); ^
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	\$0 (Tier 1) B/D
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	\$0 (Tier 1) B/D
GEMCITABINE INTRAVENOUS SOLUTION 100 MG/ML	\$0 (Tier 1) B/D
<i>gengraf oral capsule 100 mg, 25 mg</i>	\$0 (Tier 1) B/D
<i>gengraf oral solution 100 mg/ml</i>	\$0 (Tier 1) B/D
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG	\$0 (Tier 2)
GLEOSTINE ORAL CAPSULE 100 MG	\$0 (Tier 2) ^
<i>hydroxyurea oral capsule 500 mg</i>	\$0 (Tier 1)
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	\$0 (Tier 2) PA-NS; LA; QL (21 EA per 28 days); ^
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	\$0 (Tier 2) PA-NS; LA; QL (21 EA per 28 days); ^
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
IDHIFA ORAL TABLET 100 MG, 50 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
<i>imatinib oral tablet 100 mg</i>	\$0 (Tier 2) PA-NS; QL (180 EA per 30 days); ^
<i>imatinib oral tablet 400 mg</i>	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
IMBRUVICA ORAL CAPSULE 140 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
IMBRUVICA ORAL CAPSULE 70 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
IMBRUVICA ORAL SUSPENSION 70 MG/ML	\$0 (Tier 2) PA-NS; LA; QL (324 ML per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
IMBRUVICA ORAL TABLET 420 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
IMKELDI ORAL SOLUTION 80 MG/ML	\$0 (Tier 2) PA-NS; QL (280 ML per 28 days); ^
INLYTA ORAL TABLET 1 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
INLYTA ORAL TABLET 5 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
INQOVI ORAL TABLET 35-100 MG	\$0 (Tier 2) PA-NS; LA; QL (5 EA per 28 days); ^
INREBIC ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml</i>	\$0 (Tier 1) B/D
ITOVEBI ORAL TABLET 3 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
ITOVEBI ORAL TABLET 9 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
IWILFIN ORAL TABLET 192 MG	\$0 (Tier 2) PA-NS; LA; QL (240 EA per 30 days); ^
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
JAYPIRCA ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
JAYPIRCA ORAL TABLET 50 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
JYLAMVO ORAL SOLUTION 2 MG/ML	\$0 (Tier 2)
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	\$0 (Tier 2) B/D; ^
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	\$0 (Tier 2) PA-NS; ^
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	\$0 (Tier 2) PA-NS; QL (49 EA per 30 days); ^
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	\$0 (Tier 2) PA-NS; QL (70 EA per 28 days); ^
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	\$0 (Tier 2) PA-NS; QL (91 EA per 28 days); ^
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	\$0 (Tier 2) PA-NS; QL (21 EA per 28 days); ^
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	\$0 (Tier 2) PA-NS; QL (42 EA per 28 days); ^
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	\$0 (Tier 2) PA-NS; QL (63 EA per 28 days); ^
KOSELUGO ORAL CAPSULE 10 MG, 25 MG	\$0 (Tier 2) PA-NS; ^
KRAZATI ORAL TABLET 200 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i>	\$0 (Tier 2) PA-NS; ^
<i>lapatinib oral tablet 250 mg</i>	\$0 (Tier 2) PA-NS; QL (180 EA per 30 days); ^
LAZCLUZE ORAL TABLET 240 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
LAZCLUZE ORAL TABLET 80 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i>	\$0 (Tier 1) PA-NS; LA; QL (28 EA per 28 days); ^
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
<i>letrozole oral tablet 2.5 mg</i>	\$0 (Tier 1)
LEUKERAN ORAL TABLET 2 MG	\$0 (Tier 2) ^
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	\$0 (Tier 1) PA-NS
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG	\$0 (Tier 2) PA-NS; LA; ^
LORBRENA ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
LORBRENA ORAL TABLET 25 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
LUMAKRAS ORAL TABLET 120 MG	\$0 (Tier 2) PA-NS; LA; QL (240 EA per 30 days); ^
LUMAKRAS ORAL TABLET 240 MG	\$0 (Tier 2) PA-NS; QL (120 EA per 30 days); ^
LUMAKRAS ORAL TABLET 320 MG	\$0 (Tier 2) PA-NS; QL (90 EA per 30 days); ^
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	\$0 (Tier 2) PA-NS; ^
LYNPARZA ORAL TABLET 100 MG, 150 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
LYSODREN ORAL TABLET 500 MG	\$0 (Tier 2) ^
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3)	\$0 (Tier 2) PA-NS; QL (84 EA per 28 days); ^
LYTGOBI ORAL TABLET 16 MG/DAY (4 MG X 4)	\$0 (Tier 2) PA-NS; QL (112 EA per 28 days); ^
LYTGOBI ORAL TABLET 20 MG/DAY (4 MG X 5)	\$0 (Tier 2) PA-NS; QL (140 EA per 28 days); ^
MATULANE ORAL CAPSULE 50 MG	\$0 (Tier 2) LA; ^
<i>megestrol oral suspension 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	\$0 (Tier 2) PA
<i>megestrol oral tablet 20 mg, 40 mg</i>	\$0 (Tier 2)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	\$0 (Tier 2) PA-NS; QL (1200 ML per 30 days); ^
MEKINIST ORAL TABLET 0.5 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
MEKINIST ORAL TABLET 2 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
MEKTOVI ORAL TABLET 15 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
<i>mercaptopurine oral tablet 50 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	\$0 (Tier 1) B/D
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	\$0 (Tier 1) B/D
<i>methotrexate sodium injection solution 25 mg/ml</i>	\$0 (Tier 1) B/D
<i>methotrexate sodium oral tablet 2.5 mg</i>	\$0 (Tier 1)
MONJUVI INTRAVENOUS RECON SOLN 200 MG	\$0 (Tier 2) PA-NS; LA; ^
<i>mycophenolate mofetil oral capsule 250 mg</i>	\$0 (Tier 1) B/D
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	\$0 (Tier 2) B/D; ^
<i>mycophenolate mofetil oral tablet 500 mg</i>	\$0 (Tier 1) B/D
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i>	\$0 (Tier 1) B/D
<i>mycophenolic acid dr 180 mg tb</i>	\$0 (Tier 1) B/D; mycophenolate sodium = mycophenolic acid
<i>mycophenolic acid dr 360 mg tb</i>	\$0 (Tier 1) B/D; mycophenolate sodium = mycophenolic acid
NERLYNX ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; LA; ^
<i>nilutamide oral tablet 150 mg</i>	\$0 (Tier 2) ^
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	\$0 (Tier 2) PA-NS; QL (3 EA per 28 days); ^
NUBEQA ORAL TABLET 300 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
NULOJIX INTRAVENOUS RECON SOLN 250 MG	\$0 (Tier 2) ^
<i>octreotide acetate injection solution 1,000 mcg/ml, 500 mcg/ml</i>	\$0 (Tier 2) PA; ^
<i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>	\$0 (Tier 1) PA
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	\$0 (Tier 1) PA
ODOMZO ORAL CAPSULE 200 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
OGSIVEO ORAL TABLET 100 MG, 150 MG	\$0 (Tier 2) PA-NS; QL (56 EA per 28 days); ^
OGSIVEO ORAL TABLET 50 MG	\$0 (Tier 2) PA-NS; QL (180 EA per 30 days); ^
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	\$0 (Tier 2) PA-NS; QL (96 ML per 28 days); ^
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)	\$0 (Tier 2) PA-NS; QL (16 EA per 28 days); ^
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	\$0 (Tier 2) PA-NS; QL (20 EA per 28 days); ^
OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6)	\$0 (Tier 2) PA-NS; QL (24 EA per 28 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
ONUREG ORAL TABLET 200 MG, 300 MG	\$0 (Tier 2) PA-NS; LA; QL (14 EA per 28 days)
ORGOVYX ORAL TABLET 120 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 28 days); ^
ORSERDU ORAL TABLET 345 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
ORSERDU ORAL TABLET 86 MG	\$0 (Tier 2) PA-NS; QL (90 EA per 30 days); ^
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	\$0 (Tier 2) B/D
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	\$0 (Tier 1) B/D
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	\$0 (Tier 1) B/D
<i>paraplatin intravenous solution 10 mg/ml</i>	\$0 (Tier 1) B/D
<i>pazopanib oral tablet 200 mg</i>	\$0 (Tier 1) PA-NS; QL (120 EA per 30 days); ^
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	\$0 (Tier 2) PA-NS; LA; QL (28 EA per 28 days); ^
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 500 mg, 750 mg</i>	\$0 (Tier 1) B/D; ^
<i>pemetrexed disodium intravenous recon soln 100 mg</i>	\$0 (Tier 1) B/D
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	\$0 (Tier 2) PA-NS; QL (28 EA per 28 days); ^
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	\$0 (Tier 2) PA-NS; QL (56 EA per 28 days); ^
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	\$0 (Tier 2) PA-NS; LA; QL (21 EA per 28 days); ^
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	\$0 (Tier 2) B/D
PURIXAN ORAL SUSPENSION 20 MG/ML	\$0 (Tier 2) ^
QINLOCK ORAL TABLET 50 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
RETEVMO ORAL CAPSULE 40 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
RETEVMO ORAL CAPSULE 80 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
RETEVMO ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	\$0 (Tier 2) PA-NS; LA; QL (28 EA per 28 days); ^
REVUFORJ ORAL TABLET 110 MG, 160 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
REZLIDHIA ORAL CAPSULE 150 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
REZUROCK ORAL TABLET 200 MG	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
ROZLYTREK ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; LA; QL (150 EA per 30 days); ^
ROZLYTREK ORAL CAPSULE 200 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	\$0 (Tier 2) PA-NS; QL (336 EA per 28 days); ^
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	\$0 (Tier 2) PA-NS; ^
RYDAPT ORAL CAPSULE 25 MG	\$0 (Tier 2) PA-NS; QL (224 EA per 28 days); ^
SANDIMMUNE ORAL SOLUTION 100 MG/ML	\$0 (Tier 2) B/D
SCEMBLIX ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; QL (120 EA per 30 days); ^
SCEMBLIX ORAL TABLET 20 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
SCEMBLIX ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; QL (300 EA per 30 days); ^
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	\$0 (Tier 2) PA; LA; ^
<i>sirolimus oral solution 1 mg/ml</i>	\$0 (Tier 2) B/D; ^
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	\$0 (Tier 1) B/D
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	\$0 (Tier 2)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	\$0 (Tier 2) PA-NS; ^
<i>sorafenib oral tablet 200 mg</i>	\$0 (Tier 2) PA-NS; QL (120 EA per 30 days); ^
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 80 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
SPRYCEL ORAL TABLET 20 MG, 70 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
STIVARGA ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; LA; QL (84 EA per 28 days); ^
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i>	\$0 (Tier 2) PA-NS; QL (28 EA per 28 days); ^
TABLOID ORAL TABLET 40 MG	\$0 (Tier 2)
TABRECTA ORAL TABLET 150 MG, 200 MG	\$0 (Tier 2) PA-NS; ^
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	\$0 (Tier 1) B/D
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	\$0 (Tier 2) PA-NS; QL (840 EA per 28 days); ^
TAGRISSO ORAL TABLET 40 MG, 80 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	\$0 (Tier 2) PA-NS; ^
TALZENNA ORAL CAPSULE 0.1 MG, 0.35 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	\$0 (Tier 2) PA-NS; QL (112 EA per 28 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
TASIGNA ORAL CAPSULE 50 MG	\$0 (Tier 2) PA-NS; QL (120 EA per 30 days); ^
TAZVERIK ORAL TABLET 200 MG	\$0 (Tier 2) PA-NS; LA; ^
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	\$0 (Tier 2) B/D; LA; ^
TEPMETKO ORAL TABLET 225 MG	\$0 (Tier 2) PA-NS; LA; ^
THALOMID ORAL CAPSULE 100 MG, 50 MG	\$0 (Tier 2) PA-NS; LA; QL (28 EA per 28 days); ^
THALOMID ORAL CAPSULE 200 MG	\$0 (Tier 2) PA-NS; LA; QL (56 EA per 28 days); ^
TIBSOVO ORAL TABLET 250 MG	\$0 (Tier 2) PA-NS; LA; ^
<i>toremifene oral tablet 60 mg</i>	\$0 (Tier 2)
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	\$0 (Tier 2) B/D; ^
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	\$0 (Tier 2) ^
TRUQAP ORAL TABLET 160 MG, 200 MG	\$0 (Tier 2) PA-NS; QL (64 EA per 28 days); ^
TUKYSA ORAL TABLET 150 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
TUKYSA ORAL TABLET 50 MG	\$0 (Tier 2) PA-NS; LA; QL (300 EA per 30 days); ^
TURALIO ORAL CAPSULE 125 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	\$0 (Tier 2) PA-NS; QL (56 EA per 28 days); ^
VENCLEXTA ORAL TABLET 10 MG	\$0 (Tier 2) PA-NS; LA; QL (14 EA per 7 days)
VENCLEXTA ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
VENCLEXTA ORAL TABLET 50 MG	\$0 (Tier 2) PA-NS; LA; QL (7 EA per 7 days); ^
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	\$0 (Tier 2) PA-NS; LA; QL (42 EA per 180 days); ^
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	\$0 (Tier 1)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	\$0 (Tier 1) B/D
VITRAKVI ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
VITRAKVI ORAL CAPSULE 25 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
VITRAKVI ORAL SOLUTION 20 MG/ML	\$0 (Tier 2) PA-NS; LA; QL (300 ML per 30 days); ^
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
VONJO ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
VORANIGO ORAL TABLET 10 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
VORANIGO ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; QL (30 EA per 30 days); ^
WELIREG ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; LA; ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
XALKORI ORAL CAPSULE 200 MG, 250 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
XALKORI ORAL PELLETT 150 MG	\$0 (Tier 2) PA-NS; QL (180 EA per 30 days); ^
XALKORI ORAL PELLETT 20 MG, 50 MG	\$0 (Tier 2) PA-NS; QL (120 EA per 30 days); ^
XATMEP ORAL SOLUTION 2.5 MG/ML	\$0 (Tier 2)
XERMELO ORAL TABLET 250 MG	\$0 (Tier 2) PA; LA; QL (84 EA per 28 days); ^
XOSPATA ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	\$0 (Tier 2) PA-NS; LA; QL (8 EA per 28 days); ^
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	\$0 (Tier 2) PA-NS; LA; QL (4 EA per 28 days); ^
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	\$0 (Tier 2) PA-NS; LA; QL (24 EA per 28 days); ^
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	\$0 (Tier 2) PA-NS; LA; QL (32 EA per 28 days); ^
XTANDI ORAL CAPSULE 40 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
XTANDI ORAL TABLET 40 MG	\$0 (Tier 2) PA-NS; LA; QL (120 EA per 30 days); ^
XTANDI ORAL TABLET 80 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
ZEJULA ORAL TABLET 100 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
ZEJULA ORAL TABLET 200 MG, 300 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
ZELBORAF ORAL TABLET 240 MG	\$0 (Tier 2) PA-NS; LA; QL (240 EA per 30 days); ^
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	\$0 (Tier 2) B/D; ^
ZOLINZA ORAL CAPSULE 100 MG	\$0 (Tier 2) PA-NS; QL (120 EA per 30 days); ^
ZYDELIG ORAL TABLET 100 MG, 150 MG	\$0 (Tier 2) PA-NS; LA; QL (60 EA per 30 days); ^
ZYKADIA ORAL TABLET 150 MG	\$0 (Tier 2) PA-NS; LA; QL (90 EA per 30 days); ^
<b>AUTONOMIC / CNS DRUGS, NEUROLOGY / PSYCH</b>	
<b>ANTICONVULSANTS</b>	
APTIOM ORAL TABLET 200 MG, 400 MG	\$0 (Tier 2) QL (30 EA per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	\$0 (Tier 2) QL (60 EA per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	\$0 (Tier 2) QL (600 ML per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	\$0 (Tier 2) QL (600 ML per 30 days); ^
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	\$0 (Tier 2) QL (60 EA per 30 days); ^
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>carbamazepine oral suspension 100 mg/5 ml, 100 mg/5 ml (5 ml), 200 mg/10 ml</i>	\$0 (Tier 1)
<i>carbamazepine oral tablet 200 mg</i>	\$0 (Tier 1)
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	\$0 (Tier 1)
<i>carbamazepine oral tablet, chewable 100 mg</i>	\$0 (Tier 1)
<i>clobazam oral suspension 2.5 mg/ml</i>	\$0 (Tier 1) PA-NS; QL (480 ML per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1) PA-NS; QL (60 EA per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>clonazepam oral tablet 2 mg</i>	\$0 (Tier 1) QL (300 EA per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	\$0 (Tier 1) QL (300 EA per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	\$0 (Tier 2) PA-NS; LA; QL (360 EA per 30 days); ^
DIACOMIT ORAL CAPSULE 500 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
DIACOMIT ORAL POWDER IN PACKET 250 MG	\$0 (Tier 2) PA-NS; LA; QL (360 EA per 30 days); ^
DIACOMIT ORAL POWDER IN PACKET 500 MG	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	\$0 (Tier 1)
DILANTIN EXTENDED ORAL CAPSULE 100 MG	\$0 (Tier 2)
DILANTIN INFATABS ORAL TABLET, CHEWABLE 50 MG	\$0 (Tier 2)
DILANTIN ORAL CAPSULE 30 MG	\$0 (Tier 2)
DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML	\$0 (Tier 2)
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	\$0 (Tier 1)
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	\$0 (Tier 1)
EPIDIOLEX ORAL SOLUTION 100 MG/ML	\$0 (Tier 2) PA-NS; LA
<i>epitol oral tablet 200 mg</i>	\$0 (Tier 1)
EPRONTIA ORAL SOLUTION 25 MG/ML	\$0 (Tier 2) PA-NS
<i>ethosuximide oral capsule 250 mg</i>	\$0 (Tier 1)
<i>ethosuximide oral solution 250 mg/5 ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>felbamate oral suspension 600 mg/5 ml</i>	\$0 (Tier 2)
<i>felbamate oral tablet 400 mg, 600 mg</i>	\$0 (Tier 1)
FINTEPLA ORAL SOLUTION 2.2 MG/ML	\$0 (Tier 2) PA-NS; LA; QL (360 ML per 30 days); ^
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	\$0 (Tier 2) QL (720 ML per 30 days); ^
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	\$0 (Tier 2) QL (30 EA per 30 days); ^
FYCOMPA ORAL TABLET 2 MG	\$0 (Tier 2) QL (60 EA per 30 days)
<i>gabapentin oral capsule 100 mg, 400 mg</i>	\$0 (Tier 1) QL (270 EA per 30 days)
<i>gabapentin oral capsule 300 mg</i>	\$0 (Tier 1) QL (360 EA per 30 days)
<i>gabapentin oral solution 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml)</i>	\$0 (Tier 1) QL (2160 ML per 30 days)
<i>gabapentin oral tablet 600 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>gabapentin oral tablet 800 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>gabapentin oral tablet extended release 24 hr 300 mg</i>	\$0 (Tier 1) PA; QL (180 EA per 30 days)
<i>gabapentin oral tablet extended release 24 hr 600 mg</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i>	\$0 (Tier 2) QL (1200 ML per 30 days); ^
<i>lacosamide oral solution 10 mg/ml</i>	\$0 (Tier 1) QL (1200 ML per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>lacosamide oral tablet 50 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	\$0 (Tier 1)
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	\$0 (Tier 1)
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	\$0 (Tier 1)
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	\$0 (Tier 1)
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	\$0 (Tier 1)
<i>levetiracetam oral solution 100 mg/ml, 500 mg/5 ml (5 ml)</i>	\$0 (Tier 1)
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	\$0 (Tier 1)
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	\$0 (Tier 1)
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	\$0 (Tier 2) PA-NS; QL (10 EA per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>methsuximide oral capsule 300 mg</i>	\$0 (Tier 1)
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	\$0 (Tier 2) PA-NS; QL (10 EA per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	\$0 (Tier 1)
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	\$0 (Tier 1)
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	\$0 (Tier 2) PA-NS
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	\$0 (Tier 2) PA-NS
<i>phenobarbital sodium injection solution 130 mg/ml, 65 mg/ml</i>	\$0 (Tier 2)
<i>phenytoin oral suspension 100 mg/4 ml, 125 mg/5 ml</i>	\$0 (Tier 1)
<i>phenytoin oral tablet, chewable 50 mg</i>	\$0 (Tier 1)
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	\$0 (Tier 1)
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	\$0 (Tier 1)
<i>pregabalin oral capsule 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>pregabalin oral capsule 200 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>pregabalin oral solution 20 mg/ml</i>	\$0 (Tier 1) QL (900 ML per 30 days)
PRIMIDONE ORAL TABLET 125 MG	\$0 (Tier 2)
<i>primidone oral tablet 250 mg, 50 mg</i>	\$0 (Tier 1)
<i>roweepra oral tablet 500 mg</i>	\$0 (Tier 1)
<i>rufinamide oral suspension 40 mg/ml</i>	\$0 (Tier 2) PA-NS; QL (2400 ML per 30 days); ^
<i>rufinamide oral tablet 200 mg</i>	\$0 (Tier 1) PA-NS; QL (480 EA per 30 days)
<i>rufinamide oral tablet 400 mg</i>	\$0 (Tier 2) PA-NS; QL (240 EA per 30 days); ^
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	\$0 (Tier 2)
SYMPAZAN ORAL FILM 10 MG, 20 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days); ^
SYMPAZAN ORAL FILM 5 MG	\$0 (Tier 2) PA-NS; QL (60 EA per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	\$0 (Tier 1)
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	\$0 (Tier 1)
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	\$0 (Tier 1)
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i>	\$0 (Tier 1)
<i>valproic acid oral capsule 250 mg</i>	\$0 (Tier 1)
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	\$0 (Tier 2) PA-NS; QL (10 EA per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i>	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
<i>vigabatrin oral tablet 500 mg</i>	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
<i>vigadrone oral powder in packet 500 mg</i>	\$0 (Tier 2) PA-NS; LA; QL (180 EA per 30 days); ^
<i>vigadrone oral tablet 500 mg</i>	\$0 (Tier 1) PA-NS; LA; QL (180 EA per 30 days); ^
<i>vigpoder oral powder in packet 500 mg</i>	\$0 (Tier 1) PA-NS; LA; QL (180 EA per 30 days); ^
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	\$0 (Tier 2) QL (56 EA per 28 days); ^
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	\$0 (Tier 2) QL (30 EA per 30 days); ^
XCOPRI ORAL TABLET 150 MG, 200 MG	\$0 (Tier 2) QL (60 EA per 30 days); ^
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14)	\$0 (Tier 2) QL (28 EA per 180 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	\$0 (Tier 2) QL (28 EA per 180 days); ^
ZONISADE ORAL SUSPENSION 100 MG/5 ML	\$0 (Tier 2) PA-NS
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
ZTALMY ORAL SUSPENSION 50 MG/ML	\$0 (Tier 2) PA-NS; QL (1100 ML per 30 days); ^
<b>ANTIPARKINSONISM AGENTS</b>	
<i>benztropine injection solution 1 mg/ml</i>	\$0 (Tier 1)
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	\$0 (Tier 2) PA
<i>bromocriptine oral capsule 5 mg</i>	\$0 (Tier 1)
<i>bromocriptine oral tablet 2.5 mg</i>	\$0 (Tier 1)
<i>carbidopa oral tablet 25 mg</i>	\$0 (Tier 2)
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	\$0 (Tier 1)
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	\$0 (Tier 1)
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	\$0 (Tier 1)
<i>entacapone oral tablet 200 mg</i>	\$0 (Tier 1)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	\$0 (Tier 2) PA; QL (300 EA per 30 days); ^
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	\$0 (Tier 2)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	\$0 (Tier 1)
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg</i>	\$0 (Tier 1)
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	\$0 (Tier 1)
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	\$0 (Tier 1)
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	\$0 (Tier 1)
<i>selegiline hcl oral capsule 5 mg</i>	\$0 (Tier 1)
<i>selegiline hcl oral tablet 5 mg</i>	\$0 (Tier 1)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	\$0 (Tier 2) PA
<b>MIGRAINE / CLUSTER HEADACHE THERAPY</b>	
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	\$0 (Tier 2) PA; QL (1 ML per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	\$0 (Tier 2) ^
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	\$0 (Tier 2) PA; QL (8 ML per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	\$0 (Tier 2) PA; QL (2 ML per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	\$0 (Tier 2) PA; QL (2 ML per 30 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	\$0 (Tier 1) QL (40 EA per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	\$0 (Tier 1) QL (18 EA per 28 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	\$0 (Tier 2) PA; QL (16 EA per 30 days); ^
<i>rizatriptan oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1) QL (18 EA per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg, 5 mg</i>	\$0 (Tier 1) QL (18 EA per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i>	\$0 (Tier 1) QL (18 EA per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1) QL (18 EA per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	\$0 (Tier 1) QL (8 ML per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	\$0 (Tier 1) QL (8 ML per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	\$0 (Tier 1) QL (8 ML per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (18 EA per 28 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (18 EA per 28 days)
<b>MISCELLANEOUS NEUROLOGICAL THERAPY</b>	
AUSTEDO ORAL TABLET 12 MG, 9 MG	\$0 (Tier 2) PA; LA; QL (120 EA per 30 days); ^
AUSTEDO ORAL TABLET 6 MG	\$0 (Tier 2) PA; LA; QL (60 EA per 30 days); ^
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	\$0 (Tier 2) PA; QL (120 EA per 30 days); ^
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG	\$0 (Tier 2) PA; QL (30 EA per 30 days); ^
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	\$0 (Tier 2) PA; QL (60 EA per 30 days); ^
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	\$0 (Tier 2) PA; QL (90 EA per 30 days); ^
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG	\$0 (Tier 2) PA; QL (28 EA per 180 days); ^
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	\$0 (Tier 2) PA; QL (42 EA per 28 days); ^
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	\$0 (Tier 1) PA; QL (14 EA per 7 days); ^
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	\$0 (Tier 1) PA; QL (120 EA per 180 days); ^
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days); ^
<i>donepezil oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>donepezil oral tablet 23 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	\$0 (Tier 1)
<i> fingolimod oral capsule 0.5 mg</i>	\$0 (Tier 1) PA; QL (30 EA per 30 days); ^
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	\$0 (Tier 1)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	\$0 (Tier 2) PA; QL (30 ML per 30 days); ^
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	\$0 (Tier 2) PA; QL (12 ML per 28 days); ^
<i>glatopa subcutaneous syringe 20 mg/ml</i>	\$0 (Tier 2) PA; QL (30 ML per 30 days); ^
<i>glatopa subcutaneous syringe 40 mg/ml</i>	\$0 (Tier 2) PA; QL (12 ML per 28 days); ^
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	\$0 (Tier 2) PA; LA; QL (28 EA per 180 days); ^
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	\$0 (Tier 1) PA
<i>memantine oral solution 2 mg/ml</i>	\$0 (Tier 1) PA
<i>memantine oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1) PA
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	\$0 (Tier 2)
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	\$0 (Tier 2)
NUEDEXTA ORAL CAPSULE 20-10 MG	\$0 (Tier 2) PA; QL (60 EA per 30 days); ^
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	\$0 (Tier 2) PA; QL (20 ML per 180 days); ^
RADICAVA ORS ORAL SUSPENSION 105 MG/5 ML	\$0 (Tier 2) PA; ^
RADICAVA ORS STARTER KIT SUSP ORAL SUSPENSION 105 MG/5 ML	\$0 (Tier 2) PA; ^
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>teriflunomide oral tablet 14 mg, 7 mg</i>	\$0 (Tier 2) PA; QL (30 EA per 30 days); ^
<i>tetrabenazine oral tablet 12.5 mg</i>	\$0 (Tier 2) PA; QL (90 EA per 30 days); ^
<i>tetrabenazine oral tablet 25 mg</i>	\$0 (Tier 2) PA; QL (120 EA per 30 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>MUSCLE RELAXANTS / ANTISPASMODIC THERAPY</b>	
<i>baclofen oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	\$0 (Tier 2) PA
<i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>pyridostigmine bromide oral tablet 60 mg</i>	\$0 (Tier 1)
<i>tizanidine oral tablet 2 mg, 4 mg</i>	\$0 (Tier 1)
<b>NARCOTIC ANALGESICS</b>	
<i>acetaminophen-codeine oral solution 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml</i>	\$0 (Tier 1) QL (2700 ML per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	\$0 (Tier 1) QL (360 EA per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>endocet oral tablet 10-325 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	\$0 (Tier 1) QL (360 EA per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	\$0 (Tier 2) PA; QL (120 EA per 30 days); ^
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	\$0 (Tier 1) PA; QL (120 EA per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	\$0 (Tier 1) PA; QL (10 EA per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>	\$0 (Tier 1) QL (2700 ML per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	\$0 (Tier 1) QL (150 EA per 30 days)
<i>hydromorphone oral liquid 1 mg/ml</i>	\$0 (Tier 1) QL (600 ML per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>methadone intensol oral concentrate 10 mg/ml</i>	\$0 (Tier 1) PA; QL (90 ML per 30 days)
<i>methadone oral concentrate 10 mg/ml</i>	\$0 (Tier 1) PA; QL (90 ML per 30 days)
<i>methadone oral solution 10 mg/5 ml, 5 mg/5 ml</i>	\$0 (Tier 1) PA; QL (450 ML per 30 days)
<i>methadone oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>morphine (pf) intravenous patient control.analgesia soln 30 mg/30 ml (1 mg/ml)</i>	\$0 (Tier 2)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	\$0 (Tier 1) QL (180 ML per 30 days)
<i>morphine injection syringe 4 mg/ml</i>	\$0 (Tier 2)
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 50 mg/ml</i>	\$0 (Tier 2)
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml</i>	\$0 (Tier 2)
MORPHINE INTRAVENOUS SYRINGE 8 MG/ML	\$0 (Tier 2)
<i>morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml)</i>	\$0 (Tier 1) QL (900 ML per 30 days)
<i>morphine oral tablet 15 mg, 30 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>oxycodone oral capsule 5 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	\$0 (Tier 1) QL (180 ML per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	\$0 (Tier 1) QL (900 ML per 30 days)
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	\$0 (Tier 1) QL (360 EA per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<b>NON-NARCOTIC ANALGESICS</b>	
<i>acetaminophen 120 mg suppos</i>	\$0 (Tier 3) NT
<i>acetaminophen 120 mg suppos inner</i>	\$0 (Tier 3) NT
<i>acetaminophen 120 mg suppos outer</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml liq</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml soln</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml solution cup inner 160 mg/5 ml (5 ml)</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml solution cup outer 160 mg/5 ml (5 ml)</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml suspension cup inner 160 mg/5 ml (5 ml)</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>acetaminophen 160 mg/5 ml suspension cup outer 160 mg/5 ml (5 ml)</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml syr inner 32 mg/ml</i>	\$0 (Tier 3) NT
<i>acetaminophen 160 mg/5 ml syr outer 32 mg/ml</i>	\$0 (Tier 3) NT
<i>acetaminophen 325 mg gelcap</i>	\$0 (Tier 3) NT
<i>acetaminophen 325 mg tablet</i>	\$0 (Tier 3) NT
<i>acetaminophen 325 mg tablet outer, f/c</i>	\$0 (Tier 3) NT
<i>acetaminophen 325 mg tablet u-d</i>	\$0 (Tier 3) NT
<i>acetaminophen 325 mg/10.15 ml cup inner</i>	\$0 (Tier 3) NT
ACETAMINOPHEN 325 MG/10.15 ML CUP INNER	\$0 (Tier 3) NT
<i>acetaminophen 325 mg/10.15 ml cup outer</i>	\$0 (Tier 3) NT
ACETAMINOPHEN 325 MG/10.15 ML CUP OUTER	\$0 (Tier 3) NT
<i>acetaminophen 500 mg caplet</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg caplet caplet,ex-strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg caplet caplet,xtra-strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg gelcap</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet 12's,extra strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet 2x125,u-d,extra-str</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet 2x250,extra strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet 2x50, extra strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet ex-strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet extra strength</i>	\$0 (Tier 3) NT
<i>acetaminophen 500 mg tablet u-d</i>	\$0 (Tier 3) NT
<i>acetaminophen 650 mg/20.3 ml cup inner</i>	\$0 (Tier 3) NT
ACETAMINOPHEN 650 MG/20.3 ML CUP INNER	\$0 (Tier 3) NT
<i>acetaminophen 650 mg/20.3 ml cup outer</i>	\$0 (Tier 3) NT
ACETAMINOPHEN 650 MG/20.3 ML CUP OUTER	\$0 (Tier 3) NT
ACETAMINOPHEN 80 MG/2.5 ML SYR INNER 32 MG/ML	\$0 (Tier 3) NT
ACETAMINOPHEN 80 MG/2.5 ML SYR OUTER 32 MG/ML	\$0 (Tier 3) NT
<i>all day pain relief 220 mg tab</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>all day pain rlf 220 mg caplet</i>	\$0 (Tier 3) NT
<i>all day pain rlf 220 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>all day relief 220 mg caplet</i>	\$0 (Tier 3) NT
<i>all day relief 220 mg caplet caplet, gluten-free</i>	\$0 (Tier 3) NT
<i>all day relief 220 mg tablet</i>	\$0 (Tier 3) NT
<i>all day relief 220 mg tablet gluten-free</i>	\$0 (Tier 3) NT
<i>aphen 325 mg tablet</i>	\$0 (Tier 3) NT
<i>aspirin 325 mg tablet</i>	\$0 (Tier 3) NT
<i>aspirin 325 mg tablet regular strength</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet adult low dose</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet child low dose</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet gluten-free, orange</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet low dose</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet low dose, cherry</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet tab chew,cherry</i>	\$0 (Tier 3) NT
<i>aspirin 81 mg chewable tablet tab chew,orange</i>	\$0 (Tier 3) NT
<i>aspirin ec 325 mg tablet</i>	\$0 (Tier 3) NT
<i>aspirin ec 325 mg tablet bulk</i>	\$0 (Tier 3) NT
<i>aspirin ec 325 mg tablet regular strength</i>	\$0 (Tier 3) NT
<i>aspirin ec 81 mg tablet</i>	\$0 (Tier 3) NT
<i>aspirin ec 81 mg tablet adult low dose</i>	\$0 (Tier 3) NT
<i>aspirin ec 81 mg tablet low strength</i>	\$0 (Tier 3) NT
<i>aspirin regimen 81 mg ec tab</i>	\$0 (Tier 3) NT
<i>buffered aspirin 325 mg tb</i>	\$0 (Tier 3) NT
<i>buprenorphine-naloxone sublingual film 12-3 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>butorphanol injection solution 1 mg/ml, 2 mg/ml</i>	\$0 (Tier 2)
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>celecoxib oral capsule 400 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>child acetaminophen 80 mg chew fruit</i>	\$0 (Tier 3) NT
<i>child aspirin 81 mg tab chew</i>	\$0 (Tier 3) NT
<i>child pain-fever 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>child pain-fever 160 mg/5 ml as, ibu/f</i>	\$0 (Tier 3) NT
<i>child pain-fever 160 mg/5 ml gluten-f, grape</i>	\$0 (Tier 3) NT
<i>children's mapap 80 mg tab chw</i>	\$0 (Tier 3) NT
<i>chld acetaminophen 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>chld acetaminophen 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>chld acetaminophen 160 mg/5 ml cup inner 160 mg/5 ml (5 ml)</i>	\$0 (Tier 3) NT
<i>chld acetaminophen 160 mg/5 ml cup outer 160 mg/5 ml (5 ml)</i>	\$0 (Tier 3) NT
<i>chld acetaminophen 160 mg/5 ml gluten/f, grape</i>	\$0 (Tier 3) NT
<i>chld acetaminophen 160 mg/5 ml gluten/f,cherry</i>	\$0 (Tier 3) NT
<i>diclofenac potassium oral tablet 50 mg</i>	\$0 (Tier 1)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	\$0 (Tier 1)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 1)
<i>diclofenac sodium topical gel 1 %</i>	\$0 (Tier 1) Over the counter NDCs are not eligible for coverage under Medicare; QL (1000 GM per 28 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>	\$0 (Tier 1) QL (224 GM per 28 days)
<i>diclofenac-misoprostol oral tablet,ir, delayed rel,biphasic 50-200 mg-mcg, 75-200 mg-mcg</i>	\$0 (Tier 1)
<i>diflunisal oral tablet 500 mg</i>	\$0 (Tier 1)
<i>ecotrin ec 325 mg tablet safety coated</i>	\$0 (Tier 3) NT
<i>ecotrin ec 81 mg tablet sfty coated,low str</i>	\$0 (Tier 3) NT
<i>ed-apap 160 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>eql migraine formula caplet 250-250-65 mg</i>	\$0 (Tier 3) NT
<i>etodolac oral capsule 200 mg, 300 mg</i>	\$0 (Tier 1)
<i>etodolac oral tablet 400 mg, 500 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	\$0 (Tier 1)
<i>extraprin 250-250-65 mg caplet</i>	\$0 (Tier 3) NT
<i>feverall 120 mg suppository childrens, outer</i>	\$0 (Tier 3) NT
<i>feverall 120 mg suppository children's, outer</i>	\$0 (Tier 3) NT
<i>feverall 325 mg suppository junior str, outer</i>	\$0 (Tier 3) NT
FEVERALL 80 MG SUPPOSITORY INFANT'S, INNER	\$0 (Tier 3) NT
FEVERALL 80 MG SUPPOSITORY INFANT'S, OUTER	\$0 (Tier 3) NT
<i>flurbiprofen oral tablet 100 mg</i>	\$0 (Tier 1)
<i>ft all day pain 220 mg caplet</i>	\$0 (Tier 3) NT
<i>ft aspirin 325 mg tablet</i>	\$0 (Tier 3) NT
<i>ft aspirin ec 325 mg tablet</i>	\$0 (Tier 3) NT
<i>ft aspirin ec 81 mg tablet</i>	\$0 (Tier 3) NT
<i>ft ibuprofen 200 mg caplet</i>	\$0 (Tier 3) NT
<i>ft ibuprofen 200 mg tablet</i>	\$0 (Tier 3) NT
<i>ft migraine 250-250-65 mg cplt</i>	\$0 (Tier 3) NT
<i>ft pain relief 325 mg tablet</i>	\$0 (Tier 3) NT
<i>ft pain relief 500 mg gelcap</i>	\$0 (Tier 3) NT
<i>ft pain relief 500 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp aspirin 325 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp aspirin ec 81 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp child pain-fever 160 mg/5 as, ibu/f 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gnp child pain-fever 160 mg/5 gluten-f, grape 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gnp headache relief caplet 250-250-65 mg</i>	\$0 (Tier 3) NT
<i>gnp ibuprofen 200 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp naproxen sod 220 mg caplet</i>	\$0 (Tier 3) NT
<i>gnp naproxen sod 220 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp pain relief 500 mg caplet</i>	\$0 (Tier 3) NT
<i>gnp pain relief 500 mg caplet</i>	\$0 (Tier 3) NT
<i>gnp pain relief 500 mg gelcap</i>	\$0 (Tier 3) NT
<i>gs aspirin 325 mg tablet</i>	\$0 (Tier 3) NT
<i>gs aspirin 81 mg chewable tab</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>gs child fever-pain 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs child pain-fever 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs ibuprofen 200 mg caplet</i>	\$0 (Tier 3) NT
<i>gs ibuprofen 200 mg tablet</i>	\$0 (Tier 3) NT
<i>gs infant pain-fever 160 mg/5 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs migraine 250-250-65 mg cplt</i>	\$0 (Tier 3) NT
<i>gs naproxen sod 220 mg caplet</i>	\$0 (Tier 3) NT
<i>gs naproxen sod 220 mg tablet</i>	\$0 (Tier 3) NT
<i>gs pain relief 325 mg tablet</i>	\$0 (Tier 3) NT
<i>gs pain relief 500 mg caplet</i>	\$0 (Tier 3) NT
<i>gs pain relief 500 mg tablet</i>	\$0 (Tier 3) NT
<i>headache relief caplet 250-250-65 mg</i>	\$0 (Tier 3) NT
<i>headache rlf 250-250-65 mg cplt</i>	\$0 (Tier 3) NT
<i>ibu oral tablet 600 mg, 800 mg</i>	\$0 (Tier 1)
<i>ibuprofen 200 mg caplet</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg caplet caplet, coated</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg caplet coated caplet</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg tablet</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg tablet coated</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg tablet coated caplet</i>	\$0 (Tier 3) NT
<i>ibuprofen 200 mg tablet outer</i>	\$0 (Tier 3) NT
<i>ibuprofen oral suspension 100 mg/5 ml</i>	\$0 (Tier 1)
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	\$0 (Tier 1)
<i>inf acetaminophen 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>infant pain-fever 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>infant pain-fever 160 mg/5 ml grape</i>	\$0 (Tier 3) NT
<i>infant pain-fever 160 mg/5 ml w/syringe, cherry</i>	\$0 (Tier 3) NT
<i>infant pain-fever 160 mg/5 ml w/syringe, grape</i>	\$0 (Tier 3) NT
<i>infants pain-fever 160 mg/5 ml dye-free, cherry</i>	\$0 (Tier 3) NT
<i>kro aspirin 81 mg chewable tab low dose, orange</i>	\$0 (Tier 3) NT
<i>kro ibuprofen 200 mg caplet gluten-free, coated</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

<b>Name of Drug</b>	<b>What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)</b>
<i>kro ibuprofen 200 mg tablet gluten free, coated</i>	\$0 (Tier 3) NT
<i>mediproxen 220 mg tablet outer, f/c</i>	\$0 (Tier 3) NT
<i>mediproxen 220 mg tablet u-d, 50's</i>	\$0 (Tier 3) NT
<i>meloxicam oral tablet 15 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>meloxicam oral tablet 7.5 mg</i>	\$0 (Tier 1)
<i>migraine 250-250-65 mg cplt</i>	\$0 (Tier 3) NT
<i>migraine 250-250-65 mg cplt coated</i>	\$0 (Tier 3) NT
<i>migraine 250-250-65 mg geltab</i>	\$0 (Tier 3) NT
<i>migraine formula caplet caplet 250-250-65 mg</i>	\$0 (Tier 3) NT
<i>m-pap 160 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>nabumetone oral tablet 500 mg, 750 mg</i>	\$0 (Tier 1)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	\$0 (Tier 2)
<i>naloxone hcl 4 mg nasal spray inner (otc) 4 mg/actuation</i>	\$0 (Tier 3) NT
<i>naloxone hcl 4 mg nasal spray outer (otc) 4 mg/actuation</i>	\$0 (Tier 3) NT
<i>naloxone injection solution 0.4 mg/ml</i>	\$0 (Tier 1)
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	\$0 (Tier 1)
<i>naloxone nasal spray,non-aerosol 4 mg/actuation</i>	\$0 (Tier 1)
<i>naltrexone oral tablet 50 mg</i>	\$0 (Tier 1)
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	\$0 (Tier 1)
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>naproxen sodium 220 mg caplet</i>	\$0 (Tier 3) NT
<i>naproxen sodium 220 mg tablet</i>	\$0 (Tier 3) NT
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	\$0 (Tier 1)
<i>non-aspirin 325 mg tablet 125's</i>	\$0 (Tier 3) NT
<i>non-aspirin 325 mg tablet 250's, u-d</i>	\$0 (Tier 3) NT
<i>non-aspirin 325 mg tablet 50's, u-d</i>	\$0 (Tier 3) NT
<i>non-aspirin 500 mg tablet 125's</i>	\$0 (Tier 3) NT
<i>non-aspirin 500 mg tablet 250's</i>	\$0 (Tier 3) NT
<i>non-aspirin 500 mg tablet 50's, u-d</i>	\$0 (Tier 3) NT
<i>oxaprozin oral tablet 600 mg</i>	\$0 (Tier 1)
<i>pain relief 160 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>pain relief 325 mg tablet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>pain relief 500 mg caplet</i>	\$0 (Tier 3) NT
<i>pain relief 500 mg caplet caplet,ex-strength</i>	\$0 (Tier 3) NT
<i>pain relief 500 mg gelcap extra strength</i>	\$0 (Tier 3) NT
<i>pain relief 500 mg tablet extra strength</i>	\$0 (Tier 3) NT
<i>pain relief 500 mg tablet extra strength</i>	\$0 (Tier 3) NT
<i>pain reliever 500 mg caplet extr strength,caplet</i>	\$0 (Tier 3) NT
<i>pain reliever 500 mg tablet</i>	\$0 (Tier 3) NT
<i>pain reliever pls 250-250-65 mg</i>	\$0 (Tier 3) NT
<i>pain relievr 250-250-65 mg cplt</i>	\$0 (Tier 3) NT
<i>pharbetol 325 mg tablet reg strength, bulk</i>	\$0 (Tier 3) NT
<i>pharbetol 325 mg tablet regular strength</i>	\$0 (Tier 3) NT
<i>pharbetol 500 mg caplet extra-str, caplet</i>	\$0 (Tier 3) NT
<i>pharbetol 500 mg tablet extra strength</i>	\$0 (Tier 3) NT
<i>piroxicam oral capsule 10 mg, 20 mg</i>	\$0 (Tier 1)
<i>qc aspirin 325 mg tablet</i>	\$0 (Tier 3) NT
<i>qc aspirin 81 mg chewable tab</i>	\$0 (Tier 3) NT
<i>qc aspirin ec 325 mg tablet</i>	\$0 (Tier 3) NT
<i>qc aspirin ec 81 mg tablet</i>	\$0 (Tier 3) NT
<i>qc child pain rlf 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc headache relief tablet extra strength 250-250-65 mg</i>	\$0 (Tier 3) NT
<i>qc ibuprofen 200 mg caplet</i>	\$0 (Tier 3) NT
<i>qc ibuprofen 200 mg tablet</i>	\$0 (Tier 3) NT
<i>qc infant pain-fever 160 mg/5 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc naproxen sod 220 mg caplet</i>	\$0 (Tier 3) NT
<i>qc naproxen sod 220 mg tablet</i>	\$0 (Tier 3) NT
<i>qc non-aspirin 500 mg caplet xtra strength,caplet</i>	\$0 (Tier 3) NT
<i>qc non-aspirin 500 mg gelcap gelcap, ex-str</i>	\$0 (Tier 3) NT
<i>qc non-aspirin pain relief tb extra strength 500 mg</i>	\$0 (Tier 3) NT
<i>qc pain relief 325 mg tablet</i>	\$0 (Tier 3) NT
<i>qc pain relief 500 mg caplet</i>	\$0 (Tier 3) NT
<i>shake that ache 500 mg caplet</i>	\$0 (Tier 3) NT
<i>sm aspirin ec 81 mg tablet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>sm aspirin ec 81 mg tablet adult low strength</i>	\$0 (Tier 3) NT
<i>sm child aspirin 81 mg chw tab children's</i>	\$0 (Tier 3) NT
<i>sm chld pain-fever 160 mg/5 ml as, gluten-f</i>	\$0 (Tier 3) NT
<i>sm ibuprofen 200 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>sm ibuprofen 200 mg tablet</i>	\$0 (Tier 3) NT
<i>sm infant pain-fever 160 mg/5 gluten-f,grape 160 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sm migraine 250-250-65 mg cplt</i>	\$0 (Tier 3) NT
<i>sm naproxen sod 220 mg caplet gluten free, caplet</i>	\$0 (Tier 3) NT
<i>sm pain reliever 325 mg tablet</i>	\$0 (Tier 3) NT
<i>sm pain reliever 500 mg caplet</i>	\$0 (Tier 3) NT
<i>sm pain reliever 500 mg caplet caplet, extra str</i>	\$0 (Tier 3) NT
<i>sm pain reliever 500 mg caplet caplet, extra str</i>	\$0 (Tier 3) NT
<i>sm pain reliever 500 mg tablet</i>	\$0 (Tier 3) NT
<i>sm pain reliever 500 mg tablet extra strength</i>	\$0 (Tier 3) NT
<i>st. joseph aspirin 81 mg chew</i>	\$0 (Tier 3) NT
<i>sulindac oral tablet 150 mg, 200 mg</i>	\$0 (Tier 1)
<i>tramadol oral tablet 50 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>tri-buffered aspirin 325 mg tb boxed</i>	\$0 (Tier 3) NT
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 380 MG	\$0 (Tier 2)
<b>PSYCHOTHERAPEUTIC DRUGS</b>	
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	\$0 (Tier 2) QL (2.4 ML per 56 days)
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	\$0 (Tier 2) QL (3.2 ML per 56 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	\$0 (Tier 2) QL (1 EA per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	\$0 (Tier 2) QL (1 EA per 28 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	\$0 (Tier 1) QL (150 EA per 30 days)
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	\$0 (Tier 2)
<i>aripiprazole oral solution 1 mg/ml</i>	\$0 (Tier 1) QL (900 ML per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	\$0 (Tier 2) QL (60 EA per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	\$0 (Tier 2) QL (4.8 ML per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	\$0 (Tier 2) QL (3.9 ML per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	\$0 (Tier 2) QL (1.6 ML per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	\$0 (Tier 2) QL (2.4 ML per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	\$0 (Tier 2) QL (3.2 ML per 28 days)
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg</i>	\$0 (Tier 1) PA; QL (30 EA per 30 days)
<i>armodafinil oral tablet 50 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	\$0 (Tier 2) ST; QL (60 EA per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	\$0 (Tier 1)
<i>bupropion hcl oral tablet extended release 24 hr 150 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 300 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	\$0 (Tier 1)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	\$0 (Tier 1)
<i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>	\$0 (Tier 2)
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>citalopram oral solution 10 mg/5 ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 2) PA-NS
<i>clorazepate dipotassium oral tablet 15 mg</i>	\$0 (Tier 1) PA-NS; QL (180 EA per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	\$0 (Tier 1) PA-NS; QL (90 EA per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i>	\$0 (Tier 1) PA-NS; QL (360 EA per 30 days)
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>clozapine oral tablet,disintegrating 100 mg</i>	\$0 (Tier 1) QL (270 EA per 30 days)
<i>clozapine oral tablet,disintegrating 12.5 mg, 25 mg</i>	\$0 (Tier 1)
<i>clozapine oral tablet,disintegrating 150 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>clozapine oral tablet,disintegrating 200 mg</i>	\$0 (Tier 2) QL (120 EA per 30 days)
COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG	\$0 (Tier 2) QL (60 EA per 30 days); ^
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	\$0 (Tier 2) QL (56 EA per 180 days); ^
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 2)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>dexmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg, 5 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>dextroamphetamine sulfate oral tablet 15 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>dextroamphetamine sulfate oral tablet 20 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>dextroamphetamine sulfate oral tablet 30 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 20 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	\$0 (Tier 1)
<i>diazepam injection syringe 5 mg/ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	\$0 (Tier 1) PA-NS; QL (240 ML per 30 days)
<i>diazepam oral concentrate 5 mg/ml</i>	\$0 (Tier 1) PA-NS; QL (240 ML per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml)</i>	\$0 (Tier 1) PA-NS; QL (1200 ML per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	\$0 (Tier 1) PA-NS; QL (120 EA per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 2)
<i>doxepin oral concentrate 10 mg/ml</i>	\$0 (Tier 2)
<i>doxepin oral tablet 3 mg, 6 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG	\$0 (Tier 2)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 40 mg, 60 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	\$0 (Tier 2) QL (30 EA per 30 days); ^
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	\$0 (Tier 1)
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	\$0 (Tier 1)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	\$0 (Tier 2) ST; QL (60 EA per 30 days); ^
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)-4MG(2)-6MG(2)	\$0 (Tier 2) ST; QL (8 EA per 180 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	\$0 (Tier 2) QL (28 EA per 180 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	\$0 (Tier 1)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	\$0 (Tier 1)
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	\$0 (Tier 1)
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	\$0 (Tier 1)
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	\$0 (Tier 1)
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 4 mg</i>	\$0 (Tier 2) QL (30 EA per 30 days)
<i>guanfacine oral tablet extended release 24 hr 3 mg</i>	\$0 (Tier 2) QL (60 EA per 30 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i>	\$0 (Tier 1)
<i>haloperidol lactate injection solution 5 mg/ml</i>	\$0 (Tier 1)
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	\$0 (Tier 1)
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	\$0 (Tier 1)
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	\$0 (Tier 2)
<i>INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML</i>	\$0 (Tier 2) QL (3.5 ML per 180 days)
<i>INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML</i>	\$0 (Tier 2) QL (5 ML per 180 days)
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML</i>	\$0 (Tier 2) QL (0.75 ML per 28 days)
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML</i>	\$0 (Tier 2) QL (1 ML per 28 days)
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML</i>	\$0 (Tier 2) QL (1.5 ML per 28 days)
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML</i>	\$0 (Tier 2) QL (0.25 ML per 28 days)
<i>INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML</i>	\$0 (Tier 2) QL (0.5 ML per 28 days)
<i>INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML</i>	\$0 (Tier 2) QL (0.88 ML per 90 days)
<i>INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML</i>	\$0 (Tier 2) QL (1.32 ML per 90 days)
<i>INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML</i>	\$0 (Tier 2) QL (1.75 ML per 90 days)
<i>INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML</i>	\$0 (Tier 2) QL (2.63 ML per 90 days)
<i>lisdexamfetamine oral capsule 10 mg, 20 mg, 30 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>lisdexamfetamine oral capsule 40 mg, 50 mg, 60 mg, 70 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>lisdexamfetamine oral tablet, chewable 10 mg, 20 mg, 30 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>lisdexamfetamine oral tablet, chewable 40 mg, 50 mg, 60 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	\$0 (Tier 1)
<i>lithium carbonate oral tablet 300 mg</i>	\$0 (Tier 1)
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	\$0 (Tier 1)
<i>lithium citrate oral solution 8 meq/5 ml</i>	\$0 (Tier 1)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i>	\$0 (Tier 1)
<i>lorazepam injection syringe 2 mg/ml</i>	\$0 (Tier 1)
<i>lorazepam intensol oral concentrate 2 mg/ml</i>	\$0 (Tier 1) QL (150 ML per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i>	\$0 (Tier 1) QL (150 ML per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>	\$0 (Tier 1) QL (150 EA per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	\$0 (Tier 1)
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>lurasidone oral tablet 80 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
MARPLAN ORAL TABLET 10 MG	\$0 (Tier 2)
<i>methylphenidate hcl oral solution 10 mg/5 ml</i>	\$0 (Tier 1) QL (900 ML per 30 days)
<i>methylphenidate hcl oral solution 5 mg/5 ml</i>	\$0 (Tier 1) QL (1800 ML per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 18 mg (bx rating), 27 mg, 27 mg (bx rating), 36 mg, 36 mg (bx rating), 54 mg, 54 mg (bx rating)</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	\$0 (Tier 1)
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i>	\$0 (Tier 1)
<i>modafinil oral tablet 100 mg</i>	\$0 (Tier 1) PA; QL (30 EA per 30 days)
<i>modafinil oral tablet 200 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days)
<i>molindone oral tablet 10 mg, 25 mg, 5 mg</i>	\$0 (Tier 1)
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	\$0 (Tier 1)
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>nortriptyline oral solution 10 mg/5 ml</i>	\$0 (Tier 2)
NUPLAZID ORAL CAPSULE 34 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
NUPLAZID ORAL TABLET 10 MG	\$0 (Tier 2) PA-NS; LA; QL (30 EA per 30 days); ^
<i>olanzapine intramuscular recon soln 10 mg</i>	\$0 (Tier 1) QL (3 EA per 1 day)
<i>olanzapine oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>olanzapine oral tablet 15 mg, 20 mg, 7.5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>olanzapine oral tablet,disintegrating 15 mg, 20 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>paroxetine hcl oral suspension 10 mg/5 ml</i>	\$0 (Tier 2) QL (900 ML per 30 days)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 2) QL (30 EA per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i>	\$0 (Tier 2) QL (60 EA per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	\$0 (Tier 1)
<i>phenelzine oral tablet 15 mg</i>	\$0 (Tier 1)
<i>pimozide oral tablet 1 mg, 2 mg</i>	\$0 (Tier 1)
<i>protriptyline oral tablet 10 mg, 5 mg</i>	\$0 (Tier 2)
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	\$0 (Tier 1)
QUETIAPINE ORAL TABLET 150 MG	\$0 (Tier 1)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg, 50 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	\$0 (Tier 2) QL (30 EA per 30 days); ^
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	\$0 (Tier 2) QL (2 EA per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	\$0 (Tier 1)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>risperidone oral tablet,disintegrating 1 mg, 2 mg, 3 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	\$0 (Tier 2) QL (30 EA per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i>	\$0 (Tier 1)
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
SODIUM OXYBATE ORAL SOLUTION 500 MG/ML	\$0 (Tier 2) PA; LA; QL (540 ML per 30 days); ^
<i>temazepam oral capsule 15 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days)
<i>temazepam oral capsule 30 mg, 7.5 mg</i>	\$0 (Tier 1) PA; QL (30 EA per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	\$0 (Tier 1)
<i>tranlycypromine oral tablet 10 mg</i>	\$0 (Tier 1)
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	\$0 (Tier 1)
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	\$0 (Tier 1)
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 2)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	\$0 (Tier 1)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	\$0 (Tier 1)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	\$0 (Tier 2) PA-NS; QL (600 ML per 30 days); ^
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	\$0 (Tier 2) QL (30 EA per 30 days); ^
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i>	\$0 (Tier 1)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	\$0 (Tier 2) QL (30 EA per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	\$0 (Tier 2) PA-NS; QL (28 EA per 365 days); ^
ZURZUVAE ORAL CAPSULE 30 MG	\$0 (Tier 2) PA-NS; QL (14 EA per 365 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	\$0 (Tier 2) PA-NS; QL (2.4 EA per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	\$0 (Tier 2) PA-NS; QL (2 EA per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	\$0 (Tier 2) PA-NS; QL (1 EA per 28 days)
<b>CARDIOVASCULAR, HYPERTENSION / LIPIDS</b>	
<b>ANTIARRHYTHMIC AGENTS</b>	
<i>amiodarone intravenous solution 50 mg/ml</i>	\$0 (Tier 1)
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i>	\$0 (Tier 1)
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	\$0 (Tier 2)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	\$0 (Tier 1)
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	\$0 (Tier 1)
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	\$0 (Tier 1)
MULTAQ ORAL TABLET 400 MG	\$0 (Tier 2)
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	\$0 (Tier 1)
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	\$0 (Tier 1)
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	\$0 (Tier 1)
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	\$0 (Tier 1)
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	\$0 (Tier 1)
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	\$0 (Tier 1)
<b>ANTIHYPERTENSIVE THERAPY</b>	
<i>acebutolol oral capsule 200 mg, 400 mg</i>	\$0 (Tier 1)
<i>aliskiren oral tablet 150 mg, 300 mg</i>	\$0 (Tier 1)
<i>amiloride oral tablet 5 mg</i>	\$0 (Tier 1)
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	\$0 (Tier 1)
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	\$0 (Tier 1)
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	\$0 (Tier 1)
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	\$0 (Tier 1)
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	\$0 (Tier 1)
<i>betaxolol oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1)
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	\$0 (Tier 1)
<i>bumetanide injection solution 0.25 mg/ml</i>	\$0 (Tier 1)
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	\$0 (Tier 1)
<i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>candesartan oral tablet 32 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	\$0 (Tier 1)
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	\$0 (Tier 1)
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	\$0 (Tier 1)
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	\$0 (Tier 1)
<i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr</i>	\$0 (Tier 1)
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	\$0 (Tier 1)
<i>diltiazem hcl oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	\$0 (Tier 1)
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>diltiazem hcl oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	\$0 (Tier 1)
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	\$0 (Tier 1)
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	\$0 (Tier 1)
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	\$0 (Tier 1)
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	\$0 (Tier 1)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	\$0 (Tier 1)
EDARBI ORAL TABLET 40 MG, 80 MG	\$0 (Tier 2) QL (30 EA per 30 days)
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	\$0 (Tier 1)
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	\$0 (Tier 1)
<i>eplerenone oral tablet 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1)
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	\$0 (Tier 1)
<i>furosemide injection solution 10 mg/ml</i>	\$0 (Tier 1)
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	\$0 (Tier 1)
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	\$0 (Tier 1)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	\$0 (Tier 2)
<i>hydralazine injection solution 20 mg/ml</i>	\$0 (Tier 1)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	\$0 (Tier 1)
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	\$0 (Tier 1)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>irbesartan-hydrochlorothiazide oral tablet 300-12.5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
KERENDIA ORAL TABLET 10 MG, 20 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	\$0 (Tier 1)
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	\$0 (Tier 1)
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	\$0 (Tier 1)
<i>losartan oral tablet 100 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>losartan oral tablet 25 mg, 50 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>losartan-hydrochlorothiazide oral tablet 50-12.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	\$0 (Tier 1)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	\$0 (Tier 1)
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	\$0 (Tier 1)
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	\$0 (Tier 1)
<i>metyrosine oral capsule 250 mg</i>	\$0 (Tier 2) PA; ^
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	\$0 (Tier 1)
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	\$0 (Tier 1)
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	\$0 (Tier 1)
<i>nebivolol oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>nebivolol oral tablet 20 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	\$0 (Tier 1)
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	\$0 (Tier 1)
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	\$0 (Tier 1)
<i>nimodipine oral capsule 30 mg</i>	\$0 (Tier 1)
<i>olmesartan oral tablet 20 mg, 40 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>olmesartan oral tablet 5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	\$0 (Tier 1)
<i>pindolol oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	\$0 (Tier 1)
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	\$0 (Tier 1)
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	\$0 (Tier 1)
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	\$0 (Tier 1)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	\$0 (Tier 1)
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	\$0 (Tier 1)
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	\$0 (Tier 1)
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	\$0 (Tier 1)
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	\$0 (Tier 1)
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-25 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>telmisartan-hydrochlorothiazid oral tablet 80-12.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	\$0 (Tier 1)
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	\$0 (Tier 1)
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	\$0 (Tier 1)
<i>torse mide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	\$0 (Tier 1)
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	\$0 (Tier 1)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	\$0 (Tier 2) PA; LA; ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	\$0 (Tier 1)
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	\$0 (Tier 1)
<i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>valsartan oral tablet 320 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>verapamil intravenous solution 2.5 mg/ml</i>	\$0 (Tier 1)
<i>verapamil intravenous syringe 2.5 mg/ml</i>	\$0 (Tier 1)
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	\$0 (Tier 1)
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i>	\$0 (Tier 1)
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	\$0 (Tier 1)
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	\$0 (Tier 1)
<b>COAGULATION THERAPY</b>	
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	\$0 (Tier 1)
BRILINTA ORAL TABLET 60 MG, 90 MG	\$0 (Tier 2)
<i>cilostazol oral tablet 100 mg, 50 mg</i>	\$0 (Tier 1)
<i>clopidogrel oral tablet 75 mg</i>	\$0 (Tier 1)
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	\$0 (Tier 2)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	\$0 (Tier 2) PA; LA; ^
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	\$0 (Tier 2) PA; LA; ^
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	\$0 (Tier 2) PA; LA; ^
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	\$0 (Tier 2) QL (74 EA per 180 days)
<i>ELIQUIS ORAL TABLET 2.5 MG</i>	\$0 (Tier 2) QL (60 EA per 30 days)
<i>ELIQUIS ORAL TABLET 5 MG</i>	\$0 (Tier 2) QL (74 EA per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	\$0 (Tier 1)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	\$0 (Tier 2) ^
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	\$0 (Tier 1)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	\$0 (Tier 1)
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	\$0 (Tier 1)
HEPARIN(PORCINE) IN 0.45% NAACL INTRAVENOUS PARENTERAL SOLUTION 12,500 UNIT/250 ML	\$0 (Tier 2)
<i>heparin(porcine) in 0.45% nacl intravenous parenteral solution 25,000 unit/250 ml, 25,000 unit/500 ml</i>	\$0 (Tier 2)
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	\$0 (Tier 1)
<i>pentoxifylline oral tablet extended release 400 mg</i>	\$0 (Tier 1)
<i>phytonadione 10 mg/ml ampul suv,inner</i>	\$0 (Tier 3) NT
<i>phytonadione 10 mg/ml ampul suv,outer</i>	\$0 (Tier 3) NT
<i>phytonadione 5 mg tablet</i>	\$0 (Tier 3) NT
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	\$0 (Tier 2) PA; LA; QL (360 EA per 30 days); ^
PROMACTA ORAL POWDER IN PACKET 25 MG	\$0 (Tier 2) PA; LA; QL (180 EA per 30 days); ^
PROMACTA ORAL TABLET 12.5 MG, 25 MG	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
PROMACTA ORAL TABLET 50 MG, 75 MG	\$0 (Tier 2) PA; LA; QL (60 EA per 30 days); ^
<i>vitamin k-1 10 mg/ml ampul suv, inner</i>	\$0 (Tier 3) NT
<i>vitamin k-1 10 mg/ml ampul suv, outer</i>	\$0 (Tier 3) NT
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	\$0 (Tier 1)
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	\$0 (Tier 2) QL (51 EA per 180 days)
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	\$0 (Tier 2) QL (775 ML per 28 days)
XARELTO ORAL TABLET 10 MG, 20 MG	\$0 (Tier 2) QL (30 EA per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	\$0 (Tier 2) QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>LIPID/CHOLESTEROL LOWERING AGENTS</b>	
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>cholestyramine (with sugar) oral powder 4 gram</i>	\$0 (Tier 1)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	\$0 (Tier 1)
<i>cholestyramine light oral powder 4 gram</i>	\$0 (Tier 1)
<i>cholestyramine light oral powder in packet 4 gram</i>	\$0 (Tier 1)
<i>cholestyramine-aspartame oral powder in packet 4 gram</i>	\$0 (Tier 1)
<i>colesevelam oral powder in packet 3.75 gram</i>	\$0 (Tier 1)
<i>colesevelam oral tablet 625 mg</i>	\$0 (Tier 1)
<i>colestipol oral granules 5 gram</i>	\$0 (Tier 1)
<i>colestipol oral packet 5 gram</i>	\$0 (Tier 1)
<i>colestipol oral tablet 1 gram</i>	\$0 (Tier 1)
<i>ezetimibe oral tablet 10 mg</i>	\$0 (Tier 1)
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg</i>	\$0 (Tier 1)
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	\$0 (Tier 1)
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	\$0 (Tier 1)
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i>	\$0 (Tier 1)
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>gemfibrozil oral tablet 600 mg</i>	\$0 (Tier 1)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	\$0 (Tier 1)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<b>PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML</b>	\$0 (Tier 2) PA
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>prevalite oral powder 4 gram</i>	\$0 (Tier 1)
<i>prevalite oral powder in packet 4 gram</i>	\$0 (Tier 1)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM	\$0 (Tier 2)
<b>MISCELLANEOUS CARDIOVASCULAR AGENTS</b>	
CORLANOR ORAL SOLUTION 5 MG/5 ML	\$0 (Tier 2) QL (450 ML per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	\$0 (Tier 2) QL (60 EA per 30 days)
<i>digoxin oral solution 50 mcg/ml (0.05 mg/ml)</i>	\$0 (Tier 1)
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg)</i>	\$0 (Tier 1) QL (60 EA per 30 days)
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	\$0 (Tier 2) QL (60 EA per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>	\$0 (Tier 1)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	\$0 (Tier 2) QL (30 EA per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	\$0 (Tier 2) PA
<b>NITRATES</b>	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	\$0 (Tier 1)
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1)
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	\$0 (Tier 1)
<i>nitro-bid transdermal ointment 2 %</i>	\$0 (Tier 2)
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	\$0 (Tier 1)
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	\$0 (Tier 1)
<b>DERMATOLOGICALS/TOPICAL THERAPY</b>	
<b>ANTIPSORIATIC / ANTISEBORRHEIC</b>	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	\$0 (Tier 1)
<i>calcipotriene scalp solution 0.005 %</i>	\$0 (Tier 1) QL (120 ML per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	\$0 (Tier 2) PA; QL (10 ML per 28 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	\$0 (Tier 2) PA; QL (10 ML per 28 days); ^
COSENTYX PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML	\$0 (Tier 2) PA; QL (10 ML per 28 days); ^
COSENTYX SUBCUTANEOUS SYRINGE 150 MG/ML	\$0 (Tier 2) PA; QL (10 ML per 28 days); ^
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	\$0 (Tier 2) PA; QL (2.5 ML per 28 days); ^
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	\$0 (Tier 2) PA; QL (10 ML per 28 days); ^
<i>selenium sulfide topical lotion 2.5 %</i>	\$0 (Tier 1)
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	\$0 (Tier 2) PA; QL (6 ML per 365 days); ^
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	\$0 (Tier 2) PA; QL (6 ML per 365 days); ^
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	\$0 (Tier 2) PA; QL (0.5 ML per 28 days); ^
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	\$0 (Tier 2) PA; QL (0.5 ML per 28 days); ^
STELARA SUBCUTANEOUS SYRINGE 90 MG/ML	\$0 (Tier 2) PA; QL (1 ML per 28 days); ^
TREMIFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	\$0 (Tier 2) PA; QL (2 ML per 28 days); ^
TREMIFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	\$0 (Tier 2) PA; QL (2 ML per 28 days); ^
TREMIFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	\$0 (Tier 2) PA; QL (2 ML per 28 days); ^
<b>MISCELLANEOUS DERMATOLOGICALS</b>	
<i>ammonium lactate topical cream 12 %</i>	\$0 (Tier 1)
<i>ammonium lactate topical lotion 12 %</i>	\$0 (Tier 1)
<i>capsaicin 0.025% cream</i>	\$0 (Tier 3) NT
<i>dermacinrx lidocan topical adhesive patch, medicated 5 %</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML	\$0 (Tier 2) PA; QL (4.56 ML per 28 days); ^
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	\$0 (Tier 2) PA; QL (8 ML per 28 days); ^
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	\$0 (Tier 2) PA; QL (1.5 ML per 30 days); ^
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	\$0 (Tier 2) PA; QL (4.56 ML per 28 days); ^
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML	\$0 (Tier 2) PA; QL (8 ML per 28 days); ^
<i>fluorouracil topical cream 5 %</i>	\$0 (Tier 1) QL (40 GM per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>fluorouracil topical solution 2 %, 5 %</i>	\$0 (Tier 1) QL (10 ML per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i>	\$0 (Tier 1) QL (60 ML per 30 days)
<i>imiquimod topical cream in packet 5 %</i>	\$0 (Tier 1) QL (24 EA per 28 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	\$0 (Tier 1)
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	\$0 (Tier 1)
<i>lidocaine hcl laryngotracheal solution 4 %</i>	\$0 (Tier 1) QL (50 ML per 30 days)
<i>lidocaine hcl mucous membrane jelly 2 %</i>	\$0 (Tier 1) QL (60 ML per 30 days)
<i>lidocaine hcl mucous membrane solution 2 %</i>	\$0 (Tier 1)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	\$0 (Tier 1) QL (50 ML per 30 days)
<i>lidocaine topical adhesive patch,medicated 5 %</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>lidocaine topical ointment 5 %</i>	\$0 (Tier 1) QL (50 GM per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	\$0 (Tier 1)
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	\$0 (Tier 1) QL (30 GM per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>lidocan iv topical adhesive patch,medicated 5 %</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>lidocan v topical adhesive patch,medicated 5 %</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
PANRETIN TOPICAL GEL 0.1 %	\$0 (Tier 2) PA-NS; QL (60 GM per 30 days); ^
<i>pimecrolimus topical cream 1 %</i>	\$0 (Tier 1) QL (100 GM per 30 days)
<i>podofilox topical solution 0.5 %</i>	\$0 (Tier 1) QL (7 ML per 28 days)
REGRANEX TOPICAL GEL 0.01 %	\$0 (Tier 2) QL (15 GM per 30 days); ^
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	\$0 (Tier 2) QL (180 GM per 30 days)
<i>silver sulfadiazine topical cream 1 %</i>	\$0 (Tier 1)
<i>ssd topical cream 1 %</i>	\$0 (Tier 1)
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	\$0 (Tier 1) QL (100 GM per 30 days)
<i>tridacaine ii topical adhesive patch,medicated 5 %</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days)
<i>tridacaine topical adhesive patch,medicated 5 %</i>	\$0 (Tier 2) PA; QL (90 EA per 30 days)
VALCHLOR TOPICAL GEL 0.016 %	\$0 (Tier 2) PA-NS; LA; QL (60 GM per 30 days); ^
<b>OTHER THERAPY FOR ACNE</b>	
<i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	\$0 (Tier 1)
<i>adapalene topical cream 0.1 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>adapalene topical gel 0.3 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)
<i>adapalene topical gel with pump 0.3 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)
<i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1)
<i>azelaic acid topical gel 15 %</i>	\$0 (Tier 1) QL (50 GM per 30 days)
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	\$0 (Tier 1)
<i>clindamycin phosphate topical gel 1 %</i>	\$0 (Tier 1) QL (75 GM per 30 days)
<i>clindamycin phosphate topical gel, once daily 1 %</i>	\$0 (Tier 1) QL (75 ML per 30 days)
<i>clindamycin phosphate topical lotion 1 %</i>	\$0 (Tier 1) QL (60 ML per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	\$0 (Tier 1) QL (60 ML per 30 days)
<i>clindamycin phosphate topical swab 1 %</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	\$0 (Tier 1) QL (50 GM per 30 days)
<i>clindamycin-benzoyl peroxide topical gel with pump 1-5 %</i>	\$0 (Tier 1) QL (50 GM per 30 days)
<i>ery pads topical swab 2 %</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	\$0 (Tier 1) QL (60 ML per 30 days)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	\$0 (Tier 1)
<i>isotretinoin oral capsule 10 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg</i>	\$0 (Tier 1)
<i>metronidazole topical cream 0.75 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)
<i>metronidazole topical gel 0.75 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)
<i>metronidazole topical lotion 0.75 %</i>	\$0 (Tier 1) QL (59 ML per 30 days)
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	\$0 (Tier 1)
<i>neuac topical gel 1.2 %(1 % base) -5 %</i>	\$0 (Tier 1) QL (45 GM per 30 days)
<i>tazarotene topical cream 0.1 %</i>	\$0 (Tier 1) PA; QL (60 GM per 30 days)
<i>tazarotene topical gel 0.05 %, 0.1 %</i>	\$0 (Tier 1) PA
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i>	\$0 (Tier 1) PA; QL (50 GM per 30 days)
<i>tretinoin microspheres topical gel with pump 0.04 %, 0.1 %</i>	\$0 (Tier 1) PA; QL (50 GM per 30 days)
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	\$0 (Tier 1) PA; QL (45 GM per 30 days)
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	\$0 (Tier 1) PA; QL (45 GM per 30 days)
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>TOPICAL ANTIBACTERIALS</b>	
<i>gentamicin topical cream 0.1 %</i>	\$0 (Tier 1) QL (30 GM per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	\$0 (Tier 1) QL (30 GM per 30 days)
<i>mupirocin topical ointment 2 %</i>	\$0 (Tier 1) QL (44 GM per 30 days)
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	\$0 (Tier 1)
<b>TOPICAL ANTIFUNGALS</b>	
<i>ciclopirox topical cream 0.77 %</i>	\$0 (Tier 1) QL (90 GM per 28 days)
<i>ciclopirox topical gel 0.77 %</i>	\$0 (Tier 1) QL (100 GM per 28 days)
<i>ciclopirox topical suspension 0.77 %</i>	\$0 (Tier 1) QL (60 ML per 28 days)
<i>clotrimazole topical cream 1 %</i>	\$0 (Tier 1) QL (45 GM per 28 days)
<i>clotrimazole topical solution 1 %</i>	\$0 (Tier 1) QL (30 ML per 28 days)
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	\$0 (Tier 1) QL (45 GM per 28 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	\$0 (Tier 1) QL (60 ML per 28 days)
<i>ketconazole topical cream 2 %</i>	\$0 (Tier 1) QL (60 GM per 28 days)
<i>ketconazole topical shampoo 2 %</i>	\$0 (Tier 1) QL (120 ML per 28 days)
<i>klayesta topical powder 100,000 unit/gram</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>naftifine topical cream 1 %</i>	\$0 (Tier 1) QL (90 GM per 28 days)
<i>naftifine topical cream 2 %</i>	\$0 (Tier 1) QL (60 GM per 28 days)
<i>naftifine topical gel 2 %</i>	\$0 (Tier 1) QL (60 GM per 28 days)
<i>nyamyc topical powder 100,000 unit/gram</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>nystatin topical cream 100,000 unit/gram</i>	\$0 (Tier 1) QL (30 GM per 28 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	\$0 (Tier 1) QL (30 GM per 28 days)
<i>nystatin topical powder 100,000 unit/gram</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>nystop topical powder 100,000 unit/gram</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<b>TOPICAL CORTICOSTEROIDS</b>	
<i>ala-cort topical cream 1 %</i>	\$0 (Tier 1)
<i>alclometasone topical cream 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>alclometasone topical ointment 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>betamethasone dipropionate topical cream 0.05 %</i>	\$0 (Tier 1) QL (135 GM per 30 days)
<i>betamethasone dipropionate topical lotion 0.05 %</i>	\$0 (Tier 1) QL (120 ML per 30 days)
<i>betamethasone dipropionate topical ointment 0.05 %</i>	\$0 (Tier 1) QL (135 GM per 30 days)
<i>betamethasone valerate topical cream 0.1 %</i>	\$0 (Tier 1) QL (135 GM per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>betamethasone valerate topical lotion 0.1 %</i>	\$0 (Tier 1) QL (120 ML per 30 days)
<i>betamethasone valerate topical ointment 0.1 %</i>	\$0 (Tier 1) QL (135 GM per 30 days)
<i>betamethasone, augmented topical cream 0.05 %</i>	\$0 (Tier 1) QL (150 GM per 30 days)
<i>betamethasone, augmented topical gel 0.05 %</i>	\$0 (Tier 1) QL (150 GM per 30 days)
<i>betamethasone, augmented topical lotion 0.05 %</i>	\$0 (Tier 1) QL (120 ML per 30 days)
<i>betamethasone, augmented topical ointment 0.05 %</i>	\$0 (Tier 1) QL (150 GM per 30 days)
<i>clobetasol scalp solution 0.05 %</i>	\$0 (Tier 1) QL (100 ML per 28 days)
<i>clobetasol topical cream 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 28 days)
<i>clobetasol topical gel 0.05 %</i>	\$0 (Tier 1) QL (60 GM per 28 days)
<i>clobetasol topical ointment 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 28 days)
<i>clobetasol topical shampoo 0.05 %</i>	\$0 (Tier 1) QL (118 ML per 28 days)
<i>clobetasol-emollient topical cream 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 28 days)
<i>clodan topical shampoo 0.05 %</i>	\$0 (Tier 1) QL (118 ML per 28 days)
<i>desonide topical lotion 0.05 %</i>	\$0 (Tier 1) QL (118 ML per 30 days)
<i>fluocinolone and shower cap scalp oil 0.01 %</i>	\$0 (Tier 1) QL (118.28 ML per 30 days)
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluocinolone topical oil 0.01 %</i>	\$0 (Tier 1) QL (118.28 ML per 30 days)
<i>fluocinolone topical ointment 0.025 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluocinolone topical solution 0.01 %</i>	\$0 (Tier 1) QL (120 ML per 30 days)
<i>fluocinonide topical cream 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluocinonide topical gel 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluocinonide topical ointment 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluocinonide topical solution 0.05 %</i>	\$0 (Tier 1) QL (120 ML per 30 days)
<i>fluocinonide-e topical cream 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluocinonide-emollient topical cream 0.05 %</i>	\$0 (Tier 1) QL (120 GM per 30 days)
<i>fluticasone propionate topical cream 0.05 %</i>	\$0 (Tier 1)
<i>halobetasol propionate topical cream 0.05 %</i>	\$0 (Tier 1) QL (100 GM per 30 days)
<i>halobetasol propionate topical ointment 0.05 %</i>	\$0 (Tier 1) QL (100 GM per 30 days)
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	\$0 (Tier 1)
<i>hydrocortisone topical lotion 2 %, 2.5 %</i>	\$0 (Tier 1)
<i>hydrocortisone topical ointment 2.5 %</i>	\$0 (Tier 1)
<i>mometasone topical cream 0.1 %</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>mometasone topical ointment 0.1 %</i>	\$0 (Tier 1)
<i>mometasone topical solution 0.1 %</i>	\$0 (Tier 1)
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i>	\$0 (Tier 1)
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	\$0 (Tier 1)
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	\$0 (Tier 1)
<i>triderm topical cream 0.5 %</i>	\$0 (Tier 1)
<b>TOPICAL SCABICIDES / PEDICULICIDES</b>	
<i>malathion topical lotion 0.5 %</i>	\$0 (Tier 1)
<i>permethrin topical cream 5 %</i>	\$0 (Tier 1) QL (60 GM per 30 days)
<b>DIAGNOSTICS / MISCELLANEOUS AGENTS</b>	
<b>MISCELLANEOUS AGENTS</b>	
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	\$0 (Tier 1)
<i>acetic acid irrigation solution 0.25 %</i>	\$0 (Tier 1)
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	\$0 (Tier 1)
<i>carglumic acid oral tablet, dispersible 200 mg</i>	\$0 (Tier 2) PA; LA; ^
<i>cevimeline oral capsule 30 mg</i>	\$0 (Tier 1)
CHEMET ORAL CAPSULE 100 MG	\$0 (Tier 2)
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	\$0 (Tier 2) B/D
<i>cvs glucose 40% gel 3's (rx)</i>	\$0 (Tier 3) NT
<i>cvs glucose 40% gel</i>	\$0 (Tier 3) NT
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	\$0 (Tier 1)
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	\$0 (Tier 2)
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	\$0 (Tier 1)
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	\$0 (Tier 1)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	\$0 (Tier 2) PA; ^
<i>deferasirox oral tablet 180 mg, 360 mg</i>	\$0 (Tier 2) PA
<i>deferasirox oral tablet 90 mg</i>	\$0 (Tier 1) PA

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>deferasirox oral tablet, dispersible 125 mg</i>	\$0 (Tier 2) PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i>	\$0 (Tier 1) PA; ^
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	\$0 (Tier 2)
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	\$0 (Tier 1)
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	\$0 (Tier 1)
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	\$0 (Tier 1)
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	\$0 (Tier 1)
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	\$0 (Tier 1)
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	\$0 (Tier 1)
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	\$0 (Tier 1)
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	\$0 (Tier 1)
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	\$0 (Tier 1)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>droxidopa oral capsule 100 mg</i>	\$0 (Tier 2) PA; QL (90 EA per 30 days)
<i>droxidopa oral capsule 200 mg, 300 mg</i>	\$0 (Tier 2) PA; QL (180 EA per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	\$0 (Tier 2) PA; LA; ^
<i>glutamine (sickle cell) oral powder in packet 5 gram</i>	\$0 (Tier 1) PA; ^
<i>glutose-5 gel outer 40 %</i>	\$0 (Tier 3) NT
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	\$0 (Tier 2) PA; LA; ^
<i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>	\$0 (Tier 1)
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	\$0 (Tier 1)
<i>levocarnitine oral solution 100 mg/ml</i>	\$0 (Tier 1)
<i>levocarnitine oral tablet 330 mg</i>	\$0 (Tier 1)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	\$0 (Tier 2)
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i>	\$0 (Tier 2) PA; ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>nitisinone oral capsule 20 mg</i>	\$0 (Tier 1) PA; ^
NUTRISOURCE FIBER POWDER INNER	\$0 (Tier 3) NT
NUTRISOURCE FIBER POWDER OUTER	\$0 (Tier 3) NT
NUTRISOURCE FIBER POWDER PACK INNER	\$0 (Tier 3) NT
NUTRISOURCE FIBER POWDER PACK OUTER	\$0 (Tier 3) NT
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	\$0 (Tier 1)
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML	\$0 (Tier 2) PA; LA; ^
<i>riluzole oral tablet 50 mg</i>	\$0 (Tier 1)
<i>risedronate oral tablet 30 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	\$0 (Tier 1)
<i>sodium chloride 0.9 % intravenous piggyback</i>	\$0 (Tier 1)
<i>sodium chloride irrigation solution 0.9 %</i>	\$0 (Tier 1)
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i>	\$0 (Tier 2) PA; ^
<i>sodium phenylbutyrate oral tablet 500 mg</i>	\$0 (Tier 2) PA; ^
<i>sodium polystyrene sulfonate oral powder</i>	\$0 (Tier 1)
<i>sorbitol 70% solution (otc)</i>	\$0 (Tier 3) NT
<i>sorbitol 70% solution (rx)</i>	\$0 (Tier 3) NT
<i>sorbitol 70% solution 10's, u-d, 30mlx10 (rx)</i>	\$0 (Tier 3) NT
<i>sorbitol 70% solution usp (rx)</i>	\$0 (Tier 3) NT
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	\$0 (Tier 1)
<i>sps (with sorbitol) rectal enema 30-40 gram/120 ml</i>	\$0 (Tier 1)
<i>trientine oral capsule 250 mg</i>	\$0 (Tier 2) PA; ^
TRUEPLUS GLUCOSE 15 GRAM GEL 15 GRAM/32 ML	\$0 (Tier 3) NT
<i>value plus glucose 40% gel 3's, tropical fruit (rx)</i>	\$0 (Tier 3) NT
<i>water for irrigation, sterile irrigation solution</i>	\$0 (Tier 1)
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	\$0 (Tier 1)
<b>SMOKING DETERRENTS</b>	
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	\$0 (Tier 1)
<i>gnp nicotine 2 mg chewing gum</i>	\$0 (Tier 3) NT
<i>gnp nicotine 2 mg mini lozenge</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>gnp nicotine 21 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT
<i>gnp nicotine 4 mg chewing gum</i>	\$0 (Tier 3) NT
<i>gnp nicotine 4 mg mini lozenge</i>	\$0 (Tier 3) NT
<i>gs nicotine 2 mg chewing gum</i>	\$0 (Tier 3) NT
<i>gs nicotine 2 mg chewing gum original</i>	\$0 (Tier 3) NT
<i>gs nicotine 2 mg lozenge</i>	\$0 (Tier 3) NT
<i>gs nicotine 2 mg mini lozenge</i>	\$0 (Tier 3) NT
<i>gs nicotine 4 mg chewing gum</i>	\$0 (Tier 3) NT
<i>gs nicotine 4 mg chewing gum original</i>	\$0 (Tier 3) NT
<i>gs nicotine 4 mg lozenge</i>	\$0 (Tier 3) NT
<i>gs nicotine 4 mg mini lozenge</i>	\$0 (Tier 3) NT
<i>hm nicotine 2 mg mini lozenge</i>	\$0 (Tier 3) NT
<i>kro nicotine 2 mg chewing gum original</i>	\$0 (Tier 3) NT
<i>kro nicotine 2 mg lozenge 3 quittube, mint</i>	\$0 (Tier 3) NT
<i>kro nicotine 4 mg chewing gum original</i>	\$0 (Tier 3) NT
<i>kro nicotine 4 mg lozenge 3 quittube, mint</i>	\$0 (Tier 3) NT
<i>nicotine 14 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 14 mg/24hr patch clear, step 2, outer (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 14 mg/24hr patch inner (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 14 mg/24hr patch outer (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 14 mg/24hr patch step 2 (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum coated</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum coated fruit</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum coated,cinnamon</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum cool mint/coated</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum mint</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum original</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg chewing gum outer</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg lozenge</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg lozenge inner</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg lozenge outer</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>nicotine 2 mg mini lozenge inner</i>	\$0 (Tier 3) NT
<i>nicotine 2 mg mini lozenge outer</i>	\$0 (Tier 3) NT
<i>nicotine 21 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 21 mg/24hr patch inner (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 21 mg/24hr patch outer (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 21 mg/24hr patch outer, clear, step 1 (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum coated</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum coated fruit</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum coated,cinnamon</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum cool mint/coated</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum original</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum outer</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum refill. outer</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg chewing gum starter kit, outer</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg lozenge</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg lozenge inner</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg lozenge mint</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg lozenge mint, 3 quittube</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg lozenge outer</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg mini lozenge</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg mini lozenge inner</i>	\$0 (Tier 3) NT
<i>nicotine 4 mg mini lozenge outer</i>	\$0 (Tier 3) NT
<i>nicotine 7 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 7 mg/24hr patch inner (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 7 mg/24hr patch outer (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 7 mg/24hr patch outer, clear, step 3 (otc)</i>	\$0 (Tier 3) NT
<i>nicotine 7 mg/24hr patch step 3 (otc)</i>	\$0 (Tier 3) NT
<i>nicotine transdermal system step 1,2,3 21-14-7 mg/24 hr</i>	\$0 (Tier 3) NT
NICOTROL INHALATION CARTRIDGE 10 MG	\$0 (Tier 2)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	\$0 (Tier 2)
<i>sm nicotine 14 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>sm nicotine 2 mg chewing gum</i>	\$0 (Tier 3) NT
<i>sm nicotine 2 mg lozenge</i>	\$0 (Tier 3) NT
<i>sm nicotine 21 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT
<i>sm nicotine 4 mg chewing gum</i>	\$0 (Tier 3) NT
<i>sm nicotine 4 mg lozenge</i>	\$0 (Tier 3) NT
<i>sm nicotine 7 mg/24hr patch (otc)</i>	\$0 (Tier 3) NT
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg, 1 mg (56 pack)</i>	\$0 (Tier 1)
<i>varenicline tartrate oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i>	\$0 (Tier 1)
<b>EAR, NOSE / THROAT MEDICATIONS</b>	
<b>MISCELLANEOUS AGENTS</b>	
AFRIN SALINE NASAL MIST NASAL MIST 0.65 %	\$0 (Tier 3) NT
<i>altamist 0.65% nose spray</i>	\$0 (Tier 3) NT
<i>ayr saline 0.65% nose drops</i>	\$0 (Tier 3) NT
<i>ayr saline 0.65% nose spray</i>	\$0 (Tier 3) NT
<i>azelastine nasal spray,non-aerosol 137 mcg (0.1 %), 205.5 mcg (0.15 %)</i>	\$0 (Tier 1) QL (60 ML per 30 days)
<i>baby ayr saline 0.65% drops</i>	\$0 (Tier 3) NT
<i>child saline 0.65% nasal spray</i>	\$0 (Tier 3) NT
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	\$0 (Tier 1)
<i>cvs saline 0.65% nasal spray</i>	\$0 (Tier 3) NT
<i>deep sea 0.65% nose spray</i>	\$0 (Tier 3) NT
<i>eq nasal 0.65% spray</i>	\$0 (Tier 3) NT
<i>eql saline 0.65% nasal spray</i>	\$0 (Tier 3) NT
<i>gnp nasal moist 0.65% spray</i>	\$0 (Tier 3) NT
<i>gnp saline 0.65% nose spray</i>	\$0 (Tier 3) NT
<i>gs nasal moist 0.65% spray</i>	\$0 (Tier 3) NT
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	\$0 (Tier 1) QL (30 ML per 30 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	\$0 (Tier 1) QL (45 ML per 30 days)
<i>kourzeq dental paste 0.1 %</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>little remedies 0.65% spray for noses</i>	\$0 (Tier 3) NT
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	\$0 (Tier 1)
<i>periogard mucous membrane mouthwash 0.12 %</i>	\$0 (Tier 1)
<i>ra saline 0.65% nasal spray</i>	\$0 (Tier 3) NT
<i>saline 0.65% nasal spray</i>	\$0 (Tier 3) NT
<i>saline 0.65% nasal spray moisturizing</i>	\$0 (Tier 3) NT
<i>saline mist 0.65% nose spry</i>	\$0 (Tier 3) NT
<i>sm saline 0.65% nasal spray</i>	\$0 (Tier 3) NT
<i>triamcinolone acetonide dental paste 0.1 %</i>	\$0 (Tier 1)
<b>MISCELLANEOUS OTIC PREPARATIONS</b>	
<i>acetic acid otic (ear) solution 2 %</i>	\$0 (Tier 1)
<i>ear drops 6.5%</i>	\$0 (Tier 3) NT
<i>ear wax removal 6.5% drop</i>	\$0 (Tier 3) NT
<i>ear wax removal 6.5% kit</i>	\$0 (Tier 3) NT
<i>flac otic oil otic (ear) drops 0.01 %</i>	\$0 (Tier 1)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	\$0 (Tier 1)
<i>ft ear wax removal 6.5% drop</i>	\$0 (Tier 3) NT
<i>ft ear wax removal 6.5% kit</i>	\$0 (Tier 3) NT
<i>murine ear wax removal system 6.5 %</i>	\$0 (Tier 3) NT
<i>ofloxacin otic (ear) drops 0.3 %</i>	\$0 (Tier 1)
<b>OTIC STEROID / ANTIBIOTIC</b>	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	\$0 (Tier 1) QL (7.5 ML per 7 days)
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	\$0 (Tier 1)
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	\$0 (Tier 1)
<b>ENDOCRINE/DIABETES</b>	
<b>ADRENAL HORMONES</b>	
<i>dexamethasone intensol oral drops 1 mg/ml</i>	\$0 (Tier 2)
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	\$0 (Tier 1)
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	\$0 (Tier 1)
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	\$0 (Tier 1)
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	\$0 (Tier 1)
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	\$0 (Tier 1)
<i>fludrocortisone oral tablet 0.1 mg</i>	\$0 (Tier 1)
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	\$0 (Tier 1)
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	\$0 (Tier 1)
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	\$0 (Tier 1) B/D
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	\$0 (Tier 1)
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	\$0 (Tier 1)
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	\$0 (Tier 1)
<i>prednisolone oral solution 15 mg/5 ml</i>	\$0 (Tier 1)
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 15 mg/5 ml (5 ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	\$0 (Tier 1)
<i>prednisone intensol oral concentrate 5 mg/ml</i>	\$0 (Tier 2)
<i>prednisone oral solution 5 mg/5 ml</i>	\$0 (Tier 1)
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	\$0 (Tier 1)
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	\$0 (Tier 1)
<b>SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML</b>	\$0 (Tier 2)
<b>ANTITHYROID AGENTS</b>	
<i>methimazole oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)
<i>propylthiouracil oral tablet 50 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>DIABETES THERAPY</b>	
<i>acarbose oral tablet 100 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)
<i>acarbose oral tablet 25 mg</i>	\$0 (Tier 1) QL (360 EA per 30 days)
<i>acarbose oral tablet 50 mg</i>	\$0 (Tier 1) QL (180 EA per 30 days)
<i>alcohol pads topical pads, medicated</i>	\$0 (Tier 2)
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML	\$0 (Tier 2) PA; QL (3.4 ML per 28 days)
<i>diazoxide oral suspension 50 mg/ml</i>	\$0 (Tier 2) ^
FARXIGA ORAL TABLET 10 MG, 5 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>glimepiride oral tablet 1 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>glimepiride oral tablet 2 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>glimepiride oral tablet 4 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>glipizide oral tablet 10 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>glipizide oral tablet 5 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	\$0 (Tier 1) QL (240 EA per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	\$0 (Tier 2) QL (30 EA per 30 days)
GVOKE HYPOPEN 1-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	\$0 (Tier 2)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	\$0 (Tier 2)
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	\$0 (Tier 2)
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	\$0 (Tier 2)
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	\$0 (Tier 2)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	\$0 (Tier 2)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	\$0 (Tier 2)
INSULIN ASP PRT-INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	\$0 (Tier 2)
INSULIN ASPART U-100 SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	\$0 (Tier 2)
INSULIN ASPART U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	\$0 (Tier 2)
INSULIN ASPART U-100 SUBCUTANEOUS SOLUTION 100 UNIT/ML	\$0 (Tier 2)
INSULIN DEGLUDEC SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML)	\$0 (Tier 2)
INSULIN DEGLUDEC SUBCUTANEOUS SOLUTION 100 UNIT/ML	\$0 (Tier 2)
INSULIN GLARGINE U-300 CONC SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML), 300 UNIT/ML (3 ML)	\$0 (Tier 2)
INSULIN GLARGINE-YFGN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	\$0 (Tier 2)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	\$0 (Tier 2) QL (60 EA per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	\$0 (Tier 2) QL (30 EA per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	\$0 (Tier 2) QL (60 EA per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	\$0 (Tier 2) QL (30 EA per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	\$0 (Tier 2) QL (30 EA per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	\$0 (Tier 2) QL (60 EA per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	\$0 (Tier 2) QL (60 EA per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>metformin oral tablet 1,000 mg</i>	\$0 (Tier 1) QL (75 EA per 30 days)
<i>metformin oral tablet 500 mg</i>	\$0 (Tier 1) QL (150 EA per 30 days)
<i>metformin oral tablet 850 mg</i>	\$0 (Tier 1) QL (90 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the drug will cost you (tier level)	Necessary actions, restrictions, or limits on use
<i>metformin oral tablet extended release 24 hr 500 mg</i>	\$0 (Tier 1)	Generic for Glucophage XR; QL (120 EA per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	\$0 (Tier 1)	Generic for Glucophage XR; QL (60 EA per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	\$0 (Tier 2)	PA; QL (2 ML per 28 days)
<i>nateglinide oral tablet 120 mg</i>	\$0 (Tier 1)	QL (90 EA per 30 days)
<i>nateglinide oral tablet 60 mg</i>	\$0 (Tier 1)	QL (180 EA per 30 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	\$0 (Tier 2)	(brand RELION not covered)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	\$0 (Tier 2)	(brand RELION not covered)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	\$0 (Tier 2)	(brand RELION not covered)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	\$0 (Tier 2)	(brand RELION not covered)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	\$0 (Tier 2)	(brand RELION not covered)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	\$0 (Tier 2)	(brand RELION not covered)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	\$0 (Tier 2)	PA; QL (3 ML per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	\$0 (Tier 2)	PA; QL (1.8 ML per 30 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	\$0 (Tier 1)	QL (30 EA per 30 days)
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i>	\$0 (Tier 1)	QL (30 EA per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i>	\$0 (Tier 1)	QL (90 EA per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	\$0 (Tier 1)	QL (960 EA per 30 days)
<i>repaglinide oral tablet 1 mg</i>	\$0 (Tier 1)	QL (480 EA per 30 days)
<i>repaglinide oral tablet 2 mg</i>	\$0 (Tier 1)	QL (240 EA per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	\$0 (Tier 2)	PA; QL (30 EA per 30 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	\$0 (Tier 2)	QL (15 ML per 25 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	\$0 (Tier 2) QL (60 EA per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	\$0 (Tier 2) QL (30 EA per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	\$0 (Tier 2) QL (60 EA per 30 days)
TRADJENTA ORAL TABLET 5 MG	\$0 (Tier 2) QL (30 EA per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	\$0 (Tier 2) QL (30 EA per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	\$0 (Tier 2) QL (60 EA per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	\$0 (Tier 2) PA; QL (2 ML per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	\$0 (Tier 2) QL (30 EA per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	\$0 (Tier 2) QL (60 EA per 30 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	\$0 (Tier 2) QL (15 ML per 30 days)
<b>MISCELLANEOUS HORMONES</b>	
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	\$0 (Tier 2) PA; ^
<i>cabergoline oral tablet 0.5 mg</i>	\$0 (Tier 1)
<i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>	\$0 (Tier 1)
<i>calcitriol intravenous solution 1 mcg/ml</i>	\$0 (Tier 1)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	\$0 (Tier 1)
<i>calcitriol oral solution 1 mcg/ml</i>	\$0 (Tier 1)
<i>cinacalcet oral tablet 30 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>cinacalcet oral tablet 60 mg</i>	\$0 (Tier 2) QL (60 EA per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	\$0 (Tier 2) QL (120 EA per 30 days); ^
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	\$0 (Tier 1)
<i>desmopressin injection solution 4 mcg/ml</i>	\$0 (Tier 2) ^
<i>desmopressin nasal spray with pump 10 mcg/spray (0.1 ml)</i>	\$0 (Tier 1)
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	\$0 (Tier 1)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	\$0 (Tier 1)
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	\$0 (Tier 2) PA; ^
KORLYM ORAL TABLET 300 MG	\$0 (Tier 2) PA; LA; ^
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	\$0 (Tier 2) PA; ^
<i>mifepristone oral tablet 300 mg</i>	\$0 (Tier 1) PA; ^
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	\$0 (Tier 2) PA; LA; ^
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	\$0 (Tier 1)
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	\$0 (Tier 1)
<i>sapropterin oral powder in packet 100 mg, 500 mg</i>	\$0 (Tier 2) PA; ^
<i>sapropterin oral tablet, soluble 100 mg</i>	\$0 (Tier 2) PA; ^
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	\$0 (Tier 2) PA; LA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i>	\$0 (Tier 1)
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	\$0 (Tier 1)
<i>testosterone transdermal gel 50 mg/5 gram (1 %)</i>	\$0 (Tier 1) PA; QL (300 GM per 30 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	\$0 (Tier 1) PA; QL (300 GM per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	\$0 (Tier 1) PA; QL (150 GM per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	\$0 (Tier 1) PA; QL (300 GM per 30 days)
<i>tolvaptan oral tablet 15 mg, 30 mg</i>	\$0 (Tier 1) PA; ^
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	\$0 (Tier 1) B/D
<b>THYROID HORMONES</b>	
<i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	\$0 (Tier 1)
<i>levo-t oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	\$0 (Tier 1)
<i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	\$0 (Tier 1)
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	\$0 (Tier 1)
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	\$0 (Tier 2)
<i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	\$0 (Tier 1)
<b>GASTROENTEROLOGY</b>	
<b>ANTIDIARRHEALS / ANTISPASMODICS</b>	
<i>anti-diarrheal 1 mg/7.5 ml sol</i>	\$0 (Tier 3) NT
<i>anti-diarrheal 2 mg caplet</i>	\$0 (Tier 3) NT
<i>anti-diarrheal 2 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>anti-diarrheal 2 mg softgel</i>	\$0 (Tier 3) NT
<i>anti-diarrheal 2 mg tablet</i>	\$0 (Tier 3) NT
<i>bismuth 262 mg tablet chew</i>	\$0 (Tier 3) NT
<i>bismuth 262 mg tablet chew</i>	\$0 (Tier 3) NT
<i>diamode 2 mg caplet</i>	\$0 (Tier 3) NT
<i>diamode 2 mg caplet outer</i>	\$0 (Tier 3) NT
<i>dicyclomine oral capsule 10 mg</i>	\$0 (Tier 2)
<i>dicyclomine oral solution 10 mg/5 ml</i>	\$0 (Tier 2)
<i>dicyclomine oral tablet 20 mg</i>	\$0 (Tier 2)
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	\$0 (Tier 2)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	\$0 (Tier 2)
<i>ft anti-diarrheal 2 mg caplet</i>	\$0 (Tier 3) NT
<i>ft anti-diarrheal 2 mg softgel</i>	\$0 (Tier 3) NT
<i>ft stomach relief 525 mg/30 ml 262 mg/15 ml</i>	\$0 (Tier 3) NT
<i>ft stomach rlf 262 mg chew tab</i>	\$0 (Tier 3) NT
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>gnp anti-diarrheal 2 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp pink bismuth 262 mg tb chw</i>	\$0 (Tier 3) NT
<i>gnp pink bismuth 525 mg/15 ml</i>	\$0 (Tier 3) NT
<i>gnp stomach rlf 525 mg/30 ml 262 mg/15 ml</i>	\$0 (Tier 3) NT
<i>gs anti-diarrheal 2 mg caplet</i>	\$0 (Tier 3) NT
<i>loperamide 1 mg/7.5 ml soln</i>	\$0 (Tier 3) NT
<i>loperamide 2 mg tablet</i>	\$0 (Tier 3) NT
<i>loperamide oral capsule 2 mg</i>	\$0 (Tier 1)
<i>pink bismuth caplet 262 mg</i>	\$0 (Tier 3) NT
<i>qc anti-diarrheal 2 mg caplet</i>	\$0 (Tier 3) NT
<i>qc anti-diarrheal 2 mg softgel</i>	\$0 (Tier 3) NT
<i>qc diarrhea rlf 262 mg/15 ml vanilla reg flavor</i>	\$0 (Tier 3) NT
<i>qc stomach rlf 262 mg chew tab</i>	\$0 (Tier 3) NT
<i>sm anti-diarrheal 1 mg/7.5 ml</i>	\$0 (Tier 3) NT
<i>sm anti-diarrheal 2 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>sm anti-diarrheal 2 mg softgel</i>	\$0 (Tier 3) NT
<i>sm stomach rlf 262 mg caplet</i>	\$0 (Tier 3) NT
<i>sm stomach rlf 262 mg chew tab</i>	\$0 (Tier 3) NT
<i>stomach relief 262 mg caplet</i>	\$0 (Tier 3) NT
<i>stomach relief 262 mg chew tab</i>	\$0 (Tier 3) NT
<i>stomach relief 525 mg/15 ml</i>	\$0 (Tier 3) NT
<i>stomach rlf 525 mg/30 ml susp 262 mg/15 ml</i>	\$0 (Tier 3) NT
<b>MISCELLANEOUS GASTROINTESTINAL AGENTS</b>	
<i>acid gone antacid liquid 95-358 mg/15 ml</i>	\$0 (Tier 3) NT
<i>acid gone tablet chew 160-105 mg</i>	\$0 (Tier 3) NT
<i>almacone-2 liquid 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>alose tron oral tablet 0.5 mg</i>	\$0 (Tier 2) PA; QL (60 EA per 30 days)
<i>alose tron oral tablet 1 mg</i>	\$0 (Tier 2) PA; QL (60 EA per 30 days); ^
<i>aluminum hydroxide gel 320 mg/5 ml</i>	\$0 (Tier 3) NT
<i>alum-mag hydroxide-simeth cup inner 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>alum-mag hydroxide-simeth cup outer 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>antacid anti-gas liquid 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>antacid anti-gas max str liq 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>antacid ex-str tablet chew 160-105 mg</i>	\$0 (Tier 3) NT
<i>antacid extra strength chw tab 160-105 mg</i>	\$0 (Tier 3) NT
<i>antacid liquid 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>antacid-antigas liquid 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>antacid-antigas suspension 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>anti-nausea liquid</i>	\$0 (Tier 3) NT
<i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i>	\$0 (Tier 1) B/D
<i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i>	\$0 (Tier 1) B/D
<i>balsalazide oral capsule 750 mg</i>	\$0 (Tier 1)
<i>betaine oral powder 1 gram/scoop</i>	\$0 (Tier 2) LA; ^
<i>bisacodyl 10 mg suppository</i>	\$0 (Tier 3) NT
<i>bisacodyl ec 5 mg tablet</i>	\$0 (Tier 3) NT
<i>bisacodyl ec 5 mg tablet usp</i>	\$0 (Tier 3) NT
<i>budesonide oral capsule,delayed,extend.release 3 mg</i>	\$0 (Tier 1)
<i>budesonide oral tablet,delayed and ext.release 9 mg</i>	\$0 (Tier 2) PA; QL (30 EA per 30 days); ^
<i>child glycerin 1.2 gm supp</i>	\$0 (Tier 3) NT
<i>child glycerin suppository</i>	\$0 (Tier 3) NT
<i>chocolated laxative 15 mg</i>	\$0 (Tier 3) NT
<i>chocolated laxative gluten-free, reg str 15 mg</i>	\$0 (Tier 3) NT
<i>citrucel 500 mg caplet</i>	\$0 (Tier 3) NT
<i>clearlax powder 14 once-daily doses 17 gram/dose</i>	\$0 (Tier 3) NT
<i>clearlax powder 17 gram/dose</i>	\$0 (Tier 3) NT
<i>clearlax powder 30 once-daily doses 17 gram/dose</i>	\$0 (Tier 3) NT
<i>clearlax powder 7 once-daily doses 17 gram/dose</i>	\$0 (Tier 3) NT
<i>clearlax powder packet 17 gram</i>	\$0 (Tier 3) NT
COLACE CLEAR 50 MG SOFTGEL	\$0 (Tier 3) NT
<i>compro rectal suppository 25 mg</i>	\$0 (Tier 1)
<i>constulose oral solution 10 gram/15 ml</i>	\$0 (Tier 1)
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>cromolyn oral concentrate 100 mg/5 ml</i>	\$0 (Tier 1)
<i>cvs chocolated laxative 15 mg</i>	\$0 (Tier 3) NT
<i>docusate cal 240 mg capsule</i>	\$0 (Tier 3) NT
<i>docusate cal 240 mg softgel</i>	\$0 (Tier 3) NT
<i>docusate cal 240 mg softgel softgel</i>	\$0 (Tier 3) NT
<i>docusate cal 240 mg softgel u-d, softgel</i>	\$0 (Tier 3) NT
<i>docusate sod 100 mg/10 ml cup inner 50 mg/5 ml</i>	\$0 (Tier 3) NT
<i>docusate sod 100 mg/10 ml cup outer 50 mg/5 ml</i>	\$0 (Tier 3) NT
<i>docusate sodium 100 mg capsule</i>	\$0 (Tier 3) NT
<i>docusate sodium 100 mg softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 100 mg softgel inner, softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 100 mg softgel outer, softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 100 mg softgel softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 100 mg softgel u-d,softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 250 mg capsule u-d,softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 250 mg softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 250 mg softgel softgel</i>	\$0 (Tier 3) NT
<i>docusate sodium 50 mg/5 ml cup inner</i>	\$0 (Tier 3) NT
<i>docusate sodium 50 mg/5 ml cup outer</i>	\$0 (Tier 3) NT
<i>docusate sodium 50 mg/5 ml liq</i>	\$0 (Tier 3) NT
DOCUSATE SODIUM MINI ENEMA 283 MG/5 ML	\$0 (Tier 3) NT
DOCUSOL KIDS 100 MG MINI-ENEMA 5ML MINI-ENEMA,OUTER 100 MG/5 ML	\$0 (Tier 3) NT
<i>dok 100 mg tablet</i>	\$0 (Tier 3) NT
<i>dramamine 25 mg tablet</i>	\$0 (Tier 3) NT
<i>dramamine 25 mg tablet chew</i>	\$0 (Tier 3) NT
<i>drimate 50 mg tablet</i>	\$0 (Tier 3) NT
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1) B/D; QL (60 EA per 30 days)
<i>dss 250 mg softgel</i>	\$0 (Tier 3) NT
<i>enema disposable 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>enema ready to use 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>enema ready to use 19-7 gram/118 ml</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
ENEMEEZ MINI ENEMA 283 MG/5 ML	\$0 (Tier 3) NT
ENEMEEZ MINI ENEMA 5CC TUBES, OUTER 283 MG/5 ML	\$0 (Tier 3) NT
ENEMEEZ PLUS MINI ENEMA 283-20 MG/5 ML	\$0 (Tier 3) NT
ENEMEEZ PLUS MINI ENEMA OUTER 283-20 MG/5 ML	\$0 (Tier 3) NT
<i>enulose oral solution 10 gram/15 ml</i>	\$0 (Tier 1)
<i>eql chocolated laxative 15 mg</i>	\$0 (Tier 3) NT
<i>evac-u-gen 8.6 mg tablet</i>	\$0 (Tier 3) NT
<i>fiber laxative 625 mg caplet</i>	\$0 (Tier 3) NT
<i>fiber laxative 625 mg tablet</i>	\$0 (Tier 3) NT
<i>fiber tablet unboxed 625 mg</i>	\$0 (Tier 3) NT
<i>fiber tabs 625 mg</i>	\$0 (Tier 3) NT
<i>fiber therapy 500 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>fiber therapy powder 2 gram/19 gram</i>	\$0 (Tier 3) NT
<i>fiber-lax 625 mg tablet 500mg polycarbophil</i>	\$0 (Tier 3) NT
<i>fleet enema 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>fleet enema 2x133ml, twin pack 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>fleet enema 4x133ml 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
FLEET GLYCERIN LIQUID SUPP 5.4 GRAM/5.4 ML	\$0 (Tier 3) NT
FLEET PEDIA-LAX ENEMA 9.5-3.5 GRAM/59 ML	\$0 (Tier 3) NT
FLEET PEDIA-LAX STOOL SOFTENER 50 MG/15 ML	\$0 (Tier 3) NT
FLEET PEDIA-LAX SUPPOSITORIES 2.8 GRAM/2.7 ML	\$0 (Tier 3) NT
<i>ft antacid-antigas liquid 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>ft antacid-antigas max str 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>ft clearlax powder 17 gram/dose</i>	\$0 (Tier 3) NT
<i>ft fiber laxative 625 mg cplt</i>	\$0 (Tier 3) NT
<i>ft gentle laxative 10 mg supp</i>	\$0 (Tier 3) NT
<i>ft laxative ec 5 mg tablet</i>	\$0 (Tier 3) NT
<i>ft milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>ft motion sickness 25 mg tab</i>	\$0 (Tier 3) NT
<i>ft motion sickness 50 mg tab</i>	\$0 (Tier 3) NT
<i>ft senna laxative 8.6 mg tab</i>	\$0 (Tier 3) NT
<i>ft senna-s 8.6-50 mg tablet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>ft stool softener 100 mg sftgl</i>	\$0 (Tier 3) NT
<i>ft stool softener 100 mg tab</i>	\$0 (Tier 3) NT
<i>ft stool softener 250 mg sftgl</i>	\$0 (Tier 3) NT
<i>ft stool softener-stim lax tab 8.6-50 mg</i>	\$0 (Tier 3) NT
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	\$0 (Tier 2) PA; LA; ^
GATTEX ONE-VIAL SUBCUTANEOUS KIT 5 MG	\$0 (Tier 2) PA; ^
<i>gavilax powder 14 day 17 gram/dose</i>	\$0 (Tier 3) NT
<i>gavilax powder 30 day 17 gram/dose</i>	\$0 (Tier 3) NT
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	\$0 (Tier 1)
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	\$0 (Tier 1)
GAVICON EXTRA STRENGTH LIQUID 254-237.5 MG/5 ML	\$0 (Tier 3) NT
<i>generlac oral solution 10 gram/15 ml</i>	\$0 (Tier 1)
<i>gentle laxative 10 mg supp</i>	\$0 (Tier 3) NT
<i>gentle laxative ec 5 mg tablet</i>	\$0 (Tier 3) NT
<i>gentlelax powder 30 once-daily doses 17 gram/dose</i>	\$0 (Tier 3) NT
<i>geri-kot 8.6 mg tablet</i>	\$0 (Tier 3) NT
<i>geri-lanta liquid 200-200-20 mg/5 ml, 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>geri-mox antacid-antigas susp 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>glycerin 2 gm suppository</i>	\$0 (Tier 3) NT
<i>glycerin adult suppository</i>	\$0 (Tier 3) NT
<i>glycerin pediatric suppository infants &amp; children</i>	\$0 (Tier 3) NT
<i>glycerin suppository</i>	\$0 (Tier 3) NT
<i>glycerin suppository child size</i>	\$0 (Tier 3) NT
<i>gnp anti-nausea liquid</i>	\$0 (Tier 3) NT
<i>gnp gentle laxative 10 mg supp</i>	\$0 (Tier 3) NT
<i>gnp gentle laxative ec 5 mg tb</i>	\$0 (Tier 3) NT
<i>gnp senna lax 8.6 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp senna plus 8.6-50 mg tab</i>	\$0 (Tier 3) NT
<i>gnp stool softener 100 mg sfgl</i>	\$0 (Tier 3) NT
<i>gnp stool softener 240 mg sfgl</i>	\$0 (Tier 3) NT
<i>gnp stool softener 250 mg sfgl</i>	\$0 (Tier 3) NT
<i>gnp stool softener-stim lax tb 8.6-50 mg</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml)</i>	\$0 (Tier 1)
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	\$0 (Tier 1)
<i>granisetron hcl oral tablet 1 mg</i>	\$0 (Tier 1) B/D
<i>gs adv antacid-antigas liquid 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs antacid plus gas relief liq 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs antacid-gas relief liquid 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs bisacodyl ec 5 mg tablet</i>	\$0 (Tier 3) NT
<i>gs clearlax powder 17 gram/dose</i>	\$0 (Tier 3) NT
<i>gs enema ready to use 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>gs enema ready to use twin pak 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>gs milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs senna laxative 8.6 mg tab</i>	\$0 (Tier 3) NT
<i>healthylax powder packet outer 17 gram</i>	\$0 (Tier 3) NT
HEARTBURN RELIEF LIQUID 254-237.5 MG/5 ML	\$0 (Tier 3) NT
<i>hm enema ready to use 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>hm enema ready to use twin pak 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>hv milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	\$0 (Tier 1)
<i>hydrocortisone topical cream with perineal applicator 1 %, 2.5 %</i>	\$0 (Tier 1)
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	\$0 (Tier 2) PA; QL (20 EA per 30 days); ^
<i>kro gentlelax 17 gram powder 17 gram/dose</i>	\$0 (Tier 3) NT
<i>lactulose oral solution 10 gram/15 ml</i>	\$0 (Tier 1)
<i>laxacin tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
<i>laxative 10 mg suppository</i>	\$0 (Tier 3) NT
<i>laxative 15 mg tablet</i>	\$0 (Tier 3) NT
<i>laxative 25 mg tablet</i>	\$0 (Tier 3) NT
<i>laxative ec 5 mg tablet</i>	\$0 (Tier 3) NT
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>mag-al plus suspens 30 ml cup 100's,u-d,10x10 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>mag-al plus xs susp 30 ml cup 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>magic bullet 10 mg suppos</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet (otc) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet gluten free (otc) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet gluten-free (otc) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>meclizine 12.5 mg caplet (otc)</i>	\$0 (Tier 3) NT
<i>meclizine 12.5 mg caplet caplet (otc)</i>	\$0 (Tier 3) NT
<i>meclizine 12.5 mg tablet (otc)</i>	\$0 (Tier 3) NT
<i>meclizine 25 mg tablet (otc)</i>	\$0 (Tier 3) NT
<i>meclizine 25 mg tablet chew</i>	\$0 (Tier 3) NT
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	\$0 (Tier 2)
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	\$0 (Tier 1)
<i>mesalamine oral capsule,extended release 24hr 0.375 gram</i>	\$0 (Tier 1)
<i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram, 800 mg</i>	\$0 (Tier 1)
<i>mesalamine rectal enema 4 gram/60 ml</i>	\$0 (Tier 1)
<i>mesalamine rectal suppository 1,000 mg</i>	\$0 (Tier 1)
<i>mesalamine with cleansing wipe rectal enema kit 4 gram/60 ml</i>	\$0 (Tier 1)
<i>metoclopramide hcl injection solution 5 mg/ml</i>	\$0 (Tier 1)
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	\$0 (Tier 1)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	\$0 (Tier 1)
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)
<i>milk of magnesia concentrated 2,400 mg/10 ml cup inner</i>	\$0 (Tier 3) NT
<i>milk of magnesia concentrated 2,400 mg/10 ml cup outer</i>	\$0 (Tier 3) NT
<i>milk of magnesia susp 2,400 mg/30 ml cup inner 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>milk of magnesia susp 2,400 mg/30 ml cup outer 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>milk of magnesia suspension 100's, u-d 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>milk of magnesia suspension original 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>mintox maximum strength susp max str, lemon creme 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>mintox plus tablet chewable 200-200-25 mg</i>	\$0 (Tier 3) NT
<i>motion sickness 50 mg tablet</i>	\$0 (Tier 3) NT
<i>motion sickness rlf 25 mg tab</i>	\$0 (Tier 3) NT
<i>motion-time 25 mg tablet chew</i>	\$0 (Tier 3) NT
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>move it along 100 mg tablet</i>	\$0 (Tier 3) NT
<i>mylanta maximum strength liq 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>natural fiber laxative capsule 0.52 gram</i>	\$0 (Tier 3) NT
<i>nausea relief liquid</i>	\$0 (Tier 3) NT
<i>nitroglycerin rectal ointment 0.4 % (w/w)</i>	\$0 (Tier 2) QL (30 GM per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	\$0 (Tier 1)
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	\$0 (Tier 1)
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	\$0 (Tier 1)
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	\$0 (Tier 1)
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	\$0 (Tier 1)
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	\$0 (Tier 1)
<i>onelax 10 mg suppository</i>	\$0 (Tier 3) NT
<i>onelax docusate sod 50 mg/5 ml</i>	\$0 (Tier 3) NT
<i>onelax senna 8.8 mg/5 ml syrup</i>	\$0 (Tier 3) NT
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i>	\$0 (Tier 1)
<i>peg-electrolyte soln oral recon soln 420 gram</i>	\$0 (Tier 1)
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	\$0 (Tier 2)
<i>polyethylene glycol 3350 powd (otc) 17 gram/dose</i>	\$0 (Tier 3) NT
<i>polyethylene glycol 3350 powd 14 once-daily doses (otc) 17 gram/dose</i>	\$0 (Tier 3) NT
<i>polyethylene glycol 3350 powd 17 grams pkt,inner (otc)</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>polyethylene glycol 3350 powd 17 grams pkts,outer (otc)</i>	\$0 (Tier 3) NT
<i>polyethylene glycol 3350 powd 30 once-daily doses (otc) 17 gram/dose</i>	\$0 (Tier 3) NT
<i>polyethylene glycol 3350 powd 7 once-daily doses (otc) 17 gram/dose</i>	\$0 (Tier 3) NT
<i>polyethylene glycol 3350 powd inner (otc) 17 gram</i>	\$0 (Tier 3) NT
<i>polyethylene glycol 3350 powd outer (otc) 17 gram</i>	\$0 (Tier 3) NT
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	\$0 (Tier 1)
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1)
<i>prochlorperazine rectal suppository 25 mg</i>	\$0 (Tier 1)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	\$0 (Tier 1)
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	\$0 (Tier 1)
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	\$0 (Tier 1)
<i>qc antacid suspension regular strength 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc antacid-antigas max str 400-400-40 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc antacid-antigas suspension regular strength 200-200-20 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc chocolated laxative 15 mg</i>	\$0 (Tier 3) NT
<i>qc fiber capsule 0.52 gram</i>	\$0 (Tier 3) NT
<i>qc fiberlax 625 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>qc gentle laxative 10 mg supp</i>	\$0 (Tier 3) NT
<i>qc heartburn antacid chew tab 160-105 mg</i>	\$0 (Tier 3) NT
<i>qc milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc milk of magnesia suspension mint flavor 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc milk of magnesia suspension original flavor 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc natura-lax 17 gm powder 17 gram/dose</i>	\$0 (Tier 3) NT
<i>qc ready to use enema 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>qc ready to use enema twin pack 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>qc stool softener 100 mg sftgl</i>	\$0 (Tier 3) NT
<i>qc vegetable laxative 8.6 mg tb</i>	\$0 (Tier 3) NT
RECTIV RECTAL OINTMENT 0.4 % (W/W)	\$0 (Tier 2) QL (30 GM per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	\$0 (Tier 2) PA; QL (10 EA per 30 days)
<i>senexon-s 50-8.6 mg tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
SENNA 176 MG/5 ML SYRUP	\$0 (Tier 3) NT
SENNA 176 MG/5 ML SYRUP	\$0 (Tier 3) NT
<i>senna 26.4 mg/15 ml syrup cup inner 8.8 mg/5 ml</i>	\$0 (Tier 3) NT
<i>senna 26.4 mg/15 ml syrup cup outer 8.8 mg/5 ml</i>	\$0 (Tier 3) NT
SENNA 528 MG/15 ML CUP 176 MG/5 ML	\$0 (Tier 3) NT
SENNA 8.6 MG SOFTGEL	\$0 (Tier 3) NT
<i>senna 8.6 mg tablet</i>	\$0 (Tier 3) NT
<i>senna 8.8 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>senna 8.8 mg/5 ml syrup</i>	\$0 (Tier 3) NT
<i>senna 8.8 mg/5 ml syrup</i>	\$0 (Tier 3) NT
<i>senna 8.8 mg/5 ml syrup cup inner</i>	\$0 (Tier 3) NT
<i>senna 8.8 mg/5 ml syrup cup outer</i>	\$0 (Tier 3) NT
<i>senna laxative 8.6 mg tablet</i>	\$0 (Tier 3) NT
SENNA PLUS 8.6-50 MG SOFTGEL	\$0 (Tier 3) NT
<i>senna plus 8.6-50 mg tablet</i>	\$0 (Tier 3) NT
<i>senna-lax 8.6 mg tablet</i>	\$0 (Tier 3) NT
<i>senna-s 8.6-50 mg tablet</i>	\$0 (Tier 3) NT
<i>senna-s tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
<i>senna-time 8.6 mg tablet</i>	\$0 (Tier 3) NT
<i>senna-time s tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
<i>sennosides-docusate sodium tab 8.6-50 mg</i>	\$0 (Tier 3) NT
SENOKOT 8.7 MG GUMMY	\$0 (Tier 3) NT
SENOKOT EXTRA STR 17.2 MG TAB	\$0 (Tier 3) NT
SENOKOT KIDS GUMMIES 8.7 MG	\$0 (Tier 3) NT
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	\$0 (Tier 2) PA; QL (30 ML per 180 days); ^
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)	\$0 (Tier 2) PA; QL (1.2 ML per 56 days); ^
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	\$0 (Tier 2) PA; QL (2.4 ML per 56 days); ^
<i>sm clearlax powder 17 gram/dose</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>sm clearlax powder 7 once-daily doses 17 gram/dose</i>	\$0 (Tier 3) NT
<i>sm enema ready to use 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>sm enema ready to use twin pak 19-7 gram/118 ml</i>	\$0 (Tier 3) NT
<i>sm fiber 625 mg caplet</i>	\$0 (Tier 3) NT
<i>sm fiber laxative 500 mg cplt</i>	\$0 (Tier 3) NT
<i>sm gentle laxative ec 5 mg tab</i>	\$0 (Tier 3) NT
<i>sm milk of magnesia suspension 400 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sm motion sickness 50 mg tab</i>	\$0 (Tier 3) NT
<i>sm senna laxative 8.6 mg tab</i>	\$0 (Tier 3) NT
<i>sm stool softener 100 mg sftgl</i>	\$0 (Tier 3) NT
<i>sm stool softener 100 mg tab</i>	\$0 (Tier 3) NT
<i>sm stool softener-laxative tab 8.6-50 mg</i>	\$0 (Tier 3) NT
<i>sodium bicarb 10 grain tablet 650 mg</i>	\$0 (Tier 3) NT
<i>sodium bicarb 325 mg tablet</i>	\$0 (Tier 3) NT
<i>sodium bicarb 650 mg tablet 10 gr</i>	\$0 (Tier 3) NT
<i>sodium bicarb 650 mg tablet</i>	\$0 (Tier 3) NT
<i>sodium bicarb 650 mg tablet inner</i>	\$0 (Tier 3) NT
<i>sodium bicarb 650 mg tablet outer</i>	\$0 (Tier 3) NT
SODIUM BICARBONATE POWDER USP (RX)	\$0 (Tier 3) NT
SODIUM BICARBONATE POWDER USP,EP,JP (RX)	\$0 (Tier 3) NT
SODIUM BICARBONATE POWDER USP,FOOD GRADE (RX)	\$0 (Tier 3) NT
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram, 17.5-3.13-1.6 gram 2 pack (480ml)</i>	\$0 (Tier 1)
<i>stimulant laxative plus tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
<i>stool softener 100 mg softgel</i>	\$0 (Tier 3) NT
<i>stool softener 100 mg softgel softgel</i>	\$0 (Tier 3) NT
<i>stool softener 100 mg tablet</i>	\$0 (Tier 3) NT
<i>stool softener 250 mg softgel</i>	\$0 (Tier 3) NT
<i>stool softener-laxative tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
STOOL SOFTENER-STIM LAX SOFTGL 8.6-50 MG	\$0 (Tier 3) NT
<i>stool softener-stim lax tablet 8.6-50 mg</i>	\$0 (Tier 3) NT
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	\$0 (Tier 2) PA; ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>sulfasalazine oral tablet 500 mg</i>	\$0 (Tier 1)
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	\$0 (Tier 1)
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	\$0 (Tier 2)
<i>travel-ease 25 mg tablet</i>	\$0 (Tier 3) NT
TRULANCE ORAL TABLET 3 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>ursodiol oral capsule 300 mg</i>	\$0 (Tier 1)
<i>ursodiol oral tablet 250 mg, 500 mg</i>	\$0 (Tier 1)
<i>vegetable lax-stool softnr tab 8.6-50 mg</i>	\$0 (Tier 3) NT
VOWST ORAL CAPSULE	\$0 (Tier 2) PA; LA; ^
<i>women's gentle lax ec 5 mg tab</i>	\$0 (Tier 3) NT
ZENPEP ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	\$0 (Tier 2)
<b>ULCER THERAPY</b>	
<i>acid reducer 10 mg tablet</i>	\$0 (Tier 3) NT
<i>acid reducer 10 mg tablet original strength</i>	\$0 (Tier 3) NT
<i>dexlansoprazole oral capsule, biphasic delayed release 30 mg, 60 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg, 40 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	\$0 (Tier 1)
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	\$0 (Tier 1)
<i>famotidine 10 mg tablet</i>	\$0 (Tier 3) NT
<i>famotidine intravenous solution 10 mg/ml</i>	\$0 (Tier 1)
<i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>	\$0 (Tier 1)
<i>famotidine oral tablet 20 mg, 40 mg</i>	\$0 (Tier 1)
<i>ft acid reducer 10 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp acid reducer 10 mg tablet</i>	\$0 (Tier 3) NT
<i>gs acid reducer 10 mg tablet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>heartburn relief 10 mg tablet</i>	\$0 (Tier 3) NT
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg, 30 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	\$0 (Tier 1)
<i>nizatidine oral capsule 150 mg, 300 mg</i>	\$0 (Tier 1)
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	\$0 (Tier 1)
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>sm acid reducer 10 mg tablet</i>	\$0 (Tier 3) NT
<i>sucralfate oral suspension 100 mg/ml</i>	\$0 (Tier 1)
<i>sucralfate oral tablet 1 gram</i>	\$0 (Tier 1)
<b>IMMUNOLOGY, VACCINES / BIOTECHNOLOGY</b>	
<b>BIOTECHNOLOGY DRUGS</b>	
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	\$0 (Tier 2) PA; LA; ^
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	\$0 (Tier 2) PA; LA; ^
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	\$0 (Tier 2) PA-NS; LA; ^
BETASERON SUBCUTANEOUS KIT 0.3 MG	\$0 (Tier 2) PA; QL (14 EA per 28 days); ^
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	\$0 (Tier 2) PA; ^
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	\$0 (Tier 2) PA; ^
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	\$0 (Tier 2) PA; ^
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	\$0 (Tier 2) PA; ^
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	\$0 (Tier 2) PA; ^
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	\$0 (Tier 2) PA; QL (4 ML per 28 days); ^
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	\$0 (Tier 2) PA; QL (2 ML per 28 days); ^
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	\$0 (Tier 2) PA
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	\$0 (Tier 2) PA; ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>VACCINES / MISCELLANEOUS IMMUNOLOGICALS</b>	
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	\$0 (Tier 2) NM
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	\$0 (Tier 2) NM
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	\$0 (Tier 2) NM
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	\$0 (Tier 2) NM
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	\$0 (Tier 2) NM
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	\$0 (Tier 2) NM
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	\$0 (Tier 2) NM
BIVIGAM INTRAVENOUS SOLUTION 10 %	\$0 (Tier 2) PA; NM; LA; ^
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	\$0 (Tier 2) NM
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	\$0 (Tier 2) NM
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	\$0 (Tier 2) NM
DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	\$0 (Tier 2) NM
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	\$0 (Tier 2) B/D; NM
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	\$0 (Tier 2) B/D; NM
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	\$0 (Tier 2) B/D; NM
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	\$0 (Tier 2) NM
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	\$0 (Tier 2) PA; NM; ^
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	\$0 (Tier 2) PA; NM; ^
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %)	\$0 (Tier 2) PA; NM; ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	\$0 (Tier 2) PA; NM; LA; ^
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	\$0 (Tier 2) PA; NM; LA; ^
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	\$0 (Tier 2) PA; NM; ^
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	\$0 (Tier 2) NM
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	\$0 (Tier 2) NM
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	\$0 (Tier 2) NM
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	\$0 (Tier 2) B/D; NM
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	\$0 (Tier 2) NM
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	\$0 (Tier 2) NM
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	\$0 (Tier 2) NM
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	\$0 (Tier 2) NM
IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	\$0 (Tier 2) NM
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	\$0 (Tier 2) NM
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	\$0 (Tier 2) NM
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	\$0 (Tier 2) NM
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	\$0 (Tier 2) NM
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	\$0 (Tier 2) NM
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	\$0 (Tier 2) NM
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR SOLUTION 10-5 MCG/0.5 ML	\$0 (Tier 2) NM

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	\$0 (Tier 2) NM
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	\$0 (Tier 2) NM
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	\$0 (Tier 2) PA; NM; ^
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	\$0 (Tier 2) PA; NM; ^
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	\$0 (Tier 2) NM
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	\$0 (Tier 2) NM
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	\$0 (Tier 2) NM
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-20MCG-5LF- 62 DU/0.5 ML	\$0 (Tier 2) NM
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	\$0 (Tier 2) B/D; NM
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	\$0 (Tier 2) NM
PRIVIGEN INTRAVENOUS SOLUTION 10 %	\$0 (Tier 2) PA; NM; ^
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	\$0 (Tier 2) NM
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	\$0 (Tier 2) NM
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	\$0 (Tier 2) NM
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	\$0 (Tier 2) NM
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	\$0 (Tier 2) B/D; NM
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	\$0 (Tier 2) B/D; NM
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	\$0 (Tier 2) NM
ROTATEQ VACCINE ORAL SOLUTION 2 ML	\$0 (Tier 2) NM
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	\$0 (Tier 2) NM; A third dose may be considered in post-transplant members (PA required).; QL (2 EA per 999 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
STAMARIL (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,000 UNIT/0.5 ML	\$0 (Tier 2) NM
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	\$0 (Tier 2) NM
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	\$0 (Tier 2) NM
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	\$0 (Tier 2) NM
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	\$0 (Tier 2) B/D; NM
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML	\$0 (Tier 2) NM
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	\$0 (Tier 2) NM
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	\$0 (Tier 2) NM
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	\$0 (Tier 2) NM
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	\$0 (Tier 2) NM
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	\$0 (Tier 2) NM
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	\$0 (Tier 2) NM
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	\$0 (Tier 2) NM
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)	\$0 (Tier 2) NM
<b>MISCELLANEOUS SUPPLIES</b>	
<b>MISCELLANEOUS SUPPLIES</b>	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	\$0 (Tier 2)
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	\$0 (Tier 2)
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	\$0 (Tier 2) BD Preferred
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	\$0 (Tier 2) PA; QL (1 EA per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	\$0 (Tier 2) PA; QL (15 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	\$0 (Tier 2) PA; QL (1 EA per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	\$0 (Tier 2) PA; QL (15 EA per 30 days)
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	\$0 (Tier 2) BD Preferred
<b>MUSCULOSKELETAL / RHEUMATOLOGY</b>	
<b>GOUT THERAPY</b>	
<i>allopurinol oral tablet 100 mg, 300 mg</i>	\$0 (Tier 1)
<i>colchicine oral capsule 0.6 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>colchicine oral tablet 0.6 mg</i>	\$0 (Tier 1) QL (120 EA per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	\$0 (Tier 1)
<i>probenecid oral tablet 500 mg</i>	\$0 (Tier 1)
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	\$0 (Tier 1)
<b>OSTEOPOROSIS THERAPY</b>	
<i>alendronate oral solution 70 mg/75 ml</i>	\$0 (Tier 1) QL (300 ML per 28 days)
<i>alendronate oral tablet 10 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	\$0 (Tier 1) QL (4 EA per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	\$0 (Tier 1) QL (3 ML per 90 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	\$0 (Tier 1) QL (3 ML per 90 days)
<i>ibandronate oral tablet 150 mg</i>	\$0 (Tier 1) QL (1 EA per 30 days)
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	\$0 (Tier 2) QL (1 ML per 180 days)
<i>raloxifene oral tablet 60 mg</i>	\$0 (Tier 1)
<i>risedronate oral tablet 150 mg</i>	\$0 (Tier 1) QL (1 EA per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	\$0 (Tier 1) QL (4 EA per 28 days)
<i>risedronate oral tablet 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i>	\$0 (Tier 1) QL (4 EA per 28 days)
TERIPARATIDE SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)	PA; Only Teriparatide NDC 47781065289 is covered; QL (2.48 ML per 28 days); ^
<b>OTHER RHEUMATOLOGICALS</b>	
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	\$0 (Tier 2) PA; QL (3.6 ML per 28 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	\$0 (Tier 2) PA; QL (3.6 ML per 28 days); ^
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	\$0 (Tier 2) PA; ^
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	\$0 (Tier 2) PA; LA; QL (8 ML per 28 days); ^
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	\$0 (Tier 2) PA; LA; QL (8 ML per 28 days); ^
CYLTEZO(CF) PEN CROHN'S-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; QL (6 EA per 180 days); ^
CYLTEZO(CF) PEN PSORIASIS-UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; QL (4 EA per 180 days); ^
CYLTEZO(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; QL (4 EA per 28 days); ^
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	\$0 (Tier 2) PA; QL (2 EA per 28 days); ^
CYLTEZO(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; QL (4 EA per 28 days); ^
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	\$0 (Tier 2) PA; QL (8 ML per 28 days); ^
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	\$0 (Tier 2) PA; QL (8 ML per 28 days); ^
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	\$0 (Tier 2) PA; QL (8 ML per 28 days); ^
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	\$0 (Tier 2) PA; QL (8 ML per 28 days); ^
HUMIRA PEN PSOR-UEVITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (6 EA per 180 days); ^
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (6 EA per 28 days); ^
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (6 EA per 28 days); ^
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (3 EA per 180 days); ^
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (4 EA per 180 days); ^
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (3 EA per 180 days); ^
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	\$0 (Tier 2) PA; Only Humira NDCs starting 00074 are covered; QL (6 EA per 28 days); ^

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the drug will cost you (tier level)	Necessary actions, restrictions, or limits on use
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	\$0 (Tier 2)	PA; Only Humira NDCs starting 00074 are covered; QL (4 EA per 28 days); ^
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	\$0 (Tier 2)	PA; Only Humira NDCs starting 00074 are covered; QL (2 EA per 28 days); ^
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	\$0 (Tier 2)	PA; Only Humira NDCs starting 00074 are covered; QL (6 EA per 28 days); ^
<i>leflunomide oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1)	QL (30 EA per 30 days)
OTEZLA ORAL TABLET 20 MG, 30 MG	\$0 (Tier 2)	PA; QL (60 EA per 30 days); ^
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)	\$0 (Tier 2)	PA; QL (55 EA per 180 days); ^
<i>penicillamine oral tablet 250 mg</i>	\$0 (Tier 2)	^
RINVOQ LQ ORAL SOLUTION 1 MG/ML	\$0 (Tier 2)	PA; QL (360 ML per 30 days); ^
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG	\$0 (Tier 2)	PA; QL (30 EA per 30 days); ^
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG	\$0 (Tier 2)	PA; QL (84 EA per 180 days); ^
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	\$0 (Tier 2)	QL (60 EA per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	\$0 (Tier 2)	QL (55 EA per 180 days)
YUFLYMA(CF) AI CROHN'S-UC-HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	\$0 (Tier 2)	PA; QL (3 EA per 180 days); ^
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML	\$0 (Tier 2)	PA; QL (4 EA per 28 days); ^
YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	\$0 (Tier 2)	PA; QL (2 EA per 28 days); ^
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML	\$0 (Tier 2)	PA; QL (2 EA per 28 days); ^
YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	\$0 (Tier 2)	PA; QL (4 EA per 28 days); ^
<b>OBSTETRICS / GYNECOLOGY</b>		
<b><i>ESTROGENS / PROGESTINS</i></b>		
<i>camila oral tablet 0.35 mg</i>	\$0 (Tier 1)	
<i>deblitane oral tablet 0.35 mg</i>	\$0 (Tier 1)	
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	\$0 (Tier 2)	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	\$0 (Tier 2)	
<i>emzahh oral tablet 0.35 mg</i>	\$0 (Tier 1)	

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>errin oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	\$0 (Tier 2)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	\$0 (Tier 2)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	\$0 (Tier 2)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	\$0 (Tier 1)
<i>estradiol vaginal tablet 10 mcg</i>	\$0 (Tier 1)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	\$0 (Tier 1)
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	\$0 (Tier 2)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	\$0 (Tier 2)
<i>gallifrey oral tablet 5 mg</i>	\$0 (Tier 1)
<i>heather oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>incassia oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>jinteli oral tablet 1-5 mg-mcg</i>	\$0 (Tier 2)
<i>lyleq oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	\$0 (Tier 2)
<i>lyza oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	\$0 (Tier 1)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	\$0 (Tier 1)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	\$0 (Tier 1)
<i>mimvey oral tablet 1-0.5 mg</i>	\$0 (Tier 2)
<i>nora-be oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>norethindrone acetate oral tablet 5 mg</i>	\$0 (Tier 1)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	\$0 (Tier 2)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	\$0 (Tier 2)
<i>progesterone intramuscular oil 50 mg/ml</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	\$0 (Tier 1)
<i>sharobel oral tablet 0.35 mg</i>	\$0 (Tier 1)
<i>yuvafem vaginal tablet 10 mcg</i>	\$0 (Tier 1)
<b>MISCELLANEOUS OB/GYN</b>	
<i>3-day vaginal cream 2 %</i>	\$0 (Tier 3) NT
<i>clindamycin phosphate vaginal cream 2 %</i>	\$0 (Tier 1)
<i>clotrimazole 1% vaginal cream</i>	\$0 (Tier 3) NT
<i>clotrimazole-3 2% cream</i>	\$0 (Tier 3) NT
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	\$0 (Tier 1)
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	\$0 (Tier 1)
GNP MICONAZOLE 1 COMBO PACK	\$0 (Tier 3) NT
<i>gs miconazole 3 combo pack 200 mg- 2 % (9 gram)</i>	\$0 (Tier 3) NT
<i>gs miconazole 7 cream 2 %</i>	\$0 (Tier 3) NT
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	\$0 (Tier 1)
<i>kro miconazole 7 cream w/7 disp applicators 2 %</i>	\$0 (Tier 3) NT
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG	\$0 (Tier 2)
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	\$0 (Tier 1)
MICONAZOLE 1 COMBINATION PACK	\$0 (Tier 3) NT
<i>miconazole 2% vaginal cream</i>	\$0 (Tier 3) NT
<i>miconazole 3 combo pack 200 mg- 2 % (9 gram)</i>	\$0 (Tier 3) NT
<i>miconazole 3 combo pack 3 supp w/9gm cream 200 mg- 2 % (9 gram)</i>	\$0 (Tier 3) NT
<i>miconazole 7 100 mg vag supp</i>	\$0 (Tier 3) NT
<i>miconazole 7 cream 2 %</i>	\$0 (Tier 3) NT
<i>miconazole 7 cream 2 %</i>	\$0 (Tier 3) NT
<i>miconazole 7 cream w/7 disp applicators 2 %</i>	\$0 (Tier 3) NT
<i>miconazole-7 cream 2 %</i>	\$0 (Tier 3) NT
MONISTAT 1 COMBINATION PACK OVULE INSERT/9GM CRM	\$0 (Tier 3) NT
NEXPLANON SUBDERMAL IMPLANT 68 MG	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

<b>Name of Drug</b>	<b>What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)</b>
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	\$0 (Tier 1)
<i>qc clotrimazole 1% vag cream</i>	\$0 (Tier 3) NT
<i>qc miconazole-7 cream 1 applicator 2 %</i>	\$0 (Tier 3) NT
<i>sm 3-day vaginal cream 2 %</i>	\$0 (Tier 3) NT
<i>sm clotrimazole 1% vag cream</i>	\$0 (Tier 3) NT
<i>sm miconazole 2% vaginal cream w/disp applicators</i>	\$0 (Tier 3) NT
<i>sm miconazole 3 combo pack 4 % (200 mg)- 2 % (9 gram)</i>	\$0 (Tier 3) NT
<i>sm miconazole 3 combo pack w/disposable applica 200 mg- 2 % (9 gram)</i>	\$0 (Tier 3) NT
<i>sm miconazole 7 100 mg vag sup</i>	\$0 (Tier 3) NT
<i>sm miconazole 7 cream w/reusable applic 2 %</i>	\$0 (Tier 3) NT
<i>sm tioconazole-1 6.5% ointment</i>	\$0 (Tier 3) NT
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	\$0 (Tier 1)
<i>terconazole vaginal suppository 80 mg</i>	\$0 (Tier 1)
<i>tranexamic acid oral tablet 650 mg</i>	\$0 (Tier 1)
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	\$0 (Tier 1)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	\$0 (Tier 1)
<b>ORAL CONTRACEPTIVES / RELATED AGENTS</b>	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	\$0 (Tier 1)
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	\$0 (Tier 1)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	\$0 (Tier 1)
<i>apri oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	\$0 (Tier 1)
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	\$0 (Tier 1)
<i>abra eq oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>aviane oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	\$0 (Tier 1)
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	\$0 (Tier 1)
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	\$0 (Tier 1)
<i>camrese lo oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	\$0 (Tier 1)
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	\$0 (Tier 1)
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	\$0 (Tier 1)
<i>curae 1.5 mg tablet</i>	\$0 (Tier 3) NT
<i>cyred eq oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	\$0 (Tier 1)
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	\$0 (Tier 1)
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	\$0 (Tier 1)
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	\$0 (Tier 1)
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>dolishale oral tablet 90-20 mcg (28)</i>	\$0 (Tier 1)
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i>	\$0 (Tier 1)
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	\$0 (Tier 1)
<i>econtra one-step 1.5 mg tablet inner</i>	\$0 (Tier 3) NT
<i>econtra one-step 1.5 mg tablet outer</i>	\$0 (Tier 3) NT
<i>elinest oral tablet 0.3-30 mg-mcg</i>	\$0 (Tier 1)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	\$0 (Tier 1)
<i>enskyce oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>	\$0 (Tier 1)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>finzala oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i>	\$0 (Tier 1)
<i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>her style 1.5 mg tablet</i>	\$0 (Tier 3) NT
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	\$0 (Tier 1)
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	\$0 (Tier 1)
<i>isibloom oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	\$0 (Tier 1)
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	\$0 (Tier 1)
<i>juleber oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	\$0 (Tier 1)
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	\$0 (Tier 1)
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	\$0 (Tier 1)
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	\$0 (Tier 1)
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	\$0 (Tier 1)
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>	\$0 (Tier 1)
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)</i>	\$0 (Tier 1)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	\$0 (Tier 1)
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>layolis fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	\$0 (Tier 1)
<i>lessina oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	\$0 (Tier 1)
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>	\$0 (Tier 1)
<i>levonorgestrel 1.5 mg tablet (otc)</i>	\$0 (Tier 3) NT
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28)</i>	\$0 (Tier 1)
<i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	\$0 (Tier 1)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	\$0 (Tier 1)
<i>levora-28 oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>loryna (28) oral tablet 3-0.02 mg</i>	\$0 (Tier 1)
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	\$0 (Tier 1)
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>mibelas 24 fe oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i>	\$0 (Tier 1)
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	\$0 (Tier 1)
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	\$0 (Tier 1)
<i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>mili oral tablet 0.25-35 mg-mcg</i>	\$0 (Tier 1)
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	\$0 (Tier 1)
<i>my choice 1.5 mg tablet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>my way 1.5 mg tablet (otc)</i>	\$0 (Tier 3) NT
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	\$0 (Tier 1)
<i>new day 1.5 mg tablet</i>	\$0 (Tier 3) NT
<i>nikki (28) oral tablet 3-0.02 mg</i>	\$0 (Tier 1)
<i>noreth-ethinyl estradiol-iron oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4)</i>	\$0 (Tier 1)
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	\$0 (Tier 1)
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>norethindrone-e.estradiol-iron oral tablet, chewable 1 mg-20 mcg(24) /75 mg (4)</i>	\$0 (Tier 1)
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i>	\$0 (Tier 1)
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	\$0 (Tier 1)
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	\$0 (Tier 1)
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	\$0 (Tier 1)
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	\$0 (Tier 1)
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	\$0 (Tier 1)
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	\$0 (Tier 1)
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	\$0 (Tier 1)
<i>ocella oral tablet 3-0.03 mg</i>	\$0 (Tier 1)
<i>opcicon one-step 1.5 mg tablet</i>	\$0 (Tier 3) NT
<i>option 2 1.5 mg tablet</i>	\$0 (Tier 3) NT
<i>philith oral tablet 0.4-35 mg-mcg</i>	\$0 (Tier 1)
<i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	\$0 (Tier 1)
<i>portia 28 oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	\$0 (Tier 1)
<i>rivelsa oral tablets, dose pack, 3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	\$0 (Tier 1)
<i>setlakin oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	\$0 (Tier 1)
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>syeda oral tablet 3-0.03 mg</i>	\$0 (Tier 1)
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	\$0 (Tier 1)
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	\$0 (Tier 1)
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	\$0 (Tier 1)
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	\$0 (Tier 1)
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	\$0 (Tier 1)
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	\$0 (Tier 1)
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	\$0 (Tier 1)
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	\$0 (Tier 1)
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	\$0 (Tier 1)
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	\$0 (Tier 1)
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	\$0 (Tier 1)
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	\$0 (Tier 1)
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	\$0 (Tier 1)
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	\$0 (Tier 1)
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	\$0 (Tier 1)
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	\$0 (Tier 1)
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	\$0 (Tier 1)
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	\$0 (Tier 1)
<i>vestura (28) oral tablet 3-0.02 mg</i>	\$0 (Tier 1)
<i>vienva oral tablet 0.1-20 mg-mcg</i>	\$0 (Tier 1)
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	\$0 (Tier 1)
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	\$0 (Tier 1)
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	\$0 (Tier 1)
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	\$0 (Tier 1)
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	\$0 (Tier 1)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	\$0 (Tier 1)
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>OPHTHALMOLOGY</b>	
<b>ANTIBIOTICS</b>	
<i>ak-poly-bac ophthalmic (eye) ointment 500-10,000 unit/gram</i>	\$0 (Tier 1)
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	\$0 (Tier 1)
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	\$0 (Tier 1)
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	\$0 (Tier 1)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	\$0 (Tier 1)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	\$0 (Tier 1)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	\$0 (Tier 1)
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	\$0 (Tier 1)
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	\$0 (Tier 1)
<i>moxifloxacin ophthalmic (eye) drops, viscous 0.5 %</i>	\$0 (Tier 1)
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	\$0 (Tier 2)
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	\$0 (Tier 1)
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	\$0 (Tier 1)
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	\$0 (Tier 1)
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	\$0 (Tier 1)
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	\$0 (Tier 1)
<b>ANTIVIRALS</b>	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	\$0 (Tier 1)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	\$0 (Tier 2)
<b>BETA-BLOCKERS</b>	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	\$0 (Tier 1)
<i>carteolol ophthalmic (eye) drops 1 %</i>	\$0 (Tier 1)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	\$0 (Tier 1)
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	\$0 (Tier 1)
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<b>MISCELLANEOUS OPHTHALMOLOGICS</b>	
<i>atropine ophthalmic (eye) drops 1 %</i>	\$0 (Tier 1)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	\$0 (Tier 1)
<i>cromolyn ophthalmic (eye) drops 4 %</i>	\$0 (Tier 1)
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i>	\$0 (Tier 1) QL (60 EA per 30 days)
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	\$0 (Tier 2) PA; LA; ^
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	\$0 (Tier 2) PA; ^
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	\$0 (Tier 1)
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	\$0 (Tier 1)
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	\$0 (Tier 1)
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	\$0 (Tier 1)
XDEMVI OPHTHALMIC (EYE) DROPS 0.25 %	\$0 (Tier 2) PA; QL (10 ML per 42 days); ^
<b>NON-STEROIDAL ANTI-INFLAMMATORY AGENTS</b>	
<i>bromfenac ophthalmic (eye) drops 0.075 %, 0.09 %</i>	\$0 (Tier 1)
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	\$0 (Tier 1)
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	\$0 (Tier 1)
<i>ketorolac ophthalmic (eye) drops 0.4 %, 0.5 %</i>	\$0 (Tier 1)
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	\$0 (Tier 2)
<b>ORAL DRUGS FOR GLAUCOMA</b>	
<i>acetazolamide oral capsule, extended release 500 mg</i>	\$0 (Tier 1)
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	\$0 (Tier 1)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	\$0 (Tier 1)
<b>OTHER GLAUCOMA DRUGS</b>	
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i>	\$0 (Tier 1)
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	\$0 (Tier 2)
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	\$0 (Tier 1)
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	\$0 (Tier 1)
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	\$0 (Tier 1)
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	\$0 (Tier 2)
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	\$0 (Tier 2)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	\$0 (Tier 2)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>travoprost ophthalmic (eye) drops 0.004 %</i>	\$0 (Tier 1)
<b>STEROID-ANTIBIOTIC COMBINATIONS</b>	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	\$0 (Tier 1)
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	\$0 (Tier 1)
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	\$0 (Tier 1)
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	\$0 (Tier 1)
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	\$0 (Tier 2)
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	\$0 (Tier 1)
<b>STEROIDS</b>	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	\$0 (Tier 1)
<i>difluprednate ophthalmic (eye) drops 0.05 %</i>	\$0 (Tier 1)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	\$0 (Tier 1)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i>	\$0 (Tier 1)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	\$0 (Tier 1)
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	\$0 (Tier 2)
<b>SYMPATHOMIMETICS</b>	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	\$0 (Tier 2)
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	\$0 (Tier 1)
<i>brimonidine ophthalmic (eye) drops 0.15 %, 0.2 %</i>	\$0 (Tier 1)
<b>RESPIRATORY AND ALLERGY</b>	
<b>ANTIHISTAMINE / ANTIALLERGENIC AGENTS</b>	
<i>adrenalin injection solution 1 mg/ml (1 ml)</i>	\$0 (Tier 2)
<i>aler-caps 25 mg capsule</i>	\$0 (Tier 3) NT
<i>all day allergy 10 mg tablet</i>	\$0 (Tier 3) NT
<i>all day allergy 10 mg tablet indoor/outdoor 24 hr</i>	\$0 (Tier 3) NT
<i>aller-g-time 25 mg caplet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

<b>Name of Drug</b>	<b>What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)</b>
<i>allergy (loratadine) 10 mg tab</i>	\$0 (Tier 3) NT
<i>allergy 10 mg tablet</i>	\$0 (Tier 3) NT
<i>allergy 25 mg capsule</i>	\$0 (Tier 3) NT
<i>allergy 25 mg softgel d/f, gluten-free</i>	\$0 (Tier 3) NT
<i>allergy 25 mg tablet</i>	\$0 (Tier 3) NT
<i>allergy relief 10 mg tablet</i>	\$0 (Tier 3) NT
<i>allergy relief 10 mg tablet non-drowsy,24 hour</i>	\$0 (Tier 3) NT
<i>allergy relief 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>allergy relief 25 mg capsule</i>	\$0 (Tier 3) NT
<i>allergy relief 25 mg softgel</i>	\$0 (Tier 3) NT
<i>allergy relief 25 mg tablet</i>	\$0 (Tier 3) NT
<i>allergy relief 5 mg/5 ml soln</i>	\$0 (Tier 3) NT
<i>allergy rlf (cetzn) 10 mg tab</i>	\$0 (Tier 3) NT
<i>allergy rlf (cetzn) 5 mg tab</i>	\$0 (Tier 3) NT
<i>banophen 25 mg capsule</i>	\$0 (Tier 3) NT
<i>banophen 25 mg tablet</i>	\$0 (Tier 3) NT
<i>banophen 50 mg capsule</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 1 mg/ml soln children, grape (otc)</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 1 mg/ml soln children's (otc)</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg chew tab outer</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet f/c,u-d,10x10,inner</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet f/c,u-d,10x10,outer</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet indoor &amp; outdoor</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet indoor-outdoor,24hr</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet inner</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 10 mg tablet outer</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 5 mg chew tab children's,outer,u-d</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 5 mg tablet</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 5 mg tablet indoor &amp; outdoor</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 5 mg/5 ml solution cup inner</i>	\$0 (Tier 3) NT
<i>cetirizine hcl 5 mg/5 ml solution cup outer</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>cetirizine oral solution 1 mg/ml</i>	\$0 (Tier 1)
<i>chest congestion relief dm syr 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>child all day allergy 1 mg/ml</i>	\$0 (Tier 3) NT
<i>child all day allergy 1 mg/ml bubble gum</i>	\$0 (Tier 3) NT
<i>child allergy 5 mg/5 ml soln</i>	\$0 (Tier 3) NT
<i>child allergy relief 1 mg/ml</i>	\$0 (Tier 3) NT
<i>child allergy relief 5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>child allergy rlf 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>child cetirizine 10 mg chew tb chewable, allergy</i>	\$0 (Tier 3) NT
<i>child cetirizine 5 mg chew tab</i>	\$0 (Tier 3) NT
<i>child cetirizine hcl 1 mg/ml</i>	\$0 (Tier 3) NT
CHILD LORATADINE 5 MG TAB CHEW	\$0 (Tier 3) NT
<i>child loratadine 5 mg/5 ml sol</i>	\$0 (Tier 3) NT
<i>child loratadine 5 mg/5 ml syr</i>	\$0 (Tier 3) NT
<i>child loratadine 5 mg/5 ml syr grape</i>	\$0 (Tier 3) NT
<i>child's allergy 12.5 mg/5 ml cherry</i>	\$0 (Tier 3) NT
<i>child's allergy 12.5 mg/5 ml cherry,child</i>	\$0 (Tier 3) NT
<i>child's wal-dryl 12.5 mg/5 ml children,cherry</i>	\$0 (Tier 3) NT
<i>chld allrgy rlf 12.5 mg chew tb</i>	\$0 (Tier 3) NT
<i>cyproheptadine oral tablet 4 mg</i>	\$0 (Tier 2) PA
<i>desloratadine oral tablet 5 mg</i>	\$0 (Tier 1)
<i>diphedryl 12.5 mg/5 ml elixir</i>	\$0 (Tier 3) NT
<i>diphenhydramine 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>diphenhydramine 25 mg caplet caplet</i>	\$0 (Tier 3) NT
<i>diphenhydramine 25 mg capsule (otc)</i>	\$0 (Tier 3) NT
<i>diphenhydramine 25 mg capsule u-d (otc)</i>	\$0 (Tier 3) NT
<i>diphenhydramine 25 mg tablet</i>	\$0 (Tier 3) NT
<i>diphenhydramine 25 mg tablet inner</i>	\$0 (Tier 3) NT
<i>diphenhydramine 25 mg tablet outer</i>	\$0 (Tier 3) NT
<i>diphenhydramine 50 mg capsule (otc)</i>	\$0 (Tier 3) NT
<i>diphenhydramine 50 mg capsule u-d (otc)</i>	\$0 (Tier 3) NT
<i>diphenhydramine 50 mg capsule u-d, 10x10 (otc)</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	\$0 (Tier 1)
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	\$0 (Tier 1)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	\$0 (Tier 1) QL (4 EA per 30 days)
<i>eql all day allergy 10 mg tab</i>	\$0 (Tier 3) NT
<i>ft ad allergy (cetzn) 10 mg tb</i>	\$0 (Tier 3) NT
<i>ft ad allergy (lorat) 10 mg tb</i>	\$0 (Tier 3) NT
<i>ft adult tussin 200 mg/10 ml 100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>ft allergy (diphen) 25 mg cap</i>	\$0 (Tier 3) NT
FT ALLERGY (DIPHEN) 25 MG CHEW	\$0 (Tier 3) NT
<i>ft allergy (diphen) 25 mg tab</i>	\$0 (Tier 3) NT
<i>ft child allergy 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>ft child allergy 5 mg/5 ml sol</i>	\$0 (Tier 3) NT
<i>ft child allergy rlf 1 mg/ml</i>	\$0 (Tier 3) NT
FT CHILD ALLERGY RLF 5 MG CHEW	\$0 (Tier 3) NT
<i>ft mucus relief er 600 mg tab</i>	\$0 (Tier 3) NT
<i>ft nasal decongest 30 mg tab</i>	\$0 (Tier 3) NT
<i>geri-dryl 12.5 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>geri-dryl 25 mg tablet</i>	\$0 (Tier 3) NT
<i>geri-tussin 100 mg/5 ml soln</i>	\$0 (Tier 3) NT
<i>gnp all day allergy 10 mg sfgl</i>	\$0 (Tier 3) NT
<i>gnp allergy relief 25 mg sfgl</i>	\$0 (Tier 3) NT
<i>gnp allergy relief 25 mg tab</i>	\$0 (Tier 3) NT
<i>gnp allergy relief 50 mg/20 ml 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gnp loratadine 10 mg odt</i>	\$0 (Tier 3) NT
<i>gnp loratadine 10 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp mucus er 600 mg tablet</i>	\$0 (Tier 3) NT
<i>gnp tussin mucus-con 200 mg/10 100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs all day allergy 10 mg tab</i>	\$0 (Tier 3) NT
<i>gs allergy relief 10 mg tablet</i>	\$0 (Tier 3) NT
<i>gs allergy relief 10 mg tablet non-drowsy</i>	\$0 (Tier 3) NT
<i>gs allergy relief 25 mg tablet</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>gs child all day aller 1 mg/ml</i>	\$0 (Tier 3) NT
<i>gs child allergy 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs child allergy rlf 5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs mucus er 600 mg caplet</i>	\$0 (Tier 3) NT
<i>gs nasal decongest 30 mg tab</i>	\$0 (Tier 3) NT
<i>gs tussin dm cough syrup 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs tussin dm liquid 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs tussin mucus-cong 100 mg/5 100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>gs tussin mucus-cong 200 mg/10 100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin 100 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>guaifenesin er 600 mg tablet</i>	\$0 (Tier 3) NT
<i>guaifenesin er 600 mg tablet inner</i>	\$0 (Tier 3) NT
<i>guaifenesin er 600 mg tablet outer</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 100-10 mg/5 ml (otc) 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 100-10 mg/5 ml cup (otc) 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 100-10 mg/5 ml cup inner 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 100-10 mg/5 ml cup outer 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 200-20 mg/10 ml cup (otc) 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 200-20 mg/10 ml cup inner 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>guaifenesin-dm 200-20 mg/10 ml cup outer 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>hm child all day aller 1 mg/ml</i>	\$0 (Tier 3) NT
<i>hm loratadine 10 mg tablet</i>	\$0 (Tier 3) NT
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	\$0 (Tier 2) PA
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>	\$0 (Tier 2) PA
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	\$0 (Tier 1)
<i>levocetirizine oral tablet 5 mg</i>	\$0 (Tier 1)
<i>loradamed 10 mg tablet outer</i>	\$0 (Tier 3) NT
<i>loratadine 10 mg odt</i>	\$0 (Tier 3) NT
<i>loratadine 10 mg tablet</i>	\$0 (Tier 3) NT
<i>loratadine 10 mg tablet 10x10,u-d,inner</i>	\$0 (Tier 3) NT
<i>loratadine 10 mg tablet 10x10,u-d,outer</i>	\$0 (Tier 3) NT
<i>loratadine 10 mg tablet inner</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>loratadine 10 mg tablet non-drowsy</i>	\$0 (Tier 3) NT
<i>loratadine 10 mg tablet outer</i>	\$0 (Tier 3) NT
<i>loratadine 5 mg/5 ml solution</i>	\$0 (Tier 3) NT
<i>loratadine 5 mg/5 ml syrup children's</i>	\$0 (Tier 3) NT
<i>loratadine 5 mg/5 ml syrup children's, d/f</i>	\$0 (Tier 3) NT
<i>loratadine allergy 5 mg/5 ml d/f</i>	\$0 (Tier 3) NT
<i>maxallergy kids 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>maxi-tuss g liquid 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>m-dryl 12.5 mg/5 ml solution</i>	\$0 (Tier 3) NT
<i>mucinex er 600 mg tablet</i>	\$0 (Tier 3) NT
<i>mucinex er 600 mg tablet bi-layer, 12 hours</i>	\$0 (Tier 3) NT
<i>mucus er 600 mg tablet</i>	\$0 (Tier 3) NT
<i>mucus relief er 600 mg tablet</i>	\$0 (Tier 3) NT
<i>nasal decongestant 30 mg tab</i>	\$0 (Tier 3) NT
<i>nasal decongestant 30 mg tab maximum strength</i>	\$0 (Tier 3) NT
<i>nasal decongestant 30 mg tab non-drowsy,max-str</i>	\$0 (Tier 3) NT
<i>pharbedryl 25 mg capsule</i>	\$0 (Tier 3) NT
<i>pharbedryl 50 mg capsule</i>	\$0 (Tier 3) NT
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	\$0 (Tier 2)
<i>promethazine oral syrup 6.25 mg/5 ml</i>	\$0 (Tier 2) PA
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	\$0 (Tier 2) PA
<i>promethazine-codeine solution 6.25-10 mg/5 ml</i>	\$0 (Tier 3) NT
<i>promethazine-codeine syrup 6.25-10 mg/5 ml</i>	\$0 (Tier 3) NT
<i>pseudoephedrine 30 mg tablet</i>	\$0 (Tier 3) NT
<i>pseudoephedrine 30 mg tablet non drowsy</i>	\$0 (Tier 3) NT
<i>qc allergy (lorat) 10 mg tab</i>	\$0 (Tier 3) NT
<i>qc child allergy 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>qc complete allergy 25 mg cap</i>	\$0 (Tier 3) NT
<i>qc complete allergy 25 mg cap</i>	\$0 (Tier 3) NT
<i>qc nasal decongest 30 mg tab</i>	\$0 (Tier 3) NT
<i>qc tussin dm liquid 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sm all day allergy 10 mg tab</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>sm all day allergy 10 mg tab</i>	\$0 (Tier 3) NT
SM ALLERGY (DIPHEN) 25 MG CHEW	\$0 (Tier 3) NT
<i>sm child allergy 12.5 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sm child allergy 5 mg/5 ml sol</i>	\$0 (Tier 3) NT
<i>sm loratadine 5 mg/5 ml syrup</i>	\$0 (Tier 3) NT
<i>sm mucus relief er 600 mg tab</i>	\$0 (Tier 3) NT
<i>sm tussin dm liquid 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sm tussin mucus-cong 200 mg/10 adult,non-drows 100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sudogest 30 mg tablet</i>	\$0 (Tier 3) NT
<i>sudogest 30 mg tablet boxed</i>	\$0 (Tier 3) NT
<i>suphedrin 30 mg tablet</i>	\$0 (Tier 3) NT
<i>total allergy 25 mg tablet</i>	\$0 (Tier 3) NT
<i>tusnel diabetic liquid 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>tusnel diabetic liquid d/f 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>tusnel-ex 100 mg/5 ml liquid</i>	\$0 (Tier 3) NT
<i>tussin dm liquid 10-100 mg/5 ml</i>	\$0 (Tier 3) NT
<i>tussin mucus-cong 200 mg/10 ml 100 mg/5 ml</i>	\$0 (Tier 3) NT
<b>PULMONARY AGENTS</b>	
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	\$0 (Tier 1) B/D
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	\$0 (Tier 2) PA; LA; QL (90 EA per 30 days); ^
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	\$0 (Tier 2) QL (12 GM per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	\$0 (Tier 1) 8.5 gm inhaler; QL (17 GM per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	\$0 (Tier 1) 6.7 gm inhaler; QL (13.4 GM per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml</i>	\$0 (Tier 1) B/D
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	\$0 (Tier 1)
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>alyq oral tablet 20 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days); ^
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	\$0 (Tier 2) QL (60 EA per 30 days)
<i>arformoterol inhalation solution for nebulization 15 mcg/2 ml</i>	\$0 (Tier 1) B/D; QL (120 ML per 30 days)
ARNUIITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	\$0 (Tier 2) QL (30 EA per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	\$0 (Tier 2) QL (25.8 GM per 30 days)
BEVESPI AEROSPHERE INHALATION HFA AEROSOL INHALER 9-4.8 MCG	\$0 (Tier 2) QL (10.7 GM per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	\$0 (Tier 2) PA; LA; QL (60 EA per 30 days); ^
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE, 50-25 MCG/DOSE	\$0 (Tier 2) QL (60 EA per 30 days)
<i>breynd inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	\$0 (Tier 1) Breynd is generic for Symbicort; QL (30.9 GM per 30 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	\$0 (Tier 2) Retail Inhalation Canister (10.7g inhaler containing 120 inhalations); QL (10.7 GM per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	\$0 (Tier 1) B/D
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	\$0 (Tier 2) QL (8 GM per 30 days)
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	\$0 (Tier 1) B/D
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	\$0 (Tier 2) PA; LA; QL (1 ML per 28 days); ^
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	\$0 (Tier 2) PA; QL (0.5 ML per 28 days); ^
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	\$0 (Tier 2) PA; LA; QL (1 ML per 28 days); ^
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	\$0 (Tier 1) QL (50 ML per 30 days)
<i>fluticasone propionate nasal spray, suspension 50 mcg/actuation</i>	\$0 (Tier 1) QL (16 GM per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	\$0 (Tier 1) QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>formoterol fumarate inhalation solution for nebulization 20 mcg/2 ml</i>	\$0 (Tier 2) B/D; QL (120 ML per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	\$0 (Tier 2) PA; LA; QL (20 EA per 30 days); ^
<i>icatibant subcutaneous syringe 30 mg/3 ml</i>	\$0 (Tier 2) PA; QL (27 ML per 30 days); ^
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	\$0 (Tier 2) QL (30 EA per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	\$0 (Tier 1) B/D
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	\$0 (Tier 1) B/D
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 5.8 MG	\$0 (Tier 2) PA; QL (56 EA per 28 days); ^
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	\$0 (Tier 2) PA; LA; QL (56 EA per 28 days); ^
KALYDECO ORAL TABLET 150 MG	\$0 (Tier 2) PA; LA; QL (56 EA per 28 days); ^
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i>	\$0 (Tier 1) B/D
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i>	\$0 (Tier 1) QL (34 GM per 30 days)
<i>montelukast oral granules in packet 4 mg</i>	\$0 (Tier 1)
<i>montelukast oral tablet 10 mg</i>	\$0 (Tier 1)
<i>montelukast oral tablet,chewable 4 mg, 5 mg</i>	\$0 (Tier 1)
OFEV ORAL CAPSULE 100 MG, 150 MG	\$0 (Tier 2) PA; LA; QL (60 EA per 30 days); ^
OPSUMIT ORAL TABLET 10 MG	\$0 (Tier 2) PA; LA; QL (30 EA per 30 days); ^
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	\$0 (Tier 2) PA; LA; QL (56 EA per 28 days); ^
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	\$0 (Tier 2) PA; LA; QL (112 EA per 28 days); ^
<i>pirfenidone oral capsule 267 mg</i>	\$0 (Tier 1) PA; QL (270 EA per 30 days); ^
<i>pirfenidone oral tablet 267 mg</i>	\$0 (Tier 1) PA; QL (270 EA per 30 days); ^
<i>pirfenidone oral tablet 801 mg</i>	\$0 (Tier 1) PA; QL (90 EA per 30 days); ^
PULMOZYME INHALATION SOLUTION 1 MG/ML	\$0 (Tier 2) B/D; ^
<i>roflumilast oral tablet 250 mcg, 500 mcg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i>	\$0 (Tier 2) PA; LA; QL (27 ML per 30 days); ^
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	\$0 (Tier 2) QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the drug will cost you (tier level)	Necessary actions, restrictions, or limits on use
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	\$0 (Tier 1)	PA; generic for Revatio; QL (90 EA per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	\$0 (Tier 2)	PA; LA; QL (56 EA per 28 days); ^
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	\$0 (Tier 1)	PA; generic for Adcirca; QL (60 EA per 30 days); ^
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	\$0 (Tier 1)	
THEO-24 ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 200 MG, 300 MG, 400 MG	\$0 (Tier 2)	
<i>theophylline oral elixir 80 mg/15 ml</i>	\$0 (Tier 1)	
<i>theophylline oral solution 80 mg/15 ml</i>	\$0 (Tier 1)	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	\$0 (Tier 1)	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	\$0 (Tier 1)	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	\$0 (Tier 2)	QL (60 EA per 30 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	\$0 (Tier 2)	PA; QL (56 EA per 28 days); ^
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	\$0 (Tier 2)	PA; LA; QL (84 EA per 28 days); ^
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	\$0 (Tier 2)	18 gm inhaler; QL (36 GM per 30 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML	\$0 (Tier 2)	PA; QL (8 ML per 28 days); ^
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 75 MG/0.5 ML	\$0 (Tier 2)	PA; QL (1 ML per 28 days); ^
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	\$0 (Tier 2)	PA; LA; QL (8 EA per 28 days); ^
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML	\$0 (Tier 2)	PA; LA; QL (8 ML per 28 days); ^
XOLAIR SUBCUTANEOUS SYRINGE 300 MG/2 ML	\$0 (Tier 2)	PA; QL (8 ML per 28 days); ^
XOLAIR SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	\$0 (Tier 2)	PA; LA; QL (1 ML per 28 days); ^
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	\$0 (Tier 1)	
<b>UROLOGICALS</b>		
<b>ANTICHOLINERGICS / ANTISPASMODICS</b>		
MYRBETRIQ ORAL SUSPENSION, EXTENDED REL RECON 8 MG/ML	\$0 (Tier 2)	QL (300 ML per 28 days)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	\$0 (Tier 2) QL (30 EA per 30 days)
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	\$0 (Tier 1)
<i>oxybutynin chloride oral tablet 5 mg</i>	\$0 (Tier 1)
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>oxybutynin chloride oral tablet extended release 24hr 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>solifenacin oral tablet 10 mg, 5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>tolterodine oral tablet 1 mg, 2 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<i>tropium oral tablet 20 mg</i>	\$0 (Tier 1) QL (60 EA per 30 days)
<b>BENIGN PROSTATIC HYPERPLASIA(BPH) THERAPY</b>	
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	\$0 (Tier 1)
<i>dutasteride oral capsule 0.5 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	\$0 (Tier 1) QL (30 EA per 30 days)
<i>finasteride oral tablet 5 mg</i>	\$0 (Tier 1)
<i>tamsulosin oral capsule 0.4 mg</i>	\$0 (Tier 1)
<b>MISCELLANEOUS UROLOGICALS</b>	
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	\$0 (Tier 1)
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	\$0 (Tier 2) PA; LA
ELMIRON ORAL CAPSULE 100 MG	\$0 (Tier 2)
ORACIT ORAL SOLUTION 490-640 MG/5 ML	\$0 (Tier 3) NT
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	\$0 (Tier 1)
<i>sod citrate-citric acid soln (rx) 500-334 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sod citrate-citric acid solution 1.5-1 gm/15 ml cup inner (rx) 500-334 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sod citrate-citric acid solution 1.5-1 gm/15 ml cup outer (rx) 500-334 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sod citrate-citric acid solution 3-2 gm/30 ml cup inner (rx) 500-334 mg/5 ml</i>	\$0 (Tier 3) NT
<i>sod citrate-citric acid solution 3-2 gm/30 ml cup outer (rx) 500-334 mg/5 ml</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025



Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>tadalafil oral tablet 2.5 mg</i>	\$0 (Tier 1) PA; QL (60 EA per 30 days)
<i>tadalafil oral tablet 5 mg</i>	\$0 (Tier 1) PA; QL (30 EA per 30 days)
<b>VITAMINS, HEMATINICS / ELECTROLYTES</b>	
<b>ELECTROLYTES</b>	
<i>antacid 500 mg chewable tablet 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>antacid 750 mg chewable tablet 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>antacid ex-str 750 mg tab chew 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>antacid xtra strength chew tab extra strength 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>calcium antacid 500 mg chw tab assorted flavors 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>calcium antacid 500 mg chw tab assorted fruit 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>calcium antacid 500 mg chw tab gluten-f, peppermint 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>calcium antacid 750 mg chew tab 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>calcium carb 1,250 mg/5 ml sus n (otc) 500 mg/5 ml (1,250 mg/5 ml)</i>	\$0 (Tier 3) NT
<i>calcium carb 500 mg tab chew 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>calcium carb 500 mg tab chew assorted flavors 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>cal-gest 500 mg tablet chew 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>ft antacid 500 mg chew tablet 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>ft antacid ex-str 750 mg chew 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>gnp antacid ex-str 750 mg chew 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>gs antacid 500 mg chew tablet 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>gs antacid ex-str 750 mg chew 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>hm antacid ex-str 750 mg chew 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>klor-con 10 oral tablet extended release 10 meq</i>	\$0 (Tier 1)
<i>klor-con 8 oral tablet extended release 8 meq</i>	\$0 (Tier 1)
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	\$0 (Tier 1)
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	\$0 (Tier 1)
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>klor-con oral packet 20 meq</i>	\$0 (Tier 1)
<i>lactated ringers intravenous parenteral solution</i>	\$0 (Tier 1)
<i>magnesium oxide 400 mg tablet (rx) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet 240mg elemental (rx) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet 400 mg magnesium</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet inner (rx) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet outer (rx) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 400 mg tablet p/f,soy-free (rx) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>magnesium oxide 420 mg tablet (rx)</i>	\$0 (Tier 3) NT
MAGNESIUM SULFATE IN D5W INTRAVENOUS PIGGYBACK 1 GRAM/100 ML	\$0 (Tier 2)
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	\$0 (Tier 2)
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	\$0 (Tier 2)
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>	\$0 (Tier 2)
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>	\$0 (Tier 2)
<i>mgo-400 tablet 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	\$0 (Tier 1)
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	\$0 (Tier 1)
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l</i>	\$0 (Tier 1)
<i>potassium chloride in water intravenous piggyback 10 meq/50 ml, 20 meq/50 ml</i>	\$0 (Tier 2)
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	\$0 (Tier 1)
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	\$0 (Tier 1)

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will cost you limits on use (tier level)
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	\$0 (Tier 1)
<i>potassium chloride oral packet 20 meq</i>	\$0 (Tier 1)
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i>	\$0 (Tier 1)
<i>potassium chloride oral tablet, er particles/crystals 10 meq, 15 meq, 20 meq</i>	\$0 (Tier 1)
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	\$0 (Tier 1)
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	\$0 (Tier 1)
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l</i>	\$0 (Tier 1)
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 40 meq/l</i>	\$0 (Tier 2)
<i>qc antacid 500 mg chew tablet 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>sm antacid 500 mg chew tablet 200 mg calcium (500 mg)</i>	\$0 (Tier 3) NT
<i>sm antacid 750 mg chew tablet 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>sm cal antacid 750 mg chew tab ex-str, orange 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>smooth antacid 750 mg chew tab 300 mg (750 mg)</i>	\$0 (Tier 3) NT
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	\$0 (Tier 1)
<i>sodium chloride 3 % hypertonic intravenous parenteral solution 3 %</i>	\$0 (Tier 1)
<i>sodium chloride 5 % hypertonic intravenous parenteral solution 5 %</i>	\$0 (Tier 1)
<i>sodium chloride intravenous solution 2.5 meq/ml, 4 meq/ml</i>	\$0 (Tier 1)
<i>true magnesium oxide 400 mg tb (rx) 400 mg (241.3 mg magnesium)</i>	\$0 (Tier 3) NT
<b>MISCELLANEOUS NUTRITION PRODUCTS</b>	
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	\$0 (Tier 2) B/D
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	\$0 (Tier 2) B/D

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	\$0 (Tier 2) B/D
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	\$0 (Tier 2) B/D
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	\$0 (Tier 2) B/D
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	\$0 (Tier 2) B/D
<i>electrolyte-148 intravenous parenteral solution</i>	\$0 (Tier 1)
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	\$0 (Tier 2)
<i>electrolyte-a intravenous parenteral solution</i>	\$0 (Tier 1)
<i>intralipid intravenous emulsion 20 %</i>	\$0 (Tier 2) B/D
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	\$0 (Tier 2)
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	\$0 (Tier 2)
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	\$0 (Tier 2)
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	\$0 (Tier 2)
PLENAMINE INTRAVENOUS PARENTERAL SOLUTION 15 %	\$0 (Tier 1) B/D
<i>premasol 10 % intravenous parenteral solution 10 %</i>	\$0 (Tier 2) B/D
<i>travasol 10 % intravenous parenteral solution 10 %</i>	\$0 (Tier 2) B/D
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	\$0 (Tier 2) B/D
<b>VITAMINS / HEMATINICS</b>	
B-COMPLEX-VITAMIN C TR TABLET 400 MCG	\$0 (Tier 3) NT
<i>calcidol drops 200 mcg/ml (8,000 unit/ml)</i>	\$0 (Tier 3) NT
<i>cvs iron 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>cvs iron 65 mg tablet p/f,lactose/free (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl inner</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl inner, muv</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl mdv,inner</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl muv</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl muv, inner</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl muv, outer</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>cyanocobalamin 1,000 mcg/ml vl outer</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl outer, mov</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl outer, mov, p/f</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 1,000 mcg/ml vl outer,mdv</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml inner, mov</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml inner,mdv</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml mdv, inner</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml mdv, outer</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml mdv,inner</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml mdv,outer</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml outer, mov</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 10,000 mcg/10 ml outer,mdv</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml inner, mov 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml inner,mdv 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml mdv, inner 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml mdv, outer 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml mov 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml mov, inner 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml mov, outer 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml outer, mov 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml outer,mdv 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>cyanocobalamin 30,000 mcg/30 ml outer,mov 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>dialyvite 800 tablet 0.8 mg</i>	\$0 (Tier 3) NT
<i>dodex 1,000 mcg/ml vial mov, inner</i>	\$0 (Tier 3) NT
<i>dodex 1,000 mcg/ml vial mov, outer</i>	\$0 (Tier 3) NT
<i>dodex 10,000 mcg/10 ml vial mov</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>dodex 30,000 mcg/30 ml vial muv 1,000 mcg/ml</i>	\$0 (Tier 3) NT
<i>eql iron 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ergocalciferol 200 mcg/ml drop (rx) 200 mcg/ml (8,000 unit/ml)</i>	\$0 (Tier 3) NT
<i>ergocalciferol 8,000 unit/ml (rx) 200 mcg/ml (8,000 unit/ml)</i>	\$0 (Tier 3) NT
<i>feosol 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferosul 325 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferosul 325 mg tablet f/c,blister pack (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferro-time 325 mg tablet f/c, green 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferrous sulf ec 324 mg tablet 324 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferrous sulfate 325 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferrous sulfate 325 mg tablet f/c, green (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferrous sulfate 325 mg tablet f/c, red (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferrous sulfate 325 mg tablet p/f (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>ferrous sulfate 325 mg tablet u-d,10x10, film coat (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>fluoride (sodium) oral tablet 1 mg (2.2 mg sod. fluoride)</i>	\$0 (Tier 1)
<i>fluoride (sodium) oral tablet,chewable 1 mg (2.2 mg sod. fluoride)</i>	\$0 (Tier 1)
<i>folic acid 1,000 mcg tablet (rx) 1 mg</i>	\$0 (Tier 3) NT
<i>folic acid 1,000 mcg tablet inner (rx) 1 mg</i>	\$0 (Tier 3) NT
<i>folic acid 1,000 mcg tablet outer (rx) 1 mg</i>	\$0 (Tier 3) NT
<i>folic acid 1,000 mcg tablet p/f (rx) 1 mg</i>	\$0 (Tier 3) NT
FOLIKA-BC TABLET 1 MG-60 MG- 300 MCG	\$0 (Tier 3) NT
<i>full spectrum b with vit c tab 0.8 mg</i>	\$0 (Tier 3) NT
<i>gnp iron 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>iron 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>iron 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>iron 65 mg tablet gluten-free (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>iron 65 mg tablet p/f (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

Name of Drug	What the Necessary actions, restrictions, or drug will limits on use cost you (tier level)
<i>iron 65 mg tablet p/f, gluten-free (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>mynephron capsule 1 mg</i>	\$0 (Tier 3) NT
<i>nephronex liquid 900 mcg/5 ml</i>	\$0 (Tier 3) NT
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	\$0 (Tier 2)
<i>pyridoxine 100 mg/ml vial muv, outer</i>	\$0 (Tier 3) NT
<i>renal caps softgel 1 mg</i>	\$0 (Tier 3) NT
<i>rena-vite rx tablet (rx) 1-60-300 mg-mg-mcg</i>	\$0 (Tier 3) NT
<i>rena-vite tablet (rx) 0.8 mg</i>	\$0 (Tier 3) NT
<i>reno caps softgel 1 mg</i>	\$0 (Tier 3) NT
<i>sv iron 65 mg tablet (rx) 325 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial 25's,mdv,outer 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial inner, muv 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial inner,muv 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial mdv, inner 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial mdv, outer 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial mdv,inner 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial muv 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial muv, inner 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial muv, outer 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial outer, muv 100 mg/ml</i>	\$0 (Tier 3) NT
<i>thiamine 200 mg/2 ml vial outer,muv 100 mg/ml</i>	\$0 (Tier 3) NT
<i>triphrocaps softgel softgel (rx) 1 mg</i>	\$0 (Tier 3) NT
<i>true ferrous sulf ec 324 mg tb 324 mg (65 mg iron)</i>	\$0 (Tier 3) NT
<i>true folic acid 1,600 mcg dfe tb (rx) 1 mg</i>	\$0 (Tier 3) NT
<i>vitamin d2 1.25 mg(50,000 unit)</i>	\$0 (Tier 3) NT
<i>vitamin d2 1.25 mg(50,000 unit) capsule</i>	\$0 (Tier 3) NT
<i>vitamin d2 1.25 mg(50,000 unit) softgel</i>	\$0 (Tier 3) NT
<i>wescaps capsule 1 mg</i>	\$0 (Tier 3) NT

You can find information on what the symbols and abbreviations in this table mean by referring to section C. 04/01/2025

## D. Index of Covered Drugs

<i>3-day vaginal</i> .....	116, 117	<i>alcohol pads</i> .....	89	<i>amlodipine-valsartan-hcthiazyd</i> ..	68
<i>abacavir</i> .....	21	ALDURAZYME.....	92	<i>ammonium lactate</i> .....	76
<i>abacavir-lamivudine</i> .....	21	ALECENSA.....	32	<i>amnesteem</i> .....	78
ABELCET.....	21	<i>alendronate</i> .....	112	<i>amoxapine</i> .....	60
ABILIFY ASIMTUFII.....	59	<i>aler-cap</i> .....	125	<i>amoxicillin</i> .....	29
ABILIFY MAINTENA.....	59	<i>alfuzosin</i> .....	135	<i>amoxicillin-pot clavulanate</i> ...29, 30	
<i>abiraterone</i> .....	32	<i>aliskiren</i> .....	67	<i>amphotericin b</i> .....	21
ABRYSVO (PF).....	108	<i>all day allergy (cetirizine)</i> .....	125, 128, 130	<i>ampicillin</i> .....	30
<i>acamprosate</i> .....	81	<i>all day pain relief</i> .....	52, 53	<i>ampicillin sodium</i> .....	30
<i>acarbose</i> .....	89	<i>all day relief</i> .....	53, 55	<i>ampicillin-sulbactam</i> .....	30
<i>accutane</i> .....	77	<i>aller-g-time</i> .....	125	<i>anagrelide</i> .....	81
<i>acebutolol</i> .....	67	<i>allergy (diphenhydramine)</i> .....	126	<i>anastrozole</i> .....	32
<i>acetaminophen</i> .....	51, 52	<i>allergy relief (cetirizine)</i> .....	126	ANORO ELLIPTA.....	132
ACETAMINOPHEN.....	52	<i>allergy relief (loratadine)</i> .....	126, 128, 130, 131	<i>antacid</i> .....	103
<i>acetaminophen-codeine</i> .....	50	<i>allergy relief(diphenhydramin)</i> .....	126, 128	<i>antacid (calcium carbonate)</i> .....	136, 138
<i>acetazolamide</i> .....	124	ALLERGY RELIEF(DIPHENHYDRAMIN) .....	128, 131	<i>antacid anti-gas</i> .....	96, 100
<i>acetic acid</i> .....	81, 87	<i>allopurinol</i> .....	112	<i>antacid exst (mag carb-al hyd)</i> ... 96	
<i>acetylcysteine</i> .....	131	<i>almacone-2</i> .....	95	<i>antacid ext str (calcium carb)</i> .....	136, 138
<i>acid gone antacid</i> .....	95	<i>alosectron</i> .....	95	<i>antacid extra-strength</i> .....	136
<i>acid gone antacid e.strength</i> .....	95	ALPHAGAN P.....	125	<i>antacid regular strength</i> .....	96
<i>acid reducer (famotidine)</i> . 106, 107		<i>alprazolam</i> .....	59	<i>antacid-antigas</i> .....	95, 96, 98, 100, 103
<i>acitretin</i> .....	75	<i>altamist</i> .....	86	<i>anti-diarrheal (loperamide)</i> .. 94, 95	
ACTEMRA.....	113	<i>altavera (28)</i> .....	117	<i>anti-nausea</i> .....	96, 99
ACTEMRA ACTPEN.....	112	<i>aluminum hydroxide gel</i> .....	95	<i>apen</i> .....	53
ACTHIB (PF).....	108	<i>alum-mag hydroxide-simeth</i> .....	95	<i>apraclonidine</i> .....	125
ACTIMMUNE.....	107	ALUNBRIG.....	32	<i>aprepitant</i> .....	96
<i>acyclovir</i> .....	21, 22	<i>alyacen 1/35 (28)</i> .....	117	<i>apri</i> .....	117
<i>acyclovir sodium</i> .....	22	<i>alyacen 7/7/7 (28)</i> .....	117	APTOM.....	42
ADACEL(TDAP ADOLESN/ADULT)(PF).....	108	<i>alyq</i> .....	132	APTIVUS.....	22
<i>adapalene</i> .....	77, 78	<i>amantadine hcl</i> .....	22	<i>aranelle (28)</i> .....	117
<i>adefovir</i> .....	22	<i>ambrisentan</i> .....	132	ARCALYST.....	107
ADEMPAS.....	131	<i>amethia</i> .....	117	AREXVY (PF).....	108
<i>adrenalin</i> .....	125	<i>amikacin</i> .....	27	<i>arformoterol</i> .....	132
<i>adult aspirin regimen</i> .....	53	<i>amiloride</i> .....	67	ARIKAYCE.....	27
<i>adult tussin chest congestion</i> .....	128, 129, 131	<i>amiloride-hydrochlorothiazide</i> ... 67		<i>aripiprazole</i> .....	60
ADVAIR HFA.....	131	<i>amiodarone</i> .....	67	ARISTADA.....	60
<i>advanced antacid-antigas</i> .....	100	<i>amitriptyline</i> .....	59	ARISTADA INITIO.....	60
AFRIN SALINE NASAL MIST.....	86	<i>amlodipine</i> .....	67	<i>armodafinil</i> .....	60
AIMOVIG AUTOINJECTOR.....	47	<i>amlodipine-atorvastatin</i> .....	74	ARNUITY ELLIPTA.....	132
AKEEGA.....	32	<i>amlodipine-benazepril</i> .....	67	<i>asenapine maleate</i> .....	60
<i>ak-poly-bac</i> .....	123	<i>amlodipine-olmesartan</i> .....	67	<i>ashlyna</i> .....	117
<i>ala-cort</i> .....	79	<i>amlodipine-valsartan</i> .....	67	<i>aspirin</i> .....	53, 55, 56, 58, 59
<i>albendazole</i> .....	27			<i>aspirin childrens</i> .....	54
<i>albuterol sulfate</i> .....	131			<i>aspirin, buffd-calcium carb-mag</i> ..53	
<i>alclometasone</i> .....	79				

04/01/2025



<i>aspirin-dipyridamole</i> .....	72	BESREMI.....	107	BYDUREON BCISE.....	89
ASSURE ID INSULIN SAFETY.....	111	<i>betaine</i> .....	96	<i>cabergoline</i> .....	92
<i>atazanavir</i> .....	22	<i>betamethasone dipropionate</i> .....	79	CABOMETYX.....	33
<i>atenolol</i> .....	68	<i>betamethasone valerate</i> .....	79, 80	<i>calcidol</i> .....	139
<i>atenolol-chlorthalidone</i> .....	68	<i>betamethasone, augmented</i> .....	80	<i>calcipotriene</i> .....	75
<i>atomoxetine</i> .....	60	BETASERON.....	107	<i>calcitonin (salmon)</i> .....	92
<i>atorvastatin</i> .....	74	<i>betaxolol</i> .....	68, 123	<i>calcitriol</i> .....	92
<i>atovaquone</i> .....	27	<i>bethanechol chloride</i> .....	135	<i>calcium antacid</i> .....	136, 138
<i>atovaquone-proguanil</i> .....	27	BEVESPI AEROSPHERE.....	132	<i>calcium carbonate</i> .....	136
<i>atropine</i> .....	124	<i>bexarotene</i> .....	32	<i>cal-gest antacid</i> .....	136
ATROVENT HFA.....	132	BEXSERO.....	108	CALQUENCE.....	33
<i>aubra eq</i> .....	117	<i>bicalutamide</i> .....	32	CALQUENCE (ACALABRUTINIB	
AUGTYRO.....	32	BICILLIN L-A.....	30	MAL).....	33
<i>aurovela fe 1.5/30 (28)</i> .....	117	BIKTARVY.....	22	<i>camila</i> .....	114
<i>aurovela fe 1-20 (28)</i> .....	117	<i>bisacodyl</i> .....	96, 100	<i>camrese</i> .....	118
AUSTEDO.....	48	<i>bismuth</i> .....	94	<i>camrese lo</i> .....	118
AUSTEDO XR.....	48	<i>bismuth subsalicylate</i> .....	94	<i>candesartan</i> .....	68
AUSTEDO XR TITRATION		<i>bisoprolol fumarate</i> .....	68	<i>candesartan-hydrochlorothiazid</i> .....	68
KT(WK1-4).....	48	<i>bisoprolol-hydrochlorothiazide</i> .....	68	CAPLYTA.....	60
AUVELITY.....	60	BIVIGAM.....	108	CAPRELSA.....	33
<i>aviane</i> .....	118	<i>blisovi 24 fe</i> .....	118	<i>capsaicin</i> .....	76
<i>ayr saline</i> .....	86	<i>blisovi fe 1.5/30 (28)</i> .....	118	<i>captopril</i> .....	68
AYVAKIT.....	32	<i>blisovi fe 1/20 (28)</i> .....	118	<i>captopril-hydrochlorothiazide</i> .....	68
<i>azacitidine</i> .....	32	BOOSTRIX TDAP.....	108	<i>carbamazepine</i> .....	42, 43
<i>azathioprine</i> .....	32	BORTEZOMIB.....	32	<i>carbidopa</i> .....	46
<i>azelaic acid</i> .....	78	<i>bortezomib</i> .....	32	<i>carbidopa-levodopa</i> .....	46, 47
<i>azelastine</i> .....	86, 124	<i>bosentan</i> .....	132	<i>carbidopa-levodopa-</i>	
<i>azithromycin</i> .....	26	BOSULIF.....	32, 33	<i>entacapone</i> .....	47
<i>aztreonam</i> .....	27	BRAFTOVI.....	33	<i>carboplatin</i> .....	33
<i>azurette (28)</i> .....	118	BREO ELLIPTA.....	132	<i>carglumic acid</i> .....	81
B COMPLEX-VITAMIN C-FOLIC		<i>breyna</i> .....	132	<i>carteolol</i> .....	123
ACID.....	139	BREZTRI AEROSPHERE.....	132	<i>cartia xt</i> .....	68
<i>baby ayr saline</i> .....	86	<i>briellyn</i> .....	118	<i>carvedilol</i> .....	68
<i>bacitracin</i> .....	123	BRILINTA.....	72	<i>caspofungin</i> .....	21
<i>bacitracin-polymyxin b</i> .....	123	<i>brimonidine</i> .....	125	CAYSTON.....	27
<i>baclofen</i> .....	50	<i>brinzolamide</i> .....	124	<i>cefaclor</i> .....	25
<i>balsalazide</i> .....	96	BRIVIACT.....	42	<i>cefadroxil</i> .....	25
BALVERSA.....	32	<i>bromfenac</i> .....	124	<i>cefazolin</i> .....	25
<i>balziva (28)</i> .....	118	<i>bromocriptine</i> .....	46	<i>cefazolin in dextrose (iso-os)</i> .....	25
<i>banophen</i> .....	126	BRUKINSA.....	33	<i>cefdinir</i> .....	25
BARACLUDGE.....	22	<i>budesonide</i> .....	96, 132	<i>cefepime</i> .....	25
BCG VACCINE, LIVE (PF).....	108	<i>bumetanide</i> .....	68	<i>cefepime in dextrose, iso-osm</i> .....	25
BELSOMRA.....	60	<i>buprenorphine hcl</i> .....	50	<i>cefixime</i> .....	25
<i>benazepril</i> .....	68	<i>buprenorphine-naloxone</i> .....	53	<i>cefoxitin</i> .....	25
<i>benazepril-hydrochlorothiazide</i> .....	68	<i>bupropion hcl</i> .....	60	<i>cefoxitin in dextrose, iso-osm</i> .....	25
BENDEKA.....	32	<i>bupropion hcl (smoking deter)</i> .....	83	<i>cefpodoxime</i> .....	25
BENLYSTA.....	113	<i>buspirone</i> .....	60	<i>cefprozil</i> .....	26
<i>benztropine</i> .....	46	<i>butorphanol</i> .....	53	<i>ceftazidime</i> .....	26

<i>ceftriaxone</i> .....	26	<i>claravis</i> .....	78	<i>complete allergy</i> .....	130
<i>ceftriaxone in dextrose,iso-os</i> .....	26	<i>clarithromycin</i> .....	26	<i>complete allergy medicine</i> .....	130
<i>cefuroxime axetil</i> .....	26	<i>clearlax</i> .....	96, 98, 100, 104, 105	<i>compro</i> .....	96
<i>cefuroxime sodium</i> .....	26	<i>clindamycin hcl</i> .....	27	<i>constulose</i> .....	96
<i>celecoxib</i> .....	53	<i>clindamycin in 5 % dextrose</i> .....	27	COPIKTRA.....	33
<i>cephalexin</i> .....	26	<i>clindamycin phosphate</i> .....	27, 78, 116	CORLANOR.....	75
<i>cetirizine</i> .....	126, 127	<i>clindamycin-benzoyl peroxide</i> .....	78	COSENTYX.....	76
<i>cevimeline</i> .....	81	CLINIMIX 5%/D15W SULFITE		COSENTYX (2 SYRINGES).....	75
CHEMET.....	81	FREE.....	138	COSENTYX PEN.....	76
<i>chest congestion relief dm</i> .....	127	CLINIMIX 4.25%/D10W SULF		COSENTYX PEN (2 PENS).....	76
<i>child allergy relf(cetirizine)</i> .....	127, 128	FREE.....	138	COSENTYX UNOREADY PEN.....	76
<i>children's acetaminophen</i> .....	54	CLINIMIX 4.25%/D5W SULFIT		COTELLIC.....	33
<i>children's allergy (diphenhyd)</i>		FREE.....	81	CREON.....	96
.....	127, 128, 129, 130, 131	CLINIMIX 5%-D20W(SULFITE-		CRESEMBA.....	21
<i>children's allergy relief(lor)</i>		FREE).....	139	<i>cromolyn</i> .....	97, 124, 132
.....	127, 128, 129, 131	CLINIMIX 6%-D5W (SULFITE-		<i>cryselle (28)</i> .....	118
CHILDREN'S ALLERGY		FREE).....	139	<i>curae</i> .....	118
RELIEF(LOR).....	128	CLINIMIX 8%-D10W(SULFITE-		<i>cyanocobalamin (vitamin b-12)</i>	
<i>children's aspirin</i> .....	59	FREE).....	139	.....	139, 140
<i>children's cetirizine</i> .....	127	CLINIMIX 8%-D14W(SULFITE-		<i>cyclobenzaprine</i> .....	50
CHILDREN'S LORATADINE.....	127	FREE).....	139	<i>cyclophosphamide</i> .....	33
<i>children's mapap</i> .....	54	<i>clobazam</i> .....	43	CYCLOPHOSPHAMIDE.....	33
<i>children's pain relief</i> .....	58	<i>clobetasol</i> .....	80	<i>cyclosporine</i> .....	33, 124
<i>children's pain-fever relief</i>		<i>clobetasol-emollient</i> .....	80	<i>cyclosporine modified</i> .....	33
.....	54, 55, 56, 59	<i>clodan</i> .....	80	CYLTEZO(CF).....	113
<i>children's saline nasal spray</i> .....	86	<i>clomipramine</i> .....	61	CYLTEZO(CF) PEN.....	113
<i>children's wal-dryl allergy</i> .....	127	<i>clonazepam</i> .....	43	CYLTEZO(CF) PEN CROHN'S-UC-	
<i>child's all day allergy(cetir)</i>		<i>clonidine</i> .....	68	HS.....	113
.....	127, 129	<i>clonidine hcl</i> .....	68	CYLTEZO(CF) PEN PSORIASIS-UV	
<i>chlorhexidine gluconate</i> .....	86	<i>clopidogrel</i> .....	72	.....	113
<i>chloroquine phosphate</i> .....	27	<i>clorazepate dipotassium</i> .....	61	<i>cyproheptadine</i> .....	127
<i>chlorpromazine</i> .....	60	<i>clotrimazole</i> .....	21, 79, 116, 117	<i>cyred eq</i> .....	118
<i>chlorthalidone</i> .....	68	<i>clotrimazole-3</i> .....	116	CYSTAGON.....	135
<i>chocolate laxative</i> ... 96, 97, 98, 103		<i>clotrimazole-betamethasone</i> .....	79	CYSTARAN.....	124
<i>cholestyramine (with sugar)</i> .....	74	<i>clozapine</i> .....	61	<i>cytarabine</i> .....	33
<i>cholestyramine light</i> .....	74	COARTEM.....	27	<i>d10 %-0.45 % sodium chloride</i> ... 81	
<i>cholestyramine-aspartame</i> .....	74	COBENFY.....	61	<i>d2.5 %-0.45 % sodium chloride</i> ... 81	
<i>ciclopirox</i> .....	79	COBENFY STARTER PACK.....	61	<i>d5 % and 0.9 % sodium chloride</i> ..... 81	
<i>cilostazol</i> .....	72	COLACE CLEAR.....	96	<i>d5 %-0.45 % sodium chloride</i> ..... 81	
CIMDUO.....	22	<i>colchicine</i> .....	112	<i>dalfampridine</i> .....	48
<i>cinacalcet</i> .....	92	<i>colesevelam</i> .....	74	<i>danazol</i> .....	92
<i>ciprofloxacin</i> .....	31	<i>colestipol</i> .....	74	<i>dantrolene</i> .....	50
<i>ciprofloxacin hcl</i> .....	30, 123	<i>colistin (colistimethate na)</i> .....	27	DANZITEN.....	33
<i>ciprofloxacin in 5 % dextrose</i> .....	31	COLUMVI.....	33	<i>dapsone</i> .....	27
<i>ciprofloxacin-dexamethasone</i> .....	87	COMBIGAN.....	124	DAPTACEL (DTAP PEDIATRIC)	
<i>cisplatin</i> .....	33	COMBIVENT RESPIMAT.....	132	(PF).....	108
<i>citalopram</i> .....	60, 61	COMETRIQ.....	33	<i>daptomycin</i> .....	27
<i>citrucel</i> .....	96	COMPLERA.....	22	<i>darunavir</i> .....	22

<i>dasatinib</i> .....	33	<i>diazoxide</i> .....	89	<i>doxycycline hyclate</i> .....	31
<i>dasetta 1/35 (28)</i> .....	118	<i>diclofenac potassium</i> .....	54	<i>doxycycline monohydrate</i> .....	31
<i>dasetta 7/7/7 (28)</i> .....	118	<i>diclofenac sodium</i> .....	54, 124	<i>dramamine (meclizine)</i> .....	97
DAURISMO.....	33	<i>diclofenac-misoprostol</i> .....	54	<i>driminate</i> .....	97
<i>daysee</i> .....	118	<i>dicloxacillin</i> .....	30	DRIZALMA SPRINKLE.....	62
<i>deblitane</i> .....	114	<i>dicyclomine</i> .....	94	<i>dronabinol</i> .....	97
<i>deep sea nasal</i> .....	86	DIFICID.....	26	<i>drospirenone-e.estradiol-lm.fa</i> ..	118
<i>deferasirox</i> .....	81, 82	<i>diflunisal</i> .....	54	<i>drospirenone-ethinyl estradiol</i> ..	118
DELSTRIGO.....	22	<i>difluprednate</i> .....	125	DROXIA.....	34
<i>demeclocycline</i> .....	31	<i>digoxin</i> .....	75	<i>droxidopa</i> .....	82
DENGVAZIA (PF).....	108	<i>dihydroergotamine</i> .....	47	<i>dss</i> .....	97
DEPO-SUBQ PROVERA 104.....	114	DILANTIN.....	43	<i>duloxetine</i> .....	62
<i>dermacinrx lidocan</i> .....	76	DILANTIN EXTENDED.....	43	DUPIXENT PEN.....	76
DESCOVY.....	22	DILANTIN INFATABS.....	43	DUPIXENT SYRINGE.....	76
<i>desipramine</i> .....	61	DILANTIN-125.....	43	<i>dutasteride</i> .....	135
<i>desloratadine</i> .....	127	<i>diltiazem hcl</i> .....	68, 69	<i>dutasteride-tamsulosin</i> .....	135
<i>desmopressin</i> .....	92, 93	<i>dilt-xr</i> .....	69	<i>ear drops (carbamide peroxide)</i> ..	87
<i>desog-e.estradiol/e.estradiol</i> ....	118	<i>dimethyl fumarate</i> .....	48	<i>ear wax removal drops</i> .....	87
<i>desogestrel-ethinyl estradiol</i> ....	118	<i>diphedryl</i> .....	127	<i>ear wax removal kit</i> .....	87
<i>desonide</i> .....	80	<i>diphenhydramine hcl</i> .....	127, 128	<i>econtra one-step</i> .....	118
<i>desvenlafaxine succinate</i> .....	61	<i>diphenoxylate-atropine</i> .....	94	<i>ecotrin</i> .....	54
<i>dexamethasone</i> .....	87, 88	<i>dipyridamole</i> .....	72	<i>ecotrin low strength</i> .....	54
<i>dexamethasone intensol</i> .....	87	<i>disopyramide phosphate</i> .....	67	<i>ed-apap</i> .....	54
<i>dexamethasone sodium phos</i> ( <i>pf</i> ).....	88	<i>disulfiram</i> .....	82	EDARBI.....	69
<i>dexamethasone sodium</i> <i>phosphate</i> .....	88, 125	<i>divalproex</i> .....	43	EDARBYCLOR.....	69
<i>dexlansoprazole</i> .....	106	<i>docetaxel</i> .....	34	EDURANT.....	22
<i>dexmethylphenidate</i> .....	61	<i>docusate calcium</i> .....	97	<i>efavirenz</i> .....	22
<i>dextroamphetamine sulfate</i> .....	61	<i>docusate sodium</i> .....	97	<i>efavirenz-emtricitabin-tenofov</i> ..	22
<i>dextroamphetamine-</i> <i>amphetamine</i> .....	61	DOCUSATE SODIUM.....	97	<i>efavirenz-lamivu-tenofov disop</i> ..	22
<i>dextromethorphan-guaifenesin</i> ..	129	DOCUSOL KIDS.....	97	<i>electrolyte-148</i> .....	139
<i>dextrose</i> .....	81	<i>dodex</i> .....	140, 141	<i>electrolyte-48 in d5w</i> .....	139
<i>dextrose 10 % and 0.2 % nacl</i> ....	82	<i>dofetilide</i> .....	67	<i>electrolyte-a</i> .....	139
<i>dextrose 10 % in water (d10w)</i> ...	82	<i>dok</i> .....	97	ELIGARD.....	34
<i>dextrose 5 % in water (d5w)</i> .....	82	<i>dolishale</i> .....	118	ELIGARD (3 MONTH).....	34
<i>dextrose 5 %-lactated ringers</i> ....	82	<i>donepezil</i> .....	48, 49	ELIGARD (4 MONTH).....	34
<i>dextrose 5%-0.2 % sod chloride</i> ..	82	DOPTELET (10 TAB PACK).....	72	ELIGARD (6 MONTH).....	34
<i>dextrose 5%-0.3 % sod.chloride</i> ..	82	DOPTELET (15 TAB PACK).....	72	<i>elinest</i> .....	118
<i>dextrose 50 % in water (d50w)</i> ...	82	DOPTELET (30 TAB PACK).....	72	ELIQUIS.....	72
<i>dextrose 70 % in water (d70w)</i> ...	82	<i>dorzolamide</i> .....	124	ELIQUIS DVT-PE TREAT 30D START.....	72
DIACOMIT.....	43	<i>dorzolamide-timolol</i> .....	124	ELLENCE.....	34
<i>dialyvite 800</i> .....	140	<i>dotti</i> .....	114	ELMIRON.....	135
<i>diamode</i> .....	94	DOVATO.....	22	ELREXFIO.....	34
<i>diarrhea relief (bismuth subs)</i> ....	95	<i>doxazosin</i> .....	69	<i>eluryng</i> .....	116
<i>diazepam</i> .....	43, 61, 62	<i>doxepin</i> .....	62	EMGALITY PEN.....	47
<i>diazepam intensol</i> .....	62	<i>doxercalciferol</i> .....	93	EMGALITY SYRINGE.....	47
		<i>doxorubicin</i> .....	34	EMSAM.....	62
		<i>doxorubicin, peg-liposomal</i> .....	34	<i>emtricitabine</i> .....	22
		<i>doxy-100</i> .....	31		

<i>emtricitabine-tenofovir (tdf)</i> .....	22	<i>estradiol</i> .....	115	<i>fiber (calcium polycarbophil)</i>	
EMTRIVA.....	22	<i>estradiol valerate</i> .....	115	.....	98, 105
EMVERM.....	27	<i>estradiol-norethindrone acet</i> ....	115	<i>fiber laxative (ca polycarbo)</i> .....	98
<i>emzahh</i> .....	114	<i>ethambutol</i> .....	27	<i>fiber laxative(methylcellulos)</i> ....	105
<i>enalapril maleate</i> .....	69	<i>ethosuximide</i> .....	43	<i>fiber therapy (m-cell/sugar)</i> .....	98
<i>enalapril-hydrochlorothiazide</i> ....	69	<i>ethynodiol diac-eth estradiol</i> ....	119	<i>fiber therapy (m-cellulose)</i> .....	98
ENBREL.....	113	<i>etodolac</i> .....	54, 55	<i>fiber-caps (psyllium husk)</i> .....	103
ENBREL MINI.....	113	<i>etonogestrel-ethinyl estradiol</i> ...116		<i>fiber-lax</i> .....	98, 103
ENBREL SURECLICK.....	113	<i>etoposide</i> .....	34	<i>fiber-tabs</i> .....	98
ENDARI.....	82	<i>etravirine</i> .....	22	<i>finasteride</i> .....	135
<i>endocet</i> .....	50	EULEXIN.....	34	<i> fingolimod</i> .....	49
<i>enema</i> .....	97, 103	<i>euthyrox</i> .....	93	FINTEPLA.....	44
<i>enema disposable</i> .....	97	<i>evac-u-gen (sennosides)</i> .....	98	<i>finzala</i> .....	119
ENEMEEZ.....	98	<i>everolimus (antineoplastic)</i> .....	34	FIRMAGON KIT W DILUENT	
ENEMEEZ PLUS.....	98	<i>everolimus</i>		SYRINGE.....	35
ENGERIX-B (PF).....	108	<i>(immunosuppressive)</i> .....	34	<i>flac otic oil</i> .....	87
ENGERIX-B PEDIATRIC (PF).....	108	EVOTAZ.....	22	<i>flecainide</i> .....	67
<i>enoxaparin</i> .....	72	<i>exemestane</i> .....	34	<i>fleet enema</i> .....	98
<i>enpresse</i> .....	118	EXKIVITY.....	35	FLEET GLYCERIN LAXATIVE.....	98
<i>enskyce</i> .....	118	<i>extraprin</i> .....	55	FLEET PEDIATRIC.....	98
<i>entacapone</i> .....	47	<i>ezetimibe</i> .....	74	<i>fluconazole</i> .....	21
<i>entecavir</i> .....	22	<i>ezetimibe-simvastatin</i> .....	74	<i>fluconazole in nacl (iso-osm)</i> .....	21
ENTRESTO.....	75	FABRAZYME.....	93	<i>flucytosine</i> .....	21
<i>enulose</i> .....	98	<i>falmina (28)</i> .....	119	<i>fludrocortisone</i> .....	88
ENVARUSUS XR.....	34	<i>famciclovir</i> .....	22	<i>flunisolide</i> .....	132
EPIDIOLEX.....	43	<i>famotidine</i> .....	106	<i>fluocinolone</i> .....	80
<i>epinephrine</i> .....	128	<i>famotidine (pf)</i> .....	106	<i>fluocinolone acetonide oil</i> .....	87
<i>epitol</i> .....	43	<i>famotidine (pf)-nacl (iso-os)</i> ....	106	<i>fluocinolone and shower cap</i> .....	80
EPKINLY.....	34	FANAPT.....	62	<i>fluocinonide</i> .....	80
<i>eplerenone</i> .....	69	FARXIGA.....	89	<i>fluocinonide-e</i> .....	80
EPRONTIA.....	43	FASENRA.....	132	<i>fluocinonide-emollient</i> .....	80
<i>ergocalciferol (vitamin d2)</i> 141, 142		FASENRA PEN.....	132	<i>fluoride (sodium)</i> .....	141
<i>ergotamine-caffeine</i> .....	47	<i>febuxostat</i> .....	112	<i>fluorometholone</i> .....	125
ERIVEDGE.....	34	<i>felbamate</i> .....	44	<i>fluorouracil</i> .....	35, 76, 77
ERLEADA.....	34	<i>felodipine</i> .....	69	<i>fluoxetine</i> .....	62
<i>erlotinib</i> .....	34	<i>fenofibrate</i> .....	74	<i>fluphenazine decanoate</i> .....	62
<i>errin</i> .....	115	<i>fenofibrate micronized</i> .....	74	<i>fluphenazine hcl</i> .....	62
<i>ertapenem</i> .....	27	<i>fenofibrate nanocrystallized</i> .....	74	<i>flurbiprofen</i> .....	55
<i>ery pads</i> .....	78	<i>fenofibric acid (choline)</i> .....	74	<i>flurbiprofen sodium</i> .....	124
<i>ery-tab</i> .....	26	<i>fentanyl</i> .....	50	<i>fluticasone propionate</i> .....	80, 132
ERYTHROCIN.....	26	<i>fentanyl citrate</i> .....	50	<i>fluticasone propion-salmeterol</i> ..132	
<i>erythrocin (as stearate)</i> .....	26	<i>feosol</i> .....	141	<i>fluvastatin</i> .....	74
<i>erythromycin</i> .....	26, 27, 123	<i>ferosul</i> .....	141	<i>fluvoxamine</i> .....	62
<i>erythromycin with ethanol</i> .....	78	<i>ferro-time</i> .....	141	<i>folic acid</i> .....	141, 142
<i>erythromycin-benzoyl peroxide</i> ..	78	<i>ferrous sulfate</i> .....	139, 141, 142	FOLIKA-BC.....	141
<i>escitalopram oxalate</i> .....	62	FETZIMA.....	62	<i>fondaparinux</i> .....	73
<i>esomeprazole magnesium</i> .....	106	<i>feverall</i> .....	55	<i>formoterol fumarate</i> .....	133
<i>estarylla</i> .....	118	FEVERALL.....	55	<i>fosamprenavir</i> .....	23

<i>fosinopril</i> .....	69	<i>geri-kot</i> .....	99	<i>heparin (porcine) in 5 % dex</i> .....	73
<i>fosinopril-hydrochlorothiazide</i> ....	69	<i>geri-lanta</i> .....	99	HEPARIN(PORCINE) IN 0.45%	
FOTIVDA.....	35	<i>geri-mox antacid-antigas</i> .....	99	NACL.....	73
FRUZAQLA.....	35	<i>geri-tussin</i> .....	128	<i>heparin(porcine) in 0.45% nacl</i> ...	73
<i>full spectrum b-vitamin c</i> .....	141	GILOTRIF.....	35	HEPLISAV-B (PF).....	109
<i>fulvestrant</i> .....	35	<i>glatiramer</i> .....	49	<i>her style</i> .....	119
<i>furosemide</i> .....	69	<i>glatopa</i> .....	49	HIBERIX (PF).....	109
FUZEON.....	23	GLEOSTINE.....	35	HUMIRA.....	113
<i>fyavolv</i> .....	115	<i>glimepiride</i> .....	89	HUMIRA PEN.....	113
FYCOMPA.....	44	<i>glipizide</i> .....	89	HUMIRA PEN PSOR-UVEITS-	
<i>gabapentin</i> .....	44	<i>glipizide-metformin</i> .....	89	ADOL HS.....	113
<i>galantamine</i> .....	49	<i>glucose gel</i> .....	81, 83	HUMIRA(CF).....	114
<i>gallifrey</i> .....	115	<i>glutamine (sickle cell)</i> .....	82	HUMIRA(CF) PEN.....	113, 114
GAMASTAN.....	108	<i>glutose-5</i> .....	82	HUMIRA(CF) PEN CROHNS-UC-	
GAMMAGARD LIQUID.....	108	<i>glycerin (adult)</i> .....	99	HS.....	113
GAMMAGARD S-D (IGA < 1		<i>glycerin (child)</i> .....	96, 99	HUMIRA(CF) PEN PEDIATRIC UC	
MCG/ML).....	108	<i>glycopyrrolate</i> .....	94	.....	113
GAMMAKED.....	108	<i>glydo</i> .....	77	HUMIRA(CF) PEN PSOR-UV-	
GAMMAPLEX.....	109	GLYXAMBI.....	89	ADOL HS.....	113
GAMMAPLEX (WITH SORBITOL).....	109	<i>granisetron (pf)</i> .....	100	HUMULIN R U-500 (CONC)	
GAMUNEX-C.....	109	<i>granisetron hcl</i> .....	100	INSULIN.....	89
<i>ganciclovir sodium</i> .....	23	<i>griseofulvin microsize</i> .....	21	HUMULIN R U-500 (CONC)	
GARDASIL 9 (PF).....	109	<i>griseofulvin ultramicrosize</i> .....	21	KWIKPEN.....	89
<i>gatifloxacin</i> .....	123	<i>guaifenesin</i> .....	129	<i>hydralazine</i> .....	69
GATTEX 30-VIAL.....	99	<i>guanfacine</i> .....	63, 69	<i>hydrochlorothiazide</i> .....	69
GATTEX ONE-VIAL.....	99	GVOKE.....	89	<i>hydrocodone-acetaminophen</i> .....	50
GAUZE PAD.....	111	GVOKE HYPOPEN 1-PACK.....	89	<i>hydrocodone-ibuprofen</i> .....	50
<i>gavilax</i> .....	99	GVOKE HYPOPEN 2-PACK.....	89	<i>hydrocortisone</i> .....	80, 88, 100
<i>gavilyte-c</i> .....	99	GVOKE PFS 1-PACK SYRINGE.....	89	<i>hydromorphone</i> .....	50
<i>gavilyte-g</i> .....	99	GVOKE PFS 2-PACK SYRINGE.....	89	<i>hydroxychloroquine</i> .....	27
GAVISCON EXTRA STRENGTH.....	99	HAEGARDA.....	133	<i>hydroxyurea</i> .....	35
GAVRETO.....	35	<i>hailey 24 fe</i> .....	119	<i>hydroxyzine hcl</i> .....	129
<i>gefitinib</i> .....	35	<i>hailey fe 1.5/30 (28)</i> .....	119	<i>hydroxyzine pamoate</i> .....	129
<i>gemcitabine</i> .....	35	<i>hailey fe 1/20 (28)</i> .....	119	<i>ibandronate</i> .....	112
GEMCITABINE.....	35	<i>halobetasol propionate</i> .....	80	IBRANCE.....	35
<i>gemfibrozil</i> .....	74	<i>haloette</i> .....	116	<i>ibu</i> .....	56
<i>gemmily</i> .....	119	<i>haloperidol</i> .....	63	<i>ibuprofen</i> .....	55, 56, 57, 58, 59
<i>generlac</i> .....	99	<i>haloperidol decanoate</i> .....	63	<i>icatibant</i> .....	133
<i>gengraf</i> .....	35	<i>haloperidol lactate</i> .....	63	<i>iclevia</i> .....	119
<i>gentak</i> .....	123	HAVRIX (PF).....	109	ICLUSIG.....	35
<i>gentamicin</i> .....	27, 79, 123	<i>headache relief (asa-acet-caf)</i>		IDHIFA.....	35
<i>gentamicin in nacl (iso-osm)</i> .....	27	.....	55, 56, 58	<i>imatinib</i> .....	35
<i>gentamicin sulfate (ped) (pf)</i> .....	27	<i>healthylax</i> .....	100	IMBRUVICA.....	35, 36
<i>gentle laxative (bisacodyl)</i>		<i>heartburn antacid</i> .....	103	<i>imipenem-cilastatin</i> .....	27
.....	98, 99, 103, 105	HEARTBURN RELIEF.....	100	<i>imipramine hcl</i> .....	63
<i>gentlelax</i> .....	99, 100	<i>heartburn relief (famotidine)</i> ....	107	<i>imiquimod</i> .....	77
GENVOYA.....	23	<i>heather</i> .....	115	IMKELDI.....	36
<i>geri-dryl</i> .....	128	<i>heparin (porcine)</i> .....	73	IMOVAX RABIES VACCINE (PF)..	109

INBRIJA.....	47	<i>isotretinoin</i> .....	78	<i>klor-con m10</i> .....	136
<i>incassia</i> .....	115	<i>isradipine</i> .....	69	<i>klor-con m15</i> .....	136
INCRELEX.....	82	ITOVEBI.....	36	<i>klor-con m20</i> .....	136
INCRUSE ELLIPTA.....	133	<i>itraconazole</i> .....	21	KORLYM.....	93
<i>indapamide</i> .....	69	<i>ivabradine</i> .....	75	KOSELUGO.....	36
INFANRIX (DTAP) (PF).....	109	<i>ivermectin</i> .....	28	<i>kourzeq</i> .....	86
<i>infant pain reliever</i> .....	56	IWILFIN.....	36	KRAZATI.....	36
<i>infant's acetaminophen</i> .....	56	IXCHIQ (PF).....	109	<i>kurvelo (28)</i> .....	119
<i>infants' pain and fever</i> ....	56, 58, 59	IXIARO (PF).....	109	<i>l norgest/e.estradiol-e.estrad</i> ...	119
<i>infants' pain relief</i> .....	56	JAKAFI.....	36	<i>labetalol</i> .....	70
INFLECTRA.....	100	<i>jantoven</i> .....	73	<i>lacosamide</i> .....	44
INGREZZA.....	49	JANUMET.....	90	<i>lactated ringers</i> .....	137
INGREZZA INITIATION		JANUMET XR.....	90	<i>lactulose</i> .....	100
PK(TARDIV).....	49	JANUVIA.....	90	<i>lamivudine</i> .....	23
INLYTA.....	36	JARDIANCE.....	90	<i>lamivudine-zidovudine</i> .....	23
INQOVI.....	36	<i>jasmiel (28)</i> .....	119	<i>lamotrigine</i> .....	44
INREBIC.....	36	JAYPIRCA.....	36	<i>lanreotide</i> .....	36
INSULIN ASP PRT-INSULIN		JENTADUETO.....	90	<i>lansoprazole</i> .....	107
ASPART.....	90	JENTADUETO XR.....	90	<i>lapatinib</i> .....	36
INSULIN ASPART U-100.....	90	<i>jinteli</i> .....	115	<i>larin 1.5/30 (21)</i> .....	119
INSULIN DEGLUDEC.....	90	<i>jolessa</i> .....	119	<i>larin 1/20 (21)</i> .....	119
INSULIN GLARGINE U-300 CONC	90	<i>juleber</i> .....	119	<i>larin 24 fe</i> .....	120
INSULIN GLARGINE-YFGN.....	90	JULUCA.....	23	<i>larin fe 1.5/30 (28)</i> .....	120
INSULIN SYRINGE-NEEDLE U-		<i>junel 1.5/30 (21)</i> .....	119	<i>larin fe 1/20 (28)</i> .....	120
100.....	111	<i>junel 1/20 (21)</i> .....	119	<i>latanoprost</i> .....	124
INTELENCE.....	23	<i>junel fe 1.5/30 (28)</i> .....	119	<i>laxacin</i> .....	100
<i>intralipid</i> .....	139	<i>junel fe 1/20 (28)</i> .....	119	<i>laxative (bisacodyl)</i> .....	98, 100
<i>introvale</i> .....	119	<i>junel fe 24</i> .....	119	<i>laxative (sennosides)</i> .....	100
INVEGA HAFYERA.....	63	JYLAMVO.....	36	<i>layolis fe</i> .....	120
INVEGA SUSTENNA.....	63	JYNNEOS (PF).....	109	LAZCLUZE.....	36
INVEGA TRINZA.....	63	KADCYLA.....	36	LEDIPASVIR-SOFOSBUVIR.....	23
IPOL.....	109	<i>kaitlib fe</i> .....	119	<i>leflunomide</i> .....	114
<i>ipratropium bromide</i> .....	86, 133	KALYDECO.....	133	<i>lenalidomide</i> .....	37
<i>ipratropium-albuterol</i> .....	133	<i>kariva (28)</i> .....	119	LENVIMA.....	37
<i>irbesartan</i> .....	69	<i>kelnor 1/35 (28)</i> .....	119	<i>lessina</i> .....	120
<i>irbesartan-hydrochlorothiazide</i> ..	69	<i>kelnor 1/50 (28)</i> .....	119	<i>letrozole</i> .....	37
<i>irinotecan</i> .....	36	KERENDIA.....	70	<i>leucovorin calcium</i> .....	32
<i>iron</i> .....	141	<i>ketoconazole</i> .....	21, 79	LEUKERAN.....	37
<i>iron (ferrous sulfate)</i> . 139, 141, 142		<i>ketorolac</i> .....	124	<i>leuprolide</i> .....	37
ISENTRESS.....	23	KEYTRUDA.....	36	<i>levalbuterol hcl</i> .....	133
ISENTRESS HD.....	23	KINRIX (PF).....	109	<i>levetiracetam</i> .....	44
<i>isibloom</i> .....	119	<i>kionex (with sorbitol)</i> .....	82	<i>levetiracetam in nacl (iso-os)</i> .....	44
ISOLYTE S PH 7.4.....	139	KISQALI.....	36	<i>levobunolol</i> .....	123
ISOLYTE-P IN 5 % DEXTROSE.....	139	KISQALI FEMARA CO-PACK.....	36	<i>levocarnitine</i> .....	82
ISOLYTE-S.....	139	<i>klayesta</i> .....	79	<i>levocarnitine (with sugar)</i> .....	82
<i>isoniazid</i> .....	27, 28	<i>klor-con</i> .....	137	<i>levocetirizine</i> .....	129
<i>isosorbide dinitrate</i> .....	75	<i>klor-con 10</i> .....	136	<i>levofloxacin</i> .....	31
<i>isosorbide mononitrate</i> .....	75	<i>klor-con 8</i> .....	136	<i>levofloxacin in d5w</i> .....	31

<i>levonest (28)</i> .....	120	<i>lubiprostone</i> .....	100	<i>metformin</i> .....	90, 91
<i>levonorgest-eth.estradiol-iron</i> ..	120	LUMAKRAS .....	37	<i>methadone</i> .....	50
<i>levonorgestrel</i> .....	120	LUMIGAN.....	124	<i>methadone intensol</i> .....	50
<i>levonorgestrel-ethinyl estrad</i> ....	120	LUMIZYME .....	93	<i>methazolamide</i> .....	124
<i>levonorg-eth estrad triphasic</i> ...	120	LUPRON DEPOT .....	37	<i>methenamine hippurate</i> .....	31
<i>levora-28</i> .....	120	<i>lurasidone</i> .....	64	<i>methimazole</i> .....	88
<i>levo-t</i> .....	93	<i>lutera (28)</i> .....	120	<i>methotrexate sodium</i> .....	38
<i>levothyroxine</i> .....	94	<i>lyleq</i> .....	115	<i>methotrexate sodium (pf)</i> .....	38
<i>levoxyl</i> .....	94	<i>lyllana</i> .....	115	<i>methsuximide</i> .....	45
LEXIVA .....	23	LYNPARZA .....	37	<i>methylphenidate hcl</i> .....	64
LIBERVANT .....	44	LYSODREN .....	37	<i>methylprednisolone</i> .....	88
<i>lidocaine</i> .....	77	LYTGOBI.....	37	<i>methylprednisolone acetate</i> .....	88
<i>lidocaine (pf)</i> .....	77	<i>lyza</i> .....	115	<i>methylprednisolone sodium</i>	
<i>lidocaine hcl</i> .....	77	<i>mag-al plus</i> .....	100	<i>succ</i> .....	88
<i>lidocaine viscous</i> .....	77	<i>mag-al plus extra strength</i> .....	101	<i>metoclopramide hcl</i> .....	101
<i>lidocaine-prilocaine</i> .....	77	<i>magnesium hydroxide</i> .....	101	<i>metolazone</i> .....	70
<i>lidocan iii</i> .....	77	<i>magnesium oxide</i> .....	101, 137, 138	<i>metoprolol succinate</i> .....	70
<i>lidocan iv</i> .....	77	<i>magnesium sulfate</i> .....	137	<i>metoprolol ta-hydrochlorothiaz</i> ..	70
<i>lidocan v</i> .....	77	MAGNESIUM SULFATE IN D5W	137	<i>metoprolol tartrate</i> .....	70
LILETTA.....	116	<i>magnesium sulfate in water</i> .....	137	<i>metro i.v.</i> .....	28
<i>linezolid</i> .....	28	<i>malathion</i> .....	81	<i>metronidazole</i> .....	28, 78, 116
<i>linezolid in dextrose 5%</i> .....	28	<i>maraviroc</i> .....	23	<i>metronidazole in nacl (iso-os)</i> .....	28
<i>linezolid-0.9% sodium chloride</i> ...	28	<i>marlissa (28)</i> .....	120	<i>metyrosine</i> .....	70
LINZESS.....	100	MARPLAN .....	64	<i>mexiletine</i> .....	67
<i>liothyronine</i> .....	94	MATULANE.....	37	<i>mgo</i> .....	137
<i>lisdexamfetamine</i> .....	63, 64	<i>matzim la</i> .....	70	<i>mibelas 24 fe</i> .....	120
<i>lisinopril</i> .....	70	<i>maxallergy kids</i> .....	130	<i>micafungin</i> .....	21
<i>lisinopril-hydrochlorothiazide</i> .....	70	<i>maxi-tuss g</i> .....	130	MICONAZOLE NITRATE.....	116
<i>lithium carbonate</i> .....	64	<i>m-dryl</i> .....	130	<i>miconazole nitrate</i> .....	116, 117
<i>lithium citrate</i> .....	64	<i>meclizine</i> .....	101	<i>miconazole-3</i> .....	116, 117
<i>little remedies</i> .....	87	<i>mediproxen</i> .....	57	<i>miconazole-7</i> .....	116, 117
LIVTENCITY .....	23	<i>medroxyprogesterone</i> .....	115	<i>microgestin 1.5/30 (21)</i> .....	120
LOKELMA.....	82	<i>mefloquine</i> .....	28	<i>microgestin 1/20 (21)</i> .....	120
LONSURF.....	37	<i>megestrol</i> .....	37	<i>microgestin 24 fe</i> .....	120
<i>loperamide</i> .....	95	MEKINIST .....	37	<i>microgestin fe 1.5/30 (28)</i> .....	120
<i>lopinavir-ritonavir</i> .....	23	MEKTOVI .....	37	<i>microgestin fe 1/20 (28)</i> .....	120
<i>loradamed</i> .....	129	<i>meloxicam</i> .....	57	<i>midodrine</i> .....	82
<i>loratadine</i> ..127, 128, 129, 130, 131		<i>memantine</i> .....	49	<i>mifepristone</i> .....	93
<i>lorazepam</i> .....	64	MENACTRA (PF).....	109	<i>migraine formula</i> .....	54, 56, 57
<i>lorazepam intensol</i> .....	64	MENQUADFI (PF).....	109	<i>migraine relief</i> .....	55, 57, 59
LORBRENA.....	37	MENVEO A-C-Y-W-135-DIP (PF)	109	<i>mili</i> .....	120
<i>loryna (28)</i> .....	120	<i>mercaptapurine</i> .....	37	<i>milk of magnesia</i>	
<i>losartan</i> .....	70	<i>meropenem</i> .....	28	.....98, 100, 101, 102, 103, 105	
<i>losartan-hydrochlorothiazide</i> .....	70	<i>mesalamine</i> .....	101	<i>milk of magnesia concentrated</i>	101
<i>loteprednol etabonate</i> .....	125	<i>mesalamine with cleansing</i>		<i>mimvey</i> .....	115
<i>lovastatin</i> .....	74	<i>wipe</i> .....	101	<i>minocycline</i> .....	31
<i>low-ogestrel (28)</i> .....	120	<i>mesna</i> .....	32	<i>minoxidil</i> .....	70
<i>loxapine succinate</i> .....	64	MESNEX.....	32	<i>mintox maximum strength</i> .....	102

<i>mintox plus</i> .....	102	<i>naloxone</i> .....	57	<i>nitrofurantoin macrocrystal</i> .....	31
<i>mirtazapine</i> .....	64	<i>naltrexone</i> .....	57	<i>nitrofurantoin monohyd/m-</i>	
<i>misoprostol</i> .....	107	NAMZARIC.....	49	<i>cryst</i> .....	32
M-M-R II (PF).....	110	<i>naproxen</i> .....	57	<i>nitroglycerin</i> .....	75, 102
<i>modafinil</i> .....	64	<i>naproxen sodium</i> 55, 56, 57, 58, 59		NIVESTYM.....	107
<i>moexipril</i> .....	70	<i>naratriptan</i> .....	47	<i>nizatidine</i> .....	107
<i>molindone</i> .....	64	<i>nasal decongestant</i>		<i>non-aspirin</i> .....	57
<i>mometasone</i> .....	80, 81, 133	<i>(pseudoeph)</i> .....	128, 129, 130	<i>non-aspirin extra strength</i> .....	57
MONISTAT 1 COMBO PACK.....	116	<i>nasal moisturizing</i> .....	86	<i>non-aspirin pain relief</i> .....	58
MONJUVI.....	38	<i>nasal spray (sodium chloride)</i> .....	86	<i>nora-be</i> .....	115
<i>mono-linyah</i> .....	120	NATACYN.....	123	<i>norelgestromin-ethin.estradiol</i> ..	117
<i>montelukast</i> .....	133	<i>nateglinide</i> .....	91	<i>noreth-ethinyl estradiol-iron</i> ....	121
<i>morphine</i> .....	51	<i>natural fiber laxative</i> .....	102	<i>norethindrone (contraceptive)</i> ..	115
MORPHINE.....	51	<i>natura-lax</i> .....	103	<i>norethindrone acetate</i> .....	115
<i>morphine (pf)</i> .....	51	<i>nausea relief</i> .....	102	<i>norethindrone ac-eth estradiol</i>	
<i>morphine concentrate</i> .....	51	NAYZILAM.....	45	.....	115, 121
<i>motion sickness</i> .....	98, 105	<i>nebivolol</i> .....	70	<i>norethindrone-e.estradiol-iron</i> ..	121
<i>motion sickness (meclizine)</i> .....	98	<i>necon 0.5/35 (28)</i> .....	121	<i>norgestimate-ethinyl estradiol</i> ..	121
<i>motion sickness relief</i> .....	102	<i>nefazodone</i> .....	64	<i>nortrel 0.5/35 (28)</i> .....	121
<i>motion sickness relief(mecliz)</i> ...	102	<i>neomycin</i> .....	28	<i>nortrel 1/35 (21)</i> .....	121
<i>motion-time</i> .....	102	<i>neomycin-bacitracin-poly-hc</i> ....	125	<i>nortrel 1/35 (28)</i> .....	121
MOUNJARO.....	91	<i>neomycin-bacitracin-polymyxin</i> 123		<i>nortrel 7/7/7 (28)</i> .....	121
MOVANTIK.....	102	<i>neomycin-polymyxin b-</i>		<i>nortriptyline</i> .....	64, 65
<i>move it along</i> .....	102	<i>dexameth</i> .....	125	NORVIR.....	23
<i>moxifloxacin</i> .....	31, 123	<i>neomycin-polymyxin-gramicidin</i>		NOVOLIN 70/30 U-100 INSULIN..	91
<i>moxifloxacin-sod.chloride(iso)</i> ....	31	.....	123	NOVOLIN 70-30 FLEXPEN U-100..	91
<i>m-pap</i> .....	57	<i>neomycin-polymyxin-hc</i> .....	87, 125	NOVOLIN N FLEXPEN.....	91
MRESVIA (PF).....	110	<i>nephronex</i> .....	142	NOVOLIN N NPH U-100 INSULIN	91
<i>mucinex</i> .....	130	NERLYNX.....	38	NOVOLIN R FLEXPEN.....	91
<i>mucus relief er.</i> ..	128, 129, 130, 131	<i>neuac</i> .....	78	NOVOLIN R REGULAR U100	
MULTAQ.....	67	NEUPRO.....	47	INSULIN.....	91
<i>mupirocin</i> .....	79	<i>nevirapine</i> .....	23	NUBEQA.....	38
<i>murine ear wax removal system</i> ..	87	<i>new day</i> .....	121	NUDEXTA.....	49
<i>my choice</i> .....	120	NEXPLANON.....	116	NULOJIX.....	38
<i>my way</i> .....	121	<i>niacin</i> .....	74	NUPLAZID.....	65
<i>mycophenolate mofetil</i> .....	38	<i>nicardipine</i> .....	70	NURTEC ODT.....	48
<i>mycophenolate sodium</i> .....	38	<i>nicotine</i> .....	84, 85, 86	NUTRISOURCE FIBER.....	83
<i>mylanta maximum strength</i> .....	102	<i>nicotine (polacrilex)</i> ...83, 84, 85, 86		<i>nyamyc</i> .....	79
<i>mynephron</i> .....	142	NICOTROL.....	85	<i>nylia 1/35 (28)</i> .....	121
<i>myorisan</i> .....	78	NICOTROL NS.....	85	<i>nylia 7/7/7 (28)</i> .....	121
MYRBETRIQ.....	134, 135	<i>nifedipine</i> .....	70	<i>nymyo</i> .....	121
<i>nabumetone</i> .....	57	<i>nikki (28)</i> .....	121	<i>nystatin</i> .....	21, 79
<i>nadolol</i> .....	70	<i>nilutamide</i> .....	38	<i>nystop</i> .....	79
<i>nafcilin</i> .....	30	<i>nimodipine</i> .....	70	NYVEPRIA.....	107
<i>nafcilin in dextrose iso-osm</i> .....	30	NINLARO.....	38	OICALIVA.....	102
<i>naftifine</i> .....	79	<i>nitazoxanide</i> .....	28	<i>ocella</i> .....	121
NAGLAZYME.....	93	<i>nitisinone</i> .....	82, 83	OCREVUS.....	49
<i>nalbuphine</i> .....	57	<i>nitro-bid</i> .....	75	OCTAGAM.....	110



<i>octreotide acetate</i> .....	38	<i>pacerone</i> .....	67	<i>phenobarbital</i> .....	45
ODEFSEY.....	23	<i>paclitaxel</i> .....	39	<i>phenobarbital sodium</i> .....	45
ODOMZO.....	38	<i>pain relief (acetaminophen)</i>		<i>phenytoin</i> .....	45
OFEV.....	133	.....	55, 56, 57, 58	<i>phenytoin sodium</i> .....	45
<i>ofloxacin</i> .....	87, 123	<i>pain relief es (acetaminophen)</i>		<i>phenytoin sodium extended</i> .....	45
OGSIVEO.....	38	.....	55, 58	<i>philith</i> .....	121
OJEMDA.....	38	<i>pain reliever (acetam-aspirin)</i> .....	58	<i>phytonadione (vitamin k1)</i> .....	73
OJJAARA.....	39	<i>pain reliever (acetaminophen)</i> .....	59	PIFELTRO.....	23
<i>olanzapine</i> .....	65	<i>pain reliever es(acetaminophn)</i>		<i>pilocarpine hcl</i> .....	83, 124
<i>olmesartan</i> .....	70	.....	55, 58, 59	<i>pimecrolimus</i> .....	77
<i>olmesartan-amlodipin-hcthiazyd</i> .....	71	<i>pain reliever plus</i> .....	58	<i>pimozide</i> .....	65
<i>olmesartan-hydrochlorothiazide</i> .....	71	<i>paliperidone</i> .....	65	<i>pimtrea (28)</i> .....	121
<i>olopatadine</i> .....	87	<i>pamidronate</i> .....	93	<i>pinaway</i> .....	28
<i>omeprazole</i> .....	107	PANRETIN.....	77	<i>pindolol</i> .....	71
OMNIPOD 5 G6-G7 INTRO		<i>pantoprazole</i> .....	107	<i>pink bismuth</i> .....	95
KT(GEN5).....	111	PANZYGA.....	110	<i>pinworm treatment</i> .....	27, 28
OMNIPOD 5 G6-G7 PODS (GEN		<i>paraplatin</i> .....	39	<i>pioglitazone</i> .....	91
5).....	111	<i>paricalcitol</i> .....	93	<i>pioglitazone-glimepiride</i> .....	91
OMNIPOD DASH INTRO KIT		<i>paroxetine hcl</i> .....	65	<i>pioglitazone-metformin</i> .....	91
(GEN 4).....	112	PAXLOVID.....	23	<i>piperacillin-tazobactam</i> .....	30
OMNIPOD DASH PODS (GEN 4)	112	<i>pazopanib</i> .....	39	PIQRAY.....	39
OMNITROPE.....	107	PEDIA-LAX.....	98	<i>pirfenidone</i> .....	133
<i>ondansetron</i> .....	102	PEDIA-LAX STOOL SOFTENER.....	98	<i>piroxicam</i> .....	58
<i>ondansetron hcl</i> .....	102	PEDIARIX (PF).....	110	<i>pitavastatin calcium</i> .....	74
<i>ondansetron hcl (pf)</i> .....	102	PEDVAX HIB (PF).....	110	PLASMA-LYTE A.....	139
<i>onelix bisacodyl</i> .....	102	<i>peg 3350-electrolytes</i> .....	102	PLENAMINE.....	139
<i>onelix docusate sodium</i> .....	102	PEGASYS.....	107	PLENVU.....	102
<i>onelix senna</i> .....	102	<i>peg-electrolyte soln</i> .....	102	<i>podofilox</i> .....	77
ONUREG.....	39	PEMAZYRE.....	39	<i>polyethylene glycol 3350</i> ..	102, 103
<i>opcicon one-step</i> .....	121	<i>pemetrexed disodium</i> .....	39	<i>polymyxin b sulf-trimethoprim</i> .....	123
OPSUMIT.....	133	PEN NEEDLE, DIABETIC.....	112	POMALYST.....	39
<i>option-2</i> .....	121	PENBRAYA (PF).....	110	<i>portia 28</i> .....	121
ORACIT.....	135	<i>penicillamine</i> .....	114	<i>posaconazole</i> .....	21
ORGOVYX.....	39	PENICILLIN G POT IN DEXTROSE.....	30	<i>potassium chlorid-d5-0.45%nacl</i>	
ORKAMBI.....	133	<i>penicillin g potassium</i> .....	30	.....	137
ORSERDU.....	39	<i>penicillin g sodium</i> .....	30	<i>potassium chloride</i> .....	137, 138
<i>oseltamivir</i> .....	23	<i>penicillin v potassium</i> .....	30	<i>potassium chloride in 0.9%nacl</i>	137
OTEZLA.....	114	PENTACEL (PF).....	110	<i>potassium chloride in 5 % dex</i> ..	137
OTEZLA STARTER.....	114	<i>pentamidine</i> .....	28	<i>potassium chloride in water</i> .....	137
<i>oxacillin</i> .....	30	<i>pentoxifylline</i> .....	73	<i>potassium chloride-0.45 % nacl</i>	138
<i>oxaliplatin</i> .....	39	<i>perindopril erbumine</i> .....	71	<i>potassium chloride-d5-0.2%nacl</i>	
<i>oxaprozin</i> .....	57	<i>periogard</i> .....	87	.....	138
<i>oxcarbazepine</i> .....	45	<i>permethrin</i> .....	81	<i>potassium chloride-d5-0.9%nacl</i>	
OXERVATE.....	124	<i>perphenazine</i> .....	65	.....	138
<i>oxybutynin chloride</i> .....	135	<i>pfizerpen-g</i> .....	30	<i>potassium citrate</i> .....	135
<i>oxycodone</i> .....	51	<i>pharbedryl</i> .....	130	PRALUENT PEN.....	74
<i>oxycodone-acetaminophen</i> .....	51	<i>pharbetol</i> .....	58	<i>pramipexole</i> .....	47
OZEMPIC.....	91	<i>phenelzine</i> .....	65	<i>prasugrel hcl</i> .....	73

<i>pravastatin</i> .....	74	PURIXAN .....	39	RINVOQ.....	114
<i>praziquantel</i> .....	28	<i>pyrazinamide</i> .....	28	RINVOQ LQ.....	114
<i>prazosin</i> .....	71	<i>pyridostigmine bromide</i> .....	50	<i>risedronate</i> .....	83, 112
<i>prednisolone</i> .....	88	<i>pyridoxine (vitamin b6)</i> .....	142	RISPERDAL CONSTA .....	65
<i>prednisolone acetate</i> .....	125	<i>pyrimethamine</i> .....	28	<i>risperidone</i> .....	65, 66
<i>prednisolone sodium phosphate</i> .....	88, 125	QINLOCK.....	39	<i>ritonavir</i> .....	24
<i>prednisone</i> .....	88	QUADRACEL (PF).....	110	<i>rivastigmine</i> .....	49
<i>prednisone intensol</i> .....	88	<i>quetiapine</i> .....	65	<i>rivastigmine tartrate</i> .....	49
<i>pregabalin</i> .....	45	QUETIAPINE .....	65	<i>rivelsa</i> .....	121
PREHEVBRIO (PF).....	110	<i>quinapril</i> .....	71	<i>rizatriptan</i> .....	48
PREMARIN .....	115	<i>quinapril-hydrochlorothiazide</i> ....	71	ROCKLATAN .....	124
<i>premasol 10 %</i> .....	139	<i>quinidine sulfate</i> .....	67	<i>roflumilast</i> .....	133
<i>prenatal vitamin plus low iron</i> ..	142	<i>quinine sulfate</i> .....	28	<i>ropinirole</i> .....	47
<i>prevalite</i> .....	75	RABAVERT (PF).....	110	<i>rosuvastatin</i> .....	75
PREVYMIS .....	24	<i>rabeprazole</i> .....	107	ROTARIX .....	110
PREZCOBIX .....	24	RADICAVA ORS .....	49	ROTATEQ VACCINE .....	110
PREZISTA .....	24	RADICAVA ORS STARTER KIT SUSP .....	49	<i>roweepra</i> .....	45
PRIFTIN .....	28	<i>raloxifene</i> .....	112	ROZLYTREK.....	39, 40
PRIMAQUINE .....	28	<i>ramipril</i> .....	71	RUBRACA .....	40
PRIMIDONE .....	45	<i>ranolazine</i> .....	75	<i>rufinamide</i> .....	45
<i>primidone</i> .....	45	<i>rasagiline</i> .....	47	RUKOBIA .....	24
PRIORIX (PF).....	110	<i>ready-to-use enema</i> ....	97, 100, 105	RUXIENCE .....	40
PRIVIGEN .....	110	<i>reclipsen (28)</i> .....	121	RYBELSUS .....	91
<i>probenecid</i> .....	112	RECOMBIVAX HB (PF).....	110	RYDAPT .....	40
<i>probenecid-colchicine</i> .....	112	RECTIV .....	103	<i>sajazir</i> .....	133
<i>prochlorperazine</i> .....	103	<i>reese's pinworm medicine</i> .....	28	<i>saline mist</i> .....	87
<i>prochlorperazine edisylate</i> .....	103	REGRANEX .....	77	<i>saline nasal</i> .....	86, 87
<i>prochlorperazine maleate</i> .....	103	RELENZA DISKHALER .....	24	<i>saline nasal mist</i> .....	86
<i>procto-med hc</i> .....	103	<i>renal caps</i> .....	142	SANDIMMUNE .....	40
<i>proctosol hc</i> .....	103	<i>rena-vite</i> .....	142	SANTYL .....	77
<i>proctozone-hc</i> .....	103	<i>rena-vite rx</i> .....	142	<i>sapropterin</i> .....	93
<i>progesterone</i> .....	115	<i>reno caps</i> .....	142	SAVELLA .....	114
<i>progesterone micronized</i> .....	116	<i>repaglinide</i> .....	91	SCSEMBLIX .....	40
PROGRAF .....	39	RETACRIT .....	107	<i>scopolamine base</i> .....	104
PROLASTIN-C .....	83	RETEVMO .....	39	SECUADO .....	66
PROLENSA .....	124	REVLIMID .....	39	<i>selegiline hcl</i> .....	47
PROLIA .....	112	REVUFORJ .....	39	<i>selenium sulfide</i> .....	76
PROMACTA .....	73	REXULTI .....	65	SELZENTRY .....	24
<i>promethazine</i> .....	130	REYATAZ .....	24	<i>senexon-s</i> .....	104
<i>promethazine-codeine</i> .....	130	REZLIDHIA .....	39	SENNA .....	104
<i>propafenone</i> .....	67	REZUROCK .....	39	<i>senna</i> .....	104
<i>propranolol</i> .....	71	RHOPRESSA .....	124	<i>senna lax</i> .....	99, 104
<i>propylthiouracil</i> .....	88	<i>ribavirin</i> .....	24	<i>senna laxative</i> ....	98, 100, 104, 105
PROQUAD (PF) .....	110	<i>rifabutin</i> .....	28	SENNA LEAF EXTRACT .....	104
<i>protriptyline</i> .....	65	<i>rifampin</i> .....	28	<i>senna plus</i> .....	99, 104
<i>pseudoephedrine hcl</i> .....	130	<i>riluzole</i> .....	83	SENNA PLUS .....	104
PULMOZYME .....	133	<i>rimantadine</i> .....	24	<i>senna-s</i> .....	98, 104
				<i>senna-time s</i> .....	104

<i>sennosides</i> .....	104	<i>sps (with sorbitol)</i> .....	83	TALVEY.....	40
<i>sennosides-docusate sodium</i> ....	104	<i>sronyx</i> .....	122	TALZENNA.....	40
SENOKOT.....	104	<i>ssd</i> .....	77	<i>tamoxifen</i> .....	40
SENOKOT EXTRA STRENGTH.....	104	<i>st joseph aspirin</i> .....	59	<i>tamsulosin</i> .....	135
SENOKOT KIDS.....	104	STAMARIL (PF).....	111	<i>tarina 24 fe</i> .....	122
SEREVENT DISKUS.....	133	STELARA.....	76	<i>tarina fe 1-20 eq (28)</i> .....	122
<i>sertraline</i> .....	66	<i>stimulant laxative plus</i> .....	105	TASIGNA.....	40, 41
<i>setlakin</i> .....	121	STIVARGA.....	40	<i>tazarotene</i> .....	78
<i>shake that ache</i> .....	58	<i>stomach relief</i> .....	94, 95	<i>tazicef</i> .....	26
<i>sharobel</i> .....	116	<i>stool softener</i> .....	99, 103, 105	<i>taztia xt</i> .....	71
SHINGRIX (PF).....	110	<i>stool softener (docusate cal)</i> .....	99	TAZVERIK.....	41
SIGNIFOR.....	40	<i>stool softener-laxative</i> .....	105	TDVAX.....	111
<i>sildenafil (pulm.hypertension)</i> ..	134	<i>stool softener-stimulant laxat</i>		TECENTRIQ.....	41
<i>silver sulfadiazine</i> .....	77	.....	99, 105	TEFLARO.....	26
<i>simvastatin</i> .....	75	STOOL SOFTENER-STIMULANT		<i>telmisartan</i> .....	71
<i>sirolimus</i> .....	40	LAXAT.....	105	<i>telmisartan-amlodipine</i> .....	71
SIRTURO.....	28	STREPTOMYCIN.....	28	<i>telmisartan-hydrochlorothiazid</i> ..	71
SKYRIZI.....	76, 104	STRIBILD.....	24	<i>temazepam</i> .....	66
<i>smooth antacid</i> .....	138	SUCRAID.....	105	TENIVAC (PF).....	111
<i>sodium bicarbonate</i> .....	105	<i>sucrafate</i> .....	107	<i>tenofovir disoproxil fumarate</i> ....	24
SODIUM BICARBONATE (BULK)	105	<i>sudogest</i> .....	131	TEPMETKO.....	41
<i>sodium chloride</i> .....	83, 138	<i>sulfacetamide sodium</i> .....	124	<i>terazosin</i> .....	71
<i>sodium chloride 0.45 %</i> .....	138	<i>sulfacetamide sodium (acne)</i> .....	79	<i>terbinafine hcl</i> .....	21
<i>sodium chloride 0.9 %</i> .....	83	<i>sulfacetamide-prednisolone</i> ....	124	<i>terbutaline</i> .....	134
<i>sodium chloride 3 % hypertonic</i>	138	<i>sulfadiazine</i> .....	31	<i>terconazole</i> .....	117
<i>sodium chloride 5 % hypertonic</i>	138	<i>sulfamethoxazole-trimethoprim</i>	31	<i>teriflunomide</i> .....	49
<i>sodium citrate-citric acid</i> .....	135	<i>sulfasalazine</i> .....	106	TERIPARATIDE.....	112
SODIUM OXYBATE.....	66	<i>sulindac</i> .....	59	<i>testosterone</i> .....	93
<i>sodium phenylbutyrate</i> .....	83	<i>sumatriptan</i> .....	48	<i>testosterone cypionate</i> .....	93
<i>sodium polystyrene sulfonate</i> ....	83	<i>sumatriptan succinate</i> .....	48	<i>testosterone enanthate</i> .....	93
<i>sodium,potassium,mag sulfates</i>		<i>sunitinib malate</i> .....	40	TETANUS,DIPHThERIA TOX	
.....	105	SUNLENCA.....	24	PED(PF).....	111
SOFOSBUVIR-VELPATASVIR.....	24	<i>suphedrin</i> .....	131	<i>tetrabenazine</i> .....	49
<i>solifenacin</i> .....	135	SUPREP BOWEL PREP KIT.....	106	<i>tetracycline</i> .....	31
SOLQUA 100/33.....	91	<i>syeda</i> .....	122	THALOMID.....	41
SOLTAMOX.....	40	SYMDEKO.....	134	<i>the magic bullet</i> .....	101
SOLU-CORTEF ACT-O-VIAL (PF)...	88	SYMPAZAN.....	45	THEO-24.....	134
SOMATULINE DEPOT.....	40	SYMTUZA.....	24	<i>theophylline</i> .....	134
SOMAVERT.....	93	SYNJARDY.....	92	<i>thiamine hcl (vitamin b1)</i> .....	142
<i>sorafenib</i> .....	40	SYNJARDY XR.....	92	<i>thioridazine</i> .....	66
<i>sorbitol</i> .....	83	SYNTHROID.....	94	<i>thiothixene</i> .....	66
<i>sotalol</i> .....	67	TABLOID.....	40	<i>tiadylt er</i> .....	71
<i>sotalol af</i> .....	67	TABRECTA.....	40	<i>tiagabine</i> .....	45
<i>spironolactone</i> .....	71	<i>tacrolimus</i> .....	40, 77	TIBSOVO.....	41
<i>spironolacton-hydrochlorothiaz</i> ..	71	<i>tadalafil</i> .....	136	TICOVAC.....	111
<i>sprintec (28)</i> .....	122	<i>tadalafil (pulm. hypertension)</i> ..	134	<i>tigecycline</i> .....	29
SPRITAM.....	45	TAFINLAR.....	40	<i>tilia fe</i> .....	122
SPRYCEL.....	40	TAGRISSO.....	40	<i>timolol maleate</i> .....	71, 123

<i>tinidazole</i> .....	29	<i>tri-legest fe</i> .....	122	<i>vancomycin</i> .....	29
<i>tioconazole</i> .....	117	<i>tri-linyah</i> .....	122	VANCOMYCIN IN 0.9 % SODIUM CHL.....	29
TIVICAY.....	24	<i>tri-lo-estarylla</i> .....	122	VANFLYTA.....	41
TIVICAY PD.....	24	<i>tri-lo-marzia</i> .....	122	VAQTA (PF).....	111
<i>tizanidine</i> .....	50	<i>tri-lo-mili</i> .....	122	<i>varenicline tartrate</i> .....	86
TOBRADEX.....	125	<i>tri-lo-sprintec</i> .....	122	VARIVAX (PF).....	111
<i>tobramycin</i> .....	123	<i>trimethoprim</i> .....	32	VASCEPA.....	75
<i>tobramycin in 0.225 % nacl</i> .....	29	<i>tri-mili</i> .....	122	<i>vegetable laxative</i> .....	103
<i>tobramycin sulfate</i> .....	29	<i>trimipramine</i> .....	66	<i>vegetable lax-stool softener</i> .....	106
<i>tobramycin-dexamethasone</i> .....	125	TRINTELLIX.....	66	<i>velivet triphasic regimen (28)</i> ...	122
<i>tolterodine</i> .....	135	<i>tri-nymyo</i> .....	122	VEMLIDY.....	25
<i>tolvaptan</i> .....	93	<i>triphrocaps</i> .....	142	VENCLEXTA.....	41
<i>topiramate</i> .....	45	<i>tri-sprintec (28)</i> .....	122	VENCLEXTA STARTING PACK.....	41
<i>toremifene</i> .....	41	TRIUMEQ.....	24	<i>venlafaxine</i> .....	66
<i>torse mide</i> .....	71	TRIUMEQ PD.....	24	VENTOLIN HFA.....	134
<i>total allergy medicine</i> .....	131	<i>trivora (28)</i> .....	122	<i>verapamil</i> .....	72
TRADJENTA.....	92	<i>tri-vylibra</i> .....	122	VERQUVO.....	75
<i>tramadol</i> .....	59	<i>tri-vylibra lo</i> .....	122	VERSACLOZ.....	66
<i>tramadol-acetaminophen</i> .....	59	TRIZIVIR.....	24	VERZENIO.....	41
<i>trandolapril</i> .....	71	TROGARZO.....	24	<i>vestura (28)</i> .....	122
<i>tranexamic acid</i> .....	117	TROPHAMINE 10 %.....	139	<i>vienva</i> .....	122
<i>tranylcypromine</i> .....	66	<i>trosipium</i> .....	135	<i>vigabatrin</i> .....	46
<i>travasol 10 %</i> .....	139	TRUEPLUS GLUCOSE.....	83	<i>vigadrone</i> .....	46
<i>travel-ease (meclizine)</i> .....	106	TRULANCE.....	106	<i>vigpoder</i> .....	46
<i>travoprost</i> .....	125	TRULICITY.....	92	<i>vilazodone</i> .....	66
TRAZIMERA.....	41	TRUMENBA.....	111	<i>vincristine</i> .....	41
<i>trazodone</i> .....	66	TRUQAP.....	41	<i>vinorelbine</i> .....	41
TRECATOR.....	29	TUKYSA.....	41	<i>viorele (28)</i> .....	122
TRELEGY ELLIPTA.....	134	TURALIO.....	41	VIRACEPT.....	25
TREMFYA.....	76	<i>turqoz (28)</i> .....	122	VIREAD.....	25
TREMFYA PEN.....	76	<i>tusnel diabetic</i> .....	131	<i>vitamin d2</i> .....	142
<i>treprostinil sodium</i> .....	71	<i>tusnel-ex</i> .....	131	<i>vitamin k1</i> .....	73
<i>tretinoin</i> .....	78	<i>tussin dm</i> .....	129, 130, 131	VITRAKVI.....	41
<i>tretinoin (antineoplastic)</i> .....	41	<i>tussin mucus-chest congestion</i> .....	128, 131	VIVITROL.....	59
<i>tretinoin microspheres</i> .....	78	TWINRIX (PF).....	111	VIZIMPRO.....	41
<i>triamcinolone acetonide</i> .....	81, 87	TYPHIM VI.....	111	VONJO.....	41
<i>triamterene-hydrochlorothiazid</i> .	72	<i>unithroid</i> .....	94	VORANIGO.....	41
<i>tri-buffered aspirin</i> .....	59	<i>ursodiol</i> .....	106	<i>voriconazole</i> .....	21
<i>tridacaine</i> .....	77	<i>valacyclovir</i> .....	24	VOWST.....	106
<i>tridacaine ii</i> .....	77	VALCHLOR.....	77	VRAYLAR.....	66
<i>triderm</i> .....	81	<i>valganciclovir</i> .....	24	<i>vyfemla (28)</i> .....	122
<i>trientine</i> .....	83	<i>valproate sodium</i> .....	46	<i>vylibra</i> .....	122
<i>tri-estarylla</i> .....	122	<i>valproic acid</i> .....	46	VYNDAQEL.....	75
<i>trifluoperazine</i> .....	66	<i>valproic acid (as sodium salt)</i> .....	46	<i>warfarin</i> .....	73
<i>trifluridine</i> .....	123	<i>valsartan</i> .....	72	<i>water for irrigation, sterile</i> .....	83
<i>trihexyphenidyl</i> .....	47	<i>valsartan-hydrochlorothiazide</i> ....	72	WELIREG.....	41
TRIJARDY XR.....	92	VALTOCO.....	46	<i>wera (28)</i> .....	122
TRIKAFTA.....	134				

<i>wescaps</i> .....	142	<i>zumandimine (28)</i> .....	122
<i>women's gentle laxative(bisac)</i>	106	ZURZUVAE.....	66
<i>wymzya fe</i> .....	122	ZYDELIG.....	42
XALKORI.....	42	ZYKADIA.....	42
XARELTO.....	73	ZYPREXA RELPREVV.....	67
XARELTO DVT-PE TREAT 30D			
START.....	73		
XATMEP.....	42		
XCOPRI.....	46		
XCOPRI MAINTENANCE PACK.....	46		
XCOPRI TITRATION PACK.....	46		
XDEMVY.....	124		
XERMELO.....	42		
XGEVA.....	32		
XIFAXAN.....	29		
XIGDUO XR.....	92		
XOLAIR.....	134		
XOSPATA.....	42		
XPOVIO.....	42		
XTANDI.....	42		
<i>xulane</i> .....	117		
XULTOPHY 100/3.6.....	92		
YF-VAX (PF).....	111		
YUFLYMA(CF).....	114		
YUFLYMA(CF) AI CROHN'S-UC-			
HS.....	114		
YUFLYMA(CF) AUTOINJECTOR..	114		
<i>yuvafem</i> .....	116		
<i>yafemy</i> .....	117		
<i>yafirlukast</i> .....	134		
ZEJULA.....	42		
ZELBORAF.....	42		
<i>zenatane</i> .....	78		
ZENPEP.....	106		
<i>zidovudine</i> .....	25		
<i>ziprasidone hcl</i> .....	66		
<i>ziprasidone mesylate</i> .....	66		
ZIRABEV.....	42		
ZIRGAN.....	123		
<i>zoledronic acid</i> .....	93		
<i>zoledronic acid-mannitol-water</i> ..	83		
ZOLINZA.....	42		
<i>zolmitriptan</i> .....	48		
<i>zolpidem</i> .....	66		
ZONISADE.....	46		
<i>zonisamide</i> .....	46		
<i>zovia 1-35 (28)</i> .....	122		
ZTALMY.....	46		



Updated on 04/01/2025.

For more recent information or other questions, contact us at **1-855-580-1689** (TTY users should call **711**), Monday through Friday, 8 a.m. to 8 p.m. CST. On weekends and on state or federal holidays, you may be asked to leave a message. Your call will be returned within the next business day or visit **mmp.ILmeridian.com**.

04/01/2025

**Medicare**<sub>Rx</sub>  
Prescription Drug Coverage **X**