

Prior Authorization Criteria

Phenylketonuria Medications

All requests for Phenylketonuria Medications require a prior authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

Phenylketonuria Medications include Kuvan (sapropterin dihydrochloride), Javygtor (sapropterin dihydrochloride) and Palynziq (pegvaliase-PQPZ). New products with this classification will require the same documentation.

Phenylketonuria Medications Prior Authorization Criteria:

For all requests the following criteria must be met in addition to the diagnosis specific criteria below:

- Diagnosis of phenylketonuria (PKU)
- The requested dose and frequency is in accordance with FDA-approved labeling, nationally recognized compendia, and/or evidence-based practice guidelines
- Must be age-appropriate according to FDA-approved labeling, nationally recognized compendia, or evidence-based practice guidelines
- Member must have documentation of failure to Phe restricted diet as monotherapy
- Member is not receiving Kuvan (sapropterin dihydrochloride), Javygtor (sapropterin dihydrochloride) or Palynziq (pegvaliase-pqpz) in combination with each other
- The medication is prescribed by or in consultation with a metabolic disease specialist (or a specialist who focuses in the treatment of metabolic diseases)
- Must be used in conjunction with a Phe-restricted diet, including dietary protein and Phe
 restriction

For all requests for Kuvan (sapropterin dihydrochloride) or Javygtor (sapropterin dihydrochloride), all of the following criteria must be met:

- Member who are neonates through 12 years of age must have Phe levels greater than or equal to 6mg/dL (360 micromol/L)
- Members who are 12 years of age or older must have Phe levels greater than or equal to 10 mg/dL (600 micromol/L)
- **Initial Duration of Approval:** 8 weeks
- Reauthorization criteria
 - o Documentation of baseline (pre-treatment) blood Phe levels.
 - Documentation of Phe levels decreased by 20% or greater from baseline or Phe levels between 120 and 600 micromol/L.
- **Reauthorization Duration of approval:** 12 months

For all requests for Palynziq (pegvaliase-PQPZ), all of the following criteria must be met:

- Member must have Phe levels greater than 10mg/dL (600micromol/L)
- Must provide documentation showing the member has tried and failed, had an intolerance or contraindication, or has a genotype that is known to be non-responsive to Kuvan or Javygtor (prior authorization required, in conjunction with a phenylalanine-restricted diet).



• **Initial Duration of Approval:** 16 weeks

- Reauthorization criteria
 - o Documentation of baseline (pre-treatment) blood Phe levels.
 - Documentation of Phe levels decreased by 20% or greater from baseline or Phe levels between 120 and 600 micromol/L.
- **Reauthorization Duration of approval:** 12 months

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peer-reviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.

When criteria are not met, the request will be forwarded to a Medical Director for review. The physician reviewer must override criteria when, in their professional judgment, the requested medication is medically necessary.



PHENYLKETONURIA MEDICATIONS PRIOR AUTHORIZATION FORM

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Wholecare Pharmacy Services. **FAX:** (888) 245-2049

applicable to Highmark Wholecare Pharmacy Services. FAX: (888) 245-2049 If needed, you may call to speak to a Pharmacy Services Representative. PHONE : (800) 392-1147 Mon – Fri 8:30am to 5:00pm									
If needed, yo	ou may call to speak to					0) 392-1147	Mon – Fri 8:30am to 5	:00pm	
PROVIDER INFORMATION Provider NIDL									
Requesting Provider:					Provider NPI:				
Provider Specialty: State license #:					Office Contact:				
State license #: Office Address:					Office NPI: Office Phone:				
Office Address:									
Office Fax: MEMBER INFORMATION									
Member Name: DOB:									
Member ID: Member weight: Height: REQUESTED DRUG INFORMATION									
Medication: Strength:									
Directions:					-				
					uantity: Refills: Date Medication Initiated:				
Is the member currently receiving requested medication? Yes No Date Medication Initiated: Billing Information									
This medication will be billed: at a pharmacy OR medically, JCODE: medically, JCODE:									
Place of Service: Hospital Provider's office Member's home Other									
Place of Service. Information									
Name: NPI:									
Address:					Phone:				
MEDICAL HISTORY (Complete for ALL requests)									
Diagnosis: ICD Code:									
Has the member failed a Phe restricted diet as monotherapy (please attach clinical documentation)? Yes No									
Is the member receiving any Phenylketonuria medications in conjunction with each other? Yes No									
If requesting Palynziq, does the member have a genotype known to be non-responsive to Kuvan? Yes No									
Will the member be taking the requested medication in conjunction with a Phe-restricted diet? Yes No REFERENCE VALUES									
LAD									
LAB	Baseline (pre- treatment) Value	•						Date	
DI I	treatment) value	/ 17			(Reauthorization Only)				
Blood		mg/dL or					mg/dL or		
Phenylalanine		micromole/L					micromole/L		
(Phe) Levels		CHIPPENIA	10000	VVOV					
CURRENT or PREVIOUS THERAPY									
Medication Name		Strength/ Frequency		Dates of Therapy		Status (Discontinued & Why/Current)			
REAUTHORIZATION									
Has the member experienced an improvement with treatment? \(\text{Yes} \) No									
Has the member's Phe levels decreased by 20% or greater from baseline? Yes, please include documentation No									
SUPPORTING INFORMATION or CLINICAL RATIONALE									
Prescribing Provider Signature Date									



