

I. Requirements for Prior Authorization of Opioid Dependence Treatments

A. Prescriptions That Require Prior Authorization

Prescriptions for Opioid Dependence Treatments that meet any of the following conditions must be prior authorized:

1. An oral buprenorphine Opioid Dependence Treatment without naloxone.
2. A non-preferred Opioid Dependence Treatment. See the Preferred Drug List (PDL) for the list of preferred Opioid Dependence Treatments at: <https://papdl.com/preferred-drug-list>.

REMINDER: A prescription for a benzodiazepine, opioid analgesic, controlled substance sedative hypnotic, or carisoprodol requires prior authorization when a beneficiary has a concurrent prescription for a buprenorphine Opioid Dependence Treatment. Refer to the specific individual policies (e.g., Analgesics, Opioid Long-Acting, Analgesics, Opioid Short-Acting, Anticonvulsants, Anxiolytics, Skeletal Muscle Relaxants, Sedative Hypnotics) for corresponding prior authorization guidelines.

REMINDER: A prescription for an opioid analgesic requires prior authorization when a beneficiary has a concurrent prescription for Vivitrol.

B. Review of Documentation for Medical Necessity

In evaluating a request for prior authorization of a prescription for an Opioid Dependence Treatment, the determination of whether the requested prescription is medically necessary will take into account whether the beneficiary:

1. Is prescribed the Opioid Dependence Treatment for treatment of a diagnosis that is indicated in the U.S. Food and Drug Administration-approved package labeling OR a medically accepted indication; **AND**
2. For an oral buprenorphine Opioid Dependence Treatment that does not contain naloxone, **one** of the following:

- a. Is prescribed the agent for induction therapy,
- b. Is pregnant,
- c. Is breastfeeding,
- d. Has a history of contraindication or intolerance to naloxone;

AND

3. For a non-preferred Opioid Dependence Treatment, **one** of the following:
 - a. For an oral buprenorphine Opioid Dependence Treatment, has a history of therapeutic failure, contraindication, or intolerance of the preferred oral buprenorphine Opioid Dependence Treatments,

- b. For an alpha-2 adrenergic agonist Opioid Dependence Treatment, has a history of therapeutic failure, contraindication, or intolerance of the preferred alpha-2 adrenergic agonist Opioid Dependence Treatments,
- c. For a non-oral buprenorphine Opioid Dependence Treatment, has a history of therapeutic failure, contraindication, or intolerance of the preferred non-oral buprenorphine Opioid Dependence Treatments;

AND

4. Has documentation that the prescriber or the prescriber's delegate conducted a search of the Pennsylvania Prescription Drug Monitoring Program for the beneficiary's controlled substance prescription history; **AND**
5. If a prescription for an oral buprenorphine Opioid Dependence Treatment is for a daily dose that exceeds 24 mg/day, **all** of the following:
 - a. Whether the beneficiary is prescribed a daily dose consistent with medically accepted prescribing practices and standards of care,
 - b. Whether the beneficiary has documentation of an evaluation to determine the recommended level of care,
 - c. Whether the beneficiary has documentation of participation in a substance abuse or behavioral health counseling or treatment program or an addictions recovery program,
 - d. Whether the beneficiary has a recent urine drug screen for drugs with the potential for abuse,
 - e. For a beneficiary already established on buprenorphine, whether the beneficiary has a recent urine drug screen that is positive for buprenorphine and norbuprenorphine.

NOTE: If the beneficiary does not meet the clinical review guidelines and quantity limit guidelines listed above but, in the professional judgment of the physician reviewer, the services are medically necessary to meet the medical needs of the beneficiary, the request for prior authorization will be approved.

C. Clinical Review Process

Prior authorization personnel will review the request for prior authorization and apply the clinical guidelines in Section B. above to assess the medical necessity of a prescription for an Opioid Dependence Treatment. If the guidelines in Section B. are met, the reviewer will prior authorize the prescription. If the guidelines are not met, the prior authorization request will be referred to a physician reviewer for a medical necessity determination. Such a request for prior authorization will be approved when, in the professional judgment of the physician reviewer, the services are medically necessary to meet the medical needs of the beneficiary.

PROBUPHINE (buprenorphine implant) PRIOR AUTHORIZATION FORM

PRIOR AUTHORIZATION INFORMATION		PRESCRIBER INFORMATION	
<input type="checkbox"/> New request	<input type="checkbox"/> Renewal request	total # pages: _____	Prescriber name:
Name of office contact:		Specialty:	
Contact's phone number:		DATA 2000 waiver DEA number:	
Facility contact/phone:		NPI:	State license #:
BENEFICIARY INFORMATION			
Beneficiary name:		Street address:	
Beneficiary ID#:		DOB:	Phone:
		Suite #:	City/state/zip:
			Fax:

CLINICAL INFORMATION

Medication requested: Probuphine 74.2 mg implant	Quantity: <input type="checkbox"/> 1 implant kit (contains 4 implants) <input type="checkbox"/> other:
Requested duration: <input type="checkbox"/> 6 months <input type="checkbox"/> other:	Dx code (<i>required</i>):
Diagnosis (<i>submit documentation</i>):	
1. Is the beneficiary being treated for a diagnosis of opioid use disorder?	<input type="checkbox"/> Yes – <i>Submit documentation of diagnosis.</i> <input type="checkbox"/> No – <i>Submit medical literature supporting the use of the requested agent for the beneficiary's diagnosis.</i>
2. Did the prescriber or prescriber's delegate search the PDMP to review the beneficiary's controlled substance prescription history before issuing this prescription for Probuphine?	<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No
INITIAL requests	
1. Has the beneficiary achieved and sustained prolonged clinical stability on transmucosal buprenorphine?	<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No
2. Is the beneficiary stable and on no more than 8 mg per day of oral buprenorphine for at least the last three (3) months without any need for supplemental dosing or adjustments?	<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No

PLEASE FAX COMPLETED FORM TO GATEWAY – PHARMACY DIVISION

Prescriber Signature:	Date:
-----------------------	-------

Confidentiality Notice: The documents accompanying this telecopy may contain confidential information belonging to the sender. The information is intended only for the use of the individual named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any telecopy is strictly prohibited.

OPIOID DEPENDENCE TREATMENTS PRIOR AUTHORIZATION FORM

<input type="checkbox"/> New request <input type="checkbox"/> Renewal request		total # pages: _____	Prescriber name:	
Name of office contact:			Specialty:	
Contact's phone number:			DATA 2000 waiver DEA number:	
Name of facility contact:		NPI:	State license #:	
Facility's phone number:			Street address:	
Beneficiary name:		Suite #:	City/state/zip:	
Beneficiary ID#:	DOB:	Phone:	Fax:	

CLINICAL INFORMATION

Drug requested:	Strength:	Dosage form:
Directions:	Quantity:	Requested duration:
Diagnosis (<i>submit documentation</i>):		Dx code (<i>required</i>):
Did the prescriber or prescriber's delegate search the PDMP to review the beneficiary's controlled substance prescription history before issuing this prescription for the requested medication?		<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No

Complete the sections below that are applicable to this request and SUBMIT DOCUMENTATION for each item.

<i>For NON-PREFERRED ORAL buprenorphine products (e.g., films, tablets):</i> Does the beneficiary have a history of trial and failure of or contraindication or intolerance to the preferred oral buprenorphine drugs? Refer to https://papdl.com/preferred-drug-list for a list of preferred and non-preferred drugs in this class.	<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No
<i>For NON-PREFERRED NON-ORAL buprenorphine products (e.g., injections, implants):</i> Does the beneficiary have a history of trial and failure of or contraindication or intolerance to the preferred non-oral buprenorphine drugs? Refer to https://papdl.com/preferred-drug-list for a list of preferred and non-preferred drugs in this class.	<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No
<i>For LUCEMYRA:</i> Does the beneficiary have a history of trial and failure, contraindication, or intolerance of clonidine tablet?	<input type="checkbox"/> Yes <i>Submit documentation.</i> <input type="checkbox"/> No
<i>For an ORAL BUPRENORPHINE PRODUCT THAT DOES NOT CONTAIN NALOXONE (i.e., buprenorphine SL tablet):</i> Check all of the following that apply to the beneficiary and <u>submit documentation for each.</u>	
<input type="checkbox"/> Beneficiary is pregnant <input type="checkbox"/> Beneficiary is breastfeeding <input type="checkbox"/> The requested drug is being used for induction therapy <input type="checkbox"/> Has a contraindication or history of intolerance to naloxone	
<i>For an ORAL buprenorphine product ABOVE THE DAILY DOSE LIMIT OF 24 MG of buprenorphine per day:</i> Check all of the following that apply to the beneficiary and <u>submit documentation for each.</u>	
<input type="checkbox"/> Is prescribed a daily dose consistent with medically accepted prescribing practices and standards of care <input type="checkbox"/> Has an initial or scheduled evaluation to determine the recommended level of care <input type="checkbox"/> Is participating in a substance abuse or behavioral health counseling or treatment program or an addictions recovery program <input type="checkbox"/> Has results of a recent UDS for licit and illicit drugs with abuse potential <input type="checkbox"/> If already established on buprenorphine, has results of a recent UDS demonstrating compliance with oral buprenorphine therapy	

PLEASE FAX COMPLETED FORM TO GATEWAY – PHARMACY DIVISION

Prescriber Signature:	Date:
-----------------------	-------

Confidentiality Notice: The documents accompanying this telecopy may contain confidential information belonging to the sender. The information is intended only for the use of the individual named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any telecopy is strictly prohibited.