

Prior Authorization Criteria  
**Crysvita (burosumab-twza)**

All requests for Crysvita (burosumab-twza) require a prior authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

Coverage may be provided with a diagnosis of X-linked hypophosphatemia (XLH) and the following criteria is met:

- Confirmation of the diagnosis by at least one of the following:
  - Genetic test showing a PHEX gene mutation (phosphate regulating gene with homology to endopeptidase on the X chromosome)
  - Serum fibroblast growth factor 23 (FGF23) level above the upper limit of normal for the reference range for the member's age (reference range must be provided)
- Member must be 6 months or older
- Must be prescribed by or in consultation with a physician who is experienced in the management of patients with metabolic bone disease.
- The requested dose and frequency is in accordance with FDA-approved labeling, nationally recognized compendia, and/or evidence-based practice guidelines.
- An attestation from the provider the Crysvita will not be used together with oral phosphate and active vitamin D analogs
- Baseline fasting serum phosphorus concentration that is below the reference range for the member's age (reference range must be provided)
- For members under 18 years of age documentation of one of the following:
  - Baseline recumbent length/standing height z score
  - Baseline serum alkaline phosphatase activity
  - Baseline Thacher Rickets Severity Score (RSS)
- For members 18 years and older documentation of one of the following:
  - An attestation from the provider that the member is experiencing skeletal pain
  - Total healing fracture amount
  - Baseline osteoid volume/bone volume
- **Initial Duration of Approval:** 12 months
- **Reauthorization criteria**
  - For members under 18 years of age
    - An increase in fasting serum phosphorus from baseline taken within last 12 months but not greater than 5.0mg/dL
    - Documentation the member has a positive clinical response or stabilization in their disease demonstrated by one of the following
      - An increase in height z score from baseline
      - A decrease in serum alkaline phosphatase activity from baseline
      - A decrease in the RSS score from baseline or a positive Radiographic Global Impression of Change (RGI-C) score.
  - For members 18 years and older
    - An increase in fasting serum phosphorus from baseline taken within last 12 months (the level must also be below the upper limit of normal for the lab range; reference range must be provided)

- Documentation the member has a positive clinical response or stabilization in their disease demonstrated by one of the following:
  - An attestation there has been improvement in the member's pain
  - Total fractures healing after starting therapy
  - A decrease in osteoid volume/bone volume from baseline
- **Reauthorization Duration of Approval:** 12 months

Coverage may be provided with a diagnosis of FGF23-related hypophosphatemia in Tumor Induced Osteomalacia and the following criteria is met:

- Member must be 2 years of age or older
- Documentation member has a phosphaturic mesenchymal tumor that cannot be resected or localized
- Baseline fasting serum phosphorus concentration that is below the reference range for the member's age (reference range must be provided)
- Must be prescribed by or in consultation with a hematologist, oncologist, or endocrinologist
- **Initial Duration of Approval:** 12 months
- **Reauthorization criteria**
  - An increase in fasting serum phosphorus from baseline taken within last 12 months (the level must also be below the upper limit of normal range for the lab range; reference range must be provided)
  - Documentation the member has a positive clinical response or stabilization in their disease demonstrated by one of the following:
    - An attestation there has been improvement in the member's pain
    - Total fractures healing after starting therapy
    - A decrease in osteoid volume/bone volume from baseline
    - Improved growth velocity

**Reauthorization Duration of Approval:** 12 months

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peer-reviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.

When criteria are not met, the request will be forwarded to a Medical Director for review. The physician reviewer must override criteria when, in their professional judgment, the requested medication is medically necessary.

## CRYSVITA (BUROSUMAB-TWZA) PRIOR AUTHORIZATION FORM

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Wholecare Pharmacy Services. **FAX:** (888) 245-2049  
If needed, you may call to speak to a Pharmacy Services Representative. **PHONE:** (800) 392-1147 Mon – Fri 8:30am to 5:00pm

### PROVIDER INFORMATION

Requesting Provider:	Provider NPI:
Provider Specialty:	Office Contact:
State license #:	Office NPI:
Office Address:	Office Phone:
	Office Fax:

### MEMBER INFORMATION

Member Name:	DOB:	
Member ID:	Member weight:	Height:

### REQUESTED DRUG INFORMATION

Medication:	Strength:	
Directions:	Quantity:	Refills:
Is the member currently receiving requested medication? <input type="checkbox"/> Yes <input type="checkbox"/> No		Date Medication Initiated:

### Billing Information

This medication will be billed: <input type="checkbox"/> at a pharmacy <b>OR</b> <input type="checkbox"/> medically, JCODE: _____	
Place of Service: <input type="checkbox"/> Hospital <input type="checkbox"/> Provider's office <input type="checkbox"/> Member's home <input type="checkbox"/> Other	

### Place of Service Information

Name:	NPI:
Address:	Phone:

### MEDICAL HISTORY (Complete for ALL requests)

Diagnosis: <input type="checkbox"/> X-linked hypophosphatemia (XLH) <input type="checkbox"/> Tumor- Induced Osteomalacia <input type="checkbox"/> Other:	ICD Code:
---	-----------

#### For X-Linked Hypophosphatemia:

Has the diagnosis been confirmed by at least one of the following? *Please select all that are applicable* ☐ Yes ☐ No

- ☐ Genetic test showing a PHEX gene mutation (phosphate regulating gene with homology to endopeptidase on the X chromosome)  
☐ Serum fibroblast growth factor 23 (FGF23) level > 30pg/mL

Is the medication prescribed by, or in consultation with, a physician who is experienced in the management of patients with metabolic bone disease? ☐ Yes ☐ No

Baseline fasting serum phosphorus concentration: \_\_\_\_\_ Reference range:

\_\_\_\_\_

**CRYSVITA (BUROSUMAB-TWZA)  
PRIOR AUTHORIZATION FORM (CONTINUED)– PAGE 2 of 3**

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Wholecare Pharmacy Services. **FAX:** (888) 245-2049  
If needed, you may call to speak to a Pharmacy Services Representative. **PHONE:** (800) 392-1147 Mon – Fri  
8:30am to 5:00pm

**MEMBER INFORMATION**

Member Name:	DOB:	
Member ID:	Member weight:	Height:

**MEDICAL HISTORY (Complete for ALL requests)**

Will Crysvita be used in together with oral phosphate and active vitamin D analogs? ☐ Yes ☐ No

**For Members under 18 years of age:**

Please provide one of the following:

- Baseline recumbent length/standing height z score: \_\_\_\_\_
- Baseline serum alkaline phosphatase activity: \_\_\_\_\_
- Baseline Thacker Rickets Severity Score (RSS): \_\_\_\_\_

**For Members 18 years of age and older:**

Please provide one of the following:

- Attestation from the provider that the member is experiencing skeletal pain:  
\_\_\_\_\_
- Total healing fracture amount: \_\_\_\_\_
- Baseline osteoid volume/bone volume: \_\_\_\_\_

**For Tumor-Induced Osteomalacia**

Does the member have a phosphaturic mesenchymal tumor that cannot be resected or localized? ☐ Yes ☐ No

Baseline fasting serum phosphorus concentration: \_\_\_\_\_ reference range \_\_\_\_\_

☐ Yes ☐ No

**CURRENT or PREVIOUS THERAPY**

Medication Name	Strength/ Frequency	Dates of Therapy	Status (Discontinued & Why/Current)

**REAUTHORIZATION**

Has the member experienced a significant improvement with treatment? ☐ Yes ☐ No

Please describe:

## PRIOR AUTHORIZATION FORM (CONTINUED)– PAGE 3 of 3

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Wholecare Pharmacy Services. **FAX:** (888) 245-2049  
If needed, you may call to speak to a Pharmacy Services Representative. **PHONE:** (800) 392-1147 Mon – Fri  
8:30am to 5:00pm

### MEMBER INFORMATION

Member Name:	DOB:	
Member ID:	Member weight:	Height:

### REAUTHORIZATION

Has the member's fasting serum phosphorus concentration increased from baseline? ☐ Yes ☐ No  
Fasting serum phosphorus concentration: \_\_\_\_\_ Date collected: \_\_\_\_\_

#### For X-linked Hypophosphatemia:

##### For Members under 18 years of age:

Please provide documentation of one of the following:

- An increase in height z score from baseline: \_\_\_\_\_
- A decrease in serum alkaline phosphatase activity from baseline: \_\_\_\_\_
- A decrease in the RSS score from baseline or a positive Radiographic Global Impression of Change (RGI-C) score: \_\_\_\_\_

##### For Members 18 years of age and older:

- Attestation from the provider that there has been improvement in the member's pain:  
\_\_\_\_\_
- Total fractures healing after starting therapy: \_\_\_\_\_
- A decrease in osteoid volume/bone volume from baseline: \_\_\_\_\_

#### For Tumor Induces Osteomalacia:

please provide at least one of the following:

Total healing fracture amount before starting therapy: \_\_\_\_\_ date taken \_\_\_\_\_  
Current healing fracture amount after starting therapy: \_\_\_\_\_ date taken \_\_\_\_\_  
Has the member had an improvement in skeletal pain from baseline? ☐ Yes ☐ No  
Baseline osteoid volume/bone volume \_\_\_\_\_ date taken \_\_\_\_\_  
Current osteoid volume/bone volume \_\_\_\_\_ date taken \_\_\_\_\_  
Current growth velocity \_\_\_\_\_ date taken \_\_\_\_\_ baseline growth velocity \_\_\_\_\_

### SUPPORTING INFORMATION or CLINICAL RATIONALE

<b>Prescribing Provider Signature</b>	<b>Date</b>