Updated: 09/2023

Request for Prior Authorization for Xifaxan (rifaximin) Website Form - www.highmarkhealthoptions.com Submit request via: Fax - 1-855-476-4158

All requests for Xifaxan (rifaximin) require a Prior Authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

Xifaxan (rifaximin) Prior Authorization Criteria:

For all requests for Xifaxan (rifaximin) all of the following criteria must be met:

- The requested medication is prescribed by or in consultation with a gastroenterology specialist
- The requested dose and frequency is in accordance with FDA-approved labeling, nationally recognized compendia, and/or evidence-based practice guidelines
- Must be age-appropriate according to FDA-approved labeling, nationally recognized compendia, or evidence-based practice guidelines.

Coverage may be provided with a diagnosis of Traveler's Diarrhea and the following criteria is met:

- Member must have a diagnosis of traveler's diarrhea caused by non-invasive strains of Escherichia coli; not to be used with diarrhea complicated by fever or bloody stools
- Member must have a history of trial and failure, contraindication, or intolerance to either a fluoroquinolone (e.g. ciprofloxacin or levofloxacin) or azithromycin
- **Initial Duration of Approval:** 3 days
- **Reauthorization criteria**
 - o Member must be reevaluated for preauthorization and will only be eligible for 1 3-day course per 30 days

Coverage may be provided with a diagnosis of Hepatic Encephalopathy and the following criteria is met:

- Member must have a history of trial and failure, contraindication, or intolerance of at least 2 days of treatment with non-absorbable disaccharides (e.g. lactulose, lactitol)
- **Initial Duration of Approval:** 6 months
- **Reauthorization criteria**
 - o Clinical documentation of improvement in member's mental status.
- **Reauthorization Duration of Approval:** 6 months

Coverage may be provided with a <u>diagnosis</u> of Irritable Bowel Syndrome (IBS) with diarrhea and the following criteria is met:

- Member must have failed dietary modifications [e.g. lactose restricted diet, if lactose intolerant; exclusion of gas-producing foods; low carbohydrate diet, and elimination of fermentable oligo-, di-, and monosaccharides and polyols (FODMAPs)].
- Member must have a history of trial and failure, contraindication, or intolerance to ALL of the following:
 - o Antidiarrheal agents (such as loperamide)

Updated: 09/2023 **HEALTH OPTIONS** DMMA Approved: 11/2023

- o A bile acid sequestrant (e.g. cholestyramine)
- o Antispasmodic agents (e.g. dicyclomine) or a tricyclic antidepressant (e.g. amitriptyline)
- **Initial Duration of Approval:** 14 days
- **Reauthorization criteria**
 - o There must be documented, significant improvement with prior courses of treatment.
 - o Member will have a limit of three 14-day course treatments. Member must wait 1 full month before being reevaluated for preauthorization.
- **Reauthorization Duration of Approval:** 14 days

Coverage may be provided with a diagnosis of small intestinal bacterial overgrowth (SIBO) and the following criteria is met:

- Documentation of one of the following:
 - o Endoscopic culture with >10³ bacteria colony forming units/mL
 - o Positive lactulose or glucose breath test with hydrogen increase of ≥ 20 ppm above baseline within 90 minutes
 - Positive lactulose or glucose breath test for methane (≥10 ppm at any point during testing)
- Member must have a history of trial and failure, contraindication, or intolerance to two systemic antibiotics:
 - o Amoxicillin / Clavulanic Acid
 - o Ciprofloxacin
 - o Doxycycline
 - o Metronidazole
 - o Neomycin
 - o Sulfamethoxazole / Trimethoprim
 - Tetracycline
- For methane-predominant bacterial overgrowth, must be used in combination with neomycin.
- **Initial Duration of Approval:** 14 days
- **Reauthorization criteria**
 - There must be documented, significant improvement with prior courses of treatment.
 - o Member will have a limit of **one** 14-day course treatments in the last 90 days.
- **Reauthorization Duration of Approval:** 14 days

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peerreviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.

Drugs are authorized in generic form unless the branded product is on the preferred drug list or the prescriber has indicated in writing that the branded product is medically necessary. If only the



Updated: 09/2023

branded product is on the preferred drug list, the generic form will be considered non-preferred and shall not require the prescriber to indicate in writing that the branded product is medically necessary.



Updated: 09/2023 DMMA Approved: 11/2023

XIFAXAN (RIFAXIMIN) PRIOR AUTHORIZATION FORM- Page 1

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation	
as applicable to Highmark Health Options Pharmacy Services. FAX: (855) 476-4158	
If needed, you may call to speak to a Pharmacy Services Representative. PHONE : (844) 325-6251 Mon – Fri 8:00 am to 7:00 pm PROVIDER INFORMATION	
Requesting Provider:	NPI:
Provider Specialty: Office Address:	Office Contact: Office Phone:
Office Address:	Office Fax:
MEMBER INFORMATION	
	OOB:
	Member weight: Height:
REQUESTED DRUG INFORMATION	
Medication:	Strength:
Directions:	Quantity: Refills:
Is the member currently receiving requested medication? Yes	No Date Medication Initiated:
Is this medication being used for a chronic or long-term condition for which the medication may be necessary for the life of	
the patient? Yes No	
Billing Info	rmation
This medication will be billed: at a pharmacy OR medically, JCODE:	
Place of Service: Hospital Provider's office Member's home Other	
Place of Service	
Name:	NPI:
Address:	Phone:
MEDICAL HISTORY (Con	
Diagnosis:	icd Code:
Diagnosis: For Traveler's Diarrhea:	ICD Code:
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n	ICD Code:
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No	ICD Code: on-invasive strains of Escherichia coli?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n	ICD Code: on-invasive strains of Escherichia coli?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No	ICD Code: on-invasive strains of Escherichia coli?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No Does the member have diarrhea complicated by fever or bloody stoo For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication	ICD Code: on-invasive strains of Escherichia coli? ls?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No Does the member have diarrhea complicated by fever or bloody stoo For Hepatic Encephalopathy:	ICD Code: on-invasive strains of Escherichia coli? ls?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No Does the member have diarrhea complicated by fever or bloody stoo For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes N	ICD Code: on-invasive strains of Escherichia coli? ls?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No Does the member have diarrhea complicated by fever or bloody stoo For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes N For Irritable Bowel Syndrome (IBS) with diarrhea:	ICD Code: on-invasive strains of Escherichia coli? ls? Yes No or intolerance of at least 2 days of treatment with
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by n Yes No Does the member have diarrhea complicated by fever or bloody stoo For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes N For Irritable Bowel Syndrome (IBS) with diarrhea: Has the member failed dietary modifications [e.g. lactose restricted descriptions of the contraction of the cont	ICD Code: on-invasive strains of Escherichia coli? ls? Yes No or intolerance of at least 2 days of treatment with lo liet, if lactose intolerant; exclusion of gas-producing foods; low
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoom of the member have diarrhea complicated by fever or bloody stoom of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of	ICD Code: on-invasive strains of Escherichia coli? Is? Yes No or intolerance of at least 2 days of treatment with Io liet, if lactose intolerant; exclusion of gas-producing foods; low nosaccharides and polyols (FODMAPs)]? Yes No
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoom of the member have diarrhea complicated by fever or bloody stoom of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of the member failed dietary modifications [e.g. lactose restricted of carbohydrate diet, and elimination of fermentable oligo-, di-, and modes the member have a history of trial and failure, contraindications.	ICD Code: on-invasive strains of Escherichia coli? Is? Yes No or intolerance of at least 2 days of treatment with Io liet, if lactose intolerant; exclusion of gas-producing foods; low nosaccharides and polyols (FODMAPs)]? Yes No
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoom of the member have diarrhea complicated by fever or bloody stoom of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? The second of	ICD Code: on-invasive strains of Escherichia coli? Is? Yes No or intolerance of at least 2 days of treatment with Io liet, if lactose intolerant; exclusion of gas-producing foods; low nosaccharides and polyols (FODMAPs)]? Yes No
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoothead of the member have diarrhea complicated by fever or bloody stoothead of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of the member failed dietary modifications [e.g. lactose restricted of carbohydrate diet, and elimination of fermentable oligo-, di-, and modifications the member have a history of trial and failure, contraindication apply):	ICD Code: on-invasive strains of Escherichia coli? Is? Yes No or intolerance of at least 2 days of treatment with lo liet, if lactose intolerant; exclusion of gas-producing foods; low nosaccharides and polyols (FODMAPs)]? Yes No or intolerance to any of the following: (Please check all that
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note that the member have diarrhea complicated by fever or bloody stoon. For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note that the member failed dietary modifications [e.g. lactose restricted of carbohydrate diet, and elimination of fermentable oligo-, di-, and modifications that member have a history of trial and failure, contraindication apply): • Loperamide Yes No	ICD Code: on-invasive strains of Escherichia coli? Is?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoody. For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure. For Irritable Bowel Syndrome (IBS) with diarrhea: Has the member failed dietary modifications [e.g. lactose restricted of carbohydrate diet, and elimination of fermentable oligo-, di-, and modes the member have a history of trial and failure, contraindication apply): • Loperamide Yes Note Note A bile acid sequestrant (e.g. cholestyramine) Yes Note Antispasmodic agents (e.g. dicyclomine) OR a tricyclic anticyclic anticyc	ICD Code: on-invasive strains of Escherichia coli? Is?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoom. For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of the member failed dietary modifications [e.g. lactose restricted of carbohydrate diet, and elimination of fermentable oligo-, di-, and modifications to the member have a history of trial and failure, contraindication apply): Loperamide Yes Note A bile acid sequestrant (e.g. cholestyramine) Yes Note Antispasmodic agents (e.g. dicyclomine) OR a tricyclic anterior Small intestinal bacterial overgrowth (SIBO)	ICD Code: on-invasive strains of Escherichia coli? Is?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stooth of the member have diarrhea complicated by fever or bloody stooth of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure, contraindication apply): • Loperamide Yes Note of trial and failure, contraindication apply): • Loperamide Yes Note of trial and failure, contraindication apply): • Abile acid sequestrant (e.g. cholestyramine) Yes Note of the failure of the following? Please of the following?	ICD Code: on-invasive strains of Escherichia coli? Is?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stoody. For Hepatic Encephalopathy: Does the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure, contraindication of the member failed dietary modifications [e.g. lactose restricted of carbohydrate diet, and elimination of fermentable oligo-, di-, and mode of the member have a history of trial and failure, contraindication apply): Loperamide Yes Note of the failure of the following? Please of the member have documentation of one of the following? Please of Endoscopic culture with >10³ bacteria colony forming units	ICD Code: on-invasive strains of Escherichia coli? Is?
Diagnosis: For Traveler's Diarrhea: Does the member have a diagnosis of traveler's diarrhea caused by note of the member have diarrhea complicated by fever or bloody stooth of the member have diarrhea complicated by fever or bloody stooth of the member have a history of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure, contraindication nonabsorbable disaccharides (i.e. lactulose, lactitol)? Yes Note of trial and failure, contraindication apply): • Loperamide Yes Note of trial and failure, contraindication apply): • Loperamide Yes Note of trial and failure, contraindication apply): • Abile acid sequestrant (e.g. cholestyramine) Yes Note of the failure of the following? Please of the following?	ICD Code: on-invasive strains of Escherichia coli? Is? ☐ Yes ☐ No or intolerance of at least 2 days of treatment with lo liet, if lactose intolerant; exclusion of gas-producing foods; low nosaccharides and polyols (FODMAPs)]? ☐ Yes ☐ No or intolerance to any of the following: (Please check all that or idepressants (e.g. amitriptyline) ☐ Yes ☐ No see check which is applicable. s/mL. rease of ≥ 20 ppm above baseline within 90 minutes.



Updated: 09/2023 DMMA Approved: 11/2023

XIFAXAN (RIFAXIMIN) PRIOR AUTHORIZATION FORM (CONTINUED) – PAGE 2 OF 2

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Health Options Pharmacy Services. FAX: (855) 476-4158

If needed, you may call to speak to a Pharmacy Services Representative. PHONE: (844) 325-6251 Mon – Fri 8 am to 7 pm MEMBER INFORMATION Member Name: DOB: Member ID: Member weight: Height: **MEDICAL HISTORY (Complete for ALL requests)** For Small intestinal bacterial overgrowth (SIBO) continued: Does the member have a history of trial and failure, contraindication, or intolerance to two systemic antibiotics? Yes, please list in previous therapies box No Does the member have methane-predominant bacterial overgrowth?

Yes No **CURRENT or PREVIOUS THERAPY Dates of Therapy Status (Discontinued & Why/Current) Medication Name** Strength/ Frequency REAUTHORIZATION Has the member experienced a significant improvement with treatment? Yes No Please describe: SUPPORTING INFORMATION or CLINICAL RATIONALE **Prescribing Provider Signature** Date