

## Request for Prior Authorization for Xiaflex (collagenase clostridium histolyticum) Website Form – <a href="https://www.highmarkhealthoptions.com">www.highmarkhealthoptions.com</a> Submit request via: Fax - 1-855-476-4158

All requests for Xiaflex (collagenase clostridium histolyticum) require a Prior Authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

## Xiaflex (collagenase clostridium histolyticum)Prior Authorization Criteria:

Coverage may be provided with a <u>diagnosis</u> of **Dupuytren's Contracture** and the following criteria is met:

- Member must be 18 years of age or older
- Documentation the member has one of the following:
  - o a finger flexion contracture with a palpable cord of at least one finger (other than the thumb)
  - o a positive "table top test" defined as the inability to simultaneously place the affected finger(s) and palm flat against a table top
- Documentation that the flexion deformity results in functional limitations
- Documentation of which cords on which hand are being treated and dates of treatment
- A maximum of two cords in the same hand may be treated during a single treatment visit (all treatment visits must be at least 4 weeks apart)
- A cord may not be injected more than 3 times and at an interval less than 4 weeks
- Must not have received a surgical treatment (e.g. fasciectomy, fasciotomy) on the selected primary joint within 90 days before the first injection
- **Duration of Approval:** 4 months

Coverage may be provided with a <u>diagnosis</u> of **Peyronie's disease** and the following criteria is met:

- Member must be 18 years of age or older
- Must be prescribed by or in consultation with a urologist
- Documentation the member has stable disease defined as symptoms that have remained unchanged for at least 3 months
- Documentation of a palpable plaque and curvature deformity of at least 30 degrees and less than 90 degrees at the start of therapy
- Erectile function must be intact
- Injections for Peyronie's disease are limited to 4 treatment cycles. (Each cycle consists of 2 Xiaflex injections and one remodeling procedure.)
- Exclusion criteria:
  - o sexual or erectile dysfunction associated with Peyronie's disease



## • **Duration of Approval:** 6 months

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peer-reviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.



## XIAFLEX (COLLAGENASE CLOSTRIDIUM HISTOLYTICUM) PRIOR AUTHORIZATION FORM

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Health Options Pharmacy Services. FAX: (855) 476-4158

If needed, you may call to speak to a Pharmacy Services Representative

If needed, you may call to speak to a		•				
PHONE: (844) 325-6253 Monday through Friday 8:00am to 7:00pm						
PROVIDER IN	FORM	ATI	ON			
Requesting Provider:		NF	PI:			
Provider Specialty:		Office Contact:				
Office Address:		Office Phone:				
	Office Fax:					
MEMBER INFORMATION						
Member Name:	DOB:					
Member ID:	Membe	er we	eight:	Height:		
REQUESTED DRUG INFORMATION						
Medication:	Streng					
Directions:	Quant	_		Refills		
Is the member currently receiving requested medication?		1 1	Date Medication	l.		
No Date Medication initiated.						
Is this medication being used for a chronic or long-term condition for which the medication may be necessary for the life						
of the patient? Yes No						
Billing Inf	ormatio	on				
This medication will be billed: at a pharmacy <b>OR</b>						
medically (if medically pl						
Place of Service: Hospital Provider's office M	ember's	hon	ne 🗌 Other			
Place of Service	e Inforr	nati	on			
Name:		NF	PI:			
Address:		Ph	one:			
MEDICAL HISTORY (Co	mplete	for	ALL requests)			
Diagnosis: Dupuytren's Contracture Peyronie's D			Other:			
		_				
Please select all of the following that apply (please attach sup	pporting	doc	cumentation:			
the member has a finger flexion contracture with				e finger (other than the thumb)		
_ une member and a mager member continue with	ppe		01.000.00000000000000000000000000000000	imger (content vicum one vicume)		
a positive "table top test" defined as the inability to simultaneously place the affected finger(s) and palm flat against a table top						
the flexion deformity is causing functional limitat	tions					
Which cord(s) are being treated?  Dates of treatment:  Was the cord previously treated?   If yes when?			<del> </del>			



Member Name:			
Member ID:			
Has the member received a surgi	ical treatment on the select	ed primary joint 90 days	or less before the date of the first
	No		
For Peyronie's Disease:			
Does the member have a palpabl Yes No	e plaque and curvature de	formity of at least 30 deg	grees and less than 90 degrees?
Does the member have stable dis for at least 3 months)? Yes		nentation the member's s	symptoms have remained unchanged
Is erectile function intact? \( \sum \cdot \text{Y}\epsilon	es 🗌 No		
	CURRENT or PR	EVIOUS THERAPY	
Medication Name	CURRENT or PR Strength/ Frequency	EVIOUS THERAPY  Dates of Therapy	Status (Discontinued & Why/Current)
Medication Name			•
Medication Name			•
Medication Name			•
	Strength/ Frequency	Dates of Therapy	Why/Current)
		Dates of Therapy	Why/Current)
	Strength/ Frequency	Dates of Therapy	Why/Current)
	Strength/ Frequency	Dates of Therapy	Why/Current)
SUPF	Strength/ Frequency  ORTING INFORMATI	Dates of Therapy	Why/Current)  TIONALE
	Strength/ Frequency  ORTING INFORMATI	Dates of Therapy	Why/Current)