

I. Requirements for Prior Authorization of Hepatitis C Agents

A. Prescriptions That Require Prior Authorization

Prescriptions for Hepatitis C Agents that meet any of the following conditions must be prior authorized:

- 1. A non-preferred Hepatitis C Agent. See the Preferred Drug List (PDL) for the list of preferred Hepatitis C Agents at: <u>https://papdl.com/preferred-drug-list</u>.
- 2. A hepatitis C virus (HCV) direct-acting antiviral (DAA).

B. Review of Documentation for Medical Necessity

In evaluating a request for prior authorization of a prescription for a Hepatitis C Agent, the determination of whether the requested prescription is medically necessary will take into account whether the beneficiary:

- 1. Has documentation of detectable quantitative HCV RNA at baseline; AND
- 2. If genotyping is recommended by the American Association for the Study of Liver Diseases (AASLD), has documentation of genotype; **AND**
- 3. Is prescribed a drug regimen that is consistent with FDA-approved labeling, nationally recognized compendia, or peer-reviewed medical literature; **AND**
- 4. Is age-appropriate according to FDA-approved package labeling, nationally recognized compendia, or peer-reviewed medical literature; **AND**
- 5. Has a Metavir fibrosis score documented by a recent noninvasive test (e.g., blood test or imaging, a Fibroscan, or findings on physical examination); **AND**
- 6. If beneficiary has received prior treatment(s) for hepatitis C, documentation of previous hepatitis C treatment regimens; **AND**
- 7. Has documented results of HIV screening (HIV Ag/Ab); AND
- 8. If resistance-associated substitution (RAS) testing is recommended by the AASLD, has documentation of recommended RAS testing and is prescribed an AASLD recommended drug regimen based on the documented results of a NS5A RAS screening; **AND**
- 9. For a non-preferred Hepatitis C Agent, **one** of the following:
 - a. Has a history of therapeutic failure, contraindication, or intolerance to the preferred Hepatitis C Agents appropriate for the beneficiary's genotype according to peerreviewed medical literature
 - Is currently receiving treatment with the same non-preferred Hepatitis C Agent (does not apply to non-preferred brands when the therapeutically equivalent generic is preferred or to non-preferred generics when the therapeutically equivalent brand is preferred);

NOTE: If the beneficiary does not meet the clinical review guidelines listed above but, in the professional judgment of the physician reviewer, the services are medically necessary to meet the medical needs of the beneficiary, the request for prior authorization will be approved.



lt's Wholecare.

C. Clinical Review Process

Prior authorization personnel will review the request for prior authorization and apply the clinical guidelines in Section B. above to assess the medical necessity of a prescription for a Hepatitis C Agent. If the guidelines in Section B. are met, the reviewer will prior authorize the prescription. If the guidelines are not met, the prior authorization request will be referred to a physician reviewer for a medical necessity determination. Such a request for prior authorization will be approved when, in the professional judgment of the physician reviewer, the services are medically necessary to meet the medical needs of the beneficiary.

D. Dose and Duration of Therapy

Approvals of requests for prior authorization of Hepatitis C Agents will be for the full recommended duration of treatment based on package labeling or consensus treatment guidelines.



lt's Wholecare.

HEPATITIS C AGENTS PRIOR AUTHORIZATION FORM

Office contact name/phone:		Prescriber name:			
LTC facility		1			
contact/phone:		State license #:		NPI:	
total # pages:		Street address:			
Beneficiary name:		Suite #:	: City/state/zip:		
Beneficiary ID#:	DOB: Phone:			Fax:	
Requested drug #1:	Directions:		Qty:	8 weeks 16 weeks 12 weeks Other:	
Requested drug #2:	Directions:		Qty:	8 weeks 16 weeks 12 weeks Other:	
Is the beneficiary currently being treated with t		No Yes – Therapy	□ No □ Yes – Therapy start date:		
SUBMIT DOCUMENTATION from the medical record for all items below.					
1. Baseline quantitative HCV RNA and date of testing.					
2. Metavir fibrosis score documented by a recent noninvasive test and date of testing.					
3. Genotype if one of the following (check the appropriate box for the beneficiary):					
 The beneficiary is prescribed a non-pangenotypic regimen. The beneficiary is hepatitis C treatment experienced. The beneficiary has decompensated cirrhosis. The beneficiary is treatment-naïve (with cirrhosis) and prescribed sofosbuvir/velpatasvir. 					
4. RAS (resistance-associated substitutions) testing and date of testing if one of the following (check the appropriate box for the beneficiary):					
 The beneficiary is genotype 1a and prescribed elbasvir/grazoprevir. The beneficiary is genotype 1a, treatment-experienced, and prescribed ledipasvir/sofosbuvir. The beneficiary is genotype 3, treatment-naïve (with cirrhosis) or treatment-experienced (without cirrhosis), and prescribed 12 weeks of sofosbuvir/velpatasvir. 					
5. Results of HIV (HIV Ag/Ab) screening.					
6. For requests for NON-PREFERRED agents, documentation that the beneficiary tried and failed or has a contraindication or intolerance to the preferred Hepatitis C Agents.					
ATTESTATION from the prescriber for one of the items below.					
Check the appropriate box for the beneficiary.					
The beneficiary is hepatitis C treatment naïve.					
The beneficiary has been treated for hepatitis C with the following treatment regimen:					
PLEASE FAX COMPLETED FORM WITH REQUIRED CLINICAL DOCUMENTATION TO GATEWAY – PHARMACY					
DIVISION					

Prescriber Signature:

Date:

<u>Confidentiality Notice</u>: The documents accompanying this telecopy may contain confidential information belonging to the sender. The information is intended only for the use of the individual named above. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any telecopy is strictly prohibited.