Request for Prior Authorization for Asthma and Allergy Biologics

Website Form - www.highmarkhealthoptions.com

Submit request via: Fax - 1-855-476-4158

All requests for Asthma and Allergy Biologics require a Prior Authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

Asthma and Allergy Biologics includes Adbry (tralokinumab), Cinqair (reslizumab), Dupixent (dupilumab), Fasenra (benralizumab), Nucala (mepolizumab), Tezspire (tezepelumab), and Xolair (omalizumab). New products with this classification will require the same documentation.

Prior Authorization Criteria:

For all requests for Asthma and Allergy Biologics, all of the following criteria must be met in addition to the diagnosis specific criteria below:

- Must be prescribed by, or in consultation with, an allergist, dermatologist, ear/nose/throat specialist, gastroenterologist, immunologist, pulmonologist, or rheumatologist
- Is prescribed for an FDA-approved or medically accepted indication
- Is age-appropriate according to FDA-approved package labeling, nationally recognized compendia, or peer-reviewed medical literature
- The requested dose and frequency is in accordance with FDA-approved labeling, nationally recognized compendia, and/or evidence-based practice guidelines
- For non-preferred agents, the member has had a trial and failure of a preferred agent or submitted a clinical reason for not having a trial of a preferred agent

Coverage may be provided with a diagnosis of **asthma** and the following criteria is met:

- Has an asthma severity that is consistent with the FDA-approved indication for the prescribed product
- The member meets the following drug-specific requirements:
 - o For Cinqair (reslizumab):
 - Eosinophil count $\geq 400 \text{ cells/}\mu\text{L}$ within 4 weeks of treatment initiation
 - For Dupixent (dupilumab):
 - Eosinophil count ≥ 150 cells/ μ L within 4 weeks of treatment initiation; **OR**
 - Is dependent on oral corticosteroids
 - For Fasenra (benralizumab):
 - Eosinophil count ≥ 150 cells/ μ L within 4 weeks of treatment initiation
 - For Nucala (mepolizumab):
 - Eosinophil count ≥ 150 cells/ μ L within 6 weeks of treatment initiation; **OR**
 - Eosinophil count $\geq 300 \text{ cells/}\mu\text{L}$ in the past 12 months
 - For Tezspire (tezepelumab), both of the following:
 - Pre-bronchodilator FEV1 < 80% for adults OR < 90% for adolescents
 - Required systemic (oral or parenteral) corticosteroids ≥ 2 times in the past year **OR** required hospitalization for asthma exacerbation in the past year
 - For Xolair (omalizumab), all of the following:
 - Baseline FEV1 < 80%
 - Positive skin test or in vitro reactivity to a perennial aeroallergen

- Must have one of the following:
 - Required systemic (oral or parenteral) corticosteroids to control asthma exacerbations ≥ 2 times in the past year
 - Required hospitalization due to an asthma exacerbation within the past year
 - Exacerbations return when the dose of inhaled/and or systemic corticosteroids are lowered
- Symptoms have been uncontrolled despite adherence with at least a three month trial of controller medications consisting of BOTH of the following:
 - o An inhaled corticosteroid
 - Another asthma controller medication (e.g. long-acting beta agonist, leukotriene receptor antagonist, theophylline)
- The requested medication will be used in conjunction with ONE of the following:
 - o A combination inhaled corticosteroid/long-acting-beta-agonist product
 - o Combination therapy consisting of BOTH of the following:
 - An inhaled corticosteroid
 - An additional standard asthma controller medication (e.g., long-acting beta agonist, leukotriene receptor antagonist, etc.)
- **Initial Duration of Approval:** 6 months
- Reauthorization criteria
 - Documentation the member had a positive clinical response or stabilization as demonstrated by one of the following:
 - An increase in the member's FEV₁
 - A decreased need for systemic corticosteroids
 - A decrease in the number of asthma related hospitalizations
 - A reduction in reported asthma-related symptoms
 - Adjunctive therapies (inhaled corticosteroids, long-acting beta-2 agonist, leukotriene receptor antagonist, theophylline) must be consistently filled per pharmacy claims history
 - If pharmacy claims do not confirm fills within the previous 2 months, the request will be denied
- **Reauthorization Duration of approval:**12 months

Coverage may be provided with a <u>diagnosis</u> of **Moderate to Severe Atopic dermatitis** and the following criteria is met:

- In addition to pruritic skin, member must have at least three of the following:
 - o History of skin creases being involved. These include: antecubital fossae, popliteal fossae, neck, areas around eyes, fronts of ankles.
 - History of asthma or hay fever
 - o The presence of generally dry skin within the past year.
 - O Symptoms beginning before the age of two years.
 - o Visible dermatitis involving flexural surfaces.
- Documentation showing the member has tried and failed or had an intolerance or contraindication to BOTH of the following:
 - Medium to high potency topical corticosteroid
 - o Calcineurin inhibitor* [ie. Protopic (tacrolimus), Elidel (pimecrolimus)]

- **Initial Duration of Approval:** 6 months
- Reauthorization criteria
 - Member has experienced improvement
- Reauthorization Duration of Approval: 12 months

Coverage may be provided with a <u>diagnosis</u> of **eosinophilic granulomatosis with polyangiitis** (**EGPA**) and the following criteria is met:

- Documentation of at least four of the following diagnostic criteria:
 - o Asthma
 - o Eosinophilia (>10% eosinophils on the differential leukocyte count)
 - Mononeuropathy or polyneuropathy
 - o Migratory or transient pulmonary infiltrates on chest x-rays
 - o Paranasal sinus abnormalities
 - o Biopsy containing a blood vessel with extravascular eosinophils
- The member has been stable on corticosteroids for at least 4 weeks or the prescriber has indicated clinical inappropriateness of corticosteroid therapy
- For severe disease, must have a trial and failure, contraindication, or intolerance to rituximab or cyclophosphamide.
- **Initial Duration of Approval:** 12 months
- Reauthorization criteria
 - o Must provide documentation of disease remission
- Reauthorization Duration of approval: 12 months

Coverage may be provided with a <u>diagnosis</u> of **hypereosinophilic syndrome (HES)** and the following criteria is met:

- HES is not FIP1L1-PDGFRα kinase-positive
- Must not have non-hematologic secondary HES (e.g. drug hypersensitivity, parasitic helminth infection, HIV infection, non-hematologic malignancy)
- Must have experienced at least 2 HES flares (worsening of clinical signs and symptoms of HES or increasing eosinophils on at least 2 occasions) within the past 12 months
- Must have a blood eosinophil count ≥ 1,000 cells/mcL
- Must be stable on HES therapy (corticosteroids, immunosuppressives, cytotoxic therapy)
 Initial Duration of Approval: 12 months
- Reauthorization criteria
 - Must provide documentation of decrease in HES flares defined as HES-related worsening of clinical symptoms or blood eosinophil counts requiring an escalation in therapy
- Reauthorization Duration of approval: 12 months

Coverage may be provided with a <u>diagnosis</u> of chronic rhinosinusitis with **nasal polyps** (CRSwNP), provided the following criteria is met:

- Medication must be used for add-on maintenance therapy
- Must provide documentation showing the member has tried and failed (which will be verified via pharmacy claims if available) or had an intolerance or contraindication to intranasal or oral corticosteroid

DMMA Approved: 12/2023

- Member has relapsed from sinus surgery or has a contraindication to sinus surgery
- Member must have documentation of at least two of the following symptoms:
 - Nasal blockade/obstruction/congestion or nasal discharge (anterior/posterior nasal drip)
 - o Facial pain/pressure
 - Reduction or loss of smell
- **Initial Duration of Approval:** 12 months
- Reauthorization criteria
 - o Must provide documentation of improvement in any of the following symptoms:
 - Nasal blockade/obstruction/congestion or nasal discharge (anterior/posterior nasal drip)

Updated: 11/2023

- Facial pain/pressure
- Reduction or loss of smell
- **Reauthorization Duration of approval:** 12 months

Coverage may be provided with a diagnosis of chronic spontaneous urticaria (CSU) and the following criteria is met and the following criteria is met:

- Must have a documented history of urticaria for a period of at least 3 months
- Must have documented trial and failure, intolerance, or contraindication to an H1 antihistamine at the maximum tolerated dose
- **Initial Duration of Approval:** 6 months
- Reauthorization criteria
 - o Documentation that demonstrates the member is tolerating and responding (e.g., documented improvement in condition)
- **Reauthorization Duration of Approval:** 12 months

Coverage may be provided with a diagnosis of **eosinophilic esophagitis** and the following criteria is met:

- Must have symptoms of dysphagia
- Must have documentation of ≥ 15 intraepithelial eosinophils per high-power field (eos/hpf) following a treatment course of proton pump inhibitor (PPI)
- **Initial Duration of Approval:** 6 months
- Reauthorization criteria
 - Must provide documentation of improvement
- **Reauthorization Duration of approval:** 12 months

Coverage may be provided with a diagnosis of **prurigo nodularis** and the following criteria is met:

- Must have all of the following symptoms:
 - o Presence of firm, nodular lesions
 - o Pruritis lasting at least 6 weeks
 - o History of repeated scratching, picking, or rubbing
- Must have a trial and failure of another treatment used to relieve symptoms (e.g. topical corticosteroid, calcineurin inhibitor, or vitamin D analogue; gabapentinoid; antidepressant; thalidomide; methotrexate; cyclosporine; phototherapy)
- **Initial Duration of Approval:** 6 months

- Reauthorization criteria
 - o Must provide documentation of improvement
- Reauthorization Duration of approval: 12 months

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peer-reviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.

^{*} May require prior authorization



ASTHMA & ALLERGY BIOLOGICS PRIOR AUTHORIZATION FORM – PAGE 1 of 3

| Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation | |
|---|---|
| as applicable to Highmark Health Options Pharmacy Services. FAX: (855) 476-4158 | |
| If needed, you may call to speak to a Pharmacy Services Representative. PHONE: (844) 325-6251 Mon – Fri 8 am to 7 pm | |
| | NFORMATION |
| Requesting Provider: | NPI: |
| Provider Specialty: | Office Contact: |
| Office Address: | Office Phone: |
| | Office Fax: |
| MEMBER INFORMATION | |
| Member Name: | DOB: |
| Member ID: | Member weight: Height: |
| REQUESTED DRUG INFORMATION | |
| Medication: | Strength: |
| Directions: | Quantity: Refills: |
| Is the member currently receiving requested medication? \(\subseteq \text{Yes} \) | ☐ No Date Medication Initiated: |
| Is this medication being used for a chronic or long-term condition | for which the medication may be necessary for the life of the |
| patient? Yes No | |
| Billing Information | |
| | cally, JCODE: |
| | er's home Other |
| | ce Information |
| Name: | NPI: |
| Address: | Phone: |
| MEDICAL HICEODY | |
| MEDICAL HISTORY (Complete for ALL requests) Diagnosis: ICD Code: | |
| | |
| ASTHMA | |
| What is the severity? Mild Moderate Severe | |
| Is the member dependent on oral corticosteroids? Yes No | |
| For Nucala, Cinqair, Dupixent, Fasenra: Eosinophil count: □ 0-149 □ 150-299 □ 300-399 □ ≥ 400 Date of test: | |
| For Tezspire and Xolair: | |
| > FEV1: | |
| How many times in the past year have systemic corticosteroids been required? \square None \square 1 $\square \ge 2$ | |
| ► How many times in the past year have they been hospitalized for an asthma exacerbation? \square None \square 1 \square ≥ 2 | |
| ➤ Do exacerbations return when the dose of inhaled and/or systemic corticosteroids are lowered? ☐ Yes ☐ No What will this medication be used with? Please check all that apply. | |
| Combination inhaled corticosteroid/long-acting-beta-agonist | |
| Inhaled corticosteroid | |
| Standard asthma controller medication (e.g. long-acting beta agonist, leukotriene receptor agonist) | |
| ATOPIC DERMATITIS, MODERATE – SEVERE | |
| Which of the following apply to the member? Please check all that apply. | |
| ☐ Pruritic skin ☐ Generally dry skin within the past year | |
| ☐ Involvement of skin creases ☐ Symptoms beginning before age 2 | |
| | |
| History of asthma or hay fever Visible dermatitis involving flexural surfaces | |
| What has been tried? (Please list below) | |
| Topical corticosteroid | |
| Protopic (tacrolimus) or Elidel (pimecrolimus) | |
| | |
| | |



ASTHMA & ALLERGY BIOLOGICS PRIOR AUTHORIZATION FORM (CONTINUED) – PAGE 2 OF 3

PRIOR AUTHORIZATION FORM (CONTINUED) – PAGE 2 OF 3 Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Health Options Pharmacy Services. FAX: (855) 476-4158 If needed, you may call to speak to a Pharmacy Services Representative. PHONE: (844) 325-6251 Mon – Fri 8 am to 7 pm **MEMBER INFORMATION** Member Name: DOB: Member ID: Height: Member weight: **MEDICAL HISTORY (Complete for ALL requests)** CHRONIC IDIOPATHIC URTICARIA (CIA) How long has the urticaria been present? $\square < 3$ months $\square \ge 3$ months Has an H1 antihistamine at the maximum tolerated dose been tried? Yes No CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSwNP) Is this being used as add-on maintenance therapy?

Yes No Has the member had sinus surgery? Yes No (please provide rationale for therapy below) What symptoms are present? Check all that apply: Nasal blockage/obstruction/congestion or nasal discharge Facial pain or pressure Reduction of loss or smell Has intranasal or oral corticosteroid been tried? Yes No Is infection suspected? Yes No If yes, have antibiotics been tried? Yes No **EOSINOPHILIC ESOPHAGITIS** Does the member have dysphagia? Yes No What is the intraepithelial eosinophils per high-power field (eos/hpf) after treating with a PPI? $\square < 15$ eos/hpf $\square \ge 15$ eos/hpf EOSINOPHILIC GRANULOMATOSIS with POLYANGIITIS (EGPA) Which of the following are present? Check all that apply. Asthma Migratory or transient pulmonary infiltrates on chest x-rays Eosinophilia (>10%) Mononeuropathy or polyneuropathy Paranasal sinus abnormalities Biopsy containing a blood vessel with extravascular eosinophils Have corticosteroids been tried? Yes No (please provide reason below) For severe disease, has rituximab or cyclophosphamide been tried? Yes (list below) HYPEREOSINOPHILIC SYNDROME (HES) Is it FIP1L1-PDGFRαkinase-positive?
Yes No Has non-hematologic secondary HES been ruled out? Yes No What is the blood eosinophil count? \Box < 1,000 cells/mcL $\square > 1.000 \text{ cells/mcL}$ How many HES flares have occurred in the past year? $\square < 2 \quad \square \ge 2$ Is the member stable on HES medications? \(\preceq\) Yes (provide current therapy below) \(\preceq\) No PRURIGO NODULARIS (PN) Which of the following apply to the member? Please check all that apply. Pruritis lasting at least 6 weeks Firm, nodular lesions History of repeated scratching, picking, or rubbing Has another treatment been tried? \(\subseteq \text{Yes (list below)} \) \(\subseteq \text{No} \) **CURRENT or PREVIOUS THERAPY** Strength/ Frequency Status (Discontinued & Why/Current) **Medication Name Dates of Therapy**



ASTHMA & ALLERGY BIOLOGICS PRIOR AUTHORIZATION FORM (CONTINUED) – PAGE 3 OF 3

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Health Options Pharmacy Services. FAX: (855) 476-4158 If needed, you may call to speak to a Pharmacy Services Representative. PHONE: (844) 325-6251 Mon – Fri 8 am to 7 pm MEMBER INFORMATION Member Name: DOB: Member ID: Member weight: Height: REAUTHORIZATION Has the member experienced improvement with treatment? Yes No **ASTHMA** Which of the following has Increase in FEV1 Decreased need for systemic corticosteroids Decrease in asthma related hospitalizations Reduction in asthma-related symptoms What is this medication be used with? Please check all that apply. Combination inhaled corticosteroid/long-acting-beta-agonist Inhaled corticosteroid Standard asthma controller medication (e.g. long-acting beta agonist, leukotriene receptor agonist) NASAL POLYPS Please indicate what has improved as a result of therapy: Nasal blockade/obstruction/congestion or nasal discharge Facial pain or pressure Reduction of loss or smell **FOR EGPA, is disease in remission?** Yes FOR HES, what has been experienced as a result of therapy? Decrease in HES flares Worsening of symptoms or blood eosinophil counts requiring an escalation in therapy SUPPORTING INFORMATION or CLINICAL RATIONALE **Prescribing Provider Signature** Date