

Request for Prior Authorization for Sickle Cell Anemia Agents
Website Form – www.highmarkhealthoptions.com
Submit request via: Fax - 1-855-476-4158

All requests for Sickle Cell Anemia Agents require a Prior Authorization and will be screened for medical necessity and appropriateness using the criteria listed below.

For all requests for Sickle Cell Anemia Agents, all of the following criteria must be met:

- Must be prescribed by or in consultation with a hematologist/oncologist or sickle cell disease specialist.
- Diagnosis is confirmed by electrophoresis demonstrating the presence of sickle cell disease (HbSS, HbSC, HbS β^0 -thalassemia, or HbS β^+ -thalassemia).
- Must provide documentation showing the member has tried and failed (which will be verified via pharmacy claims if available) or had an intolerance or contraindication to at least a 6 month trial of hydroxyurea (may require prior authorization).
- The requested dose and frequency is in accordance with FDA-approved labeling, nationally recognized compendia, and/or evidence-based practice guidelines
- Is age-appropriate according to FDA-approved package labeling, nationally recognized compendia, or peer-reviewed medical literature

Coverage may be provided with a diagnosis of Sickle Cell Disease and the following criteria is met:

Adakveo (crizanlizumab-tmca) only:

- Member must have had at least 2 vaso-occlusive crises in the past 12 months.
- **Initial Duration of Approval:** 6 months
- **Reauthorization criteria**
 - Documentation the member has experienced a reduction in sickle cell-related vasoocclusive crises and/or a decrease in severity of sickle cell related vasocculsive crises from pretreatment baseline while on Adakveo
- **Reauthorization Duration of Approval:** 12 months

Oxbryta (voxelotor) only:

- Member must have a hemoglobin ≥ 5.5 g/dL to ≤ 10.5 g/dL
- Member must have had at least 1 vaso-occlusive crisis in the past 12 months.
- **Initial Duration of Approval:** 6 months
 - Documentation of a reduction in vaso-occlusive events, and/or increased hemoglobin response rate defined as a Hb increase of more than 1 g/dL.
- **Reauthorization Duration of Approval:** 12 months



Updated: 03/2026
DMMA Approved: 04/2026

Coverage may be provided for any non-FDA labeled indication if it is determined that the use is a medically accepted indication supported by nationally recognized pharmacy compendia or peer-reviewed medical literature for treatment of the diagnosis(es) for which it is prescribed. These requests will be reviewed on a case by case basis to determine medical necessity.

Drugs are authorized in generic form unless the branded product is on the preferred drug list or the prescriber has indicated in writing that the branded product is medically necessary. If only the branded product is on the preferred drug list, the generic form will be considered non-preferred and shall not require the prescriber to indicate in writing that the branded product is medically necessary.

**SICKLE CELL ANEMIA AGENTS
PRIOR AUTHORIZATION FORM**

Please complete and fax all requested information below including any progress notes, laboratory test results, or chart documentation as applicable to Highmark Health Options Pharmacy Services. **FAX:** (855) 476-4158
If needed, you may call to speak to a Pharmacy Services Representative. **PHONE:** (844) 325-6251 Mon-Fri 8am to 7pm

PROVIDER INFORMATION

Requesting Provider:	NPI:
Provider Specialty:	Office Contact:
Office Address:	Office Phone:
	Office Fax:

MEMBER INFORMATION

Member Name:	DOB:	
Member ID:	Member weight:	Height:

REQUESTED DRUG INFORMATION

Medication:	Strength:	
Directions:	Quantity:	Refills:
Is the member currently receiving requested medication? <input type="checkbox"/> Yes <input type="checkbox"/> No Date Medication Initiated:		
Is this medication being used for a chronic or long-term condition for which the medication may be necessary for the life of the patient? <input type="checkbox"/> Yes <input type="checkbox"/> No		

Billing Information

This medication will be billed: at a pharmacy **OR** medically, JCODE:

Place of Service: Hospital Provider's office Member's home Other

Place of Service Information

Name:	NPI:
Address:	Phone:

MEDICAL HISTORY (Complete for ALL requests)

Diagnosis: _____ ICD-code: _____
 Has the diagnosis been confirmed by electrophoresis demonstrating the presence of sickle cell disease (HbSS, HbSC, HbSβ⁰-thalassemia, or HbSβ⁺-thalassemia)? Yes No
 Does the member have a hemoglobin ≥5.5 g/dL to ≤10.5 g/dL? (Oxbryta only) Yes No
 Has the member tried and failed or had an intolerance or contraindication to a 6 month trial of hydroxyurea? Yes No
 Please list the number of vaso-occlusive crises in the past 12 months? _____

CURRENT or PREVIOUS THERAPY

Medication Name	Strength/ Frequency	Dates of Therapy	Status (Discontinued & Why/Current)

REAUTHORIZATION

Has the member experienced a reduction in sickle cell-related vaso-occlusive crises and/or a decrease in severity of sickle cell related vaso-occlusive crises from pretreatment baseline while on therapy? Yes No
 Has there been a reduction in vaso-occlusive events, and/or increased hemoglobin response rate defined as a Hb increase of more than 1 g/dL? Yes No
 Please describe: _____

SUPPORTING INFORMATION or CLINICAL RATIONALE

Prescribing Provider Signature

Date

--	--



Updated: 03/2026
DMMA Approved: 04/2026



Updated: 03/2026
DMMA Approved: 04/2026



Updated: 03/2026
DMMA Approved: 04/2026