Medicare Part D: 5 Tier Closed Venture Formulary 2027

Please click here.

For Medicare Part D: Prior Authorization Criteria

Please click here.

For Medicare Part D: Step Therapy Criteria

Please click here.

Plans covered:
Community Blue Medicare HMO Signature (HMO)
Complete Blue PPO Signature (PPO)
Freedom Blue PPO Classic (PPO)
Freedom Blue PPO Deluxe (PPO)
Security Blue HMO-POS Standard (HMO-POS)
or Security Blue HMO-POS Deluxe (HMO-POS)

This formulary was updated on October 1, 2026.

For more recent information or other questions, please contact Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, or Security Blue HMO-POS Pharmacy Services at 1-866-675-8637, (TTY users should call 711), seven days a week, 8 a.m. - 8 p.m. ET, or visit **Medicare.Highmark.com/formulary**

Formulary ID: 27203 Version: 14

Updated: 10/2026

Note to existing members: This formulary has changed since last year.
Please review this document to make sure that it still contains the drugs you take.

When this Drug List (formulary) refers to “we,” “us,” or “our,” it means Highmark Choice Company, Highmark Health Insurance Company, or Highmark Senior Health Company.

When it refers to “plan” or “our plan,” it means Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS.

This document includes a Drug List (formulary) for our plan, which is current as of January 1, 2027. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2028, and from time to time during the year.

What is the Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: **Medicare.Highmark.com/formulary**.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription.)

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled "How do I request an exception to the Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS's formulary?"

Some of these drug types may be new to you. For more information, see the section below titled "What are original biological products and how are they related to biosimilars?"

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 31 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 31-day supply of the drug and notice of the change.

  If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS's formulary?"

  Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2027 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2028 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of October 1, 2026. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. In the event of mid-year non-maintenance formulary changes, members will be notified by mail and prospective members will receive an update with this formulary. The most up-to-date formulary is available on our website, **Medicare.Highmark.com/formulary**.

How do I use the formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 9. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular – Hypertension & Lipids.” If you know what your drug is used for, look for the category name in the list that begins on page 9. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 9. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

For discussion of drug types, please see the Evidence of Coverage, Chapter 3,

Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don’t get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that we will cover. For example, our plan provides 31 tablets, per 31 days, for 100mg Drug A. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan based on specific criteria may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 9. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online document that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, “How do I request an exception to the Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS’s formulary?” on page 6 for information about how to request an exception.

What if my drug is not on the formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Pharmacy Service and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Pharmacy Service for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS's formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on the specialty tier. If approved, this would lower the amount you must pay for your drug.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or, formulary exception, including an exception to a coverage restriction. ***When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.*** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 31-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 31-day supply of medication. If coverage is not approved after your first 31-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

The above transition process will be implemented to accommodate you if you have an immediate need for a non-formulary drug or a drug that requires prior authorization due to a change in your level of care while you are waiting for an exception request to be processed.

For more information

For more detailed information about your plan's prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about your plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or visit **http://www.medicare.gov**.

Community Blue Medicare HMO, Complete Blue PPO, Freedom Blue PPO, and Security Blue HMO-POS formulary

The formulary that begins on the next page provides coverage information about the drugs covered by your plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 9.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., ABELCET) and generic drugs are listed in lower-case italics (e.g., *abacavir*).

The information in the Requirements/Limits column tells you if your plan has any special requirements for coverage of your drug.

The following is a formulary Format Example Only:

Drug Name	Venture Drug Tier	Requirements/ Limits
Anti-Infectives		
XYZ DRUG	NF	QL-28

Table of Contents

Anti - Infectives 3
Antineoplastic / Immunosuppressant Drugs 11
Autonomic / Cns Drugs, Neurology / Psych 19
Cardiovascular, Hypertension / Lipids 33
Dermatologicals/Topical Therapy 39
Diagnostics / Miscellaneous Agents 43
Ear, Nose / Throat Medications 45
Endocrine/Diabetes 45
Gastroenterology 50
Immunology, Vaccines / Biotechnology 52
Miscellaneous Supplies 55
Musculoskeletal / Rheumatology 55
Obstetrics / Gynecology 57
Ophthalmology 59
Respiratory And Allergy 61
Urologicals 65
Vitamins, Hematinics / Electrolytes 66

lowercase italics = Generic drugs
UPPERCASE BOLD = Brand name drugs

Drug Tier
T1 = Cost-Sharing Tier 1 includes preferred generic drugs. This is the lowest cost-sharing tier.
T2 = Cost-Sharing Tier 2 includes generic drugs.
T3 = Cost-Sharing Tier 3 includes preferred brand name drugs and may include some single-sourced drugs (those generic drugs made by a single manufacturer).
T4 = Cost-Sharing Tier 4 includes non-preferred brand name drugs and may include some single-sourced generic drugs (those generic drugs made by a single manufacturer).
T5 = Cost-Sharing Tier 5 includes specialty drugs. This is the highest cost-sharing tier.

Requirements/Limits
LA = Limited access
PA = Prior authorization required
PA-BvD = This drug may be covered under Medicare part B or D depending on the circumstance. Information may need to be submitted describing the use and setting of the drug to make the determination.
PA-NS = Prior authorization required for new starts only
QL = Quantity limit applies. The quantity limit is noted for each drug. For example, if the quantity limit is QL (90 EA per 180 days), the quantity limit would be 90 units per 180-day supply.
ST = Step therapy applies
ST-NS = Step therapy applies to new starts only

Drug Name	Drug Tier	Requirements/Limits
Anti - Infectives		
abacavir oral solution	T4	
abacavir oral tablet	T3	
abacavir-lamivudine	T4	
acyclovir oral capsule	T2	
acyclovir oral suspension 200 mg/5 ml	T4	
acyclovir oral tablet	T2	
acyclovir sodium intravenous solution	T4	PA-BvD
adefovir	T4	
albendazole	T4	
amantadine hcl oral capsule	T2	QL (124 EA per 31 days)
amantadine hcl oral solution	T2	
amantadine hcl oral tablet	T2	
amikacin injection solution 500 mg/2 ml	T4	
amoxicillin oral capsule	T1	
amoxicillin oral suspension for reconstitution	T1	
amoxicillin oral tablet	T1	
amoxicillin oral tablet,chewable 125 mg, 250 mg	T1	
amoxicillin-pot clavulanate oral suspension for reconstitution	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
amoxicillin-pot clavulanate oral tablet 250-125 mg	T2	
amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg	T1	
amoxicillin-pot clavulanate oral tablet,chewable	T2	
amphotericin b	T4	PA-BvD
amphotericin b liposome	T5	PA-BvD
ampicillin oral capsule 500 mg	T1	
ampicillin sodium injection recon soln 1 gram, 10 gram, 2 gram	T4	
ampicillin-sulbactam injection	T4	
APTIVUS	T5	
ARIKAYCE	T5	PA
atazanavir	T4	
atovaquone	T4	
atovaquone-proguanil	T2	
azithromycin intravenous	T2	
azithromycin oral tablet	T2	
aztreonam	T4	
BICILLIN C-R	T3	
BICILLIN L-A INTRAMUSCULAR SYRINGE 600,000 UNIT/ML	T3	
BIKTARVY	T5	QL (31 EA per 31 days)
BLUJEPA	T4	QL (20 EA per 5 days)
caspofungin	T4	
CAYSTON	T5	PA
cefaclor oral capsule	T2	
cefadroxil oral capsule	T2	
cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml	T2	
cefadroxil oral tablet	T3	
cefazolin injection recon soln 1 gram, 500 mg	T2	
cefazolin intravenous recon soln 10 gram	T2	
cefdinir oral capsule	T2	
cefepime injection	T4	
cefixime oral capsule	T2	
cefoxitin	T3	
cefpodoxime	T3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
cefprozil	T2	
ceftaroline fosamil	T5	
ceftazidime	T4	
ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg	T2	
cefuroxime axetil oral tablet	T2	
cefuroxime sodium injection recon soln 750 mg	T4	
cefuroxime sodium intravenous recon soln 1.5 gram	T4	
cephalexin oral capsule	T2	
cephalexin oral suspension for reconstitution	T2	
chloroquine phosphate oral tablet 250 mg	T3	QL (50 EA per 30 days)
chloroquine phosphate oral tablet 500 mg	T3	QL (25 EA per 30 days)
CIMDUO	T5	QL (31 EA per 31 days)
ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg	T1	
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml	T2	
clarithromycin oral tablet	T2	
clarithromycin oral tablet extended release 24 hr	T3	
clindamycin hcl	T2	
clindamycin in 5 % dextrose	T2	
CLINDAMYCIN PEDIATRIC	T4	
clindamycin phosphate injection	T2	
clotrimazole mucous membrane	T2	
COARTEM	T4	
colistin (colistimethate na)	T4	
CRESEMBA ORAL	T5	
dapsone oral	T3	
daptomycin	T4	
darunavir oral tablet 600 mg	T4	
darunavir oral tablet 800 mg	T5	
DELSTRIGO	T5	QL (31 EA per 31 days)
DESCOVY	T5	QL (31 EA per 31 days)
dicloxacillin	T2	
DOVATO	T5	QL (31 EA per 31 days)
doxycycline hyclate intravenous	T2	
doxycycline hyclate oral capsule 100 mg, 50 mg	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
doxycycline hyclate oral tablet 100 mg	T2	
doxycycline hyclate oral tablet 20 mg	T1	
doxycycline hyclate oral tablet 50 mg	T4	
doxycycline hyclate oral tablet,delayed release (dr/ec) 100 mg	T2	
doxycycline hyclate oral tablet,delayed release (dr/ec) 150 mg, 200 mg, 50 mg, 75 mg	T3	
doxycycline monohydrate oral capsule 100 mg, 50 mg	T2	
doxycycline monohydrate oral suspension for reconstitution	T4	
doxycycline monohydrate oral tablet 100 mg, 50 mg, 75 mg	T2	
EDURANT PED	T5	
efavirenz oral tablet	T4	
efavirenz-emtricitabin-tenofov	T4	
efavirenz-lamivu-tenofov disop	T5	QL (31 EA per 31 days)
emtricitabine	T4	
emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 167-250 mg, 200-300 mg	T4	
emtricitabine-tenofovir (tdf) oral tablet 133-200 mg	T5	
emtricita-rilpivirine-tenof df	T5	
EMTRIVA ORAL SOLUTION	T4	
entecavir	T4	
ertapenem	T4	
erythromycin oral tablet	T4	
ethambutol	T2	
etravirine	T5	
EVOTAZ	T5	
famciclovir	T2	
fidaxomicin	T5	QL (20 EA per 10 days)
fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	T2	
fluconazole oral suspension for reconstitution	T3	
fluconazole oral tablet	T2	
flucytosine	T5	
fosamprenavir	T5	
fosfomycin tromethamine	T4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 60 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml	T2	
gentamicin injection	T2	
GENVOYA	T5	
griseofulvin microsize	T4	
griseofulvin ultramicrosize oral tablet 125 mg, 250 mg	T4	
HEPCLUDEX	T5	PA; QL (31 EA per 31 days)
hydroxychloroquine oral tablet 100 mg	T4	QL (93 EA per 31 days)
hydroxychloroquine oral tablet 200 mg	T2	QL (93 EA per 31 days)
hydroxychloroquine oral tablet 300 mg	T4	QL (62 EA per 31 days)
hydroxychloroquine oral tablet 400 mg	T4	QL (31 EA per 31 days)
IDVYNSO	T5	QL (31 EA per 31 days)
imipenem-cilastatin	T4	
INTELENCE ORAL TABLET 25 MG	T4	
ISENTRESS HD	T5	
ISENTRESS ORAL POWDER IN PACKET	T5	
ISENTRESS ORAL TABLET	T5	
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	T5	
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	T3	
isoniazid oral	T2	
itraconazole oral capsule	T4	PA
ivermectin oral	T2	PA
JULUCA	T5	
ketoconazole oral	T2	
lamivudine oral solution	T2	
lamivudine oral tablet 100 mg	T3	
lamivudine oral tablet 150 mg, 300 mg	T2	
lamivudine-zidovudine	T2	
levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml	T2	
levofloxacin oral solution	T4	
levofloxacin oral tablet	T1	
linezolid in dextrose 5%	T4	
linezolid oral tablet	T4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
LIVTENCITY	T5	PA; QL (372 EA per 31 days)
lopinavir-ritonavir oral tablet	T4	
maraviroc oral tablet 150 mg	T5	
maraviroc oral tablet 300 mg	T3	
MAVYRET ORAL PELLETS IN PACKET	T5	PA; QL (140 EA per 28 days)
MAVYRET ORAL TABLET	T5	PA; QL (84 EA per 28 days)
mefloquine	T2	
meropenem intravenous recon soln 1 gram, 500 mg	T3	
methenamine hippurate	T2	
metronidazole in nacl (iso-os)	T2	
metronidazole oral tablet 250 mg, 500 mg	T1	
micafungin	T4	
minocycline oral capsule	T2	
minocycline oral tablet	T2	
moxifloxacin oral	T3	
moxifloxacin-sod.chloride(iso)	T4	
nafcillin injection recon soln 1 gram, 2 gram	T4	
nafcillin injection recon soln 10 gram	T5	
neomycin	T2	
nevirapine oral suspension	T2	
nevirapine oral tablet	T2	
nevirapine oral tablet extended release 24 hr	T4	
nitazoxanide	T5	
nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg	T2	
nitrofurantoin monohyd/m-cryst	T2	
nystatin oral suspension	T2	
nystatin oral tablet	T2	
ODEFSEY	T5	QL (31 EA per 31 days)
ofloxacin oral tablet 400 mg	T2	
ORLYNVAH	T5	QL (10 EA per 5 days)
oseltamivir oral capsule 30 mg	T2	QL (170 EA per 365 days)
oseltamivir oral capsule 45 mg, 75 mg	T2	QL (90 EA per 365 days)
oseltamivir oral suspension for reconstitution	T3	QL (1080 ML per 365 days)
oxacillin	T4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	T2	QL (180 EA per 365 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	T2	QL (99 EA per 365 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	T2	QL (270 EA per 365 days)
penicillin g pot in dextrose intravenous piggyback 2 million unit/50 ml, 3 million unit/50 ml	T4	
penicillin g potassium injection recon soln 20 million unit	T4	
penicillin v potassium	T1	
pentamidine inhalation	T4	PA-BvD
pentamidine injection	T4	
PIFELTRO	T5	QL (62 EA per 31 days)
piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram	T4	
posaconazole oral tablet,delayed release (dr/ec)	T5	PA
praziquantel	T4	
pretomanid	T4	PA; QL (31 EA per 31 days)
PREVYMIS ORAL PELLETS IN PACKET	T5	PA; QL (124 EA per 31 days)
PREVYMIS ORAL TABLET	T5	QL (31 EA per 31 days)
PREZCOBIX	T5	
PREZISTA ORAL SUSPENSION	T5	
PREZISTA ORAL TABLET 150 MG	T5	
PREZISTA ORAL TABLET 75 MG	T4	
primaquine	T3	
pyrazinamide	T4	
pyrimethamine	T5	PA
RELENZA DISKHALER	T3	
REYATAZ ORAL POWDER IN PACKET	T5	
ribavirin oral capsule	T2	
ribavirin oral tablet 200 mg	T2	
rifabutin	T4	
rifampin intravenous	T4	
rifampin oral	T2	
rifapentine	T3	
rilpivirine hcl	T5	
rimantadine	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ritonavir	T3	
RUKOBIA	T5	QL (62 EA per 31 days)
SIRTURO	T5	PA
sofosbuvir-velpatasvir	T5	PA; QL (28 EA per 28 days)
streptomycin	T5	
STRIBILD	T5	
sulfadiazine	T5	
sulfamethoxazole-trimethoprim oral suspension	T2	
sulfamethoxazole-trimethoprim oral tablet	T1	
SUNLENCA ORAL	T5	
SYMTUZA	T5	QL (31 EA per 31 days)
tenofovir disoproxil fumarate	T3	
terbinafine hcl oral	T1	QL (90 EA per 180 days)
tetracycline oral capsule	T4	
tigecycline	T4	
tinidazole	T2	
TIVICAY ORAL TABLET 50 MG	T5	
TIVICAY PD	T5	
TOBI PODHALER	T5	PA; QL (224 EA per 56 days)
tobramycin in 0.225 % nacl	T5	PA
tobramycin inhalation	T5	PA
tobramycin sulfate injection solution	T2	
trimethoprim	T2	
TRIUMEQ	T5	
TRIUMEQ PD	T4	QL (186 EA per 31 days)
valacyclovir	T2	
valganciclovir oral recon soln	T5	
valganciclovir oral tablet	T3	
vancomycin intravenous recon soln 1,000 mg, 10 gram, 500 mg, 750 mg	T4	
vancomycin oral capsule 125 mg	T4	QL (124 EA per 31 days)
vancomycin oral capsule 250 mg	T4	QL (248 EA per 31 days)
VEMLIDY	T5	QL (31 EA per 31 days)
VIRACEPT ORAL TABLET	T5	
VIREAD ORAL POWDER	T5	
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	T5	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
VIVJOA	T4	PA; QL (18 EA per 84 days)
voriconazole intravenous recon soln	T4	PA
voriconazole oral	T4	
VOSEVI	T5	PA; QL (28 EA per 28 days)
XIFAXAN ORAL TABLET 200 MG	T3	QL (27 EA per 365 days)
XIFAXAN ORAL TABLET 550 MG	T3	PA; QL (62 EA per 31 days)
XOCOVA	T5	QL (63 EA per 365 days)
XOFLUZA ORAL TABLET 40 MG, 80 MG	T3	QL (9 EA per 365 days)
zidovudine	T2	
Antineoplastic / Immunosuppressant Drugs		
abiraterone oral tablet 250 mg	T5	PA-NS; QL (124 EA per 31 days)
abiraterone oral tablet 500 mg	T5	PA-NS; QL (62 EA per 31 days)
ABIRTEGA	T3	PA-NS; QL (124 EA per 31 days)
AKEEGA	T5	PA-NS; QL (62 EA per 31 days)
ALECENSA	T5	PA-NS; QL (248 EA per 31 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	T5	PA-NS; QL (31 EA per 31 days)
ALUNBRIG ORAL TABLET 30 MG	T5	PA-NS; QL (186 EA per 31 days)
ALUNBRIG ORAL TABLETS,DOSE PACK	T5	PA-NS; QL (60 EA per 365 days)
anastrozole	T2	
AUGTYRO ORAL CAPSULE 160 MG	T5	PA-NS; QL (62 EA per 31 days)
AUGTYRO ORAL CAPSULE 40 MG	T5	PA-NS; QL (186 EA per 31 days)
AVMAPKI-FAKZYNJA	T5	PA-NS; QL (66 EA per 28 days)
AYVAKIT	T5	PA-NS; QL (31 EA per 31 days)
azathioprine oral tablet 50 mg	T2	PA-BvD
BALVERSA	T5	PA-NS
bexarotene oral	T5	PA-NS
bexarotene topical	T5	PA-NS; QL (60 GM per 28 days)
bicalutamide	T2	
BILPREVDA	T3	PA-NS
BOSULIF ORAL CAPSULE 100 MG	T5	PA-NS; QL (186 EA per 31 days)
BOSULIF ORAL CAPSULE 50 MG	T5	PA-NS; QL (341 EA per 31 days)
BOSULIF ORAL TABLET 100 MG	T5	PA-NS; QL (93 EA per 31 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	T5	PA-NS; QL (31 EA per 31 days)
bosutinib oral tablet 400 mg	T5	PA-NS; QL (31 EA per 31 days)
BRAFTOVI	T5	PA-NS; QL (186 EA per 31 days)
BRUKINSA ORAL TABLET	T5	PA-NS; QL (62 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX	T5	PA-NS; QL (31 EA per 31 days)
CALQUENCE (ACALABRUTINIB MAL)	T5	PA-NS; QL (62 EA per 31 days)
CAPRELSA ORAL TABLET 100 MG	T5	PA-NS; QL (62 EA per 31 days)
CAPRELSA ORAL TABLET 300 MG	T5	PA-NS; QL (31 EA per 31 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	T5	PA-NS; QL (56 EA per 28 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	T5	PA-NS; QL (112 EA per 28 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	T5	PA-NS; QL (84 EA per 28 days)
COPIKTRA	T5	PA-NS; QL (62 EA per 31 days)
COTELLIC	T5	PA-NS; LA; QL (63 EA per 28 days)
cyclophosphamide oral capsule	T3	PA-BvD
cyclophosphamide oral tablet 50 mg	T3	PA-BvD
cyclosporine modified oral capsule	T2	PA-BvD
cyclosporine modified oral solution	T5	PA-BvD
cyclosporine oral capsule	T3	PA-BvD
DANZITEN	T5	PA-NS; QL (124 EA per 31 days)
dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg	T5	PA-NS; QL (31 EA per 31 days)
dasatinib oral tablet 20 mg	T5	PA-NS; QL (93 EA per 31 days)
DAURISMO ORAL TABLET 100 MG	T5	PA-NS; QL (31 EA per 31 days)
DAURISMO ORAL TABLET 25 MG	T5	PA-NS; QL (62 EA per 31 days)
ELIGARD	T4	QL (1 EA per 30 days)
ELIGARD (3 MONTH)	T4	QL (1 EA per 90 days)
ELIGARD (4 MONTH)	T4	QL (1 EA per 120 days)
ELIGARD (6 MONTH)	T4	QL (1 EA per 180 days)
ENSACOVE	T5	PA-NS; QL (62 EA per 31 days)
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG	T4	PA-BvD
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 4 MG	T5	PA-BvD
ERIVEDGE	T5	PA-NS; QL (31 EA per 31 days)
ERLEADA ORAL TABLET 240 MG	T5	PA-NS; QL (31 EA per 31 days)
ERLEADA ORAL TABLET 60 MG	T5	PA-NS; QL (93 EA per 31 days)
erlotinib	T5	PA-NS; QL (31 EA per 31 days)
EULEXIN	T4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
everolimus (antineoplastic) oral tablet	T5	PA-NS; QL (31 EA per 31 days)
everolimus (antineoplastic) oral tablet for suspension 2 mg, 5 mg	T5	PA-NS; QL (62 EA per 31 days)
everolimus (antineoplastic) oral tablet for suspension 3 mg	T5	PA-NS; QL (93 EA per 31 days)
everolimus (immunosuppressive) oral tablet 0.25 mg	T4	PA-BvD
everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg, 1 mg	T5	PA-BvD
exemestane	T2	
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	T5	PA-NS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	T4	PA-NS
FOTIVDA	T5	PA-NS; QL (21 EA per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	T5	PA-NS; QL (84 EA per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	T5	PA-NS; QL (21 EA per 28 days)
GAVRETO	T5	PA-NS; QL (124 EA per 31 days)
gefitinib	T5	PA-NS; QL (31 EA per 31 days)
GENGRAF ORAL CAPSULE	T2	PA-BvD
GILOTRIF	T5	PA-NS; QL (31 EA per 31 days)
GOMEKLI ORAL CAPSULE 1 MG	T5	PA-NS; QL (126 EA per 28 days)
GOMEKLI ORAL CAPSULE 2 MG	T5	PA-NS; QL (84 EA per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION	T5	PA-NS; QL (168 EA per 28 days)
HERNEXEOS	T5	PA-NS; QL (93 EA per 31 days)
hydroxyurea	T2	
HYRNUO	T5	PA-NS; QL (124 EA per 31 days)
IBRANCE ORAL CAPSULE 125 MG	T5	PA-NS; QL (21 EA per 28 days)
IBRANCE ORAL TABLET	T5	PA-NS; QL (21 EA per 28 days)
IBTROZI	T5	PA-NS; QL (93 EA per 31 days)
ICLUSIG	T5	PA-NS; QL (31 EA per 31 days)
IDHIFA	T5	PA-NS; QL (31 EA per 31 days)
imatinib oral tablet 100 mg	T5	PA-NS; QL (93 EA per 31 days)
imatinib oral tablet 400 mg	T5	PA-NS; QL (62 EA per 31 days)
IMBRUVICA ORAL CAPSULE 140 MG	T5	PA-NS; QL (124 EA per 31 days)
IMBRUVICA ORAL CAPSULE 70 MG	T5	PA-NS; QL (31 EA per 31 days)
IMBRUVICA ORAL SUSPENSION	T5	PA-NS; QL (216 ML per 25 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
IMBRUVICA ORAL TABLET	T5	PA-NS; QL (31 EA per 31 days)
IMKELDI	T5	PA-NS; QL (280 ML per 28 days)
INLURIYO	T5	PA-NS; QL (62 EA per 31 days)
INLYTA	T5	PA-NS; QL (124 EA per 31 days)
INQOVI	T5	PA-NS; QL (5 EA per 28 days)
INREBIC	T5	PA-NS; QL (124 EA per 31 days)
ITOVEBI ORAL TABLET 3 MG	T5	PA-NS; QL (62 EA per 31 days)
ITOVEBI ORAL TABLET 9 MG	T5	PA-NS; QL (31 EA per 31 days)
IWILFIN	T5	PA-NS; QL (248 EA per 31 days)
JAKAFI	T5	PA-NS; QL (62 EA per 31 days)
JAYPIRCA ORAL TABLET 100 MG	T5	PA-NS; QL (62 EA per 31 days)
JAYPIRCA ORAL TABLET 50 MG	T5	PA-NS; QL (31 EA per 31 days)
JIDEYTRO ORAL TABLET 100 MG	T5	PA-NS; QL (31 EA per 31 days)
JIDEYTRO ORAL TABLET 25 MG	T5	PA-NS; QL (93 EA per 31 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	T5	PA-NS; QL (21 EA per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	T5	PA-NS; QL (42 EA per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	T5	PA-NS; QL (63 EA per 28 days)
KOMZIFTI	T5	PA-NS; QL (90 EA per 30 days)
KOSELUGO ORAL CAPSULE 10 MG	T5	PA-NS; QL (279 EA per 31 days)
KOSELUGO ORAL CAPSULE 25 MG	T5	PA-NS; QL (124 EA per 31 days)
KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG	T5	PA-NS; QL (600 EA per 30 days)
KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG	T5	PA-NS; QL (360 EA per 30 days)
KRAZATI	T5	PA-NS; QL (186 EA per 31 days)
lapatinib	T5	PA-NS; QL (186 EA per 31 days)
LAZCLUZE ORAL TABLET 240 MG	T5	PA-NS; QL (30 EA per 30 days)
LAZCLUZE ORAL TABLET 80 MG	T5	PA-NS; QL (60 EA per 30 days)
lenalidomide	T5	PA-NS; QL (21 EA per 28 days)
LENVIMA	T5	PA-NS
letrozole	T2	
leucovorin calcium oral tablet 10 mg, 5 mg	T2	
leucovorin calcium oral tablet 15 mg, 25 mg	T3	
LEUKERAN	T5	
leuprolide subcutaneous kit	T4	QL (2 EA per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
LIFYORLI ORAL CAPSULE 125 MG/DAY(100 MG X1-25MG X1), 125 MG/DAY(100 MG X1-25MG X3), 125 MG/DAY(100 MG X1-25MG X9)	T5	PA-NS; QL (18 EA per 28 days)
LIFYORLI ORAL CAPSULE 150 MG/DAY(100 MG X1-25MG X2), 150 MG/DAY(100 MG X1-25MG X3), 150 MG/DAY(100 MG X1-25MG X9)	T5	PA-NS; QL (27 EA per 28 days)
lomustine oral capsule 10 mg, 40 mg	T4	PA-NS
lomustine oral capsule 100 mg	T5	PA-NS
LONSURF	T5	PA-NS
LORBRENA ORAL TABLET 100 MG	T5	PA-NS; QL (31 EA per 31 days)
LORBRENA ORAL TABLET 25 MG	T5	PA-NS; QL (93 EA per 31 days)
LUMAKRAS ORAL TABLET 120 MG, 240 MG	T5	PA-NS; QL (62 EA per 31 days)
LUMAKRAS ORAL TABLET 320 MG	T5	PA-NS; QL (93 EA per 31 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	T5	QL (1 EA per 90 days)
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	T5	QL (1 EA per 30 days)
LYNPARZA	T5	PA-NS; QL (124 EA per 31 days)
LYSODREN	T5	
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3)	T5	PA-NS; QL (93 EA per 31 days)
LYTGOBI ORAL TABLET 16 MG/DAY (4 MG X 4)	T5	PA-NS; QL (124 EA per 31 days)
LYTGOBI ORAL TABLET 20 MG/DAY (4 MG X 5)	T5	PA-NS; QL (155 EA per 31 days)
MATULANE	T5	
megestrol oral suspension 400 mg/10 ml (40 mg/ml)	T2	PA
megestrol oral suspension 625 mg/5 ml (125 mg/ml)	T4	PA
megestrol oral tablet	T2	PA-NS
MEKINIST ORAL RECON SOLN	T5	PA-NS; QL (1260 ML per 31 days)
MEKINIST ORAL TABLET 0.5 MG	T5	PA-NS; QL (93 EA per 31 days)
MEKINIST ORAL TABLET 2 MG	T5	PA-NS; QL (31 EA per 31 days)
MEKTOVI	T5	PA-NS; QL (186 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
mercaptopurine oral suspension	T5	
mercaptopurine oral tablet	T2	
mesna oral	T4	
methotrexate sodium (pf) injection solution	T2	
methotrexate sodium injection	T2	
methotrexate sodium oral	T1	PA-BvD
MODEYSO	T5	PA-NS; QL (20 EA per 28 days)
mycophenolate mofetil oral capsule	T2	PA-BvD
mycophenolate mofetil oral suspension for reconstitution	T5	PA-BvD
mycophenolate mofetil oral tablet	T2	PA-BvD
mycophenolate sodium	T2	PA-BvD
NEMLUVIO	T5	PA; QL (2 EA per 28 days)
NERLYNX	T5	PA-NS; QL (186 EA per 31 days)
nilotinib hcl	T5	PA-NS; QL (124 EA per 31 days)
nilutamide	T5	
NINLARO	T5	PA-NS; QL (3 EA per 28 days)
NUBEQA	T5	PA-NS; QL (124 EA per 31 days)
octreotide acetate injection solution	T4	PA
ODOMZO	T5	PA-NS; LA; QL (31 EA per 31 days)
OGSIVEO ORAL TABLET 100 MG, 150 MG	T5	PA-NS; QL (62 EA per 31 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION	T5	PA-NS; QL (96 ML per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4)	T5	PA-NS; QL (16 EA per 28 days)
OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5)	T5	PA-NS; QL (20 EA per 28 days)
OJEMDA ORAL TABLET 600 MG/WEEK (100 MG X 6)	T5	PA-NS; QL (24 EA per 28 days)
OJJAARA	T5	PA-NS; QL (31 EA per 31 days)
ONUREG	T5	PA-NS; QL (14 EA per 28 days)
ORGOVYX	T5	PA-NS; QL (31 EA per 31 days)
ORSERDU ORAL TABLET 345 MG	T5	PA-NS; QL (31 EA per 31 days)
ORSERDU ORAL TABLET 86 MG	T5	PA-NS; QL (93 EA per 31 days)
pazopanib oral tablet 200 mg	T5	PA-NS; QL (124 EA per 31 days)
PEMAZYRE	T5	PA-NS; QL (14 EA per 21 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	T5	PA-NS; QL (28 EA per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	T5	PA-NS; QL (56 EA per 28 days)
pomalidomide	T5	PA-NS; QL (21 EA per 28 days)
POMALYST	T5	PA-NS; QL (21 EA per 28 days)
PROGRAF ORAL GRANULES IN PACKET	T4	PA-BvD
QINLOCK	T5	PA-NS; QL (93 EA per 31 days)
RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG	T5	PA-NS; QL (62 EA per 31 days)
RETEVMO ORAL TABLET 40 MG	T5	PA-NS; QL (93 EA per 31 days)
REVUFORJ ORAL TABLET 110 MG	T5	PA-NS; QL (124 EA per 31 days)
REVUFORJ ORAL TABLET 160 MG	T5	PA-NS; QL (62 EA per 31 days)
REVUFORJ ORAL TABLET 25 MG	T5	PA-NS; QL (248 EA per 31 days)
REZLIDHIA	T5	PA-NS; QL (62 EA per 31 days)
ROMVIMZA	T5	PA-NS; QL (8 EA per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	T5	PA-NS; QL (155 EA per 31 days)
ROZLYTREK ORAL CAPSULE 200 MG	T5	PA-NS; QL (93 EA per 31 days)
ROZLYTREK ORAL PELLETS IN PACKET	T5	PA-NS; QL (372 EA per 31 days)
RUBRACA	T5	PA-NS; QL (124 EA per 31 days)
RYDAPT	T5	PA-NS; QL (248 EA per 31 days)
SCEMBLIX ORAL TABLET 100 MG	T5	PA-NS; QL (124 EA per 31 days)
SCEMBLIX ORAL TABLET 20 MG	T5	PA-NS; QL (62 EA per 31 days)
SCEMBLIX ORAL TABLET 40 MG	T5	PA-NS; QL (248 EA per 31 days)
SIGNIFOR	T5	PA
sirolimus	T4	PA-BvD
SOLTAMOX	T4	
sorafenib	T5	PA-NS; QL (124 EA per 31 days)
STIVARGA	T5	PA-NS; QL (84 EA per 28 days)
sunitinib malate	T5	PA-NS; QL (31 EA per 31 days)
TABLOID	T4	
TABRECTA	T5	PA-NS; QL (124 EA per 31 days)
tacrolimus oral capsule 0.5 mg, 1 mg	T2	PA-BvD
tacrolimus oral capsule 5 mg	T4	PA-BvD
TAFINLAR ORAL CAPSULE	T5	PA-NS; QL (124 EA per 31 days)
TAFINLAR ORAL TABLET FOR SUSPENSION	T5	PA-NS; QL (930 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TAGRISSO	T5	PA-NS; LA; QL (31 EA per 31 days)
TALZENNA	T5	PA-NS; QL (31 EA per 31 days)
tamoxifen	T1	
TEPMETKO	T5	PA-NS; QL (62 EA per 31 days)
THALOMID ORAL CAPSULE 100 MG	T5	PA-NS; QL (112 EA per 28 days)
THALOMID ORAL CAPSULE 50 MG	T5	PA-NS; QL (28 EA per 28 days)
TIBSOVO	T5	PA-NS; QL (62 EA per 31 days)
toremifene	T5	
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	T4	QL (1 EA per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	T4	QL (1 EA per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	T4	QL (1 EA per 28 days)
tretinoin (antineoplastic)	T5	
TREXALL	T3	PA-BvD
TRUQAP	T5	PA-NS; QL (64 EA per 28 days)
TUKYSA ORAL TABLET 150 MG	T5	PA-NS; QL (124 EA per 31 days)
TUKYSA ORAL TABLET 50 MG	T5	PA-NS; QL (248 EA per 31 days)
TURALIO	T5	PA-NS; QL (124 EA per 31 days)
VANFLYTA	T5	PA-NS; QL (62 EA per 31 days)
VENCLEXTA ORAL TABLET 10 MG	T3	PA-NS; QL (62 EA per 31 days)
VENCLEXTA ORAL TABLET 100 MG	T5	PA-NS; QL (186 EA per 31 days)
VENCLEXTA ORAL TABLET 50 MG	T5	PA-NS; QL (31 EA per 31 days)
VENCLEXTA STARTING PACK	T5	PA-NS; QL (84 EA per 365 days)
VERZENIO	T5	PA-NS; QL (62 EA per 31 days)
VITRAKVI ORAL CAPSULE 100 MG	T5	PA-NS; QL (62 EA per 31 days)
VITRAKVI ORAL CAPSULE 25 MG	T5	PA-NS; QL (186 EA per 31 days)
VITRAKVI ORAL SOLUTION	T5	PA-NS; QL (310 ML per 31 days)
VONJO	T5	PA-NS; QL (124 EA per 31 days)
VORANIGO ORAL TABLET 10 MG	T5	PA-NS; QL (62 EA per 31 days)
VORANIGO ORAL TABLET 40 MG	T5	PA-NS; QL (31 EA per 31 days)
WELIREG	T5	PA-NS; QL (93 EA per 31 days)
WYOST	T3	PA-NS

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XALKORI ORAL CAPSULE	T5	PA-NS; QL (124 EA per 31 days)
XALKORI ORAL PELLET 150 MG	T5	PA-NS; QL (186 EA per 31 days)
XALKORI ORAL PELLET 20 MG, 50 MG	T5	PA-NS; QL (124 EA per 31 days)
XATMEP	T4	PA-BvD
XERMELO	T5	PA; QL (93 EA per 31 days)
XOSPATA	T5	PA-NS; QL (124 EA per 31 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	T5	PA-NS; QL (8 EA per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	T5	PA-NS; QL (16 EA per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (60 MG X 1), 80 MG/WEEK (80 MG X 1)	T5	PA-NS; QL (4 EA per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	T5	PA-NS; QL (24 EA per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	T5	PA-NS; QL (32 EA per 28 days)
XTANDI ORAL CAPSULE	T5	PA-NS; QL (124 EA per 31 days)
XTANDI ORAL TABLET 40 MG	T5	PA-NS; QL (124 EA per 31 days)
XTANDI ORAL TABLET 80 MG	T5	PA-NS; QL (62 EA per 31 days)
XTRENBO	T3	PA-NS
YONSA	T5	PA-NS; QL (124 EA per 31 days)
YULITHIRA	T3	PA-NS; QL (31 EA per 31 days)
ZEJULA	T5	PA-NS; QL (31 EA per 31 days)
ZELBORAF	T5	PA-NS; QL (248 EA per 31 days)
ZENBEXUS	T5	PA-NS; QL (21 EA per 28 days)
ZOLINZA	T5	PA-NS
ZYKADIA	T5	PA-NS; QL (93 EA per 31 days)
Autonomic / Cns Drugs, Neurology / Psych		
ABILIFY MAINTENA	T5	QL (1 EA per 28 days)
acetaminophen-codeine oral solution 120-12 mg/5 ml	T2	PA; QL (5167 ML per 31 days)
acetaminophen-codeine oral tablet	T2	PA; QL (403 EA per 31 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML	T3	PA; QL (1 ML per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	T3	PA; QL (2 ML per 28 days)
alprazolam oral tablet 0.25 mg, 0.5 mg	T2	PA; QL (93 EA per 31 days)
alprazolam oral tablet 1 mg, 2 mg	T2	PA; QL (155 EA per 31 days)
amitriptyline	T2	PA-NS
amoxapine	T3	
aripiprazole oral solution	T4	PA-NS
aripiprazole oral tablet	T2	
aripiprazole oral tablet,disintegrating	T4	PA-NS
armodafinil	T3	PA; QL (31 EA per 31 days)
asenapine maleate	T4	PA-NS; QL (62 EA per 31 days)
atomoxetine oral capsule 10 mg, 25 mg, 40 mg	T3	QL (62 EA per 31 days)
atomoxetine oral capsule 100 mg, 60 mg, 80 mg	T3	QL (31 EA per 31 days)
atomoxetine oral capsule 18 mg	T3	QL (124 EA per 31 days)
AUSTEDO ORAL TABLET 12 MG, 6 MG	T5	PA; QL (124 EA per 31 days)
AUSTEDO ORAL TABLET 9 MG	T5	PA; QL (155 EA per 31 days)
AUSTEDO XR	T5	PA; QL (31 EA per 31 days)
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG	T5	PA; QL (56 EA per 365 days)
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC	T5	PA-NS; QL (62 EA per 31 days)
baclofen oral tablet 10 mg	T1	
baclofen oral tablet 20 mg	T2	
BAFIERTAM	T5	PA; QL (124 EA per 31 days)
benztropine oral	T2	PA
brivaracetam oral solution	T5	QL (620 ML per 31 days)
brivaracetam oral tablet	T5	QL (62 EA per 31 days)
bromocriptine	T4	
buprenorphine	T4	PA; QL (4 EA per 28 days)
buprenorphine hcl sublingual	T3	
buprenorphine-naloxone sublingual film	T2	
buprenorphine-naloxone sublingual tablet	T4	
bupropion hcl oral tablet	T2	
bupropion hcl oral tablet extended release 24 hr 150 mg	T2	QL (93 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
bupropion hcl oral tablet extended release 24 hr 300 mg	T2	QL (31 EA per 31 days)
bupropion hcl oral tablet sustained-release 12 hr	T2	QL (62 EA per 31 days)
buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	T2	
butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg	T4	PA; QL (403 EA per 31 days)
butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg	T4	PA; QL (372 EA per 31 days)
butalbital-acetaminophen oral tablet 50-325 mg	T2	QL (372 EA per 31 days)
butalbital-acetaminophen-caff oral tablet	T4	QL (372 EA per 31 days)
butalbital-aspirin-caffeine oral capsule	T4	
butorphanol nasal	T2	QL (5 ML per 28 days)
CAPLYTA	T5	PA-NS; QL (31 EA per 31 days)
carbamazepine oral capsule, er multiphase 12 hr	T2	
carbamazepine oral suspension 100 mg/5 ml	T3	
carbamazepine oral tablet	T1	
carbamazepine oral tablet extended release 12 hr	T2	
carbamazepine oral tablet,chewable 100 mg	T1	
carbidopa-levodopa oral tablet	T2	
carbidopa-levodopa oral tablet extended release	T2	
carbidopa-levodopa oral tablet,disintegrating	T2	
carbidopa-levodopa-entacapone	T2	
celecoxib	T2	QL (62 EA per 31 days)
chlorpromazine oral	T4	
citalopram oral solution	T3	
citalopram oral tablet	T1	
clobazam oral suspension	T4	PA-NS; QL (496 ML per 31 days)
clobazam oral tablet	T3	PA-NS; QL (62 EA per 31 days)
clomipramine	T4	PA-NS
clonazepam oral tablet 0.5 mg	T2	PA-NS; QL (93 EA per 31 days)
clonazepam oral tablet 1 mg	T2	PA-NS; QL (124 EA per 31 days)
clonazepam oral tablet 2 mg	T2	PA-NS; QL (310 EA per 31 days)
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg	T2	PA-NS; QL (93 EA per 31 days)
clonazepam oral tablet,disintegrating 1 mg	T2	PA-NS; QL (124 EA per 31 days)
clonazepam oral tablet,disintegrating 2 mg	T2	PA-NS; QL (310 EA per 31 days)
clorazepate dipotassium oral tablet 15 mg	T3	PA-NS; QL (186 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
clorazepate dipotassium oral tablet 3.75 mg, 7.5 mg	T3	PA-NS; QL (93 EA per 31 days)
clozapine oral tablet 100 mg	T3	QL (279 EA per 31 days)
clozapine oral tablet 200 mg	T3	QL (124 EA per 31 days)
clozapine oral tablet 25 mg	T2	QL (279 EA per 31 days)
clozapine oral tablet 50 mg	T2	QL (93 EA per 31 days)
clozapine oral tablet,disintegrating 100 mg, 25 mg	T4	QL (279 EA per 31 days)
clozapine oral tablet,disintegrating 12.5 mg	T4	QL (93 EA per 31 days)
clozapine oral tablet,disintegrating 150 mg	T4	QL (186 EA per 31 days)
clozapine oral tablet,disintegrating 200 mg	T4	QL (124 EA per 31 days)
COBENFY	T5	PA-NS; QL (62 EA per 31 days)
COBENFY STARTER PACK	T5	PA-NS; QL (112 EA per 365 days)
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	T5	PA; QL (31 ML per 31 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	T5	PA; QL (12 ML per 28 days)
cyclobenzaprine oral tablet 10 mg, 5 mg	T4	PA
dalfampridine	T3	PA; QL (62 EA per 31 days)
desipramine	T4	
desvenlafaxine succinate	T3	QL (31 EA per 31 days)
dexmethylphenidate oral capsule,er biphasic 50-50	T4	QL (31 EA per 31 days)
dexmethylphenidate oral tablet 10 mg	T2	QL (62 EA per 31 days)
dexmethylphenidate oral tablet 2.5 mg, 5 mg	T2	QL (93 EA per 31 days)
dextroamphetamine-amphetamine oral capsule,extended release 24hr	T3	QL (31 EA per 31 days)
dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 30 mg, 5 mg, 7.5 mg	T1	QL (62 EA per 31 days)
dextroamphetamine-amphetamine oral tablet 20 mg	T1	QL (93 EA per 31 days)
dextromethorphan-quinidine	T5	PA; QL (62 EA per 31 days)
DIACOMIT ORAL CAPSULE 250 MG	T5	PA-NS; QL (341 EA per 31 days)
DIACOMIT ORAL CAPSULE 500 MG	T5	PA-NS; QL (186 EA per 31 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	T5	PA-NS; QL (341 EA per 31 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	T5	PA-NS; QL (186 EA per 31 days)
DIAZEPAM INTENSOL	T2	PA-NS; QL (248 ML per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
diazepam oral solution 5 mg/5 ml (1 mg/ml)	T2	PA-NS; QL (1500 ML per 31 days)
diazepam oral tablet	T2	PA-NS; QL (124 EA per 31 days)
diazepam rectal	T4	
diclofenac epolamine	T4	PA; QL (62 EA per 31 days)
diclofenac potassium oral tablet 50 mg	T1	
diclofenac sodium oral	T1	
diclofenac sodium topical drops	T2	QL (450 ML per 28 days)
diclofenac-misoprostol	T3	
diflunisal	T2	
dihydroergotamine nasal	T4	PA; QL (8 ML per 28 days)
DILANTIN	T3	
DILANTIN EXTENDED	T4	
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg	T4	PA; QL (62 EA per 31 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)	T4	PA; QL (120 EA per 365 days)
dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg	T5	PA; QL (62 EA per 31 days)
divalproex oral capsule, delayed rel sprinkle	T2	
divalproex oral tablet extended release 24 hr 250 mg	T2	
divalproex oral tablet extended release 24 hr 500 mg	T3	
divalproex oral tablet,delayed release (dr/ec)	T2	
donepezil oral tablet 10 mg, 5 mg	T1	
donepezil oral tablet 23 mg	T3	QL (31 EA per 31 days)
donepezil oral tablet,disintegrating	T2	
doxepin oral capsule	T2	PA-NS
doxepin oral concentrate	T2	PA-NS
doxepin oral tablet	T2	PA
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG	T3	PA-NS; QL (93 EA per 31 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 30 MG, 60 MG	T3	PA-NS; QL (62 EA per 31 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	T3	PA-NS; QL (31 EA per 31 days)
duloxetine oral capsule,delayed release(dr/ec) 20 mg, 60 mg	T2	QL (62 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
duloxetine oral capsule,delayed release(dr/ec) 30 mg	T2	QL (31 EA per 31 days)
EMGALITY PEN	T3	PA; QL (1 ML per 28 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	T3	PA; QL (1 ML per 28 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	T5	PA; QL (3 ML per 28 days)
EMSAM	T5	QL (30 EA per 30 days)
entacapone	T2	
EPIDIOLEX	T5	PA-NS
ergotamine-caffeine	T3	PA
escitalopram oxalate oral capsule	T4	PA-NS; QL (31 EA per 31 days)
escitalopram oxalate oral solution	T4	QL (620 ML per 31 days)
escitalopram oxalate oral tablet 10 mg	T1	QL (45 EA per 30 days)
escitalopram oxalate oral tablet 20 mg, 5 mg	T1	QL (30 EA per 30 days)
eslicarbazepine oral tablet 200 mg	T4	QL (186 EA per 31 days)
eslicarbazepine oral tablet 400 mg	T4	QL (93 EA per 31 days)
eslicarbazepine oral tablet 600 mg, 800 mg	T5	QL (62 EA per 31 days)
estazolam	T2	PA
ethosuximide oral capsule	T3	
ethosuximide oral solution	T2	
etodolac oral capsule	T3	
etodolac oral tablet	T2	
etodolac oral tablet extended release 24 hr	T3	
EXXUA ORAL TABLET EXTENDED RELEASE 24 HR	T4	PA-NS; QL (31 EA per 31 days)
EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK	T4	PA-NS; QL (64 EA per 365 days)
FANAPT	T5	PA-NS; QL (62 EA per 31 days)
FANAPT TITRATION PACK A	T4	PA-NS; QL (16 EA per 365 days)
FANAPT TITRATION PACK B	T4	PA-NS; QL (24 EA per 365 days)
FANAPT TITRATION PACK C	T4	PA-NS; QL (16 EA per 365 days)
felbamate	T4	
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 75 mcg/hr	T4	PA; QL (10 EA per 30 days)
fentanyl transdermal patch 72 hour 25 mcg/hr, 50 mcg/hr	T3	PA; QL (10 EA per 30 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	T4	PA-NS; QL (56 EA per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 40 MG, 80 MG	T4	PA-NS; QL (31 EA per 31 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 20 MG	T4	PA-NS; QL (93 EA per 31 days)
fingolimod	T5	PA; QL (31 EA per 31 days)
FINTEPLA	T5	PA-NS; QL (360 ML per 30 days)
fluoxetine (pmdd)	T1	
fluoxetine oral capsule	T1	
fluoxetine oral solution	T3	
fluoxetine oral tablet 10 mg, 20 mg	T1	
fluphenazine decanoate	T2	
fluphenazine hcl injection	T4	
fluphenazine hcl oral concentrate	T4	
fluphenazine hcl oral elixir	T4	
fluphenazine hcl oral tablet 1 mg, 2.5 mg, 5 mg	T2	
fluphenazine hcl oral tablet 10 mg	T4	
flurbiprofen oral tablet 100 mg	T3	
fluvoxamine oral tablet	T2	
gabapentin oral capsule 100 mg, 400 mg	T2	QL (270 EA per 30 days)
gabapentin oral capsule 300 mg	T2	QL (360 EA per 30 days)
gabapentin oral solution 250 mg/5 ml	T3	QL (2160 ML per 30 days)
gabapentin oral tablet 600 mg	T2	QL (180 EA per 30 days)
gabapentin oral tablet 800 mg	T2	QL (120 EA per 30 days)
galantamine oral capsule,ext rel. pellets 24 hr	T3	
galantamine oral solution	T4	
galantamine oral tablet	T2	
glatiramer subcutaneous syringe 20 mg/ml	T5	PA; QL (31 ML per 31 days)
glatiramer subcutaneous syringe 40 mg/ml	T5	PA; QL (12 ML per 28 days)
GLATOPA SUBCUTANEOUS SYRINGE 20 MG/ML	T5	PA; QL (31 ML per 31 days)
GLATOPA SUBCUTANEOUS SYRINGE 40 MG/ML	T5	PA; QL (12 ML per 28 days)
guanfacine oral tablet extended release 24 hr	T2	PA
haloperidol decanoate	T2	
haloperidol lactate injection	T1	
haloperidol lactate oral	T2	
haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 5 mg	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
haloperidol oral tablet 20 mg	T2	
hydromorphone oral liquid	T4	PA; QL (1240 ML per 31 days)
hydromorphone oral tablet 2 mg, 4 mg	T2	PA; QL (186 EA per 31 days)
hydromorphone oral tablet 8 mg	T3	PA; QL (155 EA per 31 days)
IBU ORAL TABLET 600 MG, 800 MG	T1	
ibuprofen oral suspension	T1	
ibuprofen oral tablet 400 mg, 600 mg, 800 mg	T1	
imipramine hcl	T2	PA-NS
indomethacin oral capsule	T1	
indomethacin oral capsule, extended release	T1	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	T5	QL (3.5 ML per 180 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	T5	QL (5 ML per 180 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	T5	QL (0.75 ML per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	T5	QL (1 ML per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	T5	QL (1.5 ML per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	T4	QL (0.25 ML per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	T5	QL (0.5 ML per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	T5	QL (0.88 ML per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	T5	QL (1.32 ML per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	T5	QL (1.75 ML per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	T5	QL (2.63 ML per 84 days)
KESIMPTA PEN	T5	PA; QL (0.4 ML per 28 days)
ketorolac oral	T2	
KLOXXADO	T3	
lacosamide oral solution	T4	
lacosamide oral tablet 100 mg, 200 mg, 50 mg	T4	QL (62 EA per 31 days)
lacosamide oral tablet 150 mg	T4	
lamotrigine oral tablet	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
lamotrigine oral tablet extended release 24hr	T4	
lamotrigine oral tablet, chewable dispersible	T2	
LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML	T5	PA; QL (7.2 ML per 28 days)
levetiracetam oral solution 100 mg/ml	T2	
levetiracetam oral tablet	T2	
levetiracetam oral tablet extended release 24 hr	T2	
lithium carbonate	T1	
lithium citrate oral solution	T1	
lofexidine	T5	
LORAZEPAM INTENSOL	T2	PA; QL (155 ML per 31 days)
lorazepam oral tablet 0.5 mg	T2	PA; QL (124 EA per 31 days)
lorazepam oral tablet 1 mg	T2	PA; QL (186 EA per 31 days)
lorazepam oral tablet 2 mg	T2	PA; QL (155 EA per 31 days)
loxapine succinate	T2	
lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg	T4	PA-NS; QL (31 EA per 31 days)
lurasidone oral tablet 80 mg	T4	PA-NS; QL (62 EA per 31 days)
LYBALVI	T5	PA-NS; QL (31 EA per 31 days)
MARPLAN	T4	
meloxicam oral tablet	T1	
memantine oral capsule,sprinkle,er 24hr	T3	
memantine oral solution	T3	
memantine oral tablet	T2	
memantine-donepezil	T4	PA
metaxalone oral tablet 400 mg, 800 mg	T3	
methadone oral solution 10 mg/5 ml	T2	PA; QL (620 ML per 31 days)
methadone oral solution 5 mg/5 ml	T2	PA; QL (1240 ML per 31 days)
methadone oral tablet 10 mg	T2	PA; QL (124 EA per 31 days)
methadone oral tablet 5 mg	T2	PA; QL (248 EA per 31 days)
methocarbamol oral tablet 500 mg, 750 mg	T2	
methsuximide	T4	
methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 60 mg	T4	QL (31 EA per 31 days)
methylphenidate hcl oral tablet	T2	QL (93 EA per 31 days)
methylphenidate hcl oral tablet extended release	T2	QL (93 EA per 31 days)
mirtazapine oral tablet	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
mirtazapine oral tablet,disintegrating	T3	
modafinil	T2	PA; QL (31 EA per 31 days)
molindone	T4	
morphine concentrate oral solution	T2	PA; QL (310 ML per 31 days)
morphine oral solution 10 mg/5 ml (2 mg/ml)	T2	PA; QL (2800 ML per 31 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	T2	PA; QL (1400 ML per 31 days)
morphine oral tablet	T2	PA; QL (186 EA per 31 days)
morphine oral tablet extended release 100 mg	T3	PA; QL (62 EA per 31 days)
morphine oral tablet extended release 15 mg, 30 mg, 60 mg	T3	PA; QL (100 EA per 31 days)
morphine oral tablet extended release 200 mg	T3	PA; QL (31 EA per 31 days)
nabumetone	T1	
naloxone injection solution	T2	
naloxone injection syringe	T2	
naltrexone	T2	
naproxen oral tablet	T1	
naproxen oral tablet,delayed release (dr/ec) 375 mg	T2	
naproxen oral tablet,delayed release (dr/ec) 500 mg	T3	
naproxen sodium oral tablet 275 mg	T1	
naproxen sodium oral tablet 550 mg	T2	
naratriptan oral tablet 1 mg	T2	QL (20 EA per 28 days)
naratriptan oral tablet 2.5 mg	T2	QL (9 EA per 28 days)
NAYZILAM	T4	PA-NS; QL (10 EA per 30 days)
nefazodone	T4	
NEUPRO	T4	
nortriptyline	T2	PA-NS
NUPLAZID	T5	PA-NS; QL (31 EA per 31 days)
NURTEC ODT	T3	PA; QL (18 EA per 28 days)
olanzapine intramuscular	T2	
olanzapine oral	T2	QL (31 EA per 31 days)
ONZETRA XSAIL	T4	QL (16 EA per 28 days)
OPIPZA	T5	PA-NS
oxaprozin oral tablet	T2	
oxazepam	T4	PA
oxcarbazepine oral suspension	T4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
oxcarbazepine oral tablet	T2	
oxycodone oral capsule	T2	PA; QL (186 EA per 31 days)
oxycodone oral concentrate	T4	PA; QL (180 ML per 31 days)
oxycodone oral tablet 10 mg, 15 mg, 20 mg, 5 mg	T2	PA; QL (186 EA per 31 days)
oxycodone oral tablet 30 mg	T3	PA; QL (138 EA per 31 days)
oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg	T3	PA; QL (372 EA per 31 days)
oxycodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg	T2	PA; QL (372 EA per 31 days)
paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg	T4	QL (31 EA per 31 days)
paliperidone oral tablet extended release 24hr 6 mg	T4	QL (62 EA per 31 days)
paroxetine hcl oral suspension	T4	PA-NS
paroxetine hcl oral tablet	T1	PA-NS
paroxetine hcl oral tablet extended release 24 hr	T3	PA-NS
perampanel oral suspension	T5	QL (744 ML per 31 days)
perampanel oral tablet	T4	QL (31 EA per 31 days)
perphenazine	T4	
perphenazine-amitriptyline	T2	PA-NS
phenelzine	T2	
phenobarbital	T2	
PHENYTEK	T3	
phenytoin oral suspension 125 mg/5 ml	T2	
phenytoin oral tablet,chewable	T2	
phenytoin sodium extended oral capsule 100 mg	T2	
pimozide	T4	
piroxicam	T2	
pramipexole oral tablet	T2	
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg	T2	PA-NS; QL (93 EA per 31 days)
pregabalin oral capsule 225 mg, 300 mg	T2	PA-NS; QL (62 EA per 31 days)
pregabalin oral solution	T2	PA-NS; QL (930 ML per 31 days)
primidone oral tablet 125 mg	T3	
primidone oral tablet 250 mg, 50 mg	T2	
protriptyline	T4	
pyridostigmine bromide oral tablet 30 mg	T3	
pyridostigmine bromide oral tablet 60 mg	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
pyridostigmine bromide oral tablet extended release 180 mg	T4	
quetiapine oral tablet 100 mg, 200 mg, 300 mg, 400 mg, 50 mg	T2	QL (62 EA per 31 days)
quetiapine oral tablet 150 mg	T3	QL (62 EA per 31 days)
quetiapine oral tablet 25 mg	T1	QL (62 EA per 31 days)
quetiapine oral tablet extended release 24 hr	T3	QL (62 EA per 31 days)
QULIPTA	T3	PA; QL (31 EA per 31 days)
RALDESY	T5	
ramelteon	T4	QL (31 EA per 31 days)
rasagiline	T3	
RELGAABI ORAL CAPSULE 300 MG	T2	QL (360 EA per 30 days)
RELGAABI ORAL CAPSULE 400 MG	T2	QL (270 EA per 30 days)
REXULTI ORAL TABLET	T5	PA-NS; QL (31 EA per 31 days)
REZENOPY	T3	
risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml	T4	QL (2 EA per 28 days)
risperidone microspheres intramuscular suspension,extended rel recon 25 mg/2 ml, 37.5 mg/2 ml, 50 mg/2 ml	T5	QL (2 EA per 28 days)
risperidone oral solution	T2	QL (496 ML per 31 days)
risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg	T1	QL (31 EA per 31 days)
risperidone oral tablet 3 mg	T1	QL (93 EA per 31 days)
risperidone oral tablet 4 mg	T1	QL (124 EA per 31 days)
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg	T4	QL (31 EA per 31 days)
risperidone oral tablet,disintegrating 3 mg	T4	QL (93 EA per 31 days)
risperidone oral tablet,disintegrating 4 mg	T4	QL (124 EA per 31 days)
rivastigmine	T2	QL (30 EA per 30 days)
rivastigmine tartrate	T2	
rizatriptan oral tablet 10 mg	T2	QL (12 EA per 28 days)
rizatriptan oral tablet 5 mg	T2	QL (24 EA per 28 days)
rizatriptan oral tablet,disintegrating 10 mg	T2	QL (12 EA per 28 days)
rizatriptan oral tablet,disintegrating 5 mg	T2	QL (24 EA per 28 days)
ropinirole oral tablet	T2	
ropinirole oral tablet extended release 24 hr	T4	
ROWEEPRA	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
rufinamide oral suspension	T5	PA-NS; QL (2480 ML per 31 days)
rufinamide oral tablet 200 mg	T4	PA-NS; QL (124 EA per 31 days)
rufinamide oral tablet 400 mg	T5	PA-NS; QL (248 EA per 31 days)
RYTARY	T3	ST
SECUADO	T5	PA-NS; QL (31 EA per 31 days)
selegiline hcl	T2	
sertraline oral concentrate	T2	
sertraline oral tablet	T1	
sodium oxybate	T5	PA; QL (540 ML per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG	T4	
SUBVENITE ORAL SUSPENSION	T5	
SUBVENITE ORAL TABLET	T2	
sulindac	T2	
sumatriptan nasal spray,non-aerosol 20 mg/actuation	T4	QL (8 EA per 28 days)
sumatriptan nasal spray,non-aerosol 5 mg/actuation	T4	QL (32 EA per 28 days)
sumatriptan succinate oral tablet 100 mg	T2	QL (9 EA per 28 days)
sumatriptan succinate oral tablet 25 mg	T2	QL (36 EA per 28 days)
sumatriptan succinate oral tablet 50 mg	T2	QL (18 EA per 28 days)
sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml	T4	QL (4 ML per 28 days)
sumatriptan succinate subcutaneous solution	T4	QL (4 ML per 28 days)
SYMPAZAN ORAL FILM 10 MG, 20 MG	T5	PA-NS; QL (62 EA per 31 days)
SYMPAZAN ORAL FILM 5 MG	T4	PA-NS; QL (62 EA per 31 days)
TASCENSO ODT	T5	PA; QL (31 EA per 31 days)
tasimelteon	T5	PA; QL (31 EA per 31 days)
temazepam	T4	PA; QL (31 EA per 31 days)
teriflunomide	T5	PA; QL (31 EA per 31 days)
tetrabenazine oral tablet 12.5 mg	T4	PA; QL (93 EA per 31 days)
tetrabenazine oral tablet 25 mg	T5	PA; QL (124 EA per 31 days)
thioridazine	T2	
thiothixene oral capsule 1 mg	T1	
thiothixene oral capsule 10 mg, 2 mg, 5 mg	T3	
tiagabine	T4	
tizanidine oral capsule 2 mg, 4 mg, 6 mg	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
tizanidine oral tablet	T2	
topiramate oral capsule, sprinkle 15 mg, 25 mg	T2	
topiramate oral solution	T4	PA-NS; QL (496 ML per 31 days)
topiramate oral tablet	T2	
tramadol oral tablet 50 mg	T1	PA; QL (240 EA per 30 days)
tramadol-acetaminophen	T2	PA; QL (372 EA per 31 days)
tranylcypromine	T4	
trazodone oral tablet 100 mg, 150 mg, 50 mg	T1	
trazodone oral tablet 300 mg	T2	
triazolam	T4	PA
trifluoperazine	T2	
trihexyphenidyl oral tablet	T2	
trimipramine	T4	
TRINTELLIX	T3	PA-NS; QL (31 EA per 31 days)
valproic acid	T2	
valproic acid (as sodium salt) oral solution 250 mg/5 ml	T2	
VALTOCO	T5	PA-NS; QL (10 EA per 30 days)
venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg	T2	QL (31 EA per 31 days)
venlafaxine oral capsule,extended release 24hr 75 mg	T2	QL (93 EA per 31 days)
venlafaxine oral tablet	T2	
VERSACLOZ	T5	QL (558 ML per 31 days)
vigabatrin	T5	PA-NS
VIGADRONE	T5	PA-NS
vilazodone	T3	PA-NS; QL (31 EA per 31 days)
VIVITROL	T5	
VRAYLAR	T3	PA-NS; QL (31 EA per 31 days)
VUMERITY	T5	PA; QL (124 EA per 31 days)
XCOPRI MAINTENANCE PACK	T5	PA-NS; QL (56 EA per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	T5	PA-NS; QL (31 EA per 31 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	T5	PA-NS; QL (62 EA per 31 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	T4	PA-NS; QL (56 EA per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	T5	PA-NS; QL (56 EA per 365 days)
zaleplon oral capsule 10 mg	T2	PA; QL (62 EA per 31 days)
zaleplon oral capsule 5 mg	T2	PA; QL (93 EA per 31 days)
ZEPOSIA	T5	PA; QL (31 EA per 31 days)
ZEPOSIA STARTER KIT (28-DAY)	T5	PA; QL (56 EA per 365 days)
ZEPOSIA STARTER PACK (7-DAY)	T5	PA; QL (14 EA per 365 days)
ziprasidone hcl	T3	QL (62 EA per 31 days)
ziprasidone mesylate	T4	
zolmitriptan oral tablet 2.5 mg	T2	QL (16 EA per 28 days)
zolmitriptan oral tablet 5 mg	T2	QL (8 EA per 28 days)
zolmitriptan oral tablet,disintegrating 5 mg	T2	QL (8 EA per 28 days)
zolpidem oral tablet	T2	PA; QL (31 EA per 31 days)
ZONISADE	T5	PA-NS; QL (930 ML per 31 days)
zonisamide	T2	
ZTALMY	T5	PA-NS; QL (1100 ML per 30 days)
ZUBSOLV	T3	
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	T5	PA-NS; QL (28 EA per 180 days)
ZURZUVAE ORAL CAPSULE 30 MG	T5	PA-NS; QL (14 EA per 180 days)
Cardiovascular, Hypertension / Lipids		
acebutolol	T2	
aliskiren	T4	
amiloride	T1	
amiloride-hydrochlorothiazide	T1	
amiodarone oral	T2	
amlodipine	T1	
amlodipine-atorvastatin	T2	
amlodipine-benazepril	T1	
amlodipine-olmesartan	T2	QL (31 EA per 31 days)
amlodipine-valsartan	T2	
aspirin-dipyridamole	T2	
atenolol	T1	
atenolol-chlorthalidone	T1	
atorvastatin	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
benazepril	T1	
benazepril-hydrochlorothiazide	T1	
betaxolol oral	T1	
bisoprolol fumarate oral tablet 10 mg, 5 mg	T1	
bisoprolol-hydrochlorothiazide	T1	
bumetanide oral	T2	
candesartan	T2	
candesartan-hydrochlorothiazid	T2	
captopril	T1	
CARTIA XT	T1	
carvedilol	T1	
carvedilol phosphate	T4	
chlorthalidone oral tablet 25 mg, 50 mg	T1	
cholestyramine (with sugar) oral powder in packet	T2	
CHOLESTYRAMINE LIGHT ORAL POWDER IN PACKET	T2	
cilostazol	T2	
clonidine	T4	
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	T1	
clopidogrel	T1	
colesevelam	T4	
colestipol oral packet	T2	
colestipol oral tablet	T2	
dabigatran etexilate oral capsule 110 mg	T4	QL (124 EA per 31 days)
dabigatran etexilate oral capsule 150 mg, 75 mg	T4	QL (62 EA per 31 days)
digoxin oral solution	T3	QL (155 ML per 31 days)
digoxin oral tablet 125 mcg (0.125 mg)	T1	QL (62 EA per 31 days)
digoxin oral tablet 250 mcg (0.25 mg)	T2	QL (31 EA per 31 days)
digoxin oral tablet 62.5 mcg (0.0625 mg)	T4	QL (124 EA per 31 days)
diltiazem hcl oral capsule,extended release 12 hr	T2	
diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg	T1	
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	T1	
diltiazem hcl oral tablet	T1	
diltiazem hcl oral tablet extended release 24 hr	T2	
DILT-XR	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
dofetilide	T3	
doxazosin	T1	
ELIQUIS DVT-PE TREAT 30D START	T3	QL (74 EA per 30 days)
ELIQUIS ORAL TABLET 2.5 MG	T3	QL (60 EA per 30 days)
ELIQUIS ORAL TABLET 5 MG	T3	QL (74 EA per 30 days)
ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG	T3	QL (112 EA per 28 days)
ELIQUIS ORAL TABLET FOR SUSPENSION 1.5 MG (0.5 MG X 3)	T3	QL (336 EA per 28 days)
ELIQUIS ORAL TABLET FOR SUSPENSION 2 MG (0.5 MG X 4)	T3	QL (560 EA per 28 days)
ELIQUIS SPRINKLE	T3	QL (70 EA per 28 days)
eltrombopag olamine oral powder in packet 12.5 mg	T5	PA; QL (372 EA per 31 days)
eltrombopag olamine oral powder in packet 25 mg	T5	PA; QL (31 EA per 31 days)
eltrombopag olamine oral tablet 12.5 mg, 25 mg	T5	PA; QL (31 EA per 31 days)
eltrombopag olamine oral tablet 50 mg, 75 mg	T5	PA; QL (62 EA per 31 days)
enalapril maleate oral tablet	T1	
enalapril-hydrochlorothiazide	T1	
enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml	T4	
enoxaparin subcutaneous syringe 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml	T2	
ENTRESTO SPRINKLE	T4	PA; QL (248 EA per 31 days)
eplerenone	T2	
ethacrynic acid	T4	
ezetimibe	T2	
ezetimibe-simvastatin	T3	QL (31 EA per 31 days)
felodipine	T2	
fenofibrate micronized oral capsule 134 mg, 200 mg, 43 mg, 67 mg	T2	
fenofibrate nanocrystallized	T2	
fenofibrate oral tablet 160 mg, 54 mg	T2	
fenofibric acid (choline)	T2	
FILSPARI ORAL TABLET 200 MG	T5	PA; QL (31 EA per 31 days)
FILSPARI ORAL TABLET 400 MG	T5	PA; QL (62 EA per 31 days)
flecainide	T2	
fluvastatin oral capsule	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
fluvastatin oral tablet extended release 24 hr	T2	
fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml	T5	
fondaparinux subcutaneous syringe 2.5 mg/0.5 ml	T4	
fosinopril	T1	
fosinopril-hydrochlorothiazide	T1	
furosemide injection	T2	
furosemide oral solution	T2	
furosemide oral tablet	T1	
gemfibrozil	T1	
heparin (porcine) injection solution	T2	PA-BvD
hydralazine oral	T1	
hydrochlorothiazide	T1	
icosapent ethyl oral capsule 0.5 gram	T4	QL (248 EA per 31 days)
icosapent ethyl oral capsule 1 gram	T4	QL (124 EA per 31 days)
indapamide	T1	
irbesartan	T1	QL (31 EA per 31 days)
irbesartan-hydrochlorothiazide	T1	QL (31 EA per 31 days)
isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg	T2	
isosorbide mononitrate	T1	
isradipine	T2	
ivabradine oral tablet 5 mg	T4	PA; QL (93 EA per 31 days)
ivabradine oral tablet 7.5 mg	T4	PA; QL (62 EA per 31 days)
JANTOVEN	T1	
KERENDIA	T4	PA; QL (31 EA per 31 days)
labetalol oral tablet 100 mg, 200 mg, 300 mg	T1	
lisinopril	T1	
lisinopril-hydrochlorothiazide	T1	
losartan oral tablet 100 mg	T1	QL (31 EA per 31 days)
losartan oral tablet 25 mg	T1	QL (93 EA per 31 days)
losartan oral tablet 50 mg	T1	QL (62 EA per 31 days)
losartan-hydrochlorothiazide	T1	
lovastatin	T1	
MATZIM LA	T2	
metolazone	T2	
metoprolol succinate	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
metoprolol ta-hydrochlorothiaz	T1	
metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg	T1	
metyrosine	T5	PA
mexiletine	T3	
minoxidil oral	T2	
moexipril	T1	
MULPLETA	T5	PA
MULTAQ	T4	
nadolol	T1	
nebivolol oral tablet 10 mg, 2.5 mg	T2	QL (93 EA per 31 days)
nebivolol oral tablet 20 mg	T2	QL (62 EA per 31 days)
nebivolol oral tablet 5 mg	T2	QL (217 EA per 31 days)
NEXLETOL	T4	PA; QL (31 EA per 31 days)
NEXLIZET	T4	PA; QL (31 EA per 31 days)
niacin oral tablet extended release 24 hr 1,000 mg, 750 mg	T3	
niacin oral tablet extended release 24 hr 500 mg	T3	QL (31 EA per 31 days)
nicardipine oral	T4	
nifedipine oral tablet extended release	T2	
nifedipine oral tablet extended release 24hr	T2	
NITRO-BID	T2	
nitroglycerin sublingual	T2	
nitroglycerin transdermal patch 24 hour	T2	
nitroglycerin translingual	T3	
olmesartan oral tablet 20 mg, 40 mg	T1	QL (31 EA per 31 days)
olmesartan oral tablet 5 mg	T1	QL (93 EA per 31 days)
olmesartan-amlodipin-hcthiazid	T3	
olmesartan-hydrochlorothiazide	T1	QL (31 EA per 31 days)
omega-3 acid ethyl esters	T3	QL (124 EA per 31 days)
PACERONE ORAL TABLET 100 MG, 200 MG	T2	
pentoxifylline	T2	
perindopril erbumine	T1	
pindolol	T1	
pitavastatin calcium	T3	
prasugrel hcl	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
pravastatin	T1	
prazosin	T1	
propafenone	T2	
propranolol oral capsule,extended release 24 hr	T2	
propranolol oral tablet	T1	
quinapril	T1	
quinapril-hydrochlorothiazide	T1	
quinidine sulfate oral tablet 200 mg	T2	
ramipril	T1	
ranolazine	T3	QL (62 EA per 31 days)
REDEMPLO	T5	PA; QL (0.5 ML per 90 days)
REPATHA SURECLICK	T3	PA; QL (3 ML per 28 days)
REPATHA SYRINGE	T3	PA; QL (3 ML per 28 days)
rivaroxaban oral suspension for reconstitution	T3	QL (930 ML per 31 days)
rivaroxaban oral tablet	T3	QL (62 EA per 31 days)
rosuvastatin	T1	
sacubitril-valsartan oral tablet 24-26 mg	T2	QL (186 EA per 31 days)
sacubitril-valsartan oral tablet 49-51 mg	T2	QL (93 EA per 31 days)
sacubitril-valsartan oral tablet 97-103 mg	T2	QL (62 EA per 31 days)
simvastatin	T1	
SOTALOL AF	T1	
sotalol oral	T1	
spironolactone oral tablet	T1	
spironolacton-hydrochlorothiaz	T1	
telmisartan	T1	
telmisartan-amlodipine	T2	
telmisartan-hydrochlorothiazid	T1	
terazosin	T1	
TIADYLT ER	T2	
ticagrelor oral tablet 60 mg	T3	
ticagrelor oral tablet 90 mg	T2	
timolol maleate oral	T1	
torsemide oral	T1	
trandolapril	T1	
triamterene	T4	
triamterene-hydrochlorothiazid	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	T5	PA; QL (62 EA per 31 days)
UPTRAVI ORAL TABLET 200 MCG	T5	PA; QL (224 EA per 28 days)
UPTRAVI ORAL TABLETS,DOSE PACK	T5	PA; QL (400 EA per 365 days)
valsartan oral tablet 160 mg, 40 mg, 80 mg	T1	QL (62 EA per 31 days)
valsartan oral tablet 320 mg	T1	QL (31 EA per 31 days)
valsartan-hydrochlorothiazide	T1	QL (31 EA per 31 days)
verapamil oral	T2	
VERQUVO	T4	PA; QL (31 EA per 31 days)
warfarin	T1	
Dermatologicals/Topical Therapy		
acitretin	T4	PA
acyclovir topical cream	T3	QL (5 GM per 28 days)
acyclovir topical ointment	T1	QL (30 GM per 30 days)
ALA-CORT TOPICAL CREAM	T1	
alclometasone	T2	
ammonium lactate	T2	
AMNESTEEM	T4	
ANZUPGO	T5	PA; QL (60 GM per 30 days)
azelaic acid	T4	ST; QL (50 GM per 28 days)
AZELEX	T4	QL (50 GM per 28 days)
betamethasone dipropionate topical cream	T2	
betamethasone dipropionate topical lotion	T1	
betamethasone dipropionate topical ointment	T1	
betamethasone valerate topical cream	T2	
betamethasone valerate topical lotion	T2	
betamethasone valerate topical ointment	T2	
betamethasone, augmented	T2	
calcipotriene scalp	T2	QL (60 ML per 28 days)
calcipotriene topical cream	T2	QL (60 GM per 28 days)
calcipotriene topical ointment	T2	QL (60 GM per 28 days)
calcipotriene-betamethasone topical ointment	T4	ST; QL (400 GM per 28 days)
ciclopirox topical cream	T2	QL (90 GM per 28 days)
ciclopirox topical gel	T2	QL (45 GM per 28 days)
ciclopirox topical shampoo	T2	QL (120 ML per 28 days)
ciclopirox topical solution	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ciclopirox topical suspension	T3	QL (60 ML per 28 days)
CLARAVIS	T4	
clindamycin phosphate topical gel	T2	QL (60 GM per 28 days)
clindamycin phosphate topical lotion	T2	QL (60 ML per 28 days)
clindamycin phosphate topical solution	T2	QL (60 ML per 28 days)
clindamycin phosphate topical swab	T2	
clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %	T2	
clobetasol scalp	T2	QL (50 ML per 28 days)
clobetasol topical cream 0.05 %	T2	QL (60 GM per 28 days)
clobetasol topical foam	T2	QL (100 GM per 28 days)
clobetasol topical gel	T2	QL (60 GM per 28 days)
clobetasol topical lotion	T3	QL (118 ML per 28 days)
clobetasol topical ointment	T3	QL (60 GM per 28 days)
clobetasol topical shampoo	T4	QL (118 ML per 28 days)
clobetasol topical spray,non-aerosol	T2	QL (125 ML per 28 days)
clobetasol-emollient topical cream	T3	QL (60 GM per 28 days)
clocortolone pivalate	T4	
clotrimazole topical cream	T2	QL (45 GM per 28 days)
clotrimazole topical solution	T2	QL (30 ML per 28 days)
clotrimazole-betamethasone topical cream	T2	QL (45 GM per 28 days)
clotrimazole-betamethasone topical lotion	T3	QL (60 ML per 28 days)
COSENTYX (2 SYRINGES)	T5	PA; QL (2 ML per 28 days)
COSENTYX PEN (2 PENS)	T5	PA; QL (2 ML per 28 days)
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	T5	PA; QL (0.5 ML per 28 days)
COSENTYX UNOREADY PEN	T5	PA; QL (2 ML per 28 days)
dapsone topical gel 5 %	T4	QL (90 GM per 28 days)
dapsone topical gel with pump	T4	QL (90 GM per 28 days)
desonide topical cream	T3	QL (60 GM per 28 days)
desonide topical lotion	T3	QL (118 ML per 28 days)
desonide topical ointment	T3	QL (60 GM per 28 days)
desoximetasone topical cream	T2	QL (100 GM per 28 days)
desoximetasone topical gel	T4	QL (60 GM per 28 days)
desoximetasone topical ointment 0.25 %	T2	QL (100 GM per 28 days)
desoximetasone topical spray,non-aerosol	T2	QL (100 ML per 28 days)
diclofenac sodium topical gel 3 %	T4	PA; QL (100 GM per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML	T5	PA; QL (2.28 ML per 28 days)
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	T5	PA; QL (8 ML per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	T5	PA; QL (2.28 ML per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML	T5	PA; QL (8 ML per 28 days)
ERY PADS	T3	
erythromycin with ethanol topical gel	T2	QL (60 GM per 28 days)
erythromycin with ethanol topical solution	T2	QL (60 ML per 28 days)
erythromycin-benzoyl peroxide	T3	
FILSUVEZ	T5	PA
fluocinolone and shower cap	T2	QL (118.28 ML per 28 days)
fluocinolone topical cream 0.01 %	T2	QL (60 GM per 28 days)
fluocinolone topical cream 0.025 %	T2	QL (120 GM per 28 days)
fluocinolone topical ointment	T2	QL (120 GM per 28 days)
fluocinolone topical solution	T2	QL (90 ML per 28 days)
fluocinonide topical cream 0.05 %	T2	QL (60 GM per 28 days)
fluocinonide topical gel	T2	QL (60 GM per 28 days)
fluocinonide topical ointment	T2	QL (60 GM per 28 days)
fluocinonide topical solution	T2	QL (60 ML per 28 days)
fluocinonide-emollient	T2	QL (60 GM per 28 days)
fluorouracil topical cream 5 %	T2	
fluorouracil topical solution	T2	
fluticasone propionate topical cream	T2	
gentamicin topical	T2	QL (60 GM per 28 days)
halobetasol propionate topical cream	T2	QL (50 GM per 28 days)
halobetasol propionate topical ointment	T2	QL (50 GM per 28 days)
hydrocortisone butyrate topical cream	T2	QL (45 GM per 28 days)
hydrocortisone butyrate topical ointment	T2	QL (45 GM per 28 days)
hydrocortisone butyrate topical solution	T2	QL (60 ML per 28 days)
hydrocortisone topical cream 1 %	T1	
hydrocortisone topical lotion 2.5 %	T1	QL (118 ML per 28 days)
hydrocortisone topical ointment 1 %, 2.5 %	T1	
hydrocortisone valerate	T2	QL (60 GM per 28 days)
imiquimod topical cream in packet 5 %	T2	
ketoconazole topical cream	T2	QL (60 GM per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ketoconazole topical shampoo	T2	QL (120 ML per 28 days)
lidocaine hcl mucous membrane solution 2 %	T2	
lidocaine hcl mucous membrane solution 4 % (40 mg/ml)	T2	PA; QL (50 ML per 28 days)
lidocaine topical adhesive patch,medicated 5 %	T3	PA; QL (93 EA per 31 days)
lidocaine topical ointment	T2	PA; QL (50 GM per 28 days)
lidocaine-prilocaine topical cream	T2	PA; QL (30 GM per 28 days)
malathion	T4	
metronidazole topical cream	T2	
metronidazole topical gel	T2	
metronidazole topical lotion	T2	
mometasone topical	T2	
mupirocin	T2	
NYAMYC	T2	QL (60 GM per 28 days)
nystatin topical cream	T2	QL (30 GM per 28 days)
nystatin topical ointment	T2	QL (30 GM per 28 days)
nystatin topical powder	T2	QL (60 GM per 28 days)
nystatin-triamcinolone	T2	QL (60 GM per 28 days)
NYSTOP	T2	QL (60 GM per 28 days)
PANRETIN	T5	PA-NS
penciclovir	T4	QL (5 GM per 28 days)
permethrin	T2	
pimecrolimus	T3	QL (100 GM per 28 days)
podofilox topical solution	T2	
selenium sulfide topical lotion	T1	
SILIQ	T5	PA; QL (6 ML per 28 days)
silver sulfadiazine	T1	
SKYRIZI SUBCUTANEOUS PEN INJECTOR	T5	PA; QL (1 ML per 84 days)
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	T5	PA; QL (1 ML per 84 days)
SKYRIZI SUBCUTANEOUS SYRINGE 55 MG/0.37 ML	T5	PA; QL (0.37 ML per 84 days)
SSD	T4	
STEQEYMA SUBCUTANEOUS SOLUTION	T3	PA; QL (0.5 ML per 84 days)
STEQEYMA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	T3	PA; QL (0.5 ML per 84 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
STEQEYMA SUBCUTANEOUS SYRINGE 90 MG/ML	T5	PA; QL (1 ML per 56 days)
sulfacetamide sodium (acne)	T2	
SULFAMYLON TOPICAL CREAM	T4	
tacrolimus topical	T2	QL (100 GM per 28 days)
tazarotene topical cream	T4	PA; QL (60 GM per 28 days)
tretinoin topical cream	T2	PA; QL (45 GM per 28 days)
tretinoin topical gel 0.01 %, 0.025 %	T4	PA; QL (45 GM per 28 days)
triamcinolone acetonide topical cream	T1	
triamcinolone acetonide topical lotion	T1	
triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %	T1	
triamcinolone acetonide topical ointment 0.05 %	T4	
TRIDERM TOPICAL CREAM 0.5 %	T1	
VALCHLOR	T5	PA-NS
VTAMA	T5	PA; QL (60 GM per 28 days)
YESINTEK SUBCUTANEOUS SOLUTION	T3	PA; QL (0.5 ML per 84 days)
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	T3	PA; QL (0.5 ML per 84 days)
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	T5	PA; QL (1 ML per 56 days)
ZELSUVMI	T5	PA; QL (31 GM per 28 days)
Diagnostics / Miscellaneous Agents		
acamprosate	T2	
anagrelide	T3	
bupropion hcl (smoking deter)	T2	QL (62 EA per 31 days)
carglumic acid	T5	PA
cevimeline	T4	
CHEMET	T4	
CLINIMIX 4.25%/D5W SULFIT FREE	T4	PA-BvD
d10 %-0.45 % sodium chloride	T2	
d2.5 %-0.45 % sodium chloride	T2	
d5 % and 0.9 % sodium chloride	T2	
d5 %-0.45 % sodium chloride	T2	
deferasirox oral tablet, dispersible 125 mg	T4	PA
deferasirox oral tablet, dispersible 250 mg, 500 mg	T5	PA
dextrose 10 % in water (d10w)	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
dextrose 5 % in water (d5w) intravenous parenteral solution	T2	
disulfiram	T2	
droxidopa oral capsule 100 mg	T4	PA; QL (465 EA per 31 days)
droxidopa oral capsule 200 mg, 300 mg	T5	PA; QL (186 EA per 31 days)
DUVYZAT	T5	PA; QL (420 ML per 35 days)
glycerol phenylbutyrate	T5	PA
INCRELEX	T5	PA
JOENJA ORAL TABLET 70 MG	T5	PA; QL (60 EA per 30 days)
KIONEX ORAL SUSPENSION	T2	
KYGEVVI	T5	PA; QL (496 EA per 30 days)
levocarnitine (with sugar)	T3	PA-BvD
levocarnitine oral tablet	T2	PA-BvD
LITFULO	T5	PA; QL (28 EA per 28 days)
LITHOSTAT	T4	
LOARGYS	T5	PA
LOKELMA	T3	QL (93 EA per 31 days)
midodrine	T2	
NICOTROL NS	T4	
nitisinone	T5	PA
PHEBURANE	T5	PA; QL (620 GM per 31 days)
pilocarpine hcl oral	T2	
PROLASTIN-C INTRAVENOUS SOLUTION	T5	PA
REVCOVI	T5	
REZDIFFRA	T5	PA; QL (31 EA per 31 days)
riluzole	T4	
risedronate oral tablet 30 mg	T5	
sevelamer carbonate	T3	PA-BvD
sevelamer hcl	T4	PA-BvD
sodium chloride 0.9 % intravenous parenteral solution	T2	
sodium chloride irrigation	T2	
sodium phenylbutyrate	T5	PA
sodium polystyrene sulfonate	T2	
SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 5 MG	T5	PA; QL (31 EA per 31 days)
SOHONOS ORAL CAPSULE 10 MG	T5	PA; QL (62 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
SPS (WITH SORBITOL) ORAL	T2	
trientine oral capsule 250 mg	T5	QL (248 EA per 31 days)
varenicline tartrate oral tablet	T4	QL (60 EA per 30 days)
varenicline tartrate oral tablets,dose pack	T4	QL (106 EA per 365 days)
WEGOVY ORAL	T3	PA; QL (31 EA per 31 days)
WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML	T3	PA; QL (2 ML per 28 days)
WEGOVY SUBCUTANEOUS PEN INJECTOR 1.7 MG/0.75 ML, 2.4 MG/0.75 ML	T3	PA; QL (3 ML per 28 days)
ZOKINVY	T5	PA
Ear, Nose / Throat Medications		
acetic acid otic (ear)	T2	
azelastine nasal spray,non-aerosol 137 mcg (0.1 %)	T2	QL (30 ML per 25 days)
chlorhexidine gluconate mucous membrane	T1	
ciprofloxacin-dexamethasone	T4	
fluocinolone acetonide oil	T2	
ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)	T1	QL (30 ML per 28 days)
ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)	T1	QL (15 ML per 28 days)
KOURZEQ	T2	
neomycin-polymyxin-hc otic (ear)	T3	
ofloxacin otic (ear)	T2	
olopatadine nasal	T2	QL (30.5 GM per 30 days)
PERIOGARD	T1	
triamcinolone acetonide dental	T2	
Endocrine/Diabetes		
acarbose	T1	QL (93 EA per 31 days)
ALCOHOL PADS	T2	PA
cabergoline	T2	
calcitonin (salmon) nasal	T2	PA-BvD
calcitriol oral capsule	T2	PA-BvD
calcitriol oral solution	T3	PA-BvD
cinacalcet oral tablet 30 mg, 60 mg	T3	PA-BvD; QL (62 EA per 31 days)
cinacalcet oral tablet 90 mg	T3	PA-BvD; QL (124 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
danazol	T2	
dapagliflozin	T3	QL (31 EA per 31 days)
desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)	T4	
desmopressin oral	T2	
dexamethasone oral solution	T1	
dexamethasone oral tablet	T1	
diazoxide	T5	
doxercalciferol oral	T4	PA-BvD
FARXIGA	T3	ST; QL (31 EA per 31 days)
FIASP FLEXTOUCH U-100 INSULIN	T3	
FIASP PENFILL U-100 INSULIN	T3	
FIASP U-100 INSULIN	T3	
fludrocortisone	T1	
glimepiride oral tablet 1 mg, 2 mg, 4 mg	T1	
glipizide oral tablet 10 mg, 5 mg	T1	
glipizide oral tablet extended release 24hr	T1	
glipizide-metformin	T1	
GLUCAGON EMERGENCY KIT (HUMAN)	T3	
glyburide	T2	
glyburide-metformin	T2	
GLYXAMBI	T3	QL (31 EA per 31 days)
GVOKE	T3	
GVOKE HYPOPEN 2-PACK	T3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	T3	
HUMALOG JUNIOR KWIKPEN U-100	T3	
HUMALOG KWIKPEN INSULIN	T3	
HUMALOG MIX 50-50 KWIKPEN	T3	
HUMALOG MIX 75-25 KWIKPEN	T3	
HUMALOG MIX 75-25(U-100)INSULN	T3	
HUMALOG U-100 INSULIN	T3	
HUMULIN 70/30 U-100 INSULIN	T3	
HUMULIN 70/30 U-100 KWIKPEN	T3	
HUMULIN N NPH INSULIN KWIKPEN	T3	
HUMULIN N NPH U-100 INSULIN	T3	
HUMULIN R REGULAR U-100 INSULN	T3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
HUMULIN R U-500 (CONC) KWIKPEN	T3	
hydrocortisone oral	T1	
insulin glargine-yfgn	T3	
insulin lispro	T3	
insulin lispro protamin-lispro	T3	
JANUMET	T3	ST; QL (62 EA per 31 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-500 MG	T3	ST; QL (31 EA per 31 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG	T3	ST; QL (62 EA per 31 days)
JANUVIA ORAL TABLET 100 MG, 50 MG	T3	ST; QL (31 EA per 31 days)
JANUVIA ORAL TABLET 25 MG	T3	ST; QL (93 EA per 31 days)
JARDIANCE ORAL TABLET 10 MG	T3	ST; QL (62 EA per 31 days)
JARDIANCE ORAL TABLET 25 MG	T3	ST; QL (31 EA per 31 days)
JAVYGTOR	T5	PA
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG	T3	ST; QL (62 EA per 31 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	T3	ST; QL (62 EA per 31 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	T3	ST; QL (31 EA per 31 days)
KIRSTY	T3	
KIRSTY PEN	T3	
LANTUS SOLOSTAR U-100 INSULIN	T3	
LANTUS U-100 INSULIN	T3	
levothyroxine oral capsule	T4	
levothyroxine oral tablet	T1	
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	T3	
LIOMNY	T2	
liothyronine oral	T2	
liraglutide	T4	PA; QL (9 ML per 30 days)
metformin oral solution	T4	ST; QL (791 ML per 31 days)
metformin oral tablet 1,000 mg, 500 mg, 850 mg	T1	
metformin oral tablet extended release 24 hr	T1	
methimazole oral tablet 10 mg, 5 mg	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
methylprednisolone	T2	
mifepristone oral tablet 300 mg	T5	PA; QL (124 EA per 31 days)
miglustat	T5	PA; QL (93 EA per 31 days)
MOUNJARO	T3	PA; QL (2 ML per 28 days)
nateglinide	T1	QL (93 EA per 31 days)
NOVOLIN 70/30 U-100 INSULIN	T3	
NOVOLIN 70-30 FLEXPEN U-100	T3	
NOVOLIN N FLEXPEN	T3	
NOVOLIN N NPH U-100 INSULIN	T3	
NOVOLIN R FLEXPEN	T3	
NOVOLIN R REGULAR U100 INSULIN	T3	
NOVOLOG MIX 70-30 U-100 INSULN	T3	
NOVOLOG MIX 70-30FLEXPEN U-100	T3	
OZEMPIC ORAL	T3	PA; QL (31 EA per 31 days)
OZEMPIC SUBCUTANEOUS	T3	PA; QL (3 ML per 28 days)
paricalcitol oral	T2	PA-BvD
pioglitazone	T1	QL (31 EA per 31 days)
pioglitazone-metformin	T2	QL (93 EA per 31 days)
prednisolone oral solution	T2	
prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)	T2	
prednisone oral solution	T3	
prednisone oral tablet	T1	
prednisone oral tablets,dose pack	T2	
propylthiouracil	T2	
repaglinide oral tablet 0.5 mg, 1 mg	T1	QL (124 EA per 31 days)
repaglinide oral tablet 2 mg	T1	QL (248 EA per 31 days)
REZVOGLAR KWIKPEN	T3	
sapropterin	T5	PA
saxagliptin	T3	QL (31 EA per 31 days)
saxagliptin-metformin oral tablet, er multiphase 24 hr 2.5-1,000 mg	T3	QL (62 EA per 31 days)
saxagliptin-metformin oral tablet, er multiphase 24 hr 5-1,000 mg, 5-500 mg	T3	QL (31 EA per 31 days)
sitagliptin oral tablet 100 mg, 50 mg	T3	QL (31 EA per 31 days)
sitagliptin oral tablet 25 mg	T3	QL (93 EA per 31 days)
sitagliptin phos-metformin oral tablet	T3	QL (62 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
sitagliptin phos-metformin oral tablet, er multiphase 24 hr 100-1,000 mg, 50-500 mg	T3	QL (31 EA per 31 days)
sitagliptin phos-metformin oral tablet, er multiphase 24 hr 50-1,000 mg	T3	QL (62 EA per 31 days)
sitagliptin phosphate oral tablet 100 mg, 50 mg	T3	QL (31 EA per 31 days)
sitagliptin phosphate oral tablet 25 mg	T3	QL (93 EA per 31 days)
sitagliptin-metformin oral tablet	T3	QL (62 EA per 31 days)
sitagliptin-metformin oral tablet, er multiphase 24 hr 100-1,000 mg, 50-500 mg	T3	QL (31 EA per 31 days)
sitagliptin-metformin oral tablet, er multiphase 24 hr 50-1,000 mg	T3	QL (62 EA per 31 days)
SOLIQUA 100/33	T3	QL (18 ML per 30 days)
SOMAVERT	T5	PA
SYNAREL	T5	PA
SYNJARDY	T3	QL (62 EA per 31 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 12.5-1,000 MG, 5-1,000 MG	T3	QL (62 EA per 31 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 25-1,000 MG	T3	QL (31 EA per 31 days)
SYNTHROID	T3	
TARPEYO	T5	PA; QL (124 EA per 31 days)
testosterone cypionate	T2	PA
testosterone enanthate	T2	PA
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)	T4	PA
testosterone transdermal solution in metered pump w/app	T4	PA
TIROSINT	T4	
tolvaptan	T5	PA; QL (112 EA per 28 days)
tolvaptan (polycys kidney dis) oral tablet	T5	PA; QL (112 EA per 28 days)
tolvaptan (polycys kidney dis) oral tablets, sequential	T5	PA; QL (56 EA per 28 days)
TOUJEO MAX U-300 SOLOSTAR	T3	
TOUJEO SOLOSTAR U-300 INSULIN	T3	
TRADJENTA	T3	ST; QL (31 EA per 31 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	T3	QL (31 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	T3	QL (62 EA per 31 days)
TRULICITY	T3	PA; QL (2 ML per 28 days)
UNITHROID	T3	
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG, 5-500 MG	T3	QL (31 EA per 31 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG	T3	QL (62 EA per 31 days)
XULTOPHY 100/3.6	T3	QL (15 ML per 30 days)
YARGESA	T5	PA; QL (93 EA per 31 days)
YORVIPATH SUBCUTANEOUS PEN INJECTOR 168 MCG/0.56 ML	T5	PA; QL (1.12 ML per 28 days)
YORVIPATH SUBCUTANEOUS PEN INJECTOR 294 MCG/0.98 ML	T5	PA; QL (1.96 ML per 28 days)
YORVIPATH SUBCUTANEOUS PEN INJECTOR 420 MCG/1.4 ML	T5	PA; QL (2.8 ML per 28 days)
ZELVYSIA	T5	PA
Gastroenterology		
alosetron oral tablet 0.5 mg	T4	PA; QL (93 EA per 31 days)
alosetron oral tablet 1 mg	T5	PA; QL (62 EA per 31 days)
aprepitant oral capsule 125 mg	T5	PA-BvD
aprepitant oral capsule 40 mg, 80 mg	T4	PA-BvD
aprepitant oral capsule,dose pack	T4	PA-BvD
balsalazide	T2	
betaine	T5	
bismuth subcit k-metronidz-tcn	T4	
budesonide oral capsule,delayed,extend.release	T4	
budesonide oral tablet,delayed and ext.release	T5	
COMPRO	T4	
CONSTULOSE	T2	
CREON	T3	
cromolyn oral	T4	
dicyclomine oral capsule	T2	
dicyclomine oral solution	T2	
dicyclomine oral tablet 20 mg	T2	
diphenoxylate-atropine oral liquid	T4	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
diphenoxylate-atropine oral tablet	T2	
dronabinol oral capsule	T4	PA-BvD
ENTYVIO PEN	T5	PA; QL (1.36 ML per 28 days)
ENULOSE	T2	
EOHILIA	T5	PA; QL (1800 ML per 365 days)
esomeprazole magnesium oral capsule,delayed release(dr/ec)	T2	QL (31 EA per 31 days)
famotidine oral suspension for reconstitution	T2	
famotidine oral tablet 20 mg, 40 mg	T1	
GATTEX 30-VIAL	T5	PA
GAVILYTE-C	T1	
GAVILYTE-G	T1	
GAVILYTE-N	T1	
GENERLAC	T2	
glycopyrrolate oral tablet 1 mg, 2 mg	T2	
granisetron hcl oral	T4	PA-BvD
hydrocortisone rectal	T4	
hydrocortisone topical cream with perineal applicator 2.5 %	T1	
lactulose oral solution	T1	
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	T2	QL (31 EA per 31 days)
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	T2	QL (62 EA per 31 days)
LINZESS	T3	QL (31 EA per 31 days)
loperamide oral capsule	T2	
lubiprostone	T4	QL (62 EA per 31 days)
meclizine oral tablet 12.5 mg, 25 mg	T4	
mesalamine oral capsule (with del rel tablets)	T3	QL (186 EA per 31 days)
mesalamine oral capsule,extended release 24hr	T4	QL (124 EA per 31 days)
mesalamine oral tablet,delayed release (dr/ec) 1.2 gram	T3	QL (124 EA per 31 days)
mesalamine rectal enema	T4	QL (1860 ML per 31 days)
methscopolamine	T2	
metoclopramide hcl oral solution	T2	
metoclopramide hcl oral tablet	T2	
misoprostol	T2	
MOVANTIK	T3	QL (31 EA per 31 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
nitroglycerin rectal	T4	
omeprazole oral capsule,delayed release(dr/ec)	T1	
ondansetron hcl oral solution	T3	PA-BvD
ondansetron hcl oral tablet 4 mg, 8 mg	T2	PA-BvD
ondansetron oral tablet,disintegrating 4 mg, 8 mg	T2	PA-BvD
pantoprazole oral tablet,delayed release (dr/ec)	T1	
peg 3350-electrolytes	T1	
peg3350-sod sul-nacl-kcl-asb-c	T4	
peg-electrolyte soln	T1	
prochlorperazine	T4	
prochlorperazine maleate	T2	
PROCTO-MED HC	T2	
PROCTOSOL HC TOPICAL	T2	
PROCTOZONE-HC	T2	
rabeprazole oral tablet,delayed release (dr/ec)	T2	QL (62 EA per 31 days)
scopolamine base	T3	QL (10 EA per 30 days)
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML)	T5	PA; QL (1.2 ML per 56 days)
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML)	T5	PA; QL (2.4 ML per 56 days)
sodium,potassium,mag sulfates	T4	
sucralfate oral suspension	T4	
sucralfate oral tablet	T2	
sulfasalazine	T2	
SYMPROIC	T4	PA; QL (31 EA per 31 days)
ursodiol oral capsule 300 mg	T3	
ursodiol oral tablet	T3	
VOWST	T5	PA; QL (12 EA per 14 days)
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	T3	
ZYMFENTRA	T5	PA; QL (1 EA per 28 days)
Immunology, Vaccines / Biotechnology		
ABRYSVO (PF)	T3	QL (1 EA per 365 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
ACTHIB (PF)	T3	
ACTIMMUNE	T5	PA
ADACEL(TDAP ADOLESN/ADULT)(PF)	T3	
AREXVY (PF)	T3	QL (1 EA per 365 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT	T5	PA; QL (1 EA per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT	T5	PA; QL (1 EA per 28 days)
bcg vaccine, live (pf)	T3	
BESREMI	T5	PA-NS; QL (2 ML per 28 days)
BESREMI PEN	T5	PA-NS; QL (1 ML per 28 days)
BETASERON SUBCUTANEOUS KIT	T5	PA; QL (14 EA per 28 days)
BEXSERO	T3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE	T3	
DAPTACEL (DTAP PEDIATRIC) (PF)	T3	
ENGERIX-B (PF)	T3	PA-BvD
ENGERIX-B PEDIATRIC (PF)	T3	PA-BvD
GAMMAGARD LIQUID	T5	PA
GAMMAGARD LIQUID ERC	T5	PA
GAMMAGARD S-D (IGA < 1 MCG/ML)	T5	PA
GARDASIL 9 (PF)	T3	
HAVRIX (PF)	T3	
HEPLISAV-B (PF)	T3	PA-BvD
HIBERIX (PF)	T3	
IMOVAX RABIES VACCINE (PF)	T3	PA-BvD
INFANRIX (DTAP) (PF)	T3	
IPOL	T3	
IXIARO (PF)	T3	
JYNNEOS (PF)	T3	PA-BvD
KINRIX (PF)	T3	
LEUKINE INJECTION RECON SOLN	T5	PA
MENQUADFI (PF)	T3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT	T3	
M-M-R II (PF)	T3	
MRESVIA (PF)	T3	QL (1 ML per 365 days)
NIVESTYM	T5	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	T5	PA
ODACTRA	T4	PA
OMNITROPE SUBCUTANEOUS CARTRIDGE 5 MG/1.5 ML (3.3 MG/ML)	T4	PA
PEDIARIX (PF)	T3	
PEDVAX HIB (PF)	T3	
PEGASYS	T5	PA
PENBRAYA (PF)	T3	
PENMENVY MEN A-B-C-W-Y (PF)	T3	
PENTACEL (PF)	T3	
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	T5	PA; QL (1 ML per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	T5	PA; QL (1 ML per 28 days)
PRIORIX (PF)	T3	
PRIVIGEN	T5	PA
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	T3	PA-BvD
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML, 40,000 UNIT/ML	T5	PA-BvD
PROQUAD (PF)	T3	
QUADRACEL (PF)	T3	
RABAVERT (PF)	T3	PA-BvD
RECOMBIVAX HB (PF)	T3	PA-BvD
RETACRIT	T3	PA-BvD
ROTARIX	T3	
ROTATEQ VACCINE	T3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION	T3	QL (2 EA per 999 days)
SHINGRIX (PF) INTRAMUSCULAR SYRINGE	T3	QL (1 ML per 999 days)
TENIVAC (PF)	T3	
TICOVAC	T3	
TRUMENBA	T3	
TWINRIX (PF)	T3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
TYPHIM VI INTRAMUSCULAR SYRINGE	T3	
VAQTA (PF)	T3	
VARIVAX (PF)	T3	
VAXCHORA VACCINE	T3	QL (200 ML per 365 days)
VIMKUNYA (PF)	T3	
VIVOTIF	T3	
XOLREMDI	T5	PA; QL (124 EA per 31 days)
YF-VAX (PF)	T3	
ZARXIO	T5	
Miscellaneous Supplies		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	T4	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	T2	PA
insulin syringe-needle u-100 syringe 0.3 ml 29 gauge, 1 ml 29 gauge x 1/2", 1/2 ml 28 gauge	T3	
pen needle, diabetic needle 29 gauge x 1/2"	T4	
Musculoskeletal / Rheumatology		
ACTEMRA ACTPEN	T5	PA; QL (3.6 ML per 28 days)
ACTEMRA SUBCUTANEOUS	T5	PA; QL (3.6 ML per 28 days)
alendronate oral tablet 10 mg, 35 mg, 70 mg	T1	
allopurinol oral tablet 100 mg, 300 mg	T1	
BENLYSTA SUBCUTANEOUS	T5	PA; QL (4 ML per 28 days)
BILDYOS	T3	PA; QL (1 ML per 180 days)
colchicine oral tablet	T2	QL (62 EA per 31 days)
ENBREL MINI	T5	PA; QL (8 ML per 28 days)
ENBREL SUBCUTANEOUS SOLUTION	T5	PA; QL (4 ML per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5)	T5	PA; QL (4 ML per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (1 ML)	T5	PA; QL (8 ML per 28 days)
ENBREL SURECLICK	T5	PA; QL (8 ML per 28 days)
ENOBY	T3	PA; QL (1 ML per 180 days)
HADLIMA	T5	PA; QL (3.2 ML per 28 days)
HADLIMA PUSHTOUCH	T5	PA; QL (3.2 ML per 28 days)
HADLIMA(CF)	T5	PA; QL (1.6 ML per 28 days)
HADLIMA(CF) PUSHTOUCH	T5	PA; QL (1.6 ML per 28 days)
ibandronate oral	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
JUBBONTI	T3	PA; QL (1 ML per 180 days)
KINERET	T5	PA; QL (18.76 ML per 28 days)
leflunomide	T2	
ORENCIA CLICKJECT	T5	PA; QL (4 ML per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	T5	PA; QL (4 ML per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	T5	PA; QL (1.6 ML per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	T5	PA; QL (2.8 ML per 28 days)
OTEZLA	T5	PA; QL (62 EA per 31 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)	T5	PA; QL (110 EA per 365 days)
OTEZLA XR	T5	PA; QL (30 EA per 30 days)
OTEZLA XR INITIATION	T5	PA; QL (82 EA per 365 days)
penicillamine oral tablet	T5	
probenecid	T2	
probenecid-colchicine	T2	
raloxifene	T3	
RINVOQ LQ	T5	PA; QL (372 ML per 31 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG	T5	PA; QL (31 EA per 31 days)
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 45 MG	T5	PA; QL (168 EA per 365 days)
risedronate oral tablet 150 mg, 35 mg, 35 mg (12 pack), 35 mg (4 pack), 5 mg	T3	
risedronate oral tablet,delayed release (dr/ec)	T3	
SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML	T5	PA; QL (4 EA per 28 days)
SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML	T5	PA; QL (2 EA per 28 days)
SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML	T5	PA; QL (2 EA per 28 days)
SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	T5	PA; QL (4 EA per 28 days)
teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)	T5	PA; QL (2.48 ML per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
tofacitinib oral solution	T5	PA; QL (310 ML per 31 days)
tofacitinib oral tablet	T3	PA; QL (62 EA per 31 days)
tofacitinib oral tablet extended release 24 hr 11 mg	T3	PA; QL (31 EA per 31 days)
tofacitinib oral tablet extended release 24 hr 22 mg	T5	PA; QL (31 EA per 31 days)
TYMLOS	T5	PA; QL (1.56 ML per 30 days)
Obstetrics / Gynecology		
ABIGALE	T2	
ALTAVERA (28)	T2	
ALYACEN 1/35 (28)	T2	
APRI	T2	
AVIANE	T2	
CAMILA	T2	
CLIMARA PRO	T4	
clindamycin phosphate vaginal	T2	
CRYSELLE (28)	T2	
CYRED EQ	T2	
DEPO-SUBQ PROVERA 104	T3	
DOLISHALE	T4	
DOTTI	T2	
drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)	T2	
drospirenone-ethinyl estradiol	T2	
ERRIN	T2	
ESTARYLLA	T2	
estradiol oral	T1	
estradiol transdermal patch weekly	T2	
estradiol vaginal cream	T2	
estradiol vaginal tablet	T4	
estradiol-norethindrone acet	T2	
ESTRING	T4	
etonogestrel-ethinyl estradiol	T3	
GALLIFREY	T2	
HAILEY 24 FE	T2	
HEATHER	T2	
IMVEXXY MAINTENANCE PACK	T3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
IMVEXXY STARTER PACK	T3	
INCASSIA	T2	
ISIBLOOM	T2	
JINTELI	T2	
JUNEL 1.5/30 (21)	T2	
JUNEL 1/20 (21)	T2	
JUNEL FE 1.5/30 (28)	T2	
JUNEL FE 1/20 (28)	T2	
JUNEL FE 24	T2	
KARIVA (28)	T2	
KURVELO (28)	T2	
l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)	T2	
LESSINA	T2	
levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg	T2	
levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)	T4	
levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month	T2	
levonorg-eth estrad triphasic	T2	
LILETTA	T3	
LYLEQ	T2	
LYLLANA	T2	
LYZA	T2	
medroxyprogesterone	T2	
metronidazole vaginal gel 0.75 % (37.5mg/5 gram)	T3	
MICONAZOLE-3 VAGINAL SUPPOSITORY	T2	
MICROGESTIN 1.5/30 (21)	T2	
MICROGESTIN 1/20 (21)	T2	
MICROGESTIN FE 1.5/30 (28)	T2	
MICROGESTIN FE 1/20 (28)	T2	
MILI	T2	
NEXPLANON	T3	
norethindrone (contraceptive)	T2	
norethindrone acetate	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg	T2	
norethindrone-e.estradiol-iron oral tablet,chewable	T2	
norgestimate-ethinyl estradiol	T2	
NORTREL 7/7/7 (28)	T2	
NYLIA 1/35 (28)	T2	
NYLIA 7/7/7 (28)	T2	
PIMTREA (28)	T2	
PREMARIN VAGINAL	T3	
progesterone micronized oral	T2	
SETLAKIN	T2	
SPRINTEC (28)	T2	
terconazole	T2	
tranexamic acid oral	T2	
TRI-LO-SPRINTEC	T2	
TRI-MILI	T2	
TRI-SPRINTEC (28)	T2	
VELIVET TRIPHASIC REGIMEN (28)	T2	
VESTURA (28)	T2	
VIENVA	T2	
YUVAFEM	T4	
ZAFEMY	T3	
Ophthalmology		
acetazolamide	T2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	T3	
apraclonidine	T2	
atropine ophthalmic (eye) drops 1 %	T2	
AZASITE	T4	
azelastine ophthalmic (eye)	T2	
bacitracin-polymyxin b	T2	
BESIVANCE	T4	
betaxolol ophthalmic (eye)	T2	
bimatoprost ophthalmic (eye) drops 0.03 %	T2	
brimonidine ophthalmic (eye) drops 0.1 %	T3	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
brimonidine ophthalmic (eye) drops 0.15 %, 0.2 %	T2	
brimonidine-timolol	T3	
brinzolamide	T4	
bromfenac ophthalmic (eye) drops 0.09 %	T2	
carteolol	T2	
CILOXAN OPHTHALMIC (EYE) OINTMENT	T4	
ciprofloxacin hcl ophthalmic (eye)	T1	
COMBIGAN	T3	
cromolyn ophthalmic (eye)	T2	
cyclosporine ophthalmic (eye)	T3	QL (60 EA per 30 days)
CYSTARAN	T5	PA; QL (60 ML per 28 days)
dexamethasone sodium phosphate ophthalmic (eye)	T2	
diclofenac sodium ophthalmic (eye)	T1	
difluprednate	T4	
dorzolamide	T2	
dorzolamide-timolol	T2	
epinastine	T2	
erythromycin ophthalmic (eye)	T2	
fluorometholone	T2	
flurbiprofen sodium	T2	
gatifloxacin	T3	
gentamicin ophthalmic (eye) drops	T1	
ketorolac ophthalmic (eye)	T2	
latanoprost	T1	
levobunolol ophthalmic (eye) drops 0.5 %	T1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	T3	QL (5 ML per 31 days)
methazolamide oral tablet 25 mg	T2	
methazolamide oral tablet 50 mg	T4	
MIEBO (PF)	T4	
moxifloxacin ophthalmic (eye) drops	T3	
neomycin-bacitracin-poly-hc	T3	
neomycin-bacitracin-polymyxin	T2	
neomycin-polymyxin b-dexameth	T2	
neomycin-polymyxin-gramicidin	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
neomycin-polymyxin-hc ophthalmic (eye)	T3	
ofloxacin ophthalmic (eye)	T2	
pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %	T2	
polymyxin b sulf-trimethoprim	T1	
prednisolone acetate	T1	
prednisolone sodium phosphate ophthalmic (eye)	T2	
RESTASIS	T3	QL (60 EA per 30 days)
RESTASIS MULTIDOSE	T3	QL (5.5 ML per 27 days)
RHOPRESSA	T4	ST
ROCKLATAN	T4	ST
SIMBRINZA	T4	
sulfacetamide sodium ophthalmic (eye) drops	T2	
sulfacetamide-prednisolone	T2	
tafluprost (pf)	T4	
timolol maleate ophthalmic (eye) drops	T1	
timolol maleate ophthalmic (eye) drops, once daily	T4	
timolol maleate ophthalmic (eye) gel forming solution	T3	
TOBRADEX	T3	
TOBRADEX ST	T3	
tobramycin ophthalmic (eye)	T1	
tobramycin-dexamethasone	T2	
tobramycin-lotepred	T4	
TOBREX OPHTHALMIC (EYE) OINTMENT	T4	
travoprost	T3	
trifluridine	T2	
XDEMVY	T5	PA; QL (10 ML per 42 days)
XIIDRA	T3	QL (60 EA per 30 days)
ZIRGAN	T4	ST
Respiratory And Allergy		
acetylcysteine	T2	PA-BvD
ADEMPAS	T5	PA; QL (93 EA per 31 days)
ADVAIR HFA	T3	QL (12 GM per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation	T3	QL (17 GM per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	T3	QL (13.4 GM per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml	T2	PA-BvD
albuterol sulfate oral syrup	T1	
albuterol sulfate oral tablet	T2	
ambrisentan	T5	PA; QL (31 EA per 31 days)
ANORO ELLIPTA	T3	QL (60 EA per 30 days)
arformoterol	T4	PA-BvD
ASMANEX HFA	T3	QL (13 GM per 30 days)
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	T3	QL (1 EA per 30 days)
azelastine-fluticasone	T4	QL (23 GM per 30 days)
BREO ELLIPTA	T3	QL (60 EA per 30 days)
BREZTRI AEROSPHERE	T3	QL (10.7 GM per 30 days)
BRINSUPRI	T5	PA; QL (31 EA per 31 days)
budesonide inhalation	T4	PA-BvD
budesonide-formoterol	T3	QL (10.2 GM per 30 days)
cetirizine oral solution 1 mg/ml	T1	QL (310 ML per 31 days)
CINRYZE	T5	PA; QL (20 EA per 28 days)
COMBIVENT RESPIMAT	T3	QL (4 GM per 30 days)
cromolyn inhalation	T4	PA-BvD
cyproheptadine oral tablet	T2	PA
desloratadine oral tablet	T1	QL (31 EA per 31 days)
DULERA	T3	QL (13 GM per 30 days)
epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml	T3	
FASENRA PEN	T5	PA; QL (1 ML per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	T5	PA; QL (0.5 ML per 56 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	T5	PA; QL (1 ML per 28 days)
flunisolide	T2	QL (50 ML per 25 days)
fluticasone furoate-vilanterol	T3	QL (60 EA per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
fluticasone propionate inhalation blister with device 100 mcg/actuation, 50 mcg/actuation	T4	ST; QL (60 EA per 30 days)
fluticasone propionate inhalation blister with device 250 mcg/actuation	T4	ST; QL (240 EA per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation	T4	ST; QL (12 GM per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation	T4	ST; QL (24 GM per 30 days)
fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation	T4	ST; QL (10.6 GM per 30 days)
fluticasone propionate nasal	T1	QL (16 GM per 30 days)
hydroxyzine hcl oral tablet	T4	PA
icatibant	T5	PA; QL (18 ML per 30 days)
ipratropium bromide inhalation hfa aerosol inhaler	T4	QL (25.8 GM per 30 days)
ipratropium bromide inhalation solution	T2	PA-BvD
ipratropium-albuterol	T2	PA-BvD
JASCAYD	T5	PA; QL (62 EA per 31 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 5.8 MG, 50 MG, 75 MG	T5	PA; QL (56 EA per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG	T5	PA; QL (62 EA per 31 days)
KALYDECO ORAL TABLET	T5	PA; QL (62 EA per 31 days)
levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml	T2	PA-BvD
levalbuterol tartrate	T3	QL (30 GM per 30 days)
levocetirizine oral solution	T4	QL (310 ML per 31 days)
levocetirizine oral tablet	T1	QL (31 EA per 31 days)
mometasone nasal	T3	QL (34 GM per 30 days)
montelukast oral tablet	T1	QL (31 EA per 31 days)
montelukast oral tablet,chewable	T1	QL (31 EA per 31 days)
nintedanib	T5	PA; QL (62 EA per 31 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR	T5	PA; QL (3 ML per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN	T5	PA; QL (3 EA per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	T5	PA; QL (3 ML per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	T5	PA; QL (0.4 ML per 28 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
OFEV	T5	PA; QL (62 EA per 31 days)
OPSUMIT	T5	PA; QL (31 EA per 31 days)
OPSYNVI	T5	PA; QL (31 EA per 31 days)
ORKAMBI ORAL GRANULES IN PACKET	T5	PA; QL (62 EA per 31 days)
ORKAMBI ORAL TABLET	T5	PA; QL (124 EA per 31 days)
pirfenidone oral capsule	T5	PA; QL (279 EA per 31 days)
pirfenidone oral tablet	T5	PA; QL (93 EA per 31 days)
promethazine oral	T4	PA
promethazine rectal	T2	
PULMOZYME	T5	PA
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION	T3	QL (10.6 GM per 30 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 80 MCG/ACTUATION	T3	QL (21.2 GM per 30 days)
roflumilast oral tablet 250 mcg	T4	QL (31 EA per 31 days)
roflumilast oral tablet 500 mcg	T3	QL (31 EA per 31 days)
SAJAZIR	T5	PA; QL (18 ML per 30 days)
SEREVENT DISKUS	T3	QL (60 EA per 30 days)
sildenafil (pulm.hypertension) oral tablet	T3	PA; QL (372 EA per 31 days)
SPIRIVA RESPIMAT	T3	QL (4 GM per 30 days)
STIOLTO RESPIMAT	T3	QL (4 GM per 30 days)
STRIVERDI RESPIMAT	T4	QL (4 GM per 30 days)
tadalafil (pulm. hypertension)	T4	PA; QL (62 EA per 31 days)
terbutaline oral	T4	
TEZSPIRE SUBCUTANEOUS PEN INJECTOR	T5	PA; QL (1.91 ML per 28 days)
THEO-24	T3	
theophylline oral solution	T2	
theophylline oral tablet extended release 12 hr	T2	
theophylline oral tablet extended release 24 hr	T2	
TRELEGY ELLIPTA	T3	QL (60 EA per 30 days)
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL	T5	PA; QL (56 EA per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL	T5	PA; QL (84 EA per 28 days)
VENTOLIN HFA	T3	QL (36 GM per 30 days)

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
WINREVAIR	T5	PA
XOLAIR	T5	PA
zafirlukast oral tablet 10 mg	T2	QL (93 EA per 31 days)
zafirlukast oral tablet 20 mg	T2	QL (62 EA per 31 days)
Urologicals		
alfuzosin	T2	QL (31 EA per 31 days)
bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg	T2	
bethanechol chloride oral tablet 50 mg	T3	
CYSTAGON	T4	
darifenacin	T3	QL (31 EA per 31 days)
dutasteride	T2	QL (31 EA per 31 days)
dutasteride-tamsulosin	T4	QL (31 EA per 31 days)
ELMIRON	T5	
finasteride oral tablet 5 mg	T2	
flavoxate	T2	
GEMTESA	T4	QL (31 EA per 31 days)
MYRBETRIQ ORAL SUSPENSION,EXTENDED REL RECON	T3	QL (300 ML per 30 days)
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR	T3	QL (31 EA per 31 days)
oxybutynin chloride oral syrup	T2	
oxybutynin chloride oral tablet	T2	
oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg	T2	QL (31 EA per 31 days)
oxybutynin chloride oral tablet extended release 24hr 15 mg	T3	QL (62 EA per 31 days)
potassium citrate oral tablet extended release	T2	
RIVFLOZA SUBCUTANEOUS SOLUTION	T5	PA; QL (1 ML per 28 days)
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML	T5	PA; QL (0.8 ML per 28 days)
RIVFLOZA SUBCUTANEOUS SYRINGE 160 MG/ML	T5	PA; QL (1 ML per 28 days)
silodosin	T4	
solifenacin	T4	QL (31 EA per 31 days)
tadalafil oral tablet 2.5 mg	T4	PA; QL (62 EA per 31 days)
tadalafil oral tablet 5 mg	T4	PA; QL (31 EA per 31 days)
tamsulosin	T1	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
tolterodine oral capsule,extended release 24hr	T3	QL (31 EA per 31 days)
tolterodine oral tablet	T3	QL (62 EA per 31 days)
trospium oral capsule,extended release 24hr	T4	QL (31 EA per 31 days)
trospium oral tablet	T2	QL (93 EA per 31 days)
Vitamins, Hematinics / Electrolytes		
calcium acetate(phosphat bind)	T2	PA-BvD
CLINIMIX 5%/D15W SULFITE FREE	T4	PA-BvD
CLINIMIX 4.25%/D10W SULF FREE	T4	PA-BvD
CLINIMIX 5%-D20W(SULFITE-FREE)	T4	PA-BvD
fluoride (sodium) oral tablet	T2	
INTRALIPID INTRAVENOUS EMULSION 20 %	T4	PA-BvD
ISOLYTE S PH 7.4	T3	PA-BvD
ISOLYTE-P IN 5 % DEXTROSE	T4	PA-BvD
KLOR-CON	T4	
KLOR-CON 10	T1	
KLOR-CON 8	T1	
KLOR-CON M10	T1	
KLOR-CON M15	T2	
KLOR-CON M20	T1	
magnesium sulfate injection	T2	
PLENAMINE	T4	PA-BvD
potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 40 meq/l	T2	
potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l	T2	
potassium chloride in water intravenous piggyback 10 meq/100 ml, 20 meq/100 ml	T2	
potassium chloride intravenous	T2	
potassium chloride oral capsule, extended release	T1	
potassium chloride oral liquid	T2	
potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq	T1	
potassium chloride oral tablet,er particles/crystals 10 meq, 20 meq	T1	
potassium chloride oral tablet,er particles/crystals 15 meq	T2	
potassium chloride-0.45 % nacl	T2	

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Drug Name	Drug Tier	Requirements/Limits
PRENATAL VITAMIN PLUS LOW IRON	T2	PA
PROSOL 20 %	T4	PA-BvD
sodium chloride 0.45 % intravenous	T2	
sodium chloride 3 % hypertonic	T2	
sodium chloride 5 % hypertonic	T2	
TRAVASOL 10 %	T4	PA-BvD
TROPHAMINE 10 %	T4	PA-BvD

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index of Drugs

abacavir 3
abacavir-lamivudine 3
ABIGALE 57
ABILIFY MAINTENA 19
abiraterone 11
ABIRTEGA 11
ABRYSVO (PF) 52
acamprosate 43
acarbose 45
acebutolol 33
acetaminophen-codeine 19
acetazolamide 59
acetic acid 45
acetylcysteine 61
acitretin 39
ACTEMRA 55
ACTEMRA ACTPEN 55
ACTHIB (PF) 53
ACTIMMUNE 53
acyclovir 3, 39
acyclovir sodium 3
ADACEL(TDAP ADOLESN/ADULT)(PF) 53
adefovir 3
ADEMPAS 61
ADVAIR HFA 61
AIMOVIG AUTOINJECTOR 19, 20
AKEEGA 11
ALA-CORT 39
albendazole 3
albuterol sulfate 61, 62
alclometasone 39
ALCOHOL PADS 45
ALECENSA 11
alendronate 55
alfuzosin 65
aliskiren 33
allopurinol 55
alosetron 50
ALPHAGAN P 59
alprazolam 20
ALTAVERA (28) 57
ALUNBRIG 11
ALYACEN 1/35 (28) 57
amantadine hcl 3
ambrisentan 62
amikacin 3
amiloride 33
amiloride-hydrochlorothiazide 33
amiodarone 33
amitriptyline 20
amlodipine 33
amlodipine-atorvastatin 33
amlodipine-benazepril 33
amlodipine-olmesartan 33
amlodipine-valsartan 33
ammonium lactate 39
AMNESTEEM 39
amoxapine 20
amoxicillin 3
amoxicillin-pot clavulanate 3, 4
amphotericin b 4
amphotericin b liposome 4
ampicillin 4
ampicillin sodium 4
ampicillin-sulbactam 4
anagrelide 43
anastrozole 11
ANORO ELLIPTA 62
ANZUPGO 39
apraclonidine 59
aprepitant 50
APRI 57
APTIVUS 4
AREXVY (PF) 53
arformoterol 62
ARIKAYCE 4
aripiprazole 20
armodafinil 20
asenapine maleate 20
ASMANEX HFA 62
ASMANEX TWISTHALER 62
aspirin-dipyridamole 33
ASSURE ID INSULIN SAFETY 55
atazanavir 4
atenolol 33
atenolol-chlorthalidone 33
atomoxetine 20
atorvastatin 33
atovaquone 4
atovaquone-proguanil 4
atropine 59
AUGTYRO 11
AUSTEDO 20
AUSTEDO XR 20
AUSTEDO XR TITRATION KT(WK1-4) 20
AUVELITY 20
AVIANE 57
AVMAPKI-FAKZYNJA 11
AVONEX 53
AYVAKIT 11
AZASITE 59
azathioprine 11
azelaic acid 39
azelastine 45, 59
azelastine-fluticasone 62
AZELEX 39
azithromycin 4
aztreonam 4
bacitracin-polymyxin b 59
baclofen 20
BAFIERTAM 20
balsalazide 50
BALVERSA 11
bcg vaccine, live (pf) 53
benazepril 34
benazepril-hydrochlorothiazide 34
BENLYSTA 55
benztropine 20
BESIVANCE 59
BESREMI 53
BESREMI PEN 53
betaine 50
betamethasone dipropionate 39
betamethasone valerate 39
betamethasone, augmented 39
BETASERON 53
betaxolol 34, 59
bethanechol chloride 65
bexarotene 11
BEXSERO 53
bicalutamide 11
BICILLIN C-R 4
BICILLIN L-A 4
BIKTARVY 4
BILDYOS 55
BILPREVDA 11
bimatoprost 59
bismuth subcit k-metronidz-tcn 50
bisoprolol fumarate 34
bisoprolol-hydrochlorothiazide 34
BLUJEPA 4
BOOSTRIX TDAP 53
BOSULIF 11
bosutinib 11
BRAFTOVI 11
BREO ELLIPTA 62
BREZTRI AEROSPHERE 62
brimonidine 59, 60
brimonidine-timolol 60

BRINSUPRI 62
brinzolamide 60
brivaracetam 20
bromfenac 60
bromocriptine 20
BRUKINSA 11
budesonide 50, 62
budesonide-formoterol 62
bumetanide 34
buprenorphine 20
buprenorphine hcl 20
buprenorphine-naloxone 20
bupropion hcl 20, 21
bupropion hcl (smoking deter) 43
buspirone 21
butalbital-acetaminop-caf-cod 21
butalbital-acetaminophen 21
butalbital-acetaminophen-caff 21
butalbital-aspirin-caffeine 21
butorphanol 21
cabergoline 45
CABOMETYX 12
calcipotriene 39
calcipotriene-betamethasone 39
calcitonin (salmon) 45
calcitriol 45
calcium acetate(phosphat bind) 66
CALQUENCE (ACALABRUTINIB MAL) 12
CAMILA 57
candesartan 34
candesartan-hydrochlorothiazid 34
CAPLYTA 21
CAPRELSA 12
captopril 34
carbamazepine 21
carbidopa-levodopa 21
carbidopa-levodopa-entacapone 21
carglumic acid 43
carteolol 60
CARTIA XT 34
carvedilol 34
carvedilol phosphate 34
caspofungin 4
CAYSTON 4
cefaclor 4
cefadroxil 4
cefazolin 4
cefdinir 4
cefepime 4
cefixime 4
cefoxitin 4
cefpodoxime 4
cefprozil 5
ceftaroline fosamil 5
ceftazidime 5
ceftriaxone 5
cefuroxime axetil 5
cefuroxime sodium 5
celecoxib 21
cephalexin 5
cetirizine 62
cevimeline 43
CHEMET 43
chlorhexidine gluconate 45
chloroquine phosphate 5
chlorpromazine 21
chlorthalidone 34
cholestyramine (with sugar) 34
CHOLESTYRAMINE LIGHT 34
ciclopirox 39, 40
cilostazol 34
CILOXAN 60
CIMDUO 5
cinacalcet 45
CINRYZE 62
ciprofloxacin hcl 5, 60
ciprofloxacin in 5 % dextrose 5
ciprofloxacin-dexamethasone 45
citalopram 21
CLARAVIS 40
clarithromycin 5
CLIMARA PRO 57
clindamycin hcl 5
clindamycin in 5 % dextrose 5
CLINDAMYCIN PEDIATRIC 5
clindamycin phosphate 5, 40, 57
clindamycin-benzoyl peroxide 40
CLINIMIX 5%/D15W SULFITE FREE 66
CLINIMIX 4.25%/D10W SULF FREE 66
CLINIMIX 4.25%/D5W SULFIT FREE 43
CLINIMIX 5%-D20W(SULFITE-FREE) 66
clobazam 21
clobetasol 40
clobetasol-emollient 40
clocortolone pivalate 40
clomipramine 21
clonazepam 21
clonidine 34
clonidine hcl 34
clopidogrel 34
clorazepate dipotassium 21, 22
clotrimazole 5, 40
clotrimazole-betamethasone 40
clozapine 22
COARTEM 5
COBENFY 22
COBENFY STARTER PACK 22
colchicine 55
colesevelam 34
colestipol 34
colistin (colistimethate na) 5
COMBIGAN 60
COMBIVENT RESPIMAT 62
COMETRIQ 12
COMPRO 50
CONSTULOSE 50
COPAXONE 22
COPIKTRA 12
COSENTYX 40
COSENTYX (2 SYRINGES) 40
COSENTYX PEN (2 PENS) 40
COSENTYX UNOREADY PEN 40
COTELLIC 12
CREON 50
CRESEMBA 5
cromolyn 50, 60, 62
CRYSELLE (28) 57
cyclobenzaprine 22
cyclophosphamide 12
cyclosporine 12, 60
cyclosporine modified 12
cyproheptadine 62
CYRED EQ 57
CYSTAGON 65
CYSTARAN 60
d10 %-0.45 % sodium chloride 43
d2.5 %-0.45 % sodium chloride 43
d5 % and 0.9 % sodium chloride 43
d5 %-0.45 % sodium chloride 43
dabigatran etexilate 34
dalfampridine 22
danazol 46
DANZITEN 12
dapagliflozin 46
dapsone 5, 40
DAPTACEL (DTAP PEDIATRIC) (PF) 53

daptomycin 5
darifenacin 65
darunavir 5
dasatinib 12
DAURISMO 12
deferasirox 43
DELSTRIGO 5
DEPO-SUBQ PROVERA 104 . 57
DESCOVY 5
desipramine 22
desloratadine 62
desmopressin 46
desonide 40
desoximetasone 40
desvenlafaxine succinate 22
dexamethasone 46
dexamethasone sodium phosphate 60
dexmethylphenidate 22
dextroamphetamine-amphetamine 22
dextromethorphan-quinidine 22
dextrose 10 % in water (d10w) ... 43
dextrose 5 % in water (d5w) 44
DIACOMIT 22
diazepam 23
DIAZEPAM INTENSOL 22
diazoxide 46
diclofenac epolamine 23
diclofenac potassium 23
diclofenac sodium 23, 40, 60
diclofenac-misoprostol 23
dicloxacillin 5
dicyclomine 50
diflunisal 23
difluprednate 60
digoxin 34
dihydroergotamine 23
DILANTIN 23
DILANTIN EXTENDED 23
diltiazem hcl 34
DILT-XR 34
dimethyl fumarate 23
diphenoxylate-atropine 50, 51
disulfiram 44
divalproex 23
dofetilide 35
DOLISHALE 57
donepezil 23
dorzolamide 60
dorzolamide-timolol 60
DOTTI 57
DOVATO 5
doxazosin 35
doxepin 23
doxercalciferol 46
doxycycline hyclate 5, 6
doxycycline monohydrate 6
DRIZALMA SPRINKLE 23
dronabinol 51
drospirenone-e.estradiol-lm.fa ... 57
drospirenone-ethinyl estradiol 57
droxidopa 44
DULERA 62
duloxetine 23, 24
DUPIXENT PEN 41
DUPIXENT SYRINGE 41
dutasteride 65
dutasteride-tamsulosin 65
DUVYZAT 44
EDURANT PED 6
efavirenz 6
efavirenz-emtricitabin-tenofov 6
efavirenz-lamivu-tenofov disop 6
ELIGARD 12
ELIGARD (3 MONTH) 12
ELIGARD (4 MONTH) 12
ELIGARD (6 MONTH) 12
ELIQUIS 35
ELIQUIS DVT-PE TREAT 30D START 35
ELIQUIS SPRINKLE 35
ELMIRON 65
eltrombopag olamine 35
EMGALITY PEN 24
EMGALITY SYRINGE 24
EMSAM 24
emtricitabine 6
emtricitabine-tenofovir (tdf) 6
emtricita-rilpivirine-tenof df 6
EMTRIVA 6
enalapril maleate 35
enalapril-hydrochlorothiazide 35
ENBREL 55
ENBREL MINI 55
ENBREL SURECLICK 55
ENGERIX-B (PF) 53
ENGERIX-B PEDIATRIC (PF) 53
ENOBY 55
enoxaparin 35
ENSACOVE 12
entacapone 24
entecavir 6
ENTRESTO SPRINKLE 35
ENTYVIO PEN 51
ENULOSE 51
ENVARSUS XR 12
EOHILIA 51
EPIDIOLEX 24
epinastine 60
epinephrine 62
eplerenone 35
ergotamine-caffeine 24
ERIVEDGE 12
ERLEADA 12
erlotinib 12
ERRIN 57
ertapenem 6
ERY PADS 41
erythromycin 6, 60
erythromycin with ethanol 41
erythromycin-benzoyl peroxide ... 41
escitalopram oxalate 24
eslicarbazepine 24
esomeprazole magnesium 51
ESTARYLLA 57
estazolam 24
estradiol 57
estradiol-norethindrone acet 57
ESTRING 57
ethacrynic acid 35
ethambutol 6
ethosuximide 24
etodolac 24
etonogestrel-ethinyl estradiol 57
etravirine 6
EULEXIN 12
everolimus (antineoplastic) 13
everolimus (immunosuppressive) 13
EVOTAZ 6
exemestane 13
EXXUA 24
ezetimibe 35
ezetimibe-simvastatin 35
famciclovir 6
famotidine 51
FANAPT 24
FANAPT TITRATION PACK A 24
FANAPT TITRATION PACK B 24
FANAPT TITRATION PACK C 24
FARXIGA 46

FASENRA 62
FASENRA PEN 62
felbamate 24
felodipine 35
fenofibrate 35
fenofibrate micronized 35
fenofibrate nanocrystallized 35
fenofibric acid (choline) 35
fentanyl 24
FETZIMA 24, 25
FIASP FLEXTOUCH U-100 INSULIN 46
FIASP PENFILL U-100 INSULIN 46
FIASP U-100 INSULIN 46
fidaxomicin 6
FILSPARI 35
FILSUVEZ 41
finasteride 65
fingolimod 25
FINTEPLA 25
FIRMAGON KIT W DILUENT SYRINGE 13
flavoxate 65
flecainide 35
fluconazole 6
fluconazole in nacl (iso-osm) 6
flucytosine 6
fludrocortisone 46
flunisolide 62
fluocinolone 41
fluocinolone acetonide oil 45
fluocinolone and shower cap 41
fluocinonide 41
fluocinonide-emollient 41
fluoride (sodium) 66
fluorometholone 60
fluorouracil 41
fluoxetine 25
fluoxetine (pmdd) 25
fluphenazine decanoate 25
fluphenazine hcl 25
flurbiprofen 25
flurbiprofen sodium 60
fluticasone furoate-vilanterol 62
fluticasone propionate 41, 63
fluvastatin 35, 36
fluvoxamine 25
fondaparinux 36
fosamprenavir 6
fosfomycin tromethamine 6
fosinopril 36
fosinopril-hydrochlorothiazide 36
FOTIVDA 13
FRUZAQLA 13
furosemide 36
gabapentin 25
galantamine 25
GALLIFREY 57
GAMMAGARD LIQUID 53
GAMMAGARD LIQUID ERC 53
GAMMAGARD S-D (IGA < 1 MCG/ML) 53
GARDASIL 9 (PF) 53
gatifloxacin 60
GATTEX 30-VIAL 51
GAUZE PAD 55
GAVILYTE-C 51
GAVILYTE-G 51
GAVILYTE-N 51
GAVRETO 13
gefitinib 13
gemfibrozil 36
GEMTESA 65
GENERLAC 51
GENGRAF 13
gentamicin 7, 41, 60
gentamicin in nacl (iso-osm) 7
GENVOYA 7
GILOTRIF 13
glatiramer 25
GLATOPA 25
glimepiride 46
glipizide 46
glipizide-metformin 46
GLUCAGON EMERGENCY KIT (HUMAN) 46
glyburide 46
glyburide-metformin 46
glycerol phenylbutyrate 44
glycopyrrolate 51
GLYXAMBI 46
GOMEKLI 13
granisetron hcl 51
griseofulvin microsize 7
griseofulvin ultramicrosize 7
guanfacine 25
GVOKE 46
GVOKE HYPOPEN 2-PACK 46
GVOKE PFS 1-PACK SYRINGE 46
HADLIMA 55
HADLIMA PUSHTOUCH 55
HADLIMA(CF) 55
HADLIMA(CF) PUSHTOUCH 55
HAILEY 24 FE 57
halobetasol propionate 41
haloperidol 25, 26
haloperidol decanoate 25
haloperidol lactate 25
HAVRIX (PF) 53
HEATHER 57
heparin (porcine) 36
HEPCLUDEX 7
HEPLISAV-B (PF) 53
HERNEXEOS 13
HIBERIX (PF) 53
HUMALOG JUNIOR KWIKPEN U-100 46
HUMALOG KWIKPEN INSULIN 46
HUMALOG MIX 50-50 KWIKPEN 46
HUMALOG MIX 75-25 KWIKPEN 46
HUMALOG MIX 75-25(U-100)INSULN 46
HUMALOG U-100 INSULIN 46
HUMULIN 70/30 U-100 INSULIN 46
HUMULIN 70/30 U-100 KWIKPEN 46
HUMULIN N NPH INSULIN KWIKPEN 46
HUMULIN N NPH U-100 INSULIN 46
HUMULIN R REGULAR U-100 INSULN 46
HUMULIN R U-500 (CONC) KWIKPEN 47
hydralazine 36
hydrochlorothiazide 36
hydrocortisone 41, 47, 51
hydrocortisone butyrate 41
hydrocortisone valerate 41
hydromorphone 26
hydroxychloroquine 7
hydroxyurea 13
hydroxyzine hcl 63
HYRNUO 13
ibandronate 55
IBRANCE 13
IBTROZI 13
IBU 26

ibuprofen 26
icatibant 63
ICLUSIG 13
icosapent ethyl 36
IDHIFA 13
IDVYNSO 7
imatinib 13
IMBRUVICA 13, 14
imipenem-cilastatin 7
imipramine hcl 26
imiquimod 41
IMKELDI 14
IMOVAX RABIES VACCINE (PF) 53
IMVEXXY MAINTENANCE PACK 57
IMVEXXY STARTER PACK 58
INCASSIA 58
INCRELEX 44
indapamide 36
indomethacin 26
INFANRIX (DTAP) (PF) 53
INLURIYO 14
INLYTA 14
INQOVI 14
INREBIC 14
insulin glargine-yfgn 47
insulin lispro 47
insulin lispro protamin-lispro 47
insulin syringe-needle u-100 55
INTELENCE 7
INTRALIPID 66
INVEGA HAFYERA 26
INVEGA SUSTENNA 26
INVEGA TRINZA 26
IPOL 53
ipratropium bromide 45, 63
ipratropium-albuterol 63
irbesartan 36
irbesartan-hydrochlorothiazide 36
ISENTRESS 7
ISENTRESS HD 7
ISIBLOOM 58
ISOLYTE S PH 7.4 66
ISOLYTE-P IN 5 % DEXTROSE 66
isoniazid 7
isosorbide dinitrate 36
isosorbide mononitrate 36
isradipine 36
ITOVEBI 14
itraconazole 7
ivabradine 36
ivermectin 7
IWILFIN 14
IXIARO (PF) 53
JAKAFI 14
JANTOVEN 36
JANUMET 47
JANUMET XR 47
JANUVIA 47
JARDIANCE 47
JASCAYD 63
JAVYGTOR 47
JAYPIRCA 14
JENTADUETO 47
JENTADUETO XR 47
JIDEYTRO 14
JINTELI 58
JOENJA 44
JUBBONTI 56
JULUCA 7
JUNEL 1.5/30 (21) 58
JUNEL 1/20 (21) 58
JUNEL FE 1.5/30 (28) 58
JUNEL FE 1/20 (28) 58
JUNEL FE 24 58
JYNNEOS (PF) 53
KALYDECO 63
KARIVA (28) 58
KERENDIA 36
KESIMPTA PEN 26
ketoconazole 7, 41, 42
ketorolac 26, 60
KINERET 56
KINRIX (PF) 53
KIONEX 44
KIRSTY 47
KIRSTY PEN 47
KISQALI 14
KLOR-CON 66
KLOR-CON 10 66
KLOR-CON 8 66
KLOR-CON M10 66
KLOR-CON M15 66
KLOR-CON M20 66
KLOXXADO 26
KOMZIFTI 14
KOSELUGO 14
KOURZEQ 45
KRAZATI 14
KURVELO (28) 58
KYGEVVI 44
l norgest/e.estradiol-e.estrad 58
labetalol 36
lacosamide 26
lactulose 51
lamivudine 7
lamivudine-zidovudine 7
lamotrigine 26, 27
lansoprazole 51
LANTUS SOLOSTAR U-100 INSULIN 47
LANTUS U-100 INSULIN 47
lapatinib 14
latanoprost 60
LAZCLUZE 14
leflunomide 56
lenalidomide 14
LENVIMA 14
LEQEMBI IQLIK 27
LESSINA 58
letrozole 14
leucovorin calcium 14
LEUKERAN 14
LEUKINE 53
leuprolide 14
levalbuterol hcl 63
levalbuterol tartrate 63
levetiracetam 27
levobunolol 60
levocarnitine 44
levocarnitine (with sugar) 44
levocetirizine 63
levofloxacin 7
levofloxacin in d5w 7
levonorgestrel-ethinyl estrad 58
levonorg-eth estrad triphasic 58
levothyroxine 47
LEVOXYL 47
lidocaine 42
lidocaine hcl 42
lidocaine-prilocaine 42
LIFYORLI 15
LILETTA 58
linezolid 7
linezolid in dextrose 5% 7
LINZESS 51
LIOMNY 47
liothyronine 47
liraglutide 47
lisinopril 36
lisinopril-hydrochlorothiazide 36
LITFULO 44
lithium carbonate 27
lithium citrate 27

LITHOSTAT 44
LIVTENCITY 8
LOARGYS 44
lofexidine 27
LOKELMA 44
lomustine 15
LONSURF 15
loperamide 51
lopinavir-ritonavir 8
lorazepam 27
LORAZEPAM INTENSOL 27
LORBRENA 15
losartan 36
losartan-hydrochlorothiazide 36
lovastatin 36
loxapine succinate 27
lubiprostone 51
LUMAKRAS 15
LUMIGAN 60
LUPRON DEPOT 15
LUPRON DEPOT (3 MONTH) 15
lurasidone 27
LYBALVI 27
LYLEQ 58
LYLLANA 58
LYNPARZA 15
LYSODREN 15
LYTGOBI 15
LYZA 58
magnesium sulfate 66
malathion 42
maraviroc 8
MARPLAN 27
MATULANE 15
MATZIM LA 36
MAVYRET 8
meclizine 51
medroxyprogesterone 58
mefloquine 8
megestrol 15
MEKINIST 15
MEKTOVI 15
meloxicam 27
memantine 27
memantine-donepezil 27
MENQUADFI (PF) 53
MENVEO A-C-Y-W-135-DIP (PF) 53
mercaptopurine 16
meropenem 8
mesalamine 51
mesna 16
metaxalone 27
metformin 47
methadone 27
methazolamide 60
methenamine hippurate 8
methimazole 47
methocarbamol 27
methotrexate sodium 16
methotrexate sodium (pf) 16
methscopolamine 51
methsuximide 27
methylphenidate hcl 27
methylprednisolone 48
metoclopramide hcl 51
metolazone 36
metoprolol succinate 36
metoprolol ta-hydrochlorothiaz 37
metoprolol tartrate 37
metronidazole 8, 42, 58
metronidazole in nacl (iso-os) 8
metyrosine 37
mexiletine 37
micafungin 8
MICONAZOLE-3 58
MICROGESTIN 1.5/30 (21) 58
MICROGESTIN 1/20 (21) 58
MICROGESTIN FE 1.5/30 (28) 58
MICROGESTIN FE 1/20 (28) 58
midodrine 44
MIEBO (PF) 60
mifepristone 48
miglustat 48
MILI 58
minocycline 8
minoxidil 37
mirtazapine 27, 28
misoprostol 51
M-M-R II (PF) 53
modafinil 28
MODEYSO 16
moexipril 37
molindone 28
mometasone 42, 63
montelukast 63
morphine 28
morphine concentrate 28
MOUNJARO 48
MOVANTIK 51
moxifloxacin 8, 60
moxifloxacin-sod.chloride(iso) 8
MRESVIA (PF) 53
MULPLETA 37
MULTAQ 37
mupirocin 42
mycophenolate mofetil 16
mycophenolate sodium 16
MYRBETRIQ 65
nabumetone 28
nadolol 37
nafcillin 8
naloxone 28
naltrexone 28
naproxen 28
naproxen sodium 28
naratriptan 28
nateglinide 48
NAYZILAM 28
nebivolol 37
nefazodone 28
NEMLUVIO 16
neomycin 8
neomycin-bacitracin-poly-hc 60
neomycin-bacitracin-polymyxin 60
neomycin-polymyxin b-dexameth 60
neomycin-polymyxin-gramicidin 60
neomycin-polymyxin-hc 45, 61
NERLYNX 16
NEUPRO 28
nevirapine 8
NEXLETOL 37
NEXLIZET 37
NEXPLANON 58
niacin 37
nicardipine 37
NICOTROL NS 44
nifedipine 37
nilotinib hcl 16
nilutamide 16
NINLARO 16
nintedanib 63
nitazoxanide 8
nitisinone 44
NITRO-BID 37
nitrofurantoin macrocrystal 8
nitrofurantoin monohyd/m-cryst 8
nitroglycerin 37, 52
NIVESTYM 53
NORDITROPIN FLEXPRO 54
norethindrone (contraceptive) 58
norethindrone acetate 58
norethindrone ac-eth estradiol 59

norethindrone-e.estradiol-iron ... 59
norgestimate-ethinyl estradiol 59
NORTREL 7/7/7 (28) 59
nortriptyline 28
NOVOLIN 70/30 U-100 INSULIN 48
NOVOLIN 70-30 FLEXPEN U-100 48
NOVOLIN N FLEXPEN 48
NOVOLIN N NPH U-100 INSULIN 48
NOVOLIN R FLEXPEN 48
NOVOLIN R REGULAR U100 INSULIN 48
NOVOLOG MIX 70-30 U-100 INSULN 48
NOVOLOG MIX 70-30FLEXPEN U-100 48
NUBEQA 16
NUCALA 63
NUPLAZID 28
NURTEC ODT 28
NYAMYC 42
NYLIA 1/35 (28) 59
NYLIA 7/7/7 (28) 59
nystatin 8, 42
nystatin-triamcinolone 42
NYSTOP 42
octreotide acetate 16
ODACTRA 54
ODEFSEY 8
ODOMZO 16
OFEV 64
ofloxacin 8, 45, 61
OGSIVEO 16
OJEMDA 16
OJJAARA 16
olanzapine 28
olmesartan 37
olmesartan-amlodipin-hcthiazid . 37
olmesartan-hydrochlorothiazide . 37
olopatadine 45
omega-3 acid ethyl esters 37
omeprazole 52
OMNITROPE 54
ondansetron 52
ondansetron hcl 52
ONUREG 16
ONZETRA XSAIL 28
OPIPZA 28
OPSUMIT 64
OPSYNVI 64
ORENCIA 56
ORENCIA CLICKJECT 56
ORGOVYX 16
ORKAMBI 64
ORLYNVAH 8
ORSERDU 16
oseltamivir 8
OTEZLA 56
OTEZLA STARTER 56
OTEZLA XR 56
OTEZLA XR INITIATION 56
oxacillin 8
oxaprozin 28
oxazepam 28
oxcarbazepine 28, 29
oxybutynin chloride 65
oxycodone 29
oxycodone-acetaminophen 29
OZEMPIC 48
PACERONE 37
paliperidone 29
PANRETIN 42
pantoprazole 52
paricalcitol 48
paroxetine hcl 29
PAXLOVID 9
pazopanib 16
PEDIARIX (PF) 54
PEDVAX HIB (PF) 54
peg 3350-electrolytes 52
peg3350-sod sul-nacl-kcl-asb-c .. 52
PEGASYS 54
peg-electrolyte soln 52
PEMAZYRE 16
pen needle, diabetic 55
PENBRAYA (PF) 54
penciclovir 42
penicillamine 56
penicillin g pot in dextrose 9
penicillin g potassium 9
penicillin v potassium 9
PENMENVY MEN A-B-C-W-Y (PF) 54
PENTACEL (PF) 54
pentamidine 9
pentoxifylline 37
perampanel 29
perindopril erbumine 37
PERIOGARD 45
permethrin 42
perphenazine 29
perphenazine-amitriptyline 29
PHEBURANE 44
phenelzine 29
phenobarbital 29
PHENYTEK 29
phenytoin 29
phenytoin sodium extended 29
PIFELTRO 9
pilocarpine hcl 44, 61
pimecrolimus 42
pimozide 29
PIMTREA (28) 59
pindolol 37
pioglitazone 48
pioglitazone-metformin 48
piperacillin-tazobactam 9
PIQRAY 17
pirfenidone 64
piroxicam 29
pitavastatin calcium 37
PLEGRIDY 54
PLENAMINE 66
podofilox 42
polymyxin b sulf-trimethoprim 61
pomalidomide 17
POMALYST 17
posaconazole 9
potassium chlorid-d5-0.45%nacl 66
potassium chloride 66
potassium chloride in 0.9%nacl . 66
potassium chloride in water 66
potassium chloride-0.45 % nacl . 66
potassium citrate 65
pramipexole 29
prasugrel hcl 37
pravastatin 38
praziquantel 9
prazosin 38
prednisolone 48
prednisolone acetate 61
prednisolone sodium phosphate 48, 61
prednisone 48
pregabalin 29
PREMARIN 59
PRENATAL VITAMIN PLUS LOW IRON 67
pretomanid 9
PREVYMIS 9
PREZCOBIX 9
PREZISTA 9
primaquine 9

primidone 29
PRIORIX (PF) 54
PRIVIGEN 54
probenecid 56
probenecid-colchicine 56
prochlorperazine 52
prochlorperazine maleate 52
PROCRIT 54
PROCTO-MED HC 52
PROCTOSOL HC 52
PROCTOZONE-HC 52
progesterone micronized 59
PROGRAF 17
PROLASTIN-C 44
promethazine 64
propafenone 38
propranolol 38
propylthiouracil 48
PROQUAD (PF) 54
PROSOL 20 % 67
protriptyline 29
PULMOZYME 64
pyrazinamide 9
pyridostigmine bromide 29, 30
pyrimethamine 9
QINLOCK 17
QUADRACEL (PF) 54
quetiapine 30
quinapril 38
quinapril-hydrochlorothiazide 38
quinidine sulfate 38
QULIPTA 30
QVAR REDIHALER 64
RABAVERT (PF) 54
rabeprazole 52
RALDESY 30
raloxifene 56
ramelteon 30
ramipril 38
ranolazine 38
rasagiline 30
RECOMBIVAX HB (PF) 54
REDEMPLO 38
RELENZA DISKHALER 9
RELGAABI 30
repaglinide 48
REPATHA SURECLICK 38
REPATHA SYRINGE 38
RESTASIS 61
RESTASIS MULTIDOSE 61
RETACRIT 54
RETEVMO 17
REVCOVI 44
REVUFORJ 17
REXULTI 30
REYATAZ 9
REZDIFFRA 44
REZENOPY 30
REZLIDHIA 17
REZVOGLAR KWIKPEN 48
RHOPRESSA 61
ribavirin 9
rifabutin 9
rifampin 9
rifapentine 9
rilpivirine hcl 9
riluzole 44
rimantadine 9
RINVOQ 56
RINVOQ LQ 56
risedronate 44, 56
risperidone 30
risperidone microspheres 30
ritonavir 10
rivaroxaban 38
rivastigmine 30
rivastigmine tartrate 30
RIVFLOZA 65
rizatriptan 30
ROCKLATAN 61
roflumilast 64
ROMVIMZA 17
ropinirole 30
rosuvastatin 38
ROTARIX 54
ROTATEQ VACCINE 54
ROWEEPRA 30
ROZLYTREK 17
RUBRACA 17
rufinamide 31
RUKOBIA 10
RYDAPT 17
RYTARY 31
sacubitril-valsartan 38
SAJAZIR 64
sapropterin 48
saxagliptin 48
saxagliptin-metformin 48
SCEMBLIX 17
scopolamine base 52
SECUADO 31
selegiline hcl 31
selenium sulfide 42
SEREVENT DISKUS 64
sertraline 31
SETLAKIN 59
sevelamer carbonate 44
sevelamer hcl 44
SHINGRIX (PF) 54
SIGNIFOR 17
sildenafil (pulm.hypertension) 64
SILIQ 42
silodosin 65
silver sulfadiazine 42
SIMBRINZA 61
SIMLANDI(CF) 56
SIMLANDI(CF) AUTOINJECTOR 56
simvastatin 38
sirolimus 17
SIRTURO 10
sitagliptin 48
sitagliptin phos-metformin 48, 49
sitagliptin phosphate 49
sitagliptin-metformin 49
SKYRIZI 42, 52
sodium chloride 44
sodium chloride 0.45 % 67
sodium chloride 0.9 % 44
sodium chloride 3 % hypertonic 67
sodium chloride 5 % hypertonic 67
sodium oxybate 31
sodium phenylbutyrate 44
sodium polystyrene sulfonate 44
sodium,potassium,mag sulfates 52
sofosbuvir-velpatasvir 10
SOHONOS 44
solifenacin 65
SOLIQUA 100/33 49
SOLTAMOX 17
SOMAVERT 49
sorafenib 17
sotalol 38
SOTALOL AF 38
SPIRIVA RESPIMAT 64
spironolactone 38
spironolacton-hydrochlorothiaz 38
SPRINTEC (28) 59
SPRITAM 31
SPS (WITH SORBITOL) 45
SSD 42
STEQEYMA 42, 43
STIOLTO RESPIMAT 64
STIVARGA 17
streptomycin 10
STRIBILD 10

STRIVERDI RESPIMAT 64
SUBVENITE 31
sucralfate 52
sulfacetamide sodium 61
sulfacetamide sodium (acne) 43
sulfacetamide-prednisolone 61
sulfadiazine 10
sulfamethoxazole-trimethoprim .. 10
SULFAMYLON 43
sulfasalazine 52
sulindac 31
sumatriptan 31
sumatriptan succinate 31
sunitinib malate 17
SUNLENCA 10
SYMPAZAN 31
SYMPROIC 52
SYMTUZA 10
SYNAREL 49
SYNJARDY 49
SYNJARDY XR 49
SYNTHROID 49
TABLOID 17
TABRECTA 17
tacrolimus 17, 43
tadalafil 65
tadalafil (pulm. hypertension) 64
TAFINLAR 17
tafluprost (pf) 61
TAGRISSO 18
TALZENNA 18
tamoxifen 18
tamsulosin 65
TARPEYO 49
TASCENSO ODT 31
tasimelteon 31
tazarotene 43
telmisartan 38
telmisartan-amlodipine 38
telmisartan-hydrochlorothiazid .. 38
temazepam 31
TENIVAC (PF) 54
tenofovir disoproxil fumarate 10
TEPMETKO 18
terazosin 38
terbinafine hcl 10
terbutaline 64
terconazole 59
teriflunomide 31
teriparatide 56
testosterone 49
testosterone cypionate 49
testosterone enanthate 49
tetrabenazine 31
tetracycline 10
TEZSPIRE 64
THALOMID 18
THEO-24 64
theophylline 64
thioridazine 31
thiothixene 31
TIADYLT ER 38
tiagabine 31
TIBSOVO 18
ticagrelor 38
TICOVAC 54
tigecycline 10
timolol maleate 38, 61
tinidazole 10
TIROSINT 49
TIVICAY 10
TIVICAY PD 10
tizanidine 31, 32
TOBI PODHALER 10
TOBRADEX 61
TOBRADEX ST 61
tobramycin 10, 61
tobramycin in 0.225 % nacl 10
tobramycin sulfate 10
tobramycin-dexamethasone 61
tobramycin-lotepred 61
TOBREX 61
tofacitinib 57
tolterodine 66
tolvaptan 49
tolvaptan (polycys kidney dis) 49
topiramate 32
toremifene 18
torsemide 38
TOUJEO MAX U-300 SOLOSTAR 49
TOUJEO SOLOSTAR U-300 INSULIN 49
TRADJENTA 49
tramadol 32
tramadol-acetaminophen 32
trandolapril 38
tranexamic acid 59
tranylcypromine 32
TRAVASOL 10 % 67
travoprost 61
trazodone 32
TRELEGY ELLIPTA 64
TRELSTAR 18
tretinoin 43
tretinoin (antineoplastic) 18
TREXALL 18
triamcinolone acetonide 43, 45
triamterene 38
triamterene-hydrochlorothiazid .. 38
triazolam 32
TRIDERM 43
trientine 45
trifluoperazine 32
trifluridine 61
trihexyphenidyl 32
TRIJARDY XR 49, 50
TRIKAFTA 64
TRI-LO-SPRINTEC 59
trimethoprim 10
TRI-MILI 59
trimipramine 32
TRINTELLIX 32
TRI-SPRINTEC (28) 59
TRIUMEQ 10
TRIUMEQ PD 10
TROPHAMINE 10 % 67
trospium 66
TRULICITY 50
TRUMENBA 54
TRUQAP 18
TUKYSA 18
TURALIO 18
TWINRIX (PF) 54
TYMLOS 57
TYPHIM VI 55
UNITHROID 50
UPTRAVI 39
ursodiol 52
valacyclovir 10
VALCHLOR 43
valganciclovir 10
valproic acid 32
valproic acid (as sodium salt) 32
valsartan 39
valsartan-hydrochlorothiazide ... 39
VALTOCO 32
vancomycin 10
VANFLYTA 18
VAQTA (PF) 55
varenicline tartrate 45
VARIVAX (PF) 55
VAXCHORA VACCINE 55
VELIVET TRIPHASIC REGIMEN (28) 59
VEMLIDY 10

VENCLEXTA 18
VENCLEXTA STARTING PACK 18
venlafaxine 32
VENTOLIN HFA 64
verapamil 39
VERQUVO 39
VERSACLOZ 32
VERZENIO 18
VESTURA (28) 59
VIENVA 59
vigabatrin 32
VIGADRONE 32
vilazodone 32
VIMKUNYA (PF) 55
VIRACEPT 10
VIREAD 10
VITRAKVI 18
VIVITROL 32
VIVJOA 11
VIVOTIF 55
VONJO 18
VORANIGO 18
voriconazole 11
VOSEVI 11
VOWST 52
VRAYLAR 32
VTAMA 43
VUMERITY 32
warfarin 39
WEGOVY 45
WELIREG 18
WINREVAIR 65
WYOST 18
XALKORI 19
XATMEP 19
XCOPRI 32
XCOPRI MAINTENANCE PACK 32
XCOPRI TITRATION PACK 32, 33
XDEMVY 61
XERMELO 19
XIFAXAN 11
XIGDUO XR 50
XIIDRA 61
XOCOVA 11
XOFLUZA 11
XOLAIR 65
XOLREMDI 55
XOSPATA 19
XPOVIO 19
XTANDI 19
XTRENBO 19
XULTOPHY 100/3.6 50
YARGESA 50
YESINTEK 43
YF-VAX (PF) 55
YONSA 19
YORVIPATH 50
YULITHIRA 19
YUVAFEM 59
ZAFEMY 59
zafirlukast 65
zaleplon 33
ZARXIO 55
ZEJULA 19
ZELBORAF 19
ZELSUVMI 43
ZELVYSIA 50
ZENBEXUS 19
ZENPEP 52
ZEPOSIA 33
ZEPOSIA STARTER KIT (28-DAY) 33
ZEPOSIA STARTER PACK (7-DAY) 33
zidovudine 11
ziprasidone hcl 33
ziprasidone mesylate 33
ZIRGAN 61
ZOKINVY 45
ZOLINZA 19
zolmitriptan 33
zolpidem 33
ZONISADE 33
zonisamide 33
ZTALMY 33
ZUBSOLV 33
ZURZUVAE 33
ZYKADIA 19
ZYMFENTRA 52

Section:
Prior Authorization

Acitretin

Products Affected

- *acitretin*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Actimmune

Products Affected

- **ACTIMMUNE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Afinitor

Products Affected

- *everolimus (antineoplastic) oral tablet*
- *everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg*
- **YULITHIRA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For everolimus only, documentation of advanced, hormone receptor-positive, HER2-negative breast cancer -AND- all of the following (1-3): 1) member is a postmenopausal woman 2) using in combination with exemestane 3) therapeutic failure or intolerance to prior treatment with letrozole or anastrozole. For everolimus only, documentation of non-functional neuroendocrine tumors -AND- all of the following (1-2): 1) disease is classified as progressive, well-differentiated, non-functional 2) disease is of gastrointestinal or lung origin that are unresectable, locally advanced or metastatic. For everolimus only, documentation of advanced renal cell carcinoma -AND- therapeutic failure or intolerance to prior treatment with sunitinib or sorafenib. For everolimus only, documentation of renal angiomyolipoma and tuberous sclerosis complex (TSC), member does not require immediate surgery. For everolimus and everolimus tablets for oral suspension, documentation of TSC with Subependymal Giant Cell Astrocytoma -AND- member is not a candidate for curative surgical resection. For everolimus only, documentation of progressive neuroendocrine tumors of pancreatic origin -AND- disease is unresectable, locally advanced or metastatic. For everolimus tablets for oral suspension only, documentation of use for adjunctive treatment of TSC-associated partial-onset seizures.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Aimovig

Products Affected

- **AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Akeega

Products Affected

- **AKEEGA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. -AND- Concomitant therapy with prednisone. -AND- Concomitant therapy with a gonadotropin-releasing hormone analog or a bilateral orchiectomy, -AND- For metastatic castration-sensitive prostate cancer, disease harbors a deleterious or suspected deleterious BRCA2 mutation based on an FDA-approved test. -AND- For metastatic castration-resistant prostate cancer, BRCA mutations.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Alecensa

Products Affected

- **ALECENSA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of non-small cell lung cancer (NSCLC) that is anaplastic lymphoma kinase (ALK) positive as detected by an FDA-approved test - AND- One of the following (1-2): 1) metastatic disease, 2) will be used as adjuvant treatment following tumor resection of node positive or greater than or equal to 4 cm tumor(s).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Alpha1-Proteinase Inhibitors

Products Affected

- **PROLASTIN-C INTRAVENOUS SOLUTION**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of panacinar emphysema AND documentation of a decline in forced expiratory volume in 1 second (fev1) despite medical therapy (bronchodilators, corticosteroids) AND documentation of phenotype (pi*zz, pi*znull or pi*nullnull) associated with causing serum alpha 1-antitrypsin of less than 80 mg/dl AND documentation of an alpha 1-antitrypsin serum level below the value of 35% of normal (less than 80 mg/dl).
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Covered under Part B when furnished incident to a physician service and is not self-administered.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Alunbrig

Products Affected

- **ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG**
- **ALUNBRIG ORAL TABLETS,DOSE PACK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of non-small cell lung cancer (NSCLC) that is anaplastic lymphoma kinase (ALK) positive as detected by an FDA-approved test.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ambrisentan PAH

Products Affected

- *ambrisentan*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ampyra

Products Affected

- *dalfampridine*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Anticholinergic Amitriptyline

Products Affected

- *amitriptyline*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure or documentation of intolerance or contraindication to 2 non-high risk alternative drugs for the same indication is required (e.g. SSRIs and SNRIs). If safer alternatives for the same indication are not available, then no trial of alternatives is required.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Amitriptyline/Perphenazine

Products Affected

- *perphenazine-amitriptyline*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure or documentation of intolerance or contraindication to 2 non-high risk alternative drugs for the same indication is required (e.g. SSRIs and SNRIs). If safer alternatives for the same indication are not available, then no trial of alternatives is required.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Benztropine

Products Affected

- *benztropine oral*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Anticholinergic Clomipramine

Products Affected

- *clomipramine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure or documentation of intolerance or contraindication to 2 non-high risk alternative drugs for the same indication is required (e.g. SSRIs and SNRIs). If safer alternatives for the same indication are not available, then no trial of alternatives is required.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Cyclobenzaprine

Products Affected

- *cyclobenzaprine oral tablet 10 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Anticholinergic Cyproheptadine

Products Affected

- *cyproheptadine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Anticholinergic Doxepin

Products Affected

- *doxepin oral capsule*
- *doxepin oral concentrate*
- *doxepin oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events. When daily dose is less than or equal to 6mg, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure or documentation of intolerance or contraindication to 2 non-high risk alternative drugs for the same indication is required (e.g. SSRIs and SNRIs). If safer alternatives for the same indication are not available, then no trial of alternatives is required.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Hydroxyzine

Products Affected

- *hydroxyzine hcl oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Anticholinergic Imipramine

Products Affected

- *imipramine hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure or documentation of intolerance or contraindication to 2 non-high risk alternative drugs for the same indication is required (e.g. SSRIs and SNRIs). If safer alternatives for the same indication are not available, then no trial of alternatives is required.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Nortriptyline

Products Affected

- *nortriptyline*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure or documentation of intolerance or contraindication to 2 non-high risk alternative drugs for the same indication is required (e.g. SSRIs and SNRIs). If safer alternatives for the same indication are not available, then no trial of alternatives is required.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Paroxetine

Products Affected

- *paroxetine hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- Attestation of counseling on risk-benefit profile and potential anticholinergic adverse effects -AND- Therapeutic failure, contraindication, or intolerance to 2 other antidepressants (i.e., SSRI, SNRI).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Anticholinergic Promethazine

Products Affected

- *promethazine oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	The following information (1-3) is required: 1) Documentation of diagnosis, 2) Explanation of risk-benefit profile favoring use of the high-risk medication, 3) Attestation of an intent to monitor and address treatment-related adverse events.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Anzupgo

Products Affected

- **ANZUPGO**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Arikayce

Products Affected

- **ARIKAYCE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of Mycobacterium avium complex lung disease -AND- Attestation of not achieving negative sputum cultures despite at least 6 months with a multidrug background regimen containing 2 of the following: 1) macrolide 2) rifamycin or 3) ethambutal -AND- Arikayce will be used in conjunction with a background multidrug regimen.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of positive sputum cultures -OR- negative sputum cultures for insufficient period of time (e.g. less than 12 months).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Aripiprazole

Products Affected

- *aripiprazole oral solution*
- *aripiprazole oral tablet,disintegrating*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For major depressive disorder, documentation of adjunctive therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For major depressive disorder, therapeutic failure, contraindication or intolerance to one other generic antidepressant in addition to the antidepressant currently being used for the treatment of MDD (e.g. SSRI, SNRI, NDRIs, TCA, MAOI).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Aubagio

Products Affected

- *teriflunomide*

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	5 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Augtyro

Products Affected

- **AUGTYRO ORAL CAPSULE 160 MG, 40 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of locally advanced or metastatic non-small cell lung cancer (NSCLC) that is ROS1-positive. Documentation of solid tumors -AND- disease harbors a NTRK gene fusion -AND- one of the following (1-2): 1) disease is locally advanced or metastatic, or 2) surgical resection is likely to result in severe morbidity -AND- one of the following (3-4): 3) disease has progressed following treatment, or 4) the member has no satisfactory alternative therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Austedo

Products Affected

- **AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG**
- **AUSTEDO XR**
- **AUSTEDO XR TITRATION KT(WK1-4)**
- **ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of all of the following (1-3) 1) Chorea associated with Huntington's disease 2) In patients with comorbid depression, attestation of adequate treatment for depression is required. 3) Attestation that patient is not actively suicidal. -OR- 4) Tardive Dyskinesia
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Auvelity

Products Affected

- **AUVELITY ORAL TABLET, IR AND ER, BIPHASIC**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Avmapki-Fakzynja

Products Affected

- **AVMAPKI-FAKZYNJA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For recurrent low-grade serous ovarian cancer (LGSOC), disease is KRAS-mutated -AND- member has received at least one prior systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Avonex

Products Affected

- **AVONEX INTRAMUSCULAR PEN INJECTOR KIT**
- **AVONEX INTRAMUSCULAR SYRINGE KIT**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ayvakit

Products Affected

- **AYVAKIT**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of unresectable or metastatic gastrointestinal stromal tumor -AND- tumors harbor a PDGFRA exon 18 mutation. Documentation of agressive systemic mastocytosis, systemic mastocytosis with an associated hematological neoplasm, mast cell leukemia, or indolent systemic mastocytosis -AND- platelet count greater than or equal to 50 x 10*9/L.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Bafiertam

Products Affected

- **BAFIERTAM**

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	2 years
Other Criteria	Therapeutic failure or intolerance to generic dimethyl fumarate is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Balversa

Products Affected

- **BALVERSA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- all of the following: 1) FGFR3 mutation status as detected by an FDA approved test 2) disease progression on or after at least on prior line of systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Banzel

Products Affected

- *rufinamide oral suspension*
- *rufinamide oral tablet 200 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Patients with familial short QT syndrome
Required Medical Information	Documentation of seizures due to Lennox-Gastaut Syndrome -AND- documentation of adjunctive therapy -AND- therapeutic failure or intolerance of a previous antiepileptic therapy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benlysta

Products Affected

- **BENLYSTA SUBCUTANEOUS**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Alprazolam

Products Affected

- *alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Clonazepam

Products Affected

- *clonazepam oral tablet 0.5 mg, 1 mg, 2 mg*
- *clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Clorazepate

Products Affected

- *clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Diazepam

Products Affected

- **DIAZEPAM INTENSOL**
- *diazepam oral solution 5 mg/5 ml (1 mg/ml)*
- *diazepam oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Lorazepam

Products Affected

- **LORAZEPAM INTENSOL**
- *lorazepam oral tablet 0.5 mg, 1 mg, 2 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Oxazepam

Products Affected

- *oxazepam*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Temazepam

Products Affected

- *temazepam*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	When used concomitantly with an opioid agonist & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of an opioid agonist & centrally acting skeletal muscle relaxant, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Benzo Potentiator Triazolam

Products Affected

- *triazolam*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	When used concomitantly with an opioid agonist & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of an opioid agonist & centrally acting skeletal muscle relaxant, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Besremi

Products Affected

- **BESREMI**
- **BESREMI PEN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of polycythemia vera
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Betaseron

Products Affected

- **BETASERON SUBCUTANEOUS KIT**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Bosulif

Products Affected

- **BOSULIF ORAL CAPSULE 100 MG, 50 MG**
- **BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For members 18 years of age and older, one of the following (1, 2): 1) newly diagnosed Philadelphia chromosome (PH) -positive CML in the chronic phase 2) diagnosis of Ph-positive CML in the chronic, accelerated, or blast phase and no longer responding to or intolerant to at least 1 prior therapy. For pediatric patients 1 year of age and older, one of the following (3, 4): 3) newly diagnosed PH-positive CML in the chronic phase 4) diagnosis of Ph-positive CML in the chronic phase and no longer responding to or intolerant to at least 1 prior therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For capsules and 18 years of age or older, intolerance to generic bosutinib tablets or inability to swallow tablets is required. For tablets and 18 years of age or older, intolerance to generic bosutinib tablets is required. For Bosutinib 100mg capsules and pediatric 1 year of age or older, inability to swallow tablets is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Bosutinib

Products Affected

- *bosutinib oral tablet 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For members 18 years of age and older, one of the following (1, 2): 1) newly diagnosed Philadelphia chromosome (PH) -positive CML in the chronic phase 2) diagnosis of Ph-positive CML in the chronic, accelerated, or blast phase and no longer responding to or intolerant to at least 1 prior therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Braftovi

Products Affected

- **BRAFTOVI**

PA Criteria	Criteria Details
Exclusion Criteria	Use in wild-type BRAF melanoma, wild-type BRAF CRC, or wild-type BRAF NSCLC.
Required Medical Information	Documentation of diagnosis. For metastatic colorectal cancer (mCRC) and using in combination with cetuximab, all of the following (1-3): 1) BRAF V600E mutation status as detected by an FDA-authorized test 2) using in combination with cetuximab 3) member has received prior therapy for CRC. For mCRC and using in combination with cetuximab and fluorouracil-based chemotherapy, all of the following (4-5): 4) BRAF V600E mutation status, as detected by an FDA-authorized test 5) using in combination with cetuximab and fluorouracil-based chemotherapy. For unresectable or metastatic melanoma, all of the following (6-7): 6) BRAF V600E or V600K mutation status, as detected by an FDA-authorized test 7) using in combination with binimetinib. For metastatic non-small cell lung cancer, all of the following (8-9): 8) BRAF V600E mutation status, as detected by an FDA-authorized test 9) using in combination with binimetinib.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Brinsupri

Products Affected

- **BRINSUPRI**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Brukinsa

Products Affected

- **BRUKINSA ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For mantle cell lymphoma (MCL), previous treatment with at least 1 prior therapy. For marginal zone lymphoma (MZL), previous treatment with at least 1 anti-CD20-based regimen. For follicular lymphoma (FL), using in combination with obinutuzumab and previous treatment with at least 2 prior lines of systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Buphenyl

Products Affected

- *sodium phenylbutyrate*

PA Criteria	Criteria Details
Exclusion Criteria	Treatment of acute hyperammonemia in urea cycle disorders
Required Medical Information	Documentation of chronic management of urea cycle disorders involving deficiencies of carbamylphosphate synthetase, argininosuccinic acid synthetase, or ornithine transcarbamylase.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Cabometyx

Products Affected

- **CABOMETYX**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- one of the following (1-6): 1) diagnosis of advanced renal cell carcinoma (RCC), 2) diagnosis of advanced RCC and using as a first-line treatment in combination with nivolumab, 3) member has previously been treated with sorafenib for hepatocellular carcinoma, 4) member has experienced disease progression following prior VEGFR-targeted therapy and is either radioactive iodine-refractory or is ineligible for radioactive iodine therapy for locally advanced or metastatic differentiated thyroid cancer, 5) diagnosis of previously treated, unresectable, locally advanced or metastatic, well-differentiated pancreatic neuroendocrine tumors (pNET), 6) diagnosis of previously treated, unresectable, locally advanced or metastatic, well-differentiated extra-pancreatic neuroendocrine tumors (epNET)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Calquence

Products Affected

- **CALQUENCE (ACALABRUTINIB MAL)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For mantle cell lymphoma, member has received at least one prior therapy -OR- all of the following (1-3): 1) member has not received prior therapy for MCL, 2) member is ineligible for autologous hematopoietic stem cell transplantation (HSCT), and 3) using in combination with bendamustine and rituximab.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Caplyta

Products Affected

- **CAPLYTA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For major depressive disorder, documentation of adjunctive therapy.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For major depressive disorder, therapeutic failure, contraindication or intolerance to Vraylar and one other generic antidepressant in addition to the antidepressant currently being used for the treatment of MDD (e.g. SSRI, SNRI, NDRIs, TCA, MAOI). For schizophrenia and bipolar I disorder, therapeutic failure, intolerance, or contraindication to Vraylar and one other generic atypical antipsychotic (e.g. quetiapine). For bipolar II disorder, therapeutic failure, intolerance, or contraindication to one other generic atypical antipsychotic (e.g. quetiapine).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Caprelsa

Products Affected

- **CAPRELSA ORAL TABLET 100 MG, 300 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of symptomatic or progressive medullary thyroid cancer in patients with unresectable locally advanced or metastatic disease.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Carbaglu

Products Affected

- *carglumic acid*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of use as an adjunct therapy for acute hyperammonemia due to hepatic enzyme N-acetylglutamate synthase (NAGS) deficiency, propionic acidemia (PA), or methylmalonic acidemia (MMA) -OR- maintenance therapy for chronic hyperammonemia due to hepatic enzyme N-acetylglutamate synthase (NAGS) deficiency
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Cayston

Products Affected

- **CAYSTON**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of cystic fibrosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Therapeutic failure, contraindication, intolerance, or resistance to generic inhaled tobramycin is required. For reauthorization, attestation of decrease in sputum density of pseudomonas aeruginosa, increase in FEV1 or decrease in number of hospitalizations or pulmonary exacerbations
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

CF drugs

Products Affected

- **TOBI PODHALER**
- *tobramycin in 0.225 % nacl*
- *tobramycin inhalation*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of cystic fibrosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Inhalation solutions covered under Part B when administered in the home setting using a covered nebulizer (i.e. DME). For reauthorization of tobramycin products, attestation of decrease in sputum density of pseudomonas aeruginosa, increase in FEV1 or decrease in number of hospitalizations or pulmonary exacerbations.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Cialis

Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of benign prostatic hyperplasia (BPH) and trial/failure of 2 of the following medications: dutasteride, doxazosin, tamsulosin, terazosin, finasteride, alfuzosin.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Cinryze

Products Affected

- **CINRYZE**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Cobenfy

Products Affected

- **COBENFY**
- **COBENFY STARTER PACK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Therapeutic failure, intolerance, or contraindication to Vraylar and one other generic atypical antipsychotic (e.g. quetiapine).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Cometriq

Products Affected

- **COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of progressive, metastatic medullary thyroid cancer
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Copiktra

Products Affected

- **COPIKTRA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- member is no longer responding or is intolerant to at least 2 prior therapies for chronic lymphocytic leukemia and small lymphocytic leukemia.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Corlanor

Products Affected

- *ivabradine oral tablet 5 mg, 7.5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- All of the following: 1) Normal sinus rhythm, 2) Resting heart rate greater than or equal to 70 beats per minute, 3) For adults, left ventricular ejection fraction less than or equal to 35 percent, 4) For adults, concurrent use of 1 beta-blocker used for treatment of heart failure (i.e. bisoprolol, carvedilol, metoprolol succinate) or therapeutic failure, intolerance, or contraindication to the maximum tolerated dose of 2 beta-blockers used for treatment of heart failure.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Cosentyx

Products Affected

- **COSENTYX (2 SYRINGES)**
- **COSENTYX PEN (2 PENS)**
- **COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML**
- **COSENTYX UNOREADY PEN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For moderate to severe psoriasis, inadequate response or intolerance to one systemic therapy (e.g. methotrexate) -OR- inadequate response to phototherapy -OR- contraindication to phototherapy and systemic therapy. For ankylosing spondylitis, inadequate response or intolerance to one nonsteroidal anti-inflammatory drug (NSAID) or all are contraindicated. For non-radiographic axial spondyloarthritis, inadequate response or intolerance to 2 NSAIDs or all are contraindicated.
Age Restrictions	Deny if less than 6 years of age for moderate to severe plaque psoriasis -OR- less than 2 years of age for psoriatic arthritis -OR- less than 4 years of age for enthesitis-related arthritis -OR- less than 12 years of age for hidradenitis suppurativa and ankylosing spondylitis -OR- less than 18 years of age for non-radiographic axial spondyloarthritis
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	For induction therapy dosing, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimens per indication. For hidradenitis suppurativa, doses above plan quantity limit will be approved to align with recommended dosing regimen.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

Cotellic

Products Affected

- **COTELLIC**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- all of the following for unresectable or metastatic melanoma (1-2): 1) BRAF V600E or V600K mutation status 2) Concomitant therapy with vemurafenib. For cobimetinib monotherapy, documentation of histiocytic neoplasms.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Cysteamine Ophthalmic Drops

Products Affected

- **CYSTARAN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of cystinosis -AND- Attestation of accumulation of corneal cystine crystals
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Danziten

Products Affected

- **DANZITEN**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Daraprim

Products Affected

- *pyrimethamine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For primary prophylaxis of toxoplasmosis gondii infection, CD4 count less than 100 cells/mm*3 -AND- Toxoplasma IgG positive -AND- failure, intolerance or contraindication to trimethoprim-sulfamethoxazole. For secondary prophylaxis of toxoplasmosis gondii infection, CD4 count less than 200 cells/mm*3. For secondary prophylaxis of cystoisosporiasis with CD4 count less than 200 cells/mm*3 or acute cystoisosporiasis infection: failure, intolerance or contraindication to trimethoprim-sulfamethoxazole. For primary prophylaxis of Pneumocystis jirovecii pneumonia: diagnosis of HIV -AND- CD4 count less than 200 cells/mm*3 -AND- failure, intolerance or contraindication to trimethoprim-sulfamethoxazole.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Daurismo

Products Affected

- **DAURISMO ORAL TABLET 100 MG, 25 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of newly diagnosed Acute Myeloid Leukemia -AND- Used in combination with cytarabine -AND- At least one comorbidity that preclude use of intensive induction chemotherapy defined as one of the following: 1) Age greater than or equal to 75 2) Severe cardiac or pulmonary comorbidity 3) Reduced renal function 4) Hepatic impairment 5.) Physician attests patient is not a candidate for intensive induction therapy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Deferasirox

Products Affected

- *deferasirox oral tablet, dispersible*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For chronic iron overload due to blood transfusions, transfusion history of greater than or equal to 100 mL/kg of packed red blood cells (i.e. at least 20 units of packed red blood cells for a 40 kg person or more in individuals weighing more than 40 kg) -And- history of serum ferritin consistently greater than 1,000 mcg/L or liver iron concentration (LIC) greater than or equal to 7 iron per gram of liver dry weight (mg Fe/g dw). For Chronic Iron Overload in Non-Transfusion-Dependent Thalassemia (NTDT) Syndrome, LIC of at least 5 mg Fe/g dw -AND- serum ferritin greater than 300 mcg/L.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization of chronic iron overload due to blood transfusion, continued requirement for regular blood transfusions -AND- serum ferritin level greater than or equal to 500mcg/L or LIC greater than or equal to 3 mg Fe/g dw. For reauthorization of chronic iron overload in NTDT syndrome, LIC greater than or equal to 3 mg Fe/g dw.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	No

Diacomit

Products Affected

- **DIACOMIT ORAL CAPSULE 250 MG, 500 MG**
- **DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Dihydroergotamine

Products Affected

- *dihydroergotamine nasal*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of acute migraine headaches with or without aura -AND- requires non-oral route of administration -AND- therapeutic failure or intolerance to generic sumatriptan nasal spray.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Drizalma

Products Affected

- **DRIZALMA SPRINKLE ORAL**
  CAPSULE, DELAYED REL SPRINKLE
  20 MG, 30 MG, 40 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Dulaglutide

Products Affected

- **TRULICITY**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Dupixent

Products Affected

- **DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML**
- **DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Duvyzat

Products Affected

- **DUVYZAT**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of Duchenne muscular dystrophy with pathogenic mutation in the dystrophin gene.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Emgality

Products Affected

- **EMGALITY PEN**
- **EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3)**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ensacove

Products Affected

- **ENSACOVE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For locally advanced or metastatic non-small cell lung cancer (NSCLC) -AND- Disease is ALK-positive, as detected by an FDA-approved test -AND- Not previously received an ALK inhibitor.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Entresto Sprinkle

Products Affected

- **ENTRESTO SPRINKLE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of symptomatic heart failure with left ventricular systolic dysfunction -AND- weight less than 40kg, or weight greater than or equal to 40kg and less than 50kg and one of the following (1 or 2): 1) therapeutic failure or intolerance to generic sacubitril/valsartan tablets, or 2) inability to swallow tablets.
Age Restrictions	Deny if greater than 17 years old
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, all of the following are required (1-3): 1) attestation of positive clinical response to therapy, 2) member is younger than 18 years of age, 3) weight less than 40kg, or weight greater than or equal to 40kg and less than 50kg and one of the following (4 or 5): 4) intolerance to generic sacubitril/valsartan tablets, or 5) inability to swallow tablets.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Entyvio

Products Affected

- **ENTYVIO PEN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- attestation of receiving or currently undergoing at least 2 doses of IV Entyvio within 6 weeks of initiating therapy with Entyvio SC.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	For moderate to severe ulcerative colitis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, Rinvoq. For moderate to severe active Crohn's disease, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, and Rinvoq. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Eohilia

Products Affected

- **EOHILIA**

PA Criteria	Criteria Details
Exclusion Criteria	Treatment duration greater than 12 weeks
Required Medical Information	Diagnosis of eosinophilic esophagitis -AND- esophageal eosinophil count greater than or equal to 15 eos/hpf on esophageal biopsy -AND- clinical symptoms of esophageal dysfunction (e.g., dysphagia, food impaction, gastroesophageal reflux)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 weeks
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Epclusa

Products Affected

- *sofosbuvir-velpatasvir*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Epidiolex

Products Affected

- **EPIDIOLEX**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Eprontia

Products Affected

- *topiramate oral solution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- inability to swallow pills or food. For migraine, therapeutic failure, intolerance, or contraindication to two generic preventive migraine therapies. For partial onset seizures, primary generalized tonic-clonic seizures, or adjunctive treatment of Lennox-Gastaut Syndrome, therapeutic failure, contraindication, or intolerance to two generic anti-epileptic drugs.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ergotamine-Caffeine

Products Affected

- *ergotamine-caffeine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of use to abort a vascular headache -AND- therapeutic failure, intolerance, or contraindication to a generic triptan -OR- documentation of use to prevent a vascular headache -AND- therapeutic failure, intolerance, or contraindication to generic prophylactic migraine medication (e.g., topiramate, propanolol, timolol).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Erivedge

Products Affected

- **ERIVEDGE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- if disease is locally advanced all of the following: 1) disease has recurred following surgery, or is not a candidate for surgery, 2) is not a candidate for radiation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Erleada

Products Affected

- **ERLEADA ORAL TABLET 240 MG, 60 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- the member meets one of the following (1 or 2) 1. Documentation of use in combination with a GnRH analog -OR- 2. The member has had a bilateral orchiectomy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Escitalopram Capsule

Products Affected

- *escitalopram oxalate oral capsule*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of major depressive disorder or generalized anxiety -AND- Therapy has been initiated with escitalopram 10mg or member has been receiving and is experiencing unfavorable tolerability to escitalopram 20mg -AND- Intolerance to generic escitalopram tablets -AND- Therapeutic failure, intolerance or contraindication to at least one other antidepressant (e.g., SSRI, TCA, MAOI).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Etanercept

Products Affected

- **ENBREL MINI**
- **ENBREL SUBCUTANEOUS SOLUTION**
- **ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)**
- **ENBREL SURECLICK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For rheumatoid arthritis, inadequate response or intolerance to at least one DMARD (e.g. methotrexate, leflunomide). For ankylosing spondylitis, inadequate response or intolerance to one nonsteroidal anti-inflammatory drug (NSAID). For polyarticular juvenile idiopathic arthritis, inadequate response or intolerance to at least one DMARD (e.g., methotrexate, leflunomide) -OR- requires initial biologic therapy due to involvement of high-risk joints, high disease activity or at high risk of disabling joint damage. For moderate to severe plaque psoriasis, inadequate response or intolerance to one systemic therapy (e.g. methotrexate) -OR- inadequate response to phototherapy -OR- contraindication to phototherapy and systemic therapy.
Age Restrictions	Deny if less than 18 years of age for Rheumatoid Arthritis and Ankylosing Spondylitis or less than 2 years of age for Polyarticular Juvenile Idiopathic Arthritis and Psoriatic Arthritis or Less than 4 years of age for Plaque Psoriasis
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	Therapeutic failure or intolerance to 1 of the following preferred adalimumab products is required, when being utilized for the same medically accepted indication and age: Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. For plaque psoriasis induction therapy, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimen.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Exxua

Products Affected

- **EXXUA ORAL TABLET EXTENDED RELEASE 24 HR**
- **EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of major depressive disorder (MDD) -AND- Therapeutic failure or intolerance to generic bupropion hydrochloride tablets -AND- Therapeutic failure, intolerance or contraindication to one other generic antidepressant (e.g. SNRI, SSRI).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Fanapt

Products Affected

- **FANAPT**
- **FANAPT TITRATION PACK A**
- **FANAPT TITRATION PACK B**
- **FANAPT TITRATION PACK C**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Trial and failure of one of the following: olanzapine, quetiapine, or risperidone -AND- When utilized for the same medically accepted indication, trial and failure of Vraylar
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Fasenra

Products Affected

- **FASENRA PEN**
- **FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Fecal Microbiota Products

Products Affected

- **VOWST**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of a recent diagnosis of Clostridioides difficile infection (CDI) confirmed by a positive stool test -AND- Classified as recurrent (e.g., at least 2 CDI episodes) -AND- Will be used for prophylaxis and not treatment of recurrent CDI -AND- Attestation that antibiotic treatment for the most recent recurrent CDI is complete or will be completed.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 month
Other Criteria	For reauthorization, attestation of recurrent CDI episodes after administration of the initial fecal microbiota product -AND- Will be used for prophylaxis and not treatment of recurrent CDI -AND- Attestation that antibiotic treatment for the most recent recurrent CDI is complete or will be completed.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Fetzima

Products Affected

- **FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)**
- **FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of major depressive disorder and trial and failure of two other generic antidepressants.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	5 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Filspari

Products Affected

- **FILSPARI ORAL TABLET 200 MG, 400 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Filsuvez

Products Affected

- **FILSUVEZ**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of dystrophic epidermolysis bullosa (DEB) or junctional epidermolysis bullosa (JEB) -AND- at least one open wound.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of improvement in targeted wound(s) -AND- member requires additional courses of treatment.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Fintepla

Products Affected

- **FINTEPLA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of Dravet syndrome or Lennox-Gastaut syndrome. For Lennox-Gastaut syndrome, therapeutic failure, contraindication, or intolerance to at least 2 standard of care treatments (e.g. lamotrigine, clobazam).
Age Restrictions	Deny if less than 2 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Firazyr

Products Affected

- *icatibant*
- **SAJAZIR**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Firmagon

Products Affected

- **FIRMAGON KIT W DILUENT SYRINGE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of advanced prostate cancer.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Flector

Products Affected

- *diclofenac epolamine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis AND one of the following (1,2 or 3): 1) trial/failure, intolerance, or contraindication to 2 oral generic NSAIDs one of which must be diclofenac 2) hypersensitivity to oral NSAIDs 3) history or high risk for adverse gastrointestinal effects associated with oral NSAID use.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 month
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Forteo

Products Affected

- *teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Fotivda

Products Affected

- **FOTIVDA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- member has received at least two prior systemic therapies.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Fruzaqla

Products Affected

- **FRUZAQLA ORAL CAPSULE 1 MG, 5 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- member has received previous threatment with a fluoropyrimidine-, oxaliplatin-, and irinotecan-containing chemotherapy -AND- member has received previous treatment with an anti-VEGF therapy -AND- one of the following, if member is RAS wild-type (1-2): 1) member has received previous therapy with an anti-EGFR therapy 2) prescriber attests that treatment with an anti-EGFR therapy would not be medically appropriate.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Gattex

Products Affected

- **GATTEX 30-VIAL**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Gavreto

Products Affected

- **GAVRETO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For metastatic non-small cell lung cancer, disease is RET fusion-positive as detected by an FDA approved test. For advanced or metastatic thyroid cancer, all of the following (1-2): 1) disease is RET fusion-positive 2) if radioactive iodine is appropriate, the member is radioactive iodine-refractory.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Gilenya

Products Affected

- *fingolimod*

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	5 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Gilotrif

Products Affected

- **GILOTRIF**

PA Criteria	Criteria Details
Exclusion Criteria	Tumors with resistant EGFR mutations.
Required Medical Information	Documentation of metastatic non-small cell lung cancer (NSCLC) -AND- one of the following, as detected by an FDA-approved test (1-3): 1) disease harbors EGFR exon 19 deletions 2) disease harbors EGFR exon 21 (L858R) substitution mutation 3) disease harbors non-resistant EGFR mutation (i.e., S768I, L861Q, G719X) -OR- documentation of squamous metastatic NSCLC and member has experienced progression on platinum-based chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Glatiramer

Products Affected

- **COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML, 40 MG/ML**
- *glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml*
- **GLATOPA SUBCUTANEOUS SYRINGE 20 MG/ML, 40 MG/ML**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Gleevec

Products Affected

- *imatinib oral tablet 100 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of Ph+ chronic myeloid leukemia -AND- one of the following: 1) member is newly diagnosed in chronic phase 2) member is in blast crisis, the accelerated phase or the chronic phase after failure of interferon-alpha therapy. Documentation of Ph+ acute lymphocytic leukemia -AND- one of the following: 1) for adults, member has relapsed or refractory disease 2) for pediatric patients, member is newly diagnosed and will be using imatinib in combination with a chemotherapy regimen. Documentation of adult agressive systemic mastocytosis -AND- one of the following: 1) documentation that the member does not have D816V c-KIT status 2) member's c-KIT status is unknown. For gastrointestinal stromal tumors (GIST) one of the following: 1) member has diagnosis of KIT (CD117)-positive unresectable and/or metastatic malignant GIST 2) imatinib will be used as adjuvent treatment following resection of KIT (CD117)-positive GIST. Documentation of unresectable, recurrent or metastatic dermatofibrosarcoma protuberans. Documentation of Hypereosinophilic Syndrome/Chronic Eosinophilic Leukemia. Documentation of myeloproliferative disease -AND- disease is associated with PDGFR gene rearrangements. Documentation of myelodysplastic syndrome -AND- disease is associated with PDGFR gene rearrangements.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Gleostine

Products Affected

- *lomustine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of primary or metastatic brain tumor(s) -AND- member has previously received surgical and/or radiotherapeutic procedure(s). Documentation of Hodgkin's lymphoma -AND- all of the following (1-2): 1) using lomustine in combination with other chemotherapies 2) member has experienced disease progression with initial chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Gomekli

Products Affected

- **GOMEKLI ORAL CAPSULE 1 MG, 2 MG**
- **GOMEKLI ORAL TABLET FOR SUSPENSION**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of neurofibromatosis type 1 (NF1) -AND- presence of symptomatic plexiform neurofibromas (PN) not amenable to complete resection.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Guanfacine ER ADHD

Products Affected

- *guanfacine oral tablet extended release 24 hr*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of ADHD -AND- trial/failure, intolerance or contraindication to a stimulant
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Hepcludex

Products Affected

- **HEPCLUDEX**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Hernexeos

Products Affected

- **HERNEXEOS**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For non-squamous non-small cell lung cancer (NSCLC), all of the following (1-2): 1) disease is unresectable or metastatic, 2) disease harbors HER2 (ERBB2) tyrosine kinase domain activating mutations, as detected by an FDA-authorized test
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Hypnotic Potentiator Estazolam

Products Affected

- *estazolam*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	When used concomitantly with an opioid agonist, both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of an opioid agonist, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Hypnotic Potentiator Zaleplon

Products Affected

- *zaleplon oral capsule 10 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	When used concomitantly with an opioid agonist, both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of an opioid agonist, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Hypnotic Potentiator Zolpidem

Products Affected

- *zolpidem oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	When used concomitantly with an opioid agonist, both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of an opioid agonist, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Hyrnuo

Products Affected

- **HYRNUO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For non-squamous non-small cell lung cancer (NSCLC), all of the following (1-3): 1) disease is locally advanced or metastatic, 2) disease harbors HER2 (ERBB2) tyrosine kinase domain activating mutations, as detected by an FDA-approved test, and 3) member has received at least one prior systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ibrance

Products Affected

- **IBRANCE ORAL CAPSULE 125 MG**
- **IBRANCE ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ibtrozi

Products Affected

- **IBTROZI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of locally advanced or metastatic non-small cell lung cancer (NSCLC) that is ROS1-positive.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Iclusig

Products Affected

- **ICLUSIG**

PA Criteria	Criteria Details
Exclusion Criteria	Treatment of newly-diagnosed chronic phase CML
Required Medical Information	Documentation of T3151+ chronic myeloid leukemia (CML) -OR- documentation of chronic phase CML and member has experienced resistance or intolerance to at least two prior kinase inhibitors -OR- documentation of accelerated phase or blast phase CML and no other kinase inhibitor is indicated -OR- member is using Iclusig as monotherapy and meets one of the following (1-2): 1) documentation of T3151+ acute lymphoblastic leukemia (ALL) 2) documentation of Ph+ ALL and no other tyrosine kinase inhibitor therapy is indicated -OR- member has newly diagnosed Ph+ ALL and is using Iclusig in combination with chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Idhifa

Products Affected

- **IDHIFA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of relapsed or refractory acute myeloid leukemia (AML) with an isocitrate dehydrogenase-2 (IDH2) mutation as detected by an FDA approved test
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Imbruvica

Products Affected

- **IMBRUVICA ORAL CAPSULE 140 MG, 70 MG**
- **IMBRUVICA ORAL SUSPENSION**
- **IMBRUVICA ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For chronic graft versus host disease, previous treatment with at least 1 prior systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For suspension, inability to swallow oral tablets or oral capsules is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Imkeldi

Products Affected

- **IMKELDI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of Ph+ chronic myeloid leukemia -AND- one of the following: 1) member is newly diagnosed in chronic phase 2) member is in blast crisis, the accelerated phase or the chronic phase after failure of interferon-alpha therapy. Documentation of Ph+ acute lymphocytic leukemia -AND- one of the following: 1) for adults, member has relapsed or refractory disease 2) for pediatric patients, member is newly diagnosed and will be using imatinib in combination with a chemotherapy regimen. Documentation of adult agressive systemic mastocytosis -AND- one of the following: 1) documentation that the member does not have D816V c-KIT status 2) member's c-KIT status is unknown. For gastrointestinal stromal tumors (GIST) one of the following: 1) member has diagnosis of KIT (CD117)-positive unresectable and/or metastatic malignant GIST 2) imatinib will be used as adjuvent treatment following resection of KIT (CD117)-positive GIST. Documentation of unresectable, recurrent or metastatic dermatofibrosarcoma protuberans. Documentation of Hypereosinophilic Syndrome/Chronic Eosinophilic Leukemia. Documentation of myeloproliferative disease -AND- disease is associated with PDGFR gene rearrangements. Documentation of myelodysplastic syndrome -AND- disease is associated with PDGFR gene rearrangements.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Documentation of an inability to swallow oral tablets is required.
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Immune Globulins

Products Affected

- **GAMMAGARD LIQUID**
- **GAMMAGARD LIQUID ERC**
- **GAMMAGARD S-D (IGA**
- **PRIVIGEN**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Increlex

Products Affected

- **INCRELEX**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Inluriyo

Products Affected

- **INLURIYO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- all of the following (1-3): 1) disease is ER-positive, HER2-negative, 2) disease harbors an ESR1 mutation, as detected by an FDA-approved test, 3) member has experienced disease progression following at least one line of endocrine therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Inlyta

Products Affected

- **INLYTA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of advanced renal cell carcinoma -AND- one of the following (1-2): 1) if using axitinib as first line therapy, member is using axitinib in combination with avelumab or pembrolizumab 2) if using axitinib as a single-agent, member has been treated with at least one prior systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Inqovi

Products Affected

- **INQOVI**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Inrebic

Products Affected

- **INREBIC**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of intermediate-2 or high-risk myelofibrosis per an accepted risk stratification tool for myelofibrosis (e.g., International Prognostic Scoring System [IPSS]) -AND- If a new start, baseline platelet count of greater than or equal to 50x10*9/L
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Baseline platelet count to be provided.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Insulin Supplies

Products Affected

- **ALCOHOL PADS**
- **GAUZE PAD TOPICAL BANDAGE 2 X 2 "**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation the product is being used for the delivery of insulin into the body.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Interferon Alfa

Products Affected

- **PEGASYS**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Iressa

Products Affected

- *gefitinib*

PA Criteria	Criteria Details
Exclusion Criteria	Use in tumors with EGFR mutations other than exon 19 deletions or exon 21 (L858R) substitution mutations.
Required Medical Information	Documentation of diagnosis -AND- the following: 1) EGFR exon 19 deletion mutations or exon 21 (L858R) mutations as detected by an FDA-approved test
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Itovebi

Products Affected

- **ITOVEBI ORAL TABLET 3 MG, 9 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of endocrine-resistant, locally advanced or metastatic breast cancer -AND- all of the following (1-4): 1) disease is HR-positive, HER2-negative 2) disease is PIK3CA-mutated, as detected by an FDA-approved test 3) the member is using in combination with palbociclib and fulvestrant 4) the member has experienced recurrence on or after completing adjuvant endocrine therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Itraconazole

Products Affected

- *itraconazole oral capsule*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. If using for diagnosis of onychomycosis, confirmation through positive laboratory testing (e.g. KOH preparation, fungal culture, or nail biopsy) is required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Onychomycosis: 3 months. All other indications: 12 months
Other Criteria	Documentation of trial/failure or intolerance of amphotericin b must be provided for approval in patients with aspergillosis.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ivermectin Oral

Products Affected

- *ivermectin oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of strongyloidiasis of the intestinal tract (non-disseminated disease) or onchocerciasis -AND- Member weighs greater than or equal to 15kg.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Iwilfin

Products Affected

- **IWILFIN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of high-risk neuroblastoma (HRNB) -AND- partial response to anti-glycolipid disialoganglioside (GD2) immunotherapy (e.g., dinutuximab, naxitamab).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Jakafi

Products Affected

- **JAKAFI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of intermediate or high-risk myelofibrosis per an accepted risk stratification tool for myelofibrosis (e.g., International Prognostic Scoring System [IPSS]) and if a new start, baseline platelet count of greater than or equal to 50x10*9/L -OR- documentation of polycythemia vera and inadequate response or intolerance to hydroxyurea -OR- Documentation of steroid refractory acute graft-versus-host disease and prior therapy with at least one systemic corticosteroid -OR- Documentation of chronic graft-versus-host disease with prior failure of at least one systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Baseline platelet count to be provided.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Jascayd

Products Affected

- **JASCAYD**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Jaypirca

Products Affected

- **JAYPIRCA ORAL TABLET 100 MG, 50 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For relapsed or refractory mantle cell lymphoma, member has received at least two (2) previous lines of systemic therapy, at least one (1) of which was a BTK inhibitor. For relapsed or refractory Chronic Lymphocytic Leukemia/Small Lymphocytic Leukemia, member has previously been treated with a covalent BTK inhibitor.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Jideytro

Products Affected

- **JIDEYTRO ORAL TABLET 100 MG, 25 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Joenja

Products Affected

- **JOENJA ORAL TABLET 70 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Jynarque

Products Affected

- *tolvaptan (polycys kidney dis) oral tablet*
- *tolvaptan (polycys kidney dis) oral tablets, sequential*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Kalydeco

Products Affected

- **KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG**
- **KALYDECO ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Kerendia

Products Affected

- **KERENDIA**

PA Criteria	Criteria Details
Exclusion Criteria	eGFR less than 25 mL/min/1.73 m*2, serum potassium greater than 5.5 mEq/L
Required Medical Information	Documentation of type 2 diabetes mellitus with chronic kidney disease (T2DM+CKD) or heart failure (HF) with left ventricular ejection fraction (LVEF) of greater than or equal to 40% -AND- one of the following (1. 2. or 3.): 1) concomitant use of a sodium-glucose Cotransporter-2 (SGLT2) inhibitor 2) therapeutic failure to at least one SGLT2 inhibitor or 3) contraindication or intolerance to at least one SGLT2 inhibitor.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months initial authorization, 12 months reauthorization
Other Criteria	For T2DM+CKD reauthorization, attestation that signs or symptoms of hyperkalemia are not present. For HF reauthorization, attestation of positive clinical response to therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Kesimpta

Products Affected

- **KESIMPTA PEN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For induction therapy dosing, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimens
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Kineret

Products Affected

- **KINERET**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Kisqali

Products Affected

- **KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- disease is classified as HR-positive, HER2-negative -AND- one of the following (1-3): 1) member is using ribociclib in combination with an aromatase inhibitor as initial endocrine-based therapy 2) member is using ribociclib in combination with fulvestrant and member is using fulvestrant as initial endocrine-based therapy or member has experienced disease progression on endocrine therapy. 3) disease is classified as stage II or stage III early breast cancer at high risk of recurrence, ribociclib is being used in combination with an aromatase inhibitor as adjuvant treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Komzifti

Products Affected

- **KOMZIFTI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For relapsed or refractory acute myeloid leukemia, the member has a susceptible NPM1 mutation -AND- the member has no satisfactory alternative treatment options.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Korlym

Products Affected

- *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of endogenous Cushing's syndrome -AND- Patient is not a candidate for surgery or where surgery has failed -AND- one of the following (1 or 2): 1) Diagnosis of diabetes, 2) Glucose intolerance
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Koselugo

Products Affected

- **KOSELUGO ORAL CAPSULE 10 MG, 25 MG**
- **KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- for neurofibromatosis type 1 (NF1), documentation of symptomatic, inoperable plexiform neurofibromas (PN)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For Koselugo granules, 1 of the following is required (1-2): 1) inability to swallow oral capsules, 2) body surface area of less than 0.55 m*2
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Krazati

Products Affected

- **KRAZATI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of non-small cell lung cancer -AND- disease is KRAS G12C-mutated as determined by an FDA approved test -AND- member has received at least one prior systemic therapy -AND- using as a single agent. Documentation of locally advanced or metastatic colorectal cancer -AND- disease is KRAS G12C-mutated as determined by an FDA-approved test -AND- using in combination with cetuximab -AND- prior treatment with fluoropyrimidine-, oxaliplatin-, and irinotecan-based chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Kuvan

Products Affected

- **JAVYGTOR**
- *sapropterin*
- **ZELVYSIA**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Kygevvi

Products Affected

- **KYGEVVI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of Thymidine Kinase 2 Deficiency (TK2d) -AND- Pathogenic mutation in TK2 gene, as confirmed by genetic testing -AND- symptom onset on or before 12 years of age
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Latuda

Products Affected

- *lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. If medication is being used for bipolar 1 disorder, documentation of trial and failure or intolerance to one other formulary medication indicated in bipolar 1 disorder (e.g. quetiapine)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lazcluze

Products Affected

- **LAZCLUZE ORAL TABLET 240 MG, 80 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of non-small cell lung cancer (NSCLC) -AND- all of the following (1-4): 1) disease harbors EGFR exon 19 deletions or EGFR exon 21 (L858R) substitution mutation, as detected by an FDA-approved test 2) disease is locally advanced or metastatic, 3) member is treatment naive for advanced disease, 4) using in combination with amivantinib.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lenvima

Products Affected

- **LENVIMA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of differentiated thyroid cancer -AND- meets all of the following (1-3): 1) disease is locally recurrent or metastatic 2) disease is progressive 3) disease is radioactive iodine refractory. Documentation of advanced renal cell carcinoma -AND- one of the following (4-5): 4) member is using lenvatinib in combination with pembrolizumab and is using lenvatinib and pembrolizumab as first-line treatment 5) member is using lenvatinib in combination with everolimus and has experienced therapeutic failure or intolerance to one prior anti-angiogenic therapy. Documentation of unresectable hepatocellular carcinoma -AND- member is using lenvatinib as first-line treatment. Documentation of endometrial cancer -AND- meets all of the following (6-10): 6) member is using lenvatinib in combination with pembrolizumab 7) disease is advanced 8) disease is not classified as microsatellite instability-high or disease is classified as mismatch repair proficient as determined by an FDA-approved test 9) member has experienced disease progression following prior systemic therapy 10) member is not a candidate for curative surgery or radiation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Leqembi Iqlik

Products Affected

- **LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Leukine

Products Affected

- **LEUKINE INJECTION RECON SOLN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis: following induction chemotherapy in patients who are 55 years or older with acute myelogenous leukemia (AML) -OR- mobilization of hematopoietic progenitor cells into peripheral blood for collection by leukapheresis and autologous transplantation -OR- acceleration of myeloid reconstitution following autologous bone marrow or peripheral blood progenitor cell transplantation -OR- acceleration of myeloid reconstitution following allogeneic BMT -OR- treatment of delayed neutrophil recovery or graft failure after autologous or allogeneic BMT -OR- following acute exposure to myelosuppressive doses of radiation (Hematopoietic Syndrome of Acute Radiation Syndrome [H-ARS]).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Lidoderm

Products Affected

- *lidocaine topical adhesive patch,medicated 5 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of postherpetic neuralgia (PHN) or diabetic peripheral neuropathy (DPN) -AND- One of the following (1-3): 1) trial and failure of 1 other agent used to treat diagnosis (e.g. gabapentin for PHN, duloxetine for DPN), 2) inability to swallow oral medication, 3) unable to take an oral medication due to potential adverse events (e.g. sedation).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off Label Uses	Diabetic peripheral neuropathy
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lifyorli

Products Affected

- **LIFYORLI ORAL CAPSULE 125 MG/DAY(100 MG X1-25MG X1), 125 MG/DAY(100 MG X1-25MG X3), 125 MG/DAY(100 MG X1-25MG X9), 150 MG/DAY(100 MG X1-25MG X2), 150 MG/DAY(100 MG X1-25MG X3), 150 MG/DAY(100 MG X1-25MG X9)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For epithelial ovarian, fallopian tube, or primary peritoneal cancer, all of the following (1-3): 1) disease is platinum-resistant, 2) member has received 1-3 prior systemic treatment regimens, at least 1 of which included bevacizumab, 3) using in combination with nab-paclitaxel.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Liraglutide

Products Affected

- *liraglutide*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Litfulo

Products Affected

- **LITFULO**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Livtencity

Products Affected

- **LIVTENCITY**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Loargys

Products Affected

- **LOARGYS**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of Arginase 1 Deficiency (ARG1-D) -AND- Used in conjunction with dietary protein restriction -AND- Diagnosis is confirmed by 1 of the following (1-3): 1) genetic testing, 2) newborn screening, or 3) elevated arginine levels in plasma.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Lonsurf

Products Affected

- **LONSURF**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of metastatic colorectal cancer as a single agent or in combination with bevacizumab in patients who have previously been treated with fluoropyrimidine-, oxaliplatin-, and irinotecan-based chemotherapy, an anti-VEGF therapy, and if RAS wild-type, an anti-EGFR therapy -OR- documentation of metastatic gastric or gastroesophageal junction adenocarcinoma previously treated with at least two prior lines of chemotherapy that included a fluoropyrimidine, a platinum, either a taxane or irinotecan, and if appropriate, HER2/neu-targeted therapy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lorbrena

Products Affected

- **LORBRENA ORAL TABLET 100 MG, 25 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of ALK-positive metastatic non-small cell lung cancer (NSCLC) as detected by an FDA-approved test.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Lotronex

Products Affected

- *alosetron oral tablet 0.5 mg, 1 mg*

PA Criteria	Criteria Details
Exclusion Criteria	For irritable bowel syndrome (IBS): Exclude if male gender
Required Medical Information	Documentation of chronic severe diarrhea-predominant IBS -AND- trial and failure or intolerance to one anti-diarrheal (e.g. loperamide), anti-spasmodic, or tricyclic antidepressant, or contraindication to all
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 weeks initial authorization, 12 months reauthorization
Other Criteria	For reauthorization, attestation that symptoms of IBS continue to persist AND positive clinical response.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lumakras

Products Affected

- **LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of locally advanced or metastatic non-small cell lung cancer -AND- disease is KRAS G12C-mutated as determined by an FDA approved test -AND- member has received at least one prior systemic therapy -AND- using as a single agent. Documentation of metastatic colorectal cancer -AND- disease is KRAS G12C-mutated as determined by an FDA approved test -AND- using in combination with panitumumab -AND- prior treatment with fluoropyrimidine-, oxaliplatin-, and irinotecan-based chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lybalvi

Products Affected

- **LYBALVI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of schizophrenia or bipolar I disorder -AND- One of the following (1 or 2): 1) Therapeutic failure, intolerance or contraindication to generic risperidone and generic quetiapine 2) Currently stable and responding to olanzapine but experiencing weight gain from the medication
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lynparza

Products Affected

- **LYNPARZA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For advanced epithelial ovarian, fallopian tube or primary peritoneal cancer, all of the following (1-2): 1) in complete or partial response to first-line platinum-based chemotherapy 2) diagnosis of deleterious or suspected deleterious BRCA mutated disease or disease is associated with homologous recombination deficiency (HRD) positive status with a deleterious or suspected deleterious BRCA mutation or genomic instability and will be using in combination with bevacizumab. For recurrent epithelial ovarian, fallopian tube or primary peritoneal cancer, all of the following (1-2): 1) deleterious or suspected deleterious germline or somatic BRCA mutation 2) in complete or partial response to platinum-based chemotherapy. For deleterious or suspected deleterious gBRCAm, HER2-negative breast cancer, 1 of the following (1-2): 1) classified as high-risk, early breast cancer and has been treated with neoadjuvant or adjuvant chemotherapy 2) has been treated with chemotherapy in the neoadjuvant, adjuvant or metastatic setting and if hormone receptor (HR)-positive, has been previously treated with or considered inappropriate for treatment with endocrine therapy. For metastatic pancreatic adenocarcinoma, all of the following (1-2): 1) a deleterious or suspected deleterious gBRCA mutation 2) did not progress on at least 16 weeks of a first-line platinum-based chemotherapy regimen. For deleterious or suspected deleterious germline or somatic homologous recombination repair (HRR) gene mutation metastatic castration-resistant prostate cancer, all of the following (1-2): 1) progressed following prior treatment with enzalutamide or abiraterone 2) concurrently receiving a gonadotropin-releasing hormone (GnRH) analog or has had a bilateral orchiectomy. For deleterious or suspected deleterious BRCA mutation metastatic castration-resistant prostate cancer, using in combination with all of the following (1-2): 1) abiraterone 2) prednisone or prednisolone.
Age Restrictions	

PA Criteria	Criteria Details
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Lyrica

Products Affected

- *pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg*
- *pregabalin oral solution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. When used concomitantly with an opioid agonist, attestation of intent to monitor & address concomitant drug-drug interaction adverse events is also required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Lytgobi

Products Affected

- **LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- all of the following (1-2): 1) disease harbors FGFR2 fusions or other rearrangements 2) member has experienced therapeutic failure or intolerance to at least one prior therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Macitentan PAH

Products Affected

- **OPSUMIT**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Macitentan/Tadalafil PAH

Products Affected

- **OPSYNVI**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Mavyret

Products Affected

- **MAVYRET ORAL PELLETS IN PACKET**
- **MAVYRET ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Criteria will be applied consistent with current AASLD/IDSA guidance
Age Restrictions	Deny if less than 3 years of age
Prescriber Restrictions	
Coverage Duration	Criteria/duration applied consistent with current AASLD-IDSA guidance
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Megace

Products Affected

- *megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)*
- *megestrol oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Mekinist

Products Affected

- **MEKINIST ORAL RECON SOLN**
- **MEKINIST ORAL TABLET 0.5 MG, 2 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For trametinib monotherapy, documentation of unresectable or metastatic melanoma -AND- meets all of the following (1-2): 1) member has a BRAF V600E or V600K mutation 2) member is BRAF inhibitor treatment naive. For use in combination with dabrafenib, documentation of unresectable or metastatic melanoma or melanoma with lymph node(s) involvement following complete resection and member is using trametinib and dabrafenib as adjuvant therapy -AND- member has a BRAF V600E or V600K mutation. For use in combination with dabrafenib, documentation of metastatic non-small cell lung cancer, locally advanced or metastatic anaplastic thyroid cancer, or low-grade glioma -AND- member has a BRAF V600E mutation, as detected by an FDA approved test when FDA indicated. For use in combination with dabrafenib, documentation of unresectable or metastatic solid tumors -AND- all of the following (1-3): 1) BRAF V600E mutation 2) disease has progressed following prior treatment 3) member has no satisfactory alternative treatment options.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For Mekinist powder for oral solution, attestation of inability to swallow Mekinist (trametinib) tablets is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Mektovi

Products Affected

- **MEKTOVI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For unresectable or metastatic melanoma, all of the following (1-2): 1) BRAF V600E or V600K mutation status, as detected by an FDA-authorized test 2) using in combination with encorafenib. For metastatic non-small cell lung cancer, all of the following (1-2): 1) BRAF V600E mutation status, as detected by an FDA-authorized test 2) using in combination with encorafenib.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Metyrosine

Products Affected

- *metyrosine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of pheochromocytoma defined by 1 of the following (1 or 2): 1) Elevated metanephrines in plasma or urine, or 2) Tumor evidence from CT scan or MRI -AND- Documentation of 1 of the following (3., 4., or 5.): 3) Planned resection surgery, 4) Resection surgery is contraindicated, or 5) malignant pheochromocytoma. -AND- therapeutic failure, contraindication, or intolerance to a selective alpha-blocker (e.g., doxazosin, prazosin, terazosin).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Miglustat2

Products Affected

- *miglustat*
- **YARGESA**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Modeyso

Products Affected

- **MODEYSO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of diffuse midline glioma -AND- disease harbors an H3 K27M mutation -AND- member has experienced progressive disease following prior therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Mulpleta

Products Affected

- **MULPLETA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of thrombocytopenia and chronic liver disease - AND- beneficiary is scheduled to undergo a procedure -AND- trial and failure or intolerance to Doptelet -AND- Platelet count of less than 50x10*9/L
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	1 month
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Namzaric

Products Affected

- *memantine-donepezil*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis and intolerance to generic memantine and generic donepezil
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nayzilam

Products Affected

- **NAYZILAM**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of seizure clusters or acute repetitive seizures -AND- the member is currently receiving antiepileptic maintenance therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nemluvio

Products Affected

- **NEMLUVIO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of prurigo nodularis -OR- Documentation of moderate to severe atopic dermatitis and one of the following (1-3): 1) trial and failure or intolerance to at least one topical corticosteroid or one topical calcineurin inhibitor (e.g., tacrolimus, pimecrolimus), 2) severe atopic dermatitis and the member is incapable of applying topical therapies due to the extent of body surface area involvement, or 3) severe atopic dermatitis and topical therapies are contraindicated due to severely damaged skin.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Prurigo nodularis: 6 months initial, 12 months reauth. Atopic Dermatitis: 12 months
Other Criteria	For prurigo nodularis, must follow recommended dosing guidelines based upon weight. For atopic dermatitis, must follow recommended dosing based on FDA approved dosing guidelines. For induction therapy, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimen. For prurigo nodularis reauthorization, attestation of reduction in itch or number of nodules or lesions from baseline.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Nerlynx

Products Affected

- **NERLYNX**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of early-stage, HER2-positive breast cancer -AND- meets all of the following: 1)member has received adjuvant trastuzumab-based therapy 2) member is using neratinib as a single agent. Documentation of advanced HER-2 positive, or metastatic HER2-positive breast cancer and meets all of the following 1) using neratinib in combination with capecitabine 2) member has received two or more prior anti-HER2 based regimens in the metastatic setting.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nexavar

Products Affected

- *sorafenib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For locally recurrent or metastatic, progressive, differentiated thyroid carcinoma, refractory to radioactive iodine treatment
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Nexletol

Products Affected

- **NEXLETOL**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nexlizet

Products Affected

- **NEXLIZET**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ninlaro

Products Affected

- **NINLARO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of multiple myeloma -AND- previous treatment with at least 1 prior therapy -AND- used in combination with lenalidomide and dexamethasone
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nitisinone

Products Affected

- *nitisinone*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of hereditary tyrosinemia type 1 (HT-1) confirmed by biochemical or genetic testing -AND- dietary restriction of tyrosine and phenylalanine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Northera

Products Affected

- *droxidopa oral capsule 100 mg, 200 mg, 300 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of neurogenic orthostatic hypotension caused by primary autonomic failure (e.g., Parkinson's disease, multiple system atrophy, or pure autonomic failure), dopamine beta-hydroxylase deficiency or non-diabetic autonomic neuropathy -AND- documentation of inadequate response, intolerance or contraindication to preferred generic alternative midodrine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	For reauthorization, attestation of increase from baseline of systolic or diastolic blood pressure upon standing -OR- attestation of decrease from baseline of neurogenic orthostatic hypotension symptoms upon standing (e.g., dizziness, feeling faint, etc.).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nubeqa

Products Affected

- **NUBEQA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of non-metastatic castration-resistant prostate cancer or metastatic castration-sensitive prostate cancer -AND- one of the following (1-2): 1) using in combination with a GnRH analog 2) member has had a bilateral orchiectomy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nucala

Products Affected

- **NUCALA SUBCUTANEOUS AUTO-INJECTOR**
- **NUCALA SUBCUTANEOUS RECON SOLN**
- **NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nuedexta

Products Affected

- *dextromethorphan-quinidine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation supporting improvement in symptoms is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Nuplazid

Products Affected

- **NUPLAZID**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of hallucinations and delusions associated with Parkinson's disease psychosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Nurtec

Products Affected

- **NURTEC ODT**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Nuvigil

Products Affected

- *armodafinil*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Octreotide

Products Affected

- *octreotide acetate injection solution*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Odactra

Products Affected

- **ODACTRA**

PA Criteria	Criteria Details
Exclusion Criteria	Asthma (severe, unstable or uncontrolled), concomitant sublingual or subcutaneous immunotherapy
Required Medical Information	Documentation of allergic rhinitis due to house dust mites -AND- allergic rhinitis with or without conjunctivitis has been confirmed by skin testing for licensed house dust mite allergen extracts or in vitro testing for IgE antibodies to D. pteronyssinus or D. Farina -AND- trial and failure or intolerance to an intranasal steroid and an oral non-sedating antihistamine, intranasal antihistamine or intranasal anticholinergic agent
Age Restrictions	Deny if less than 5 years of age or greater than 65 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Member must also be prescribed an epinephrine auto injector. For reauthorization, attestation of improved allergy symptoms is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Odomzo

Products Affected

- **ODOMZO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of locally advanced basal cell carcinoma (laBCC) that has recurred following surgery or radiation therapy or for use in patients who are not candidates for surgery or radiation therapy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ofev

Products Affected

- *nintedanib*
- **OFEV**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ogsiveo

Products Affected

- **OGSIVEO ORAL TABLET 100 MG, 150 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of progressing desmoid tumor(s) requiring systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ojemda

Products Affected

- **OJEMDA ORAL SUSPENSION FOR RECONSTITUTION**
- **OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of relapsed or refractory pediatric low-grade glioma -AND- one of the following (1-2): 1) BRAF fusion or rearrangement, or 2) BRAF V600K mutation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ojjaara

Products Affected

- **OJJAARA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of intermediate or high-risk myelofibrosis -AND- attestation of anemia.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Onfi

Products Affected

- *clobazam oral suspension*
- *clobazam oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of seizures due to Lennox-Gastaut Syndrome -AND- documentation of adjunctive therapy -AND- therapeutic failure or intolerance of a previous antiepileptic therapy
Age Restrictions	Deny if less than 2 years old
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Onureg

Products Affected

- **ONUREG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of acute myeloid leukemia that has achieved first complete remission or complete remission with incomplete blood count recovery following intensive induction chemotherapy -AND- Inability to complete intensive curative therapy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Acetaminophen/Butalbital/Caffeine/Codeine

Products Affected

- *butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Acetaminophen/Codeine

Products Affected

- *acetaminophen-codeine oral solution 120-12 mg/5 ml*
- *acetaminophen-codeine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Acetaminophen/Oxycodone

Products Affected

- *oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Acetaminophen/Tramadol

Products Affected

- *tramadol-acetaminophen*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Buprenorphine (LA)

Products Affected

- *buprenorphine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	All the following are required (1-3): 1) pain requiring treatment is severe, requiring daily, around-the-clock, long-term opioid therapy, 2) member is not opioid naive, 3) attestations that non-opioid alternative therapies have been explored (e.g., NSAIDs), controlled substance history in the state Prescription Drug Monitoring Program (PDMP) has been reviewed, and counseling on the potential adverse effects of opioid analgesics, including the risks of misuse, abuse, and addiction, has been provided. A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	

PA Criteria	Criteria Details
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Fentanyl (LA)

Products Affected

- *fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	All the following are required (1-3): 1) pain requiring treatment is severe, requiring daily, around-the-clock, long-term opioid therapy, 2) member is not opioid naive, 3) attestations that non-opioid alternative therapies have been explored (e.g., NSAIDs), controlled substance history in the state Prescription Drug Monitoring Program (PDMP) has been reviewed, and counseling on the potential adverse effects of opioid analgesics, including the risks of misuse, abuse, and addiction, has been provided. A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	

PA Criteria	Criteria Details
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Hydromorphone

Products Affected

- *hydromorphone oral liquid*
- *hydromorphone oral tablet 2 mg, 4 mg, 8 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Methadone (LA)

Products Affected

- *methadone oral solution 10 mg/5 ml, 5 mg/5 ml*
- *methadone oral tablet 10 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	All the following are required (1-3): 1) pain requiring treatment is severe, requiring daily, around-the-clock, long-term opioid therapy, 2) member is not opioid naive, 3) attestations that non-opioid alternative therapies have been explored (e.g., NSAIDs), controlled substance history in the state Prescription Drug Monitoring Program (PDMP) has been reviewed, and counseling on the potential adverse effects of opioid analgesics, including the risks of misuse, abuse, and addiction, has been provided. A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	

PA Criteria	Criteria Details
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Morphine

Products Affected

- *morphine concentrate oral solution*
- *morphine oral solution 10 mg/5 ml (2 mg/ml), 20 mg/5 ml (4 mg/ml)*
- *morphine oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Morphine (LA)

Products Affected

- *morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	All the following are required (1-3): 1) pain requiring treatment is severe, requiring daily, around-the-clock, long-term opioid therapy, 2) member is not opioid naive, 3) attestations that non-opioid alternative therapies have been explored (e.g., NSAIDs), controlled substance history in the state Prescription Drug Monitoring Program (PDMP) has been reviewed, and counseling on the potential adverse effects of opioid analgesics, including the risks of misuse, abuse, and addiction, has been provided. A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	

PA Criteria	Criteria Details
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Oxycodone

Products Affected

- *oxycodone oral capsule*
- *oxycodone oral concentrate*
- *oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opioid Tramadol

Products Affected

- *tramadol oral tablet 50 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	A) When used concomitantly with substance abuse therapy, 1 of the following is required (1-2): 1) documentation of acute pain condition (e.g., acute traumatic injury) in which treatment with other agents would cause insufficient pain control, 2) pain requiring treatment is related to a terminal illness. In absence of substance abuse therapy, these criteria are not required. B) When used concomitantly with a benzodiazepine & centrally acting skeletal muscle relaxant (i.e., carisoprodol), all of the following are required (1-5): 1) documentation of diagnosis, 2) attestation that non-opioid therapies have been considered (e.g., NSAIDs), 3) attestation that non-benzodiazepine therapies have been considered (e.g., SSRIs, SNRIs), 4) trial/failure of 2 other skeletal muscle relaxants (e.g., methocarbamol, metaxalone), understanding these skeletal muscle relaxants are high-risk medications in geriatric patients, 5) attestation of intent to monitor & address concomitant drug-drug interaction adverse events. In absence of a benzodiazepine & centrally acting skeletal muscle relaxant, these criteria are not required. C) When used concomitantly with an opioid potentiator (e.g., gabapentinoid, sedative-hypnotic), both of the following are required (1-2): 1) documentation of diagnosis, 2) attestation of intent to monitor & address concomitant drug-drug interaction adverse events is required. In absence of an opioid potentiator, these criteria are not required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Concomitant Substance Abuse Therapy: 1 month. All other criteria: 12 months
Other Criteria	

PA Criteria	Criteria Details
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Opipza

Products Affected

- **OPIPZA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- 1 of the following (1-2): 1) intolerance to generic aripiprazole tablets, 2) inability to swallow oral tablets. For major depressive disorder, documentation of adjunctive therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For major depressive disorder, therapeutic failure, contraindication or intolerance to Vraylar and one other generic antidepressant in addition to the antidepressant currently being used for the treatment of MDD (e.g. SSRI, SNRI, NDRIs, TCA, MAOI). When utilized for the same medically accepted indication, trial and failure of Vraylar.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Orencia

Products Affected

- **ORENCIA CLICKJECT**
- **ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For moderate to severe rheumatoid arthritis, inadequate response or intolerance to at least one DMARD (e.g. methotrexate, leflunomide). For polyarticular juvenile idiopathic arthritis, inadequate response or intolerance to at least one DMARD (e.g., methotrexate, leflunomide) -OR- requires initial biologic therapy due to involvement of high-risk joints, high disease activity or at high risk of disabling joint damage.
Age Restrictions	Deny if less than 18 years of age for Rheumatoid Arthritis or less than 2 years of age for Polyarticular Juvenile Idiopathic Arthritis and Psoriatic Arthritis
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	For rheumatoid arthritis, patients must have therapeutic failure or intolerance to a preferred adalimumab product, and Rinvoq. For psoriatic arthritis, patients 18 years of age and older must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Cosentyx, Otezla/Otezla XR, Skyrizi SC, Rinvoq/Rinvoq LQ. For polyarticular juvenile idiopathic arthritis, patients must have therapeutic failure or intolerance to a preferred adalimumab product, and Rinvoq/Rinvoq LQ. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257.
Indications	All FDA-approved Indications.

PA Criteria	Criteria Details
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Orgovyx

Products Affected

- **ORGOVYX**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of advanced prostate cancer
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For induction therapy dosing, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimens per indication.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Orkambi

Products Affected

- **ORKAMBI ORAL GRANULES IN PACKET**
- **ORKAMBI ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Orserdu

Products Affected

- **ORSERDU ORAL TABLET 345 MG, 86 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Otezla

Products Affected

- **OTEZLA**
- **OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47)**
- **OTEZLA XR**
- **OTEZLA XR INITIATION**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For plaque psoriasis, all of the following (1-2): 1) member is greater than or equal to 18 years of age with mild-to-severe disease -OR- if the member is greater than or equal to 6 years of age and less than 18 years, weight is greater than or equal to 20 kg for Otezla or 50 kg for Otelza XR, and member has moderate-to-severe disease -AND- 2) inadequate response or intolerance to one systemic therapy (e.g. methotrexate) -OR- inadequate response to phototherapy -OR- contraindication to phototherapy and systemic therapy. For oral ulcers associated with Behcet's Disease, inadequate response or intolerance to one systemic therapy for prevention of recurrent oral ulcers. For psoriatic arthritis, if the member is greater than or equal to 6 years of age and less than 18 years and weight is greater than or equal to 20 kg for Otezla or 50 kg for Otelza XR.
Age Restrictions	Deny if less than 6 years of age for plaque psoriasis or psoriatic arthritis. Deny if less than 18 years of age for Behcet's Disease.
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Ozempic Oral

Products Affected

- **OZEMPIC ORAL**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Panretin

Products Affected

- **PANRETIN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of cutaneous lesions in patients with AIDS-related Kaposi Sarcoma (KS) who are not receiving systemic therapy for KS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Pemazyre

Products Affected

- **PEMAZYRE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of unresectable locally advanced cholangiocarcinoma or metastatic cholangiocarcinoma -AND- all of the following (1-2): 1) disease harbors FGFR2 fusion or other rearrangement as detected by an FDA-approved test 2) member has experienced therapeutic failure or intolerance to at least on prior therapy. Documentation of relapsed or refractory myeloid/lymphoid neoplasms -AND- disease harbors an FGFR1 rearrangement.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Pheburane

Products Affected

- **PHEBURANE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- intolerence to generic sodium phenylbutyrate.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Piqray

Products Affected

- **PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- all of the following: 1) HR-positive, HER2-negative tumor status, 2) PIK3CA mutation positive as detected by an FDA-approved test, 3) disease progression on or after an endocrine-based regimen, 4) Concomitant therapy with fulvestrant
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Pirfenidone

Products Affected

- *pirfenidone oral capsule*
- *pirfenidone oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Plegridy

Products Affected

- **PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML**
- **PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Pomalyst

Products Affected

- *pomalidomide*
- **POMALYST**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of multiple myeloma, and combination use with dexamethasone, and previous trial of at least 2 therapies including lenalidomide and a proteasome inhibitor, and disease progression on or within 60 days of completion of the last therapy -OR- Documentation of AIDS-related Kaposi sarcoma (KS) after failure of highly active antiretroviral therapy (HAART) or in patients with KS who are HIV negative
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For brand Pomalyst, intolerance to generic pomalidomide is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Posaconazole Tablet

Products Affected

- *posaconazole oral tablet,delayed release (dr/ec)*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For aspergillus or candida infection prophylaxis, high risk of developing invasive Aspergillosis or Candidiasis infection due to being severely immunocompromised (e.g., hematopoietic stem cell transplant recipients with graft versus host disease, those with hematologic malignancies with prolonged neutropenia from chemotherapy) -AND- weight greater than 40 kg. For invasive aspergillosis infection, trial/failure or contraindication to voriconazole.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Preferred Adalimumab

Products Affected

- **HADLIMA**
- **HADLIMA PUSHTOUCH**
- **HADLIMA(CF)**
- **HADLIMA(CF) PUSHTOUCH**
- **SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML**
- **SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For moderate to severe rheumatoid arthritis, inadequate response or intolerance to at least one DMARD (e.g. methotrexate, leflunomide). For ankylosing spondylitis, inadequate response or intolerance to at least one nonsteroidal anti-inflammatory drug (NSAID). For moderate to severe polyarticular juvenile idiopathic arthritis, inadequate response or intolerance to at least one DMARD (e.g., methotrexate, leflunomide) -OR- requires initial biologic therapy due to involvement of high-risk joints, high disease activity or at high risk of disabling joint damage. For moderate to severe plaque psoriasis, inadequate response or intolerance to one systemic therapy (e.g. methotrexate) -OR- inadequate response to phototherapy -OR- contraindication to phototherapy and systemic therapy. For uveitis, inadequate response or intolerance to 1 immunosuppressant or corticosteroid, or all are contraindicated.
Age Restrictions	Deny if less than 18 years of age for Rheumatoid Arthritis, Psoriatic Arthritis, Plaque Psoriasis, and Ankylosing Spondylitis or less than 12 years of age for Hidradenitis Suppurative or Less than 6 years of age for Crohn's disease or Less than 5 years of age for Ulcerative Colitis or less than 2 years of age for Polyarticular Juvenile Idiopathic Arthritis and Uveitis
Prescriber Restrictions	
Coverage Duration	Plan Year

PA Criteria	Criteria Details
Other Criteria	For plaque psoriasis induction therapy, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimen. For rheumatoid arthritis therapy without concomitant methotrexate, doses above plan quantity limit will be approved aligned with recommended weekly dosing regimen. For pediatric ulcerative colitis and hidradenitis suppurativa, doses above plan quantity limit will be approved to align with recommended dosing regimen. Induction therapy or treatment regimens for other indications are aligned with plan quantity limit on Humira starter kit. These criteria are applicable to Hadlima with NDC starting with 78206, and Simlandi with NDC starting with 51759.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Preferred Denosumab (Onco)

Products Affected

- **BILPREVDA**
- **WYOST**
- **XTRENBO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For hypercalcemia of malignancy, refractory to bisphosphonates. For giant cell tumor of bone, unresectable or surgical resection is likely to result in severe morbidity and 1 of the following (1-2): 1) member is 18 years old or older, or 2) member is a skeletally mature adolescent (e.g. has at least one mature long bone)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Preferred Denosumab (Osteo)

Products Affected

- **BILDYOS**
- **ENOBY**
- **JUBBONTI**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Preferred Ustekinumab

Products Affected

- **STEQEYMA SUBCUTANEOUS SOLUTION**
- **STEQEYMA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML**
- **YESINTEK SUBCUTANEOUS SOLUTION**
- **YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Prenatal Vitamins

Products Affected

- **PRENATAL VITAMIN PLUS LOW IRON**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Pretomanid

Products Affected

- *pretomanid*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. Criteria will be applied consistent with the current ATS/CDC/ERS/IDSA Clinical Practice Guideline for the Treatment of Drug-Susceptible and Drug-Resistant Tuberculosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of disease improvement -AND- member requires additional antimicrobial therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Prevymis Oral Pellets

Products Affected

- **PREVYMIS ORAL PELLETS IN PACKET**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis.
Age Restrictions	Deny if less than 6 months of age with HSCT. Deny if less than 12 years of age with kidney transplant.
Prescriber Restrictions	
Coverage Duration	7 months
Other Criteria	One of the following is required (1-2): 1) inability to swallow tablets, 2) unable to use Prevymis (letermovir) tablets due to body weight dosing limitations.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Provigil

Products Affected

- *modafinil*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	No

Pulmozyme

Products Affected

- **PULMOZYME**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of cystic fibrosis -AND- Used in conjunction with standard therapies for management of cystic fibrosis to improve pulmonary function.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	Inhalation solutions covered under Part B when administered in the home setting using a covered nebulizer (i.e. DME). For reauthorization, attestation of increase in FEV1 or decrease in number of hospitalizations or pulmonary exacerbations.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Qinlock

Products Affected

- **QINLOCK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of advanced gastrointestinal stromal tumor -AND- Prior treatment with imatinib and 2 other kinase inhibitors.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Qulipta

Products Affected

- **QULIPTA**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Ravicti

Products Affected

- *glycerol phenylbutyrate*

PA Criteria	Criteria Details
Exclusion Criteria	Urea cycle disorders due to N-acetylglutamate synthetase deficiency, Treatment of acute hyperammonemia in urea cycle disorders
Required Medical Information	Documentation of chronic management of a urea cycle disorders (UCDs)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Redemplo

Products Affected

- **REDEMPLO**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Repatha

Products Affected

- **REPATHA SURECLICK**
- **REPATHA SYRINGE**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Retevmo

Products Affected

- **RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of locally advanced or metastatic non-small cell lung cancer -AND- disease is classified as RET gene fusion as detected by an FDA approved test. Documentation of advanced or metastatic medullary thyroid cancer -AND- disease is classified as RET mutation as detected by an FDA approved test. Documentation of advanced or metastatic thyroid cancer -AND- all of the following (1-2): 1) disease is classified as RET gene fusion as detected by an FDA approved test 2) if radioactive iodine is appropriate for the member, the member is radioactive iodine-refractory. Documentation of locally advanced or metastatic solid tumor(s) -AND- disease harbors a RET gene fusion, as detected by an FDA-approved test -AND- one of the following (1-2): 1) the member has no satisfactory alternative treatments 2) the member's tumors have progressed following prior systemic treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Revlimid

Products Affected

- *lenalidomide*

PA Criteria	Criteria Details
Exclusion Criteria	Documentation of chronic lymphocytic leukemia outside of a controlled clinical trial
Required Medical Information	Diagnosis of multiple myeloma in combination with dexamethasone -OR- diagnosis of multiple myeloma, as maintenance following autologous hematopoietic stem cell transplant (auto-HSCT) -OR- diagnosis of transfusion-dependent anemia due to low- or intermediate-1-risk myelodysplastic syndromes (MDS) associated with a deletion 5q abnormality with or without additional cytogenetic abnormalities -OR- diagnosis of mantle cell lymphoma (MCL) in which disease has relapsed or progressed after two prior therapies, one of which included bortezomib -OR- diagnosis of follicular lymphoma in combination with a rituximab product after previous treatment -OR- diagnosis of marginal zone lymphoma in combination with a rituximab product after previous treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Revuforj

Products Affected

- **REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For relapsed or refractory acute leukemia, member has a lysine methyltransferase 2A gene (KMT2A) translocation, as determined by an FDA-authorized test. For relapsed or refractory acute myeloid leukemia, the member has a susceptible NPM1 mutation -AND- the member has no satisfactory alternative treatment options.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Rexulti

Products Affected

- **REXULTI ORAL TABLET**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For major depressive disorder, documentation of adjunctive therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For major depressive disorder, therapeutic failure, contraindication or intolerance to Vraylar and one other generic antidepressant in addition to the antidepressant currently being used for the treatment of MDD (e.g. SSRI, SNRI, NDRIs, TCA, MAOI). For schizophrenia, therapeutic failure, intolerance, or contraindication to Vraylar and one other generic atypical antipsychotic (e.g. quetiapine).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Rezdiffra

Products Affected

- **REZDIFFRA**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Rezlidhia

Products Affected

- **REZLIDHIA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of relapsed or refractory acute myeloid leukemia (AML) with an isocitrate dehydrogenase-1 (IDH1) mutation as detected by an FDA approved test
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Rinvoq

Products Affected

- **RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Rinvoq LQ

Products Affected

- **RINVOQ LQ**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For polyarticular juvenile idiopathic arthritis, inadequate response or intolerance to at least one DMARD (e.g., methotrexate, leflunomide) or all non-biologic DMARDs are contraindicated or requires initial biologic therapy due to involvement of high-risk joints, high disease activity or at high risk of disabling joint damage.
Age Restrictions	For PsA, deny if 18 years of age or older
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	The member has experienced therapeutic failure or intolerance to at least 1 tumor necrosis factor (TNF) blocker.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Riociguat PAH

Products Affected

- **ADEMPAS**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Rivfloza

Products Affected

- **RIVFLOZA SUBCUTANEOUS SOLUTION**
- **RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Romvimza

Products Affected

- **ROMVIMZA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of symptomatic tenosynovial giant cell tumor -AND- attestation that surgical resection may cause one of the following (1-2): 1) worsening functional limitation, 2) severe morbidity
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Rozlytrek

Products Affected

- **ROZLYTREK ORAL CAPSULE 100 MG, 200 MG**
- **ROZLYTREK ORAL PELLETS IN PACKET**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For metastatic non-small cell lung cancer, the tumor status is ROS1-positive. For solid tumors with NTRK gene fusion without a known acquired resistance mutation, the tumors are metastatic or surgical resection is likely to result in severe morbidity - AND- There are no satisfactory alternative treatments or the tumors have progressed following treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Rubraca

Products Affected

- **RUBRACA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For recurrent epithelial ovarian, fallopian tube or primary peritoneal cancer, all of the following (1-2): 1) Disease harbors a deleterious BRCA mutation (germline or somatic) 2) member is in complete or partial response to platinum-based chemotherapy. For metastatic castration-resistant prostate cancer, all of the following (1-3): 1) disease harbors a deleterious BRCA mutation (germline and/or somatic) 2) member has been treated with androgen receptor-directed therapy 3) member is concurrently receiving a gonadotropin-releasing hormone (GnRH) analog or member has had a bilateral orchiectomy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Rydapt

Products Affected

- **RYDAPT**

PA Criteria	Criteria Details
Exclusion Criteria	Use as single agent induction therapy for AML
Required Medical Information	Documentation of diagnosis. For a new diagnosis of acute myeloid leukemia, member is using in combination with standard cytarabine and daunorubicin induction and cytarabine consolidation chemotherapy regimens and member is FLT3 mutation positive as detected by an FDA-approved test.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Sabril

Products Affected

- *vigabatrin*
- **VIGADRONE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of refractory complex partial seizures -AND- documentation of adjunctive therapy -AND- therapeutic failure or intolerance to at least two alternative treatments (e.g. carbamazepine, lamotrigine, levetiracetam, oxcarbazepine, tiagabine) -OR- documentation of use as monotherapy in treatment of infantile spasms
Age Restrictions	Deny if less than 2 years of age in treatment of refractory complex partial seizures -OR- if less than 1 month old and greater than 2 years of age in treatment of infantile spasms
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Samsca

Products Affected

- *tolvaptan*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Saphris

Products Affected

- *asenapine maleate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis - AND - trial and failure of one of the following: olanzapine, quetiapine, or risperidone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Scemblix

Products Affected

- **SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- one of the following (1-3): 1) the member is newly-diagnosed, 2) member has been previously treated for Ph+ CML in chronic phase, 3) disease is positive for the T3151 mutation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Secuado

Products Affected

- **SECUADO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- intolerance to generic asenapine sublingual tablets -AND- trial/failure or intolerance to 1 of the following or all are contraindicated (1-3): 1) olanzapine, 2) quetiapine, 3) risperidone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Semaglutide

Products Affected

- **OZEMPIC SUBCUTANEOUS**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Signifor

Products Affected

- **SIGNIFOR**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- patient is not a candidate for pituitary surgery or surgery has not been curative
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, both of the following are required (1 and 2: 1) patient remains not a candidate for required surgery or the surgery has not been curative, and 2) attestation of decrease in urinary free cortisol levels from baseline
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Sildenafil PAH

Products Affected

- *sildenafil (pulm.hypertension) oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Siliq

Products Affected

- **SILIQ**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For moderate to severe plaque psoriasis, inadequate response or intolerance to one systemic therapy (e.g. methotrexate) -OR- inadequate response to phototherapy -OR- contraindication to phototherapy and systemic therapy.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	For psoriasis induction therapy, doses above plan quantity limit will be approved aligned with recommended induction therapy dosing regimen. For psoriasis, patients must have therapeutic failure or intolerance to 2 preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Cosentyx, Otezla/Otezla XR, and Skyrizi SC. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Sirturo

Products Affected

- **SIRTURO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. Criteria will be applied consistent with the current ATS/CDC/ERS/IDSA Clinical Practice Guideline for the Treatment of Drug-Susceptible and Drug-Resistant Tuberculosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of disease improvement -AND- member requires additional antimicrobial therapy.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Skyrizi

Products Affected

- **SKYRIZI SUBCUTANEOUS PEN INJECTOR**
- **SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 55 MG/0.37 ML**
- **SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Sohonos

Products Affected

- **SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG, 5 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	Deny if female and less than 8 years of age -OR- if male and less than 10 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of reduction in volume of new heterotopic ossification from baseline.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Solaraze

Products Affected

- *diclofenac sodium topical gel 3 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- trial and failure, intolerance, or contraindication to one of the following (1 or 2): 1) topical fluorouracil solution or fluorouracil 5% cream 2) topical imiquimod 5% cream
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	For reauthorization, attestation of 30 day washout period since optimal therapeutic effect may not be evident until 30 days following cessation of therapy AND attestation of previous response to diclofenac sodium 3% topical gel therapy
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Somatropin

Products Affected

- **NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)**
- **OMNITROPE SUBCUTANEOUS CARTRIDGE 5 MG/1.5 ML (3.3 MG/ML)**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Somavert

Products Affected

- **SOMAVERT**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For acromegaly, high pretreatment insulin-like growth factor-1 (IGF-1) based on laboratory reference range -AND- inadequate or partial response to surgery or radiotherapy or not a candidate for surgery or radiotherapy
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization of acromegaly, decreased or normalized IGF-1 from baseline
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Sprycel

Products Affected

- *dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Stivarga

Products Affected

- **STIVARGA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of metastatic colorectal cancer and trial of a fluoropyrimidine-, oxaliplatin-, and irinotecan-containing chemotherapy, AND an anti-VEGF therapy AND if RAS wild-type, an anti-EGFR therapy -OR- documentation of locally advanced, unresectable or metastatic gastrointestinal stromal tumor (GIST) after treatment with both imatinib and sunitinib -OR- documentation of hepatocellular cancer AND previous treatment with sorafenib
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Sutent

Products Affected

- *sunitinib malate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For gastrointestinal stromal tumor (GIST), the member has experienced therapeutic failure, intolerance, or contraindication to imatinib. For a high risk of recurrent renal cell carcinoma, member has had a nephrectomy and sunitinib is to be used as adjuvant treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Sympazan

Products Affected

- **SYMPAZAN**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of seizures due to Lennox-Gastaut Syndrome -AND- documentation of adjunctive therapy -AND- therapeutic failure or intolerance of a previous antiepileptic therapy -AND- unable to tolerate generic clobazam
Age Restrictions	Deny if less than 2 years old
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Symproic

Products Affected

- **SYMPROIC**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of opioid induced constipation (OIC) due to any of the following (1-2): 1) chronic non-cancer pain, or 2) chronic pain related to prior cancer or its treatments who do not require frequent (e.g., weekly) opioid dosage escalation -AND- documentation of opioid medication use -AND- trial and failure, contraindication, or intolerance to at least 2 of the following (3-5): 3) Laxatives, 4) lubiprostone, 5) Movantik
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Synarel

Products Affected

- **SYNAREL**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For central precocious puberty (CPP), advancement of bone age is beyond chronological age -AND- Basal luteinizing hormone (LH) level greater than 0.2-0.3IU/L or leuprolide-stimulating LH level greater than 3.3-5 IU/L. For female with endometriosis, attestation of not pregnant if of childbearing age -AND- Therapeutic failure, contraindication or intolerance to 2 of the following standard of care treatments: NSAIDs, combination hormonal contraceptive, progestin (i.e. medroxyprogesterone injection), GnRH agonist (i.e. Leuprolide) or danazol
Age Restrictions	Deny if onset of puberty after 8 years of age for females or after 9 years of age for males unless there is medical necessity for treatment of central precocious puberty. Deny if less than 18 years of age for endometriosis.
Prescriber Restrictions	
Coverage Duration	Endometriosis: 6 months, CPP: 6 months initial authorization, 12 months reauthorization
Other Criteria	For reauthorization for CPP, attestation of pubertal development slowing from baseline.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tabrecta

Products Affected

- **TABRECTA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of metastatic non-small cell lung cancer with MET exon 14 skipping mutation as detected by an FDA approved test.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tadalafil PAH

Products Affected

- *tadalafil (pulm. hypertension)*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tafinlar

Products Affected

- **TAFINLAR ORAL CAPSULE**
- **TAFINLAR ORAL TABLET FOR SUSPENSION**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For dabrafenib monotherapy, documentation of unresectable or metastatic melanoma -AND- documentation of a BRAF V600E mutation. For use in combination with trametinib, documentation of unresectable or metastatic melanoma or melanoma with lymph node(s) involvement following complete resection and member is using trametinib and dabrafenib as adjuvant therapy -AND- member has a BRAF V600E or V600K mutation. For use in combination with trametinib, documentation of metastatic non-small cell lung cancer, locally advanced or metastatic anaplastic thyroid cancer, or low-grade glioma -AND- member has a BRAF V600E mutation, as detected by an FDA-approved test when FDA indicated. For use in combination with trametinib, documentation of unresectable or metastatic solid tumors -AND- all of the following (1-3): 1) BRAF V600E mutation 2) disease has progressed following prior treatment 3) member has no satisfactory alternative treatment options.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For Tafinlar tablets for oral suspension, attestation of inability to swallow Tafinlar (dabrafenib) capsules is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Tagrisso

Products Affected

- **TAGRISSO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of non-small cell lung cancer (NSCLC) and one of the following (1-5): 1) Adjuvant therapy after tumor resection -AND- disease harbors EGFR exon 19 deletions or exon 21 L858R mutations, as detected by an FDA-approved test 2) Locally advanced disease -AND- using as first-line therapy -AND- disease harbors EGFR exon 19 deletions or exon 21 L858R mutations, as detected by an FDA-approved test -AND- used in combination with pemetrexed and platinum-based chemotherapy, 3) Metastatic disease -AND- using as first-line therapy -AND- disease harbors EGFR exon 19 deletions or exon 21 L858R mutations, as detected by an FDA-approved test -AND- used with or without combination therapy of pemetrexed and platinum-based chemotherapy, 4) Metastatic disease -AND- disease harbors EGFR T790M mutations, as detected by an FDA-approved test -AND- has progressed on or after EGFR TKI therapy, 5) Locally advanced, unresectable (stage III) disease -AND- disease has not progressed during or following concurrent or sequential platinum-based chemoradiation therapy -AND- disease harbors EGFR exon 19 deletions or EGFR exon 21 L858R mutations, as detected by an FDA-approved test.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	

PA Criteria	Criteria Details
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Talzenna

Products Affected

- **TALZENNA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of deleterious or suspected deleterious gBRCAm, HER2-negative locally advanced or metastatic breast cancer as a single agent - OR- Documentation of HRR gene-mutated metastatic castration-resistant prostate cancer in combination with enzalutamide
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tarceva

Products Affected

- *erlotinib*

PA Criteria	Criteria Details
Exclusion Criteria	Use in NSCLC tumors with mutations other than those in FDA-approved indications. Use in combination with platinum based chemotherapy.
Required Medical Information	Documentation of metastatic non-small cell lung cancer (NSCLC) -AND- one of the following, as detected by an FDA-approved test (1-2): 1) disease harbors EGFR exon 19 deletions 2) disease harbors EGFR exon 21 (L858R) substitution mutations -OR- documentation of locally advanced, unresectable or metastatic pancreatic cancer -AND- all of the following (1-2): 1) using erlotinib as first-line therapy 2) using in combination with gemcitabine.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Targretin

Products Affected

- *bexarotene oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of cutaneous manifestations of cutaneous T-cell lymphoma in patients who are refractory to at least one prior systemic therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Targretin Gel

Products Affected

- *bexarotene topical*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of cutaneous lesions associated with one (1) of the following stages of cutaneous T-cell lymphoma (CTCL) (1. or 2.): 1) Stage IA or 2) Stage IB - AND- the member has experience therapeutic failure, contraindication, or intolerance to at least one other therapy for CTCL.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tarpeyo

Products Affected

- **TARPEYO**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tascenso ODT

Products Affected

- **TASCENSO ODT**

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease) -AND- Inability to swallow capsules
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	5 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tasigna

Products Affected

- *nilotinib hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For adult patients with Ph+ chronic myeloid leukemia (CML), member's CML is in the chronic or accelerated phase and the member is no longer responding to or is intolerant to imatinib -OR- member is newly diagnosed in the chronic phase. For pediatric patients, one of the following (1-2): 1) member has chronic phase or accelerated phase Ph+ CML and is is resistant or intolerant to prior tyrosine kinase inhibitor therapy 2) member is newly diagnosed with Ph+ CML in the chronic phase.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tasimelteon

Products Affected

- *tasimelteon*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tazorac

Products Affected

- *tazarotene topical cream*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of 1 of the following (A or B). A) Documentation of plaque psoriasis -AND- trial and failure or intolerance to at least one topical corticosteroid (e.g. fluocinonide, mometasone, triamcinolone, betamethasone). B) Documentation of acne vulgaris -AND- trial and failure or intolerance of at least two topical acne medications (e.g. adapalene, clindamycin, sulfacetamide, erythromycin) one of which must be generic topical tretinoin
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tecfidera

Products Affected

- *dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	2 years
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tepmetko

Products Affected

- **TEPMETKO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of metastatic non-small cell lung cancer with a MET exon 14 skipping alteration
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Testosterone

Products Affected

- *testosterone cypionate*
- *testosterone enanthate*
- *testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)*
- *testosterone transdermal solution in metered pump w/app*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications, Some Medically-accepted Indications.
Off Label Uses	Pending CMS Review
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tezspire

Products Affected

- **TEZSPIRE SUBCUTANEOUS PEN INJECTOR**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Thalomid

Products Affected

- **THALOMID ORAL CAPSULE 100 MG, 50 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Use as monotherapy for ENL treatment in the presence of moderate to severe neuritis
Required Medical Information	Documentation of multiple myeloma in combination with dexamethasone -OR- documentation for use in the treatment of cutaneous manifestations of moderate to severe erythema nodosum leprosum (ENL) -OR- documentation of therapy for prevention and suppression of the cutaneous manifestations of ENL recurrence
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Thrombopoiesis Stimulating Agents

Products Affected

- *eltrombopag olamine oral powder in packet 12.5 mg, 25 mg*
- *eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tibsovo

Products Affected

- **TIBSOVO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- disease is IDH1 mutation positive as detected by an FDA-approved test. For newly-diagnosed acute myeloid leukemia, member is using as monotherapy or in combination with azacitidine -AND- member meets one of the following (1-5): 1) age is greater than or equal to 75 years of age 2) severe cardiac or pulmonary comorbidity 3) reduced renal function 4) hepatic impairment 5) or prescriber attestation that member is not a candidate for intensive induction therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tirzepatide

Products Affected

- **MOUNJARO**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tocilizumab

Products Affected

- **ACTEMRA ACTPEN**
- **ACTEMRA SUBCUTANEOUS**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tofacitinib

Products Affected

- *tofacitinib oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For moderate to severe active rheumatoid arthritis, an inadequate response or intolerance to at least one non-biologic DMARD (e.g., leflunomide, methotrexate). For immediate release formulation for polyarticular juvenile idiopathic arthritis, inadequate response or intolerance to at least one DMARD (e.g., methotrexate, leflunomide) -OR- requires initial biologic therapy due to involvement of high-risk joints, high disease activity or at high risk of disabling joint damage. For ankylosing spondylitis, inadequate response or intolerance to at least one nonsteroidal anti-inflammatory drug (NSAID).
Age Restrictions	Deny if less than 18 years of age for rheumatoid arthritis, ulcerative colitis, ankylosing spondylitis. Deny if less than 2 years of age for polyarticular juvenile idiopathic arthritis and psoriatic arthritis.
Prescriber Restrictions	
Coverage Duration	Plan Year

PA Criteria	Criteria Details
Other Criteria	The member has experienced inadequate response or intolerance to at least 1 tumor necrosis factor (TNF) blocker. For rheumatoid arthritis, patients must have therapeutic failure or intolerance to a preferred adalimumab product, and Rinvoq. For polyarticular juvenile idiopathic arthritis, patients must have therapeutic failure or intolerance to a preferred adalimumab product, and Rinvoq/Rinvoq LQ. For ankylosing spondylitis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, Cosentyx, Rinvoq. For psoriatic arthritis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Cosentyx, Otezla/Otezla XR, Skyrizi SC, Rinvoq/Rinvoq LQ. For ulcerative colitis (UC), patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, Rinvoq. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257. Doses greater than 10 mg per day will not be approved for rheumatoid arthritis and psoriatic arthritis. Doses greater than 20mg per day will not be approved for ulcerative colitis.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tofacitinib ER

Products Affected

- *tofacitinib oral tablet extended release 24 hr*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For moderate to severe active rheumatoid arthritis, an inadequate response or intolerance to at least one non-biologic DMARD (e.g., leflunomide, methotrexate). For ankylosing spondylitis, inadequate response or intolerance to at least one nonsteroidal anti-inflammatory drug (NSAID).
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	Plan Year

PA Criteria	Criteria Details
Other Criteria	The member has experienced inadequate response or intolerance to at least 1 tumor necrosis factor (TNF) blocker. For rheumatoid arthritis, patients must have therapeutic failure or intolerance to a preferred adalimumab product, and Rinvoq. For ankylosing spondylitis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, Cosentyx, Rinvoq. For psoriatic arthritis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Cosentyx, Otezla/Otezla XR, Skyrizi SC, Rinvoq/Rinvoq LQ. For ulcerative colitis (UC), patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, Rinvoq. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257. Doses greater than 11 mg per day will not be approved for rheumatoid arthritis and psoriatic arthritis. Doses greater than 22mg per day will not be approved for ulcerative colitis.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tofacitinib Solution

Products Affected

- *tofacitinib oral solution*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. Documentation of polyarticular juvenile idiopathic arthritis -AND- Inadequate response or intolerance to at least one DMARD (e.g., methotrexate, leflunomide) or requires initial biologic therapy due to involvement of high-risk joints, high disease activity or at high risk of disabling joint damage.
Age Restrictions	Deny if less than 2 years of age for polyarticular juvenile idiopathic arthritis and psoriatic arthritis.
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	The member has experienced inadequate response or intolerance to at least 1 tumor necrosis factor (TNF) blocker. For polyarticular juvenile idiopathic arthritis, patients must have therapeutic failure or intolerance to a preferred adalimumab product, and Rinvoq/Rinvoq LQ. For psoriatic arthritis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Cosentyx, Otezla/Otezla XR, Skyrizi SC, Rinvoq/Rinvoq LQ. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Topical Lidocaine

Products Affected

- *lidocaine hcl mucous membrane solution 4 % (40 mg/ml)*
- *lidocaine topical ointment*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Topical Lidocaine-Prilocaine

Products Affected

- *lidocaine-prilocaine topical cream*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tretinoin Acne

Products Affected

- *tretinoin topical cream*
- *tretinoin topical gel 0.01 %, 0.025 %*

PA Criteria	Criteria Details
Exclusion Criteria	Cosmetic use
Required Medical Information	Documentation of acne vulgaris -AND- trial and failure or intolerance of at least two generic topical non-retinoid acne medications (e.g., clindamycin-benzoyl peroxide)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Trikafta

Products Affected

- **TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL**
- **TRIKAFTA ORAL TABLETS, SEQUENTIAL**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Trintellix

Products Affected

- **TRINTELLIX**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of major depressive disorder -AND- Therapeutic failure, intolerance or contraindication to one generic antidepressant (e.g. SSRI, TCA, MAOI).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Truqap

Products Affected

- **TRUQAP**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tukysa

Products Affected

- **TUKYSA ORAL TABLET 150 MG, 50 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For advanced unresectable HER2-positive breast cancer or metastatic HER2-positive breast cancer, member will be using in combination with trastuzumab and capecitabine -AND- member has received one or more prior anti-HER2 based regimens in the metastatic setting. For RAS wild-type HER2-positive unresectable or metastatic colorectal cancer, member will be using in combination with trastuzumab -AND- member has experienced disease progression following treatment with fluoropyrimidine-, oxaliplatin-, and irinotecan-based chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Turalio

Products Affected

- **TURALIO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of symptomatic tenosynovial giant cell tumor associated with severe morbidity and functional limitations -AND- patient is not amenable to improvement with surgery or not a candidate for surgery
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Tykerb

Products Affected

- *lapatinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For advanced HER2-positive, or metastatic HER2-positive breast cancer, the member has received prior therapy with an anthracycline, a taxane, and trastuzumab -AND- will be using in combination with capecitabine. For HR+, metastatic breast cancer, the member is post-menopausal -AND- the member's cancer over expresses the HER2 receptor -AND- the member will be using lapatinib in combination with letrozole.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Tymlos

Products Affected

- **TYMLOS**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Uptravi

Products Affected

- **UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG PACK**
- **UPTRAVI ORAL TABLETS,DOSE**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Valchlor

Products Affected

- **VALCHLOR**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of Stage IA or IB mycosis fungoides-type cutaneous T-cell lymphoma in patients who have received at least one prior skin-directed therapy (e.g. topical corticosteroids, topical chemotherapy, local radiation and topical retinoids).
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Valtoco

Products Affected

- **VALTOCO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of seizure clusters or acute repetitive seizures -AND- the member is currently receiving antiepileptic maintenance therapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Vanflyta

Products Affected

- **VANFLYTA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- disease is FLT3-ITD-positive as detected by an FDA-approved test -AND- one of the following (1-3): 1) member is receiving induction therapy and is using Vanflyta in combination with standard cytarabine and anthracycline induction therapy 2) member is receiving consolidation therapy and is using Vanflyta in combination with standard cytarabine consolidation therapy 3) member is receiving maintenance therapy and is using Vanflyta as monotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Venclexta

Products Affected

- **VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG**
- **VENCLEXTA STARTING PACK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For newly-diagnosed AML, member is using in combination with azacitidine, decitabine, or cytarabine -AND- age greater than or equal to 75 years or presence of at least one comorbidity that precludes use of intensive induction chemotherapy (i.e. severe cardiac or pulmonary comorbidity, reduced renal function, hepatic impairment, or physician attestation) is required.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Verquvo

Products Affected

- **VERQUVO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of heart failure (NYHA Class II to IV) -AND- Left ventricular ejection fraction less than 45% -AND- Hospitalization for heart failure or received outpatient IV diuretics for heart failure -AND- Used in combination with a angiotensin-converting enzyme inhibitor, angiotensin II receptor blocker or Entresto -AND- Used in combination with bisoprolol, carvedilol IR/ER or metoprolol succinate ER.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Verzenio

Products Affected

- **VERZENIO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- disease is classified as HR-positive, HER2-negative. For early breast cancer that is at high risk of recurrence and is node-positive, all of the following (1-2): 1) used in combination with endocrine therapy (tamoxifen or an aromatase inhibitor) 2) used as adjuvant treatment. For advanced or metastatic breast cancer, used as initial endocrine-based therapy and used in combination with an aromatase inhibitor -OR- used after documented disease progression following endocrine therapy and used in combination with fulvestrant -OR- used after documented disease progression and used following endocrine therapy and prior chemotherapy in the metastatic setting and will be used as monotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Viibryd

Products Affected

- *vilazodone*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of major depressive disorder -AND- Therapeutic failure, intolerance or contraindication to one generic antidepressant (e.g. SSRI, TCA, MAOI).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Vitrakvi

Products Affected

- **VITRAKVI ORAL CAPSULE 100 MG, 25 MG**
- **VITRAKVI ORAL SOLUTION**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of a neurotrophic receptor tyrosine kinase (NTRK) gene fusion without a known acquired resistance mutation -AND- Tumors are metastatic or surgical resection is likely to result in severe morbidity -AND- There are no satisfactory alternative treatments or tumors have progressed following treatment.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Vivjoa

Products Affected

- **VIVJOA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of recurrent vulvovaginal candidiasis defined as at least 3 episodes of vulvovaginal candidiasis in less than one year -AND Documentation the member is NOT of reproductive potential defined as postmenopausal or another reason for permanent infertility (e.g., tubal ligation, hysterectomy, salpingo-oophorectomy) -AND- the member has experienced therapeutic failure, contraindication, or intolerance to a six-month maintenance course of oral fluconazole.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	14 weeks
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Vonjo

Products Affected

- **VONJO**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of intermediate or high-risk myelofibrosis -AND- attestation of a platelet count of less than 50 x 10*9/L.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Voranigo

Products Affected

- **VORANIGO ORAL TABLET 10 MG, 40 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- all of the following (1-3): 1) grade 2 astrocytoma or grade 2 oligodendroglioma, 2) disease harbors a susceptible isocitrate dehydrogenase (IDH)-1 or IDH-2 mutation, as detected by an FDA-approved test, 3) will be used following surgery including biopsy, sub-total resection, or gross total resection.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Voriconazole

Products Affected

- *voriconazole intravenous recon soln*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- attestation that the beneficiary cannot take oral voriconazole
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	3 months
Other Criteria	For reauthorization, attestation of continued indicators of active disease (e.g. histopathology, positive cultures) is required
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Vosevi

Products Affected

- **VOSEVI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Criteria will be applied consistent with current AASLD/IDSA guidance - AND- the member has a contraindication to or is otherwise not a candidate for one of the following regimens recommended by the AASLD/IDSA guidelines containing the following agents: sofosbuvir/velpatasvir (i.e. Epclusa authorized generic), Mavyret.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	Criteria/duration applied consistent with current AASLD-IDSA guidance
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Votrient

Products Affected

- *pazopanib oral tablet 200 mg*

PA Criteria	Criteria Details
Exclusion Criteria	Documentation of adipocytic soft tissue sarcoma or gastrointestinal stromal tumor
Required Medical Information	Documentation of diagnosis. For advanced soft-tissue sarcoma, trial/failure of at least one prior chemotherapy regimen.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Vraylar

Products Affected

- **VRAYLAR**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	For a diagnosis of schizophrenia and bipolar I disorder, therapeutic failure, intolerance, or contraindication to one other generic atypical antipsychotic (e.g. quetiapine). For major depressive disorder, documentation of adjunctive therapy and therapeutic failure, contraindication or intolerance to one other generic antidepressant in addition to the antidepressant currently being used for the treatment of MDD (e.g. SSRI, SNRI, NDRIs, TCA, MAOI).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Vtama

Products Affected

- **VTAMA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of all of the following (1-2): 1) Documentation of plaque psoriasis -AND- 2) trial and failure, contraindication, or intolerance to one generic, formulary vitamin D analog (e.g., calcipotriene, calcitriol) -OR- the member has psoriasis on the face -OR- Documentation of all of the following (3-4): 3) Atopic dermatitis, 4) trial and failure, intolerance, or contraindication to topical generic tacrolimus or topical generic pimecrolimus
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Vumerity

Products Affected

- **VUMERITY**

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of relapsing form of multiple sclerosis (e.g. relapsing-remitting, clinically isolated syndrome, or active secondary progressive disease)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	2 years
Other Criteria	Therapeutic failure or intolerance to generic dimethyl fumarate is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Wegovy

Products Affected

- **WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Wegovy Oral

Products Affected

- **WEGOVY ORAL**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Welireg

Products Affected

- **WELIREG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Winrevair

Products Affected

- **WINREVAIR**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xalkori

Products Affected

- **XALKORI ORAL CAPSULE**
- **XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For metastatic non-small cell lung cancer (NSCLC), disease is ALK-positive as detected by an FDA-approved test or ROS1-positive as detected by an FDA-approved test. For relapsed or refractory anaplastic large cell lymphoma (ALCL), disease is ALK-positive. For unresectable, recurrent, or refractory inflammatory myofibroblastic tumor (IMT), disease is ALK-positive.
Age Restrictions	Deny if less than 1 year of age or greater than 21 years of age for ALCL.
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For crizotinib oral pellets and NSCLC, inability to swallow capsules is required. For crizotinib oral pellets and ALCL / IMT, inability to swallow oral capsules -OR- body surface area less than 1.34 m2 is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xcopri

Products Affected

- **XCOPRI MAINTENANCE PACK**
- **XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG**
- **XCOPRI TITRATION PACK**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of partial-onset seizures -AND- Therapeutic failure, intolerance or contraindication to 1 other anti-epileptic drug (e.g. carbamazepine, levetiracetam)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xdemvy

Products Affected

- **XDEMVY**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Xenazine

Products Affected

- *tetrabenazine oral tablet 12.5 mg, 25 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- attestation that the beneficiary is not actively suicidal
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	In patients with comorbid depression, attestation of adequate treatment for depression is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Xermelo

Products Affected

- **XERMELO**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xifaxan

Products Affected

- **XIFAXAN ORAL TABLET 550 MG**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xolair

Products Affected

- **XOLAIR**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xolremdi

Products Affected

- **XOLREMDI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of WHIM syndrome (warts, hypogammaglobulinemia, infections, myelokathexis).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of reduction in incidence of infections is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Xospata

Products Affected

- **XOSPATA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- member is FLT3 mutation-positive.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Xpovio

Products Affected

- **XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK)**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xtandi

Products Affected

- **XTANDI ORAL CAPSULE**
- **XTANDI ORAL TABLET 40 MG, 80 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For castration-resistant prostate cancer and metastatic castration sensitive-prostate cancer, the member is using in combination with a GnRH analog or the member has had a bilateral orchiectomy. For non-metastatic castration-sensitive prostate cancer, the member has biochemical recurrence at high risk for metastasis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Xyrem

Products Affected

- *sodium oxybate*

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Yonsa

Products Affected

- **YONSA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- using in combination with methylprednisolone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Yorvipath

Products Affected

- **YORVIPATH SUBCUTANEOUS PEN INJECTOR 168 MCG/0.56 ML, 294 MCG/0.98 ML, 420 MCG/1.4 ML**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of hypoparathyroidism -AND- albumin-corrected serum calcium greater than or equal to 7.8 mg/dL -AND- trial and failure of an active form of vitamin D (e.g. calcitriol, alfacalcidol).
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For reauthorization, attestation of normalization or improvement in total serum calcium from baseline is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Zejula

Products Affected

- **ZEJULA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis. For advanced epithelial ovarian, fallopian tube, or primary peritoneal cancer, member is in complete or partial response to first-line platinum-based therapy -AND- disease is associated with homologous recombination deficiency-positive status, defined by at least one of the following (1 or 2): 1) a deleterious or suspected deleterious BRCA mutation or 2) genomic instability. For recurrent epithelial ovarian, fallopian tube, or primary peritoneal cancer, all of the following (1-2): 1) disease harbors a deleterious or suspected deleterious germline BRCA mutation 2) member is in a complete or partial response to platinum-based chemotherapy.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Zelboraf

Products Affected

- **ZELBORAF**

PA Criteria	Criteria Details
Exclusion Criteria	Wild-type BRAF melanoma
Required Medical Information	Documentation of diagnosis. For unresectable or metastatic melanoma, member has a BRAF V600E mutation. For Erdheim-Chester Disease, member has a BRAF V600 mutation.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Zelsuvmi

Products Affected

- **ZELSUVMI**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Diagnosis of molluscum contagiosum
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 weeks
Other Criteria	For reauthorization, attestation that the member has previously experienced complete or partial clearance of molluscum contagiosum lesions with Zelsuvmi -AND- additional course of therapy is required for recurrence of molluscum contagiosum
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Zenbexus

Products Affected

- **ZENBEXUS**

PA Criteria	Criteria Details
Exclusion Criteria	Pending CMS Review
Required Medical Information	Pending CMS Review
Age Restrictions	Pending CMS Review
Prescriber Restrictions	Pending CMS Review
Coverage Duration	Pending CMS Review
Other Criteria	Pending CMS Review
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Zeposia

Products Affected

- **ZEPOSIA**
- **ZEPOSIA STARTER KIT (28-DAY)**
- **ZEPOSIA STARTER PACK (7-DAY)**

PA Criteria	Criteria Details
Exclusion Criteria	Concomitant use with other disease modifying multiple sclerosis agents
Required Medical Information	Documentation of diagnosis.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	Ulcerative Colitis: Plan Year, Multiple Sclerosis: 24 months
Other Criteria	For moderate to severe active ulcerative colitis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, Rinvoq. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Zokinvy

Products Affected

- **ZOKINVY**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- BSA of at least 0.39 m*2. For Hutchinson-Gilford Progeria Syndrome (HGPS), a mutation in the LMNA gene is required. For Processing-Deficient Progeroid Lamionpathy (PL), 1 of the following is required (1-3): 1) heterozygous LMNA mutation and progerin-like protein accumulation, 2) homozygous ZMPSTE24 mutations, or 3) compound heterozygous ZMPSTE24 mutations.
Age Restrictions	Deny if less than 12 months of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Zolinza

Products Affected

- **ZOLINZA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of cutaneous manifestations in patients with cutaneous T-cell lymphoma (CTCL) who have progressive, persistent, or recurrent disease on or following 2 systemic therapies. Systemic therapies include bexarotene, interferon alpha, extracorporeal photochemotherapy, PUVA, single agent or combination chemotherapies (e.g. cyclophosphamide, vinblastine, romidepsin)
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Zonisade

Products Affected

- **ZONISADE**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of partial-onset seizures -AND- Documentation of adjunctive therapy -AND- Inability to swallow capsules -AND- Therapeutic failure/intolerance to 2 or contraindication to all of the following (1-6): 1) generic carbamazepine suspension/chewable tablet/extended-release capsule, 2) generic gabapentin capsules/solution, 3) generic lacosamide solution, 4) generic levetiracetam solution, 5) generic oxcarbazepine suspension, 6) generic pregabalin capsules/solution.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Ztalmy

Products Affected

- **ZTALMY**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of seizures associated with CDKL5 deficiency confirmed by genetic testing.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Zurzuvae

Products Affected

- **ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis of postpartum depression -AND- attestation of symptom onset began during the third trimester of pregnancy or up to 4 weeks post-delivery -AND- less than or equal to 12 months postpartum.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	30 days
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Zykadia

Products Affected

- **ZYKADIA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- ALK mutations, as detected by an FDA approved test.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	No

Zymfentra

Products Affected

- **ZYMFENTRA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- attestation of receiving or currently undergoing at least 3 doses of IV infliximab within 10 weeks of initiating therapy with Zymfentra.
Age Restrictions	Deny if less than 18 years of age
Prescriber Restrictions	
Coverage Duration	Plan Year
Other Criteria	For moderate to severe active ulcerative colitis, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, Rinvoq. For moderate to severe active Crohn's disease, patients must have therapeutic failure or intolerance to 2 of the following preferred products: a preferred adalimumab product, a preferred ustekinumab SC product, Skyrizi SC, and Rinvoq. Please Note: Preferred adalimumab products include Hadlima with NDC starting with 78206 and Simlandi with NDC starting with 51759. Preferred ustekinumab products include Steqema with NDC starting with 72606 and Yesintek with NDC starting with 83257.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

PA Criteria	Criteria Details
Prerequisite Therapy Required	Yes

Zytiga

Products Affected

- *abiraterone oral tablet 250 mg, 500 mg*
- **ABIRTEGA**

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	Documentation of diagnosis -AND- using in combination with prednisone.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 months
Other Criteria	For generic abiraterone (other than Abirtega), intolerance to Abirtega is required.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No
Prerequisite Therapy Required	Yes

Index of Drugs

abiraterone oral tablet 250 mg, 500 mg 404
ABIRTEGA 404
acetaminophen-codeine oral solution 120-12 mg/5 ml 225
acetaminophen-codeine oral tablet 225
acitretin 1
ACTEMRA ACTPEN 338
ACTEMRA SUBCUTANEOUS 338
ACTIMMUNE 2
ADEMPAS 288
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML 5
AKEEGA 6
ALCOHOL PADS 141
ALECENSA 7
alosetron oral tablet 0.5 mg, 1 mg 179
alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg 38
ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG 9
ALUNBRIG ORAL TABLETS,DOSE PACK 9
ambrisentan 10
amitriptyline 12
ANZUPGO 24
ARIKAYCE 25
aripiprazole oral solution 26
aripiprazole oral tablet,disintegrating 26
armodafinil 213
asenapine maleate 296
AUGTYRO ORAL CAPSULE 160 MG, 40 MG 28
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG 29
AUSTEDO XR 29
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG 29
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 30
AVMAPKI-FAKZYNJA 31
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 32
AVONEX INTRAMUSCULAR SYRINGE KIT 32
AYVAKIT 33
BAFIERTAM 34
BALVERSA 35
BENLYSTA SUBCUTANEOUS 37
benztropine oral 14
BESREMI 46
BESREMI PEN 46
BETASERON SUBCUTANEOUS KIT 47
bexarotene oral 323
bexarotene topical 324
BILDYOS 267
BILPREVDA 266
BOSULIF ORAL CAPSULE 100 MG, 50 MG 48
BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG 48
bosutinib oral tablet 400 mg 49
BRAFTOVI 50
BRINSUPRI 52
BRUKINSA ORAL TABLET 53
buprenorphine 231
butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg 223
CABOMETYX 55
CALQUENCE (ACALABRUTINIB MAL) 56
CAPLYTA 57
CAPRELSA ORAL TABLET 100 MG, 300 MG 58
carglumic acid 59
CAYSTON 60
CINRYZE 63
clobazam oral suspension 221
clobazam oral tablet 221
clomipramine 15
clonazepam oral tablet 0.5 mg, 1 mg, 2 mg 39
clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg 39
clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg 40
COBENFY 64
COBENFY STARTER PACK 64

COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY) 65
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML, 40 MG/ML 116
COPIKTRA 66
COSENTYX (2 SYRINGES) 68
COSENTYX PEN (2 PENS) 68
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML 68
COSENTYX UNOREADY PEN 68
COTELLIC 70
cyclobenzaprine oral tablet 10 mg, 5 mg 16
cyproheptadine oral tablet 17
CYSTARAN 71
dalfampridine 11
DANZITEN 72
dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg 309
DAURISMO ORAL TABLET 100 MG, 25 MG 74
deferasirox oral tablet, dispersible 75
dextromethorphan-quinidine 210
DIACOMIT ORAL CAPSULE 250 MG, 500 MG 77
DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG 77
DIAZEPAM INTENSOL 41
diazepam oral solution 5 mg/5 ml (1 mg/ml) 41
diazepam oral tablet 41
diclofenac epolamine 108
diclofenac sodium topical gel 3 % 306
dihydroergotamine nasal 78
dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg 330
doxepin oral capsule 18
doxepin oral concentrate 18
doxepin oral tablet 18
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG 79
droxidopa oral capsule 100 mg, 200 mg, 300 mg 207
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML 81
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML 81
DUVYZAT 82
eltrombopag olamine oral powder in packet 12.5 mg, 25 mg 335
eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg 335
EMGALITY PEN 83
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML, 300 MG/3 ML (100 MG/ML X 3) 83
ENBREL MINI 96
ENBREL SUBCUTANEOUS SOLUTION 96
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) 96
ENBREL SURECLICK 96
ENOBY 267
ENSACOVE 84
ENTRESTO SPRINKLE 85
ENTYVIO PEN 86
EOHILIA 88
EPIDIOLEX 90
ergotamine-caffeine 92
ERIVEDGE 93
ERLEADA ORAL TABLET 240 MG, 60 MG 94
erlotinib 322
escitalopram oxalate oral capsule 95
estazolam 124
everolimus (antineoplastic) oral tablet 3
everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg 3
EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 98
EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 98
FANAPT 99
FANAPT TITRATION PACK A 99

FANAPT TITRATION PACK B 99
FANAPT TITRATION PACK C 99
FASENRA PEN 100
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML .. 100
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr 233
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) 102
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG 102
FILSPARI ORAL TABLET 200 MG, 400 MG 103
FILSUVEZ 104
fingolimod 114
FINTEPLA 105
FIRMAGON KIT W DILUENT SYRINGE 107
FOTIVDA 110
FRUZAQLA ORAL CAPSULE 1 MG, 5 MG 111
GAMMAGARD LIQUID 135
GAMMAGARD LIQUID ERC 135
GAMMAGARD S-D (IGA < 1 MCG/ML) 135
GATTEX 30-VIAL 112
GAUZE PAD TOPICAL BANDAGE 2 X 2 " 141
GAVRETO 113
gefitinib 143
GILOTRIF 115
glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml 116
GLATOPA SUBCUTANEOUS SYRINGE 20 MG/ML, 40 MG/ML 116
glycerol phenylbutyrate 276
GOMEKLI ORAL CAPSULE 1 MG, 2 MG 120
GOMEKLI ORAL TABLET FOR SUSPENSION 120
guanfacine oral tablet extended release 24 hr 121
HADLIMA 264
HADLIMA PUSHTOUCH 264
HADLIMA(CF) 264
HADLIMA(CF) PUSHTOUCH 264
HEPCLUDEX 122
HERNEXEOS 123
hydromorphone oral liquid 235
hydromorphone oral tablet 2 mg, 4 mg, 8 mg 235
hydroxyzine hcl oral tablet 19
HYRNUO 127
IBRANCE ORAL CAPSULE 125 MG ... 128
IBRANCE ORAL TABLET 128
IBTROZI 129
icatibant 106
ICLUSIG 130
IDHIFA 131
imatinib oral tablet 100 mg, 400 mg 117
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG 132
IMBRUVICA ORAL SUSPENSION 132
IMBRUVICA ORAL TABLET 132
imipramine hcl 20
IMKELDI 133
INCRELEX 136
INLURIYO 137
INLYTA 138
INQOVI 139
INREBIC 140
ITOVEBI ORAL TABLET 3 MG, 9 MG 144
itraconazole oral capsule 145
ivabradine oral tablet 5 mg, 7.5 mg 67
ivermectin oral 146
IWILFIN 147
JAKAFI 148
JASCAYD 149
JAVYGTOR 163
JAYPIRCA ORAL TABLET 100 MG, 50 MG 150
JIDEYTRO ORAL TABLET 100 MG, 25 MG 151
JOENJA ORAL TABLET 70 MG 152
JUBBONTI 267
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG 154

KALYDECO ORAL TABLET 154
KERENDIA 155
KESIMPTA PEN 156
KINERET 157
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3) 158
KOMZIFTI 159
KOSELUGO ORAL CAPSULE 10 MG, 25 MG 161
KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG 161
KRAZATI 162
KYGEVVI 164
lapatinib 353
LAZCLUZE ORAL TABLET 240 MG, 80 MG 166
lenalidomide 281
LENVIMA 167
LEQEMBI IQLIK SUBCUTANEOUS AUTO-INJECTOR 360 MG/1.8 ML 169
LEUKINE INJECTION RECON SOLN 170
lidocaine hcl mucous membrane solution 4 % (40 mg/ml) 345
lidocaine topical adhesive patch,medicated 5 % 171
lidocaine topical ointment 345
lidocaine-prilocaine topical cream 346
LIFYORLI ORAL CAPSULE 125 MG/DAY(100 MG X1-25MG X1), 125 MG/DAY(100 MG X1-25MG X3), 125 MG/DAY(100 MG X1-25MG X9), 150 MG/DAY(100 MG X1-25MG X2), 150 MG/DAY(100 MG X1-25MG X3), 150 MG/DAY(100 MG X1-25MG X9) 172
liraglutide 173
LITFULO 174
LIVTENCITY 175
LOARGYS 176
lomustine 119
LONSURF 177
LORAZEPAM INTENSOL 42
lorazepam oral tablet 0.5 mg, 1 mg, 2 mg 42
LORBRENA ORAL TABLET 100 MG, 25 MG 178
LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG 180
lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg, 80 mg 165
LYBALVI 181
LYNPARZA 182
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) 185
MAVYRET ORAL PELLETS IN PACKET 188
MAVYRET ORAL TABLET 188
megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) 189
megestrol oral tablet 189
MEKINIST ORAL RECON SOLN 190
MEKINIST ORAL TABLET 0.5 MG, 2 MG 190
MEKTOVI 192
memantine-donepezil 197
methadone oral solution 10 mg/5 ml, 5 mg/5 ml 237
methadone oral tablet 10 mg, 5 mg 237
metyrosine 193
mifepristone oral tablet 300 mg 160
miglustat 194
modafinil 272
MODEYSO 195
morphine concentrate oral solution 239
morphine oral solution 10 mg/5 ml (2 mg/ml), 20 mg/5 ml (4 mg/ml) 239
morphine oral tablet 239
morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg 241
MOUNJARO 337
MULPLETA 196
NAYZILAM 198
NEMLUVIO 199
NERLYNX 201
NEXLETOL 203
NEXLIZET 204
nilotinib hcl 327
NINLARO 205
nintedanib 217

nitisinone 206
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) 307
nortriptyline 21
NUBEQA 208
NUCALA SUBCUTANEOUS AUTO-INJECTOR 209
NUCALA SUBCUTANEOUS RECON SOLN 209
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML 209
NUPLAZID 211
NURTEC ODT 212
octreotide acetate injection solution 214
ODACTRA 215
ODOMZO 216
OFEV 217
OGSIVEO ORAL TABLET 100 MG, 150 MG 218
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 219
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) 219
OJJAARA 220
OMNITROPE SUBCUTANEOUS CARTRIDGE 5 MG/1.5 ML (3.3 MG/ML) 307
ONUREG 222
OPIPZA 247
OPSUMIT 186
OPSYNVI 187
ORENCIA CLICKJECT 248
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML 248
ORGOVYX 250
ORKAMBI ORAL GRANULES IN PACKET 251
ORKAMBI ORAL TABLET 251
ORSERDU ORAL TABLET 345 MG, 86 MG 252
OTEZLA 253
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47) 253
OTEZLA XR 253
OTEZLA XR INITIATION 253
oxazepam 43
oxycodone oral capsule 243
oxycodone oral concentrate 243
oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg 243
oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg 227
OZEMPIC ORAL 255
OZEMPIC SUBCUTANEOUS 299
PANRETIN 256
paroxetine hcl 22
pazopanib oral tablet 200 mg 369
PEGASYS 142
PEMAZYRE 257
perphenazine-amitriptyline 13
PHEBURANE 258
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) 259
pirfenidone oral capsule 260
pirfenidone oral tablet 260
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML 261
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML 261
pomalidomide 262
POMALYST 262
posaconazole oral tablet,delayed release (dr/ec) 263
pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg 184
pregabalin oral solution 184
PRENATAL VITAMIN PLUS LOW IRON 269
pretomanid 270

PREVYMIS ORAL PELLETS IN PACKET 271
PRIVIGEN 135
PROLASTIN-C INTRAVENOUS SOLUTION 8
promethazine oral 23
PULMOZYME 273
pyrimethamine 73
QINLOCK 274
QULIPTA 275
REDEMPLO 277
REPATHA SURECLICK 278
REPATHA SYRINGE 278
RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG 279
REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG 282
REXULTI ORAL TABLET 283
REZDIFFRA 284
REZLIDHIA 285
RINVOQ LQ 287
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG 286
RIVFLOZA SUBCUTANEOUS SOLUTION 289
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML 289
ROMVIMZA 290
ROZLYTREK ORAL CAPSULE 100 MG, 200 MG 291
ROZLYTREK ORAL PELLETS IN PACKET 291
RUBRACA 292
rufinamide oral suspension 36
rufinamide oral tablet 200 mg, 400 mg 36
RYDAPT 293
SAJAZIR 106
sapropterin 163
SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG 297
SECUADO 298
SIGNIFOR 300
sildenafil (pulm.hypertension) oral tablet 301
SILIQ 302
SIMLANDI(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML 264
SIMLANDI(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML 264
SIRTURO 303
SKYRIZI SUBCUTANEOUS PEN INJECTOR 304
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 55 MG/0.37 ML 304
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) 304
sodium oxybate 388
sodium phenylbutyrate 54
sofosbuvir-velpatasvir 89
SOHONOS ORAL CAPSULE 1 MG, 1.5 MG, 10 MG, 5 MG 305
SOMAVERT 308
sorafenib 202
STEQEYMA SUBCUTANEOUS SOLUTION 268
STEQEYMA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML 268
STIVARGA 310
sunitinib malate 311
SYMPAZAN 312
SYMPROIC 313
SYNAREL 314
TABRECTA 315
tadalafil (pulm. hypertension) 316
tadalafil oral tablet 2.5 mg, 5 mg 62
TAFINLAR ORAL CAPSULE 317
TAFINLAR ORAL TABLET FOR SUSPENSION 317
TAGRISSO 319
TALZENNA 321
TARPEYO 325
TASCENSO ODT 326
tasimelteon 328
tazarotene topical cream 329
temazepam 44
TEPMETKO 331

teriflunomide 27
teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml) 109
testosterone cypionate 332
testosterone enanthate 332
testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %) ... 332
testosterone transdermal solution in metered pump w/app 332
tetrabenazine oral tablet 12.5 mg, 25 mg ... 380
TEZSPIRE SUBCUTANEOUS PEN INJECTOR 333
THALOMID ORAL CAPSULE 100 MG, 50 MG 334
TIBSOVO 336
TOBI PODHALER 61
tobramycin in 0.225 % nacl 61
tobramycin inhalation 61
tofacitinib oral solution 343
tofacitinib oral tablet 339
tofacitinib oral tablet extended release 24 hr 341
tolvaptan 295
tolvaptan (polycys kidney dis) oral tablet ... 153
tolvaptan (polycys kidney dis) oral tablets, sequential 153
topiramate oral solution 91
tramadol oral tablet 50 mg 245
tramadol-acetaminophen 229
tretinoin topical cream 347
tretinoin topical gel 0.01 %, 0.025 % 347
triazolam 45
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 348
TRIKAFTA ORAL TABLETS, SEQUENTIAL 348
TRINTELLIX 349
TRULICITY 80
TRUQAP 350
TUKYSA ORAL TABLET 150 MG, 50 MG 351
TURALIO 352
TYMLOS 354
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG 355
UPTRAVI ORAL TABLETS,DOSE PACK 355
VALCHLOR 356
VALTOCO 357
VANFLYTA 358
VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG 359
VENCLEXTA STARTING PACK 359
VERQUVO 360
VERZENIO 361
vigabatrin 294
VIGADRONE 294
vilazodone 362
VITRAKVI ORAL CAPSULE 100 MG, 25 MG 363
VITRAKVI ORAL SOLUTION 363
VIVJOA 364
VONJO 365
VORANIGO ORAL TABLET 10 MG, 40 MG 366
voriconazole intravenous recon soln 367
VOSEVI 368
VOWST 101
VRAYLAR 370
VTAMA 371
VUMERITY 372
WEGOVY ORAL 374
WEGOVY SUBCUTANEOUS PEN INJECTOR 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML 373
WELIREG 375
WINREVAIR 376
WYOST 266
XALKORI ORAL CAPSULE 377
XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG 377
XCOPRI MAINTENANCE PACK 378
XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG 378
XCOPRI TITRATION PACK 378
XDEMVY 379

XERMELO 381
XIFAXAN ORAL TABLET 550 MG 382
XOLAIR 383
XOLREMDI 384
XOSPATA 385
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK) 386
XTANDI ORAL CAPSULE 387
XTANDI ORAL TABLET 40 MG, 80 MG 387
XTRENBO 266
YARGESA 194
YESINTEK SUBCUTANEOUS SOLUTION 268
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML 268
YONSA 389
YORVIPATH SUBCUTANEOUS PEN INJECTOR 168 MCG/0.56 ML, 294 MCG/0.98 ML, 420 MCG/1.4 ML 390
YULITHIRA 3
zaleplon oral capsule 10 mg, 5 mg 125
ZEJULA 391
ZELBORAF 392
ZELSUVMI 393
ZELVYSIA 163
ZENBEXUS 394
ZEPOSIA 395
ZEPOSIA STARTER KIT (28-DAY) 395
ZEPOSIA STARTER PACK (7-DAY) 395
ZOKINVY 396
ZOLINZA 397
zolpidem oral tablet 126
ZONISADE 398
ZTALMY 399
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG 400
ZYKADIA 401
ZYMFENTRA 402

Section: Step Therapy

DPP4 Agents

Products Affected

- **JANUMET 50 MG-1,000 MG TABLET**
- **JANUMET 50 MG-500 MG TABLET**
- **JANUMET XR 100 MG-1,000 MG TABLET,EXTENDED RELEASE**
- **JANUMET XR 50 MG-1,000 MG TABLET,EXTENDED RELEASE**
- **JANUMET XR 50 MG-500 MG TABLET,EXTENDED RELEASE**
- **JANUVIA 100 MG TABLET**
- **JANUVIA 25 MG TABLET**
- **JANUVIA 50 MG TABLET**
- **JENTADUETO 2.5 MG-1,000 MG TABLET**
- **JENTADUETO 2.5 MG-500 MG TABLET**
- **JENTADUETO XR 2.5 MG-1,000 MG TABLET, EXTENDED RELEASE**
- **JENTADUETO XR 5 MG-1,000 MG TABLET, EXTENDED RELEASE**
- **TRADJENTA 5 MG TABLET**

Details

Criteria	Require a 1 month trial of saxagliptin, saxagliptin-metformin ER, sitagliptin, sitagliptin-metformin, or sitagliptin-metformin ER in the last 90 days.

Herpetic Keratitis

Products Affected

- **ZIRGAN 0.15 % EYE GEL**

Details

Criteria	Require a 1 month trial of generic trifluridine eye drops (Step 1 drug) in the last 90 days when utilized for the same medically accepted indication and age

Pulmonary Antiinflammatory

Products Affected

- *fluticasone propionate 100 mcg/actuation blister powder for inhalation*
- *fluticasone propionate 110 mcg/actuation hfa aerosol inhaler*
- *fluticasone propionate 220 mcg/actuation hfa aerosol inhaler*
- *fluticasone propionate 250 mcg/actuation blister powder for inhalation*
- *fluticasone propionate 44 mcg/actuation hfa aerosol inhaler*
- *fluticasone propionate 50 mcg/actuation blister powder for inhalation*

Details

Criteria	Require a 1 month trial of Qvar and Asmanex/Asmanex HFA (Step 1 drugs) in the last 180 days

Rho Kinase Inhibitors

Products Affected

- **RHOPRESSA 0.02 % EYE DROPS DROPS**
- **ROCKLATAN 0.02 %-0.005 % EYE**

Details

Criteria	Require a 1 month trial of one preferred glaucoma drug (Step 1 drug) in the last 120 days

Riomet

Products Affected

- *metformin 500 mg/5 ml oral solution*

Details

Criteria	Pending CMS Review

Rytary

Products Affected

- **RYTARY 23.75 MG-95 MG CAPSULE,EXTENDED RELEASE**
- **RYTARY 36.25 MG-145 MG CAPSULE,EXTENDED RELEASE**
- **RYTARY 48.75 MG-195 MG CAPSULE,EXTENDED RELEASE**
- **RYTARY 61.25 MG-245 MG CAPSULE,EXTENDED RELEASE**

Details

Criteria	Require a trial of generic carbidopa/levodopa product (Step 1 drug) in the last 90 days

SGLT2 Agents

Products Affected

- **FARXIGA 10 MG TABLET**
- **FARXIGA 5 MG TABLET**
- **JARDIANCE 10 MG TABLET**
- **JARDIANCE 25 MG TABLET**

Details

Criteria	Pending CMS Review

Topical Psoriasis

Products Affected

- *calcipotriene-betamethasone 0.005 %-0.064 % topical ointment*

Details

Criteria	Require a 1 month trial of generic calcipotriene cream, ointment or solution (Step 1 drug) in the last 90 days when utilized for the same medically accepted indication and age

Topical Rosacea

Products Affected

- *azelaic acid 15 % topical gel*

Details

Criteria	Require a 1 month trial of generic metronidazole cream, lotion, or gel (Step 1 drug) in the last 90 days.

Index of Drugs

azelaic acid 15 % topical gel 9
calcipotriene-betamethasone 0.005 %-0.064 % topical ointment 8
FARXIGA 10 MG TABLET 7
FARXIGA 5 MG TABLET 7
fluticasone propionate 100 mcg/actuation blister powder for inhalation 3
fluticasone propionate 110 mcg/actuation hfa aerosol inhaler 3
fluticasone propionate 220 mcg/actuation hfa aerosol inhaler 3
fluticasone propionate 250 mcg/actuation blister powder for inhalation 3
fluticasone propionate 44 mcg/actuation hfa aerosol inhaler 3
fluticasone propionate 50 mcg/actuation blister powder for inhalation 3
JANUMET 50 MG-1,000 MG TABLET 1
JANUMET 50 MG-500 MG TABLET 1
JANUMET XR 100 MG-1,000 MG TABLET,EXTENDED RELEASE 1
JANUMET XR 50 MG-1,000 MG TABLET,EXTENDED RELEASE 1
JANUMET XR 50 MG-500 MG TABLET,EXTENDED RELEASE 1
JANUVIA 100 MG TABLET 1
JANUVIA 25 MG TABLET 1
JANUVIA 50 MG TABLET 1
JARDIANCE 10 MG TABLET 7
JARDIANCE 25 MG TABLET 7
JENTADUETO 2.5 MG-1,000 MG TABLET 1
JENTADUETO 2.5 MG-500 MG TABLET 1
JENTADUETO XR 2.5 MG-1,000 MG TABLET, EXTENDED RELEASE 1
JENTADUETO XR 5 MG-1,000 MG TABLET, EXTENDED RELEASE 1
metformin 500 mg/5 ml oral solution 5
RHOPRESSA 0.02 % EYE DROPS 4
ROCKLATAN 0.02 %-0.005 % EYE DROPS 4
RYTARY 23.75 MG-95 MG CAPSULE,EXTENDED RELEASE 6
RYTARY 36.25 MG-145 MG CAPSULE,EXTENDED RELEASE 6
RYTARY 48.75 MG-195 MG CAPSULE,EXTENDED RELEASE 6
RYTARY 61.25 MG-245 MG CAPSULE,EXTENDED RELEASE 6
TRADJENTA 5 MG TABLET 1
ZIRGAN 0.15 % EYE GEL 2