### acromegaly

#### **Drugs**

SIGNIFOR, SIGNIFOR LAR, SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML, SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Must provide clinical documentation of Acromegaly diagnosis

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

# **Other Criteria**

#### **Drugs**

carisoprodol oral tablet 350 mg, cyclobenzaprine oral tablet, dexmethylphenidate oral capsule, er biphasic 50-50 15 mg, 30 mg, 40 mg, dexmethylphenidate oral tablet, dexrazoxane hcl intravenous recon soln 250 mg, dextroamphetamine oral tablet, hydroxyzine hcl oral solution 10 mg/5 ml, hydroxyzine hcl oral tablet, hydroxyzine pamoate, MENOSTAR, methocarbamol oral, methylphenidate oral capsule, er biphasic 30-70 10 mg, 30 mg, 50 mg, 60 mg, methylphenidate oral solution, methylphenidate oral tablet, methylphenidate oral tablet extended release, methylphenidate oral tablet extended release 24hr, orphenadrine citrate oral, promethazine oral, promethazine rectal suppository 12.5 mg, 25 mg, thioridazine, VYVANSE ORAL CAPSULE 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG, zolpidem oral

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

N/A

## **Age Restriction**

Must be under the age of 65 unless there is documented proof that the benefit outweighs the risk.

#### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

#### **Other Criteria**

### antineoplastics

#### **Drugs**

ABRAXANE, AFINITOR, AFINITOR DISPERZ, ALIMTA INTRAVENOUS RECON SOLN 500 MG. AVASTIN, azacitidine, BICNU, bleomycin injection recon soln 30 unit, BOSULIF ORAL TABLET 100 MG, 500 MG, BUSULFEX, CAPRELSA ORAL TABLET 100 MG, 300 MG, carboplatin intravenous solution, cisplatin, cladribine, CLOLAR, COMETRIQ, cyclophosphamide oral capsule, cytarabine, dacarbazine intravenous recon soln 200 mg, decitabine, docetaxel intravenous solution 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml), doxorubicin intravenous solution 50 mg/25 ml, ELIGARD, ELIGARD (3 MONTH), ELIGARD (4 MONTH), ELIGARD (6 MONTH), EMCYT, ERIVEDGE, ERWINAZE, FARESTON, FASLODEX, FIRMAGON KIT W DILUENT SYRINGE, fludarabine intravenous recon soln, FOLOTYN INTRAVENOUS SOLUTION 40 MG/2 ML (20 MG/ML), gemcitabine intravenous recon soln 1 gram, GILOTRIF, GLEEVEC, HALAVEN, HEXALEN, ICLUSIG ORAL TABLET 45 MG, idarubicin, ifosfamide intravenous recon soln 1 gram, IMBRUVICA, INLYTA ORAL TABLET 1 MG, 5 MG, INTRON A INJECTION RECON SOLN, INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML, irinotecan intravenous solution 100 mg/5 ml, ISTODAX, JAKAFI, JEVTANA, KADCYLA INTRAVENOUS RECON SOLN 100 MG, LUPRON DEPOT, LUPRON DEPOT (3 MONTH), LUPRON DEPOT (4 MONTH), LUPRON DEPOT (6 MONTH), LUPRON DEPOT-PED INTRAMUSCULAR KIT 15 MG, MATULANE, MEKINIST ORAL TABLET 0.5 MG, 2 MG, melphalan hcl, mitoxantrone, MUSTARGEN, NEXAVAR, oxaliplatin intravenous solution 100 mg/20 ml, paclitaxel, PANRETIN, POMALYST, PROLEUKIN, REVLIMID ORAL CAPSULE 10 MG. 15 MG, 2.5 MG, 25 MG, 5 MG, RITUXAN, SOLTAMOX, SPRYCEL, STIVARGA, SUTENT, SYNRIBO, TABLOID, tafinlar, TARCEVA ORAL TABLET 100 MG, 150 MG, 25 MG, TARGRETIN, TASIGNA, topotecan intravenous recon soln, TORISEL, TREANDA INTRAVENOUS RECON SOLN 100 MG, TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG, TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML, 3.75 MG/2 ML, TRISENOX, TYKERB, VELCADE, vinblastine intravenous solution, VINCASAR PFS INTRAVENOUS SOLUTION 1 MG/ML, vincristine intravenous solution 1 mg/ml, vinorelbine intravenous solution 50 mg/5 ml, VOTRIENT, XALKORI ORAL CAPSULE 200 MG, XTANDI, YERVOY INTRAVENOUS SOLUTION 50 MG/10 ML (5 MG/ML), ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), ZANOSAR, ZELBORAF, ZOLINZA, ZORTRESS

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

**Exclusion Criteria** 

N/A

**Required Medical Information** 

N/A

**Age Restriction** 

N/A

**Prescriber Restriction** 

N/A

**Coverage Duration** 

1 year

Other Criteria

#### aranesp

#### Drugs

ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML, ARANESP (IN POLYSORBATE) INJECTION SYRINGE

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Must provide current labwork (Hemoglobin, transferrin saturation, and ferritin)

## **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by hematologist, oncologist, or nephrologist

#### **Coverage Duration**

1 year

### **Other Criteria**

## asthma therapy

## Drugs

**XOLAIR** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

For use of asthma therapy: Must have documented diagnosis of asthma and must provide all pulmonary function tests from within the previous 3 months. For use of chronic idiopathic urticaria: Must have documented diagnosis of chronic idiopathic urticaria and must provide trial and failure of antihistamine treatment.

## **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a pulmonologist, an allergist, a dermatologist or an immunologist.

### **Coverage Duration**

1 year

#### **Other Criteria**

# bone marrow transplant

# **Drugs**

MOŽOBIL

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Must provide clinical documentation of proper diagnosis.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

## cardiovascular therapy agents pulmonary arterial hypertensive agents

### **Drugs**

ADCIRCA, ADEMPAS, LETAIRIS, OPSUMIT, sildenafil oral, TRACLEER

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must have documentation of Pulmonary Arterial Hypertension Group 1 or Benign Prostatic Hypertrophy.

# **Age Restriction**

N/A

### **Prescriber Restriction**

Must be prescribed by a Cardiologist or Pulmonologist.

## **Coverage Duration**

1 year

### **Other Criteria**

#### carimune

### **Drugs**

CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 6 GRAM

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Must provide current progress notes.

# **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

## cellcept

### **Drugs**

CELLCEPT INTRAVENOUS, CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Must provide clinical documentation of proper diagnosis.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a cardiac or hepatic transplant specialist, or other physician experienced in immunosuppresive therapy and management of kidney transplant patients.

## **Coverage Duration**

1 year

### **Other Criteria**

### cinryze

### **Drugs**

**CINRYZE** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

1. Patient is diagnosed with idiopathic angioedema or drug induced angioedema.

### **Required Medical Information**

Must provide clinical documentation detailing diagnosis, treatment history and disease history. Verify medication is being used for prophylaxis of HAE attacks

## **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by or in consultation with an allergist, immunologist or hematologist.

### **Coverage Duration**

1 year

### **Other Criteria**

#### cmv

# **Drugs**

cidofovir, ganciclovir sodium

# **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Documentation of CMV Diagnosis.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

# copd therapy

# **Drugs**

DALIRESP

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Must have documented diagnosis of COPD.

# **Age Restriction**

N/A

#### **Prescriber Restriction**

Must have be prescribed by a pulmonologist.

# **Coverage Duration**

1 year

# **Other Criteria**

#### daklinza

### **Drugs**

DAKLINZA ORAL TABLET 30 MG, 60 MG

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Criteria will be applied consistent with current AASLD-IDSA guidance.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a gastroenterologist, Infectious Disease specialist or Hepatologist.

# **Coverage Duration**

1 year

# **Other Criteria**

## desmopressin

# **Drugs**

desmopressin injection

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

# **Required Medical Information**

Diagnosis of Hemophilia A with Factor VIII coagulant level greater than 5% or Von Willebrands Disease Type 1

# **Age Restriction**

N/A

# **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

### **Other Criteria**

#### diastat

#### **Drugs**

diazepam intensol, diazepam rectal

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must provide clinical documentation detailing the diagnosis and treatment history.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a neurologist, psychiatrist, or addiction medicine specialist.

# **Coverage Duration**

1 year

# **Other Criteria**

# exjade

### **Drugs**

EXJADE, FERRIPROX ORAL TABLET

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

# **Required Medical Information**

Documentation of trial and failure of Desferal.

# **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by Hematologist.

# **Coverage Duration**

1 year

# **Other Criteria**

#### Drugs

CARBAGLU, CYSTAGON, ESBRIET ORAL CAPSULE, FARYDAK, GATTEX ONE-VIAL, HETLIOZ, JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 5 MG, KYNAMRO, LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), NORTHERA, NOVAREL, PREGNYL, RAVICTI, SIRTURO, VPRIV

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

## **Required Medical Information**

N/A

### **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

### **Coverage Duration**

1 year

#### Other Criteria

## fentanyl

### **Drugs**

fentanyl citrate, LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 400 MCG/SPRAY

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must provide clinical documentation detailing diagnosis of Cancer and trial/failure of Fentanyl patches.

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

### **Other Criteria**

### firazyr

### **Drugs**

**FIRAZYR** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

1. Medication is being used for prophylaxis of HAE attacks. 2. Patient is diagnosed with idiopathic angioedema or drug induced angioedema.

## **Required Medical Information**

Must provide clinical documentation detailing diagnosis, treatment history and disease history.

## **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by or in consultation with an allergist, immunologist or hematologist.

### **Coverage Duration**

1 year

### **Other Criteria**

#### forteo

# Drugs

FORTEO

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

Cannot be used for longer than 2 years

# **Required Medical Information**

Must provide clinical documentation detailing the diagnosis and treatment history, documented trial and failure or intolerance to oral biphosphonates and injectable biphosphonates (including date range of therapy), BMD results confirming T-score of -2.5 or less.

## **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

## **Other Criteria**

## gammagard

# **Drugs**

BIVIGAM, GAMMAGARD LIQUID, PRIVIGEN

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Must provide current progress notes.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

### growth deficiency

#### **Drugs**

INCRELEX, NORDITROPIN FLEXPRO, NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 5 MG/2 ML (2.5 MG/ML)

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must provide clinical documentation of Primary Growth Deficiency diagnosis

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

### **Other Criteria**

#### harvoni

### **Drugs**

**HARVONI** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

1. Autoimmune hepatitis 2. Request is for greater than 24 weeks of therapy

### **Required Medical Information**

Documented diagnosis of Genotype 1a, 1b, 4, 5, or 6 infection, lab report documenting viral load, detailed medical history of previous treatment.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a gastroenterologist, hepatologist, or infectious disease specialist

#### **Coverage Duration**

1 year

### **Other Criteria**

## hepatitis c

## **Drugs**

PEGASYS SUBCUTANEOUS SOLUTION, PEGINTRON REDIPEN, REBETOL ORAL SOLUTION, RIBASPHERE ORAL TABLET 400 MG, 600 MG, ribavirin oral capsule, ribavirin oral tablet 200 mg

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Documentation of Hepatitis C. Documentation of appropriate genotype.

### **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

### **Other Criteria**

#### invega

#### Drugs

INVĒGA SUSTENNA

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

1. Member is not receiving concomitant treatment with Carbamazepine. 2. Members over 65 with dementia and psychosis.

## **Required Medical Information**

Must provide clinical documentation detailing diagnosis and treatment history, documented trial and failure of Risperdal and Zyprexa or Geodon.

## **Age Restriction**

Must be 18 years or older.

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

### **Other Criteria**

#### iv antibiotics

#### **Drugs**

CUBICIN, DORIBAX INTRAVENOUS RECON SOLN 500 MG, imipenem-cilastatin, piperacillintazobactam intravenous recon soln 3.375 gram, 4.5 gram

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Current Culture and Sensitivity to support the use of the requested antibiotic and excludes use of non restricted antibiotics. Documentation of failure or rationale documenting why non-restricted antibiotics cannot be used. Must add current progress notes.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by an Infectious Disease Specialist.

#### **Coverage Duration**

1 year

### **Other Criteria**

## iv antifungal

#### **Drugs**

ABELCET, AMBISOME, CANCIDAS, fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml, voriconazole intravenous

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

## **Required Medical Information**

Current Culture and Sensitivity to support the use of the antifungal medication. Documentation of failure or rationale documenting why non-restricted antifungals cannot be used. Must add current progress notes.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

#### Other Criteria

# juxtapid

### **Drugs**

JUXTAPID ORAL CAPSULE 30 MG, 40 MG, 60 MG

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

# **Required Medical Information**

N/A

### **Age Restriction**

N/A

### **Prescriber Restriction**

Must be prescribed by hematologist, oncologist, cardiologist, endocrinologist or nephrologist.

# **Coverage Duration**

1 year

# **Other Criteria**

# kalydeco

### **Drugs**

KALYDECO ORAL TABLET

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

# **Required Medical Information**

Must provide clinical documentation detailing the diagnosis and treatment history, Genetic testing.

## **Age Restriction**

Must be 6 years or older.

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

#### kineret

### **Drugs**

**KINERET** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

For use of Rheumatoid Arthritis: Must have documented diagnosis of Rheumatoid Arthritis and must provide documentation of failed intolerance to Methotrexate and Humira. For use of Cryopyrin-Associated Periodic Syndromes (CAPS): Must have documented diagnosis of Cryopyrin-Associated Periodic Syndromes (CAPS).

# **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

### **Coverage Duration**

1 year

### **Other Criteria**

### korlym

# **Drugs**

**KORLYM** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

1. Member has type 2 diabetes mellitus unreleated to Endogenours Cushings Syndrome. 2. Member is diagnosed with exogenous or iatrogenic Cushings syndrome. 3. Drug is being used to treat psychotic features of psychotic depression. 4. Drug is being used primarily for hypertension.

## **Required Medical Information**

N/A

### **Age Restriction**

Must be 18 years or older.

#### **Prescriber Restriction**

Must be prescribed by or in consultation with an endocrinologist.

## **Coverage Duration**

1 year

#### **Other Criteria**

#### kuvan

# **Drugs**

KUVAN ORAL TABLET, SOLUBLE

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Must have documentation of PKU

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

## leukine

# **Drugs**

LEUKINE INJECTION RECON SOLN

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

N/A

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

# leuprolide

# **Drugs**

leuprolide subcutaneous kit

# **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Must provide current progress notes.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

#### lidoderm

# **Drugs**

lidocaine topical adhesive patch, medicated

# **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

# **Required Medical Information**

Must provide clinical documentation of diagnosis of postherpetic neuralgia.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

# **lumizyme**

# **Drugs**

LUMIZYME

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

# **Exclusion Criteria**

N/A

# **Required Medical Information**

Confirmed diagnosis of Pompe's disease.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

# **Coverage Duration**

1 year

# **Other Criteria**

#### lung enzyme therapy

#### **Drugs**

PROLASTIN-C, ZEMAIRA

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Clinically documented alpha-1 antitrypsin deficiency. Clinical evidence of emphysema. PiZZ, PiZ() or Pi(,) phenotype (homozygous) alpha 1-antitrypsin deficiency or other phenotypes associated with serum alpha 1-antitrypsin concentrations less than 80 mg/dl. Serum alpha 1-antitrypsin (ATT) greater than 80mg/dl (35% of normal). Progressive panacinar emphysema with documented rate of decline in FEV1.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a pulmonologist.

### **Coverage Duration**

1 year

#### Other Criteria

## lupus

### **Drugs**

BENLYSTA INTRAVENOUS RECON SOLN 120 MG

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

## **Required Medical Information**

Documentation of diagnosis.

## **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a rheumatologist.

## **Coverage Duration**

1 year

## **Other Criteria**

### multaq

### **Drugs** MULTAQ

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

Patients with NYHA Class IV heart failure or NYHA Class II - III heart failure with a recent decompensation requiring hospitalization or referral to a specialized heart failure clinic. Second- or third- degree atrioventicular (AV) block or sick sinus syndrome

### **Required Medical Information**

Must provide clinical documentation of proper diagnosis.

## **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

### **Other Criteria**

### multiple sclerosis

### **Drugs**

AMPYRA, AVONEX (WITH ALBUMIN), AVONEX INTRAMUSCULAR PEN INJECTOR KIT, BETASERON SUBCUTANEOUS KIT, EXTAVIA SUBCUTANEOUS KIT, GILENYA, REBIF (WITH ALBUMIN), TYSABRI

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must have documentation of multiple sclerosis diagnosis.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by neurologist.

### **Coverage Duration**

1 year

### **Other Criteria**

#### narcolepsy

### **Drugs**

modafinil

#### **Covered Uses**

All medically accepted indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must provide clinical documentation detailing the diagnosis of Narcolepsy, Shift Work Sleep Disorder , or obstructive sleep apnea. If for Narcolepsy, must show trial and failure to at least one formulary/preferred agent, such as Methylphenidate or dextroamphetamine, or rationale as to why these agents cannot be used. Must provide clinical documentation indicating the use to improve wakefulness in patients with excessive sleepiness associated with obstructive sleep apnea.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a Sleep specialist, Neurologist or Pulmonary specialist.

### **Coverage Duration**

1 year

### **Other Criteria**

### neutropenic

### **Drugs**

NEULASTA SUBCUTANEOUS SYRINGE, NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML, NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

## **Required Medical Information**

Labs must be submitted that support the diagnosis of neutropenia.

### **Age Restriction**

N/A

## **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

### **Other Criteria**

#### nuedexta

### **Drugs**

NUEDEXTA

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Documented diagnosis of pseudobulbar affect (PBA).

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

### nulojix

### **Drugs**

NULOJIX

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must provide clinical documentation of a new kidney transplant, patient must be Epstein-Barr virus seropositive

# **Age Restriction**

N/A

### **Prescriber Restriction**

Must be prescribed by a physician experienced in immunosuppresive therapy and management of kidney transplant patients

## **Coverage Duration**

1 year

## **Other Criteria**

#### octreotide

### **Drugs**

octreotide acetate injection solution 1,000 mcg/ml

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide current progress notes.

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

#### oral antibiotics

### **Drugs**

ZYVOX ORAL SUSPENSION FOR RECONSTITUTION

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Current Culture and Sensitivity to support the use of the requested antibiotic and excludes use of non restricted antibiotics. Documentation of failure or rationale documenting why non-restricted oral antibiotics cannot be used. Must add current progress notes

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by an Infectious Disease Specialist.

### **Coverage Duration**

1 year

#### **Other Criteria**

### osteoporosis

### **Drugs**

PROLIA, XGEVA, zoledronic acid-mannitol-water

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must have labs and bone density scan submitted to establish proper diagnosis.

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

### pcsk9i

#### **Drugs**

REPATHA SURECLICK, REPATHA SYRINGE

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Repatha: Must provide clinical documentation of primary heterozygous familial hypercholesterolemia in combination with a statin or primary hypercholesterolemia in combination with a statin or homozygous familial hypercholesterolemia, or provide clinical documentation indicating a contraindication or intolerance to statin therapy.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a gastroenterologist, Infectious Disease specialist, cardiologist, endocrinologist or Hepatologist.

### **Coverage Duration**

1 year

#### Other Criteria

## photochemotherapy

### **Drugs**

methoxsalen oral, OXSORALEN ULTRA

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

N/A

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

## picato

## **Drugs**

PICATO

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide clinical documentation detailing the diagnosis and treatment history, documented trial and failure of Fluorouracil or Imiquimod.

### **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

### **Other Criteria**

### promacta

## **Drugs**

**PROMACTA** 

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide current progress notes.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

#### ranexa

### **Drugs**

RANEXA

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Diagnosis of angina with documentation of failure of nitrocglycerin.

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

### risperdal

#### **Drugs**

RISPERDAL CONSTA, RISPERDAL M-TAB

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide clinical documentation detailing the diagnosis and treatment history, documented trial and failure or inability to use oral antipsychotic agents.

## **Age Restriction**

N/A

## **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

### **Other Criteria**

#### sabril

### **Drugs**

SABRIL

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Must provide clinical documentation of refractory complex partial seizures or infantile spasms, documented trial and failure of 2 other anticonvulsant agents, baseline eye exam.

## **Age Restriction**

N/A

### **Prescriber Restriction**

Must be prescribed by a specialist in the neurology field of study.

## **Coverage Duration**

1 year

### **Other Criteria**

#### simulect

### **Drugs**

SIMULECT INTRAVENOUS RECON SOLN 20 MG

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Must provide clinical documentation detailing the diagnosis and treatment history.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a physician experienced in immunosuppresive therapy and management of kidney transplant patients

### **Coverage Duration**

1 year

### **Other Criteria**

#### sovaldi

### **Drugs**

SOVALDI

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

### **Exclusion Criteria**

1. Autoimmune hepatitis.

## **Required Medical Information**

Criteria will be applied consistent with current AASLD-IDSA guidance.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a gastroenterologist, Infectious Disease specialist or Hepatologist.

## **Coverage Duration**

1 year

## **Other Criteria**

### symlin

#### **Drugs**

SYMLINPEN 120, SYMLINPEN 60

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Diagnosis of Type II diabetes HbA1c greater than 7%. Failure to reach HbA1c goal with maximum dose of metformin (1,500mg/day) or TZD (pioglitazone at 45mg/day, rosiglitazone at 8mg/day), for at least 90 days over the past 120 days or Diagnosis of Type I diabetes who have failed to achieve desired glucose control despite optimal insulin therapy, or intolerance to the aforementioned therapies.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

#### Other Criteria

### synagis

### **Drugs**

SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

1. Patient has hemodynamically insignificant heart disease (eg. Secundum atrialseptal defect, small ventricular septal defect, pullmonic stenosis, uncomplicatedaortic stenosis, mild coarctation of the aorta, and patent ductus arteriosus). Must provide clinical documentation of proper diagnosis.

#### **Required Medical Information**

N/A

**Age Restriction** 

N/A

**Prescriber Restriction** 

N/A

**Coverage Duration** 

1 year

**Other Criteria** 

#### technivie

### **Drugs**

**TECHNIVIE** 

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

### **Required Medical Information**

Criteria will be applied consistent with current AASLD-IDSA guidance.

## **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a gastroenterologist, Infectious Disease specialist or Hepatologist.

## **Coverage Duration**

1 year

## **Other Criteria**

### thalomid

## **Drugs**

THALOMID

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide clinical documentation of proper diagnosis.

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

#### **Drugs**

ENBREL, ENBREL SURECLICK, HUMIRA PEN, HUMIRA PEN CROHN'S-UC-HS START, HUMIRA SUBCUTANEOUS SYRINGE KIT 20 MG/0.4 ML, 40 MG/0.8 ML, ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, REMICADE, SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

#### **Exclusion Criteria**

N/A

#### **Required Medical Information**

Must provide clinical documentation of proper diagnosis.

### **Age Restriction**

N/A

#### **Prescriber Restriction**

Must be prescribed by a dermatologist, ophthalmologist, gastroenterologist or rheumatologist.

### **Coverage Duration**

1 year

#### **Other Criteria**

#### tobi

## **Drugs**

tobramycin in 0.225 % nacl

## **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide clinical documentation of Cystic Fibrosis diagnosis

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

#### xenazine

## **Drugs**

XENAZINE

### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide clinical documentation of Huntingtons Disease diagnosis

# **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

## zytiga

## **Drugs**

ZYTIGA ORAL TABLET 250 MG

#### **Covered Uses**

All FDA-approved indications not otherwise excluded from Part D

## **Exclusion Criteria**

N/A

## **Required Medical Information**

Must provide clinical documentation of proper diagnosis.

## **Age Restriction**

N/A

### **Prescriber Restriction**

N/A

## **Coverage Duration**

1 year

## **Other Criteria**

### Index

ABELCE I28	CELLCEPT ORAL	ESBRIET ORAL CAPSULE 18
ABRAXANE4	SUSPENSION FOR	EXJADE 17
ADCIRCA 8	RECONSTITUTION 10	EXTAVIA SUBCUTANEOUS
ADEMPAS8	<i>cidofovir</i> 12	KIT41
AFINITOR4	CINRYZE11	FARESTON4
AFINITOR DISPERZ4	cisplatin4	
ALIMTA INTRAVENOUS	cladribine4	FASLODEX4
RECON SOLN 500 MG4		fentanyl citrate19
AMBISOME28	COMETRIQ4	FERRIPROX ORAL TABLET 17
AMPYRA41	CUBICIN27	FIRAZYR20
ARANESP (IN	cyclobenzaprine oral tablet3	
POLYSORBATE)	cyclophosphamide oral	SYRINGE4
INJECTION SOLUTION 100		
	capsule4	
MCG/ML, 200 MCG/ML, 25	CYSTAGON	intravenous piggyback 400
MCG/ML, 300 MCG/ML, 40	cytarabine4	mg/200 ml28
MCG/ML, 60 MCG/ML5	dacarbazine intravenous	fludarabine intravenous
ARANESP (IN	recon soln 200 mg4	
POLYSORBATE)	DAKLINZA ORAL TABLET	FOLOTYN INTRAVENOUS
INJECTION SYRINGE5	30 MG, 60 MG14	
AVASTIN4	DALIRESP13	MG/ML)4
AVONEX (WITH ALBUMIN)41	decitabine4	FORTEO21
AVONEX INTRAMUSCULAR	desmopressin injection15	GAMMAGARD LIQUID 22
PEN INJECTOR KIT 41	dexmethylphenidate oral	ganciclovir sodium12
azacitidine4	capsule,er biphasic 50-50 15	GATTEX ONE-VIAL 18
BENLYSTA INTRAVENOUS	<i>mg, 30 mg, 40 mg</i> 3	gemcitabine intravenous
RECON SOLN 120 MG39	dexmethylphenidate oral	recon soln 1 gram4
BETASERON	tablet3	
SUBCUTANEOUS KIT41	dexrazoxane hcl intravenous	GILOTRIF4
BICNU 4	recon soln 250 mg3	GLEEVEC 4
BIVIGAM 22	dextroamphetamine oral	HALAVEN4
bleomycin injection recon	tablet3	HARVONI24
soln 30 unit4	diazepam intensol 16	
BOSULIF ORAL TABLET	diazepam rectal16	
100 MG, 500 MG4		HUMIRA PEN62
BUSULFEX4		HUMIRA PEN CROHN'S-
CANCIDAS28	ma/ml) 80 ma/8 ml (10	
CAPRELSA ORAL TABLET	mg/ml), 80 mg/8 ml (10 mg/ml)4	HUMIRA SUBCUTANFOUS
100 MG, 300 MG4		SYRINGE KIT 20 MG/0.4
CARBAGLU18	RECON SOLN 500 MG27	
carboplatin intravenous	doxorubicin intravenous	hydroxyzine hcl oral solution
solution4		
CARIMUNE NF		
	ELIGARD4	hydroxyzine hcl oral tablet3
NANOFILTERED INTRAVENOUS RECON	ELIGARD (3 MONTH)4	
IN I KAVENUUS KEUUN	ELIGARD (4 MONTH)4	ICLUSIG ORAL TABLET 45
SOLN 6 GRAM9		MG4
carisoprodol oral tablet 350	EMCYT4	idarubicin4
	ENBREL62	ifosfamide intravenous recon
CELLCEPT INTRAVENOUS.10	ENBREL SURECLICK 62	soln 1 gram4
	ERIVEDGE4	IMBRUVICA4
	ERWINAZE 4	imipenem-cilastatin27

INCRELEX 23	MATULANE4	PANRETIN4
INLYTA ORAL TABLET 1	MEKINIST ORAL TABLET	PEGASYS
MG, 5 MG4	0.5 MG, 2 MG4	SUBCUTANEOUS
INTRON A INJECTION	melphalan hcl4	
RECON SOLN4	MENOSTAR3	PEGINTRON REDIPEN25
INTRON A INJECTION	methocarbamol oral3	
SOLUTION 6 MILLION	methoxsalen oral50	piperacillin-tazobactam
UNIT/ML4	methylphenidate oral	intravenous recon soln 3.375
INVEGA SUSTENNA	capsule, er biphasic 30-70 10	gram, 4.5 gram27
irinotecan intravenous	mg, 30 mg, 50 mg, 60 mg 3	
	methylphenidate oral solution3	PREGNYL18
solution 100 mg/5 ml		PRIVIGEN22
ISTODAX4	methylphenidate oral tablet3	
JAKAFI4	methylphenidate oral tablet	PROLASTIN-C38
JEVTANA 4	extended release3	PROLEUKIN4
JUXTAPID ORAL CAPSULE	methylphenidate oral tablet	PROLIA
10 MG, 20 MG, 5 MG18	extended release 24hr3	
JUXTAPID ORAL CAPSULE	mitoxantrone4	•
30 MG, 40 MG, 60 MG29	modafinil42	promethazine rectal
KADCYLA INTRAVENOUS	MOZOBIL7	suppository 12.5 mg, 25 mg3
RECON SOLN 100 MG4	MULTAQ 40	
KALYDECO ORAL TABLET. 30	MUSTARGEN4	RAVICTI18
KINERET31	NEULASTA	REBETOL ORAL SOLUTION25
KORLYM32	SUBCUTANEOUS	REBIF (WITH ALBUMIN) 41
KUVAN ORAL	SUBCUTANEOUS SYRINGE43	REMICADE 62
TABLET,SOLUBLE33	NEUPOGEN INJECTION	REPATHA SURECLICK49
KYNAMRO18	SOLUTION 300 MCG/ML,	REPATHA SYRINGE49
LAZANDA NASAL	480 MCG/1.6 ML43	REVLIMID ORAL CAPSULE
SPRAY,NON-AEROSOL 100	NEUPOGEN INJECTION	10 MG, 15 MG, 2.5 MG, 25
MCG/SPRAY, 400	SYRINGE 300 MCG/0.5 ML,	MG, 5 MG4
MCG/SPRAY19	480 MCG/0.8 ML43	RIBASPHERE ORAL
LENVIMA ORAL CAPSULE	NEXAVAR4	TABLET 400 MG, 600 MG 25
10 MG/DAY (10 MG X	NORDITROPIN FLEXPRO 23	ribavirin oral capsule25
1/DAY), 20 MG/DAY (10 MG	NORTHERA18	ribavirin oral tablet 200 mg 25
X 2), 24 MG/DAY(10 MG X	NOVAREL18	
2-4 MG X 1)18	NUEDEXTA44	
LETAIRIS 8	NULOJIX45	
LEUKINE INJECTION	NUTROPIN AQ NUSPIN	SABRIL55
RECON SOLN34	SUBCUTANEOUS PEN	SIGNIFOR2
leuprolide subcutaneous kit35	INJECTOR 10 MG/2 ML (5	SIGNIFOR LAR2
lidocaine topical adhesive	MG/ML), 5 MG/2 ML (2.5	
patch,medicated36	MG/ML)23	
, LUMIZYME37	octreotide acetate injection	
LUPRON DEPOT4	solution 1,000 mcg/ml 46	
LUPRON DEPOT (3	OPSUMIT8	RECON SOLN 20 MG56
MONTH)4	ORENCIA	SIRTURO 18
LUPRON DEPOT (4		
MONTH)4	SUBCUTANEOUS SYRINGE 125 MG/ML 62	SOMATULINE DEPOT
LUPRON DEPOT (6	orphenadrine citrate oral 3	SUBCUTANEOUS
LUPRON DEPOT (6 MONTH)4	oxaliplatin intravenous	SYRINGE 120 MG/0.5 ML,
LUPRON DEPOT-PED	solution 100 mg/20 ml	•
INTRAMUSCULAR KIT 15	3	ML2
MG4	paclitaxel4	
	,	

SOMAVERT	VOTRIENT 4
SUBCUTANEOUS RECON	VPRIV18
	VYVANSE ORAL CAPSULE
SOLN 10 MG, 15 MG, 20	
MG2	20 MG, 30 MG, 40 MG, 50
SOVALDI57	MG, 60 MG, 70 MG3
SPRYCEL4	XALKORI ORAL CAPSULE
STIVARGA4	200 MG4
SUTENT4	XENAZINE 64
SYMLINPEN 12058	XGEVA48
SYMLINPEN 6058	XOLAIR6
SYNAGIS	XTANDI4
INTRAMUSCULAR	YERVOY INTRAVENOUS
SOLUTION 50 MG/0.5 ML 59	SOLUTION 50 MG/10 ML (5
SYNRIBO4	MG/ML)
TABLOID4	ZALTRAP INTRAVENOUS
_	
tafinlar4	SOLUTION 100 MG/4 ML
TARCEVA ORAL TABLET	(25 MG/ML)4
100 MG, 150 MG, 25 MG4	ZANOSAR4
TARGRETIN4	ZELBORAF4
TASIGNA4	ZEMAIRA 38
TECHNIVIE60	zoledronic acid-mannitol-
THALOMID61	water48
thioridazine3	ZOLINZA4
tobramycin in 0.225 % nacl 63	zolpidem oral3
topotecan intravenous recon	ZORTRESS4
soln4	ZYTIGA ORAL TABLET 250
TORISEL4	MG65
TRACLEER8	ZYVOX ORAL
TREANDA INTRAVENOUS	SUSPENSION FOR
RECON SOLN 100 MG4	RECONSTITUTION47
TRELSTAR	
INTRAMUSCULAR	
SUSPENSION FOR	
RECONSTITUTION 22.5 MG4	
TRELSTAR	
INTRAMUSCULAR	
SYRINGE 11.25 MG/2 ML,	
3.75 MG/2 ML4	
TRISENOX4	
TYKERB4	
TYSABRI41	
VELCADE4	
_	
vinblastine intravenous	
solution4	
VINCASAR PFS	
INTRAVENOUS SOLUTION	
1 MG/ML4	
vincristine intravenous	
solution 1 mg/ml4	
vinorelbine intravenous	
solution 50 mg/5 ml4	
voriconazole intravenous28	
vonconazore intraverious20	