

**2018 RS FIDA**  
**List of Covered Drugs**

**Table of Contents**

<b>Analgesics</b> .....	4
<b>Anesthetics</b> .....	8
<b>Anti-Addiction/ Substance Abuse Treatment Agents</b> .....	9
<b>Antibacterials</b> .....	9
<b>Anticonvulsants</b> .....	17
<b>Antidementia Agents</b> .....	23
<b>Antidepressants</b> .....	25
<b>Antiemetics</b> .....	29
<b>Antifungals</b> .....	31
<b>Antigout Agents</b> .....	33
<b>Anti-Inflammatory Agents</b> .....	33
<b>Antimigraine Agents</b> .....	36
<b>Antimyasthenic Agents</b> .....	38
<b>Antimycobacterials</b> .....	38
<b>Antineoplastics</b> .....	39
<b>Antiparasitics</b> .....	48
<b>Antiparkinson Agents</b> .....	49
<b>Antipsychotics</b> .....	50
<b>Antispasticity Agents</b> .....	53
<b>Antivirals</b> .....	54
<b>Anxiolytics</b> .....	60
<b>Bipolar Agents</b> .....	62
<b>Blood Glucose Regulators</b> .....	65
<b>Blood Products/ Modifiers/ Volume Expanders</b> .....	69
<b>Cardiovascular Agents</b> .....	71
<b>Central Nervous System Agents</b> .....	80
<b>Dental And Oral Agents</b> .....	82
<b>Dermatological Agents</b> .....	83
<b>Electrolytes/Minerals/Metals/Vitamins</b> .....	85
<b>Gastrointestinal Agents</b> .....	91
<b>Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment</b> .....	95
<b>Genitourinary Agents</b> .....	96
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b> .....	97
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</b> .....	101
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b> .....	101
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b> .....	101
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b> .....	109
<b>Hormonal Agents, Suppressant (Adrenal)</b> .....	109
<b>Hormonal Agents, Suppressant (Pituitary)</b> .....	109
<b>Hormonal Agents, Suppressant (Thyroid)</b> .....	111
<b>Immunological Agents</b> .....	111
<b>Inflammatory Bowel Disease Agents</b> .....	118
<b>Metabolic Bone Disease Agents</b> .....	120
<b>Ophthalmic Agents</b> .....	121
<b>Otic Agents</b> .....	124
<b>Respiratory Tract/ Pulmonary Agents</b> .....	124
<b>Skeletal Muscle Relaxants</b> .....	129
<b>Sleep Disorder Agents</b> .....	130



2018 RS FIDA

List of Covered Drugs

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Analgesics</b>		
<b>Analgesics</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	Tier 1	\$0; QL (4500 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-60 mg</i>	Tier 1	\$0; QL (240 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-30 mg</i>	Tier 1	\$0; QL (400 per 30 days); NDS
ASCOMP WITH CODEINE ORAL CAPSULE 30-50-325-40 MG	Tier 2	\$0; NDS
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i>	Tier 1	\$0; QL (180 per 30 days); NDS
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	Tier 1	\$0; NDS
<i>carisoprodol-asa-codeine oral tablet 200-325-16 mg</i>	Tier 1	\$0; QL (120 per 30 days); NDS
<i>carisoprodol-aspirin oral tablet 200-325 mg</i>	Tier 1	\$0; QL (240 per 30 days); NDS
ENDOCET ORAL TABLET 10-325 MG	Tier 2	\$0
ENDOCET ORAL TABLET 5-325 MG, 7.5-325 MG	Tier 2	\$0; QL (360 per 30 days); NDS
ESGIC ORAL TABLET 50-325-40 MG	Tier 2	\$0; NDS
FIORINAL ORAL CAPSULE 50-325-40 MG	Tier 2	\$0; NDS
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	Tier 1	\$0; QL (240 per 30 days); NDS
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	Tier 1	\$0; QL (150 per 30 days); NDS
LORCET (HYDROCODONE) ORAL TABLET 5-325 MG	Tier 2	\$0; QL (240 per 30 days); NDS
LORCET PLUS ORAL TABLET 7.5-325 MG	Tier 2	\$0; QL (240 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 7.5-325 mg</i>	Tier 1	\$0
<i>oxycodone-acetaminophen oral tablet 5-325 mg</i>	Tier 1	\$0; QL (360 per 30 days); NDS
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	Tier 1	\$0; QL (240 per 30 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Nonsteroidal Anti-Inflammatory Drugs</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	Tier 1	\$0; NDS
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	Tier 1	\$0; NDS
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>diclofenac sodium topical drops 1.5 %</i>	Tier 1	\$0; MO
<i>diclofenac sodium topical gel 3 %</i>	Tier 1	\$0; NDS
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg, 75-200 mg-mcg</i>	Tier 1	\$0; NDS
<i>diflunisal oral tablet 500 mg</i>	Tier 1	\$0; NDS
<i>etodolac oral capsule 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>etodolac oral tablet 400 mg, 500 mg</i>	Tier 1	\$0; MO
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	Tier 1	\$0; MO
<i>fenoprofen oral tablet 600 mg</i>	Tier 1	\$0; NDS
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	Tier 1	\$0; MO; NDS
<i>ibuprofen 100 mg/5 ml susp children's (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen 200 mg/10 ml susp 100's, u-d cups (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen 200 mg/10 ml susp 30's, u-d cups (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen 200 mg/10 ml susp u-d (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen oral suspension 100 mg/5 ml</i>	Tier 2	\$0; MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	Tier 1	\$0; MO
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	Tier 1	\$0; QL (300 per 30 days); NDS
<i>indomethacin oral capsule 25 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>indomethacin oral capsule, extended release 75 mg</i>	Tier 1	\$0; NDS
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	Tier 1	\$0; MO; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>ketorolac oral tablet 10 mg</i>	Tier 1	\$0; NDS
<i>meclofenamate oral capsule 100 mg</i>	Tier 1	\$0; NDS
<i>meclofenamate oral capsule 50 mg</i>	Tier 1	\$0; MO; NDS
<i>mefenamic acid oral capsule 250 mg</i>	Tier 1	\$0; NDS
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	Tier 1	\$0; MO
<i>nabumetone oral tablet 500 mg, 750 mg</i>	Tier 1	\$0; NDS
<i>naproxen oral suspension 125 mg/5 ml</i>	Tier 1	\$0; MO
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	Tier 1	\$0; MO
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i>	Tier 1	\$0; MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	Tier 1	\$0; MO
<i>naproxen sodium oral tablet, er multiphase 24 hr 375 mg, 500 mg</i>	Tier 1	\$0; MO
<i>oxaprozin oral tablet 600 mg</i>	Tier 1	\$0; NDS
<i>piroxicam oral capsule 10 mg, 20 mg</i>	Tier 1	\$0; NDS
<i>qc ibuprofen 100 mg/5 ml susp children's (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sm ibuprofen 100 mg/5 ml susp (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sm ibuprofen 100 mg/5 ml susp a/f (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sm ibuprofen 100 mg/5 ml susp children's (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sulindac oral tablet 150 mg, 200 mg</i>	Tier 1	\$0; NDS
<i>tolmetin oral capsule 400 mg</i>	Tier 1	\$0; NDS
<i>tolmetin oral tablet 600 mg</i>	Tier 1	\$0; MO; NDS
VOLTAREN TOPICAL GEL 1 %	Tier 2	\$0; MO
<b>Opioid Analgesics, Long-Acting</b>		
DURAMORPH (PF) INJECTION SOLUTION 1 MG/ML	Tier 2	\$0; NDS
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	Tier 1	PA; \$0; NDS
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour</i>	Tier 1	\$0; QL (10 per 30 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>levorphanol tartrate oral tablet 2 mg</i>	Tier 1	\$0; NDS
<i>methadone oral solution 10 mg/5 ml, 5 mg/5 ml</i>	Tier 1	\$0; NDS
<i>methadone oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; QL (180 per 30 days); NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	Tier 1	\$0; NDS
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg, 75 mg, 90 mg</i>	Tier 1	\$0; QL (90 per 30 days); NDS
<i>morphine oral capsule, extend. release pellets 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg</i>	Tier 1	\$0; QL (90 per 30 days); NDS
<i>morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml)</i>	Tier 1	\$0; NDS
<i>morphine oral tablet 15 mg, 30 mg</i>	Tier 1	\$0; QL (120 per 30 days); NDS
<i>morphine oral tablet extended release 100 mg, 30 mg, 60 mg</i>	Tier 1	\$0; QL (90 per 30 days); NDS
<i>morphine oral tablet extended release 15 mg</i>	Tier 1	\$0; QL (90 per 30 days)
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 20 mg, 40 mg, 80 mg</i>	Tier 1	\$0; QL (60 per 30 days); NDS
<b>OXYCONTIN ORAL TABLET, ORAL ONLY, EXT. REL. 12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG</b>	Tier 2	\$0; QL (60 per 30 days); NDS
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	Tier 1	\$0; QL (60 per 30 days); NDS
<i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg</i>	Tier 1	\$0; QL (90 per 30 days); NDS
<i>tramadol oral tablet, er multiphase 24 hr 300 mg</i>	Tier 1	\$0; NDS
<b>Opioid Analgesics, Short-Acting</b>		
<i>butorphanol tartrate injection solution 1 mg/ml, 2 mg/ml</i>	Tier 1	\$0; NDS
<i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>	Tier 1	\$0; QL (2.5 per 14 days); NDS
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	Tier 2	\$0; NDS
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	Tier 1	PA; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	Tier 1	\$0; QL (10 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i>	Tier 1	\$0; QL (240 per 30 days); NDS
<i>hydromorphone oral liquid 1 mg/ml</i>	Tier 1	\$0; NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	Tier 1	\$0; NDS
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 400 MCG/SPRAY	Tier 2	PA; \$0; NDS
<i>meperidine oral tablet 100 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	Tier 1	\$0; NDS
<i>morphine intravenous syringe 2 mg/ml, 8 mg/ml</i>	Tier 1	\$0; NDS
<i>morphine oral solution 10 mg/5 ml, 20 mg/5 ml (4 mg/ml)</i>	Tier 1	\$0; NDS
<i>morphine oral tablet 15 mg, 30 mg</i>	Tier 1	\$0; QL (120 per 30 days); NDS
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	Tier 1	PA BvD; \$0; NDS
<i>oxycodone oral solution 5 mg/5 ml</i>	Tier 1	\$0; QL (2400 per 30 days); NDS
<i>oxycodone oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	Tier 1	\$0; QL (180 per 30 days); NDS
<i>tramadol oral tablet 50 mg</i>	Tier 1	\$0; QL (240 per 30 days); NDS
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>lidocaine (pf) injection solution 5 mg/ml (0.5 %)</i>	Tier 1	\$0; NDS
<i>lidocaine hcl injection solution 20 mg/ml (2 %)</i>	Tier 1	\$0; NDS
<i>lidocaine hcl mucous membrane jelly 2 %</i>	Tier 1	\$0; NDS
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	Tier 1	\$0; NDS
<i>lidocaine topical adhesive patch, medicated 5 %</i>	Tier 1	PA; \$0; NDS
<i>lidocaine topical ointment 5 %</i>	Tier 1	\$0; NDS
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Anti-Addiction/ Substance Abuse Treatment Agents</b>		
<b>Alcohol Deterrents/Anti-Craving</b>		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	Tier 1	\$0; MO
<i>disulfiram oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>naltrexone oral tablet 50 mg</i>	Tier 1	\$0; NDS
<b>Opioid Dependence Treatments</b>		
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	Tier 1	\$0; NDS
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	Tier 1	\$0; MO; QL (120 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	Tier 1	\$0; MO; QL (90 per 30 days)
<i>naltrexone oral tablet 50 mg</i>	Tier 1	\$0; NDS
<b>Opioid Reversal Agents</b>		
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	Tier 2	\$0; NDS
<b>Smoking Cessation Agents</b>		
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	Tier 1	\$0
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	Tier 2	ST; \$0; NDS
CHANTIX ORAL TABLET 0.5 MG, 1 MG	Tier 2	ST; \$0; NDS
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	Tier 2	ST; \$0; NDS
NICOTROL INHALATION CARTRIDGE 10 MG	Tier 2	\$0; NDS
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	Tier 2	ST; \$0; NDS
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>amikacin injection solution 500 mg/2 ml</i>	Tier 2	PA BvD; \$0; NDS
GENTAK OPHTHALMIC OINTMENT 0.3 % (3 MG/GRAM)	Tier 2	\$0; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 80 mg/50 ml</i>	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>gentamicin injection solution 40 mg/ml</i>	Tier 1	\$0; NDS
<i>gentamicin ophthalmic drops 0.3 %</i>	Tier 1	\$0; NDS
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml</i>	Tier 2	\$0; NDS
<i>gentamicin topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>gentamicin topical ointment 0.1 %</i>	Tier 1	\$0; NDS
<i>neomycin oral tablet 500 mg</i>	Tier 1	\$0; NDS
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	Tier 1	\$0; NDS
<i>paromomycin oral capsule 250 mg</i>	Tier 1	\$0; NDS
<i>streptomycin intramuscular recon soln 1 gram</i>	Tier 2	\$0; NDS
TOBRADEX OPHTHALMIC OINTMENT 0.3-0.1 %	Tier 2	\$0; NDS
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	Tier 1	PA NSO; \$0; MO
<i>tobramycin ophthalmic drops 0.3 %</i>	Tier 1	\$0; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	Tier 1	\$0; NDS
TOBREX OPHTHALMIC DROPS 0.3 %	Tier 2	\$0; NDS
TOBREX OPHTHALMIC OINTMENT 0.3 %	Tier 2	\$0; NDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	Tier 2	PA NSO; \$0; NDS
<b>Antibacterials, Other</b>		
<i>acetic acid otic solution 2 %</i>	Tier 1	\$0; NDS
<i>alcohol pads topical pads, medicated</i>	Tier 2	\$0; NDS
BACIIM INTRAMUSCULAR RECON SOLN 50,000 UNIT	Tier 2	\$0; NDS
<i>bacitracin intramuscular recon soln 50,000 unit</i>	Tier 1	\$0; NDS
<i>bacitracin ophthalmic ointment 500 unit/gram</i>	Tier 1	\$0; NDS
BACTROBAN NASAL NASAL OINTMENT 2 %	Tier 2	\$0; NDS
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	Tier 1	\$0; NDS
<i>clindamax topical gel 1 %</i>	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	Tier 1	\$0; NDS
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	Tier 1	\$0; NDS
<i>clindamycin phosphate topical gel 1 %</i>	Tier 1	\$0; NDS
<i>clindamycin phosphate topical lotion 1 %</i>	Tier 1	\$0; NDS
<i>clindamycin phosphate topical solution 1 %</i>	Tier 1	\$0; NDS
<i>clindamycin phosphate vaginal cream 2 %</i>	Tier 1	\$0; NDS
CUBICIN INTRAVENOUS RECON SOLN 500 MG	Tier 2	PA; \$0; NDS
<i>linezolid intravenous parenteral solution 600 mg/300 ml</i>	Tier 1	\$0; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	Tier 1	PA; \$0; QL (840 per 14 days); NDS
<i>linezolid oral tablet 600 mg</i>	Tier 1	PA; \$0; QL (28 per 14 days); NDS
<i>methenamine hippurate oral tablet 1 gram</i>	Tier 1	\$0; NDS
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	Tier 1	\$0; NDS
<i>metronidazole oral capsule 375 mg</i>	Tier 1	\$0; NDS
<i>metronidazole oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>metronidazole topical cream 0.75 %</i>	Tier 1	\$0; NDS
<i>metronidazole topical gel 0.75 %, 1 %</i>	Tier 1	\$0; NDS
<i>metronidazole topical lotion 0.75 %</i>	Tier 1	\$0; NDS
<i>metronidazole vaginal gel 0.75 %</i>	Tier 1	\$0; NDS
<i>mupirocin calcium topical cream 2 %</i>	Tier 1	\$0; NDS
<i>mupirocin topical ointment 2 %</i>	Tier 1	\$0; NDS
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg</i>	Tier 1	\$0; NDS
<i>nitrofurantoin macrocrystal oral capsule 50 mg</i>	Tier 1	\$0; QL (720 per 365 days); NDS
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	Tier 1	\$0; NDS
<i>nitrofurantoin oral suspension 25 mg/5 ml</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>tigecycline intravenous recon soln 50 mg</i>	Tier 1	\$0
<i>tinidazole oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>trimethoprim oral tablet 100 mg</i>	Tier 1	\$0; NDS
TYGACIL INTRAVENOUS RECON SOLN 50 MG	Tier 2	\$0
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 500 mg</i>	Tier 1	\$0; NDS
<i>vancomycin oral capsule 125 mg, 250 mg</i>	Tier 1	\$0; QL (112 per 4 days); NDS
ZYVOX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	Tier 2	PA; \$0; QL (840 per 14 days); NDS
<b>Antibacterials</b>		
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	Tier 1	\$0; NDS
SYNERCID INTRAVENOUS RECON SOLN 500 MG	Tier 2	\$0; NDS
<b>Beta-Lactam, Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	Tier 1	\$0; NDS
<i>cefadroxil oral capsule 500 mg</i>	Tier 1	\$0; NDS
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cefadroxil oral tablet 1 gram</i>	Tier 1	\$0; NDS
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	Tier 1	\$0; NDS
<i>cefdinir oral capsule 300 mg</i>	Tier 1	\$0; NDS
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cefepime injection recon soln 1 gram, 2 gram</i>	Tier 1	\$0
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cefotaxime injection recon soln 1 gram, 2 gram, 500 mg</i>	Tier 1	\$0; NDS
<i>cefotetan injection recon soln 1 gram, 2 gram</i>	Tier 1	\$0; NDS
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>cefepodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cefepodoxime oral tablet 100 mg, 200 mg</i>	Tier 1	\$0; NDS
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cefprozil oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	Tier 1	\$0; NDS
<i>ceftriaxone injection recon soln 10 gram, 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>ceftriaxone intravenous recon soln 1 gram, 2 gram</i>	Tier 1	\$0; NDS
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>cefuroxime sodium injection recon soln 750 mg</i>	Tier 1	\$0; NDS
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	Tier 1	\$0; NDS
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	Tier 1	\$0; NDS
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>cephalexin oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
SUPRAX ORAL CAPSULE 400 MG	Tier 2	\$0
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML, 200 MG/5 ML, 500 MG/5 ML	Tier 2	\$0
SUPRAX ORAL TABLET,CHEWABLE 100 MG, 200 MG	Tier 2	\$0; NDS
TAZICEF INJECTION RECON SOLN 1 GRAM, 2 GRAM, 6 GRAM	Tier 2	\$0; NDS
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	Tier 2	\$0; NDS
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	Tier 2	\$0; NDS
<b>Beta-Lactam, Other</b>		
AZACTAM IN DEXTROSE (ISO-OSM) INTRAVENOUS PIGGYBACK 1 GRAM/50 ML, 2 GRAM/50 ML	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>aztreonam injection recon soln 1 gram</i>	Tier 1	\$0; NDS
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	Tier 2	\$0; NDS
DORIBAX INTRAVENOUS RECON SOLN 500 MG	Tier 2	PA; \$0; NDS
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	Tier 1	PA; \$0; NDS
INVANZ INJECTION RECON SOLN 1 GRAM	Tier 2	\$0; NDS
<i>meropenem intravenous recon soln 500 mg</i>	Tier 1	\$0; NDS
<b>Beta-Lactam, Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	Tier 1	\$0; NDS
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	Tier 1	\$0; NDS
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	Tier 1	\$0; NDS
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	Tier 1	\$0; NDS
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>	Tier 1	\$0; NDS
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	Tier 1	\$0; NDS
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	Tier 1	\$0; NDS
<i>ampicillin oral capsule 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>ampicillin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>	Tier 1	\$0; NDS
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	Tier 1	\$0; NDS
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	Tier 2	\$0; NDS
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>nafcillin injection recon soln 1 gram, 10 gram</i>	Tier 1	\$0; NDS
<i>oxacillin injection recon soln 10 gram</i>	Tier 1	\$0; NDS
<i>oxacillin intravenous recon soln 2 gram</i>	Tier 1	NDS
<i>penicillin g sodium injection recon soln 5 million unit</i>	Tier 1	\$0; NDS
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>piperacillin-tazobactam intravenous recon soln 3.375 gram, 4.5 gram</i>	Tier 1	PA; \$0; NDS
<i>piperacillin-tazobactam intravenous recon soln 40.5 gram</i>	Tier 1	\$0; NDS
<b>Macrolides</b>		
AZASITE OPHTHALMIC DROPS 1 %	Tier 2	\$0; NDS
<i>azithromycin intravenous recon soln 500 mg</i>	Tier 1	\$0; NDS
<i>azithromycin oral packet 1 gram</i>	Tier 1	\$0; NDS
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	Tier 1	\$0; NDS
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i>	Tier 1	\$0; NDS
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	Tier 1	\$0; NDS
E.E.S. 400 ORAL TABLET 400 MG	Tier 2	\$0; NDS
E.E.S. GRANULES ORAL SUSPENSION FOR RECONSTITUTION 200 MG/5 ML	Tier 2	\$0; NDS
ERY PADS TOPICAL SWAB 2 %	Tier 2	\$0; NDS
ERYTHROCIN (AS STEARATE) ORAL TABLET 250 MG	Tier 2	\$0; NDS
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	Tier 2	\$0; NDS
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	Tier 1	\$0; NDS
<i>erythromycin ophthalmic ointment 5 mg/gram (0.5 %)</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>erythromycin with ethanol topical gel 2 %</i>	Tier 1	\$0; NDS
<i>erythromycin with ethanol topical solution 2 %</i>	Tier 1	\$0; NDS
PCE ORAL TABLET, PARTICLES/CRYSTALS 333 MG, 500 MG	Tier 2	\$0; NDS
ZITHROMAX ORAL TABLET 250 MG	Tier 2	\$0; NDS
ZMAX ORAL SUSPENSION,EXTENDED REL RECON 2 GRAM/60 ML	Tier 2	\$0; NDS
<b>Quinolones</b>		
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>ciprofloxacin hcl ophthalmic drops 0.3 %</i>	Tier 1	\$0; NDS
<i>ciprofloxacin hcl oral tablet 100 mg, 250 mg, 500 mg, 750 mg</i>	Tier 1	\$0; NDS
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	Tier 1	\$0; NDS
<i>ciprofloxacin lactate intravenous solution 400 mg/40 ml</i>	Tier 1	\$0; NDS
<i>ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	Tier 1	\$0; NDS
<i>gatifloxacin ophthalmic drops 0.5 %</i>	Tier 1	\$0; NDS
<i>levofloxacin in d5w intravenous piggyback 500 mg/100 ml, 750 mg/150 ml</i>	Tier 1	\$0; NDS
<i>levofloxacin ophthalmic drops 0.5 %</i>	Tier 1	\$0; NDS
<i>levofloxacin oral solution 250 mg/10 ml</i>	Tier 1	\$0; NDS
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	Tier 1	\$0; NDS
<i>moxifloxacin oral tablet 400 mg</i>	Tier 1	\$0; QL (14 per 14 days); NDS
<i>moxifloxacin-sod.ace,sul-water intravenous piggyback 400 mg/250 ml</i>	Tier 1	\$0; NDS
<i>ofloxacin oral tablet 400 mg</i>	Tier 1	\$0; NDS
VIGAMOX OPHTHALMIC DROPS 0.5 %	Tier 2	\$0; NDS
<b>Sulfonamides</b>		
<i>silver sulfadiazine topical cream 1 %</i>	Tier 1	\$0; NDS
SSD TOPICAL CREAM 1 %	Tier 2	\$0; NDS
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>sulfacetamide sodium ophthalmic drops 10 %</i>	Tier 1	\$0; NDS
<i>sulfacetamide sodium ophthalmic ointment 10 %</i>	Tier 1	\$0; NDS
<i>sulfadiazine oral tablet 500 mg</i>	Tier 1	\$0; NDS
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	Tier 1	\$0; NDS
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	Tier 1	\$0; NDS
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	Tier 1	\$0; NDS
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	Tier 1	\$0; NDS
DOXY-100 INTRAVENOUS RECON SOLN 100 MG	Tier 2	\$0; NDS
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	Tier 1	\$0; NDS
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>minocycline oral tablet extended release 24 hr 135 mg, 45 mg, 90 mg</i>	Tier 1	\$0; NDS
<i>tetracycline oral capsule 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<b>Anticonvulsants</b>		
<b>Anticonvulsants, Other</b>		
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	Tier 2	\$0
BRIVIACT ORAL SOLUTION 10 MG/ML	Tier 2	\$0; MO
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	Tier 2	\$0; MO
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	Tier 2	\$0

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
DIASTAT RECTAL KIT 2.5 MG	Tier 2	\$0
<i>diazepam intensol oral concentrate 5 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	Tier 1	\$0; NDS
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; NDS
KEPPRA ORAL SOLUTION 100 MG/ML	Tier 2	\$0; MO
KEPPRA ORAL TABLET 1,000 MG, 250 MG, 500 MG, 750 MG	Tier 2	\$0; MO
KEPPRA XR ORAL TABLET EXTENDED RELEASE 24 HR 500 MG, 750 MG	Tier 2	\$0; MO
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	Tier 1	\$0; NDS
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	Tier 1	\$0
<i>levetiracetam oral solution 100 mg/ml</i>	Tier 1	\$0; MO
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	Tier 1	\$0; MO
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	Tier 1	\$0; MO
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	Tier 2	\$0; MO
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	Tier 2	\$0; MO
<b>Calcium Channel Modifying Agents</b>		
CELONTIN ORAL CAPSULE 300 MG	Tier 2	\$0; MO
<i>ethosuximide oral capsule 250 mg</i>	Tier 1	\$0; MO
<i>ethosuximide oral solution 250 mg/5 ml</i>	Tier 1	\$0; MO
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	Tier 2	\$0; MO
LYRICA ORAL SOLUTION 20 MG/ML	Tier 2	\$0; MO
ZARONTIN ORAL CAPSULE 250 MG	Tier 2	\$0; MO
ZARONTIN ORAL SOLUTION 250 MG/5 ML	Tier 2	\$0; MO
ZONEGRAN ORAL CAPSULE 100 MG, 25 MG	Tier 2	\$0; MO
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Gamma-Aminobutyric Acid (Gaba) Augmenting Agents</b>		
<i>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; MO
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; MO
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	Tier 1	\$0; NDS
DEPACON INTRAVENOUS SOLUTION 500 MG/5 ML (100 MG/ML)	Tier 2	\$0
DEPAKENE ORAL CAPSULE 250 MG	Tier 2	\$0; MO
DEPAKENE ORAL SOLUTION 250 MG/5 ML	Tier 2	\$0; MO
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	Tier 2	\$0; MO
DEPAKOTE ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	Tier 2	\$0; MO
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	Tier 2	\$0; MO
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	Tier 2	\$0
DIASTAT RECTAL KIT 2.5 MG	Tier 2	\$0
<i>diazepam intensol oral concentrate 5 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	Tier 1	\$0; NDS
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; NDS
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	Tier 1	\$0; MO
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	Tier 1	\$0; MO
<i>gabapentin oral solution 250 mg/5 ml</i>	Tier 1	\$0; MO
<i>gabapentin oral tablet 600 mg, 800 mg</i>	Tier 1	\$0; MO
GABITRIL ORAL TABLET 12 MG, 16 MG, 2 MG, 4 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
KLONOPIN ORAL TABLET 0.5 MG, 1 MG, 2 MG	Tier 2	\$0; MO
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; NDS
MYSOLINE ORAL TABLET 250 MG, 50 MG	Tier 2	\$0; MO
NEURONTIN ORAL CAPSULE 100 MG, 300 MG, 400 MG	Tier 2	\$0; MO
NEURONTIN ORAL SOLUTION 250 MG/5 ML	Tier 2	\$0; MO
NEURONTIN ORAL TABLET 600 MG, 800 MG	Tier 2	\$0; MO
ONFI ORAL SUSPENSION 2.5 MG/ML	Tier 2	\$0; MO
ONFI ORAL TABLET 10 MG, 20 MG	Tier 2	\$0; MO
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	Tier 1	\$0; MO
<i>phenobarbital oral tablet 100 mg, 16.2 mg, 32.4 mg, 97.2 mg</i>	Tier 2	\$0; MO
<i>phenobarbital oral tablet 15 mg, 30 mg, 60 mg, 64.8 mg</i>	Tier 1	\$0; MO
<i>primidone oral tablet 250 mg, 50 mg</i>	Tier 1	\$0; MO
SABRIL ORAL POWDER IN PACKET 500 MG	Tier 2	PA NSO; LA; \$0; NDS
SABRIL ORAL TABLET 500 MG	Tier 2	PA NSO; LA; \$0; NDS
<i>tiagabine oral tablet 2 mg, 4 mg</i>	Tier 1	\$0; MO
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	Tier 1	\$0; NDS
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	Tier 1	\$0; MO
<i>valproic acid oral capsule 250 mg</i>	Tier 1	\$0; MO
<b>Glutamate Reducing Agents</b>		
<i>felbamate oral suspension 600 mg/5 ml</i>	Tier 1	\$0; MO
<i>felbamate oral tablet 400 mg, 600 mg</i>	Tier 1	\$0; MO
FELBATOL ORAL SUSPENSION 600 MG/5 ML	Tier 2	\$0; MO
FELBATOL ORAL TABLET 400 MG, 600 MG	Tier 2	\$0; MO
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	Tier 2	\$0; MO
LAMICTAL ODT ORAL TABLET,DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG	Tier 2	\$0; MO
LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG	Tier 2	\$0; MO
LAMICTAL STARTER (BLUE) KIT ORAL TABLETS,DOSE PACK 25 MG (35)	Tier 2	\$0
LAMICTAL STARTER (GREEN) KIT ORAL TABLETS,DOSE PACK 25 MG (84) -100 MG (14)	Tier 2	\$0
LAMICTAL STARTER (ORANGE) KIT ORAL TABLETS,DOSE PACK 25 MG (42) -100 MG (7)	Tier 2	\$0
LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG	Tier 2	\$0; MO
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	Tier 2	\$0
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	Tier 2	\$0
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	Tier 2	\$0
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	Tier 1	\$0; MO
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	Tier 1	\$0; MO
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	Tier 1	\$0; MO
QUDEXY XR ORAL CAPSULE,SPRINKLE,ER 24HR 100 MG, 150 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TOPAMAX ORAL CAPSULE, SPRINKLE 15 MG, 25 MG	Tier 2	\$0; MO
TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	Tier 1	\$0; MO
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<b>Sodium Channel Agents</b>		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	Tier 2	\$0; MO
BANZEL ORAL SUSPENSION 40 MG/ML	Tier 2	\$0; MO
BANZEL ORAL TABLET 200 MG, 400 MG	Tier 2	\$0; MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	Tier 1	\$0; MO
<i>carbamazepine oral tablet 200 mg</i>	Tier 1	\$0; MO
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	Tier 1	\$0; MO
<i>carbamazepine oral tablet, chewable 100 mg</i>	Tier 1	\$0; MO
CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	Tier 2	\$0; MO
CEREBYX INJECTION SOLUTION 500 MG PE/10 ML	Tier 2	\$0; NDS
DILANTIN EXTENDED ORAL CAPSULE 100 MG	Tier 2	\$0; MO
DILANTIN INFATABS ORAL TABLET, CHEWABLE 50 MG	Tier 2	\$0; MO
DILANTIN ORAL CAPSULE 30 MG	Tier 2	\$0; MO
DILANTIN-125 ORAL SUSPENSION 125 MG/5 ML	Tier 2	\$0; MO
EPITOL ORAL TABLET 200 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	Tier 2	\$0; MO
<i>fosphenytoin injection solution 100 mg pe/2 ml</i>	Tier 1	\$0; NDS
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	Tier 1	\$0; MO
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	Tier 1	\$0; MO
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	Tier 2	\$0; MO
PEGANONE ORAL TABLET 250 MG	Tier 2	\$0; MO
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	Tier 2	\$0; MO
<i>phenytoin oral suspension 125 mg/5 ml</i>	Tier 1	\$0; MO
<i>phenytoin oral tablet, chewable 50 mg</i>	Tier 1	\$0; MO
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	Tier 1	\$0
TEGRETOL ORAL SUSPENSION 100 MG/5 ML	Tier 2	\$0; MO
TEGRETOL ORAL TABLET 200 MG	Tier 2	\$0; MO
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG	Tier 2	\$0; MO
TRILEPTAL ORAL SUSPENSION 300 MG/5 ML (60 MG/ML)	Tier 2	\$0; MO
TRILEPTAL ORAL TABLET 150 MG, 300 MG, 600 MG	Tier 2	\$0; MO
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	Tier 2	\$0; NDS
VIMPAT ORAL SOLUTION 10 MG/ML	Tier 2	\$0; MO
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	Tier 2	\$0; MO; QL (60 per 30 days)
<b>Antidementia Agents</b>		
<b>Antidementia Agents, Other</b>		
<i>ergoloid oral tablet 1 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Cholinesterase Inhibitors</b>		
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i>	Tier 1	\$0; MO
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	Tier 1	\$0; MO
EXELON TRANSDERMAL PATCH 24 HOUR 13.3 MG/24 HOUR, 4.6 MG/24 HR, 9.5 MG/24 HR	Tier 2	\$0; MO
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	Tier 1	\$0; MO
<i>galantamine oral solution 4 mg/ml</i>	Tier 1	\$0; MO
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i>	Tier 1	\$0; MO
<b>N-Methyl-D-Aspartate (Nmda) Receptor Antagonist</b>		
<i>memantine oral solution 2 mg/ml</i>	Tier 1	\$0; MO
<i>memantine oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; MO
<i>memantine oral tablets, dose pack 5-10 mg</i>	Tier 1	\$0; NDS
NAMENDA ORAL SOLUTION 2 MG/ML	Tier 2	\$0
NAMENDA ORAL TABLET 10 MG, 5 MG	Tier 2	\$0; MO
NAMENDA TITRATION PAK ORAL TABLETS, DOSE PACK 5-10 MG	Tier 2	\$0; NDS
NAMENDA XR ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7-14-21-28 MG	Tier 2	\$0
NAMENDA XR ORAL CAPSULE, SPRINKLE, ER 24HR 14 MG, 21 MG, 28 MG, 7 MG	Tier 2	\$0; MO
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	Tier 2	\$0
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Antidepressants</b>		
<b>Antidepressants, Other</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG	Tier 2	\$0; MO
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	Tier 2	\$0; MO
ABILIFY ORAL TABLET 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG	Tier 2	\$0; MO
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	Tier 2	\$0; MO
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	Tier 1	\$0; MO
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	Tier 1	\$0; MO
<i>bupropion hcl oral tablet extended release 12 hr 100 mg, 200 mg</i>	Tier 1	\$0; MO
<i>bupropion hcl oral tablet extended release 12 hr 150 mg</i>	Tier 1	\$0; MO; NDS
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	Tier 1	\$0; MO
FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	Tier 2	\$0; MO
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg</i>	Tier 1	\$0; MO
<i>mirtazapine oral tablet 7.5 mg</i>	Tier 2	\$0; MO
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	Tier 1	\$0; MO
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	Tier 1	\$0; MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO
REMERON ORAL TABLET 15 MG, 30 MG, 45 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
REMERON SOLTAB ORAL TABLET,DISINTEGRATING 15 MG, 30 MG, 45 MG	Tier 2	\$0; MO
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG	Tier 2	\$0; MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 300 MG, 400 MG, 50 MG	Tier 2	\$0; MO; QL (60 per 30 days)
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	Tier 1	\$0; MO
WELLBUTRIN SR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG	Tier 2	\$0; MO
WELLBUTRIN XL ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	Tier 2	\$0; MO
<b>Antidepressants</b>		
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	Tier 1	\$0; MO
<i>fluoxetine oral tablet 60 mg</i>	Tier 1	\$0; MO
<i>olanzapine-fluoxetine oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-50 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>olanzapine-fluoxetine oral capsule 6-25 mg</i>	Tier 1	\$0; MO
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	Tier 1	\$0; MO
SYMBYAX ORAL CAPSULE 12-25 MG, 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG	Tier 2	\$0; MO
<b>Monoamine Oxidase Inhibitors</b>		
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	Tier 2	\$0; MO
MARPLAN ORAL TABLET 10 MG	Tier 2	\$0; MO
NARDIL ORAL TABLET 15 MG	Tier 2	\$0; MO
PARNATE ORAL TABLET 10 MG	Tier 2	\$0; MO
<i>phenelzine oral tablet 15 mg</i>	Tier 1	\$0; MO
<i>tranylcypromine oral tablet 10 mg</i>	Tier 1	\$0; MO
<b>Ssris/ Snris</b>		
BRISDELLE ORAL CAPSULE 7.5 MG	Tier 2	\$0

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
CELEXA ORAL TABLET 10 MG, 20 MG, 40 MG	Tier 2	\$0; MO
<i>citalopram oral solution 10 mg/5 ml</i>	Tier 1	\$0; MO
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	Tier 1	\$0; MO
CYMBALTA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 20 MG, 30 MG, 60 MG	Tier 2	\$0; MO
<i>desvenlafaxine oral tablet extended release 24 hr 100 mg, 50 mg</i>	Tier 1	\$0; MO
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 30 mg, 40 mg, 60 mg</i>	Tier 1	\$0; MO
EFFEXOR XR ORAL CAPSULE, EXTENDED RELEASE 24HR 150 MG, 37.5 MG, 75 MG	Tier 2	\$0; MO
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	Tier 1	\$0; MO
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	Tier 2	\$0; NDS
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	Tier 2	\$0; MO
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>fluoxetine oral capsule, delayed release (dr/ec) 90 mg</i>	Tier 1	\$0; MO
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	Tier 1	\$0; MO
<i>fluoxetine oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	Tier 1	\$0; MO
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
KHEDEZLA ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	Tier 2	\$0; MO
LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG	Tier 2	\$0; MO
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	Tier 1	\$0; MO
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG	Tier 2	\$0; MO
PAXIL ORAL SUSPENSION 10 MG/5 ML	Tier 2	\$0; MO
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; MO
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; MO
PRISTIQ ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 25 MG, 50 MG	Tier 2	\$0; MO
PROZAC ORAL CAPSULE 10 MG, 20 MG, 40 MG	Tier 2	\$0; MO
SARAFEM ORAL TABLET 10 MG, 20 MG	Tier 2	\$0; MO
<i>sertraline oral concentrate 20 mg/ml</i>	Tier 1	\$0; MO
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	Tier 2	\$0; MO
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	Tier 1	\$0; MO
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	Tier 1	\$0; MO
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	Tier 2	\$0; MO
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	Tier 2	\$0; NDS
ZOLOFT ORAL CONCENTRATE 20 MG/ML	Tier 2	\$0; MO
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<b>Tricyclics</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
ANAFRANIL ORAL CAPSULE 25 MG, 50 MG, 75 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>doxepin oral concentrate 10 mg/ml</i>	Tier 1	\$0; MO
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	Tier 1	\$0; MO
NORPRAMIN ORAL TABLET 10 MG, 25 MG	Tier 2	\$0; MO
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>nortriptyline oral solution 10 mg/5 ml</i>	Tier 1	\$0; MO
PAMELOR ORAL CAPSULE 10 MG, 25 MG, 50 MG, 75 MG	Tier 2	\$0; MO
<i>protriptyline oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; MO
SILENOR ORAL TABLET 3 MG, 6 MG	Tier 2	\$0
SURMONTIL ORAL CAPSULE 100 MG, 25 MG, 50 MG	Tier 2	\$0; MO
TOFRANIL ORAL TABLET 10 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<b>Antiemetics</b>		
<b>Antiemetics, Other</b>		
<i>chlorpromazine injection solution 25 mg/ml</i>	Tier 1	\$0; NDS
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
COMPRO RECTAL SUPPOSITORY 25 MG	Tier 2	\$0; NDS
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	Tier 1	\$0; NDS
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	Tier 1	\$0; NDS
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>meclizine 12.5 mg caplet caplet (otc) 12.5 mg</i>	Tier 3	\$0; *
<i>meclizine 12.5 mg tablet (otc) 12.5 mg</i>	Tier 3	\$0; *
<i>meclizine oral tablet 12.5 mg</i>	Tier 1	\$0; NDS
<i>meclizine oral tablet 25 mg</i>	Tier 2	\$0; NDS
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	Tier 1	\$0; NDS
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; NDS
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
PHENADOZ RECTAL SUPPOSITORY 12.5 MG	Tier 2	\$0; NDS
PHENERGAN RECTAL SUPPOSITORY 12.5 MG, 25 MG, 50 MG	Tier 2	\$0; NDS
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	Tier 1	\$0; NDS
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; NDS
<i>prochlorperazine rectal suppository 25 mg</i>	Tier 1	\$0; NDS
<i>promethazine oral syrup 6.25 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>promethazine rectal suppository 12.5 mg, 25 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>promethazine rectal suppository 50 mg</i>	Tier 1	\$0; NDS
PROMETHEGAN RECTAL SUPPOSITORY 25 MG, 50 MG	Tier 2	\$0; NDS
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1.5 MG (1 MG OVER 3 DAYS)	Tier 2	\$0; NDS
<b>Emetogenic Therapy Adjuncts</b>		
ANZEMET ORAL TABLET 100 MG, 50 MG	Tier 2	PA BvD; \$0; QL (3 per 21 days); NDS
CELLCEPT INTRAVENOUS INTRAVENOUS RECON SOLN 500 MG	Tier 2	PA BvD; \$0; NDS
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	Tier 1	PA BvD; \$0; NDS
EMEND ORAL CAPSULE 125 MG, 40 MG, 80 MG	Tier 2	PA BvD; \$0; QL (6 per 30 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	Tier 1	PA BvD; \$0; NDS
<i>granisetron hcl intravenous solution 1 mg/ml</i>	Tier 1	\$0; NDS
<i>granisetron hcl intravenous solution 1 mg/ml (1 ml)</i>	Tier 1	PA BvD; \$0; NDS
<i>granisetron hcl oral tablet 1 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	Tier 2	\$0; NDS
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	Tier 1	PA BvD; \$0; NDS
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	Tier 2	PA NSO; \$0; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	Tier 2	PA NSO; \$0; NDS
<i>amphotericin b injection recon soln 50 mg</i>	Tier 1	PA BvD; \$0; NDS
CANCIDAS INTRAVENOUS RECON SOLN 50 MG, 70 MG	Tier 2	PA NSO; \$0; NDS
<i>ciclopirox topical cream 0.77 %</i>	Tier 2	\$0; NDS
<i>ciclopirox topical gel 0.77 %</i>	Tier 1	\$0; NDS
<i>ciclopirox topical shampoo 1 %</i>	Tier 1	\$0; NDS
<i>ciclopirox topical solution 8 %</i>	Tier 1	\$0; NDS
<i>ciclopirox topical suspension 0.77 %</i>	Tier 1	\$0; NDS
<i>clotrimazole 1% cream (otc) 1 %</i>	Tier 3	\$0; *
<i>clotrimazole mucous membrane troche 10 mg</i>	Tier 1	\$0; NDS
<i>clotrimazole topical cream 1 %</i>	Tier 2	\$0; NDS
<i>clotrimazole topical solution 1 %</i>	Tier 1	\$0; NDS
<i>econazole topical cream 1 %</i>	Tier 1	\$0; NDS
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
EXELDERM TOPICAL CREAM 1 %	Tier 2	\$0; NDS
EXELDERM TOPICAL SOLUTION 1 %	Tier 2	\$0; NDS
<i>fluconazole in nacl (iso-osm) intravenous piggyback 400 mg/200 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	Tier 1	\$0; NDS
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>flucytosine oral capsule 250 mg, 500 mg</i>	Tier 1	\$0; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	Tier 1	\$0; NDS
<i>griseofulvin microsize oral tablet 500 mg</i>	Tier 1	\$0; NDS
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	Tier 1	\$0; NDS
<i>itraconazole oral capsule 100 mg</i>	Tier 1	\$0; NDS
<i>ketoconazole oral tablet 200 mg</i>	Tier 1	\$0; NDS
<i>ketoconazole topical cream 2 %</i>	Tier 1	\$0; NDS
<i>ketoconazole topical foam 2 %</i>	Tier 1	\$0; NDS
<i>ketoconazole topical shampoo 2 %</i>	Tier 1	\$0; NDS
MENTAX TOPICAL CREAM 1 %	Tier 2	\$0; NDS
<i>miconazole-3 vaginal suppository 200 mg</i>	Tier 1	\$0; NDS
MYCAMINE INTRAVENOUS RECON SOLN 100 MG, 50 MG	Tier 2	\$0; NDS
<i>naftifine topical cream 1 %</i>	Tier 1	\$0; NDS
NAFTIN TOPICAL CREAM 2 %	Tier 2	\$0; NDS
NAFTIN TOPICAL GEL 1 %, 2 %	Tier 2	\$0; NDS
NATACYN OPHTHALMIC DROPS,SUSPENSION 5 %	Tier 2	\$0; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	Tier 2	\$0; NDS
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG	Tier 2	\$0; NDS
NYAMYC TOPICAL POWDER 100,000 UNIT/GRAM	Tier 2	\$0; NDS
<i>nystatin oral suspension 100,000 unit/ml</i>	Tier 1	\$0; NDS
<i>nystatin oral tablet 500,000 unit</i>	Tier 1	\$0; NDS
<i>nystatin topical cream 100,000 unit/gram</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>nystatin topical ointment 100,000 unit/gram</i>	Tier 1	\$0; NDS
<i>nystatin topical powder 100,000 unit/gram</i>	Tier 1	\$0; NDS
NYSTOP TOPICAL POWDER 100,000 UNIT/GRAM	Tier 2	\$0; NDS
OXISTAT TOPICAL CREAM 1 %	Tier 2	\$0; NDS
OXISTAT TOPICAL LOTION 1 %	Tier 2	\$0; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	Tier 1	\$0; NDS
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	Tier 1	\$0; NDS
<i>terconazole vaginal suppository 80 mg</i>	Tier 1	\$0; NDS
<i>voriconazole intravenous solution 200 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	Tier 1	\$0; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	Tier 1	\$0; NDS
ZOLINZA ORAL CAPSULE 100 MG	Tier 2	PA NSO; \$0; QL (120 per 30 days); NDS

### Antigout Agents

#### Antigout Agents

<i>allopurinol oral tablet 100 mg, 300 mg</i>	Tier 1	\$0; MO
ALOPRIM INTRAVENOUS RECON SOLN 500 MG	Tier 2	\$0; NDS
<i>colchicine oral tablet 0.6 mg</i>	Tier 2	\$0; MO
<i>probenecid oral tablet 500 mg</i>	Tier 1	\$0; MO
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	Tier 1	\$0; MO; NDS
ULORIC ORAL TABLET 40 MG, 80 MG	Tier 2	\$0; MO

### Anti-Inflammatory Agents

#### Glucocorticoids

<i>betamethasone dipropionate topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone dipropionate topical lotion 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone dipropionate topical ointment 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical foam 0.12 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical lotion 0.1 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>betamethasone valerate topical ointment 0.1 %</i>	Tier 1	\$0; NDS
<i>betamethasone, augmented topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone, augmented topical gel 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone, augmented topical lotion 0.05 %</i>	Tier 1	\$0; NDS
BLEPHAMIDE OPHTHALMIC DROPS,SUSPENSION 10-0.2 %	Tier 2	\$0; NDS
BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 %	Tier 2	\$0; NDS
<i>cortisone oral tablet 25 mg</i>	Tier 1	PA BvD; \$0; NDS
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	Tier 2	\$0; NDS
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	Tier 2	\$0; NDS
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	Tier 1	\$0; NDS
<i>hydrocortisone oral tablet 20 mg, 5 mg</i>	Tier 1	PA BvD; \$0; MO
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	Tier 1	\$0; NDS
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>methylprednisolone sodium succ injection recon soln 125 mg</i>	Tier 1	\$0
<i>methylprednisolone sodium succ injection recon soln 40 mg</i>	Tier 1	\$0; NDS
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	Tier 1	\$0; NDS
PRED MILD OPHTHALMIC DROPS,SUSPENSION 0.12 %	Tier 2	\$0; NDS
<i>prednisolone acetate ophthalmic drops,suspension 1 %</i>	Tier 1	\$0; NDS
<i>prednisolone sodium phosphate ophthalmic drops 1 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	Tier 1	PA BvD; \$0; NDS
<b>PREDNISONO INTENSOL ORAL CONCENTRATE 5 MG/ML</b>	Tier 2	PA BvD; \$0; NDS
<i>prednisone oral solution 5 mg/5 ml</i>	Tier 2	PA BvD; \$0; NDS
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i>	Tier 1	\$0; NDS
<b>VERIPRED 20 ORAL SOLUTION 20 MG/5 ML (4 MG/ML)</b>	Tier 2	\$0; NDS
<b>Nonsteroidal Anti-Inflammatory Drugs</b>		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	Tier 1	\$0; NDS
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	Tier 1	\$0; NDS
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>diflunisal oral tablet 500 mg</i>	Tier 1	\$0; NDS
<i>etodolac oral capsule 200 mg</i>	Tier 1	\$0; MO
<i>etodolac oral tablet 400 mg, 500 mg</i>	Tier 1	\$0; MO
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	Tier 1	\$0; MO
<i>fenoprofen oral tablet 600 mg</i>	Tier 1	\$0; NDS
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	Tier 1	\$0; MO; NDS
<i>ibuprofen 100 mg/5 ml susp children's (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen 200 mg/10 ml susp 100's, u-d cups (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen 200 mg/10 ml susp 30's, u-d cups (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen 200 mg/10 ml susp u-d (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>ibuprofen oral suspension 100 mg/5 ml</i>	Tier 2	\$0; MO
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	Tier 1	\$0; QL (300 per 30 days); NDS
<i>indomethacin oral capsule 25 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>indomethacin oral capsule, extended release 75 mg</i>	Tier 1	\$0; NDS
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	Tier 1	\$0; MO; NDS
<i>ketorolac oral tablet 10 mg</i>	Tier 1	\$0; NDS
<i>meclofenamate oral capsule 100 mg</i>	Tier 1	\$0; NDS
<i>meclofenamate oral capsule 50 mg</i>	Tier 1	\$0; MO; NDS
<i>mefenamic acid oral capsule 250 mg</i>	Tier 1	\$0; NDS
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	Tier 1	\$0; MO
<i>nabumetone oral tablet 500 mg, 750 mg</i>	Tier 1	\$0; NDS
<i>naproxen oral suspension 125 mg/5 ml</i>	Tier 1	\$0; MO
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	Tier 1	\$0; MO
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i>	Tier 1	\$0; MO
<i>naproxen sodium oral tablet 275 mg, 550 mg</i>	Tier 1	\$0; MO
<i>naproxen sodium oral tablet, er multiphase 24 hr 375 mg, 500 mg</i>	Tier 1	\$0; MO
<i>oxaprozin oral tablet 600 mg</i>	Tier 1	\$0; NDS
<i>piroxicam oral capsule 10 mg, 20 mg</i>	Tier 1	\$0; NDS
<i>qc ibuprofen 100 mg/5 ml susp children's (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sm ibuprofen 100 mg/5 ml susp (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sm ibuprofen 100 mg/5 ml susp a/f (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sm ibuprofen 100 mg/5 ml susp children's (otc) 100 mg/5 ml</i>	Tier 3	\$0; MO; *
<i>sulindac oral tablet 150 mg, 200 mg</i>	Tier 1	\$0; NDS
<i>tolmetin oral capsule 400 mg</i>	Tier 1	\$0; NDS
<i>tolmetin oral tablet 600 mg</i>	Tier 1	\$0; MO; NDS
<b>Antimigraine Agents</b>		
<b>Ergot Alkaloids</b>		
<i>dihydroergotamine injection solution 1 mg/ml</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	Tier 1	\$0; NDS
MIGERGOT RECTAL SUPPOSITORY 2-100 MG	Tier 2	\$0; NDS
<b>Prophylactic</b>		
DEPAKENE ORAL CAPSULE 250 MG	Tier 2	\$0; MO
DEPAKENE ORAL SOLUTION 250 MG/5 ML	Tier 2	\$0; MO
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	Tier 2	\$0; MO
DEPAKOTE ORAL TABLET, DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	Tier 2	\$0; MO
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	Tier 2	\$0; MO
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	Tier 1	\$0; MO
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO
TOPAMAX ORAL CAPSULE, SPRINKLE 15 MG, 25 MG	Tier 2	\$0; MO
TOPAMAX ORAL TABLET 100 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	Tier 1	\$0; MO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	Tier 1	\$0; MO
<i>valproic acid oral capsule 250 mg</i>	Tier 1	\$0; MO
<b>Serotonin (5-Ht) 1B/1D Receptor Agonists</b>		
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	Tier 1	\$0; QL (18 per 30 days); NDS
<i>rizatriptan oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; QL (18 per 30 days); NDS
<i>rizatriptan oral tablet, disintegrating 10 mg</i>	Tier 1	\$0; QL (18 per 30 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i>	Tier 1	\$0; QL (12 per 30 days); NDS
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; QL (18 per 30 days); NDS
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	Tier 1	\$0; QL (9 per 30 days); NDS
<i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i>	Tier 1	\$0; QL (9 per 30 days); NDS
<b>Antimyasthenic Agents</b>		
<b>Parasympathomimetics</b>		
<i>guanidine oral tablet 125 mg</i>	Tier 1	\$0; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	Tier 2	\$0; MO
MESTINON TIMESPAN ORAL TABLET EXTENDED RELEASE 180 MG	Tier 2	\$0; MO
<i>pyridostigmine bromide oral tablet 60 mg</i>	Tier 1	\$0; MO
<i>pyridostigmine bromide oral tablet extended release 180 mg</i>	Tier 1	\$0; MO
<b>Antimycobacterials</b>		
<b>Antimycobacterials, Other</b>		
<i>dapsone oral tablet 100 mg, 25 mg</i>	Tier 1	\$0; MO
PRIFTIN ORAL TABLET 150 MG	Tier 2	\$0; NDS
<i>rifabutin oral capsule 150 mg</i>	Tier 1	\$0; NDS
<b>Antituberculars</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	Tier 2	\$0; NDS
<i>ethambutol oral tablet 100 mg, 400 mg</i>	Tier 1	\$0; MO; NDS
<i>isoniazid injection solution 100 mg/ml</i>	Tier 1	\$0; NDS
<i>isoniazid oral solution 50 mg/5 ml</i>	Tier 1	\$0; MO; NDS
<i>isoniazid oral tablet 100 mg, 300 mg</i>	Tier 1	\$0; NDS
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	Tier 2	\$0; MO; NDS
<i>pyrazinamide oral tablet 500 mg</i>	Tier 2	\$0; NDS
<i>rifampin intravenous recon soln 600 mg</i>	Tier 1	\$0; NDS
<i>rifampin oral capsule 150 mg, 300 mg</i>	Tier 1	\$0; NDS
RIFATER ORAL TABLET 50-120-300 MG	Tier 2	\$0; NDS
SIRTURO ORAL TABLET 100 MG	Tier 2	PA NSO; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TRECTOR ORAL TABLET 250 MG	Tier 2	\$0; NDS
<b>Antineoplastics</b>		
<b>Alkylating Agents</b>		
ALKERAN INTRAVENOUS RECON SOLN 50 MG	Tier 2	\$0
<i>busulfan intravenous solution 60 mg/10 ml</i>	Tier 1	\$0
BUSULFEX INTRAVENOUS SOLUTION 60 MG/10 ML	Tier 2	PA NSO; \$0; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
HEXALEN ORAL CAPSULE 50 MG	Tier 2	PA NSO; \$0; NDS
LEUKERAN ORAL TABLET 2 MG	Tier 2	\$0; NDS
MATULANE ORAL CAPSULE 50 MG	Tier 2	PA NSO; LA; \$0; NDS
<i>melphalan hcl intravenous recon soln 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>thiotepa injection recon soln 15 mg</i>	Tier 1	\$0; NDS
VALCHLOR TOPICAL GEL 0.016 %	Tier 2	\$0; MO
<b>Antiandrogens</b>		
<i>bicalutamide oral tablet 50 mg</i>	Tier 1	\$0; MO
CASODEX ORAL TABLET 50 MG	Tier 2	\$0; MO
<i>flutamide oral capsule 125 mg</i>	Tier 1	\$0; MO
NILANDRON ORAL TABLET 150 MG	Tier 2	\$0; MO
<i>nilutamide oral tablet 150 mg</i>	Tier 1	\$0; MO
XTANDI ORAL CAPSULE 40 MG	Tier 2	PA NSO; LA; \$0; MO; QL (120 per 30 days)
ZYTIGA ORAL TABLET 250 MG	Tier 2	PA NSO; LA; \$0; MO; QL (120 per 30 days)
<b>Antiangiogenic Agents</b>		
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	Tier 2	PA NSO; LA; \$0; MO
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 25 MG, 5 MG	Tier 2	PA NSO; LA; \$0; MO
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	Tier 2	PA NSO; \$0; MO
<b>Antiestrogens/Modifiers</b>		
EMCYT ORAL CAPSULE 140 MG	Tier 2	PA NSO; \$0; NDS
FARESTON ORAL TABLET 60 MG	Tier 2	PA NSO; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	Tier 2	PA NSO; \$0; MO
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
<b>Antimetabolites</b>		
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	Tier 2	\$0; MO
<i>gemcitabine intravenous recon soln 1 gram</i>	Tier 1	PA NSO; \$0; NDS
HYDREA ORAL CAPSULE 500 MG	Tier 2	\$0; MO
<i>hydroxyurea oral capsule 500 mg</i>	Tier 1	\$0; MO
LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG	Tier 2	\$0; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	Tier 2	\$0; NDS
TABLOID ORAL TABLET 40 MG	Tier 2	PA NSO; \$0; NDS
<b>Antineoplastics, Other</b>		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	Tier 2	PA NSO; \$0; NDS
<i>fludarabine intravenous recon soln 50 mg</i>	Tier 1	PA NSO; \$0; NDS
FUSILEV INTRAVENOUS RECON SOLN 50 MG	Tier 2	\$0; NDS
<i>leucovorin calcium injection recon soln 100 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>leucovorin calcium injection recon soln 350 mg</i>	Tier 2	PA BvD; \$0; NDS
<i>leucovorin calcium oral tablet 10 mg, 15 mg</i>	Tier 2	\$0; NDS
<i>leucovorin calcium oral tablet 25 mg, 5 mg</i>	Tier 1	\$0; NDS
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	Tier 1	PA NSO; \$0; MO
REVLIMID ORAL CAPSULE 2.5 MG	Tier 2	PA NSO; LA; \$0; MO
REVLIMID ORAL CAPSULE 20 MG	Tier 2	\$0; MO
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	Tier 2	\$0; MO
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	Tier 2	PA NSO; \$0; MO
YERVOY INTRAVENOUS SOLUTION 50 MG/10 ML (5 MG/ML)	Tier 2	PA NSO; LA; \$0; NDS
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)	Tier 2	PA NSO; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Antineoplastics</b>		
ADRIAMYCIN INTRAVENOUS SOLUTION 20 MG/10 ML	Tier 2	\$0
ADRUCIL INTRAVENOUS SOLUTION 500 MG/10 ML	Tier 2	PA BvD; \$0; NDS
ALIMTA INTRAVENOUS RECON SOLN 500 MG	Tier 2	PA NSO; \$0; NDS
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	Tier 2	\$0
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML, 25 MG/ML (16 ML)	Tier 2	PA NSO; \$0; NDS
<i>azacitidine injection recon soln 100 mg</i>	Tier 1	PA NSO; \$0; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	Tier 2	\$0; MO
BICNU INTRAVENOUS RECON SOLN 100 MG	Tier 2	PA NSO; \$0; NDS
<i>bleomycin injection recon soln 30 unit</i>	Tier 1	PA NSO; \$0; NDS
CAMPTOSAR INTRAVENOUS SOLUTION 100 MG/5 ML	Tier 2	\$0
<i>carboplatin intravenous solution 10 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>cisplatin intravenous solution 1 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>cladribine intravenous solution 10 mg/10 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>clofarabine intravenous solution 20 mg/20 ml</i>	Tier 1	\$0
CLOLAR INTRAVENOUS SOLUTION 20 MG/20 ML	Tier 2	PA NSO; \$0; NDS
COSMEGEN INTRAVENOUS RECON SOLN 0.5 MG	Tier 2	\$0
<i>cytarabine (pf) injection solution 2 gram/20 ml (100 mg/ml)</i>	Tier 2	PA NSO; \$0
<i>cytarabine injection solution 20 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>dacarbazine intravenous recon soln 200 mg</i>	Tier 1	PA NSO; \$0; NDS
DACOGEN INTRAVENOUS RECON SOLN 50 MG	Tier 2	\$0
<i>daunorubicin intravenous solution 5 mg/ml</i>	Tier 2	\$0
<i>decitabine intravenous recon soln 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>docetaxel intravenous solution 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	Tier 1	PA NSO; \$0; NDS
DOXIL INTRAVENOUS SUSPENSION 2 MG/ML	Tier 2	\$0
<i>doxorubicin intravenous solution 50 mg/25 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	Tier 1	\$0
ELITEK INTRAVENOUS RECON SOLN 1.5 MG	Tier 2	PA BvD; \$0; NDS
ELLECE INTRAVENOUS SOLUTION 200 MG/100 ML	Tier 2	\$0
<i>epirubicin intravenous solution 200 mg/100 ml</i>	Tier 1	\$0
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML	Tier 2	PA BvD; \$0; NDS
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	Tier 2	PA NSO; \$0; NDS
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	Tier 2	PA NSO; \$0; MO
FOLOTYN INTRAVENOUS SOLUTION 40 MG/2 ML (20 MG/ML)	Tier 2	PA NSO; \$0; NDS
GEMZAR INTRAVENOUS RECON SOLN 1 GRAM	Tier 2	\$0
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	Tier 2	\$0; NDS
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	Tier 2	PA NSO; \$0; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 440 MG	Tier 2	PA BvD; \$0; NDS
IDAMYCIN PFS INTRAVENOUS SOLUTION 1 MG/ML	Tier 2	\$0
<i>idarubicin intravenous solution 1 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
IFEX INTRAVENOUS RECON SOLN 1 GRAM	Tier 2	\$0
<i>ifosfamide intravenous recon soln 1 gram</i>	Tier 1	PA NSO; \$0; NDS
<i>irinotecan intravenous solution 100 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
ISTODAX INTRAVENOUS RECON SOLN 10 MG/2 ML	Tier 2	PA NSO; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	Tier 2	PA NSO; \$0; NDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG	Tier 2	PA NSO; LA; \$0; NDS
<i>levoleucovorin intravenous solution 10 mg/ml</i>	Tier 1	\$0; NDS
LYNPARZA ORAL CAPSULE 50 MG	Tier 2	\$0; NDS
<i>mesna intravenous solution 100 mg/ml</i>	Tier 1	\$0; NDS
MESNEX INTRAVENOUS SOLUTION 100 MG/ML	Tier 2	\$0
MESNEX ORAL TABLET 400 MG	Tier 2	\$0; NDS
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i>	Tier 1	\$0
MUSTARGEN INJECTION RECON SOLN 10 MG	Tier 2	PA NSO; \$0; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	Tier 2	\$0; NDS
NIPENT INTRAVENOUS RECON SOLN 10 MG	Tier 2	\$0
<i>oxaliplatin intravenous solution 100 mg/20 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	Tier 2	PA BvD; \$0; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	Tier 2	PA NSO; \$0; NDS
RUBRACA ORAL TABLET 200 MG, 300 MG	Tier 2	\$0
TAXOTERE INTRAVENOUS SOLUTION 80 MG/4 ML (20 MG/ML)	Tier 2	\$0
TREANDA INTRAVENOUS RECON SOLN 100 MG	Tier 2	PA NSO; \$0; NDS
TRISENOX INTRAVENOUS SOLUTION 10 MG/10 ML	Tier 2	PA NSO; \$0; NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML)	Tier 2	PA BvD; \$0; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	Tier 2	PA NSO; \$0; NDS
VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	Tier 2	\$0
VIDAZA INJECTION RECON SOLN 100 MG	Tier 2	\$0
<i>vinblastine intravenous solution 1 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
VINCASAR PFS INTRAVENOUS SOLUTION 1 MG/ML	Tier 2	PA NSO; \$0; NDS
<i>vincristine intravenous solution 1 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>vinorelbine intravenous solution 50 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	Tier 2	\$0; MO
ZEJULA ORAL CAPSULE 100 MG	Tier 2	\$0; MO
ZINECARD (AS HCL) INTRAVENOUS RECON SOLN 250 MG	Tier 2	\$0
<b>Aromatase Inhibitors, 3Rd Generation</b>		
<i>anastrozole oral tablet 1 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
ARIMIDEX ORAL TABLET 1 MG	Tier 2	\$0; MO
AROMASIN ORAL TABLET 25 MG	Tier 2	\$0; MO
<i>exemestane oral tablet 25 mg</i>	Tier 1	\$0; MO
FEMARA ORAL TABLET 2.5 MG	Tier 2	\$0; MO
<i>letrozole oral tablet 2.5 mg</i>	Tier 1	\$0; MO
<b>Enzyme Inhibitors</b>		
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	Tier 2	\$0; NDS
<i>etoposide intravenous solution 20 mg/ml</i>	Tier 1	\$0; NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	Tier 2	PA NSO; \$0; NDS
HYCAMTIN INTRAVENOUS RECON SOLN 4 MG	Tier 2	\$0
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	Tier 2	\$0; MO
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG	Tier 2	\$0; MO
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TOPOSAR INTRAVENOUS SOLUTION 20 MG/ML	Tier 2	\$0; NDS
<i>topotecan intravenous recon soln 4 mg</i>	Tier 1	PA NSO; \$0; NDS
ZOLINZA ORAL CAPSULE 100 MG	Tier 2	PA NSO; \$0; QL (120 per 30 days); NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	Tier 2	\$0; NDS
<b>Molecular Target Inhibitors</b>		
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	Tier 2	PA NSO; \$0; MO
ALECENSA ORAL CAPSULE 150 MG	Tier 2	\$0; MO
ALUNBRIG ORAL TABLET 30 MG	Tier 2	\$0; MO
BOSULIF ORAL TABLET 100 MG	Tier 2	PA NSO; \$0; MO; QL (150 per 30 days)
BOSULIF ORAL TABLET 500 MG	Tier 2	PA NSO; \$0; MO; QL (30 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG	Tier 2	\$0
CAPRELSA ORAL TABLET 100 MG	Tier 2	PA NSO; \$0; MO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 300 MG	Tier 2	PA NSO; \$0; MO; QL (30 per 30 days); NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	Tier 2	PA NSO; LA; \$0; MO; NDS
COTELLIC ORAL TABLET 20 MG	Tier 2	\$0; NDS
ERIVEDGE ORAL CAPSULE 150 MG	Tier 2	PA NSO; LA; \$0; MO; QL (30 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	Tier 2	PA NSO; LA; \$0; MO; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG, 400 MG	Tier 2	PA NSO; \$0; MO
ICLUSIG ORAL TABLET 15 MG	Tier 2	\$0; MO
ICLUSIG ORAL TABLET 45 MG	Tier 2	PA NSO; \$0; MO
<i>imatinib oral tablet 100 mg, 400 mg</i>	Tier 1	\$0; MO
IMBRUVICA ORAL CAPSULE 140 MG	Tier 2	PA NSO; LA; \$0; QL (120 per 30 days); NDS
INLYTA ORAL TABLET 1 MG	Tier 2	PA NSO; LA; \$0; QL (180 per 30 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
INLYTA ORAL TABLET 5 MG	Tier 2	PA NSO; LA; \$0; QL (120 per 30 days); NDS
IRESSA ORAL TABLET 250 MG	Tier 2	\$0; QL (60 per 30 days); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	Tier 2	PA NSO; LA; \$0; MO; QL (60 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 30 MG, 60 MG	Tier 2	\$0
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1)	Tier 2	PA NSO; \$0; MO
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 8 MG/DAY (4 MG X 2)	Tier 2	\$0; MO
MEKINIST ORAL TABLET 0.5 MG	Tier 2	PA NSO; LA; \$0; MO; QL (120 per 30 days)
MEKINIST ORAL TABLET 2 MG	Tier 2	PA NSO; LA; \$0; MO; QL (30 per 30 days)
NEXAVAR ORAL TABLET 200 MG	Tier 2	PA NSO; LA; \$0; QL (120 per 30 days); NDS
ODOMZO ORAL CAPSULE 200 MG	Tier 2	\$0; MO
OFEV ORAL CAPSULE 100 MG, 150 MG	Tier 2	\$0; MO
RYDAPT ORAL CAPSULE 25 MG	Tier 2	\$0; MO
SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG	Tier 2	PA NSO; \$0; MO
STIVARGA ORAL TABLET 40 MG	Tier 2	PA NSO; LA; \$0; QL (120 per 30 days); NDS
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	Tier 2	PA NSO; \$0; NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	Tier 2	PA NSO; LA; \$0; NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	Tier 2	\$0; NDS
TARCEVA ORAL TABLET 100 MG, 25 MG	Tier 2	PA NSO; LA; \$0; MO
TARCEVA ORAL TABLET 150 MG	Tier 2	PA NSO; LA; \$0; MO; QL (30 per 30 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	Tier 2	PA NSO; \$0; MO; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	Tier 2	PA NSO; LA; \$0; MO; QL (180 per 30 days)

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
VOTRIENT ORAL TABLET 200 MG	Tier 2	PA NSO; LA; \$0; MO; QL (120 per 30 days); NDS
XALKORI ORAL CAPSULE 200 MG	Tier 2	PA NSO; LA; \$0; MO; QL (60 per 30 days)
XALKORI ORAL CAPSULE 250 MG	Tier 2	\$0; MO
ZELBORAF ORAL TABLET 240 MG	Tier 2	PA NSO; LA; \$0; MO; QL (240 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	Tier 2	\$0; NDS
<b>Monoclonal Antibody/Antibody-Drug Conjugate</b>		
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	Tier 2	\$0; MO
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	Tier 2	\$0; MO
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML (50 ML)	Tier 2	\$0
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	Tier 2	\$0; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG	Tier 2	\$0; NDS
EMPLICITI INTRAVENOUS RECON SOLN 400 MG	Tier 2	\$0
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	Tier 2	\$0; MO
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML (10 ML)	Tier 2	\$0
KEYTRUDA INTRAVENOUS RECON SOLN 50 MG	Tier 2	\$0; MO
KEYTRUDA INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)	Tier 2	\$0; MO
OPDIVO INTRAVENOUS SOLUTION 40 MG/4 ML	Tier 2	\$0; MO
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	Tier 2	PA NSO; LA; \$0; NDS
SYLVANT INTRAVENOUS RECON SOLN 100 MG	Tier 2	\$0; MO
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Retinoids</b>		
AVITA TOPICAL CREAM 0.025 %	Tier 2	\$0; NDS
AVITA TOPICAL GEL 0.025 %	Tier 2	\$0; NDS
<i>bexarotene oral capsule 75 mg</i>	Tier 1	\$0; MO
PANRETIN TOPICAL GEL 0.1 %	Tier 2	PA NSO; \$0; NDS
TARGRETIN ORAL CAPSULE 75 MG	Tier 2	PA NSO; \$0; MO
TARGRETIN TOPICAL GEL 1 %	Tier 2	PA NSO; \$0; NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	Tier 1	\$0; NDS
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	Tier 1	\$0; NDS
<i>tretinoin topical gel 0.01 %, 0.025 %</i>	Tier 1	\$0; NDS
<b>Antiparasitics</b>		
<b>Anthelmintics</b>		
ALBENZA ORAL TABLET 200 MG	Tier 2	\$0; NDS
BILTRICIDE ORAL TABLET 600 MG	Tier 2	\$0; NDS
<i>ivermectin oral tablet 3 mg</i>	Tier 1	\$0; NDS
<b>Antiprotozoals</b>		
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	Tier 2	\$0; QL (150 per 3 days); NDS
ALINIA ORAL TABLET 500 MG	Tier 2	\$0; QL (6 per 3 days); NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	Tier 1	\$0; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	Tier 1	\$0; NDS
<i>chloroquine phosphate oral tablet 250 mg</i>	Tier 2	\$0; MO
<i>chloroquine phosphate oral tablet 500 mg</i>	Tier 1	\$0; MO
COARTEM ORAL TABLET 20-120 MG	Tier 2	\$0; NDS
DARAPRIM ORAL TABLET 25 MG	Tier 2	\$0; NDS
<i>hydroxychloroquine oral tablet 200 mg</i>	Tier 1	\$0; MO
<i>mefloquine oral tablet 250 mg</i>	Tier 1	\$0; NDS
NEBUPENT INHALATION RECON SOLN 300 MG	Tier 2	PA BvD; \$0; MO; NDS
PENTAM INJECTION RECON SOLN 300 MG	Tier 2	\$0; NDS
<i>primaquine oral tablet 26.3 mg</i>	Tier 1	\$0
<i>quinine sulfate oral capsule 324 mg</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Pediculicides/Scabicides</b>		
<i>lindane topical shampoo 1 %</i>	Tier 1	\$0; NDS
<i>malathion topical lotion 0.5 %</i>	Tier 1	\$0; NDS
<i>permethrin topical cream 5 %</i>	Tier 1	\$0; NDS
<b>Antiparkinson Agents</b>		
<b>Anticholinergics</b>		
<i>benztropine injection solution 2 mg/2 ml</i>	Tier 1	\$0; NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	PA NSO; \$0; MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	Tier 1	\$0; NDS
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	Tier 1	\$0; MO
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	Tier 1	\$0; MO
<b>Antiparkinson Agents, Other</b>		
<i>amantadine hcl oral capsule 100 mg</i>	Tier 1	\$0; MO
<i>amantadine hcl oral solution 50 mg/5 ml</i>	Tier 1	\$0; MO
<i>amantadine hcl oral tablet 100 mg</i>	Tier 1	\$0; MO
<i>entacapone oral tablet 200 mg</i>	Tier 1	\$0; MO
<i>tolcapone oral tablet 100 mg</i>	Tier 1	\$0; MO
<b>Antiparkinson Agents</b>		
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	Tier 1	\$0; MO
<b>Dopamine Agonists</b>		
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	Tier 2	\$0; MO; NDS
<i>bromocriptine oral capsule 5 mg</i>	Tier 1	\$0; MO
<i>bromocriptine oral tablet 2.5 mg</i>	Tier 1	\$0; MO
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	Tier 2	\$0; MO
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	Tier 1	\$0; MO
<i>pramipexole oral tablet extended release 24 hr 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 4.5 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	Tier 1	\$0; MO
<b>Dopamine Precursors/ L-Amino Acid Decarboxylase Inhibitors</b>		
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	Tier 1	\$0; MO
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	Tier 1	\$0; MO
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	Tier 1	\$0; MO
<b>Monoamine Oxidase B (Mao-B) Inhibitors</b>		
AZILECT ORAL TABLET 0.5 MG, 1 MG	Tier 2	\$0; MO
<i>selegiline hcl oral capsule 5 mg</i>	Tier 1	\$0; MO
<i>selegiline hcl oral tablet 5 mg</i>	Tier 1	\$0; MO
ZELAPAR ORAL TABLET, DISINTEGRATING 1.25 MG	Tier 2	\$0; MO
<b>Antipsychotics</b>		
<b>1St Generation/Typical</b>		
<i>chlorpromazine injection solution 25 mg/ml</i>	Tier 1	\$0; NDS
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	Tier 1	\$0; MO; NDS
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	Tier 1	\$0; NDS
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	Tier 1	\$0; NDS
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	Tier 1	\$0; MO
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
HALDOL DECANOATE INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/ML	Tier 2	\$0; MO
HALDOL INJECTION SOLUTION 5 MG/ML	Tier 2	\$0
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i>	Tier 1	\$0; MO
<i>haloperidol lactate injection solution 5 mg/ml</i>	Tier 1	\$0; NDS
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	Tier 1	\$0; MO
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	Tier 1	\$0; MO
ORAP ORAL TABLET 1 MG	Tier 2	\$0; MO
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
<i>pimozide oral tablet 1 mg, 2 mg</i>	Tier 1	\$0; MO
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	Tier 1	\$0; NDS
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; NDS
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; MO
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; MO
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; MO
<b>2Nd Generation/Atypical</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG	Tier 2	\$0; MO
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	Tier 2	\$0; MO
ABILIFY ORAL TABLET 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG	Tier 2	\$0; MO
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	Tier 1	\$0; MO
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML, 441 MG/1.6 ML, 662 MG/2.4 ML, 882 MG/3.2 ML	Tier 2	\$0; MO
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	Tier 2	\$0; MO
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	Tier 2	\$0; NDS
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	Tier 2	\$0; QL (60 per 30 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG	Tier 2	\$0; MO
INVEGA ORAL TABLET EXTENDED RELEASE 24HR 1.5 MG, 3 MG, 6 MG, 9 MG	Tier 2	\$0; MO
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML, 156 MG/ML, 234 MG/1.5 ML, 39 MG/0.25 ML, 78 MG/0.5 ML	Tier 2	PA NSO; \$0; MO
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML, 410 MG/1.315 ML, 546 MG/1.75 ML, 819 MG/2.625 ML	Tier 2	PA NSO; \$0; MO
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	Tier 2	\$0; MO
NUPLAZID ORAL TABLET 17 MG	Tier 2	\$0; MO
<i>olanzapine intramuscular recon soln 10 mg</i>	Tier 1	\$0; NDS
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 6 mg, 9 mg</i>	Tier 1	\$0; MO
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	Tier 2	\$0; MO
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	Tier 2	PA NSO; \$0; MO
RISPERDAL M-TAB ORAL TABLET, DISINTEGRATING 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	Tier 2	PA NSO; \$0; MO
RISPERDAL ORAL SOLUTION 1 MG/ML	Tier 2	\$0; MO
RISPERDAL ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	Tier 2	\$0; MO
<i>risperidone oral solution 1 mg/ml</i>	Tier 1	\$0; MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	Tier 1	\$0; MO
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	Tier 2	\$0; MO
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG	Tier 2	\$0; MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 300 MG, 400 MG, 50 MG	Tier 2	\$0; MO; QL (60 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	Tier 2	\$0; MO
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	Tier 2	\$0
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
ZYPREXA INTRAMUSCULAR RECON SOLN 10 MG	Tier 2	\$0
ZYPREXA ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG	Tier 2	\$0; MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	Tier 2	\$0; MO
ZYPREXA ZYDIS ORAL TABLET, DISINTEGRATING 10 MG, 15 MG, 20 MG, 5 MG	Tier 2	\$0; MO
<b>Treatment-Resistant</b>		
<i>clozapine oral tablet 100 mg, 25 mg</i>	Tier 1	\$0; MO
<i>clozapine oral tablet 200 mg, 50 mg</i>	Tier 2	\$0; MO
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i>	Tier 1	\$0; MO; QL (270 per 30 days)
CLOZARIL ORAL TABLET 100 MG, 25 MG	Tier 2	\$0; MO
FAZACLO ORAL TABLET, DISINTEGRATING 100 MG, 12.5 MG, 150 MG, 200 MG, 25 MG	Tier 2	\$0; MO
VERSACLOZ ORAL SUSPENSION 50 MG/ML	Tier 2	\$0; MO
<b>Antispasticity Agents</b>		
<b>Antispasticity Agents</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>tizanidine oral tablet 2 mg, 4 mg</i>	Tier 1	\$0; MO
<b>Antivirals</b>		
<b>Anti-Cytomegalovirus (Cmv) Agents</b>		
<i>cidofovir intravenous solution 75 mg/ml</i>	Tier 1	PA; \$0; NDS
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	Tier 1	PA; \$0; NDS
VALCYTE ORAL RECON SOLN 50 MG/ML	Tier 2	\$0; MO
<i>valganciclovir oral tablet 450 mg</i>	Tier 1	\$0; MO
ZIRGAN OPHTHALMIC GEL 0.15 %	Tier 2	\$0; NDS
<b>Anti-Hepatitis B (Hbv) Agents</b>		
<i>adefovir oral tablet 10 mg</i>	Tier 1	\$0; NDS
BARACLUDE ORAL SOLUTION 0.05 MG/ML	Tier 2	\$0; MO
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	Tier 1	\$0; MO
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	Tier 2	\$0; MO
EPIVIR ORAL SOLUTION 10 MG/ML	Tier 2	\$0; MO
EPIVIR ORAL TABLET 150 MG, 300 MG	Tier 2	\$0; MO
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML)	Tier 2	PA NSO; \$0; NDS
INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML	Tier 2	PA NSO; \$0; NDS
<i>lamivudine oral solution 10 mg/ml</i>	Tier 1	\$0; MO
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	Tier 1	\$0; MO
REBETOL ORAL SOLUTION 40 MG/ML	Tier 2	PA; \$0; NDS
RIBASPHERE ORAL CAPSULE 200 MG	Tier 2	\$0; NDS
RIBASPHERE ORAL TABLET 200 MG	Tier 2	\$0; NDS
RIBASPHERE ORAL TABLET 400 MG, 600 MG	Tier 2	PA; \$0; NDS
<i>ribavirin oral capsule 200 mg</i>	Tier 1	PA; \$0; NDS
<i>ribavirin oral tablet 200 mg</i>	Tier 1	PA; \$0; NDS
VIRAZOLE INHALATION RECON SOLN 6 GRAM	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	Tier 2	\$0; MO
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG, 300 MG	Tier 2	\$0; MO
<b>Anti-Hepatitis C (Hcv) Agents, Direct Acting</b>		
DAKLINZA ORAL TABLET 30 MG, 60 MG	Tier 2	PA; \$0; NDS
HARVONI ORAL TABLET 90-400 MG	Tier 2	PA; \$0; NDS
SOVALDI ORAL TABLET 400 MG	Tier 2	PA; \$0; MO
TECHNIVIE ORAL TABLET 12.5-75-50 MG	Tier 2	PA; \$0; NDS
<b>Anti-Hepatitis C (Hcv) Agents, Others</b>		
DAKLINZA ORAL TABLET 30 MG, 60 MG	Tier 2	PA; \$0; NDS
HARVONI ORAL TABLET 90-400 MG	Tier 2	PA; \$0; NDS
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	Tier 2	PA NSO; \$0; NDS
INTRON A INJECTION SOLUTION 6 MILLION UNIT/ML	Tier 2	PA NSO; \$0; NDS
MODERIBA DOSE PACK ORAL TABLETS,DOSE PACK 400 MG (7)- 400 MG (7), 600 MG (7)- 600 MG (7)	Tier 2	\$0; NDS
MODERIBA ORAL TABLET 200 MG	Tier 2	\$0; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	Tier 2	\$0; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	Tier 2	PA; \$0; NDS
REBETOL ORAL SOLUTION 40 MG/ML	Tier 2	PA; \$0; NDS
RIBASPHERE ORAL CAPSULE 200 MG	Tier 2	\$0; NDS
RIBASPHERE ORAL TABLET 200 MG	Tier 2	\$0; NDS
RIBASPHERE ORAL TABLET 400 MG, 600 MG	Tier 2	PA; \$0; NDS
RIBASPHERE RIBAPAK ORAL TABLETS,DOSE PACK 400-400 MG (28)-MG (28), 600-400 MG (28)-MG (28), 600-600 MG (28)-MG (28)	Tier 2	\$0; NDS
<i>ribavirin oral capsule 200 mg</i>	Tier 1	PA; \$0; NDS
<i>ribavirin oral tablet 200 mg</i>	Tier 1	PA; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
SOVALDI ORAL TABLET 400 MG	Tier 2	PA; \$0; MO
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	Tier 2	\$0; MO
TECHNIVIE ORAL TABLET 12.5-75-50 MG	Tier 2	PA; \$0; NDS
VIRAZOLE INHALATION RECON SOLN 6 GRAM	Tier 2	\$0; NDS
<b>Antiherpetic Agents</b>		
<i>acyclovir oral capsule 200 mg</i>	Tier 1	\$0; MO
<i>acyclovir oral suspension 200 mg/5 ml</i>	Tier 1	\$0; MO
<i>acyclovir oral tablet 400 mg, 800 mg</i>	Tier 1	\$0; MO
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	Tier 1	PA BvD; \$0; NDS
<i>acyclovir topical ointment 5 %</i>	Tier 1	\$0; NDS
DENAVIR TOPICAL CREAM 1 %	Tier 2	\$0; NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	Tier 1	\$0; MO; NDS
<i>trifluridine ophthalmic drops 1 %</i>	Tier 1	\$0; NDS
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	Tier 1	\$0; MO
ZOVIRAX TOPICAL CREAM 5 %	Tier 2	\$0; NDS
<b>Anti-Hiv Agents, Integrase Inhibitors (Insti)</b>		
GENVOYA ORAL TABLET 150-150-200-10 MG	Tier 2	\$0; MO
ISENTRESS ORAL POWDER IN PACKET 100 MG	Tier 2	\$0; MO
ISENTRESS ORAL TABLET 400 MG	Tier 2	\$0; MO; QL (60 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	Tier 2	\$0; MO
STRIBILD ORAL TABLET 150-150-200-300 MG	Tier 2	\$0; MO; QL (30 per 30 days)
TIVICAY ORAL TABLET 10 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<b>Anti-Hiv Agents, Non-Nucleoside Reverse Transcriptase Inhibitors (Nnrti)</b>		
COMPLERA ORAL TABLET 200-25-300 MG	Tier 2	\$0; MO
EDURANT ORAL TABLET 25 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
INTELENCE ORAL TABLET 100 MG, 200 MG, 25 MG	Tier 2	\$0; MO
<i>nevirapine oral suspension 50 mg/5 ml</i>	Tier 1	\$0; MO
<i>nevirapine oral tablet 200 mg</i>	Tier 1	\$0; MO
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	Tier 1	\$0; MO
RESCRIPTOR ORAL TABLET 200 MG	Tier 2	\$0; MO
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	Tier 2	\$0; MO
SUSTIVA ORAL CAPSULE 200 MG, 50 MG	Tier 2	\$0; MO
SUSTIVA ORAL TABLET 600 MG	Tier 2	\$0; MO
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	Tier 2	\$0; MO
VIRAMUNE ORAL TABLET 200 MG	Tier 2	\$0; MO
VIRAMUNE XR ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 400 MG	Tier 2	\$0; MO
<b>Anti-Hiv Agents, Nucleoside And Nucleotide Reverse Transcriptase Inhibitors (Nrti)</b>		
<i>abacavir oral tablet 300 mg</i>	Tier 1	\$0; MO
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	Tier 1	\$0; MO
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	Tier 1	\$0; MO
ATRIPLA ORAL TABLET 600-200-300 MG	Tier 2	\$0; MO
COMBIVIR ORAL TABLET 150-300 MG	Tier 2	\$0; MO
DESCOVY ORAL TABLET 200-25 MG	Tier 2	\$0; MO
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	Tier 1	\$0; MO
EMTRIVA ORAL CAPSULE 200 MG	Tier 2	\$0; MO
EMTRIVA ORAL SOLUTION 10 MG/ML	Tier 2	\$0; MO
EPIVIR ORAL SOLUTION 10 MG/ML	Tier 2	\$0; MO
EPIVIR ORAL TABLET 150 MG, 300 MG	Tier 2	\$0; MO
EPZICOM ORAL TABLET 600-300 MG	Tier 2	\$0; MO
<i>lamivudine oral solution 10 mg/ml</i>	Tier 1	\$0; MO
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	Tier 1	\$0; MO
ODEFSEY ORAL TABLET 200-25-25 MG	Tier 2	\$0; MO
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	Tier 2	\$0; NDS
RETROVIR ORAL CAPSULE 100 MG	Tier 2	\$0; MO
RETROVIR ORAL SYRUP 10 MG/ML	Tier 2	\$0; MO
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	Tier 1	\$0; MO
TRIZIVIR ORAL TABLET 300-150-300 MG	Tier 2	\$0; MO
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	Tier 2	\$0; MO
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	Tier 2	\$0; MO
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG, 200 MG, 250 MG, 400 MG	Tier 2	\$0; MO
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	Tier 2	\$0; MO
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG, 300 MG	Tier 2	\$0; MO
ZERIT ORAL CAPSULE 15 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; MO
ZERIT ORAL RECON SOLN 1 MG/ML	Tier 2	\$0; MO
ZIAGEN ORAL SOLUTION 20 MG/ML	Tier 2	\$0; MO
ZIAGEN ORAL TABLET 300 MG	Tier 2	\$0; MO
<i>zidovudine oral capsule 100 mg</i>	Tier 1	\$0; MO
<i>zidovudine oral syrup 10 mg/ml</i>	Tier 1	\$0; MO
<i>zidovudine oral tablet 300 mg</i>	Tier 1	\$0; MO
<b>Anti-Hiv Agents, Other</b>		
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	Tier 2	\$0; MO
SELZENTRY ORAL TABLET 150 MG, 25 MG, 300 MG, 75 MG	Tier 2	\$0; MO
TRIUMEQ ORAL TABLET 600-50-300 MG	Tier 2	\$0; MO
TYBOST ORAL TABLET 150 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Anti-Hiv Agents, Protease Inhibitors</b>		
APTIVUS ORAL CAPSULE 250 MG	Tier 2	\$0; MO
APTIVUS ORAL SOLUTION 100 MG/ML	Tier 2	\$0; MO
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	Tier 2	\$0; MO
EVOTAZ ORAL TABLET 300-150 MG	Tier 2	\$0; MO; QL (30 per 30 days)
INVIRASE ORAL CAPSULE 200 MG	Tier 2	\$0; MO
INVIRASE ORAL TABLET 500 MG	Tier 2	\$0; MO
KALETRA ORAL SOLUTION 400-100 MG/5 ML	Tier 2	\$0; MO
KALETRA ORAL TABLET 100-25 MG, 200-50 MG	Tier 2	\$0; MO
LEXIVA ORAL SUSPENSION 50 MG/ML	Tier 2	\$0; MO
LEXIVA ORAL TABLET 700 MG	Tier 2	\$0; MO
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	Tier 1	\$0; MO
NORVIR ORAL CAPSULE 100 MG	Tier 2	\$0; MO
NORVIR ORAL SOLUTION 80 MG/ML	Tier 2	\$0; MO
NORVIR ORAL TABLET 100 MG	Tier 2	\$0; MO
PREZCOBIX ORAL TABLET 800-150 MG-MG	Tier 2	\$0; MO; QL (30 per 30 days)
PREZISTA ORAL SUSPENSION 100 MG/ML	Tier 2	\$0; MO
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	Tier 2	\$0; MO
REYATAZ ORAL CAPSULE 150 MG, 200 MG, 300 MG	Tier 2	\$0; MO
REYATAZ ORAL POWDER IN PACKET 50 MG	Tier 2	\$0; MO
VIRACEPT ORAL TABLET 250 MG, 625 MG	Tier 2	\$0; MO
<b>Anti-Influenza Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	Tier 1	\$0; MO
<i>amantadine hcl oral solution 50 mg/5 ml</i>	Tier 1	\$0; MO
<i>amantadine hcl oral tablet 100 mg</i>	Tier 1	\$0; MO
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	Tier 2	\$0; NDS
<i>rimantadine oral tablet 100 mg</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TAMIFLU ORAL CAPSULE 30 MG, 45 MG, 75 MG	Tier 2	\$0; NDS
TAMIFLU ORAL SUSPENSION FOR RECONSTITUTION 6 MG/ML	Tier 2	\$0; NDS
<b>Anxiolytics</b>		
<b>Anxiolytics, Other</b>		
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	Tier 1	\$0; MO
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>doxepin oral concentrate 10 mg/ml</i>	Tier 1	\$0; MO
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	Tier 1	\$0; NDS
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>meprobamate oral tablet 200 mg, 400 mg</i>	Tier 1	\$0
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	Tier 1	\$0; NDS
SILENOR ORAL TABLET 3 MG, 6 MG	Tier 2	\$0
<i>triazolam oral tablet 0.125 mg</i>	Tier 1	\$0; NDS
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 1 mg, 2 mg</i>	Tier 1	\$0; NDS
<i>alprazolam oral tablet 0.5 mg</i>	Tier 1	\$0
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg, 3 mg</i>	Tier 1	\$0; NDS
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; MO
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; MO
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	Tier 1	\$0; NDS
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	Tier 2	\$0
DIASTAT RECTAL KIT 2.5 MG	Tier 2	\$0

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>diazepam intensol oral concentrate 5 mg/ml</i>	Tier 1	PA NSO; \$0; NDS
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	Tier 1	\$0; NDS
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; NDS
KLONOPIN ORAL TABLET 0.5 MG, 1 MG, 2 MG	Tier 2	\$0; MO
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; NDS
<b>Ssris/ Snris</b>		
CYMBALTA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 20 MG, 30 MG, 60 MG	Tier 2	\$0; MO
<i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 30 mg, 40 mg, 60 mg</i>	Tier 1	\$0; MO
EFFEXOR XR ORAL CAPSULE, EXTENDED RELEASE 24HR 150 MG, 37.5 MG, 75 MG	Tier 2	\$0; MO
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	Tier 1	\$0; MO
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
LEXAPRO ORAL TABLET 10 MG, 20 MG, 5 MG	Tier 2	\$0; MO
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	Tier 1	\$0; MO
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	Tier 1	\$0; MO
PAXIL CR ORAL TABLET EXTENDED RELEASE 24 HR 12.5 MG, 25 MG, 37.5 MG	Tier 2	\$0; MO
PAXIL ORAL SUSPENSION 10 MG/5 ML	Tier 2	\$0; MO
PAXIL ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; MO
PEXEVA ORAL TABLET 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; MO
<i>sertraline oral concentrate 20 mg/ml</i>	Tier 1	\$0; MO
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	Tier 1	\$0; MO
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	Tier 1	\$0; MO
ZOLOFT ORAL CONCENTRATE 20 MG/ML	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
ZOLOFT ORAL TABLET 100 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<b>Bipolar Agents</b>		
<b>Bipolar Agents, Other</b>		
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	Tier 2	\$0; QL (60 per 30 days); NDS
GEODON ORAL CAPSULE 20 MG, 40 MG, 60 MG, 80 MG	Tier 2	\$0; MO
<i>olanzapine intramuscular recon soln 10 mg</i>	Tier 1	\$0; NDS
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i>	Tier 1	\$0; MO
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	Tier 2	PA NSO; \$0; MO
RISPERDAL M-TAB ORAL TABLET, DISINTEGRATING 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	Tier 2	PA NSO; \$0; MO
RISPERDAL ORAL SOLUTION 1 MG/ML	Tier 2	\$0; MO
RISPERDAL ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	Tier 2	\$0; MO
<i>risperidone oral solution 1 mg/ml</i>	Tier 1	\$0; MO
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	Tier 1	\$0; MO
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	Tier 1	\$0; MO
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	Tier 2	\$0; MO
SEROQUEL ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 400 MG, 50 MG	Tier 2	\$0; MO
SEROQUEL XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 200 MG, 300 MG, 400 MG, 50 MG	Tier 2	\$0; MO; QL (60 per 30 days)

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	Tier 2	\$0; MO
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	Tier 2	\$0
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
ZYPREXA INTRAMUSCULAR RECON SOLN 10 MG	Tier 2	\$0
ZYPREXA ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG	Tier 2	\$0; MO
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	Tier 2	\$0; MO
ZYPREXA ZYDIS ORAL TABLET,DISINTEGRATING 10 MG, 15 MG, 20 MG, 5 MG	Tier 2	\$0; MO
<b>Mood Stabilizers</b>		
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>carbamazepine oral suspension 100 mg/5 ml</i>	Tier 1	\$0; MO
<i>carbamazepine oral tablet 200 mg</i>	Tier 1	\$0; MO
<i>carbamazepine oral tablet extended release 12 hr 100 mg</i>	Tier 1	\$0; MO
<i>carbamazepine oral tablet,chewable 100 mg</i>	Tier 1	\$0; MO
CARBATROL ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	Tier 2	\$0; MO
DEPAKENE ORAL CAPSULE 250 MG	Tier 2	\$0; MO
DEPAKENE ORAL SOLUTION 250 MG/5 ML	Tier 2	\$0; MO
DEPAKOTE ER ORAL TABLET EXTENDED RELEASE 24 HR 250 MG, 500 MG	Tier 2	\$0; MO
DEPAKOTE ORAL TABLET,DELAYED RELEASE (DR/EC) 125 MG, 250 MG, 500 MG	Tier 2	\$0; MO
DEPAKOTE SPRINKLES ORAL CAPSULE, DELAYED REL SPRINKLE 125 MG	Tier 2	\$0; MO
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	Tier 1	\$0; MO
EPITOL ORAL TABLET 200 MG	Tier 2	\$0; MO
EQUETRO ORAL CAPSULE, ER MULTIPHASE 12 HR 100 MG, 200 MG, 300 MG	Tier 2	\$0; MO
LAMICTAL ODT ORAL TABLET, DISINTEGRATING 100 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO
LAMICTAL ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG	Tier 2	\$0; MO
LAMICTAL ORAL TABLET, CHEWABLE DISPERSIBLE 25 MG, 5 MG	Tier 2	\$0; MO
LAMICTAL STARTER (BLUE) KIT ORAL TABLETS, DOSE PACK 25 MG (35)	Tier 2	\$0
LAMICTAL STARTER (GREEN) KIT ORAL TABLETS, DOSE PACK 25 MG (84) -100 MG (14)	Tier 2	\$0
LAMICTAL STARTER (ORANGE) KIT ORAL TABLETS, DOSE PACK 25 MG (42) -100 MG (7)	Tier 2	\$0
LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG	Tier 2	\$0; MO
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL, DOSE PACK 25 MG (21) -50 MG (7)	Tier 2	\$0
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL, DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	Tier 2	\$0
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL, DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	Tier 2	\$0
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	Tier 1	\$0; MO
<i>lamotrigine oral tablet extended release 24hr 50 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	Tier 1	\$0; MO
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>lithium carbonate oral capsule 150 mg</i>	Tier 2	\$0; MO
<i>lithium carbonate oral capsule 300 mg, 600 mg</i>	Tier 1	\$0; MO
<i>lithium carbonate oral tablet 300 mg</i>	Tier 1	\$0; MO
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	Tier 1	\$0; MO
<i>lithium citrate oral solution 8 meq/5 ml</i>	Tier 1	\$0; MO
TEGRETOL ORAL SUSPENSION 100 MG/5 ML	Tier 2	\$0; MO
TEGRETOL ORAL TABLET 200 MG	Tier 2	\$0; MO
TEGRETOL XR ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 200 MG, 400 MG	Tier 2	\$0; MO
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	Tier 1	\$0; MO
<i>valproic acid oral capsule 250 mg</i>	Tier 1	\$0; MO
<b>Blood Glucose Regulators</b>		
<b>Antidiabetic Agents</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
AVANDIA ORAL TABLET 2 MG, 4 MG	Tier 2	\$0; MO
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML	Tier 2	ST; \$0; MO
BYDUREON SUBCUTANEOUS SUSPENSION, EXTENDED REL RECON 2 MG	Tier 2	ST; \$0; MO
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE (250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML	Tier 2	ST; \$0; MO
FARXIGA ORAL TABLET 10 MG, 5 MG	Tier 2	ST; \$0; MO
<i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>	Tier 1	\$0; MO
<i>glipizide oral tablet 10 mg</i>	Tier 1	\$0; MO; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	Tier 1	\$0; MO; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>glipizide oral tablet extended release 24hr 2.5 mg</i>	Tier 1	\$0; MO; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i>	Tier 1	\$0; MO; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg</i>	Tier 1	\$0; MO; QL (240 per 30 days)
<i>glyburide micronized oral tablet 3 mg</i>	Tier 1	\$0; MO; QL (120 per 30 days)
<i>glyburide micronized oral tablet 6 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>glyburide oral tablet 1.25 mg</i>	Tier 1	\$0; MO; QL (480 per 30 days)
<i>glyburide oral tablet 2.5 mg</i>	Tier 1	\$0; MO; QL (240 per 30 days)
<i>glyburide oral tablet 5 mg</i>	Tier 1	\$0; MO; QL (120 per 30 days)
GLYSET ORAL TABLET 100 MG, 25 MG, 50 MG	Tier 2	\$0; MO
INVOKANA ORAL TABLET 100 MG, 300 MG	Tier 2	ST; \$0; MO
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	Tier 2	\$0; MO
<i>metformin oral tablet 1,000 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>metformin oral tablet 500 mg</i>	Tier 1	\$0; MO; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	Tier 1	\$0; MO; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	Tier 1	\$0; MO; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	Tier 1	\$0; MO
ONGLYZA ORAL TABLET 2.5 MG, 5 MG	Tier 2	ST; \$0; MO
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; MO
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	Tier 2	PA; \$0; MO
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	Tier 2	PA; \$0; MO
<i>tolazamide oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>tolbutamide oral tablet 500 mg</i>	Tier 1	\$0; MO
VICTOZA 3-PAK SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	Tier 2	\$0; MO
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
WELCHOL ORAL TABLET 625 MG	Tier 2	\$0; MO
<b>Blood Glucose Regulators</b>		
<i>glipizide-metformin oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>	Tier 1	\$0; MO
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	Tier 2	ST; \$0; MO; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG, 50-1,000 MG, 50-500 MG	Tier 2	\$0; MO
<i>pioglitazone-glimepiride oral tablet 30-2 mg, 30-4 mg</i>	Tier 1	\$0; MO
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i>	Tier 1	\$0; MO
<b>Glycemic Agents</b>		
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	Tier 2	\$0; NDS
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION KIT 1 MG	Tier 2	\$0; NDS
KORLYM ORAL TABLET 300 MG	Tier 2	PA; \$0; MO
PROGLYCEM ORAL SUSPENSION 50 MG/ML	Tier 2	\$0; MO
<b>Insulins</b>		
APIDRA SOLOSTAR SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	Tier 2	\$0; MO
APIDRA SUBCUTANEOUS SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
<i>assure id insulin safety syringe 1 ml 29 gauge x 1/2"</i>	Tier 2	\$0; MO
<i>gauze pad topical bandage 2 x 2 "</i>	Tier 2	\$0; QL (100 per 30 days); NDS
HUMALOG KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML, 200 UNIT/ML (3 ML)	Tier 2	\$0; MO
HUMALOG MIX 50-50 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (50-50)	Tier 2	\$0; MO
HUMALOG MIX 50-50 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (50-50)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
HUMALOG MIX 75-25 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (75-25)	Tier 2	\$0; MO
HUMALOG MIX 75-25 SUBCUTANEOUS SUSPENSION 100 UNIT/ML (75-25)	Tier 2	\$0; MO
HUMALOG SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	Tier 2	\$0; MO
HUMALOG SUBCUTANEOUS SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
HUMULIN 70/30 KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	Tier 2	\$0; MO
HUMULIN N KWIKPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Tier 2	\$0; MO
HUMULIN R U-100 INJECTION SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	Tier 2	ST; \$0; MO
HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML	Tier 2	ST; \$0; MO
<i>insulin syringe-needle u-100 syringe 0.3 ml 29 gauge, 1 ml 29 gauge x 1/2", 1/2 ml 28 gauge</i>	Tier 1	\$0; MO; QL (200 per 30 days); NDS
LANTUS SOLOSTAR SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Tier 2	\$0; MO
LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
LEVEMIR FLEXTOUCH SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	Tier 2	\$0; MO
LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
NOVOLIN R INJECTION SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
NOVOLOG FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	Tier 2	\$0; MO
NOVOLOG MIX 70-30 FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
NOVOLOG MIX 70-30 SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	Tier 2	\$0; MO
NOVOLOG PENFILL SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	Tier 2	\$0; MO
NOVOLOG SUBCUTANEOUS SOLUTION 100 UNIT/ML	Tier 2	\$0; MO
<i>pen needle, diabetic needle 29 gauge x 1/2"</i>	Tier 1	\$0; MO; QL (200 per 30 days); NDS
<b>Blood Products/ Modifiers/ Volume Expanders</b>		
<b>Anticoagulants</b>		
COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	Tier 2	\$0; MO
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	Tier 2	\$0; MO
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	Tier 1	\$0; QL (15 per 5 days); NDS
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i>	Tier 1	\$0; QL (10 per 5 days); NDS
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	Tier 1	\$0; QL (8 per 5 days); NDS
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>	Tier 1	\$0; QL (3 per 5 days); NDS
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	Tier 1	\$0; QL (4 per 5 days); NDS
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>	Tier 1	\$0; QL (6 per 5 days); NDS
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	Tier 1	\$0; QL (4 per 5 days); NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	Tier 1	\$0; QL (2.5 per 5 days); NDS
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	Tier 1	\$0; QL (2 per 5 days); NDS
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	Tier 1	\$0; QL (3 per 5 days); NDS
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml), 25,000 unit/500 ml (50 unit/ml)</i>	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>heparin (porcine) injection solution 1,000 unit/ml, 20,000 unit/ml</i>	Tier 1	\$0; NDS
<i>heparin (porcine) injection solution 10,000 unit/ml, 5,000 unit/ml</i>	Tier 1	PA BvD; \$0; NDS
JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	Tier 2	\$0; MO
PRADAXA ORAL CAPSULE 150 MG, 75 MG	Tier 2	\$0; MO
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	Tier 1	\$0; MO
XARELTO ORAL TABLET 10 MG	Tier 2	\$0; NDS
XARELTO ORAL TABLET 15 MG, 20 MG	Tier 2	\$0; MO
<b>Blood Formation Modifiers</b>		
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	Tier 1	\$0; MO
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	Tier 2	PA BvD; \$0; MO
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	Tier 2	PA BvD; \$0; MO
EPOGEN INJECTION SOLUTION 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	Tier 2	PA BvD; \$0; MO
LEUKINE INJECTION RECON SOLN 250 MCG	Tier 2	PA; \$0; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	Tier 2	PA; \$0; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	Tier 2	PA; \$0; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML	Tier 2	PA; \$0; QL (7 per 7 days); NDS
NEUPOGEN INJECTION SOLUTION 480 MCG/1.6 ML	Tier 2	PA; \$0; QL (11.2 per 7 days); NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML	Tier 2	PA; \$0; QL (3.5 per 7 days); NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
NEUPOGEN INJECTION SYRINGE 480 MCG/0.8 ML	Tier 2	PA; \$0; QL (5.6 per 7 days); NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML	Tier 2	PA BvD; \$0; MO
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	Tier 2	PA; \$0; MO
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	Tier 2	\$0; MO
<b>Hemostasis Agents</b>		
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	Tier 1	\$0; NDS
<i>tranexamic acid oral tablet 650 mg</i>	Tier 1	\$0; MO
<b>Platelet Modifying Agents</b>		
AGGRENEX ORAL CAPSULE, ER MULTIPHASE 12 HR 25-200 MG	Tier 2	\$0; MO; QL (60 per 30 days)
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG	Tier 2	\$0; MO
BRILINTA ORAL TABLET 90 MG	Tier 2	\$0; MO; QL (90 per 30 days)
<i>cilostazol oral tablet 100 mg, 50 mg</i>	Tier 1	\$0; MO
<i>clopidogrel oral tablet 75 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agonists</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	Tier 1	\$0; MO
<i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr</i>	Tier 1	\$0; MO
<i>methyldopate intravenous solution 250 mg/5 ml</i>	Tier 1	\$0; NDS
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; NDS
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	Tier 2	PA NSO; \$0; MO
<b>Alpha-Adrenergic Blocking Agents</b>		
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; MO
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	Tier 2	\$0; MO
<i>eprosartan oral tablet 600 mg</i>	Tier 1	\$0; MO
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	Tier 1	\$0; MO
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>olmesartan oral tablet 40 mg</i>	Tier 1	\$0; MO
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	Tier 1	\$0; MO
<b>Angiotensin-Converting Enzyme (Ace) Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	Tier 1	\$0; MO
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	Tier 1	\$0; MO
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	Tier 1	\$0; MO
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
<i>quinapril oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	Tier 1	\$0; MO
<b>Antiarrhythmics</b>		
<i>amiodarone intravenous solution 50 mg/ml</i>	Tier 1	\$0; NDS
<i>amiodarone oral tablet 200 mg, 400 mg</i>	Tier 1	\$0; MO
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	Tier 1	\$0; MO
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	Tier 1	\$0; MO
MULTAQ ORAL TABLET 400 MG	Tier 2	PA; \$0; MO
PACERONE ORAL TABLET 100 MG, 200 MG, 400 MG	Tier 2	\$0; MO
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	Tier 1	\$0; NDS
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	Tier 1	\$0; MO
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	Tier 1	\$0; MO
<i>quinidine gluconate injection solution 80 mg/ml</i>	Tier 1	\$0; NDS
<i>quinidine gluconate oral tablet extended release 324 mg</i>	Tier 1	\$0; MO
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>sotalol af oral tablet 120 mg</i>	Tier 2	\$0; MO
<i>sotalol oral tablet 160 mg, 240 mg, 80 mg</i>	Tier 1	\$0; MO
TIKOSYN ORAL CAPSULE 125 MCG, 250 MCG, 500 MCG	Tier 2	\$0; MO
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	Tier 1	\$0; MO
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>betaxolol oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; MO
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	Tier 1	\$0; MO
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	Tier 1	\$0; NDS
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i>	Tier 1	\$0; MO
<i>metoprolol tartrate oral tablet 25 mg</i>	Tier 2	\$0; MO
<i>nadolol oral tablet 40 mg, 80 mg</i>	Tier 1	\$0; MO
<i>pindolol oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; MO
<i>propranolol intravenous solution 1 mg/ml</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	Tier 1	\$0; MO
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	Tier 1	\$0; MO
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	Tier 1	\$0; MO
TENORMIN ORAL TABLET 100 MG	Tier 2	\$0; MO
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO
<b>Calcium Channel Blocking Agents</b>		
AFEDITAB CR ORAL TABLET EXTENDED RELEASE 30 MG, 60 MG	Tier 2	\$0; MO
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
CARTIA XT ORAL CAPSULE, EXTENDED RELEASE 24HR 120 MG, 180 MG, 240 MG, 300 MG	Tier 2	\$0; MO
<i>diltiazem hcl intravenous recon soln 100 mg</i>	Tier 1	\$0; NDS
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	Tier 1	\$0; NDS
<i>diltiazem hcl oral capsule, extended release 180 mg, 360 mg, 420 mg</i>	Tier 1	\$0; MO
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	Tier 1	\$0; MO
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 240 mg, 300 mg</i>	Tier 1	\$0; MO
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	Tier 1	\$0; MO
DILT-XR ORAL CAPSULE, EXT RELEASE DEGRADABLE 120 MG, 180 MG, 240 MG	Tier 2	\$0; MO
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
MATZIM LA ORAL TABLET EXTENDED RELEASE 24 HR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG	Tier 2	\$0; MO
<i>nicardipine oral capsule 20 mg, 30 mg</i>	Tier 1	\$0; MO
<i>nifedipine oral capsule 10 mg, 20 mg</i>	Tier 1	\$0; MO
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	Tier 1	\$0; MO
<i>nimodipine oral capsule 30 mg</i>	Tier 1	\$0; NDS
<i>verapamil intravenous solution 2.5 mg/ml</i>	Tier 1	\$0; NDS
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i>	Tier 1	\$0; MO
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	Tier 1	\$0; MO
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	Tier 1	\$0; MO
<b>Cardiovascular Agents, Other</b>		
CORLANOR ORAL TABLET 5 MG, 7.5 MG	Tier 2	\$0; MO
DIGITEK ORAL TABLET 125 MCG, 250 MCG	Tier 2	\$0; MO
<i>digoxin oral tablet 125 mcg, 250 mcg</i>	Tier 1	\$0; MO
LANOXIN ORAL TABLET 187.5 MCG, 62.5 MCG	Tier 2	\$0; MO
<i>pentoxifylline oral tablet extended release 400 mg</i>	Tier 1	\$0; MO
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	Tier 2	PA; \$0; MO
TEKTRNA ORAL TABLET 150 MG, 300 MG	Tier 2	\$0; MO
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	Tier 2	\$0; MO
<b>Cardiovascular Agents</b>		
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	Tier 1	\$0; MO
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	Tier 1	\$0; MO
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	Tier 1	\$0; MO
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	Tier 1	\$0; MO
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	Tier 1	\$0; MO
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	Tier 1	\$0; MO
DEMSEER ORAL CAPSULE 250 MG	Tier 2	\$0; NDS
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>	Tier 1	\$0; MO
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	Tier 1	\$0; MO
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	Tier 1	\$0; MO
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	Tier 1	\$0; MO
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	Tier 1	\$0; MO
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	Tier 1	\$0; MO
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>	Tier 1	\$0; MO
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	Tier 1	\$0; MO
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	Tier 1	\$0; MO
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	Tier 1	\$0; MO
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	Tier 2	ST; \$0; MO
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg, 50-25 mg</i>	Tier 1	\$0; MO
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	Tier 1	\$0; MO
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<b>Diuretics, Carbonic Anhydrase Inhibitors</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	Tier 1	\$0; MO
<i>acetazolamide sodium injection recon soln 500 mg</i>	Tier 1	\$0; NDS
KEVEYIS ORAL TABLET 50 MG	Tier 2	\$0; MO
<i>methazolamide oral tablet 25 mg, 50 mg</i>	Tier 1	\$0; MO
<b>Diuretics, Loop</b>		
<i>bumetanide injection solution 0.25 mg/ml</i>	Tier 1	\$0; NDS
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	\$0; MO
EDECRIN ORAL TABLET 25 MG	Tier 2	\$0; MO
<i>furosemide injection solution 10 mg/ml</i>	Tier 1	\$0; NDS
<i>furosemide injection syringe 10 mg/ml</i>	Tier 1	\$0; NDS
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	Tier 1	\$0; MO
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	Tier 1	\$0; MO
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO
<b>Diuretics, Potassium-Sparing</b>		
<i>amiloride oral tablet 5 mg</i>	Tier 1	\$0; MO
DYRENIUM ORAL CAPSULE 100 MG, 50 MG	Tier 2	\$0; MO
<i>eplerenone oral tablet 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO
<b>Diuretics, Thiazide</b>		
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; MO
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	Tier 1	\$0; NDS
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	Tier 1	\$0; MO
<i>hydrochlorothiazide oral tablet 12.5 mg</i>	Tier 2	\$0; MO
<i>hydrochlorothiazide oral tablet 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	Tier 1	\$0; MO
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	Tier 1	\$0; MO
<i>methyclothiazide oral tablet 5 mg</i>	Tier 1	\$0; MO
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Dyslipidemics, Fibric Acid Derivatives</b>		
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	Tier 1	\$0; MO
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	Tier 1	\$0; MO
<i>fenofibrate oral capsule 150 mg, 50 mg</i>	Tier 1	\$0; MO
<i>fenofibrate oral tablet 120 mg, 160 mg, 54 mg</i>	Tier 1	\$0; MO
<i>gemfibrozil oral tablet 600 mg</i>	Tier 1	\$0; MO
<b>Dyslipidemics, Hmg Coa Reductase Inhibitors</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	Tier 1	\$0; MO
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	Tier 1	\$0; MO
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	Tier 1	\$0; MO
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>	Tier 1	\$0; MO
<b>Dyslipidemics, Other</b>		
<i>colestipol oral granules 5 gram</i>	Tier 1	\$0; MO
<i>colestipol oral tablet 1 gram</i>	Tier 1	\$0; MO
<i>ezetimibe oral tablet 10 mg</i>	Tier 1	\$0; MO
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 5 MG	Tier 2	PA NSO; \$0; MO
JUXTAPID ORAL CAPSULE 30 MG, 40 MG, 60 MG	Tier 2	PA; \$0; MO
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML	Tier 2	PA NSO; \$0; MO
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	Tier 1	\$0; MO
NIACOR ORAL TABLET 500 MG	Tier 2	\$0; MO
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	Tier 1	\$0; MO
PREVALITE ORAL POWDER 4 GRAM	Tier 2	\$0; MO
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	Tier 2	PA; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	Tier 2	PA; \$0; MO
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	Tier 2	\$0; MO
WELCHOL ORAL TABLET 625 MG	Tier 2	\$0; MO
ZETIA ORAL TABLET 10 MG	Tier 2	\$0; MO
<b>Vasodilators, Direct-Acting Arterial/Venous</b>		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	Tier 1	\$0; MO
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	Tier 1	\$0; MO
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	Tier 1	\$0; MO
MINITRAN TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR	Tier 2	\$0; MO
NITRO-BID TRANSDERMAL OINTMENT 2 %	Tier 2	\$0; MO
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	Tier 2	\$0; MO
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	Tier 2	\$0; NDS
<i>nitroglycerin sublingual tablet 0.4 mg</i>	Tier 1	\$0; MO
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	Tier 1	\$0; MO
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i>	Tier 1	\$0; MO
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG	Tier 2	\$0; MO; NDS
NITROSTAT SUBLINGUAL TABLET 0.6 MG	Tier 2	\$0; MO
RECTIV RECTAL OINTMENT 0.4 % (W/W)	Tier 2	\$0; NDS
<b>Vasodilators, Direct-Acting Arterial</b>		
<i>hydralazine injection solution 20 mg/ml</i>	Tier 2	\$0; NDS
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	Tier 1	\$0; MO
<b>Central Nervous System Agents</b>		
<b>Attention Deficit Hyperactivity Disorder Agents, Amphetamines</b>		
ADDERALL ORAL TABLET 20 MG, 5 MG, 7.5 MG	Tier 2	\$0; MO; QL (90 per 30 days)
ADDERALL XR ORAL CAPSULE, EXTENDED RELEASE 24HR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 5 MG	Tier 2	\$0; MO; QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	Tier 1	PA NSO; \$0; MO; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	Tier 1	\$0; MO; QL (60 per 30 days)
VYVANSE ORAL CAPSULE 10 MG	Tier 2	\$0; MO
VYVANSE ORAL CAPSULE 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG	Tier 2	PA NSO; \$0; MO
<b>Attention Deficit Hyperactivity Disorder Agents, Non-Amphetamines</b>		
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	Tier 1	\$0; MO
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	Tier 1	\$0; MO
<i>dexmethylphenidate oral capsule, er biphasic 50-50 10 mg, 20 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>dexmethylphenidate oral capsule, er biphasic 50-50 15 mg, 30 mg, 40 mg</i>	Tier 1	PA NSO; \$0; MO; QL (30 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	Tier 1	PA NSO; \$0; MO
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	Tier 1	\$0; MO
METADATE ER ORAL TABLET EXTENDED RELEASE 20 MG	Tier 2	\$0; MO
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 30 mg, 50 mg, 60 mg</i>	Tier 1	PA NSO; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>methylphenidate hcl oral capsule, er biphasic 30-70 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	Tier 1	PA NSO; \$0; MO
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	PA NSO; \$0; MO
<i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>	Tier 1	PA NSO; \$0; MO
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i>	Tier 1	PA NSO; \$0; MO
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
STRATTERA ORAL CAPSULE 10 MG, 100 MG, 18 MG, 25 MG, 40 MG, 60 MG, 80 MG	Tier 2	\$0; MO
<b>Central Nervous System, Other</b>		
<i>estazolam oral tablet 1 mg, 2 mg</i>	Tier 1	\$0; NDS
NUDEXTA ORAL CAPSULE 20-10 MG	Tier 2	PA NSO; \$0; NDS
<i>riluzole oral tablet 50 mg</i>	Tier 1	\$0; MO
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	Tier 1	\$0; MO
XENAZINE ORAL TABLET 12.5 MG, 25 MG	Tier 2	PA NSO; \$0; MO
<b>Fibromyalgia Agents</b>		
CYMBALTA ORAL CAPSULE, DELAYED RELEASE (DR/EC) 20 MG, 30 MG, 60 MG	Tier 2	\$0; MO
<i>duloxetine oral capsule, delayed release (dr/ec) 20 mg, 30 mg, 40 mg, 60 mg</i>	Tier 1	\$0; MO
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	Tier 2	\$0; MO
LYRICA ORAL SOLUTION 20 MG/ML	Tier 2	\$0; MO
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	Tier 2	\$0; MO; QL (60 per 30 days)
SAVELLA ORAL TABLETS, DOSE PACK 12.5 MG (5)-25 MG (8)-50 MG (42)	Tier 2	\$0; NDS
<b>Multiple Sclerosis Agents</b>		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	Tier 2	PA; \$0; MO
AUBAGIO ORAL TABLET 14 MG, 7 MG	Tier 2	PA; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	Tier 2	PA; \$0; MO
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	Tier 2	PA; \$0; MO
BETASERON SUBCUTANEOUS KIT 0.3 MG	Tier 2	PA; \$0; MO
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	Tier 2	PA; \$0; MO
GILENYA ORAL CAPSULE 0.5 MG	Tier 2	PA; \$0; MO
GLATOPA SUBCUTANEOUS SYRINGE 20 MG/ML	Tier 2	PA; \$0; MO
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	Tier 1	PA NSO; \$0; MO
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	Tier 2	PA; \$0; MO
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)	Tier 2	PA; \$0; MO
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	Tier 2	\$0; MO
TECFIDERA ORAL CAPSULE, DELAYED RELEASE(DR/EC) 120 MG, 240 MG	Tier 2	PA; \$0; MO
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	Tier 2	PA; \$0; MO
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>cevimeline oral capsule 30 mg</i>	Tier 1	\$0; MO
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	Tier 1	\$0; NDS
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	Tier 1	\$0; NDS
<i>doxycycline monohydrate oral tablet 150 mg</i>	Tier 1	\$0; NDS
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	Tier 2	\$0; NDS
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	Tier 1	\$0; NDS
<i>minocycline oral tablet extended release 24 hr 135 mg, 45 mg, 90 mg</i>	Tier 1	\$0; NDS
PERIOGARD MUCOUS MEMBRANE MOUTHWASH 0.12 %	Tier 2	\$0; NDS
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	Tier 1	\$0; MO
<i>triamcinolone acetonide dental paste 0.1 %</i>	Tier 1	\$0; NDS
<b>Dermatological Agents</b>		
<b>Dermatological Agents</b>		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	Tier 1	\$0; NDS
<i>adapalene topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>adapalene topical gel 0.1 %</i>	Tier 1	\$0; NDS
<i>ammonium lactate topical cream 12 %</i>	Tier 1	\$0; NDS
<i>ammonium lactate topical lotion 12 %</i>	Tier 1	\$0; NDS
AVITA TOPICAL CREAM 0.025 %	Tier 2	\$0; NDS
AVITA TOPICAL GEL 0.025 %	Tier 2	\$0; NDS
AZELEX TOPICAL CREAM 20 %	Tier 2	\$0; NDS
<i>betamethasone dipropionate topical lotion 0.05 %</i>	Tier 1	\$0; NDS
<i>calcipotriene scalp solution 0.005 %</i>	Tier 1	\$0; NDS
<i>calcipotriene topical cream 0.005 %</i>	Tier 1	\$0; NDS
<i>calcipotriene topical ointment 0.005 %</i>	Tier 1	\$0; NDS
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i>	Tier 1	\$0; NDS
CARAC TOPICAL CREAM 0.5 %	Tier 2	\$0
CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; NDS
<i>clindamax topical gel 1 %</i>	Tier 2	\$0; NDS
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	Tier 1	\$0; NDS
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	Tier 1	\$0; NDS
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	Tier 1	\$0; NDS
CORMAX SCALP SOLUTION 0.05 %	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
CORTISPORIN TOPICAL CREAM 3.5-10,000-0.5 MG/G-UNIT/G-%	Tier 2	\$0; NDS
CORTISPORIN TOPICAL OINTMENT 1 %	Tier 2	\$0; NDS
<i>diclofenac sodium topical gel 1 %</i>	Tier 1	\$0; MO
<i>diclofenac sodium topical gel 3 %</i>	Tier 1	\$0; NDS
<i>doxycycline hyclate oral capsule 50 mg</i>	Tier 1	\$0; NDS
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>doxycycline monohydrate oral tablet 50 mg</i>	Tier 1	\$0; NDS
EFUDEX TOPICAL CREAM 5 %	Tier 2	\$0
ELIDEL TOPICAL CREAM 1 %	Tier 2	\$0; QL (30 per 30 days); NDS
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	Tier 1	\$0; NDS
FINACEA TOPICAL FOAM 15 %	Tier 2	\$0; NDS
FINACEA TOPICAL GEL 15 %	Tier 2	\$0; NDS
<i>fluocinonide topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>fluorouracil intravenous solution 2.5 gram/50 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>fluorouracil topical cream 0.5 %, 5 %</i>	Tier 1	\$0; NDS
<i>fluorouracil topical solution 2 %, 5 %</i>	Tier 1	\$0; NDS
<i>fluticasone topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>fluticasone topical ointment 0.005 %</i>	Tier 1	\$0; NDS
<i>imiquimod topical cream in packet 5 %</i>	Tier 1	\$0; NDS
KERYDIN TOPICAL SOLUTION WITH APPLICATOR 5 %	Tier 2	\$0; NDS
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	Tier 1	PA NSO; \$0; NDS
MYORISAN ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; NDS
NEUAC TOPICAL GEL 1.2 %(1 % BASE) -5 %	Tier 2	\$0; NDS
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	Tier 1	\$0; NDS
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	Tier 1	\$0; NDS
OXSORALEN ULTRA ORAL CAPSULE,LIQD-FILLED,RAPID REL 10 MG	Tier 2	PA NSO; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
PICATO TOPICAL GEL 0.015 %, 0.05 %	Tier 2	PA; \$0; NDS
<i>podofilox topical solution 0.5 %</i>	Tier 1	\$0; NDS
<i>prednicarbate topical cream 0.1 %</i>	Tier 1	\$0; NDS
REGRANEX TOPICAL GEL 0.01 %	Tier 2	\$0; NDS
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	Tier 2	\$0; NDS
<i>selenium sulfide topical lotion 2.5 %</i>	Tier 2	\$0; NDS
SOLARAZE TOPICAL GEL 3 %	Tier 2	\$0
<i>tacrolimus topical ointment 0.03 %</i>	Tier 1	\$0; QL (30 per 30 days); NDS
<i>tacrolimus topical ointment 0.1 %</i>	Tier 1	\$0; QL (30 per 31 days); NDS
<i>tazarotene topical cream 0.1 %</i>	Tier 1	\$0
TAZORAC TOPICAL CREAM 0.05 %, 0.1 %	Tier 2	\$0; NDS
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	Tier 2	\$0; NDS
TOLAK TOPICAL CREAM 4 %	Tier 2	\$0
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	Tier 1	\$0; NDS
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	Tier 1	\$0; NDS
UVADEX INJECTION SOLUTION 20 MCG/ML	Tier 2	NDS
VALCHLOR TOPICAL GEL 0.016 %	Tier 2	\$0; MO
VOLTAREN TOPICAL GEL 1 %	Tier 2	\$0; MO
ZENATANE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG	Tier 2	\$0; NDS
<b>Electrolytes/Minerals/Metals/Vitamins</b>		
<b>Electrolyte/ Mineral Replacement</b>		
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	Tier 2	PA NSO; \$0; MO
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	Tier 2	\$0; NDS
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	Tier 2	\$0; MO
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	Tier 2	\$0; MO
KLOR-CON M15 ORAL TABLET, ER PARTICLES/CRYSTALS 15 MEQ	Tier 2	\$0; MO
KLOR-CON M20 ORAL TABLET, ER PARTICLES/CRYSTALS 20 MEQ	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
KLOR-CON SPRINKLE ORAL CAPSULE, EXTENDED RELEASE 10 MEQ, 8 MEQ	Tier 2	\$0; MO
K-TAB ORAL TABLET EXTENDED RELEASE 10 MEQ, 20 MEQ, 8 MEQ	Tier 2	\$0; MO
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	Tier 2	\$0; NDS
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	Tier 2	\$0; NDS
OSMOPREP ORAL TABLET 1.5 GRAM	Tier 2	\$0; NDS
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	Tier 1	\$0; NDS
<i>potassium chloride intravenous piggyback 10 meq/100 ml, 20 meq/100 ml, 40 meq/100 ml</i>	Tier 1	\$0; NDS
<i>potassium chloride intravenous solution 2 meq/ml</i>	Tier 2	\$0; NDS
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	Tier 1	\$0; MO
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	Tier 1	\$0; MO
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i>	Tier 1	\$0; MO
<i>potassium chloride oral tablet,er particles/crystals 10 meq, 20 meq</i>	Tier 1	\$0; MO
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	Tier 1	\$0; NDS
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	Tier 2	PA BvD; \$0; NDS
<i>sodium chloride 0.9 % intravenous parenteral solution 0.9 %</i>	Tier 2	PA BvD; \$0; NDS
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	Tier 2	PA BvD; \$0; NDS
<i>sodium chloride 5 % intravenous parenteral solution 5 %</i>	Tier 2	PA BvD; \$0; NDS
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	Tier 2	PA BvD; \$0; NDS
<i>sodium chloride irrigation solution 0.9 %</i>	Tier 1	\$0; NDS
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	Tier 2	\$0

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Electrolyte/Mineral/Metal Modifiers</b>		
AMINO ACIDS 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	Tier 2	PA BvD; \$0; NDS
DEPEN TITRATABS ORAL TABLET 250 MG	Tier 2	\$0; MO
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	Tier 2	PA; LA; \$0; MO
FERRIPROX ORAL TABLET 500 MG	Tier 2	PA; \$0; NDS
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	Tier 2	PA BvD; \$0; NDS
KIONEX ORAL POWDER	Tier 2	\$0; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	Tier 1	\$0; NDS
SYPRINE ORAL CAPSULE 250 MG	Tier 2	\$0; NDS
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	Tier 2	\$0; MO
<b>Electrolytes/Minerals/Metals/Vitamins</b>		
AMINO ACIDS 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	Tier 2	PA BvD; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	Tier 2	PA BvD; \$0; NDS
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	PA BvD; \$0; NDS
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	PA BvD; \$0; NDS
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	Tier 2	PA BvD; \$0; NDS
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	Tier 1	PA BvD; \$0; NDS
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	Tier 1	PA BvD; \$0; NDS
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	Tier 1	PA BvD; \$0; NDS
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	Tier 1	PA BvD; \$0; NDS
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	Tier 2	PA BvD; \$0; NDS
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	Tier 2	PA BvD; \$0; NDS
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	Tier 2	PA BvD; \$0; NDS
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	Tier 2	PA BvD; \$0; NDS
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	Tier 1	PA BvD; \$0; NDS
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	Tier 1	PA BvD; \$0; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	Tier 1	\$0; NDS
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	Tier 2	PA BvD; \$0; NDS
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	Tier 1	PA BvD; \$0; MO
<i>levocarnitine oral tablet 330 mg</i>	Tier 1	PA BvD; \$0; MO
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	Tier 2	PA BvD; \$0; NDS
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	Tier 2	\$0; NDS
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	Tier 2	\$0; NDS
NUTRILIPID INTRAVENOUS EMULSION 20 %	Tier 2	PA BvD; \$0; NDS
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	Tier 1	\$0; NDS
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 40 meq/l</i>	Tier 1	\$0; NDS
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l</i>	Tier 1	\$0; NDS
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 20 meq/l</i>	Tier 1	\$0; NDS
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	Tier 1	\$0; NDS
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	Tier 1	\$0; NDS
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	Tier 2	PA BvD; \$0; NDS
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	Tier 2	PA BvD; \$0; NDS
PRENATAL VITAMIN PLUS LOW IRON ORAL TABLET 27 MG IRON- 1 MG	Tier 1	\$0; MO
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	Tier 2	PA BvD; \$0; NDS
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	Tier 2	PA BvD; \$0
<i>ringer's intravenous parenteral solution</i>	Tier 1	\$0; NDS
<i>ringer's irrigation solution</i>	Tier 1	\$0; NDS
<i>sodium lactate intravenous solution 5 meq/ml</i>	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TPN ELECTROLYTES INTRAVENOUS SOLUTION 35-20-5 MEQ/20 ML	Tier 2	\$0; NDS
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	Tier 2	PA BvD; \$0; NDS
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	Tier 2	PA BvD; \$0; NDS
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	Tier 2	PA BvD; \$0; NDS
<i>water for irrigation, sterile irrigation solution</i>	Tier 1	\$0; NDS
<b>Vitamins</b>		
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	Tier 1	\$0; MO
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg</i>	Tier 1	\$0; MO
<i>doxercalciferol oral capsule 2.5 mcg</i>	Tier 1	PA BvD; \$0; MO
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	Tier 2	\$0; MO
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	Tier 2	\$0; MO
KLOR-CON M15 ORAL TABLET,ER PARTICLES/CRYSTALS 15 MEQ	Tier 2	\$0; MO
KLOR-CON M20 ORAL TABLET,ER PARTICLES/CRYSTALS 20 MEQ	Tier 2	\$0; MO
KLOR-CON SPRINKLE ORAL CAPSULE, EXTENDED RELEASE 10 MEQ, 8 MEQ	Tier 2	\$0; MO
<b>Gastrointestinal Agents</b>		
<b>Antispasmodics, Gastrointestinal</b>		
<i>atropine injection syringe 0.05 mg/ml</i>	Tier 1	\$0; NDS
<i>dicyclomine oral capsule 10 mg</i>	Tier 1	\$0; MO; NDS
<i>dicyclomine oral solution 10 mg/5 ml</i>	Tier 1	\$0; NDS
<i>dicyclomine oral tablet 20 mg</i>	Tier 1	\$0; MO; NDS
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	Tier 1	\$0; NDS
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	Tier 1	\$0; MO; NDS
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	Tier 1	\$0; NDS
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1.5 MG (1 MG OVER 3 DAYS)	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Gastrointestinal Agents, Other</b>		
CHENODAL ORAL TABLET 250 MG	Tier 2	\$0; NDS
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	Tier 1	\$0; NDS
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	Tier 1	\$0; NDS
GATTEX ONE-VIAL SUBCUTANEOUS KIT 5 MG	Tier 2	PA NSO; MO
<i>loperamide oral capsule 2 mg</i>	Tier 2	\$0; MO
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	Tier 1	\$0; NDS
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; NDS
PROCTOZONE-HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 %	Tier 2	\$0; NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	Tier 2	\$0; NDS
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	Tier 2	\$0; NDS
UCERIS ORAL TABLET, DELAYED AND EXT.RELEASE 9 MG	Tier 2	\$0; NDS
<i>ursodiol oral capsule 300 mg</i>	Tier 1	\$0; MO
<i>ursodiol oral tablet 250 mg, 500 mg</i>	Tier 1	\$0; MO
<b>Gastrointestinal Agents</b>		
UCERIS ORAL TABLET, DELAYED AND EXT.RELEASE 9 MG	Tier 2	\$0; NDS
<b>Histamine2 (H2) Receptor Antagonists</b>		
<i>cimetidine 200 mg tablet blister pack (otc) 200 mg</i>	Tier 3	\$0; MO; *
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	Tier 1	\$0; MO
<i>cimetidine oral tablet 200 mg</i>	Tier 2	\$0; MO
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	Tier 1	\$0; MO
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	Tier 1	\$0; NDS
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	Tier 1	\$0; MO
<i>famotidine oral tablet 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>nizatidine oral capsule 150 mg, 300 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>ranitidine 150 mg tablet maximum strength (otc) 150 mg</i>	Tier 3	\$0; MO; *
<i>ranitidine hcl oral syrup 15 mg/ml</i>	Tier 1	\$0; MO
<i>ranitidine hcl oral tablet 150 mg</i>	Tier 2	\$0; MO
<i>ranitidine hcl oral tablet 300 mg</i>	Tier 1	\$0; MO
<b>Irritable Bowel Syndrome Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i>	Tier 1	\$0; NDS
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	Tier 2	\$0; MO
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	Tier 1	\$0; NDS
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	Tier 2	\$0; MO
GIAZO ORAL TABLET 1.1 GRAM	Tier 2	\$0; NDS
LINZESS ORAL CAPSULE 145 MCG, 290 MCG	Tier 2	\$0; MO
UCERIS ORAL TABLET, DELAYED AND EXT. RELEASE 9 MG	Tier 2	\$0; NDS
<b>Laxatives</b>		
CONSTULOSE ORAL SOLUTION 10 GRAM/15 ML	Tier 2	\$0; MO
ENULOSE ORAL SOLUTION 10 GRAM/15 ML	Tier 2	\$0; MO
GAVILYTE-C ORAL RECON SOLN 240-22.72-6.72 -5.84 GRAM	Tier 2	\$0; NDS
GAVILYTE-G ORAL RECON SOLN 236-22.74-6.74 -5.86 GRAM	Tier 2	\$0; NDS
GAVILYTE-N ORAL RECON SOLN 420 GRAM	Tier 2	\$0; NDS
GENERLAC ORAL SOLUTION 10 GRAM/15 ML	Tier 2	\$0; MO
<i>lactulose oral solution 10 gram/15 ml</i>	Tier 1	\$0; MO
<i>peg-electrolyte soln oral recon soln 420 gram</i>	Tier 1	\$0; NDS
<i>polyethylene glycol 3350 oral powder 17 gram/dose</i>	Tier 1	\$0; NDS
<i>polyethylene glycol 3350 powd 14 once-daily doses (otc) 17 gram/dose</i>	Tier 3	\$0; *
<i>polyethylene glycol 3350 powd 30 once-daily doses (otc) 17 gram/dose</i>	Tier 3	\$0; *

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>polyethylene glycol 3350 powd 7 once-daily doses (otc) 17 gram/dose</i>	Tier 3	\$0; *
<b>Protectants</b>		
CARAFATE ORAL SUSPENSION 100 MG/ML	Tier 2	\$0; MO
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	Tier 1	\$0; MO
<i>sucralfate oral tablet 1 gram</i>	Tier 1	\$0; MO
<b>Proton Pump Inhibitors</b>		
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i>	Tier 1	\$0; NDS
<i>hm lansoprazole dr 15 mg cap gluten-free, 1 bottle (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>hm lansoprazole dr 15 mg cap gluten-free, 2 bottle (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>hm lansoprazole dr 15 mg cap gluten-free, 3 bottle (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>lansoprazole dr 15 mg capsule 1x14 day course (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>lansoprazole dr 15 mg capsule 1x14 day course, na/f (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>lansoprazole dr 15 mg capsule 24hr, 3 bottles (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>lansoprazole dr 15 mg capsule 2x14 day course (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>lansoprazole dr 15 mg capsule 3x14 day course, na/f (otc) 15 mg</i>	Tier 3	\$0; MO; *
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg, 30 mg</i>	Tier 1	\$0; MO
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	Tier 1	\$0; MO
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment</b>		
<b>Genetic Or Enzyme Disorder: Replacement, Modifiers, Treatment</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	Tier 2	\$0; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	Tier 2	\$0; NDS
CERDELGA ORAL CAPSULE 84 MG	Tier 2	\$0; MO
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	Tier 2	PA BvD; \$0; MO
CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000- 9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	Tier 2	\$0; MO
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	Tier 2	PA NSO; \$0; MO
ELELYSO INTRAVENOUS RECON SOLN 200 UNIT	Tier 2	\$0; MO
FABRAZYME INTRAVENOUS RECON SOLN 35 MG	Tier 2	\$0
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	Tier 2	\$0; MO
KUVAN ORAL TABLET, SOLUBLE 100 MG	Tier 2	PA NSO; \$0; MO
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	Tier 2	\$0; MO
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 5 MG	Tier 2	\$0; MO
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	Tier 2	\$0; MO
RAVICTI ORAL LIQUID 1.1 GRAM/ML	Tier 2	PA NSO; \$0; MO
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	Tier 2	\$0; MO
SUCRAID ORAL SOLUTION 8,500 UNIT/ML	Tier 2	\$0; MO
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	Tier 2	PA NSO; \$0; MO
ZAVESCA ORAL CAPSULE 100 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-34,000 -55,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-68,000 -109,000 UNIT, 25,000-85,000-136,000 UNIT, 3,000-10,000- 16,000 UNIT, 40,000-136,000- 218,000 UNIT, 5,000-17,000 -27,000 UNIT	Tier 2	\$0; MO
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>flavoxate oral tablet 100 mg</i>	Tier 1	\$0; MO
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	Tier 2	ST; \$0; MO
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	Tier 1	\$0; MO
<i>oxybutynin chloride oral tablet 5 mg</i>	Tier 1	\$0; MO
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	Tier 1	\$0; MO
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>	Tier 1	\$0; MO
<i>tolterodine oral tablet 1 mg, 2 mg</i>	Tier 1	\$0; MO
<i>tropium oral capsule, extended release 24hr 60 mg</i>	Tier 1	\$0; MO
<i>tropium oral tablet 20 mg</i>	Tier 1	\$0; MO
<b>Benign Prostatic Hypertrophy Agents</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	Tier 1	\$0; MO
AVODART ORAL CAPSULE 0.5 MG	Tier 2	\$0; MO
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	Tier 1	\$0; MO
<i>dutasteride oral capsule 0.5 mg</i>	Tier 1	\$0; MO
<i>finasteride oral tablet 5 mg</i>	Tier 1	\$0; MO
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	Tier 1	\$0; MO
<i>tamsulosin oral capsule, extended release 24hr 0.4 mg</i>	Tier 1	\$0; MO
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	Tier 1	\$0; MO
<b>Genitourinary Agents, Other</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	Tier 1	\$0; NDS
CUPRIMINE ORAL CAPSULE 250 MG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
DEPEN TITRATABS ORAL TABLET 250 MG	Tier 2	\$0; MO
ELMIRON ORAL CAPSULE 100 MG	Tier 2	\$0; NDS
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	Tier 1	\$0; MO
<b>Phosphate Binders</b>		
<i>calcium acetate oral capsule 667 mg</i>	Tier 1	\$0; MO
FOSRENOL ORAL TABLET,CHEWABLE 1,000 MG, 500 MG, 750 MG	Tier 2	\$0; MO
RENAGEL ORAL TABLET 400 MG, 800 MG	Tier 2	\$0; MO
RENVELA ORAL POWDER IN PACKET 0.8 GRAM, 2.4 GRAM	Tier 2	\$0; MO
RENVELA ORAL TABLET 800 MG	Tier 2	\$0; MO
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	Tier 1	\$0; MO
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b>		
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Adrenal)</b>		
<i>alclometasone topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>alclometasone topical ointment 0.05 %</i>	Tier 1	\$0; NDS
<i>amcinonide topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>amcinonide topical lotion 0.1 %</i>	Tier 1	\$0; NDS
<i>amcinonide topical ointment 0.1 %</i>	Tier 1	\$0; NDS
<i>betamethasone dipropionate topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone dipropionate topical ointment 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical foam 0.12 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical lotion 0.1 %</i>	Tier 1	\$0; NDS
<i>betamethasone valerate topical ointment 0.1 %</i>	Tier 1	\$0; NDS
<i>betamethasone, augmented topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>betamethasone, augmented topical gel 0.05 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>betamethasone, augmented topical lotion 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol scalp solution 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol topical foam 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol topical gel 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol topical lotion 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol topical ointment 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol topical shampoo 0.05 %</i>	Tier 1	\$0; NDS
<i>clobetasol-emollient topical cream 0.05 %</i>	Tier 1	\$0; NDS
CLODAN TOPICAL SHAMPOO 0.05 %	Tier 2	\$0; NDS
CORDRAN TAPE LARGE ROLL TOPICAL TAPE 4 MCG/CM2	Tier 2	\$0; NDS
<i>cortisone oral tablet 25 mg</i>	Tier 1	PA BvD; \$0; NDS
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	Tier 2	\$0; NDS
<i>desonide topical lotion 0.05 %</i>	Tier 1	\$0; NDS
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	Tier 1	\$0; NDS
<i>desoximetasone topical gel 0.05 %</i>	Tier 1	\$0; NDS
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	Tier 1	\$0; NDS
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	Tier 2	\$0; NDS
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	Tier 1	\$0; NDS
<i>diflorasone topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>diflorasone topical ointment 0.05 %</i>	Tier 1	\$0; NDS
<i>fludrocortisone oral tablet 0.1 mg</i>	Tier 1	\$0; MO
<i>fluocinolone acetonide oil otic drops 0.01 %</i>	Tier 1	\$0; NDS
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	Tier 1	\$0; NDS
<i>fluocinolone topical oil 0.01 %</i>	Tier 1	\$0; NDS
<i>fluocinolone topical ointment 0.025 %</i>	Tier 1	\$0; NDS
<i>fluocinolone topical solution 0.01 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>fluocinonide topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>fluocinonide topical gel 0.05 %</i>	Tier 1	\$0; NDS
<i>fluocinonide topical ointment 0.05 %</i>	Tier 1	\$0; NDS
<i>fluocinonide topical solution 0.05 %</i>	Tier 1	\$0; NDS
<i>fluocinonide-e topical cream 0.05 %</i>	Tier 1	\$0
<i>fluticasone topical cream 0.05 %</i>	Tier 1	\$0; NDS
<i>fluticasone topical ointment 0.005 %</i>	Tier 1	\$0; NDS
<i>halobetasol propionate topical cream 0.05 %</i>	Tier 1	\$0; NDS
HALOG TOPICAL CREAM 0.1 %	Tier 2	\$0; NDS
HALOG TOPICAL OINTMENT 0.1 %	Tier 2	\$0; NDS
<i>hm hydrocortisone 1% cream max str, w/aloe (otc) 1 %</i>	Tier 3	\$0; *
<i>hm hydrocortisone 1% cream plus 12 moisturizers (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% cream (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% cream carton (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% cream maximum strength (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% cream u-d, 48's, foil 1 %</i>	Tier 3	*
<i>hydrocortisone 1% cream w/aloe (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% ointment (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% ointment carton (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone 1% ointment maximum strength (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	PA BvD; \$0; MO
<i>hydrocortisone plus 1% cream moisturizer,max. str (otc) 1 %</i>	Tier 3	\$0; *
<i>hydrocortisone topical cream 1 %</i>	Tier 2	\$0; NDS
<i>hydrocortisone topical cream 2.5 %</i>	Tier 1	\$0; NDS
<i>hydrocortisone topical lotion 2.5 %</i>	Tier 1	\$0; NDS
<i>hydrocortisone topical ointment 1 %</i>	Tier 2	\$0; NDS
<i>hydrocortisone topical ointment 2.5 %</i>	Tier 1	\$0; NDS
<i>lokara topical lotion 0.05 %</i>	Tier 2	\$0; NDS
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	Tier 1	\$0; NDS
<i>methylprednisolone sodium succ injection recon soln 125 mg</i>	Tier 1	\$0
<i>methylprednisolone sodium succ injection recon soln 40 mg</i>	Tier 1	\$0; NDS
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	Tier 1	\$0; NDS
<i>mometasone topical cream 0.1 %</i>	Tier 1	\$0; NDS
<i>mometasone topical ointment 0.1 %</i>	Tier 1	\$0; NDS
<i>mometasone topical solution 0.1 %</i>	Tier 1	\$0; NDS
<i>prednicarbate topical ointment 0.1 %</i>	Tier 1	\$0; NDS
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	Tier 1	PA BvD; \$0; NDS
PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML	Tier 2	PA BvD; \$0; NDS
<i>prednisone oral solution 5 mg/5 ml</i>	Tier 2	PA BvD; \$0; NDS
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	Tier 1	PA BvD; \$0; NDS
PROCTO-PAK TOPICAL CREAM WITH PERINEAL APPLICATOR 1 %	Tier 2	\$0; NDS
PROCTOZONE-HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 %	Tier 2	\$0; NDS
<i>sb hydrocortisone 1% ointment maximum strength (otc) 1 %</i>	Tier 3	\$0; *
<i>sm hydrocortisone 1% ointment maximum strength (otc) 1 %</i>	Tier 3	\$0; *
<i>triamcinolone acetonide topical aerosol 0.147 mg/gram</i>	Tier 1	\$0; NDS
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i>	Tier 1	\$0; NDS
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	Tier 1	\$0; NDS
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TRIDERM TOPICAL CREAM 0.1 %	Tier 2	\$0; NDS
VERIPRED 20 ORAL SOLUTION 20 MG/5 ML (4 MG/ML)	Tier 2	\$0; NDS
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</b>		
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Pituitary)</b>		
<i>desmopressin injection solution 4 mcg/ml</i>	Tier 1	PA; \$0; NDS
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	Tier 1	\$0; MO
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	Tier 1	\$0; MO
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	Tier 2	\$0; MO
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	Tier 2	PA NSO; \$0; NDS
MYALEPT SUBCUTANEOUS RECON SOLN 5 MG/ML (FINAL CONC.)	Tier 2	\$0; MO
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	Tier 2	PA; \$0; MO
NOVAREL INTRAMUSCULAR RECON SOLN 10,000 UNIT	Tier 2	PA; \$0; NDS
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 5 MG/2 ML (2.5 MG/ML)	Tier 2	PA; \$0; MO
PREGNYL INTRAMUSCULAR RECON SOLN 10,000 UNIT	Tier 2	PA; \$0; NDS
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b>		
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Prostaglandins)</b>		
<i>misoprostol oral tablet 200 mcg</i>	Tier 1	\$0; MO
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b>		
<b>Anabolic Steroids</b>		
ANADROL-50 ORAL TABLET 50 MG	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i>	Tier 1	\$0; MO
<b>Androgens</b>		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	Tier 1	\$0; NDS
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>	Tier 1	\$0; MO
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	Tier 1	\$0; NDS
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	Tier 1	\$0; MO
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>	Tier 1	\$0; MO
<b>Estrogens</b>		
ALORA TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	Tier 2	\$0; MO
DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML	Tier 2	\$0; NDS
DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML	Tier 2	\$0; NDS
DUAVEE ORAL TABLET 0.45-20 MG	Tier 2	\$0; MO
ESTRACE VAGINAL CREAM 0.01 % (0.1 MG/GRAM)	Tier 2	\$0; MO
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	PA NSO; \$0; MO
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	Tier 1	PA NSO; \$0; MO
<i>estradiol valerate intramuscular oil 20 mg/ml</i>	Tier 1	\$0; NDS
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	Tier 2	\$0; MO
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	Tier 1	\$0; MO
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	Tier 2	\$0; MO
MARLISSA ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	Tier 2	\$0; MO
MENOSTAR TRANSDERMAL PATCH WEEKLY 14 MCG/24 HR	Tier 2	PA NSO; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
MINIVELLE TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	Tier 2	\$0; MO
PREMARIN INJECTION RECON SOLN 25 MG	Tier 2	PA NSO; \$0; NDS
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	Tier 2	PA NSO; \$0; MO
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	Tier 2	\$0; MO
VAGIFEM VAGINAL TABLET 10 MCG	Tier 2	\$0; MO
VIVELLE-DOT TRANSDERMAL PATCH SEMIWEEKLY 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR	Tier 2	\$0; MO
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Sex Hormones/ Modifiers)</b>		
AMETHIA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	Tier 2	\$0; MO
AMETHYST ORAL TABLET 90-20 MCG	Tier 1	MO
ANGELIQ ORAL TABLET 0.25-0.5 MG, 0.5-1 MG	Tier 2	\$0; MO
APRI ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
ARANELLE (28) ORAL TABLET 0.5/1/0.5-35 MG-MCG	Tier 2	\$0; MO
ASHLYNA ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG (84)/10 MCG (7)	Tier 2	\$0; MO
AUBRA ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
AVIANE ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
BALZIVA (28) ORAL TABLET 0.4-35 MG-MCG	Tier 2	\$0; MO
BEKYREE (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	Tier 2	\$0; MO
BLISOVI 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	Tier 2	\$0; MO
BLISOVI FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	Tier 2	\$0; MO
BRIELLYN ORAL TABLET 0.4-35 MG-MCG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	Tier 1	\$0; NDS
CRYSSELLE (28) ORAL TABLET 0.3-30 MG-MCG	Tier 2	\$0; MO
CYCLAFEM 1/35 (28) ORAL TABLET 1-35 MG-MCG	Tier 2	\$0; MO
CYCLAFEM 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG	Tier 2	\$0; MO
DEBLITANE ORAL TABLET 0.35 MG	Tier 2	\$0; MO
DELYLA (28) ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	Tier 1	\$0; MO
EMOQUETTE ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
ENPRESSE ORAL TABLET 50-30 (6)/75-40 (5)/125-30(10)	Tier 2	\$0; MO
<i>estradiol valerate intramuscular oil 40 mg/ml</i>	Tier 1	\$0; NDS
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	Tier 1	\$0; MO
FALMINA (28) ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
GIANVI (28) ORAL TABLET 3-0.02 MG	Tier 2	\$0; MO
GILDAGIA ORAL TABLET 0.4-35 MG-MCG	Tier 2	\$0; MO
INTROVALE ORAL TABLETS, DOSE PACK, 3 MONTH 0.15 MG-30 MCG	Tier 2	\$0; MO
JINTELI ORAL TABLET 1-5 MG-MCG	Tier 2	\$0; MO
JULEBER ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
JUNEL 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	Tier 2	\$0; MO
JUNEL 1/20 (21) ORAL TABLET 1-20 MG-MCG	Tier 2	\$0; MO
JUNEL FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	Tier 2	\$0; MO
JUNEL FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	Tier 2	\$0; MO
JUNEL FE 24 ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
KARIVA (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	Tier 2	\$0; MO
KELNOR 1/35 (28) ORAL TABLET 1-35 MG-MCG	Tier 2	\$0; MO
KIMIDESS (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	Tier 2	\$0; MO
LARIN 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	Tier 2	\$0; MO
LARIN 1/20 (21) ORAL TABLET 1-20 MG-MCG	Tier 2	\$0; MO
LARIN FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	Tier 2	\$0; MO
LARIN FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	Tier 2	\$0; MO
LAYOLIS FE ORAL TABLET,CHEWABLE 0.8MG-25MCG(24) AND 75 MG (4)	Tier 2	\$0; MO
LEENA 28 ORAL TABLET 0.5/1/0.5-35 MG-MCG	Tier 2	\$0; MO
LESSINA ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
LEVONEST (28) ORAL TABLET 50-30 (6)/75-40 (5)/125-30(10)	Tier 2	\$0; MO
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg</i>	Tier 1	\$0; MO
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	Tier 1	\$0; MO
LEVORA-28 ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
LOMEDIA 24 FE ORAL TABLET 1 MG-20 MCG (24)/75 MG (4)	Tier 2	\$0; MO
LORYNA (28) ORAL TABLET 3-0.02 MG	Tier 2	\$0; MO
LUTERA (28) ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
MARLISSA ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
MICROGESTIN 1.5/30 (21) ORAL TABLET 1.5-30 MG-MCG	Tier 2	\$0; MO
MICROGESTIN 1/20 (21) ORAL TABLET 1-20 MG-MCG	Tier 2	\$0; MO
MICROGESTIN FE 1.5/30 (28) ORAL TABLET 1.5 MG-30 MCG (21)/75 MG (7)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
MIMVEY LO ORAL TABLET 0.5-0.1 MG	Tier 2	\$0; MO
MIMVEY ORAL TABLET 1-0.5 MG	Tier 2	\$0; MO
MINASTRIN 24 FE ORAL TABLET,CHEWABLE 1 MG-20 MCG(24) /75 MG (4)	Tier 2	\$0; MO
MONONESSA (28) ORAL TABLET 0.25-35 MG-MCG	Tier 2	\$0; MO
NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG	Tier 2	\$0; MO
NECON 10/11 (28) ORAL TABLET 0.5-35/1-35 MG-MCG/MG-MCG	Tier 2	\$0; MO
NECON 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG	Tier 2	\$0; MO
NIKKI (28) ORAL TABLET 3-0.02 MG	Tier 2	\$0; MO
NORA-BE ORAL TABLET 0.35 MG	Tier 2	\$0; MO
<i>noreth-ethinyl estradiol-iron oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	Tier 1	\$0; MO
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	Tier 1	\$0; MO
<i>norethindrone-e.estradiol-iron oral tablet,chewable 1 mg-20 mcg(24) /75 mg (4)</i>	Tier 1	\$0; MO
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	Tier 1	\$0; MO
NORLYROC ORAL TABLET 0.35 MG	Tier 2	\$0; MO
NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG	Tier 2	\$0; MO
NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG	Tier 2	\$0; MO
NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG	Tier 2	\$0; MO
NORTREL 7/7/7 (28) ORAL TABLET 0.5/0.75/1 MG- 35 MCG	Tier 2	\$0; MO
OGESTREL (28) ORAL TABLET 0.5-50 MG-MCG	Tier 2	\$0; MO
ORSYTHIA ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
PIMTREA (28) ORAL TABLET 0.15-0.02 MGX21 /0.01 MG X 5	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
PIRMELLA ORAL TABLET 1-35 MG-MCG	Tier 2	\$0; MO
PORTIA ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	Tier 2	\$0; MO
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	Tier 2	\$0; MO
PREVIFEM ORAL TABLET 0.25-35 MG-MCG	Tier 2	\$0; MO
QUARTETTE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-20 MCG/ 0.15 MG-25 MCG	Tier 2	\$0; MO
QUASENSE ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG	Tier 2	\$0; MO
RECLIPSEN (28) ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
SETLAKIN ORAL TABLETS,DOSE PACK,3 MONTH 0.15 MG-30 MCG	Tier 2	\$0; MO
SHAROBEL ORAL TABLET 0.35 MG	Tier 2	\$0; MO
SPRINTEC (28) ORAL TABLET 0.25-35 MG-MCG	Tier 2	\$0; MO
SRONYX ORAL TABLET 0.1-20 MG-MCG	Tier 2	\$0; MO
TARINA FE 1/20 (28) ORAL TABLET 1 MG-20 MCG (21)/75 MG (7)	Tier 2	\$0; MO
TRI-LEGEST FE ORAL TABLET 1-20(5)/1-30(7) /1MG-35MCG (9)	Tier 2	\$0; MO
TRINESSA (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	Tier 2	\$0; MO
TRI-PREVIFEM (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	Tier 2	\$0; MO
TRI-SPRINTEC (28) ORAL TABLET 0.18/0.215/0.25 MG-35 MCG (28)	Tier 2	\$0; MO
TRIVORA (28) ORAL TABLET 50-30 (6)/75-40 (5)/125-30(10)	Tier 2	\$0; MO
VELIVET TRIPHASIC REGIMEN (28) ORAL TABLET 0.1/.125/.15-25 MG-MCG	Tier 2	\$0; MO
VESTURA (28) ORAL TABLET 3-0.02 MG	Tier 2	\$0; MO
VYFEMLA (28) ORAL TABLET 0.4-35 MG-MCG	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
WYMZYA FE ORAL TABLET,CHEWABLE 0.4MG-35MCG(21) AND 75 MG (7)	Tier 2	\$0; MO
XULANE TRANSDERMAL PATCH WEEKLY 150-35 MCG/24 HR	Tier 2	\$0; MO
ZENCHENT (28) ORAL TABLET 0.4-35 MG-MCG	Tier 2	\$0; MO
ZOVIA 1/35E (28) ORAL TABLET 1-35 MG-MCG	Tier 2	\$0; MO
ZOVIA 1/50E (28) ORAL TABLET 1-50 MG-MCG	Tier 2	\$0; MO
<b>Progestins</b>		
CAMILA ORAL TABLET 0.35 MG	Tier 2	\$0; MO
DEPO-PROVERA INTRAMUSCULAR SOLUTION 400 MG/ML	Tier 2	\$0; MO
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 150 MG/ML	Tier 2	\$0; MO
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	Tier 2	\$0; MO
ERRIN ORAL TABLET 0.35 MG	Tier 2	\$0; MO
JOLIVETTE ORAL TABLET 0.35 MG	Tier 2	\$0; MO
LYZA ORAL TABLET 0.35 MG	Tier 2	\$0; MO
MARLISSA ORAL TABLET 0.15-0.03 MG	Tier 2	\$0; MO
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
MEGACE ES ORAL SUSPENSION 625 MG/5 ML	Tier 2	\$0; MO
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml</i>	Tier 1	PA NSO; \$0; MO
<i>megestrol oral tablet 20 mg, 40 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	Tier 1	\$0; MO
<i>norethindrone acetate oral tablet 5 mg</i>	Tier 1	\$0; MO
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	Tier 1	\$0; MO
<b>Selective Estrogen Receptor Modifying Agents</b>		
<i>raloxifene oral tablet 60 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b>		
<b>Hormonal Agents, Stimulant/ Replacement/ Modifying (Thyroid)</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	Tier 1	\$0; MO
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	Tier 2	\$0; MO
<i>liothyronine intravenous solution 10 mcg/ml</i>	Tier 1	\$0; NDS
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	Tier 1	\$0; MO
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	Tier 2	\$0; MO
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG	Tier 2	\$0; MO
<b>Hormonal Agents, Suppressant (Adrenal)</b>		
<b>Hormonal Agents, Suppressant (Adrenal)</b>		
LYSODREN ORAL TABLET 500 MG	Tier 2	\$0; NDS
<b>Hormonal Agents, Suppressant (Pituitary)</b>		
<b>Hormonal Agents, Suppressant (Pituitary)</b>		
<i>bromocriptine oral capsule 5 mg</i>	Tier 1	\$0; MO
<i>bromocriptine oral tablet 2.5 mg</i>	Tier 1	\$0; MO
<i>cabergoline oral tablet 0.5 mg</i>	Tier 1	\$0; MO
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	Tier 2	PA NSO; \$0; NDS
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	Tier 2	PA NSO; \$0; NDS
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	Tier 2	PA NSO; \$0; NDS
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	Tier 2	PA NSO; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	Tier 2	PA NSO; \$0; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	Tier 2	PA NSO; \$0; MO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	Tier 1	PA; \$0; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	Tier 2	PA NSO; \$0; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	Tier 2	PA NSO; \$0; MO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	Tier 2	PA NSO; \$0; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	Tier 2	PA NSO; \$0; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	Tier 2	PA NSO; \$0; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG	Tier 2	PA BvD; \$0; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 15 MG	Tier 2	PA NSO; \$0; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	Tier 1	PA; \$0; MO
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 20 MG, 40 MG, 60 MG	Tier 2	PA NSO; \$0; MO
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	Tier 2	PA NSO; \$0; MO
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 90 MG/0.3 ML	Tier 2	PA NSO; \$0; MO
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	Tier 2	PA NSO; \$0; MO; QL (0.2 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	Tier 2	PA NSO; \$0; MO
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	Tier 2	\$0; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	Tier 2	PA NSO; MO; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML, 3.75 MG/2 ML	Tier 2	PA NSO; \$0; MO; NDS
<b>Hormonal Agents, Suppressant (Thyroid)</b>		
<b>Antithyroid Agents</b>		
<i>methimazole oral tablet 10 mg, 5 mg</i>	Tier 1	\$0; MO
<i>propylthiouracil oral tablet 50 mg</i>	Tier 1	\$0; MO
<b>Immunological Agents</b>		
<b>Angioedema Agents</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	Tier 2	PA; \$0; MO
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	Tier 2	PA; \$0; NDS
<b>Immune Suppressants</b>		
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	Tier 2	PA NSO; \$0; MO
AFINITOR ORAL TABLET 2.5 MG	Tier 2	PA NSO; \$0; MO
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	Tier 2	PA BvD; \$0; MO
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	Tier 2	PA BvD; \$0; NDS
AZASAN ORAL TABLET 100 MG, 75 MG	Tier 2	PA BvD; \$0; MO
<i>azathioprine oral tablet 50 mg</i>	Tier 1	PA BvD; \$0; MO
<i>azathioprine sodium injection recon soln 100 mg</i>	Tier 1	PA BvD; \$0
BENLYSTA INTRAVENOUS RECON SOLN 120 MG	Tier 2	PA; \$0; MO
CELLCEPT INTRAVENOUS INTRAVENOUS RECON SOLN 500 MG	Tier 2	PA BvD; \$0; NDS
CELLCEPT ORAL CAPSULE 250 MG	Tier 2	PA BvD; \$0; MO
CELLCEPT ORAL SUSPENSION FOR RECONSTITUTION 200 MG/ML	Tier 2	PA BvD; \$0; MO
CELLCEPT ORAL TABLET 500 MG	Tier 2	PA BvD; \$0; MO
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	Tier 2	\$0; MO
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>cyclosporine intravenous solution 250 mg/5 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	PA BvD; \$0; MO
<i>cyclosporine modified oral solution 100 mg/ml</i>	Tier 1	PA BvD; \$0; MO
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	Tier 1	PA BvD; \$0; MO
DEPEN TITRATABS ORAL TABLET 250 MG	Tier 2	\$0; MO
ELIDEL TOPICAL CREAM 1 %	Tier 2	\$0; QL (30 per 30 days); NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	Tier 2	PA; \$0; MO
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	Tier 2	PA; \$0; MO
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	Tier 2	PA; \$0; MO
ENVARBUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	Tier 2	PA BvD; \$0; MO
GENGRAF ORAL CAPSULE 100 MG, 25 MG, 50 MG	Tier 2	PA BvD; \$0; MO
GENGRAF ORAL SOLUTION 100 MG/ML	Tier 2	PA BvD; \$0; MO
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	Tier 2	PA; \$0; MO
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	Tier 2	\$0
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	Tier 2	PA; \$0; MO
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	Tier 2	PA; \$0; MO
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	Tier 2	PA; \$0; MO
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	Tier 2	PA; \$0; MO
IMURAN ORAL TABLET 50 MG	Tier 2	PA BvD; \$0; MO
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	Tier 2	PA; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>mercaptopurine oral tablet 50 mg</i>	Tier 1	\$0; NDS
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	Tier 1	\$0
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	Tier 1	PA BvD; \$0; NDS
<i>methotrexate sodium injection solution 25 mg/ml</i>	Tier 1	\$0
<i>methotrexate sodium oral tablet 2.5 mg</i>	Tier 1	PA BvD; \$0; MO
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i>	Tier 1	PA BvD; \$0
<i>mycophenolate mofetil oral capsule 250 mg</i>	Tier 1	PA BvD; \$0; MO
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	Tier 1	PA BvD; \$0; MO
<i>mycophenolate mofetil oral tablet 500 mg</i>	Tier 1	PA BvD; \$0; MO
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i>	Tier 1	PA BvD; \$0; MO
MYFORTIC ORAL TABLET, DELAYED RELEASE (DR/EC) 180 MG, 360 MG	Tier 2	PA BvD; \$0; MO
NEORAL ORAL CAPSULE 100 MG, 25 MG	Tier 2	PA BvD; \$0; MO
NEORAL ORAL SOLUTION 100 MG/ML	Tier 2	PA BvD; \$0; MO
NULOJIX INTRAVENOUS RECON SOLN 250 MG	Tier 2	PA; \$0; MO
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	Tier 2	PA; \$0; MO
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	Tier 2	PA; \$0; MO
OTEZLA ORAL TABLET 30 MG	Tier 2	\$0; MO
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	Tier 2	\$0; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	Tier 2	PA BvD; \$0; NDS
PROGRAF ORAL CAPSULE 0.5 MG, 1 MG, 5 MG	Tier 2	PA BvD; \$0; MO
RAPAMUNE ORAL SOLUTION 1 MG/ML	Tier 2	PA BvD; \$0; MO
RAPAMUNE ORAL TABLET 0.5 MG, 1 MG, 2 MG	Tier 2	PA BvD; \$0; MO
REMICADE INTRAVENOUS RECON SOLN 100 MG	Tier 2	PA; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
SANDIMMUNE INTRAVENOUS SOLUTION 250 MG/5 ML	Tier 2	PA BvD; \$0; NDS
SANDIMMUNE ORAL CAPSULE 100 MG, 25 MG	Tier 2	PA BvD; \$0; MO
SANDIMMUNE ORAL SOLUTION 100 MG/ML	Tier 2	PA BvD; \$0; MO
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	Tier 2	PA; \$0; MO
SIMULECT INTRAVENOUS RECON SOLN 20 MG	Tier 2	PA BvD; \$0
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>	Tier 1	PA BvD; \$0; MO
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	Tier 1	PA BvD; \$0; MO
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	Tier 2	PA NSO; \$0; NDS
TREXALL ORAL TABLET 10 MG, 5 MG, 7.5 MG	Tier 2	PA BvD; \$0; MO
TREXALL ORAL TABLET 15 MG	Tier 2	\$0; MO
XELJANZ ORAL TABLET 5 MG	Tier 2	\$0; MO
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	Tier 2	\$0; MO
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG	Tier 2	PA NSO; \$0; MO
<b>Immunizing Agents, Passive</b>		
BIVIGAM INTRAVENOUS SOLUTION 10 %	Tier 2	PA BvD; \$0; MO
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 6 GRAM	Tier 2	PA; \$0; MO
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %	Tier 2	PA BvD; \$0; MO
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	Tier 2	PA BvD; \$0; MO
GAMMAKED INJECTION SOLUTION 1 GRAM/10 ML (10 %)	Tier 2	PA BvD; \$0; MO
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	Tier 2	PA BvD; \$0; MO
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	Tier 2	PA BvD; \$0; MO
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	Tier 2	PA BvD; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
PRIVIGEN INTRAVENOUS SOLUTION 10 %	Tier 2	PA BvD; \$0; MO
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML	Tier 2	PA; \$0; NDS
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	Tier 2	\$0; NDS
<b>Immunological Agents</b>		
<i>leflunomide oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
SYNAGIS INTRAMUSCULAR SOLUTION 50 MG/0.5 ML	Tier 2	PA; \$0; NDS
<b>Immunomodulators</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	Tier 2	\$0
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	Tier 2	\$0; MO
ILARIS (PF) SUBCUTANEOUS RECON SOLN 180 MG/1.2 ML (150 MG/ML)	Tier 2	\$0; MO
KEYTRUDA INTRAVENOUS RECON SOLN 50 MG	Tier 2	\$0; MO
KEYTRUDA INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML)	Tier 2	\$0; MO
<i>leflunomide oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
RIDAURA ORAL CAPSULE 3 MG	Tier 2	\$0; MO
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	Tier 2	PA; \$0; MO
SYLVANT INTRAVENOUS RECON SOLN 100 MG	Tier 2	\$0; MO
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	Tier 2	PA; \$0; MO
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	Tier 2	\$0; NDS
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	Tier 2	\$0; NDS
<i>bcg vaccine, live (pf) percutaneous suspension for reconstitution 50 mg</i>	Tier 1	\$0

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	Tier 2	\$0; NDS
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	Tier 2	\$0; NDS
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	Tier 2	\$0; NDS
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	Tier 2	\$0; NDS
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	Tier 2	PA BvD; \$0; NDS
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION 10 MCG/0.5 ML	Tier 2	PA BvD; \$0; NDS
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	Tier 2	PA BvD; \$0
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	Tier 2	\$0; NDS
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	Tier 2	\$0; NDS
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	Tier 2	\$0; NDS
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	Tier 2	\$0; NDS
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	Tier 2	PA BvD; \$0; NDS
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	Tier 2	\$0; NDS
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	Tier 2	\$0; NDS
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	Tier 2	\$0; NDS
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	Tier 2	\$0
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	Tier 2	\$0
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
MENHIBRIX (PF) INTRAMUSCULAR RECON SOLN 5-2.5 MCG/0.5 ML	Tier 2	
MENOMUNE - A/C/Y/W-135 (PF) SUBCUTANEOUS RECON SOLN 50 MCG	Tier 2	\$0; NDS
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	Tier 2	\$0; NDS
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	Tier 2	\$0; NDS
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	Tier 2	\$0
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	Tier 2	\$0; NDS
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	Tier 2	\$0; NDS
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	Tier 2	\$0
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	Tier 2	\$0; NDS
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML	Tier 2	PA BvD; \$0; NDS
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	Tier 2	PA BvD; \$0; NDS
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	Tier 2	\$0; NDS
ROTATEQ VACCINE ORAL SOLUTION 2 ML	Tier 2	\$0
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	Tier 2	\$0; NDS
<i>tetanus, diphtheria tox ped(pf) intramuscular suspension 5-25 lf unit/0.5 ml</i>	Tier 1	\$0; NDS
<i>tetanus-diphtheria toxoids-td intramuscular suspension 2-2 lf unit/0.5 ml</i>	Tier 1	\$0
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	Tier 2	\$0

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
TWINRIX (PF) INTRAMUSCULAR SUSPENSION 720 ELISA UNIT -20 MCG/ML	Tier 2	\$0; NDS
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	Tier 2	\$0; NDS
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	Tier 2	\$0; NDS
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	Tier 2	\$0; NDS
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	Tier 2	\$0; NDS
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	Tier 2	\$0; NDS
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	Tier 2	\$0; QL (1 per 999 days); NDS

### Inflammatory Bowel Disease Agents

#### Aminosalicylates

APRISO ORAL CAPSULE, EXTENDED RELEASE 24HR 0.375 GRAM	Tier 2	\$0; MO
ASACOL HD ORAL TABLET, DELAYED RELEASE (DR/EC) 800 MG	Tier 2	\$0; MO
<i>balsalazide oral capsule 750 mg</i>	Tier 1	\$0; NDS
CANASA RECTAL SUPPOSITORY 1,000 MG	Tier 2	\$0; MO
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	Tier 2	\$0; MO
DIPENTUM ORAL CAPSULE 250 MG	Tier 2	\$0; MO
LIALDA ORAL TABLET, DELAYED RELEASE (DR/EC) 1.2 GRAM	Tier 2	\$0; MO
<i>mesalamine with cleansing wipe rectal enema kit 4 gram/60 ml</i>	Tier 1	\$0
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	Tier 2	\$0; MO

#### Glucocorticoids

<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	Tier 1	\$0; NDS
---	--------	----------

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
COLOCORT RECTAL ENEMA 100 MG/60 ML	Tier 2	\$0; NDS
<i>cortisone oral tablet 25 mg</i>	Tier 1	PA BvD; \$0; NDS
DEPO-MEDROL INJECTION SUSPENSION 20 MG/ML	Tier 2	\$0; NDS
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	Tier 2	\$0; NDS
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	Tier 1	PA BvD; \$0; NDS
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	Tier 1	PA BvD; \$0; MO
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	Tier 1	\$0; NDS
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	Tier 1	\$0; NDS
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	Tier 1	PA BvD; \$0; NDS
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	Tier 1	\$0; NDS
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	Tier 1	\$0; NDS
<i>prednisolone acetate ophthalmic drops, suspension 1 %</i>	Tier 1	\$0; NDS
<i>prednisolone sodium phosphate oral solution 15 mg/5 ml (3 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	Tier 1	PA BvD; \$0; NDS
PREDNISON INTENSOL ORAL CONCENTRATE 5 MG/ML	Tier 2	PA BvD; \$0; NDS
<i>prednisone oral solution 5 mg/5 ml</i>	Tier 2	PA BvD; \$0; NDS
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	Tier 1	PA BvD; \$0; NDS
PROCTOSOL HC TOPICAL CREAM WITH PERINEAL APPLICATOR 2.5 %	Tier 2	\$0; NDS
VERIPRED 20 ORAL SOLUTION 20 MG/5 ML (4 MG/ML)	Tier 2	\$0; NDS
<b>Sulfonamides</b>		
<i>sulfasalazine oral tablet 500 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	Tier 1	\$0; MO
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
ACTONEL ORAL TABLET 30 MG	Tier 2	ST; \$0; NDS
<i>alendronate oral tablet 10 mg, 40 mg, 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg, 70 mg</i>	Tier 1	\$0; MO; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	Tier 1	PA BvD; \$0; MO
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	Tier 1	PA BvD; \$0; MO
<i>calcitriol oral solution 1 mcg/ml</i>	Tier 1	PA BvD; \$0; MO
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	Tier 1	\$0; MO
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg</i>	Tier 1	\$0; MO
<i>doxercalciferol oral capsule 2.5 mcg</i>	Tier 1	PA BvD; \$0; MO
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	Tier 1	\$0; MO
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	Tier 2	PA; \$0; MO; QL (2.4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG-2,800 UNIT, 70 MG- 5,600 UNIT	Tier 2	\$0; MO; QL (4 per 28 days)
HECTOROL ORAL CAPSULE 1 MCG, 2.5 MCG	Tier 2	PA BvD; \$0; MO
<i>ibandronate intravenous solution 3 mg/3 ml</i>	Tier 1	\$0; MO
<i>ibandronate oral tablet 150 mg</i>	Tier 1	\$0; MO
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	Tier 2	\$0; NDS
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	Tier 2	\$0; MO
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	Tier 2	\$0; NDS
<i>pamidronate intravenous solution 60 mg/10 ml (6 mg/ml)</i>	Tier 1	\$0; NDS
<i>paricalcitol oral capsule 1 mcg</i>	Tier 1	PA BvD; \$0; MO
<i>paricalcitol oral capsule 2 mcg, 4 mcg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	Tier 2	PA; \$0; MO
<i>risedronate oral tablet 150 mg</i>	Tier 1	\$0; MO; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	Tier 1	\$0; QL (30 per 30 days); NDS
<i>risedronate oral tablet 35 mg</i>	Tier 1	\$0; MO; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i>	Tier 1	\$0; MO; QL (30 per 30 days)
SENSIPAR ORAL TABLET 30 MG	Tier 2	PA BvD; \$0; MO; QL (360 per 30 days)
SENSIPAR ORAL TABLET 60 MG	Tier 2	PA BvD; \$0; MO; QL (180 per 30 days)
SENSIPAR ORAL TABLET 90 MG	Tier 2	PA BvD; \$0; MO; QL (120 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	Tier 2	PA; \$0; NDS
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	Tier 1	PA; \$0; MO; NDS
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	Tier 1	PA; \$0; NDS
<b>Ophthalmic Agents</b>		
<b>Ophthalmic Agents, Other</b>		
CYSTARAN OPHTHALMIC DROPS 0.44 %	Tier 2	\$0; MO
LACRISERT OPHTHALMIC INSERT 5 MG	Tier 2	\$0; NDS
<i>proparacaine ophthalmic drops 0.5 %</i>	Tier 1	\$0; NDS
RESTASIS OPHTHALMIC DROPPERETTE 0.05 %	Tier 2	\$0; MO
<i>sulfacetamide sodium ophthalmic ointment 10 %</i>	Tier 1	\$0; NDS
<b>Ophthalmic Agents</b>		
<i>bacitracin-polymyxin b ophthalmic ointment 500-10,000 unit/gram</i>	Tier 1	\$0; NDS
BLEPHAMIDE OPHTHALMIC DROPS,SUSPENSION 10-0.2 %	Tier 2	\$0; NDS
BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 %	Tier 2	\$0; NDS
<i>neomycin-bacitracin-poly-hc ophthalmic ointment 3.5-400-10,000 mg-unit/g-1%</i>	Tier 1	\$0; NDS
<i>neomycin-bacitracin-polymyxin ophthalmic ointment 3.5-400-10,000 mg-unit-unit/g</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>neomycin-polymyxin b-dexameth ophthalmic drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	Tier 1	\$0; NDS
<i>neomycin-polymyxin b-dexameth ophthalmic ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	Tier 1	\$0; NDS
<i>neomycin-polymyxin-hc ophthalmic drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	Tier 1	\$0; NDS
<i>polymyxin b sulf-trimethoprim ophthalmic drops 10,000 unit- 1 mg/ml</i>	Tier 1	\$0; NDS
<i>sulfacetamide sodium ophthalmic ointment 10 %</i>	Tier 1	\$0; NDS
<i>tobramycin-dexamethasone ophthalmic drops,suspension 0.3-0.1 %</i>	Tier 1	\$0; NDS
<b>Ophthalmic Anti-Allergy Agents</b>		
ALOCRILOPHTHALMIC DROPS 2 %	Tier 2	\$0; NDS
<i>azelastine ophthalmic drops 0.05 %</i>	Tier 1	\$0; NDS
<i>cromolyn ophthalmic drops 4 %</i>	Tier 1	\$0; NDS
<i>epinastine ophthalmic drops 0.05 %</i>	Tier 1	\$0; NDS
<i>olopatadine ophthalmic drops 0.2 %</i>	Tier 1	\$0
PATADAY OPHTHALMIC DROPS 0.2 %	Tier 2	\$0; NDS
PATANOL OPHTHALMIC DROPS 0.1 %	Tier 2	\$0; NDS
<b>Ophthalmic Antiglaucoma Agents</b>		
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	Tier 1	\$0; MO
ALPHAGAN P OPHTHALMIC DROPS 0.1 %	Tier 2	\$0; MO
AZOPT OPHTHALMIC DROPS,SUSPENSION 1 %	Tier 2	\$0; MO
<i>betaxolol ophthalmic drops 0.5 %</i>	Tier 1	\$0; MO
BETIMOL OPHTHALMIC DROPS 0.25 %, 0.5 %	Tier 2	\$0; MO
BETOPTIC S OPHTHALMIC DROPS,SUSPENSION 0.25 %	Tier 2	\$0; MO
<i>bimatoprost ophthalmic drops 0.03 %</i>	Tier 1	\$0; MO
<i>brimonidine ophthalmic drops 0.15 %, 0.2 %</i>	Tier 1	\$0; MO
<i>carteolol ophthalmic drops 1 %</i>	Tier 1	\$0; MO
COMBIGAN OPHTHALMIC DROPS 0.2-0.5 %	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>dorzolamide ophthalmic drops 2 %</i>	Tier 1	\$0; MO
<i>dorzolamide-timolol ophthalmic drops 22.3-6.8 mg/ml</i>	Tier 1	\$0; MO
IOPIDINE OPHTHALMIC DROPPERETTE 1 %	Tier 2	\$0; NDS
IOPIDINE OPHTHALMIC DROPS 0.5 %	Tier 2	\$0; NDS
ISTALOL OPHTHALMIC DROPS, ONCE DAILY 0.5 %	Tier 2	\$0; MO
<i>levobunolol ophthalmic drops 0.5 %</i>	Tier 1	\$0; MO
<i>methazolamide oral tablet 25 mg, 50 mg</i>	Tier 1	\$0; MO
<i>metipranolol ophthalmic drops 0.3 %</i>	Tier 1	\$0; MO
<i>pilocarpine hcl ophthalmic drops 1 %, 2 %, 4 %</i>	Tier 1	\$0; MO
<i>timolol maleate ophthalmic drops 0.25 %, 0.5 %</i>	Tier 1	\$0; MO
<i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>	Tier 1	\$0; MO
<b>Ophthalmic Anti-Inflammatories</b>		
ALREX OPHTHALMIC DROPS,SUSPENSION 0.2 %	Tier 2	\$0; NDS
<i>bromfenac ophthalmic drops 0.09 %</i>	Tier 1	\$0; NDS
<i>diclofenac sodium ophthalmic drops 0.1 %</i>	Tier 1	\$0; NDS
DUREZOL OPHTHALMIC DROPS 0.05 %	Tier 2	\$0; NDS
<i>fluorometholone ophthalmic drops,suspension 0.1 %</i>	Tier 1	\$0; NDS
<i>flurbiprofen sodium ophthalmic drops 0.03 %</i>	Tier 1	\$0; NDS
FML FORTE OPHTHALMIC DROPS,SUSPENSION 0.25 %	Tier 2	\$0; NDS
FML S.O.P. OPHTHALMIC OINTMENT 0.1 %	Tier 2	\$0; NDS
ILEVRO OPHTHALMIC DROPS,SUSPENSION 0.3 %	Tier 2	\$0; NDS
<i>ketorolac ophthalmic drops 0.4 %, 0.5 %</i>	Tier 1	\$0; NDS
LOTEMAX OPHTHALMIC DROPS,GEL 0.5 %	Tier 2	\$0; NDS
LOTEMAX OPHTHALMIC DROPS,SUSPENSION 0.5 %	Tier 2	\$0; NDS
LOTEMAX OPHTHALMIC OINTMENT 0.5 %	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
MAXIDEX OPHTHALMIC DROPS,SUSPENSION 0.1 %	Tier 2	\$0; NDS
NEVANAC OPHTHALMIC DROPS,SUSPENSION 0.1 %	Tier 2	\$0; NDS
PRED MILD OPHTHALMIC DROPS,SUSPENSION 0.12 %	Tier 2	\$0; NDS
<i>prednisolone acetate ophthalmic drops,suspension 1 %</i>	Tier 1	\$0; NDS
<i>prednisolone sodium phosphate ophthalmic drops 1 %</i>	Tier 1	\$0; NDS
<b>Ophthalmic Prostaglandin And Prostanoid Analogs</b>		
<i>bimatoprost ophthalmic drops 0.03 %</i>	Tier 1	\$0; MO
<i>latanoprost ophthalmic drops 0.005 %</i>	Tier 1	\$0; MO
LUMIGAN OPHTHALMIC DROPS 0.01 %	Tier 2	\$0; MO
TRAVATAN Z OPHTHALMIC DROPS 0.004 %	Tier 2	\$0; MO
<b>Otic Agents</b>		
<b>Otic Agents</b>		
CIPRO HC OTIC DROPS,SUSPENSION 0.2-1 %	Tier 2	\$0; NDS
CIPRODEX OTIC DROPS,SUSPENSION 0.3-0.1 %	Tier 2	\$0; NDS
<i>hydrocortisone-acetic acid otic drops 1-2 %</i>	Tier 1	\$0
<i>neomycin-polymyxin-hc otic drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	Tier 1	\$0; NDS
<i>neomycin-polymyxin-hc otic solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	Tier 1	\$0; NDS
<b>Respiratory Tract/ Pulmonary Agents</b>		
<b>Antihistamines</b>		
ARBINOXA ORAL TABLET 4 MG	Tier 1	NDS
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	Tier 1	\$0; MO
<i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i>	Tier 1	\$0; MO
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	Tier 1	\$0; NDS
<i>carbinoxamine maleate oral tablet 4 mg</i>	Tier 1	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>cetirizine hcl 1 mg/ml soln (otc) 1 mg/ml</i>	Tier 3	\$0; *
<i>cetirizine hcl 1 mg/ml soln children, s/f, grape (otc) 1 mg/ml</i>	Tier 3	\$0; *
<i>cetirizine hcl 1 mg/ml soln children's (otc) 1 mg/ml</i>	Tier 3	\$0; *
<i>cetirizine oral solution 1 mg/ml</i>	Tier 2	\$0; NDS
<i>clemastine oral tablet 2.68 mg</i>	Tier 1	\$0; NDS
<i>cyproheptadine oral tablet 4 mg</i>	Tier 1	\$0
<i>desloratadine oral tablet 5 mg</i>	Tier 1	\$0; MO
<i>desloratadine oral tablet, disintegrating 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	Tier 1	\$0; NDS
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	Tier 1	\$0; MO
<i>levocetirizine oral tablet 5 mg</i>	Tier 1	\$0; MO
<i>promethazine oral syrup 6.25 mg/5 ml</i>	Tier 1	PA NSO; \$0; NDS
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	Tier 1	PA NSO; \$0; NDS
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
<b>BECONASE AQ NASAL SPRAY, NON-AEROSOL 42 MCG (0.042 %)</b>	Tier 2	\$0; MO
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	Tier 1	PA BvD; \$0; MO
<b>FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION</b>	Tier 2	\$0; MO
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	Tier 1	\$0; MO
<i>fluticasone nasal spray, suspension 50 mcg/actuation</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	Tier 2	\$0; MO
PULMICORT INHALATION SUSPENSION FOR NEBULIZATION 1 MG/2 ML	Tier 2	PA BvD; \$0; MO
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	Tier 2	\$0; MO
<b>Antileukotrienes</b>		
<i>montelukast oral granules in packet 4 mg</i>	Tier 1	\$0; MO
<i>montelukast oral tablet 10 mg</i>	Tier 1	\$0; MO
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	Tier 1	\$0; MO
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
<b>Bronchodilators, Anticholinergic</b>		
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	Tier 2	\$0; MO
<i>ipratropium bromide inhalation solution 0.02 %</i>	Tier 1	PA BvD; \$0; MO
<i>ipratropium bromide nasal spray, non-aerosol 0.03 %</i>	Tier 1	\$0; MO
<i>ipratropium bromide nasal spray, non-aerosol 0.06 %</i>	Tier 1	\$0; MO; NDS
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	Tier 2	\$0; MO
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	Tier 2	\$0; MO
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	Tier 2	\$0; MO
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	Tier 2	\$0
<b>Bronchodilators, Sympathomimetic</b>		
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	Tier 1	PA BvD; \$0; MO
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	Tier 1	\$0; MO
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	Tier 1	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	Tier 1	\$0; MO
ARCAPTA NEOHALER INHALATION CAPSULE, W/INHALATION DEVICE 75 MCG	Tier 2	\$0; MO
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	Tier 2	\$0; MO
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	Tier 2	PA BvD; \$0; MO
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i>	Tier 1	\$0; NDS
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>	Tier 1	\$0
EPIPEN 2-PAK INJECTION AUTO-INJECTOR 0.3 MG/0.3 ML	Tier 2	\$0; NDS
EPIPEN JR 2-PAK INJECTION AUTO-INJECTOR 0.15 MG/0.3 ML	Tier 2	\$0; NDS
<i>fluticasone-salmeterol inhalation aerosol powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i>	Tier 1	\$0; MO
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml</i>	Tier 1	PA BvD; \$0; MO
<i>metaproterenol oral syrup 10 mg/5 ml</i>	Tier 1	\$0; MO
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	Tier 1	\$0; MO
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	Tier 2	PA BvD; \$0; MO
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	Tier 2	\$0; MO
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	Tier 2	\$0; MO
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	Tier 1	\$0; MO
<i>terbutaline subcutaneous solution 1 mg/ml</i>	Tier 1	\$0; NDS
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	Tier 2	\$0; MO
XOPENEX HFA INHALATION HFA AEROSOL INHALER 45 MCG/ACTUATION	Tier 2	\$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Cystic Fibrosis Agents</b>		
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	Tier 2	\$0; NDS
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	Tier 2	PA; \$0; MO
KALYDECO ORAL TABLET 150 MG	Tier 2	PA; \$0; MO
ORKAMBI ORAL TABLET 200-125 MG	Tier 2	\$0; MO
PULMOZYME INHALATION SOLUTION 1 MG/ML	Tier 2	PA BvD; \$0; MO
<b>Mast Cell Stabilizers</b>		
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	Tier 1	PA BvD; \$0; MO
<i>cromolyn oral concentrate 100 mg/5 ml</i>	Tier 1	\$0; NDS
GASTROCROM ORAL CONCENTRATE 100 MG/5 ML	Tier 2	\$0
<b>Phosphodiesterase Inhibitors, Airways Disease</b>		
<i>aminophylline intravenous solution 250 mg/10 ml</i>	Tier 1	\$0; NDS
DALIRESP ORAL TABLET 500 MCG	Tier 2	PA; \$0; MO
<i>theophylline oral solution 80 mg/15 ml</i>	Tier 1	\$0; MO
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg</i>	Tier 1	\$0; MO
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	Tier 1	\$0; MO
<b>Pulmonary Antihypertensives</b>		
ADCIRCA ORAL TABLET 20 MG	Tier 2	PA; \$0; MO
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	Tier 2	PA; \$0; MO
LETAIRIS ORAL TABLET 10 MG, 5 MG	Tier 2	PA; \$0; MO
OPSUMIT ORAL TABLET 10 MG	Tier 2	PA; \$0; MO
<i>sildenafil oral tablet 20 mg</i>	Tier 1	PA; \$0; MO; NDS
TRACLEER ORAL TABLET 125 MG, 62.5 MG	Tier 2	PA; LA; \$0; MO
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	Tier 2	PA BvD; \$0; MO

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

Name of Drug	Tier Level	Necessary actions, restrictions, or limits on use
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	Tier 1	PA BvD; \$0; NDS
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	Tier 2	\$0; MO
ARALAST NP INTRAVENOUS RECON SOLN 500 MG	Tier 2	\$0; MO
GLASSIA INTRAVENOUS SOLUTION 1 GRAM/50 ML (2 %)	Tier 2	\$0; MO
LUMIZYME INTRAVENOUS RECON SOLN 50 MG	Tier 2	PA; \$0; MO
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	Tier 2	PA; \$0; MO
ZEMAIRA INTRAVENOUS RECON SOLN 1,000 MG	Tier 2	PA; \$0; MO
<b>Respiratory Tract/ Pulmonary Agents</b>		
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	Tier 2	\$0; MO
ESBRIET ORAL CAPSULE 267 MG	Tier 2	PA NSO; \$0; MO
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	Tier 1	PA BvD; \$0; MO
OFEV ORAL CAPSULE 100 MG, 150 MG	Tier 2	\$0; MO
<i>promethazine vc oral syrup 6.25-5 mg/5 ml</i>	Tier 2	\$0; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	Tier 2	PA BvD; \$0; MO
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	Tier 2	\$0; MO
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	Tier 2	PA; \$0; MO
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>carisoprodol oral tablet 350 mg</i>	Tier 1	PA NSO; \$0; QL (120 per 30 days); NDS
<i>chlorzoxazone oral tablet 500 mg</i>	Tier 1	\$0; NDS
<i>cyclobenzaprine oral tablet 10 mg, 5 mg, 7.5 mg</i>	Tier 1	PA NSO; \$0; NDS
METAXALL ORAL TABLET 800 MG	Tier 2	\$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<b>Name of Drug</b>	<b>Tier Level</b>	<b>Necessary actions, restrictions, or limits on use</b>
<i>metaxalone oral tablet 400 mg, 800 mg</i>	Tier 1	\$0; NDS
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	Tier 1	PA NSO; \$0; NDS
<b>Sleep Disorder Agents</b>		
<b>Gaba Receptor Modulators</b>		
<i>temazepam oral capsule 15 mg, 22.5 mg, 30 mg, 7.5 mg</i>	Tier 1	\$0; NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>	Tier 1	\$0; NDS
<i>zolpidem oral tablet 10 mg, 5 mg</i>	Tier 1	PA NSO; \$0; NDS
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	Tier 1	PA NSO; \$0; NDS
<b>Sleep Disorders, Other</b>		
<i>doxepin oral capsule 10 mg, 100 mg, 25 mg, 50 mg, 75 mg</i>	Tier 1	\$0; MO
<i>doxepin oral concentrate 10 mg/ml</i>	Tier 1	\$0; MO
HETLIOZ ORAL CAPSULE 20 MG	Tier 2	PA NSO; \$0; MO
<i>modafinil oral tablet 100 mg, 200 mg</i>	Tier 1	PA; \$0; MO
ROZEREM ORAL TABLET 8 MG	Tier 2	\$0; QL (30 per 30 days); NDS
XYREM ORAL SOLUTION 500 MG/ML	Tier 2	LA; \$0; NDS

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

## Index

<i>abacavir</i> .....	57	ALKERAN.....	39	<i>amphotericin b</i> .....	31
<i>abacavir-lamivudine</i> .....	57	<i>allopurinol</i> .....	33	<i>ampicillin</i> .....	14
<i>abacavir-lamivudine-</i> <i>zidovudine</i> .....	57	ALOCRI.....	122	<i>ampicillin sodium</i> .....	14
ABELCET.....	31	ALOPRIM.....	33	<i>ampicillin-sulbactam</i> .....	14
ABILIFY.....	25, 51	ALORA.....	102	AMPYRA.....	81
ABILIFY MAINTENA.....	25, 51	<i>alosetron</i> .....	93	ANADROL-50.....	101
ABRAXANE.....	40	ALPHAGAN P.....	122	ANAFRANIL.....	28
<i>acamprosate</i> .....	9	<i>alprazolam</i> .....	60	<i>anagrelide</i> .....	70
<i>acarbose</i> .....	65	ALREX.....	123	<i>anastrozole</i> .....	44
<i>acebutolol</i> .....	73	ALUNBRIG.....	45	ANGELIQ.....	103
<i>acetaminophen-codeine</i> .....	4	<i>amantadine hcl</i> .....	49, 59	ANORO ELLIPTA.....	129
<i>acetazolamide</i> .....	76, 77, 122	AMBISOME.....	31	ANZEMET.....	30
<i>acetazolamide sodium</i> .....	77	<i>amcinonide</i> .....	97	APIDRA.....	67
<i>acetic acid</i> .....	10	AMETHIA.....	103	APIDRA SOLOSTAR.....	67
<i>acetylcysteine</i> .....	129	AMETHYST.....	103	APLENZIN.....	25
<i>acitretin</i> .....	83	<i>amikacin</i> .....	9	APOKYN.....	49
ACTHIB (PF).....	115	<i>amiloride</i> .....	77	APRI.....	103
ACTIMMUNE.....	115	<i>amiloride-</i> <i>hydrochlorothiazide</i> .....	75	APRISO.....	118
ACTONEL.....	120	AMINO ACIDS 15 %.....	87	APTIOM.....	22
<i>acyclovir</i> .....	56	<i>aminophylline</i> .....	128	APTIVUS.....	59
<i>acyclovir sodium</i> .....	56	AMINOSYN 7 % WITH ELECTROLYTES.....	87	ARALAST NP.....	129
ADACEL(TDAP ADOLESN/ADULT)(PF).....	115	AMINOSYN 8.5 %- ELECTROLYTES.....	87	ARANELLE (28).....	103
ADAGEN.....	95	AMINOSYN II 10 %.....	87	ARANESP (IN POLYSORBATE).....	70
<i>adapalene</i> .....	83	AMINOSYN II 15 %.....	87	ARBINOXA.....	124
ADCIRCA.....	128	AMINOSYN II 7 %.....	87	ARCALYST.....	115
ADDERALL.....	80	AMINOSYN II 8.5 %.....	87	ARCAPTA NEOHALER.....	127
ADDERALL XR.....	80	AMINOSYN II 8.5 %- ELECTROLYTES.....	87	ARIMIDEX.....	44
<i>adefovir</i> .....	54	AMINOSYN-HBC 7%.....	87	<i>aripiprazole</i> .....	25, 51
ADEMPAS.....	128	AMINOSYN-PF 10 %.....	88	ARISTADA.....	51
ADRIAMYCIN.....	41	AMINOSYN-PF 7 % (SULFITE-FREE).....	88	AROMASIN.....	44
ADRUCIL.....	41	AMINOSYN-RF 5.2 %.....	87	ARRANON.....	41
AFEDITAB CR.....	74	<i>amiodarone</i> .....	72	ASACOL HD.....	118
AFINITOR.....	45, 111	AMITIZA.....	93	ASCOMP WITH CODEINE.....	4
AFINITOR DISPERZ.....	111	<i>amitriptyline</i> .....	28	ASHLYNA.....	103
AGGRENEX.....	71	<i>amitriptyline-</i> <i>chlordiazepoxide</i> .....	26	<i>aspirin-dipyridamole</i> .....	71
ALBENZA.....	48	<i>amlodipine</i> .....	74	<i>assure id insulin safety</i> .....	67
<i>albuterol sulfate</i> .....	126, 127	<i>amlodipine-benazepril</i> .....	75	ASTAGRAF XL.....	111
<i>alclometasone</i> .....	97	<i>ammonium lactate</i> .....	83	<i>atenolol</i> .....	73
<i>alcohol pads</i> .....	10	<i>amoxapine</i> .....	28	<i>atenolol-chlorthalidone</i> .....	75
ALDURAZYME.....	95	<i>amoxicillin</i> .....	14	ATGAM.....	111
ALECENSA.....	45	<i>amoxicillin-pot clavulanate</i> .....	14	<i>atomoxetine</i> .....	80
<i>alendronate</i> .....	120			<i>atorvastatin</i> .....	78
<i>alfuzosin</i> .....	96			<i>atovaquone</i> .....	48
ALIMTA.....	41			<i>atovaquone-proguanil</i> .....	48
ALINIA.....	48			ATRIPLA.....	57
				<i>atropine</i> .....	91

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

ATROVENT HFA.....	126	<i>betamethasone, augmented</i>	<i>butorphanol tartrate</i> .....	7
AUBAGIO.....	81	.....	BYDUREON.....	65
AUBRA.....	103	BETASERON.....	BYETTA.....	65
AVANDIA.....	65	<i>betaxolol</i> .....	<i>cabergoline</i> .....	109
AVASTIN.....	41	<i>bethanechol chloride</i> .....	CABOMETYX.....	45
AVIANE.....	103	BETIMOL.....	<i>calcipotriene</i> .....	83
AVITA.....	48, 83	BETOPTIC S.....	<i>calcipotriene-betamethasone</i>	83
AVODART.....	96	<i>bexarotene</i> .....	<i>calcitonin (salmon)</i> .....	120
AVONEX.....	82	BEXSERO.....	<i>calcitriol</i> .....	120
AVONEX (WITH ALBUMIN)..	82	<i>bicalutamide</i> .....	<i>calcium acetate</i> .....	97
<i>azacitidine</i> .....	41	BICILLIN L-A.....	CAMILA.....	108
AZACTAM IN DEXTROSE		BICNU.....	CAMPTOSAR.....	41
(ISO-OSM).....	13	BILTRICIDE.....	CANASA.....	118
AZASAN.....	111	<i>bimatoprost</i> .....	CANCIDAS.....	31
AZASITE.....	15	<i>bisoprolol fumarate</i> .....	<i>candesartan</i> .....	72
<i>azathioprine</i> .....	111	<i>bisoprolol-</i>	<i>candesartan-</i>	
<i>azathioprine sodium</i> .....	111	<i>hydrochlorothiazide</i> .....	<i>hydrochlorothiazid</i> .....	76
<i>azelastine</i> .....	122, 124	BIVIGAM.....	CAPASTAT.....	38
AZELEX.....	83	<i>bleomycin</i> .....	CAPRELSA.....	45
AZILECT.....	50	BLEPHAMIDE.....	<i>captopril</i> .....	72
<i>azithromycin</i> .....	15	BLEPHAMIDE S.O.P.....	<i>captopril-hydrochlorothiazide</i>	76
AZOPT.....	122	BLISOVI 24 FE.....	CARAC.....	83
<i>aztreonam</i> .....	14	BLISOVI FE 1/20 (28).....	CARAFATE.....	94
BACIIM.....	10	BOOSTRIX TDAP.....	CARBAGLU.....	85
<i>bacitracin</i> .....	10	BOSULIF.....	<i>carbamazepine</i> .....	22, 63
<i>bacitracin-polymyxin b</i> .....	121	BREO ELLIPTA.....	CARBATROL.....	22, 63
<i>baclofen</i> .....	53	BRIELLYN.....	<i>carbidopa-levodopa</i> .....	50
BACTROBAN NASAL.....	10	BRILINTA.....	<i>carbidopa-levodopa-</i>	
<i>balsalazide</i> .....	118	<i>brimonidine</i> .....	<i>entacapone</i> .....	49
BALZIVA (28).....	103	BRISDELLE.....	<i>carbinoxamine maleate</i> .....	124
BANZEL.....	22	BRIVIACT.....	<i>carboplatin</i> .....	41
BARACLUDE.....	54	<i>bromfenac</i> .....	CARIMUNE NF	
BAVENCIO.....	47	<i>bromocriptine</i> .....	NANOFILTERED.....	114
<i>bcg vaccine, live (pf)</i> .....	115	BROVANA.....	<i>carisoprodol</i> .....	129
BECONASE AQ.....	125	<i>budesonide</i> ....	<i>carisoprodol-asa-codeine</i> .....	4
BEKYREE (28).....	103	<i>bumetanide</i> .....	<i>carisoprodol-aspirin</i> .....	4
BELEODAQ.....	41	<i>buprenorphine hcl</i> .....	<i>carteolol</i> .....	122
<i>benazepril</i> .....	72	<i>buprenorphine-naloxone</i> .....	CARTIA XT.....	74
<i>benazepril-</i>		<i>bupropion hcl</i> .....	<i>carvedilol</i> .....	73
<i>hydrochlorothiazide</i> .....	75	<i>bupropion hcl (smoking</i>	CASODEX.....	39
BENLYSTA.....	111	<i>deter)</i> .....	CAYSTON.....	14, 128
<i>benztropine</i> .....	49	<i>buspirone</i> .....	<i>cefaclor</i> .....	12
<i>betamethasone dipropionate</i>		<i>busulfan</i> .....	<i>cefadroxil</i> .....	12
.....	33, 83, 97	BUSULFEX.....	<i>cefazolin</i> .....	12
<i>betamethasone valerate</i>		<i>butalbital-acetaminop-caf-</i>	<i>cefdinir</i> .....	12
.....	33, 34, 97	<i>cod</i> .....	<i>cefepime</i> .....	12
		<i>butalbital-acetaminophen-</i>	<i>cefixime</i> .....	12
		<i>caff</i> .....	<i>cefotaxime</i> .....	12

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<i>cefotetan</i> .....	12	<i>ciprofloxacin hcl</i> .....	16	CLINISOL SF 15 %.....	89
<i>cefoxitin</i> .....	12	<i>ciprofloxacin in 5 % dextrose</i> ..	16	<i>clobetasol</i> .....	98
<i>cefepodoxime</i> .....	13	<i>ciprofloxacin lactate</i> .....	16	<i>clobetasol-emollient</i> .....	98
<i>cefprozil</i> .....	13	<i>cisplatin</i> .....	41	CLODAN.....	98
<i>ceftazidime</i> .....	13	<i>citalopram</i> .....	27	<i>clofarabine</i> .....	41
<i>ceftriaxone</i> .....	13	<i>cladribine</i> .....	41	CLOLAR.....	41
<i>cefuroxime axetil</i> .....	13	CLARAVIS.....	83	<i>clomipramine</i> .....	29
<i>cefuroxime sodium</i> .....	13	<i>clarithromycin</i> .....	15	<i>clonazepam</i> .....	19, 60
<i>celecoxib</i> .....	5, 35	<i>clemastine</i> .....	125	<i>clonidine</i> .....	71
CELEXA.....	27	<i>clindamax</i> .....	10, 83	<i>clonidine hcl</i> .....	71, 80
CELLCEPT.....	111	<i>clindamycin hcl</i> .....	11	<i>clopidogrel</i> .....	71
CELLCEPT INTRAVENOUS		<i>clindamycin in 5 % dextrose</i> ..	11	<i>clorazepate dipotassium</i> ..	19, 60
.....	30, 111	<i>clindamycin pediatric</i> .....	11	<i>clotrimazole</i> .....	31
CELONTIN.....	18	<i>clindamycin phosphate</i> .....	11	<i>clotrimazole-betamethasone</i> ..	83
<i>cephalexin</i> .....	13	<i>clindamycin-benzoyl</i>		<i>clozapine</i> .....	53
CERDELGA.....	95	<i>peroxide</i> .....	83	CLOZARIL.....	53
CEREBYX.....	22	CLINIMIX 5%/D15W		COARTEM.....	48
CEREZYME.....	95	SULFITE FREE.....	88	<i>codeine sulfate</i> .....	7
<i>cetirizine</i> .....	125	CLINIMIX 5%/D25W		<i>colchicine</i> .....	33
<i>cevimeline</i> .....	82	SULFITE-FREE.....	88	<i>colestipol</i> .....	78
CHANTIX.....	9	CLINIMIX 2.75%/D5W		<i>colistin (colistimethate na)</i> .....	12
CHANTIX CONTINUING		SULFIT FREE.....	88	COLOCORT.....	119
MONTH BOX.....	9	CLINIMIX 4.25%/D10W		COMBIGAN.....	122
CHANTIX STARTING		SULF FREE.....	88	COMBIVENT RESPIMAT....	129
MONTH BOX.....	9	CLINIMIX 4.25%/D5W		COMBIVIR.....	57
CHENODAL.....	92	SULFIT FREE.....	88	COMETRIQ.....	45
<i>chloramphenicol sod</i>		CLINIMIX 4.25%-D20W		COMPLERA.....	56
<i>succinate</i> .....	10	SULF-FREE.....	88	COMPRO.....	29
<i>chlorhexidine gluconate</i> .....	82	CLINIMIX 4.25%-D25W		CONSTULOSE.....	93
<i>chloroquine phosphate</i> .....	48	SULF-FREE.....	88	CORDRAN TAPE LARGE	
<i>chlorothiazide</i> .....	77	CLINIMIX 5%-		ROLL.....	98
<i>chlorothiazide sodium</i> .....	77	D20W(SULFITE-FREE).....	88	CORLANOR.....	75
<i>chlorpromazine</i> .....	29, 50	CLINIMIX E 2.75%/D10W		CORMAX.....	83
<i>chlorthalidone</i> .....	77	SUL FREE.....	88	<i>cortisone</i> .....	34, 98, 119
<i>chlorzoxazone</i> .....	129	CLINIMIX E 2.75%/D5W		CORTISPORIN.....	84
<i>ciclopirox</i> .....	31	SULF FREE.....	88	COSMEGEN.....	41
<i>cidofovir</i> .....	54	CLINIMIX E 4.25%/D10W		COTELIC.....	45
<i>cilostazol</i> .....	71	SUL FREE.....	88	COUMADIN.....	69
<i>cimetidine</i> .....	92	CLINIMIX E 4.25%/D25W		CREON.....	95
<i>cimetidine hcl</i> .....	92	SUL FREE.....	88	CRIVAN.....	59
CIMZIA.....	111	CLINIMIX E 4.25%/D5W		<i>cromolyn</i> .....	122, 128
CIMZIA POWDER FOR		SULF FREE.....	89	CRYSSELLE (28).....	104
RECONST.....	111	CLINIMIX E 5%/D15W		CUBICIN.....	11
CINRYZE.....	111	SULFIT FREE.....	89	CUPRIMINE.....	96
CIPRO HC.....	124	CLINIMIX E 5%/D20W		CYCLAFEM 1/35 (28).....	104
CIPRODEX.....	124	SULFIT FREE.....	89	CYCLAFEM 7/7/7 (28).....	104
<i>ciprofloxacin</i> .....	16	CLINIMIX E 5%/D25W		<i>cyclobenzaprine</i> .....	129
<i>ciprofloxacin (mixture)</i> .....	16	SULFIT FREE.....	89	<i>cyclophosphamide</i> .....	39

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<i>cyclosporine</i> .....	112	DEPO-SUBQ PROVERA		DILANTIN INFATABS.....	22
<i>cyclosporine modified</i> .....	112	104.....	108	DILANTIN-125.....	22
CYMBALTA.....	27, 61, 81	DESCOVY.....	57	<i>diltiazem hcl</i> .....	74
<i>cyproheptadine</i> .....	125	<i>desipramine</i> .....	29	DILT-XR.....	74
CYRAMZA.....	47	<i>desloratadine</i> .....	125	DIPENTUM.....	118
CYSTAGON.....	95	<i>desmopressin</i> .....	101	<i>diphenhydramine hcl</i> .....	29, 49, 125
CYSTARAN.....	121	<i>desonide</i> .....	98	<i>diphenoxylate-atropine</i> .....	92
<i>cytarabine</i> .....	41	<i>desoximetasone</i> .....	98	<i>dipyridamole</i> .....	71
<i>cytarabine (pf)</i> .....	41	<i>desvenlafaxine</i> .....	27	<i>disopyramide phosphate</i> .....	72
<i>d10 %-0.45 % sodium</i>		<i>desvenlafaxine succinate</i> .....	27	<i>disulfiram</i> .....	9
<i>chloride</i> .....	89	<i>dexamethasone</i> .....	34, 98, 119	<i>divalproex</i> .....	19, 37, 63, 64
<i>d2.5 %-0.45 % sodium</i>		DEXAMETHASONE		<i>docetaxel</i> .....	42
<i>chloride</i> .....	89	INTENSOL.....	34, 98, 119	<i>donepezil</i> .....	24
<i>d5 % and 0.9 % sodium</i>		<i>dexamethasone sodium</i>		DORIBAX.....	14
<i>chloride</i> .....	89	<i>phosphate</i> .....	34, 98	<i>dorzolamide</i> .....	123
<i>d5 %-0.45 % sodium</i>		<i>dexmethylphenidate</i> .....	80	<i>dorzolamide-timolol</i> .....	123
<i>chloride</i> .....	89	<i>dextrazoxane hcl</i> .....	41	<i>doxazosin</i> .....	71, 96
<i>dacarbazine</i> .....	41	<i>dextroamphetamine</i> .....	80	<i>doxepin</i> .....	29, 60, 130
DACOGEN.....	41	<i>dextroamphetamine-</i>		<i>doxercalciferol</i> .....	91, 120
DAKLINZA.....	55	<i>amphetamine</i> .....	80	DOXIL.....	42
DALIRESP.....	128	<i>dextrose 10 % and 0.2 %</i>		<i>doxorubicin</i> .....	42
<i>danazol</i> .....	102	<i>nacl</i> .....	89	<i>doxorubicin, peg-liposomal</i> ....	42
<i>dantrolene</i> .....	54	<i>dextrose 10 % in water</i>		DOXY-100.....	17
<i>dapsone</i> .....	38	<i>(d10w)</i> .....	89	<i>doxycycline hyclate</i> ....	17, 82, 84
DAPTACEL (DTAP		<i>dextrose 5 % in water (d5w)</i> ..	89	<i>doxycycline monohydrate</i>	
PEDIATRIC) (PF).....	116	<i>dextrose 5 %-lactated</i>		.....	17, 82, 84
DARAPRIM.....	48	<i>ringers</i> .....	89	<i>dronabinol</i> .....	30
DARZALEX.....	47	<i>dextrose 5%-0.2 % sod</i>		<i>drospirenone-ethinyl</i>	
<i>daunorubicin</i> .....	41	<i>chloride</i> .....	89	<i>estradiol</i> .....	104
DEBLITANE.....	104	<i>dextrose 5%-0.3 %</i>		DROXIA.....	40
<i>decitabine</i> .....	41	<i>sod.chloride</i> .....	89	DUAVEE.....	102
DELESTROGEN.....	102	DIASTAT.....	18, 19, 60	<i>duloxetine</i> .....	27, 61, 81
DELYLA (28).....	104	DIASTAT ACUDIAL... 17, 19, 60		DURAMORPH (PF).....	6
DELZICOL.....	93, 118	<i>diazepam</i> .....	18, 19, 61	DUREZOL.....	123
<i>demeclocycline</i> .....	17	<i>diazepam intensol</i> .....	18, 19, 61	<i>dutasteride</i> .....	96
DEMSEER.....	76	<i>diclofenac potassium</i> .....	5, 35	DYRENIUM.....	77
DENAVIR.....	56	<i>diclofenac sodium</i> .....	5, 35, 84, 123	E.E.S. 400.....	15
DEPACON.....	19	<i>diclofenac-misoprostol</i> .....	5	E.E.S. GRANULES.....	15
DEPAKENE.....	19, 37, 63	<i>dicloxacillin</i> .....	14	<i>econazole</i> .....	31
DEPAKOTE.....	19, 37, 63	<i>dicyclomine</i> .....	91	EDECRIN.....	77
DEPAKOTE ER.....	19, 37, 63	<i>didanosine</i> .....	57	EDURANT.....	56
DEPAKOTE SPRINKLES		<i>diflorasone</i> .....	98	EFFEXOR XR.....	27, 61
.....	19, 37, 63	<i>diflunisal</i> .....	5, 35	EFUDEX.....	84
DEPEN TITRATABS.....	87, 97, 112	DIGITEK.....	75	EGRIFTA.....	101
DEPO-ESTRADIOL.....	102	<i>digoxin</i> .....	75	ELELYSO.....	95
DEPO-MEDROL.....	34, 98, 119	<i>dihydroergotamine</i> .....	36, 37	ELIDEL.....	84, 112
DEPO-PROVERA.....	108	DILANTIN.....	22	ELIGARD.....	109
		DILANTIN EXTENDED.....	22	ELIGARD (3 MONTH).....	109

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



ELIGARD (4 MONTH).....	109	ERYTHROCIN (AS	<i>fenofibrate</i> .....	78
ELIGARD (6 MONTH).....	109	STEARATE).....	<i>fenofibrate micronized</i> .....	78
ELIQUIS.....	69	<i>erythromycin</i> .....	<i>fenofibrate nanocrystallized</i> ...	78
ELITEK.....	42	<i>erythromycin ethylsuccinate</i> ..	<i>fenoprofen</i> .....	5, 35
ELLENCÉ.....	42	<i>erythromycin with ethanol</i> .....	<i>fentanyl</i> .....	6, 8
ELMIRON.....	97	<i>erythromycin-benzoyl</i>	<i>fentanyl citrate</i> .....	6, 7
EMCYT.....	39	<i>peroxide</i> .....	FERRIPROX.....	87
EMEND.....	30	ESBRIET.....	FETZIMA.....	27
EMOQUETTE.....	104	<i>escitalopram oxalate</i> .....	FINACEA.....	84
EMPLICITI.....	47	ESGIC.....	<i>finasteride</i> .....	96
EMSAM.....	26	<i>esomeprazole magnesium</i> ....	FIORINAL.....	4
EMTRIVA.....	57	<i>esomeprazole sodium</i> .....	FIRAZYR.....	111
<i>enalapril maleate</i> .....	72	<i>estazolam</i> .....	FIRMAGON KIT W	
<i>enalapril-hydrochlorothiazide</i> ..	76	ESTRACE.....	DILUENT SYRINGE.....	110
ENBREL.....	112	<i>estradiol</i> .....	<i>flavoxate</i> .....	96
ENBREL SURECLICK.....	112	<i>estradiol valerate</i> .....	FLEBOGAMMA DIF.....	114
ENDOCET.....	4	<i>estradiol-norethindrone acet</i>	<i>flecainide</i> .....	72
ENGERIX-B (PF).....	116	ESTRING.....	FLOVENT HFA.....	125
ENGERIX-B PEDIATRIC		<i>estropipate</i> .....	<i>fluconazole</i> .....	32
(PF).....	116	<i>ethambutol</i> .....	<i>fluconazole in nacl (iso-osm)</i> ..	32
<i>enoxaparin</i> .....	69	<i>ethosuximide</i> .....	<i>flucytosine</i> .....	32
ENPRESSE.....	104	<i>etidronate disodium</i> .....	<i>fludarabine</i> .....	40
<i>entacapone</i> .....	49	<i>etodolac</i> .....	<i>fludrocortisone</i> .....	98
<i>entecavir</i> .....	54	ETOPOPHOS.....	<i>flunisolide</i> .....	125
ENTRESTO.....	72	<i>etoposide</i> .....	<i>fluocinolone</i> .....	98
ENULOSE.....	93	EVOTAZ.....	<i>fluocinolone acetonide oil</i> .....	98
ENVARUSUS XR.....	112	EXELDERM.....	<i>fluocinonide</i> .....	84, 99
<i>epinastine</i> .....	122	EXELON.....	<i>fluocinonide-e</i> .....	99
<i>epinephrine</i> .....	127	<i>exemestane</i> .....	<i>fluorometholone</i> .....	123
EPIPEN 2-PAK.....	127	EXJADE.....	<i>flurouracil</i> .....	84
EPIPEN JR 2-PAK.....	127	EXTAVIA.....	<i>fluoxetine</i> .....	26, 27
<i>epirubicin</i> .....	42	<i>ezetimibe</i> .....	<i>fluphenazine decanoate</i> .....	50
EPITOL.....	22, 64	FABRAZYME.....	<i>fluphenazine hcl</i> .....	50
EPIVIR.....	54, 57	FALMINA (28).....	<i>flurbiprofen</i> .....	5, 35
EPIVIR HBV.....	54	<i>famciclovir</i> .....	<i>flurbiprofen sodium</i> .....	123
<i>epplerenone</i> .....	77	<i>famotidine</i> .....	<i>flutamide</i> .....	39
EPOGEN.....	70	<i>famotidine (pf)</i> .....	<i>fluticasone</i> .....	84, 99, 125
<i>eprosartan</i> .....	72	FANAPT.....	<i>fluticasone-salmeterol</i> .....	127
EPZICOM.....	57	FARESTON.....	<i>fluvoxamine</i> .....	27
EQUETRO.....	23, 64	FARXIGA.....	FML FORTE.....	123
ERAXIS(WATER DILUENT).....	31	FARYDAK.....	FML S.O.P.....	123
ERBITUX.....	42	FASLODEX.....	FOLOTYN.....	42
<i>ergoloid</i> .....	23	FAZACLO.....	<i>fomepizole</i> .....	89
ERIVEDGE.....	45	<i>felbamate</i> .....	<i>fondaparinux</i> .....	69
ERRIN.....	108	FELBATOL.....	FORFIVO XL.....	25
ERWINAZE.....	42	<i>felodipine</i> .....	FORTEO.....	120
ERY PADS.....	15	FEMARA.....	FOSAMAX PLUS D.....	120
ERYTHROCIN.....	15	FEMRING.....	<i>fosinopril</i> .....	72

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<i>fosinopril-</i>	<i>glipizide-metformin</i> .....	67	HUMULIN N KWIKPEN.....	68
<i>hydrochlorothiazide</i> .....	GLUCAGEN HYPOKIT.....	67	HUMULIN R U-100.....	68
<i>fosphenytoin</i> .....	GLUCAGON EMERGENCY		HUMULIN R U-500 (CONC)	
FOSRENOL.....	KIT (HUMAN).....	67	KWIKPEN.....	68
FREAMINE HBC 6.9 %.....	<i>glyburide</i> .....	66	HUMULIN R U-500	
<i>furosemide</i> .....	<i>glyburide micronized</i> .....	66	(CONCENTRATED).....	68
FUSILEV.....	<i>glycopyrrolate</i> .....	91	HYCANTIN.....	44
FUZEON.....	GLYSET.....	66	<i>hydralazine</i> .....	79
FYCOMPA.....	<i>granisetron (pf)</i> .....	31	HYDREA.....	40
<i>gabapentin</i> .....	<i>granisetron hcl</i> .....	31	<i>hydrochlorothiazide</i> .....	77
GABITRIL.....	<i>griseofulvin microsize</i> .....	32	<i>hydrocodone-</i>	
<i>galantamine</i> .....	<i>griseofulvin ultramicrosize</i> ....	32	<i>acetaminophen</i> .....	4, 8
GAMMAGARD LIQUID.....	<i>guanfacine</i> .....	80	<i>hydrocodone-ibuprofen</i> .....	4
GAMMAKED.....	<i>guanidine</i> .....	38	<i>hydrocortisone</i> ..	34, 99, 100, 119
GAMMAPLEX (WITH	HALAVEN.....	42	<i>hydrocortisone-acetic acid</i> ..	124
SORBITOL).....	HALDOL.....	50	<i>hydromorphone</i> .....	8
GAMUNEX-C.....	HALDOL DECANOATE.....	50	<i>hydroxychloroquine</i> .....	48
<i>ganciclovir sodium</i> .....	<i>halobetasol propionate</i> .....	99	<i>hydroxyurea</i> .....	40
GARDASIL 9 (PF).....	HALOG.....	99	<i>hydroxyzine hcl</i> .....	29, 60, 125
GASTROCROM.....	<i>haloperidol</i> .....	50	<i>hydroxyzine pamoate</i>	
<i>gatifloxacin</i> .....	<i>haloperidol decanoate</i> .....	50	.....	30, 60, 125
GATTEX ONE-VIAL.....	<i>haloperidol lactate</i> .....	50	<i>ibandronate</i> .....	120
<i>gauze pad</i> .....	HARVONI.....	55	IBRANCE.....	44
GAVILYTE-C.....	HAVRIX (PF).....	116	<i>ibuprofen</i> .....	5, 6, 35, 36
GAVILYTE-G.....	HECTOROL.....	120	<i>ibuprofen-oxycodone</i> .....	5, 36
GAVILYTE-N.....	<i>heparin (porcine)</i> .....	70	ICLUSIG.....	45
<i>gemcitabine</i> .....	<i>heparin (porcine) in 5 % dex</i> ..	69	IDAMYCIN PFS.....	42
<i>gemfibrozil</i> .....	HEPATAMINE 8%.....	89	<i>idarubicin</i> .....	42
GEMZAR.....	HERCEPTIN.....	42	IFEX.....	42
GENERLAC.....	HETLIOZ.....	130	<i>ifosfamide</i> .....	42
GENGRAF.....	HEXALEN.....	39	ILARIS (PF).....	115
GENTAK.....	HUMALOG.....	68	ILEVRO.....	123
<i>gentamicin</i> .....	HUMALOG KWIKPEN.....	67	<i>imatinib</i> .....	45
<i>gentamicin in nacl (iso-osm)</i> ....	HUMALOG MIX 50-50.....	67	IMBRUVICA.....	45
<i>gentamicin sulfate (pf)</i> .....	HUMALOG MIX 50-50		IMFINZI.....	47
GENVOYA.....	KWIKPEN.....	67	<i>imipenem-cilastatin</i> .....	14
GEODON.....	HUMALOG MIX 75-25.....	68	<i>imipramine hcl</i> .....	29
GIANVI (28).....	HUMALOG MIX 75-25		<i>imipramine pamoate</i> .....	29
GIAZO.....	KWIKPEN.....	68	<i>imiquimod</i> .....	84
GILDAGIA.....	HUMIRA.....	112	IMOVAX RABIES VACCINE	
GILENYA.....	HUMIRA PEDIATRIC		(PF).....	116
GILOTRIF.....	CROHN'S START.....	112	IMURAN.....	112
GLASSIA.....	HUMIRA PEN.....	112	INCRELEX.....	101
GLATOPA.....	HUMIRA PEN CROHN'S-		<i>indapamide</i> .....	77
GLEEVEC.....	UC-HS START.....	112	<i>indomethacin</i> .....	5, 36
GLEOSTINE.....	HUMIRA PEN PSORIASIS-		INFANRIX (DTAP) (PF).....	116
<i>glimepiride</i> .....	UVEITIS.....	112	INLYTA.....	45, 46
<i>glipizide</i> .....	HUMULIN 70/30 KWIKPEN..	68	<i>insulin syringe-needle u-100</i> ..	68

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

INTELENCE.....	57	KALYDECO.....	128	LAMICTAL XR STARTER	
INTRON A.....	54, 55	KANUMA.....	95	(ORANGE).....	21, 64
INTROVALE.....	104	KARIVA (28).....	105	<i>lamivudine</i> .....	54, 57
INVANZ.....	14	KELNOR 1/35 (28).....	105	<i>lamivudine-zidovudine</i> .....	58
INVEGA.....	52	KEPIVANCE.....	82	<i>lamotrigine</i> .....	20, 21, 64, 65
INVEGA SUSTENNA.....	52	KEPPRA.....	18	LANOXIN.....	75
INVEGA TRINZA.....	52	KEPPRA XR.....	18	<i>lansoprazole</i> .....	94
INVIRASE.....	59	KERYDIN.....	84	LANTUS.....	68
INVOKANA.....	66	<i>ketoconazole</i> .....	32	LANTUS SOLOSTAR.....	68
IOPIDINE.....	123	<i>ketoprofen</i> .....	5, 36	LARIN 1.5/30 (21).....	105
IPOL.....	116	<i>ketorolac</i> .....	6, 36, 123	LARIN 1/20 (21).....	105
<i>ipratropium bromide</i> .....	126	KEVEYIS.....	77	LARIN FE 1.5/30 (28).....	105
<i>ipratropium-albuterol</i> .....	129	KEYTRUDA.....	47, 115	LARIN FE 1/20 (28).....	105
<i>irbesartan</i> .....	72	KHEDEZLA.....	27	<i>latanoprost</i> .....	124
<i>irbesartan-</i>		KIMIDESS (28).....	105	LATUDA.....	52
<i>hydrochlorothiazide</i> .....	76, 77	KINERET.....	112	LAYOLIS FE.....	105
IRESSA.....	46	KINRIX (PF).....	116	LAZANDA.....	8
<i>irinotecan</i> .....	42	KIONEX.....	87	LEENA 28.....	105
ISENTRESS.....	56	KISQALI.....	44	<i>leflunomide</i> .....	115
ISOLYTE-P IN 5 %		KISQALI FEMARA CO-		LENVIMA.....	46
DEXTROSE.....	89	PACK.....	44	LESSINA.....	105
ISOLYTE-S.....	85	KLONOPIN.....	20, 61	LETAIRIS.....	128
<i>isoniazid</i> .....	38	KLOR-CON 10.....	85, 91	<i>letrozole</i> .....	44
<i>isosorbide dinitrate</i> .....	79	KLOR-CON 8.....	85, 91	<i>leucovorin calcium</i> .....	40
<i>isosorbide mononitrate</i> .....	79	KLOR-CON M15.....	85, 91	LEUKERAN.....	39
<i>isradipine</i> .....	74	KLOR-CON M20.....	85, 91	LEUKINE.....	70
ISTALOL.....	123	KLOR-CON SPRINKLE...86, 91		<i>leuprolide</i> .....	110
ISTODAX.....	42	KORLYM.....	67	<i>levalbuterol hcl</i> .....	127
<i>itraconazole</i> .....	32	K-TAB.....	86	LEVEMIR.....	68
<i>ivermectin</i> .....	48	KUVAN.....	95	LEVEMIR FLEXTOUCH.....	68
IXIARO (PF).....	116	KYNAMRO.....	78	<i>levetiracetam</i> .....	18
JAKAFI.....	46	KYPROLIS.....	46	<i>levetiracetam in nacl (iso-os)</i> .18	
JANTOVEN.....	70	<i>labetalol</i> .....	73	<i>levobunolol</i> .....	123
JANUMET.....	67	LACRISERT.....	121	<i>levocarnitine</i> .....	90
JANUMET XR.....	67	<i>lactulose</i> .....	93	<i>levocarnitine (with sugar)</i> .....	90
JANUVIA.....	66	LAMICTAL.....	21, 64	<i>levocetirizine</i> .....	125
JEVTANA.....	43	LAMICTAL ODT.....	21, 64	<i>levofloxacin</i> .....	16
JINTELI.....	104	LAMICTAL STARTER		<i>levofloxacin in d5w</i> .....	16
JOLIVETTE.....	108	(BLUE) KIT.....	21, 64	<i>levoleucovorin</i> .....	43
JULEBER.....	104	LAMICTAL STARTER		LEVONEST (28).....	105
JUNEL 1.5/30 (21).....	104	(GREEN) KIT.....	21, 64	<i>levonorgestrel-ethinyl estrad</i> 105	
JUNEL 1/20 (21).....	104	LAMICTAL STARTER		LEVORA-28.....	105
JUNEL FE 1.5/30 (28).....	104	(ORANGE) KIT.....	21, 64	<i>levorphanol tartrate</i> .....	7
JUNEL FE 1/20 (28).....	104	LAMICTAL XR.....	21, 64	<i>levothyroxine</i> .....	109
JUNEL FE 24.....	104	LAMICTAL XR STARTER		LEVOXYL.....	109
JUXTAPID.....	78	(BLUE).....	21, 64	LEXAPRO.....	27, 61
KADCYLA.....	43	LAMICTAL XR STARTER		LEXIVA.....	59
KALETRA.....	59	(GREEN).....	21, 64	LIALDA.....	118

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<i>lidocaine</i> .....	8	MATZIM LA.....	74	<i>methylphenidate hcl</i> .....	80, 81
<i>lidocaine (pf)</i> .....	8	MAXIDEX.....	124	<i>methylprednisolone</i> .....	34, 100, 119
<i>lidocaine hcl</i> .....	8	<i>meclizine</i> .....	30	<i>methylprednisolone acetate</i>	
<i>lidocaine-prilocaine</i> .....	8	<i>meclofenamate</i> .....	6, 36	.....	34, 99, 119
<i>lindane</i> .....	49	<i>medroxyprogesterone</i> .....	108	<i>methylprednisolone sodium</i>	
<i>linezolid</i> .....	11	<i>mefenamic acid</i> .....	6, 36	<i>succ</i> .....	34, 100, 119
LINZESS.....	93	<i>mefloquine</i> .....	48	<i>metipranolol</i> .....	123
<i>liothyronine</i> .....	109	MEGACE ES.....	108	<i>metoclopramide hcl</i> .....	30, 92
<i>lisinopril</i> .....	72	<i>megestrol</i> .....	108	<i>metolazone</i> .....	77
<i>lisinopril-hydrochlorothiazide</i> .....	76	MEKINIST.....	46	<i>metoprolol succinate</i> .....	73
<i>lithium carbonate</i> .....	65	<i>meloxicam</i> .....	6, 36	<i>metoprolol ta-</i>	
<i>lithium citrate</i> .....	65	<i>melphalan hcl</i> .....	39	<i>hydrochlorothiaz</i> .....	76
<i>lokara</i> .....	99	<i>memantine</i> .....	24	<i>metoprolol tartrate</i> .....	73
LOMEDIA 24 FE.....	105	MENACTRA (PF).....	116	<i>metronidazole</i> .....	11
LONSURF.....	40	MENEST.....	102	<i>metronidazole in nacl (iso-</i>	
<i>loperamide</i> .....	92	MENHIBRIX (PF).....	117	<i>os)</i> .....	11
<i>lopinavir-ritonavir</i> .....	59	MENOMUNE - A/C/Y/W-135		<i>mexiletine</i> .....	73
<i>lorazepam</i> .....	20, 61	(PF).....	117	MIACALCIN.....	120
LORCET		MENOSTAR.....	102	<i>miconazole-3</i> .....	32
(HYDROCODONE).....	4	MENTAX.....	32	MICROGESTIN 1.5/30 (21).....	105
LORCET PLUS.....	4	MENVEO A-C-Y-W-135-DIP		MICROGESTIN 1/20 (21)....	105
LORYNA (28).....	105	(PF).....	117	MICROGESTIN FE 1.5/30	
<i>losartan</i> .....	72	<i>meperidine</i> .....	8	(28).....	105
<i>losartan-hydrochlorothiazide</i> .....	76	<i>meprobamate</i> .....	60	<i>midodrine</i> .....	71
LOTEMAX.....	123	<i>mercaptopurine</i> .....	113	MIGERGOT.....	37
<i>lovastatin</i> .....	78	<i>meropenem</i> .....	14	MIMVEY.....	106
<i>loxapine succinate</i> .....	51	<i>mesalamine with cleansing</i>		MIMVEY LO.....	106
LUMIGAN.....	124	<i>wipe</i> .....	118	MINASTRIN 24 FE.....	106
LUMIZYME.....	129	<i>mesna</i> .....	43	MINITRAN.....	79
LUPRON DEPOT.....	110	MESNEX.....	43	MINIVELLE.....	103
LUPRON DEPOT (3		MESTINON.....	38	<i>minocycline</i> .....	17, 82, 83
MONTH).....	110	MESTINON TIMESPAN.....	38	<i>minoxidil</i> .....	80
LUPRON DEPOT (4		METADATE ER.....	80	<i>mirtazapine</i> .....	25
MONTH).....	110	<i>metaproterenol</i> .....	127	<i>misoprostol</i> .....	94, 101
LUPRON DEPOT (6		METAXALL.....	129	<i>mitomycin</i> .....	43
MONTH).....	110	<i>metaxalone</i> .....	130	<i>mitoxantrone</i> .....	40, 82
LUPRON DEPOT-PED.....	110	<i>metformin</i> .....	66	M-M-R II (PF).....	117
LUTERA (28).....	105	<i>methadone</i> .....	7	<i>modafinil</i> .....	130
LYNPARZA.....	43	<i>methazolamide</i> .....	77, 123	MODERIBA.....	55
LYRICA.....	18, 81	<i>methenamine hippurate</i> .....	11	MODERIBA DOSE PACK....	55
LYSODREN.....	109	<i>methimazole</i> .....	111	<i>moexipril</i> .....	72
LYZA.....	108	<i>methocarbamol</i> .....	130	<i>moexipril-</i>	
<i>magnesium sulfate</i> .....	86	<i>methotrexate sodium</i> .....	113	<i>hydrochlorothiazide</i> .....	76
<i>malathion</i> .....	49	<i>methotrexate sodium (pf)</i> .....	113	<i>mometasone</i> .....	100
<i>maprotiline</i> .....	25	<i>methoxsalen</i> .....	84	MONONESSA (28).....	106
MARLISSA.....	102, 105, 108	<i>methscopolamine</i> .....	91	<i>montelukast</i> .....	126
MARPLAN.....	26	<i>methyclothiazide</i> .....	77	<i>morphine</i> .....	7, 8
MATULANE.....	39	<i>methyldopate</i> .....	71	<i>morphine concentrate</i> .....	7, 8

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<i>moxifloxacin</i> .....	16	<i>neomycin-polymyxin b-dexameth</i> .....	122	NORMOSOL-M IN 5 %	
<i>moxifloxacin-sod.ace,sul-water</i> .....	16	<i>neomycin-polymyxin-hc</i>		DEXTROSE .....	90
MOZOBIL.....	70	.....	122, 124	NORMOSOL-R IN 5 %	
MULTAQ.....	73	NEORAL.....	113	DEXTROSE .....	90
<i>mupirocin</i> .....	11	NEPHRAMINE 5.4 %.....	90	NORMOSOL-R PH 7.4.....	86
<i>mupirocin calcium</i> .....	11	NEUAC.....	84	NORPRAMIN.....	29
MUSTARGEN.....	43	NEULASTA.....	70	NORTHERA.....	71
MYALEPT.....	101	NEUPOGEN.....	70, 71	NORTREL 0.5/35 (28).....	106
MYCAMINE.....	32	NEUPRO.....	49	NORTREL 1/35 (21).....	106
<i>mycophenolate mofetil</i> .....	113	NEURONTIN.....	20	NORTREL 1/35 (28).....	106
<i>mycophenolate mofetil hcl</i> ...	113	NEVANAC.....	124	NORTREL 7/7/7 (28).....	106
<i>mycophenolate sodium</i> .....	113	<i>nevirapine</i> .....	57	<i>nortriptyline</i> .....	29
MYFORTIC.....	113	NEXAVAR.....	46	NORVIR.....	59
MYORISAN.....	84	<i>niacin</i> .....	78	NOVAREL.....	101
MYRBETRIQ.....	96	NIACOR.....	78	NOVOLIN R.....	68
MYSOLINE.....	20	<i>nicardipine</i> .....	74	NOVOLOG.....	69
<i>nabumetone</i> .....	6, 36	NICOTROL.....	9	NOVOLOG FLEXPEN.....	68
<i>nadolol</i> .....	73	NICOTROL NS.....	9	NOVOLOG MIX 70-30.....	69
<i>naftillin</i> .....	15	<i>nifedipine</i> .....	74, 75	FLEXPEN.....	68
<i>naftifine</i> .....	32	NIKKI (28).....	106	NOVOLOG PENFILL.....	69
NAFTIN.....	32	NILANDRON.....	39	NOXAFIL.....	32
NAGLAZYME.....	95	<i>nilutamide</i> .....	39	NUDEXTA.....	81
<i>nalbuphine</i> .....	8	<i>nimodipine</i> .....	75	NULOJIX.....	113
<i>naltrexone</i> .....	9	NINLARO.....	43	NUPLAZID.....	52
NAMENDA.....	24	NIPENT.....	43	NUTRILIPID.....	90
NAMENDA TITRATION PAK	24	NITRO-BID.....	79	NUTROPIN AQ NUSPIN.....	101
NAMENDA XR.....	24	NITRO-DUR.....	79	NYAMYC.....	32
NAMZARIC.....	24	<i>nitrofurantoin</i> .....	11	<i>nystatin</i> .....	32, 33
<i>naproxen</i> .....	6, 36	<i>nitrofurantoin macrocrystal</i> ....	11	<i>nystatin-triamcinolone</i> .....	84
<i>naproxen sodium</i> .....	6, 36	<i>nitrofurantoin monohyd/m-cryst</i> .....	11	NYSTOP.....	33
<i>naratriptan</i> .....	37	<i>nitroglycerin</i> .....	79	OCTAGAM.....	114
NARCAN.....	9	NITROSTAT.....	79	<i>octreotide acetate</i> .....	110
NARDIL.....	26	<i>nizatidine</i> .....	92	ODEFSEY.....	58
NATACYN.....	32	NORA-BE.....	106	ODOMZO.....	46
<i>nateglinide</i> .....	66	NORDITROPIN FLEXPRO..	101	OFEV.....	46, 129
NATPARA.....	120	<i>noreth-ethinyl estradiol-iron</i> .	106	<i>ofloxacin</i> .....	16
NEBUPENT.....	48	<i>norethindrone</i>		OGESTREL (28).....	106
NECON 0.5/35 (28).....	106	( <i>contraceptive</i> ).....	108	<i>olanzapine</i> .....	52, 62
NECON 10/11 (28).....	106	<i>norethindrone acetate</i> .....	108	<i>olanzapine-fluoxetine</i> .....	26
NECON 7/7/7 (28).....	106	<i>norethindrone ac-eth</i>		<i>olmesartan</i> .....	72
<i>nefazodone</i> .....	25	<i>norethindrone ac-eth</i>		<i>olopatadine</i> .....	122
<i>neomycin</i> .....	10	<i>estradiol</i> .....	106	<i>omega-3 acid ethyl esters</i> .....	78
<i>neomycin-bacitracin-poly-hc</i>	121	<i>norethindrone-e.estradiol-iron</i> .....	106	<i>omeprazole</i> .....	94
<i>neomycin-bacitracin-polymyxin</i> .....	121	<i>norgestimate-ethinyl</i>		<i>ondansetron</i> .....	31
<i>neomycin-polymyxin b gu</i> .....	10	<i>estradiol</i> .....	106	<i>ondansetron hcl</i> .....	31
		NORLYROC.....	106	<i>ondansetron hcl (pf)</i> .....	31
				ONFI.....	20

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

ONGLYZA.....	66	PEGASYS.....	55	<i>potassium chloride in 5 %</i>
OPDIVO.....	47	PEGASYS PROCLICK.....	55	<i>dex.....</i>
OPSUMIT.....	128	<i>peg-electrolyte soln.....</i>	93	<i>potassium chloride in Ir-d5.....</i>
ORAP.....	51	<i>pen needle, diabetic.....</i>	69	<i>potassium chloride-0.45 %</i>
ORENCIA.....	113	<i>penicillin g sodium.....</i>	15	<i>nacl.....</i>
ORENCIA (WITH		<i>penicillin v potassium.....</i>	15	<i>potassium chloride-d5-</i>
MALTOSE).....	113	PENTAM.....	48	<i>0.2%nacl.....</i>
ORFADIN.....	95	PENTASA.....	118	<i>potassium chloride-d5-</i>
ORKAMBI.....	128	<i>pentoxifylline.....</i>	75	<i>0.3%nacl.....</i>
<i>orphenadrine citrate.....</i>	130	PERFOROMIST.....	127	<i>potassium chloride-d5-</i>
ORSYTHIA.....	106	<i>perindopril erbumine.....</i>	72	<i>0.9%nacl.....</i>
OSMOPREP.....	86	PERIOGARD.....	83	<i>potassium citrate.....</i>
OTEZLA.....	113	PERJETA.....	43	PRADAXA.....
OTEZLA STARTER.....	113	<i>permethrin.....</i>	49	<i>pramipexole.....</i>
<i>oxacillin.....</i>	15	<i>perphenazine.....</i>	30, 51	<i>pravastatin.....</i>
<i>oxaliplatin.....</i>	43	<i>perphenazine-amitriptyline....</i>	26	<i>prazosin.....</i>
<i>oxandrolone.....</i>	102	PEXEVA.....	28, 61	PRED MILD.....
<i>oxaprozin.....</i>	6, 36	PHENADOZ.....	30	<i>prednicarbate.....</i>
<i>oxazepam.....</i>	60	<i>phenelzine.....</i>	26	<i>prednisolone acetate</i>
<i>oxcarbazepine.....</i>	23	PHENERGAN.....	30	<i>.....</i>
OXISTAT.....	33	<i>phenobarbital.....</i>	20	<i>prednisolone sodium</i>
OXSORALEN ULTRA.....	84	PHENYTEK.....	23	<i>phosphate</i>
OXTELLAR XR.....	23	<i>phenytoin.....</i>	23	<i>34, 35, 100, 119, 124</i>
<i>oxybutynin chloride.....</i>	96	<i>phenytoin sodium.....</i>	23	<i>prednisone.....</i>
<i>oxycodone.....</i>	7, 8	<i>phenytoin sodium extended...23</i>		<i>35, 100, 119</i>
<i>oxycodone-acetaminophen....</i>	4	PICATO.....	85	PREDNISON INTENSOL
OXYCONTIN.....	7	<i>pilocarpine hcl.....</i>	83, 123	<i>.....</i>
<i>oxymorphone.....</i>	7	<i>pimozide.....</i>	51	<i>34, 119, 124</i>
PACERONE.....	73	PIMTREA (28).....	106	<i>prednisolone sodium</i>
<i>paclitaxel.....</i>	43	<i>pindolol.....</i>	73	<i>phosphate</i>
<i>paliperidone.....</i>	52	<i>pioglitazone.....</i>	66	<i>34, 35, 100, 119, 124</i>
PAMELOR.....	29	<i>pioglitazone-glimepiride.....</i>	67	<i>prednisone.....</i>
<i>pamidronate.....</i>	120	<i>pioglitazone-metformin.....</i>	67	<i>35, 100, 119</i>
PANRETIN.....	48	<i>piperacillin-tazobactam.....</i>	15	PREDNISON INTENSOL
<i>pantoprazole.....</i>	94	PIRMELLA.....	107	<i>.....</i>
<i>paricalcitol.....</i>	120	<i>piroxicam.....</i>	6, 36	<i>34, 119, 124</i>
PARNATE.....	26	<i>podofilox.....</i>	85	<i>prednisone.....</i>
<i>paromomycin.....</i>	10	<i>polyethylene glycol 3350. 93, 94</i>		<i>35, 100, 119</i>
<i>paroxetine hcl.....</i>	27, 28, 61	<i>polymyxin b sulf-</i>		PREGNYL.....
PASER.....	38	<i>trimethoprim.....</i>	122	<i>101</i>
PATADAY.....	122	POMALYST.....	39	PREMARIN.....
PATANOL.....	122	PORTIA.....	107	<i>103</i>
PAXIL.....	28, 61	<i>potassium chlorid-d5-</i>		PREMASOL 10 %.....
PAXIL CR.....	28, 61	<i>0.45%nacl.....</i>	90	<i>90</i>
PCE.....	16	<i>potassium chloride.....</i>	86	PREMASOL 6 %.....
PEDIARIX (PF).....	117	<i>potassium chloride in</i>		<i>90</i>
PEDVAX HIB (PF).....	117	<i>0.9%nacl.....</i>	86	PREMPHASE.....
PEGANONE.....	23			<i>107</i>

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.



<i>prochlorperazine edisylate</i>	RANEXA.....	75	<i>rosuvastatin</i> .....	78
.....30, 51	<i>ranitidine hcl</i> .....	93	ROTARIX.....	117
<i>prochlorperazine maleate</i> 30, 51	RAPAMUNE.....	113	ROTATEQ VACCINE.....	117
PROCRIT.....	RAVICTI.....	95	ROWEEPRA.....	18
PROCTO-PAK.....	REBETOL.....	54, 55	ROZEREM.....	130
PROCTOSOL HC.....	REBIF (WITH ALBUMIN).....	82	RUBRACA.....	43
PROCTOZONE-HC.....	REBIF REBIDOSE.....	82	RYDAPT.....	46
PROCYSBI.....	REBIF TITRATION PACK.....	82	SABRIL.....	20
<i>progesterone micronized</i> .....	RECLIPSEN (28).....	107	SANDIMMUNE.....	114
PROGLYCEM.....	RECOMBIVAX HB (PF).....	117	SANTYL.....	85
PROGRAF.....	RECTIV.....	79	SAPHRIS (BLACK	
PROLASTIN-C.....	REGRANEX.....	85	CHERRY).....	53, 62
PROLEUKIN.....	RELENZA DISKHALER.....	59	SARAFEM.....	28
PROLIA.....	RELISTOR.....	92	SAVELLA.....	81
PROMACTA.....	REMERON.....	25	<i>selegiline hcl</i> .....	50
<i>promethazine</i> .....	REMERON SOLTAB.....	26	<i>selenium sulfide</i> .....	85
<i>promethazine vc</i> .....	REMICADE.....	113	SELZENTRY.....	58
PROMETHEGAN.....	RENAGEL.....	97	SENSIPAR.....	121
<i>propafenone</i> .....	REVELA.....	97	SEREVENT DISKUS.....	127
<i>proparacaine</i> .....	<i>repaglinide</i> .....	66	SEROQUEL.....	26, 53, 62
<i>propranolol</i> .....	REPATHA SURECLICK.....	78	SEROQUEL XR.....	26, 53, 62
<i>propranolol-</i>	REPATHA SYRINGE.....	79	<i>sertraline</i> .....	28, 61
<i>hydrochlorothiazid</i> .....	RESCRIPTOR.....	57	SETLAKIN.....	107
<i>propylthiouracil</i> .....	RESTASIS.....	121	<i>sevelamer carbonate</i> .....	97
PROQUAD (PF).....	RETROVIR.....	58	SHAROBEL.....	107
PROSOL 20 %.....	REVLIMID.....	39, 40	SIGNIFOR.....	110
<i>protriptyline</i> .....	REXULTI.....	52	SIGNIFOR LAR.....	110
PROZAC.....	REYATAZ.....	59	<i>sildenafil</i> .....	128
PULMICORT.....	RIBASPHERE.....	54, 55	SILENOR.....	29, 60
PULMICORT FLEXHALER.....	RIBASPHERE RIBAPAK.....	55	<i>silver sulfadiazine</i> .....	16
PULMOZYME.....	<i>ribavirin</i> .....	54, 55	SIMPONI.....	114, 115
PURIXAN.....	RIDAURA.....	115	SIMULECT.....	114
<i>pyrazinamide</i> .....	<i>rifabutin</i> .....	38	<i>simvastatin</i> .....	78
<i>pyridostigmine bromide</i> .....	<i>rifampin</i> .....	38	<i>sirolimus</i> .....	114
QUADRACEL (PF).....	RIFATER.....	38	SIRTURO.....	38
QUARTETTE.....	<i>riluzole</i> .....	81	<i>sodium chloride</i> .....	86
QUASENSE.....	<i>rimantadine</i> .....	59	<i>sodium chloride 0.45 %</i> .....	86
QUDEXY XR.....	<i>ringer's</i> .....	90	<i>sodium chloride 0.9 %</i> .....	86
<i>quetiapine</i> .....	<i>risedronate</i> .....	121	<i>sodium chloride 3 %</i> .....	86
<i>quinapril</i> .....	RISPERDAL.....	52, 62	<i>sodium chloride 5 %</i> .....	86
<i>quinapril-hydrochlorothiazide</i> .....	RISPERDAL CONSTA.....	52, 62	<i>sodium lactate</i> .....	90
<i>quinidine gluconate</i> .....	RISPERDAL M-TAB.....	52, 62	<i>sodium polystyrene (sorb</i>	
<i>quinidine sulfate</i> .....	<i>risperidone</i> .....	52, 53, 62	<i>free)</i> .....	87
<i>quinine sulfate</i> .....	RITUXAN.....	47	SOLARAZE.....	85
QVAR.....	<i>rivastigmine</i> .....	24	SOLTAMOX.....	40
RABAVERT (PF).....	<i>rivastigmine tartrate</i> .....	24	SOMATULINE DEPOT.....	110
<i>raloxifene</i> .....	<i>rizatriptan</i> .....	37	SOMAVERT.....	110
<i>ramipril</i> .....	<i>ropinirole</i> .....	50	<i>sotalol</i> .....	73

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<i>sotalol af</i> .....	73	TABLOID.....	40	<i>timolol maleate</i> .....	37, 74, 123
SOVALDI.....	55, 56	<i>tacrolimus</i> .....	85, 114	<i>tinidazole</i> .....	12
SPIRIVA RESPIMAT.....	126	TAFINLAR.....	46	TIVICAY.....	56
SPIRIVA WITH		TAGRISSO.....	46	<i>tizanidine</i> .....	54
HANDIHALER.....	126	TAMIFLU.....	60	TOBRADEX.....	10
<i>spironolactone</i> .....	77	<i>tamoxifen</i> .....	40	<i>tobramycin</i> .....	10
<i>spironolacton-</i>		<i>tamsulosin</i> .....	96	<i>tobramycin in 0.225 % nacl</i> ...	10
<i>hydrochlorothiaz</i> .....	76	TARCEVA.....	46	<i>tobramycin sulfate</i> .....	10
SPRINTEC (28).....	107	TARGRETIN.....	48	<i>tobramycin-dexamethasone</i>	122
SPRITAM.....	18	TARINA FE 1/20 (28).....	107	TOBREX.....	10
SPRYCEL.....	46	TASIGNA.....	46	TOFRANIL.....	29
SRONYX.....	107	TAXOTERE.....	43	TOLAK.....	85
SSD.....	16	<i>tazarotene</i> .....	85	<i>tolazamide</i> .....	66
<i>stavudine</i> .....	58	TAZICEF.....	13	<i>tolbutamide</i> .....	66
STIVARGA.....	46	TAZORAC.....	85	<i>tolcapone</i> .....	49
STRATTERA.....	81	TECENTRIQ.....	47	<i>tolmetin</i> .....	6, 36
STRENSIQ.....	95	TECFIDERA.....	82	<i>tolterodine</i> .....	96
<i>streptomycin</i> .....	10	TECHNIVIE.....	55, 56	TOPAMAX.....	22, 37
STRIBILD.....	56	TEFLARO.....	13	<i>topiramate</i> .....	22, 37
SUCRAID.....	95	TEGRETOL.....	23, 65	TOPOSAR.....	45
<i>sucralfate</i> .....	94	TEGRETOL XR.....	23, 65	<i>topotecan</i> .....	45
<i>sulfacetamide sodium</i>		TEKTURNA.....	75	TORISEL.....	114
.....	17, 121, 122	TEKTURNA HCT.....	76	<i>torseamide</i> .....	77
<i>sulfacetamide sodium (acne)</i> .	16	<i>temazepam</i> .....	130	TPN ELECTROLYTES.....	91
<i>sulfadiazine</i> .....	17	TENIVAC (PF).....	117	TRACLEER.....	128
<i>sulfamethoxazole-</i>		TENORMIN.....	74	<i>tramadol</i> .....	7, 8
<i>trimethoprim</i> .....	17	<i>terazosin</i> .....	72, 96	<i>tramadol-acetaminophen</i> .....	4
<i>sulfasalazine</i> .....	119, 120	<i>terbinafine hcl</i> .....	33	<i>trandolapril</i> .....	72
<i>sulindac</i> .....	6, 36	<i>terbutaline</i> .....	127	<i>tranexamic acid</i> .....	71
<i>sumatriptan</i> .....	38	<i>terconazole</i> .....	33	TRANSDERM-SCOP.....	30, 91
<i>sumatriptan succinate</i> .....	38	<i>testosterone</i> .....	102	<i>tranylcypromine</i> .....	26
SUPRAX.....	13	<i>testosterone cypionate</i> .....	102	TRAVASOL 10 %.....	91
SUPREP BOWEL PREP KIT	86	<i>testosterone enanthate</i> .....	102	TRAVATAN Z.....	124
SURMONTIL.....	29	<i>tetanus, diphtheria tox</i>		<i>trazodone</i> .....	26
SUSTIVA.....	57	<i>ped(pf)</i> .....	117	TREANDA.....	43
SUTENT.....	46	<i>tetanus-diphtheria toxoids-td</i>		TRECTOR.....	39
SYLATRON.....	40, 56	.....	117	TRELSTAR.....	110, 111
SYLVANT.....	47, 115	<i>tetrabenazine</i> .....	81	<i>tretinoin</i> .....	48, 85
SYMBICORT.....	129	<i>tetracycline</i> .....	17	<i>tretinoin (chemotherapy)</i> .....	48
SYMBYAX.....	26	THALOMID.....	39	TREXALL.....	114
SYMLINPEN 120.....	66	<i>theophylline</i> .....	128	<i>triamcinolone acetonide</i>	
SYMLINPEN 60.....	66	<i>thioridazine</i> .....	51	.....	35, 83, 100
SYNAGIS.....	115	<i>thiotepa</i> .....	39	<i>triamterene-</i>	
SYNAREL.....	110	<i>thiothixene</i> .....	51	<i>hydrochlorothiazid</i> .....	76
SYNERCID.....	12	THYMOGLOBULIN.....	115	<i>triazolam</i> .....	60
SYNRIBO.....	40	<i>tiagabine</i> .....	20	TRIDERM.....	101
SYNTHROID.....	109	<i>tigecycline</i> .....	12	<i>trifluoperazine</i> .....	51
SYPRINE.....	87	TIKOSYN.....	73	<i>trifluridine</i> .....	56

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

<i>trihexyphenidyl</i> .....	49	VELCADE.....	43	XENAZINE.....	81
TRI-LEGEST FE.....	107	VELIVET TRIPHASIC		XGEVA.....	121
TRILEPTAL.....	23	REGIMEN (28).....	107	XOLAIR.....	129
<i>trimethoprim</i> .....	12	VELTASSA.....	87	XOPENEX HFA.....	127
<i>trimipramine</i> .....	29	VENCLEXTA.....	43	XTANDI.....	39
TRINESSA (28).....	107	VENCLEXTA STARTING		XULANE.....	108
TRINTELLIX.....	28	PACK.....	44	XYREM.....	130
TRI-PREVIFEM (28).....	107	<i>venlafaxine</i> .....	28, 61	YERVOY.....	40
TRISENOX.....	43	VENTAVIS.....	128	YF-VAX (PF).....	118
TRI-SPRINTEC (28).....	107	VENTOLIN HFA.....	127	YONDELIS.....	44
TRIUMEQ.....	58	<i>verapamil</i> .....	75	<i>zafirlukast</i> .....	126
TRIVORA (28).....	107	VERIPRED 20.....	35, 101, 119	<i>zaleplon</i> .....	130
TRIZIVIR.....	58	VERSACLOZ.....	53	ZALTRAP.....	40
TROKENDI XR.....	22	VESTURA (28).....	107	ZANOSAR.....	10
TROPHAMINE 10 %.....	91	VICTOZA 3-PAK.....	66	ZARONTIN.....	18
TROPHAMINE 6%.....	91	VIDAZA.....	44	ZARXIO.....	71
<i>trospium</i> .....	96	VIDEX 2 GRAM PEDIATRIC.	58	ZAVESCA.....	95
TRUMENBA.....	117	VIDEX EC.....	58	ZEJULA.....	44
TRUVADA.....	58	VIGAMOX.....	16	ZELAPAR.....	50
TUDORZA PRESSAIR.....	126	VIIBRYD.....	28	ZELBORAF.....	47
TWINRIX (PF).....	118	VIMPAT.....	23	ZEMAIRA.....	129
TYBOST.....	58	<i>vinblastine</i> .....	44	ZENATANE.....	85
TYGACIL.....	12	VINCASAR PFS.....	44	ZENCHENT (28).....	108
TYKERB.....	46	<i>vincristine</i> .....	44	ZENPEP.....	96
TYPHIM VI.....	118	<i>vinorelbine</i> .....	44	ZERBAXA.....	13
TYSABRI.....	82, 115	VIRACEPT.....	59	ZERIT.....	58
UCERIS.....	92, 93	VIRAMUNE.....	57	ZETIA.....	79
ULORIC.....	33	VIRAMUNE XR.....	57	ZIAGEN.....	58
UNITHROID.....	109	VIRAZOLE.....	54, 56	<i>zidovudine</i> .....	58
UPTRAVI.....	75	VIREAD.....	55, 58	ZINECARD (AS HCL).....	44
<i>ursodiol</i> .....	92	VIVELLE-DOT.....	103	<i>ziprasidone hcl</i> .....	53, 63
UVADEX.....	85	VOLTAREN.....	6, 85	ZIRGAN.....	54
VAGIFEM.....	103	<i>voriconazole</i> .....	33	ZITHROMAX.....	16
<i>valacyclovir</i> .....	56	VOTRIENT.....	47	ZMAX.....	16
VALCHLOR.....	39, 85	VPRIV.....	95	<i>zoledronic acid</i> .....	121
VALCYTE.....	54	VRAYLAR.....	53, 63	<i>zoledronic acid-mannitol-</i>	
<i>valganciclovir</i> .....	54	VYFEMLA (28).....	107	<i>water</i> .....	121
<i>valproate sodium</i> .....	20	VYVANSE.....	80	ZOLINZA.....	33, 45
<i>valproic acid</i> .....	20, 37, 65	<i>warfarin</i> .....	70	ZOLOFT.....	28, 61, 62
<i>valproic acid (as sodium</i>		<i>water for irrigation, sterile</i> .....	91	<i>zolpidem</i> .....	130
<i>salt</i> ).....	20, 37, 65	WELCHOL.....	66, 67, 79	ZONEGRAN.....	18
<i>valsartan</i> .....	72	WELLBUTRIN SR.....	26	<i>zonisamide</i> .....	18
<i>valsartan-</i>		WELLBUTRIN XL.....	26	ZORTRESS.....	114
<i>hydrochlorothiazide</i> .....	76	WYMZYA FE.....	108	ZOSTAVAX (PF).....	118
<i>vancomycin</i> .....	12	XALKORI.....	47	ZOVIA 1/35E (28).....	108
VAQTA (PF).....	118	XARELTO.....	70	ZOVIA 1/50E (28).....	108
VARIVAX (PF).....	118	XELJANZ.....	114	ZOVIRAX.....	56
VECTIBIX.....	43	XELJANZ XR.....	114	ZYDELIG.....	45

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.

ZYKADIA.....	47
ZYPREXA.....	53, 63
ZYPREXA RELPREVV.....	53, 63
ZYPREXA ZYDIS.....	53, 63
ZYTIGA.....	39
ZYVOX.....	12

If you have questions, please call RiverSpring FIDA Plan at 1-800-950-9000 (TTY 711), 7 days a week from 8 a.m. to 8 p.m. EST. The call is free. For more information, visit [RiverSpringFIDA.org](http://RiverSpringFIDA.org). You can find information on what the symbols and abbreviations on this table mean by going to page 1.