

STEP THERAPY CRITERIA

This list is current as of 12/01/2020 and pertains to the following formularies:

2020 Independent Health's Medicare Advantage C-SNP Part D Formulary	Version 23
---	------------

In some cases, we require that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B. This document contains the Step Therapy protocols that are associated with our Medicare Advantage Part D Formularies.

If you have any questions, please contact our Medicare Member Services Department at 1-800-665-1502 or, for TTY users 711, October 1st – March 31st: Monday through Sunday from 8 a.m. to 8 p.m., April 1st – September 30th: Monday through Friday from 8 a.m. to 8 p.m.

The formulary may change at any time. You will receive notice when necessary.

Aliskiren Step

Products Affected

- *aliskiren fumarate tablet 150 mg oral*
- *aliskiren fumarate tablet 300 mg oral*
- TEKTURNA HCT TABLET 150-12.5 MG ORAL
- TEKTURNA HCT TABLET 150-25 MG ORAL
- TEKTURNA HCT TABLET 300-12.5 MG ORAL
- TEKTURNA HCT TABLET 300-25 MG ORAL

Details

Criteria	Prior prescription history of an ARB to obtain any products containing aliskiren.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

CGRP Inhibitor Step

Products Affected

- NURTEC TABLET DISPERSIBLE 75 MG ORAL
- UBRELVY TABLET 50 MG ORAL
- UBRELVY TABLET 100 MG ORAL

Details

Criteria	Prior prescription history includes use of at least one triptan before an oral CGRP inhibitor.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Doxercalciferol Step

Products Affected

- *doxercalciferol capsule 0.5 mcg oral*
- *doxercalciferol capsule 1 mcg oral*
- *doxercalciferol capsule 2.5 mcg oral*

Details

Criteria	Prior prescription history includes past use of calcitriol.
----------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Eucrisa Step

Products Affected

- EUCRISA OINTMENT 2 % EXTERNAL

Details

Criteria	Prior prescription history positive for the use of either a topical corticosteroid or topical calcineurin inhibitor.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

GLP-1 Step

Products Affected

- BYDUREON BCISE AUTO-INJECTOR 2 MG/0.85ML SUBCUTANEOUS
- BYDUREON PEN-INJECTOR 2 MG SUBCUTANEOUS
- BYETTA 10 MCG PEN SOLUTION PEN-INJECTOR 10 MCG/0.04ML SUBCUTANEOUS
- BYETTA 5 MCG PEN SOLUTION PEN-INJECTOR 5 MCG/0.02ML SUBCUTANEOUS
- OZEMPIC (0.25 OR 0.5 MG/DOSE) SOLUTION PEN-INJECTOR 2 MG/1.5ML SUBCUTANEOUS
- OZEMPIC (1 MG/DOSE) SOLUTION PEN-INJECTOR 2 MG/1.5ML SUBCUTANEOUS
- RYBELSUS TABLET 14 MG ORAL
- RYBELSUS TABLET 3 MG ORAL
- RYBELSUS TABLET 7 MG ORAL
- TRULICITY SOLUTION PEN-INJECTOR 0.75 MG/0.5ML SUBCUTANEOUS
- TRULICITY SOLUTION PEN-INJECTOR 1.5 MG/0.5ML SUBCUTANEOUS
- TRULICITY SOLUTION PEN-INJECTOR 3 MG/0.5ML SUBCUTANEOUS
- TRULICITY SOLUTION PEN-INJECTOR 4.5 MG/0.5ML SUBCUTANEOUS
- VICTOZA SOLUTION PEN-INJECTOR 18 MG/3ML SUBCUTANEOUS

Details

Criteria	Prior prescription history includes concurrent use of metformin, a sulfonylurea, a DPP-4 inhibitor, a TZD, or an SGLT-2 inhibitor before a GLP-1 agonist. Step therapy does not apply when written by endocrinologist.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Lonhala Step

Products Affected

- LONHALA MAGNAIR REFILL KIT SOLUTION 25 MCG/ML INHALATION
- LONHALA MAGNAIR STARTER KIT SOLUTION 25 MCG/ML INHALATION

Details

Criteria	Prior prescription history positive for the use of a non-nebulized long-acting muscarinic antagonist such as aclidinium, glycopyrrolate, tiotropium, or umeclidinium.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Mirvaso Step

Products Affected

- MIRVASO GEL 0.33 % EXTERNAL

Details

Criteria	Prior prescription history positive for the use of azelaic acid.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Ongentys Step

Products Affected

- ONGENTYS CAPSULE 50 MG ORAL

Details

Criteria	Prior prescription history positive for the use of a product containing another COMTI such as entacapone.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Paricalcitol/Royaldee Step

Products Affected

- *paricalcitol capsule 1 mcg oral*
- *paricalcitol capsule 2 mcg oral*
- *paricalcitol capsule 4 mcg oral*
- RAYALDEE CAPSULE EXTENDED RELEASE 30 MCG ORAL

Details

Criteria	Prior prescription history includes past use of calcitriol.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Perforomist Step

Products Affected

- PERFORMIST NEBULIZATION SOLUTION 20 MCG/2ML INHALATION

Details

Criteria	Prior prescription history positive for the use of Brovana.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Rocklatan Step

Products Affected

- ROCKLATAN SOLUTION 0.02-0.005 %
OPHTHALMIC

Details

Criteria	Prior prescription history positive for the use of an ophthalmic prostaglandin inhibitor.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Talicia Step

Products Affected

- TALICIA CAPSULE DELAYED RELEASE 250-12.5-10 MG ORAL

Details

Criteria	Prior prescription history positive for the use of an empiric (standard first-line) Helicobacter pylori regimen.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Tramadol ER Biphasic Step

Products Affected

- *tramadol hcl er (biphasic) tablet extended release 24 hour 100 mg oral*
- *tramadol hcl er (biphasic) tablet extended release 24 hour 200 mg oral*
- *tramadol hcl er (biphasic) tablet extended release 24 hour 300 mg oral*
- *tramadol hcl er capsule extended release 24 hour 100 mg oral*
- *tramadol hcl er capsule extended release 24 hour 150 mg oral*
- *tramadol hcl er capsule extended release 24 hour 200 mg oral*
- *tramadol hcl er capsule extended release 24 hour 300 mg oral*

Details

Criteria	Requires the use of an immediate-release tramadol product or non-biphasic extended-release tramadol first.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Uloric Step

Products Affected

- *febuxostat tablet 40 mg oral*
- *febuxostat tablet 80 mg oral*

Details

Criteria	Requires the use of allopurinol first.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

INDEX

<i>aliskiren fumarate tablet 150 mg oral</i>	1	TEKTURNA HCT TABLET 150-12.5 MG ORAL..	1
<i>aliskiren fumarate tablet 300 mg oral</i>	1	TEKTURNA HCT TABLET 150-25 MG ORAL.....	1
BYDUREON BCISE AUTO-INJECTOR 2		TEKTURNA HCT TABLET 300-12.5 MG ORAL..	1
MG/0.85ML SUBCUTANEOUS.....	5	TEKTURNA HCT TABLET 300-25 MG ORAL.....	1
BYDUREON PEN-INJECTOR 2 MG		<i>tramadol hcl er (biphasic) tablet extended</i>	
SUBCUTANEOUS.....	5	<i>release 24 hour 100 mg oral</i>	13
BYETTA 10 MCG PEN SOLUTION PEN-		<i>tramadol hcl er (biphasic) tablet extended</i>	
INJECTOR 10 MCG/0.04ML		<i>release 24 hour 200 mg oral</i>	13
SUBCUTANEOUS.....	5	<i>tramadol hcl er (biphasic) tablet extended</i>	
BYETTA 5 MCG PEN SOLUTION PEN-		<i>release 24 hour 300 mg oral</i>	13
INJECTOR 5 MCG/0.02ML SUBCUTANEOUS...5	5	<i>tramadol hcl er capsule extended release</i>	
<i>doxercalciferol capsule 0.5 mcg oral</i>	3	<i>24 hour 100 mg oral</i>	13
<i>doxercalciferol capsule 1 mcg oral</i>	3	<i>tramadol hcl er capsule extended release</i>	
<i>doxercalciferol capsule 2.5 mcg oral</i>	3	<i>24 hour 150 mg oral</i>	13
EUCRISA OINTMENT 2 % EXTERNAL.....	4	<i>tramadol hcl er capsule extended release</i>	
<i>febuxostat tablet 40 mg oral</i>	14	<i>24 hour 200 mg oral</i>	13
<i>febuxostat tablet 80 mg oral</i>	14	<i>tramadol hcl er capsule extended release</i>	
LONHALA MAGNAIR REFILL KIT SOLUTION		<i>24 hour 300 mg oral</i>	13
25 MCG/ML INHALATION.....	6	TRULICITY SOLUTION PEN-INJECTOR 0.75	
LONHALA MAGNAIR STARTER KIT		MG/0.5ML SUBCUTANEOUS.....	5
SOLUTION 25 MCG/ML INHALATION.....	6	TRULICITY SOLUTION PEN-INJECTOR 1.5	
MIRVASO GEL 0.33 % EXTERNAL.....	7	MG/0.5ML SUBCUTANEOUS.....	5
NURTEC TABLET DISPERSIBLE 75 MG ORAL... 2	2	TRULICITY SOLUTION PEN-INJECTOR 3	
ONGENTYS CAPSULE 50 MG ORAL.....	8	MG/0.5ML SUBCUTANEOUS.....	5
OZEMPIC (0.25 OR 0.5 MG/DOSE)		TRULICITY SOLUTION PEN-INJECTOR 4.5	
SOLUTION PEN-INJECTOR 2 MG/1.5ML		MG/0.5ML SUBCUTANEOUS.....	5
SUBCUTANEOUS.....	5	UBRELVY TABLET 100 MG ORAL.....	2
OZEMPIC (1 MG/DOSE) SOLUTION PEN-		UBRELVY TABLET 50 MG ORAL.....	2
INJECTOR 2 MG/1.5ML SUBCUTANEOUS.....	5	VICTOZA SOLUTION PEN-INJECTOR 18	
<i>paricalcitol capsule 1 mcg oral</i>	9	MG/3ML SUBCUTANEOUS.....	5
<i>paricalcitol capsule 2 mcg oral</i>	9		
<i>paricalcitol capsule 4 mcg oral</i>	9		
PERFOROMIST NEBULIZATION SOLUTION			
20 MCG/2ML INHALATION.....	10		
RAYALDEE CAPSULE EXTENDED RELEASE			
30 MCG ORAL.....	9		
ROCKLATAN SOLUTION 0.02-0.005 %			
OPHTHALMIC.....	11		
RYBELSUS TABLET 14 MG ORAL.....	5		
RYBELSUS TABLET 3 MG ORAL.....	5		
RYBELSUS TABLET 7 MG ORAL.....	5		
TALICIA CAPSULE DELAYED RELEASE 250-			
12.5-10 MG ORAL.....	12		