

STEP THERAPY CRITERIA

This list is current as of 12/01/2020 and pertains to the following formularies:

2020 Independent Health's Medicare Advantage Individual Part D Formulary	Version 27
2020 Independent Health's Medicare Advantage Employer Group's Part D Formulary	Version 27

In some cases, we require that you first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, we may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B. This document contains the Step Therapy protocols that are associated with our Medicare Advantage Part D Formularies.

If you have any questions, please contact our Medicare Member Services Department at 1-800-665-1502 or, for TTY users 711, October 1st – March 31st: Monday through Sunday from 8 a.m. to 8 p.m., April 1st – September 30th: Monday through Friday from 8 a.m. to 8 p.m.

The formulary may change at any time. You will receive notice when necessary.

Aliskiren Step

Products Affected

- *aliskiren fumarate tablet 150 mg oral*
- *aliskiren fumarate tablet 300 mg oral*
- TEKTURNA HCT TABLET 150-12.5 MG ORAL
- TEKTURNA HCT TABLET 150-25 MG ORAL
- TEKTURNA HCT TABLET 300-12.5 MG ORAL
- TEKTURNA HCT TABLET 300-25 MG ORAL

Details

Criteria	Prior prescription history of an ARB to obtain any products containing aliskiren.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

CGRP Inhibitor Step

Products Affected

- NURTEC TABLET DISPERSIBLE 75 MG ORAL
- UBRELVY TABLET 50 MG ORAL
- UBRELVY TABLET 100 MG ORAL

Details

Criteria	Prior prescription history includes use of at least one triptan before an oral CGRP inhibitor.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Doxercalciferol Step

Products Affected

- *doxercalciferol capsule 0.5 mcg oral*
- *doxercalciferol capsule 1 mcg oral*
- *doxercalciferol capsule 2.5 mcg oral*

Details

Criteria	Prior prescription history includes past use of calcitriol.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Eucrisa Step

Products Affected

- EUCRISA OINTMENT 2 % EXTERNAL

Details

Criteria	Prior prescription history positive for the use of either a topical corticosteroid or topical calcineurin inhibitor.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

GLP-1 Step

Products Affected

- BYDUREON BCISE AUTO-INJECTOR 2 MG/0.85ML SUBCUTANEOUS
- BYDUREON PEN-INJECTOR 2 MG SUBCUTANEOUS
- BYETTA 10 MCG PEN SOLUTION PEN-INJECTOR 10 MCG/0.04ML SUBCUTANEOUS
- BYETTA 5 MCG PEN SOLUTION PEN-INJECTOR 5 MCG/0.02ML SUBCUTANEOUS
- OZEMPIC (0.25 OR 0.5 MG/DOSE) SOLUTION PEN-INJECTOR 2 MG/1.5ML SUBCUTANEOUS
- OZEMPIC (1 MG/DOSE) SOLUTION PEN-INJECTOR 2 MG/1.5ML SUBCUTANEOUS
- RYBELSUS TABLET 14 MG ORAL
- RYBELSUS TABLET 3 MG ORAL
- RYBELSUS TABLET 7 MG ORAL
- TRULICITY SOLUTION PEN-INJECTOR 0.75 MG/0.5ML SUBCUTANEOUS
- TRULICITY SOLUTION PEN-INJECTOR 1.5 MG/0.5ML SUBCUTANEOUS
- TRULICITY SOLUTION PEN-INJECTOR 3 MG/0.5ML SUBCUTANEOUS
- TRULICITY SOLUTION PEN-INJECTOR 4.5 MG/0.5ML SUBCUTANEOUS
- VICTOZA SOLUTION PEN-INJECTOR 18 MG/3ML SUBCUTANEOUS

Details

Criteria	Prior prescription history includes concurrent use of metformin, a sulfonylurea, a DPP-4 inhibitor, a TZD, or an SGLT-2 inhibitor before a GLP-1 agonist. Step therapy does not apply when written by endocrinologist.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Lonhala Step

Products Affected

- LONHALA MAGNAIR REFILL KIT SOLUTION 25 MCG/ML INHALATION
- LONHALA MAGNAIR STARTER KIT SOLUTION 25 MCG/ML INHALATION

Details

Criteria	Prior prescription history positive for the use of a non-nebulized long-acting muscarinic antagonist such as aclidinium, glycopyrrolate, tiotropium, or umeclidinium.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Mirvaso Step

Products Affected

- MIRVASO GEL 0.33 % EXTERNAL

Details

Criteria	Prior prescription history positive for the use of azelaic acid.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Ongentys Step

Products Affected

- ONGENTYS CAPSULE 50 MG ORAL

Details

Criteria	Prior prescription history positive for the use of a product containing another COMTI such as entacapone.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Paricalcitol/Royaldee Step

Products Affected

- *paricalcitol capsule 1 mcg oral*
- *paricalcitol capsule 2 mcg oral*
- *paricalcitol capsule 4 mcg oral*
- RAYALDEE CAPSULE EXTENDED RELEASE 30 MCG ORAL

Details

Criteria	Prior prescription history includes past use of calcitriol.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Perforomist Step

Products Affected

- PERFORMIST NEBULIZATION SOLUTION 20 MCG/2ML INHALATION

Details

Criteria	Prior prescription history positive for the use of Brovana.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Rocklatan Step

Products Affected

- ROCKLATAN SOLUTION 0.02-0.005 %
OPHTHALMIC

Details

Criteria	Prior prescription history positive for the use of an ophthalmic prostaglandin inhibitor.
-----------------	---

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Talicia Step

Products Affected

- TALICIA CAPSULE DELAYED RELEASE 250-12.5-10 MG ORAL

Details

Criteria	Prior prescription history positive for the use of an empiric (standard first-line) Helicobacter pylori regimen.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Tramadol ER Biphasic Step

Products Affected

- *tramadol hcl er (biphasic) tablet extended release 24 hour 100 mg oral*
- *tramadol hcl er (biphasic) tablet extended release 24 hour 200 mg oral*
- *tramadol hcl er (biphasic) tablet extended release 24 hour 300 mg oral*
- *tramadol hcl er capsule extended release 24 hour 100 mg oral*
- *tramadol hcl er capsule extended release 24 hour 150 mg oral*
- *tramadol hcl er capsule extended release 24 hour 200 mg oral*
- *tramadol hcl er capsule extended release 24 hour 300 mg oral*

Details

Criteria	Requires the use of an immediate-release tramadol product or non-biphasic extended-release tramadol first.
-----------------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

Uloric Step

Products Affected

- *febuxostat tablet 40 mg oral*
- *febuxostat tablet 80 mg oral*

Details

Criteria	Requires the use of allopurinol first.
----------	--

You can find information on what the symbols and abbreviations on this table mean by going to page VI.

INDEX

<i>aliskiren fumarate tablet 150 mg oral</i>	1	TEKTURNA HCT TABLET 150-12.5 MG ORAL..	1
<i>aliskiren fumarate tablet 300 mg oral</i>	1	TEKTURNA HCT TABLET 150-25 MG ORAL.....	1
BYDUREON BCISE AUTO-INJECTOR 2		TEKTURNA HCT TABLET 300-12.5 MG ORAL..	1
MG/0.85ML SUBCUTANEOUS.....	5	TEKTURNA HCT TABLET 300-25 MG ORAL.....	1
BYDUREON PEN-INJECTOR 2 MG		<i>tramadol hcl er (biphasic) tablet extended</i>	
SUBCUTANEOUS.....	5	<i>release 24 hour 100 mg oral</i>	13
BYETTA 10 MCG PEN SOLUTION PEN-		<i>tramadol hcl er (biphasic) tablet extended</i>	
INJECTOR 10 MCG/0.04ML		<i>release 24 hour 200 mg oral</i>	13
SUBCUTANEOUS.....	5	<i>tramadol hcl er (biphasic) tablet extended</i>	
BYETTA 5 MCG PEN SOLUTION PEN-		<i>release 24 hour 300 mg oral</i>	13
INJECTOR 5 MCG/0.02ML SUBCUTANEOUS...5	5	<i>tramadol hcl er capsule extended release</i>	
<i>doxercalciferol capsule 0.5 mcg oral</i>	3	<i>24 hour 100 mg oral</i>	13
<i>doxercalciferol capsule 1 mcg oral</i>	3	<i>tramadol hcl er capsule extended release</i>	
<i>doxercalciferol capsule 2.5 mcg oral</i>	3	<i>24 hour 150 mg oral</i>	13
EUCRISA OINTMENT 2 % EXTERNAL.....	4	<i>tramadol hcl er capsule extended release</i>	
<i>febuxostat tablet 40 mg oral</i>	14	<i>24 hour 200 mg oral</i>	13
<i>febuxostat tablet 80 mg oral</i>	14	<i>tramadol hcl er capsule extended release</i>	
LONHALA MAGNAIR REFILL KIT SOLUTION		<i>24 hour 300 mg oral</i>	13
25 MCG/ML INHALATION.....	6	TRULICITY SOLUTION PEN-INJECTOR 0.75	
LONHALA MAGNAIR STARTER KIT		MG/0.5ML SUBCUTANEOUS.....	5
SOLUTION 25 MCG/ML INHALATION.....	6	TRULICITY SOLUTION PEN-INJECTOR 1.5	
MIRVASO GEL 0.33 % EXTERNAL.....	7	MG/0.5ML SUBCUTANEOUS.....	5
NURTEC TABLET DISPERSIBLE 75 MG ORAL... 2	2	TRULICITY SOLUTION PEN-INJECTOR 3	
ONGENTYS CAPSULE 50 MG ORAL.....	8	MG/0.5ML SUBCUTANEOUS.....	5
OZEMPIC (0.25 OR 0.5 MG/DOSE)		TRULICITY SOLUTION PEN-INJECTOR 4.5	
SOLUTION PEN-INJECTOR 2 MG/1.5ML		MG/0.5ML SUBCUTANEOUS.....	5
SUBCUTANEOUS.....	5	UBRELVY TABLET 100 MG ORAL.....	2
OZEMPIC (1 MG/DOSE) SOLUTION PEN-		UBRELVY TABLET 50 MG ORAL.....	2
INJECTOR 2 MG/1.5ML SUBCUTANEOUS.....	5	VICTOZA SOLUTION PEN-INJECTOR 18	
<i>paricalcitol capsule 1 mcg oral</i>	9	MG/3ML SUBCUTANEOUS.....	5
<i>paricalcitol capsule 2 mcg oral</i>	9		
<i>paricalcitol capsule 4 mcg oral</i>	9		
PERFOROMIST NEBULIZATION SOLUTION			
20 MCG/2ML INHALATION.....	10		
RAYALDEE CAPSULE EXTENDED RELEASE			
30 MCG ORAL.....	9		
ROCKLATAN SOLUTION 0.02-0.005 %			
OPHTHALMIC.....	11		
RYBELSUS TABLET 14 MG ORAL.....	5		
RYBELSUS TABLET 3 MG ORAL.....	5		
RYBELSUS TABLET 7 MG ORAL.....	5		
TALICIA CAPSULE DELAYED RELEASE 250-			
12.5-10 MG ORAL.....	12		