

Step Therapy Medications

Tiered Drug List – Open Formulary & Custom Premium Drug List – Closed Formulary

Step therapy is a limitation that requires you to try preferred medications before the plan will pay for another medication for the same medical condition that the doctor may have originally prescribed. An automated, electronic review of your medication history is performed to determine whether other medications have been tried first for your condition. This ensures clinically sound and cost-effective treatment options are tried. If a prescribed medication does not meet the step therapy criteria, it may not be covered. You should consult with your doctor about alternative therapy. If a medication does not meet the step therapy criteria for automatic approval, it will reject at the pharmacy; your provider may request prior authorization.

Questions?

Log in to MyBlueSM to find participating retail pharmacies, review your specific benefit information, and compare medication pricing and options. If you have questions, please call us.

Member Services	Phone Number	Standard Hours of Operation
Pharmacy Benefits	1 (866) 325-1794	24/7/365
AZ Blue	Call the number on your ID card	8 a.m. to 5 p.m. Monday - Friday

Step Therapy Drug List

Table of Contents

Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexians	3
Analgesics - Opioid	3
Antiasthmatic And Bronchodilator Agents	3
Anticonvulsants	5
Antidepressants	7
Antidiabetics	7
Antidotes And Specific Antagonists	11
Antiemetics	11
Antifungals	12
Antihistamines	12
Antihyperlipidemics	12
Antipsychotics/Antimanic Agents	13
Beta Blockers	13
Calcium Channel Blockers	13
Cardiovascular Agents - Misc.	14
Contraceptives	14
Corticosteroids	14
Cough/Cold/Allergy	14
Dermatologicals	14
Diagnostic Products	16
Gastrointestinal Agents - Misc.	33
Gout Agents	33
Hematopoietic Agents	34
Hypnotics/Sedatives/Sleep Disorder Agents	34
Migraine Products	34
Musculoskeletal Therapy Agents	34
Ophthalmic Agents	35
Psychotherapeutic And Neurological Agents - Misc.	35
Ulcer Drugs/Antispasmodics/Anticholinergics	35

Step 2 Product	Step 1 Product
Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexiant	
*Adhd Agent - Selective Norepinephrine Reuptake Inhibitor***	
QELBREE ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 150 MG	QL (1 capsule per day); ST (Step Therapy required: 3 months in the last 12 months - atomoxetine (generic for Strattera))
QELBREE ORAL CAPSULE EXTENDED RELEASE 24 HOUR 200 MG	QL (3 capsules per day); ST (Step Therapy required: 3 months in the last 12 months - atomoxetine (generic for Strattera))
*Amphetamine Mixtures***	
<i>amphet-dextroamphet 3-bead er oral capsule extended release 24 hour 12.5 mg, 25 mg</i>	QL (1 capsule per day); ST (Step Therapy required: any of the following for 3 months in the last 12 months - amphetamine/dextroamphetamine ER (generic Adderall XR) or Adderall XR); AL (Min 13 Years)
<i>amphet-dextroamphet 3-bead er oral capsule extended release 24 hour 37.5 mg</i>	QL (1 capsule per day); ST (Step Therapy required: any of the following for 3 months in the last 12 months - amphetamine/dextroamphetamine ER (generic Adderall XR) or Adderall XR); AL (Min 18 Years)
<i>amphet-dextroamphet 3-bead er oral capsule extended release 24 hour 50 mg</i>	QL (1 capsule per day); ST (Step Therapy required: any of the following for 3 months in the last 12 months - amphetamine/dextroamphetamine ER (generic Adderall XR) or Adderall XR); AL (Min 18 Years)
Analgesics - Opioid	
*Opioid Agonists***	
<i>tramadol hcl (er biphasic) oral tablet extended release 24 hour</i>	QL (2 tablets per day); ST (Step Therapy required: 1 fill in the last 3 months - non-ER Tramadol tabs); AL (Min 16 Years)
Antiasthmatic And Bronchodilator Agents	
*5-Lipoxygenase Inhibitors***	
<i>zileuton er</i>	QL (2 tablets per day); ST (Step Therapy required: BOTH of the following for 3 months each in the last 12 months - montelukast AND zafirlukast); AL (Min 12 Years)
ZYFLO	QL (4 tablets per day); ST (Step Therapy required: BOTH of the following for 3 months each in the last 12 months - montelukast AND zafirlukast); AL (Min 12 Years)

Step 2 Product	Step 1 Product
*Adrenergic Combinations***	
AIRDUO DIGIHALER	QL (1 inhaler per month); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmaterol, or brand Symbicort); AL (Min 12 Years)
AIRDUO RESPICLICK 113/14	QL (1 inhaler per month); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmaterol, or brand Symbicort); AL (Min 12 Years)
AIRDUO RESPICLICK 232/14	QL (1 inhaler per month); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmaterol, or brand Symbicort); AL (Min 12 Years)
AIRDUO RESPICLICK 55/14	QL (1 inhaler per month); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmaterol, or brand Symbicort); AL (Min 12 Years)
BEVESPI AEROSPHERE	QL (1x 5.9gm or 1x 10.7gm inhaler per month); ST (Step Therapy required: ALL of the following in the last 12 months - Anoro Ellipta, Stiolto Respimat, AND Spiriva (Handihaler or Respimat)); AL (Min 15 Years)
BREYNA	QL (1 fill per 20 days); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmeterol, or brand Symbicort)
BREZTRI AEROSPHERE	QL (1x 10.7gm inhaler per month); ST (Step Therapy required: ALL of the following for 3 months each in the last 12 months - Trelegy Ellipta, Bevespi Aerosphere, and Duaklir Pressair); AL (Min 18 Years)
<i>budesonide-formoterol fumarate</i>	QL (1 fill per 20 days); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmeterol, or brand Symbicort)
DUAKLIR PRESSAIR	QL (1 inhaler per month); ST (Step Therapy required: BOTH of the following in the last 6 months - Anoro Ellipta AND Symbicort); AL (Min 18 Years)

Step 2 Product	Step 1 Product
DULERA	QL (1x 8.8gm or 1x 13gm inhaler per month); ST (Step Therapy required: 2 of the following for 3 months each in the last 12 months - Advair (Diskus or HFA), Breo Ellipta, Wixela, fluticasone propionate/salmeterol, or brand Symbicort)
<i>umeclidinium-vilanterol</i>	ST (Step Therapy required: 1 fill in the last 12 months - anoro ellipta brand)
*Beta Adrenergics***	
STRIVERDI RESPIMAT	QL (4 inhalers per month); ST (Step Therapy required: ALL of the following in the last 12 months - Anoro Ellipta, Stiolto Respimat, AND Spiriva (Handihaler or Respimat)); AL (Min 18 Years)
*Bronchodilators - Anticholinergics***	
INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT	ST (Step Therapy required: any of the following in the last 12 months - Spiriva Handihaler or Spiriva Respimat)
<i>umeclidinium ellipta</i>	ST (Step Therapy required: any of the following in the last 12 months - Spiriva Handihaler or Spiriva Respimat)
*Steroid Inhalants***	
ARMONAIR DIGIHALER	QL (1 inhaler per month); ST (Step Therapy required: 1 fill in the last 3 months - Flovent); AL (Min 12 Years)
<i>fluticasone furoate ellipta</i>	ST (Step Therapy required: 2 fills in the last 6 months - brand Arnuity Ellipta)
Anticonvulsants	
*Anticonvulsants - Misc.***	
<i>brivaracetam oral solution</i>	QL (20ml per day); ST (Step Therapy required: 2 months in the last 12 months - levetiracetam tabs, levetiracetam 100mg/ml solution, or levetiracetam ER tabs (generic for Keppra)); AL (Min 4 Years)
<i>brivaracetam oral tablet</i>	QL (2 tablets per day); ST (Step Therapy required: 2 months in the last 12 months - levetiracetam tabs, levetiracetam 100mg/ml solution, or levetiracetam ER tabs (generic for Keppra)); AL (Min 4 Years)
BRIVIACT ORAL SOLUTION	QL (20ml per day); ST (Step Therapy required: 2 months in the last 12 months - levetiracetam tabs, levetiracetam 100mg/ml solution, or levetiracetam ER tabs (generic for Keppra)); AL (Min 4 Years)
BRIVIACT ORAL TABLET	QL (2 tablets per day); ST (Step Therapy required: 2 months in the last 12 months - levetiracetam tabs, levetiracetam 100mg/ml solution, or levetiracetam ER tabs (generic for Keppra)); AL (Min 4 Years)

OPEN Drug List & Premium PDL Closed Formulary; Last revision date:05/13/2026 To search for a drug use control + f

Step 2 Product	Step 1 Product
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HOUR 1000 MG	QL (3 tablets per day); ST (Step Therapy required: 3 months in the last 12 months - levetiracetam 24hr tab (generic for Keppra XR)); AL (Min 12 Years)
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HOUR 1500 MG	QL (2 tablets per day); ST (Step Therapy required: 3 months in the last 12 months - levetiracetam 24hr tab (generic for Keppra XR)); AL (Min 12 Years)
<i>eslicarbazepine acetate oral tablet 200 mg, 400 mg</i>	QL (1 tablet per day); ST (Step Therapy required: 3 of the following in the last 12 months - gabapentin, lamotrigine, levetiracetam, oxcarbazepine, pregabalin, topiramate, or zonisamide)
<i>eslicarbazepine acetate oral tablet 600 mg, 800 mg</i>	QL (2 tablets per day); ST (Step Therapy required: 3 of the following in the last 12 months - gabapentin, lamotrigine, levetiracetam, oxcarbazepine, pregabalin, topiramate, or zonisamide)
<i>topiramate er oral capsule er 24 hour sprinkle</i>	QL (1 capsule per day); ST (Step Therapy required: 3 months in the last 12 months - topiramate (generic for Topamax)); AL (Min 3 Years)
<i>topiramate er oral capsule extended release 24 hour</i>	QL (1 capsule per day); ST (Step Therapy required: BOTH of the following for 3 months in the last 12 months - topiramate (generic for Topamax) AND topiramate ER (generic for Qudexy XR)); AL (Min 6 Years)
<i>topiramate oral solution</i>	QL (16ml day or 473ml per 30 days); ST (Step Therapy required: BOTH of the following for 3 months in the last 12 months - topiramate (generic for Topamax) AND topiramate ER (generic for Qudexy XR))
*Carbamates***	
XCOPRI	QL (1 tablet per day); ST (Step Therapy required: 3 of the following in the last 12 months - carbamazepine, lacosamide (generic for Vimpat), lamotrigine, levetiracetam IR, oxcarbazepine, topiramate, or valproic acid & derivatives); AL (Min 18 Years)
XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG	QL (2 tablets per day); ST (Step Therapy required: 3 of the following in the last 12 months - carbamazepine, lacosamide (generic for Vimpat), lamotrigine, levetiracetam IR, oxcarbazepine, topiramate, or valproic acid & derivatives); AL (Min 18 Years)

Step 2 Product	Step 1 Product
XCOPRI (350 MG DAILY DOSE)	QL (2 tablets per day); ST (Step Therapy required: 3 of the following in the last 12 months - carbamazepine, lacosamide (generic for Vimpat), lamotrigine, levetiracetam IR, oxcarbazepine, topiramate, or valproic acid & derivatives); AL (Min 18 Years)
Antidepressants	
*Serotonin Modulators***	
TRINTELLIX ORAL TABLET 10 MG	QL (2 tablets per day); ST (Step Therapy required: at least one drug in both classes for at least 60 days each in the last 12 months - one selective serotonin reuptake inhibitor (SSRI) AND one serotonin norepinephrine reuptake inhibitor (SNRI)); AL (Min 18 Years)
TRINTELLIX ORAL TABLET 20 MG, 5 MG	QL (1 tablet per day); ST (Step Therapy required: at least one drug in both classes for at least 60 days each in the last 12 months - one selective serotonin reuptake inhibitor (SSRI) AND one serotonin norepinephrine reuptake inhibitor (SNRI)); AL (Min 18 Years)
*Serotonin-Norepinephrine Reuptake Inhibitors (Snris)***	
DRIZALMA SPRINKLE	QL (1 capsule per day); ST (Step Therapy required: 3 months in the last 6 months - Cymbalta (brand or generic)); AL (Min 7 Years)
FETZIMA	QL (1 capsule per day); ST (Step Therapy required: at least one drug in both classes for at least 60 days each in the last 12 months - one selective serotonin reuptake inhibitor (SSRI) AND one serotonin norepinephrine reuptake inhibitor (SNRI))
FETZIMA TITRATION	QL (1 capsule per day); ST (Step Therapy required: at least one drug in both classes for at least 60 days each in the last 12 months - one selective serotonin reuptake inhibitor (SSRI) AND one serotonin norepinephrine reuptake inhibitor (SNRI))
Antidiabetics	
*Diabetic Other***	
ZEGALOGUE	QL (0.6ml/day with fill limit of 2 fills/month); DS (2 day supply max); ST (Step Therapy required: 1 month in the last 12 months - generic Glucagon (NDC 00548585000)); AL (Min 6 Years)

Step 2 Product	Step 1 Product
*Dipeptidyl Peptidase-4 (Dpp-4) Inhibitors***	
<i>alogliptin benzoate</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta); AL (Min 18 Years)
NESINA	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta); AL (Min 18 Years)
ONGLYZA	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta); AL (Min 16 Years)
<i>saxagliptin hcl</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta); AL (Min 16 Years)
*Dipeptidyl Peptidase-4 Inhibitor-Biguanide Combinations***	
<i>alogliptin-metformin hcl</i>	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
KAZANO	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
KOMBIGLYZE XR	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
<i>saxagliptin-metformin er</i>	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
<i>sitaglipt base-metform hcl er</i>	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)

OPEN Drug List & Premium PDL Closed Formulary; Last revision date:05/13/2026 To search for a drug use control + f

Step 2 Product	Step 1 Product
<i>sitagliptin base-metformin hcl</i>	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
ZITUVIMET	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
ZITUVIMET XR	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
*Dpp-4 Inhibitor-Thiazolidinedione Combinations***	
<i>alogliptin-pioglitazone oral tablet 12.5-30 mg, 25-15 mg, 25-30 mg, 25-45 mg</i>	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
OSENI ORAL TABLET 12.5-30 MG, 25-15 MG, 25-30 MG, 25-45 MG	ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Janumet/XR or Januvia AND Jentadueto/XR or Tradjenta)
*SglT2 Inhibitor - Dpp-4 Inhibitor Combinations***	
<i>dapagliflozin-saxagliptin</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)
QTERN	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)
STEGLUJAN	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)

Step 2 Product	Step 1 Product
*Sodium-Glucose Co-Transporter 2 (SglT2) Inhibitors***	
<i>bexagliflozin</i>	DS (30 day supply max); ST (Step Therapy required: at least one of each type of drug in both categories for 3 months each in the last 12 months - Farxiga or Xigduo XR and Glyxambi, Jardiance, Synjardy, Synjardy XR, or Trijardy))
BRENZAVVY	DS (30 day supply max); ST (Step Therapy required: at least one of each type of drug in both categories for 3 months each in the last 12 months - Farxiga or Xigduo XR and Glyxambi, Jardiance, Synjardy, Synjardy XR, or Trijardy))
<i>dapagliflozin</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 10 Years)
<i>dapagliflozin propanediol</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 10 Years)
INVOKANA	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)
STEGLATRO	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy)
*Sodium-Glucose Co-Transporter 2 Inhibitor-Biguanide Comb***	
<i>dapaglifloz base-metformin er oral tablet extended release 24 hour 10-1000 mg, 10-500 mg</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 10 Years)
<i>dapaglifloz base-metformin er oral tablet extended release 24 hour 5-1000 mg, 5-500 mg</i>	QL (2 tablets per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 10 Years)

Step 2 Product	Step 1 Product
<i>dapagliflozin pro-metformin er oral tablet extended release 24 hour 10-1000 mg</i>	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 10 Years)
<i>dapagliflozin pro-metformin er oral tablet extended release 24 hour 5-1000 mg</i>	QL (2 tablets per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 10 Years)
INVOKAMET	QL (2 tablets per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)
INVOKAMET XR	QL (2 tablets per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)
SEGLUROMET	QL (2 tablets per day); ST (Step Therapy required: at least one of each type of drug in BOTH categories for 3 months each in the last 12 months - Farxiga or Xigduo XR AND Glyxambi, Jardiance, Synjardy/XR, or Trijardy); AL (Min 18 Years)
Antidotes And Specific Antagonists	
*Opioid Antagonists***	
ZIMHI	QL (1ml per 30 days); ST (Step Therapy required: 1 fill in the last 3 months - generic naloxone prefilled syringe); AL (Min 12 Years)
Antiemetics	
*5-Ht3 Receptor Antagonists***	
GRANISOL	DS (30 day supply max)
*Antiemetic Combinations***	
AKYNZEO ORAL	QL (1 capsule on first day of treatment); ST (Step Therapy required: simultaneous use of BOTH of the following in the last 3 months - ondansetron AND aprepitant); AL (Min 18 Years)

Step 2 Product	Step 1 Product
Antifungals	
*Antifungal - Glucan Synthesis Inhibitors (Triterpenoids)***	
BREXAFEMME	QL (4 tablets per day, 1 fill per month); DS (30 day supply max); ST (Step Therapy required: 1 fill in the last 3 months - Fluconazole)
*Tetrazoles***	
VIVJOA	QL (1 fill in 1 year); DS (84 day supply min / 90 day supply max); ST (Step Therapy required: 1 fill in the last 10 days - Fluconazole)
Antihistamines	
*Antihistamines - Ethanolamines***	
<i>carbinoxamine maleate er</i>	QL (4ml per day); DS (30 day supply max); ST (Step Therapy required: 1 month in the last 2 months - carbinoxamine 4mg tab); AL (Min 2 Years)
KARBINAL ER ORAL SUSPENSION EXTENDED RELEASE	QL (4ml per day); DS (30 day supply max); ST (Step Therapy required: 1 month in the last 2 months - carbinoxamine 4mg tab); AL (Min 2 Years)
Antihyperlipidemics	
*Acl Inhib-Intestinal Cholesterol Absorption Inhib Comb***	
NEXLIZET	QL (1 tablet per day); ST (Step Therapy required: BOTH of the following for 2 months each in the last 12 months - two statins AND ezetimibe (generic for ZETIA)); AL (Min 18 Years)
*Adenosine Triphosphate-Citrate Lyase (Acl) Inhibitors***	
NEXLETOL	QL (1 tablet per day); ST (Step Therapy required: BOTH of the following for 2 months each in the last 12 months - two statins AND ezetimibe (generic for ZETIA)); AL (Min 18 Years)
*Hmg Coa Reductase Inhibitors***	
<i>pitavastatin calcium</i>	QL (1 tablet per day); ST (Step Therapy required: 2 of the following in the last 12 months - atorvastatin, simvastatin, or rosuvastatin); AL (Min 8 Years)
ZYPITAMAG ORAL TABLET 2 MG, 4 MG	QL (1 tablet per day); ST (Step Therapy required: 2 of the following in the last 12 months - atorvastatin, simvastatin, or rosuvastatin); AL (Min 8 Years)

Step 2 Product	Step 1 Product
Antipsychotics/Antimanic Agents	
*Antipsychotics - Misc.***	
CAPLYTA	QL (1 capsule per day); ST (Step Therapy required: 1 of the following in the last 12 months - aripiprazole, lurasidone , quetiapine, risperidone, asenapine maleate, or ziprasidone); AL (Min 18 Years)
VRAYLAR ORAL CAPSULE	QL (1 capsule per day); ST (Step Therapy required: 1 of the following in the last 12 months - aripiprazole, lurasidone, quetiapine, risperidone, asenapine maleate, or ziprasidone); AL (Min 10 Years)
VRAYLAR ORAL CAPSULE THERAPY PACK	QL (1 box per 7 days); ST (Step Therapy required: 1 of the following in the last 12 months - aripiprazole, lurasidone, quetiapine, risperidone, asenapine maleate, or ziprasidone); AL (Min 18 Years)
*Quinolinone Derivatives***	
REXULTI ORAL TABLET 0.25 MG	QL (2 tablets per day); ST (Step Therapy required: 1 of the following in the last 12 months - aripiprazole, lurasidone, quetiapine, risperidone, asenapine maleate, or ziprasidone); AL (Min 18 Years)
REXULTI ORAL TABLET 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	QL (1 tablet per day); ST (Step Therapy required: 1 of the following in the last 12 months - aripiprazole, lurasidone, quetiapine, risperidone, asenapine maleate, or ziprasidone); AL (Min 18 Years)
Beta Blockers	
*Beta Blockers Cardio-Selective***	
KAPSPARGO SPRINKLE	QL (1 capsule per day); ST (Step Therapy required: any of the following for 3 months in the last 12 months - metoprolol succinate tab ER 24HR or Toprol XL tab ER 24HR); AL (Min 6 Years)
Calcium Channel Blockers	
*Calcium Channel Blockers***	
CONJUPRI	QL (1 tablet per day); ST (Step Therapy required: 1 fill in the last 3 months - levamlodipine maleate)

Step 2 Product	Step 1 Product
Cardiovascular Agents - Misc.	
*Cardiovascular Sglt2 Inhibitors**	
INPEFA	QL (1 tablet per day); ST (Step Therapy required: at least one of each type of drug in both categories for 3 months each in the last 12 months - Farxiga or Xigduo XR and Glyxambi, Jardiance, Synjardy, Synjardy XR, or Trijardy)); AL (Min 18 Years)
*Neprilysin Inhib (Arni)-Angiotensin li Recept Antag Comb***	
ENTRESTO ORAL CAPSULE SPRINKLE	QL (3 capsules per day); ST (Step Therapy required: any of the following in the last 6 months - metoprolol, bisoprolol, or carvedilol.); AL (Max 6 Years)
<i>sacubitril-valsartan</i>	QL (2 tablets per day); ST (Step Therapy required: any of the following in the last 6 months - metoprolol, bisoprolol, or carvedilol.)
*Pulmonary Hypertension - Phosphodiesterase Inhibitors***	
<i>sildenafil citrate oral suspension reconstituted</i>	QL (6 ml per day); DS (30 day supply max); ST (Step Therapy required: 1 fill in the last 6 months - sildenafil citrate 20mg tablet); AL (Min 18 Years)
Contraceptives	
*Progestin Contraceptives - Oral***	
SLYND	QL (28 tablets per month); ST (Step Therapy required: 3 months in the last 6 months - norethindrone)
Corticosteroids	
*Glucocorticosteroids***	
ORTIKOS	QL (1 capsule per day); ST (Step Therapy required: 3 months in the last 12 months - budesonide cap 3mg DR); AL (Min 8 Years)
Cough/Cold/Allergy	
*Decongestant & Antihistamine***	
CLARINEX-D 12 HOUR	QL (2 tablets per day); ST (Step Therapy required: any of the following in the last 1 month - Desloratadine 5mg tabs or 2.5mg/5mg ODT tabs)
Dermatologicals	
*Acne Antibiotics***	
AMZEEQ	QL (1gm per day); ST (Step Therapy required: BOTH of the following in the last 3 months - minocycline hcl cap 100mg AND tretinoin gel 0.04%); AL (Min 9 Years)

Step 2 Product	Step 1 Product
*Acne Products***	
AKLIEF	QL (45gm per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 12 months - tretinoin 0.1% or 0.05% AND tazarotene 0.1%); AL (Min 9 Years)
WINLEVI	QL (1x 60gm tube per month); DS (30 day supply max); ST (Step Therapy required: 60 days trial of the following in the last 12 months - tazarotene gel 0.05%, tazarotene cream 0.1%, tretinoin cream 0.1%, or tretinoin cream 0.05%); AL (Min 12 Years)
*Antibiotics - Topical***	
XEPI	QL (1x 30gm tube/box per month); ST (Step Therapy required: 3 months in the last 12 months - mupirocin ointment 2%); AL (Min 2 Years)
*Antipruritics - Topical***	
<i>doxepin hcl external</i>	QL (1x 45gm tube per month); ST (Step Therapy required: 2 of the following in the last 6 months - fluocinolone, triamcinolone, betamethasone dipropionate)
*Corticosteroids - Topical***	
CORDRAN EXTERNAL CREAM 0.05 %	QL (4gm per day); DS (30 day supply max); ST (Step Therapy required: 2 of the following in the last 6 months - betamethasone, clobetasol, hydrocortisone, or triamcinolone)
CORDRAN EXTERNAL TAPE	QL (1 box per month); ST (Step Therapy required: 2 of the following in the last 6 months - betamethasone, clobetasol, hydrocortisone, or triamcinolone)
<i>diflorasone diacetate external</i>	QL (2gm per day); DS (30 day supply max); ST (Step Therapy required: 2 of the following in the last 6 months - betamethasone, clobetasol, hydrocortisone, or triamcinolone)
<i>flurandrenolide external cream</i>	QL (4gm per day); DS (30 day supply max); ST (Step Therapy required: 2 of the following in the last 6 months - betamethasone, clobetasol, hydrocortisone, or triamcinolone)
<i>flurandrenolide external lotion</i>	QL (4gm per day); DS (30 day supply max); ST (Step Therapy required: 2 of the following in the last 6 months - betamethasone, clobetasol, hydrocortisone, or triamcinolone)

Step 2 Product	Step 1 Product
<i>halcinonide external cream</i>	QL (2gm per day); DS (30 day supply max); ST (Step Therapy required: 2 of the following in the last 6 months - betamethasone, clobetasol, hydrocortisone, or triamcinolone)
*Microtubule Inhibitors - Topical***	
KLISYRI (250 MG)	QL (5 packets per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 6 months - fluorouracil 5% AND imiquimod 5% (generic for Aldara)); AL (Min 18 Years)
KLISYRI (350 MG)	QL (5 packets per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 6 months - fluorouracil 5% AND imiquimod 5% (generic for Aldara)); AL (Min 18 Years)
*Rosacea Agents***	
<i>ivermectin external cream</i>	QL (1x 45gm tube per month); ST (Step Therapy required: any of the following for 2 months in the last 6 months - metronidazole cream 0.75%, metronidazole gel 0.75% or 1%, or metronidazole lotion 0.75%)
ZILXI	QL (1x 30gm can per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - minocycline hcl cap 100mg AND tretinoin gel 0.04%); AL (Min 18 Years)
Diagnostic Products	
*Diagnostic Tests***	
ACCUTREND GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ADVANCE INTUITION TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ADVANCE MICRO-DRAW TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ADVOCATE REDI-CODE IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
ADVOCATE REDI-CODE+ TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ADVOCATE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
AGAMATRIX AMP TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
AGAMATRIX JAZZ TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
AGAMATRIX PRESTO TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE 3 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE 4 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE II	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE II CHECK	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE PLATINUM	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
ASSURE PRISM MULTI TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE PRO TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ASSURE TITANIUM	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
BIOTEL CARE TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>blood glucose test strips 333</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
BLULINK GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CAREONE BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CARESENS N GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CARETOUCH TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
CLEVER CHEK AUTO-CODE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CLEVER CHEK AUTO-CODE VOICE IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CLEVER CHEK TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CLEVER CHOICE AUTO-CODE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CLEVER CHOICE MICRO TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CLEVER CHOICE NO CODING	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CLEVER CHOICE TALK SYSTEM IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
COOL BLOOD GLUCOSE TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
CVS ADVANCED GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>cvs glucose meter test strips</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
<i>cvs true metrix glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
D-CARE BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
DIATHRIVE BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
DIATHRIVE GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
DIATHRIVE+ GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
DUO-CARE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASY MAX BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>easy plus ii glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASY STEP TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>easy talk blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
<i>easy talk plus ii test strips</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASY TOUCH HEALTHPRO GLUCOSE IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASY TOUCH TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>easy trak blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>easy trak ii glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASYGLUCO IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASYMAX 15 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASYMAX TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASYPRO BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EASYPRO PLUS IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
<i>element compact test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ELEMENT TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EMBRACE BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EMBRACE EVO BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EMBRACE PRO GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EMBRACE TALK GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EMBRACE WAVE BLOOD GLUCOSE IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>eq blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
EVOLUTION AUTOCODE IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FIFTY50 GLUCOSE TEST 2.0	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
<i>fondcircle blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA 6 CONNECT IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA 6 CONNECT/GTEL TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA D40/G31 BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA G20 BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA GD20 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA GD50 BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA GTEL BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA TN'G ADVANCE PRO IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA TN'G/TN'G VOICE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
FORA V10 BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORA V30A BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORACARE GD40 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORACARE PREMIUM V10 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FORACARE TEST N GO TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FREESTYLE INSULINX TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FREESTYLE LITE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FREESTYLE PRECISION NEO TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
FREESTYLE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>ge100 blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
GENULTIMATE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>ght test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCO PERFECT 3 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCOCARD 01 SENSOR PLUS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCOCARD EXPRESSION TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCOCARD SHINE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCOCARD VITAL TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCOCARD X-SENSOR	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCOCOM TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GLUCONAVII BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
<i>glucose meter test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>gnp easy touch glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GNP TRUE METRIX GLUCOSE STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GNP TRUETRACK SMART SYSTEM IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GNP TRUETRACK TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GOJJI BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
GOJJI BLOOD TEST STRIP/LANCETS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>goodsense blood glucose in vitro</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
HW EMBRACE PRO GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
HW EMBRACE TALK GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
IGLUOSE TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
IHEALTH BLOOD GLUCOSE TEST STR	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
IN TOUCH BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
INFINITY BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
INFINITY VOICE IN VITRO STRIP	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i> Kroger blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
KROGER HEALTHPRO GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i> Kroger premium glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i> Meijer blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i> Meijer essential glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
MEIJER TRUETEST TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
MEIJER TRUETRACK TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
MICRODOT TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
MM BLULINK GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
MM EASY TOUCH GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
MYGLUCOHEALTH TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
NEUTEK 2TEK TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
NOVA MAX GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>one drop test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ONETOUCH ULTRA BLUE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
ONETOUCH ULTRA IN VITRO STRIP	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ONETOUCH ULTRA TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
ONETOUCH VERIO IN VITRO STRIP	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
OPTIUMEZ TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
PHARMACIST CHOICE AUTOCODE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>pharmacist choice no coding</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
PIP BLOOD GLUCOSE TEST STRIP	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
POCKETCHEM EZ TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
POGO AUTOMATIC TEST CARTRIDGES	QL (10 boxes per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill OneTouch test strips)
PRECISION XTRA BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
<i>premium blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>pro voice v8/v9 glucose</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
PRODIGY NO CODING BLOOD GLUC IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
PTS PANELS EGLU TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
QUICK TOUCH BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
QUICKTEK TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
QUINTET AC BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
QUINTET BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
REFUAH PLUS BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RELION BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
RELION CONFIRM/MICRO TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RELION GLUCOSE TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RELION PREMIER TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RELION PRIME TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RELION TRUE METRIX TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RELION ULTIMA TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
REXALL BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RIGHTEST GS100 BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RIGHTEST GS300 BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RIGHTEST GS550 BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
RIGHTEST GT333 BLOOD GLUCOSE IN VITRO	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
RIGHTEST GT333 GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
SMART SENSE PREMIUM TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
SMART SENSE VALUE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
SMARTTEST BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
SOLUS V2 TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
SUPREME TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>tgt blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>true focus blood glucose strip</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
TRUE METRIX BLOOD GLUCOSE TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)

Step 2 Product	Step 1 Product
TRUE METRIX PRO BLOOD GLUCOSE	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
TRUETEST TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
TRUETRACK TEST	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
UNISTRIP1 GENERIC	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
<i>verasens blood glucose test</i>	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
VIVAGUARD INO TEST STRIPS	QL (200 per month); DS (30 day supply max); ST (Step Therapy required: BOTH of the following in the last 3 months - 60 days insulin AND 1 fill Contour OR Accu-Chek test strips)
Gastrointestinal Agents - Misc.	
*Cic Agents - Guanylate Cyclase-C (Gc-C) Agonists***	
TRULANCE	QL (2 tablets per day); ST (Step Therapy required: 1 fill in the last 6 months - Linzess); AL (Min 18 Years)
*Gastrointestinal Chloride Channel Activators***	
AMITIZA	QL (2 capsules per day); ST (Step Therapy required: BOTH of the following in the last 6 mnths - generic lubiprostone AND Linzess); AL (Min 18 Years)
Gout Agents	
*Gout Agents***	
<i>febuxostat</i>	QL (1 tablet per day); ST (Step Therapy required: any of the following for 3 months in the last 6 months - allopurinol 100mg or 300mg tab); AL (Min 18 Years)

Step 2 Product	Step 1 Product
Hematopoietic Agents	
*Cytotoxic Agents***	
DROXIA	QL (1 capsule per day); DS (30 day supply max); ST (Step Therapy required: BOTH of the following for 3 months each in the last 12 months - Siklos 100mg or 1000mg tab AND hydroxyurea 500mg cap); AL (Min 18 Years)
Hypnotics/Sedatives/Sleep Disorder Agents	
*Hypnotics - Tricyclic Agents***	
<i>doxepin hcl oral tablet 3 mg</i>	QL (1 tablet per day); ST (Step Therapy required: 3 months in the last 12 months - doxepin hcl 10mg capsule); AL (Min 18 Years)
<i>doxepin hcl oral tablet 6 mg</i>	QL (1 tablet per day); ST (Step Therapy required: 3 months in the last 12 months - doxepin hcl 10mg cap); AL (Min 18 Years)
*Orexin Receptor Antagonists***	
BELSOMRA	QL (1 tablet per day); ST (Step Therapy required: 2 of the following in the last 6 months - eszopiclone tab, zaleplon cap, or rozerem tab); AL (Min 18 Years)
DAYVIGO	QL (1 tablet per day); ST (Step Therapy required: 2 of the following in the last 6 months - eszopiclone tab, zaleplon cap, or rozerem tab); AL (Min 18 Years)
QUVIVIQ	QL (1 tablet per day); ST (Step Therapy required: 3 of the following for 1 month each in the last 12 months - eszopiclone, ramelteon, zaleplon, or zolpidem)
Migraine Products	
*Selective Serotonin Agonists 5-Ht(1)***	
<i>frovatriptan succinate</i>	QL (20 tabs per month); ST (Step Therapy required: 2 of the following in the last 12 months - almotriptan, eletriptan, naratriptan, rizatriptan, sumatriptan, or zolmitriptan)
Musculoskeletal Therapy Agents	
*Central Muscle Relaxants***	
<i>chlorzoxazone oral tablet 375 mg, 750 mg</i>	QL (4 tablets per day); ST (Step Therapy required: 1 fill in the last 3 months - chlorzoxazone 500mg tab); AL (Min 18 Years)
LORZONE	QL (4 tablets per day); ST (Step Therapy required: 1 fill in the last 3 months - chlorzoxazone 500mg tab); AL (Min 18 Years)

Step 2 Product	Step 1 Product
Ophthalmic Agents	
*Miotics - Direct Acting***	
QLOSI	QL (1 vial per day); ST (Step Therapy required: 1 fill in the last 6 months - pilocarpine 1%); AL (Min 18 Years)
*Prostaglandins - Ophthalmic***	
<i>bimatoprost ophthalmic solution 0.01 %</i>	ST (Step Therapy required: 60 days in the last 6 months - bimatoprost 0.03%)
LUMIGAN OPHTHALMIC SOLUTION 0.01 %	ST (Step Therapy required: 60 days in the last 6 months - bimatoprost 0.03%)
VYZULTA	QL (1x 2.5ml bottle per month); ST (Step Therapy required: any of the following for 2 months in the last 6months - latanoprost (generic Xalatan) OR bimatoprost 0.03%); AL (Min 17 Years)
Psychotherapeutic And Neurological Agents - Misc.	
*Cholinomimetics - Ache Inhibitors***	
ADLARITY	ST (Step Therapy required: 2 months in the last 3 months - donepezil)
*Postherpetic Neuralgia (Phn)/Neuropathic Pain Agents***	
<i>pregabalin er</i>	QL (1 tablet per day); ST (Step Therapy required: any of the following in the last 6 months - pregabalin (generic Lyrica) or Lyrica)
Ulcer Drugs/Antispasmodics/Anticholinergics	
*Quaternary Anticholinergics***	
DARTISLA ODT	QL (4 tablets per day); ST (Step Therapy required: ONE from EACH of the following in the last 3 months: 1) rabeprazole or pantoprazole AND 2) glycopyrrolate (1mg or 2mg tablet)); AL (Min 18 Years)
*Ulcer Anti-Infective W/ Proton Pump Inhibitors***	
TALICIA	QL (12 capsules per day); ST (Step Therapy required: ALL of the following in the last 3 months - clarithromycin, amoxicillin, AND pantoprazole); AL (Min 18 Years)

Index

ACCUTREND GLUCOSE	16	CLEVER CHOICE AUTO-CODE TEST	19	EMBRACE WAVE BLOOD GLUCOSE	22
ADLARITY	35	CLEVER CHOICE MICRO TEST	19	ENTRESTO	14
ADVANCE INTUITION TEST	16	CLEVER CHOICE NO CODING	19	<i>eq blood glucose test</i>	22
ADVANCE MICRO-DRAW TEST	16	CLEVER CHOICE TALK SYSTEM .	19	<i>eslicarbazepine acetate</i>	6
ADVOCATE REDI-CODE	16	CONJUPRI	13	EVOLUTION AUTOCODE	22
ADVOCATE REDI-CODE+ TEST ..	17	COOL BLOOD GLUCOSE TEST STRIPS	19	<i>febuxostat</i>	33
ADVOCATE TEST	17	CORDRAN	15	FETZIMA	7
AGAMATRIX AMP TEST	17	CVS ADVANCED GLUCOSE TEST	19	FETZIMA TITRATION	7
AGAMATRIX JAZZ TEST	17	<i>cvx glucose meter test strips</i>	19	FIFTY50 GLUCOSE TEST 2.0	22
AGAMATRIX PRESTO TEST	17	<i>cvx true metrix glucose test</i>	20	<i>flurandrenolide</i>	15
AIRDUO DIGIHALER	4	<i>dapaglifloz base-metformin er</i>	10	<i>fluticasone furoate ellipta</i>	5
AIRDUO RESPICLICK 113/14	4	<i>dapagliflozin</i>	10	<i>fondcircle blood glucose test</i>	23
AIRDUO RESPICLICK 232/14	4	<i>dapagliflozin pro-metformin er</i>	11	FORA 6 CONNECT	23
AIRDUO RESPICLICK 55/14	4	<i>dapagliflozin propanediol</i>	10	FORA 6 CONNECT/GTEL TEST ...	23
AKLIEF	15	<i>dapagliflozin-saxagliptin</i>	9	FORA D40/G31 BLOOD GLUCOSE	23
AKYNZEO	11	DARTISLA ODT	35	FORA G20 BLOOD GLUCOSE TEST	23
<i>alogliptin benzoate</i>	8	DAYVIGO	34	FORA GD20 TEST	23
<i>alogliptin-metformin hcl</i>	8	D-CARE BLOOD GLUCOSE	20	FORA GD50 BLOOD GLUCOSE TEST	23
<i>alogliptin-pioglitazone</i>	9	DIATHRIVE BLOOD GLUCOSE TEST	20	FORA GTEL BLOOD GLUCOSE TEST	23
AMITIZA	33	DIATHRIVE GLUCOSE TEST	20	FORA TN'G ADVANCE PRO	23
<i>amphet-dextroamphet 3-bead er</i>	3	DIATHRIVE+ GLUCOSE TEST	20	FORA TN'G/TN'G VOICE	23
AMZEEQ	14	<i>diflorasone diacetate</i>	15	FORA V10 BLOOD GLUCOSE TEST	24
ARMONAIR DIGIHALER	5	<i>doxepin hcl</i>	15, 34	FORA V30A BLOOD GLUCOSE TEST	24
ASSURE 3 TEST	17	DRIZALMA SPRINKLE	7	FORACARE GD40 TEST	24
ASSURE 4 TEST	17	DROXIA	34	FORACARE PREMIUM V10 TEST .	24
ASSURE II	17	DUAKLIR PRESSAIR	4	FORACARE TEST N GO TEST	24
ASSURE II CHECK	17	DULERA	5	FREESTYLE INSULINX TEST	24
ASSURE PLATINUM	17	DUO-CARE TEST	20	FREESTYLE LITE TEST	24
ASSURE PRISM MULTI TEST	18	EASY MAX BLOOD GLUCOSE TEST	20	FREESTYLE PRECISION NEO TEST	24
ASSURE PRO TEST	18	<i>easy plus ii glucose test</i>	20	FREESTYLE TEST	24
ASSURE TITANIUM	18	EASY STEP TEST	20	<i>frovatriptan succinate</i>	34
BELSOMRA	34	<i>easy talk blood glucose test</i>	20	<i>ge100 blood glucose test</i>	24
BEVESPI AEROSPHERE	4	<i>easy talk plus ii test strips</i>	21	GENULTIMATE TEST	25
<i>bexagliflozin</i>	10	EASY TOUCH HEALTHPRO GLUCOSE	21	<i>ght test</i>	25
<i>bimatoprost</i>	35	EASY TOUCH TEST	21	GLUCO PERFECT 3 TEST	25
BIOTEL CARE TEST STRIPS	18	<i>easy trak blood glucose test</i>	21	GLUCOCARD 01 SENSOR PLUS ..	25
<i>blood glucose test</i>	18	<i>easy trak ii glucose test</i>	21	GLUCOCARD EXPRESSION TEST	25
<i>blood glucose test strips 333</i>	18	EASYGLUCO	21	GLUCOCARD SHINE TEST	25
BLULINK GLUCOSE TEST	18	EASYMAX 15 TEST	21	GLUCOCARD VITAL TEST	25
BRENZAVVY	10	EASYMAX TEST	21	GLUCOCARD X-SENSOR	25
BREXAFEMME	12	EASYPRO BLOOD GLUCOSE TEST	21	GLUCOCOM TEST	25
BREYNA	4	EASYPRO PLUS	21	GLUCONAVII BLOOD GLUCOSE TEST	25
BREZTRI AEROSPHERE	4	<i>element compact test</i>	22	<i>glucose meter test</i>	26
<i>brivaracetam</i>	5	ELEMENT TEST	22	<i>gnp easy touch glucose test</i>	26
BRIVIACT	5	ELEPSIA XR	6	GNP TRUE METRIX GLUCOSE STRIPS	26
<i>budesonide-formoterol fumarate</i>	4	EMBRACE BLOOD GLUCOSE TEST	22	GNP TRUETRACK SMART SYSTEM	26
CAPLYTA	13	EMBRACE EVO BLOOD GLUCOSE TEST	22	GNP TRUETRACK TEST STRIPS ..	26
<i>carbinoxamine maleate er</i>	12	EMBRACE PRO GLUCOSE TEST .	22		
CAREONE BLOOD GLUCOSE TEST	18	EMBRACE TALK GLUCOSE TEST	22		
CARESENS N GLUCOSE TEST ...	18				
CARETOUCH TEST	18				
<i>chlorzoxazone</i>	34				
CLARINEX-D 12 HOUR	14				
CLEVER CHEK AUTO-CODE TEST	19				
CLEVER CHEK AUTO-CODE VOICE	19				
CLEVER CHEK TEST	19				

GOJJI BLOOD GLUCOSE TEST ...	26	<i>pharmacist choice no coding</i>	29	SMARTEST BLOOD GLUCOSE	
GOJJI BLOOD TEST		PIP BLOOD GLUCOSE TEST		TEST	32
STRIP/LANCETS	26	STRIP	29	SOLUS V2 TEST	32
<i>goodsense blood glucose</i>	26	<i>pitavastatin calcium</i>	12	STEGLATRO	10
GRANISOL	11	POCKETCHEM EZ TEST	29	STEGLUJAN	9
<i>halcinonide</i>	16	POGO AUTOMATIC TEST		STRIVERDI RESPIMAT	5
HW EMBRACE PRO GLUCOSE		CARTRIDGES	29	SUPREME TEST	32
TEST	26	PRECISION XTRA BLOOD		TALICIA	35
HW EMBRACE TALK GLUCOSE		GLUCOSE	29	<i>tgt blood glucose test</i>	32
TEST	26	<i>pregabalin er</i>	35	<i>topiramate</i>	6
IGLUCOSE TEST STRIPS	27	<i>premium blood glucose test</i>	30	<i>topiramate er</i>	6
IHEALTH BLOOD GLUCOSE		<i>pro voice v8/v9 glucose</i>	30	<i>tramadol hcl (er biphasic)</i>	3
TEST STR	27	PRODIGY NO CODING BLOOD		TRINTELLIX	7
IN TOUCH BLOOD GLUCOSE		GLUC	30	<i>true focus blood glucose strip</i>	32
TEST	27	PTS PANELS EGLU TEST	30	TRUE METRIX BLOOD	
INCRUSE ELLIPTA	5	QELBREE	3	GLUCOSE TEST	32
INFINITY BLOOD GLUCOSE		QLOSI	35	TRUE METRIX PRO BLOOD	
TEST	27	QTERN	9	GLUCOSE	33
INFINITY VOICE	27	QUICK TOUCH BLOOD		TRUETEST TEST	33
INPEFA	14	GLUCOSE TEST	30	TRUETRACK TEST	33
INVOKAMET	11	QUICKTEK TEST	30	TRULANCE	33
INVOKAMET XR	11	QUINTET AC BLOOD GLUCOSE		<i>umeclidinium ellipta</i>	5
INVOKANA	10	TEST	30	<i>umeclidinium-vilanterol</i>	5
<i>ivermectin</i>	16	QUINTET BLOOD GLUCOSE		UNISTRIP1 GENERIC	33
KAPSPARGO SPRINKLE	13	TEST	30	<i>verasens blood glucose test</i>	33
KARBINAL ER	12	QUVIVIQ	34	VIVAGUARD INO TEST STRIPS ...	33
KAZANO	8	REFUAH PLUS BLOOD		VIVJOA	12
KLISYRI (250 MG)	16	GLUCOSE TEST	30	VRAYLAR	13
KLISYRI (350 MG)	16	RELION BLOOD GLUCOSE TEST	30	VYZULTA	35
KOMBIGLYZE XR	8	RELION CONFIRM/MICRO TEST ..	31	WINLEVI	15
<i>kroger blood glucose test</i>	27	RELION GLUCOSE TEST STRIPS	31	XCOPRI	6
KROGER HEALTHPRO		RELION PREMIER TEST	31	XCOPRI (250 MG DAILY DOSE)	6
GLUCOSE TEST	27	RELION PRIME TEST	31	XCOPRI (350 MG DAILY DOSE)	7
<i>kroger premium glucose test</i>	27	RELION TRUE METRIX TEST		XEPI	15
LORZONE	34	STRIPS	31	ZEGALOGUE	7
LUMIGAN	35	RELION ULTIMA TEST	31	<i>zileuton er</i>	3
<i>meijer blood glucose test</i>	27	REXALL BLOOD GLUCOSE		ZILXI	16
<i>meijer essential glucose test</i>	27	TEST	31	ZIMHI	11
MEIJER TRUETEST TEST	28	REXULTI	13	ZITUVIMET	9
MEIJER TRUETRACK TEST	28	RIGHTEST GS100 BLOOD		ZITUVIMET XR	9
MICRODOT TEST	28	GLUCOSE	31	ZYFLO	3
MM BLULINK GLUCOSE TEST	28	RIGHTEST GS300 BLOOD		ZYPITAMAG	12
MM EASY TOUCH GLUCOSE	28	GLUCOSE	31		
MYGLUCOHEALTH TEST	28	RIGHTEST GS550 BLOOD			
NESINA	8	GLUCOSE	31		
NEUTEK 2TEK TEST	28	RIGHTEST GT333 BLOOD			
NEXLETOL	12	GLUCOSE	32		
NEXLIZET	12	RIGHTEST GT333 GLUCOSE			
NOVA MAX GLUCOSE TEST	28	TEST	32		
<i>one drop test</i>	28	<i>sacubitril-valsartan</i>	14		
ONETOUCH ULTRA	29	<i>saxagliptin hcl</i>	8		
ONETOUCH ULTRA BLUE TEST ..	28	<i>saxagliptin-metformin er</i>	8		
ONETOUCH ULTRA TEST	29	SEGLUROMET	11		
ONETOUCH VERIO	29	<i>sildenafil citrate</i>	14		
ONGLYZA	8	<i>sitaglipt base-metform hcl er</i>	8		
OPTIUMEZ TEST	29	<i>sitagliptin base-metformin hcl</i>	9		
ORTIKOS	14	SLYND	14		
OSENI	9	SMART SENSE PREMIUM TEST ...	32		
PHARMACIST CHOICE		SMART SENSE VALUE TEST	32		
AUTOCODE	29				



An Independent Licensee of the Blue Cross Blue Shield Association

Notice of Nondiscrimination

Discrimination Is Against the Law

Blue Cross® Blue Shield® of Arizona (AZ Blue) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex (including sex characteristics, intersex traits, pregnancy or related conditions, sexual orientation, gender identity, and sex stereotypes). **AZ Blue** does not exclude people or treat them less favorably because of race, color, national origin, age, disability, or sex.

AZ Blue:

- Provides people with disabilities reasonable modifications and free appropriate auxiliary aids and services to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language assistance services to people whose primary language is not English, which may include:
 - Qualified interpreters
 - Information written in other languages

If you need reasonable modifications, appropriate auxiliary aids and services, or language assistance services, call 602-864-4884 for Spanish and 1-877-475-4799 for all other languages and other aids and services.

If you believe that **AZ Blue** has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with:

Section 1557 Coordinator

P.O. Box 13466

Phoenix, AZ 85002-3466; Call 602-864-2288, TTY: 711

or email us at crc@azblue.com

You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, **AZ Blue Section 1557 Coordinator** is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

This notice is available at AZ Blue's website: azblue.com/nondiscrimination-notice.



Un licenciatario independiente de Blue Cross Blue Shield Association

Aviso de no discriminación

La discriminación es ilegal

Blue Cross® Blue Shield® of Arizona (AZ Blue) cumple con las leyes federales de derechos civiles vigentes y no discrimina por motivos de raza, color, origen nacional, edad, discapacidad ni sexo (de conformidad con el alcance de la discriminación sexual descrita en la Sección 92.101[a][2] del Título 45 del Código de Regulaciones Federales [CFR]) (o sexo, que incluye las características sexuales, como rasgos intersexuales, embarazo o condiciones relacionadas, orientación sexual, identidad de género y estereotipos sexuales). **AZ Blue** no excluye a las personas ni las trata de manera menos favorable por motivos de raza, color, nacionalidad, edad, discapacidad ni sexo.

AZ Blue:

- Brinda a las personas con discapacidades modificaciones razonables y ayudas y servicios auxiliares gratuitos y apropiados para comunicarse de manera eficaz con nosotros, tales como:
 - Intérpretes de lenguaje de señas calificados.
 - Información escrita en otros formatos (letra grande, audio, formatos electrónicos accesibles, otros formatos)
- Ofrece servicios gratuitos de asistencia lingüística a personas cuyo idioma principal no es el inglés, que pueden incluir:
 - Intérpretes calificados.
 - Información escrita en otros idiomas

Si necesita modificaciones razonables, ayudas y servicios auxiliares apropiados o servicios de asistencia lingüística, llame al 602-864-4884 para español y al 1-877-475-4799 para todos los demás idiomas y otras ayudas y servicios.

Si considera que **AZ Blue** no ha proporcionado estos servicios o ha discriminado de cualquier otra manera por motivos de raza, color, nacionalidad, edad, discapacidad o sexo, puede presentar una queja ante:

Section 1557 Coordinator

P.O. Box 13466

Phoenix, AZ 85002-3466; Call 602-864-2288, TTY: 711

o bien, envíenos un correo electrónico a crc@azblue.com

Puede presentar una queja en persona o por correo postal, fax o correo electrónico. Si necesita ayuda para presentar una queja, el **Coordinador de la Sección 1557 de AZ Blue** está disponible para ayudar.

También puede presentar un reclamo de derechos civiles ante la Oficina de Derechos Civiles del Departamento de Salud y Servicios Humanos de los EE. UU. de manera electrónica a través del Portal de reclamos de la Oficina de Derechos Civiles, disponible en <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, o por correo o teléfono a:

U.S. Department of Health and Human Services
200 Independence Avenue, SW Room 509F, HHH Building
Washington, D.C. 20201
1-800-368-1019, 1-800-537-7697 (TDD)

Los formularios de reclamos están disponibles en <http://www.hhs.gov/ocr/office/file/index.html>. Este aviso está disponible en el sitio web de AZ Blue: azblue.com/nondiscrimination-notice.

Notice of Availability of Language Assistance Services and Auxiliary Aids and Services

English: Free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-877-475-4799.

Spanish: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles de forma gratuita ayuda y servicios auxiliares apropiados para proporcionar información en formatos accesibles. Llame al 602-864-4884.

Navajo: Diné bee yániit'i'gogo, saad bee aná'awo' bee áka'anída'awo'ít'áá jiiik'eh ná hóló. Bee ahít hane'go bee nida'anishí t'áá ákodaat'éhígíí dóó bee áka'anída'wo'í áko bee baa hane'í bee hadadilyaa bich'j' ahoot'i'ígíí éí t'áá jiiik'eh hóló. Kohjí' 1-877-475-4799.

Chinese Simplified: 如果您说[中文]，我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务，以无障碍格式提供信息。致电 1-877-475-4799。

Chinese Traditional: 如果您說[中文]，我們可以為您提供免費語言協助服務。也可以免費提供適當的輔助工具與服務，以無障礙格式提供資訊。請致電 1-877-475-4799。

Tagalog: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga libreng serbisyong tulong sa wika. Magagamit din nang libre ang mga naaangkop na auxiliary na tulong at serbisyo upang magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-877-475-4799.

French: Si vous parlez Français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-877-475-4799.

Vietnamese: Nếu bạn nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 1-877-475-4799.

German: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose Sprachassistentendienste zur Verfügung. Entsprechende Hilfsmittel und Dienste zur Bereitstellung von Informationen in barrierefreien Formaten stehen ebenfalls kostenlos zur Verfügung. Rufen Sie 1-877-475-4799.

Korean: 한국어를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 1-877-475-4799.

Russian: Если вы говорите на русский, вам доступны бесплатные услуги языковой поддержки. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 1-877-475-4799.

Arabic

تنبيه: إذا كنت تتحدث اللغة العربية، فستتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتنسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم 1-877-475-4799.

Hindi: यदि आप हिंदी बोलते हैं, तो आपके लिए निःशुल्क भाषा सहायता सेवाएं उपलब्ध होती हैं। सुलभ प्रारूपों में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएं भी निःशुल्क उपलब्ध हैं। 1-877-475-4799 ।

Farsi (Persian)

همچنین کمک‌ها و خدمات پشتیبانی مناسب برای ارائه اطلاعات در قالب‌های قابل صحبت می‌کنید، خدمات پشتیبانی زبانی رایگان در دسترس شما قرار دارد. فارسی اگر توجه: 1-877-475-4799 با شماره دسترس، به‌طور رایگان موجود می‌باشند.

Thai: หมายเหตุ: หากคุณใช้ภาษาไทย เรามีบริการความช่วยเหลือด้านภาษาฟรี นอกจากนี้ยังมีเครื่องมือและบริการช่วยเหลือเพื่อให้ข้อมูลในรูปแบบที่เข้าถึงได้โดยไม่เสียค่าใช้จ่าย โปรดโทรติดต่อ 1-877-475-4799 หรือปรึกษาผู้ให้บริการของคุณ”

Japanese: 日本語を話される場合、無料の言語支援サービスをご利用いただけます。アクセシブル(誰もが利用できるよう配慮された)な形式で情報を提供するための適切な補助支援やサービスも無料でご利用いただけます。1-877-475-4799。